

# REPLACEMENT PARTS GUIDE

## Z530M Ztrak Mower

### ENGINE



**SPARK PLUG**  
[M805853](#)  
 Every 100 hrs/Annually.



**OIL FILTER**  
[AM125424](#)  
 Every 50 hrs/Annually.



**ENGINE OIL**  
[TY22029](#) (Turf-Gard™ 10W-30) (2.1 L (2.2 qt))  
 Every 50 hrs/Annually.



**AIR FILTER**  
[MIU12555](#)  
 Every 100 hrs/Annually.



**JOHN DEERE MULTI - PURPOSE HD LITHIUM COMPLEX GREASE**  
[TY24416](#)



**GREASE GUN**  
[TY26518](#)  
 Change As Required.



**FUEL FILTER**  
[UC21217](#)  
 Every 100 hrs/Annually.



**HOME MAINTENANCE KIT**  
[LG265](#) (FOR CANADA AND USA)  
[AUC17070](#) (FOR EUROPE)



**V BELT**  
[M172116](#) (LGTH =1945 mm, TK = 8 mm, WIDTH = 12.8 mm)



### ELECTRICAL



**KEY**  
[AUC12681](#)



**HEAD LIGHT BULB**  
[AUC18501](#) (4.32 W)



**IGNITION SWITCH**  
[AUC14659](#)



**BATTERY**  
[TY25221B](#) (12 V) (FOR CANADA AND USA)  
[MCYP340PE](#) (12 V) (NOT FOR CANADA AND USA)

### FUEL & AIR



**FILLER CAP**  
[AM146138](#)



**MUFFLER**  
[AM144574](#)

# REPLACEMENT PARTS GUIDE

## Z530M with 48 inch Accel Deep Deck

### MOWER BLADE


[UC22009](#)

### V BELT

[GX25998](#) (LGTH =3870 mm, TK =11.1 mm,  
WIDTH = 17.1 mm)

### MOWER DECK LEVELLING

[AM130907](#)



### GAGE WHEELS

[GX10168](#)

### MULCH BLADE

[M136185](#)

# REPLACEMENT PARTS GUIDE

## Z530M with 54 inch Accel Deep Deck

### MOWER BLADE

[UC22010](#)

### V BELT

[GX25998](#) (LGTH =3870 mm, TK =11.1 mm, WIDTH = 17.1 mm)

### MOWER DECK LEVELLING

[AM130907](#)



### GAGE WHEELS

[GX10168](#)

### MULCH BLADE

[M177791](#)

# REPLACEMENT PARTS GUIDE


## Z530M with 60 inch Accel Deep Deck

### MOWER BLADE

[UC20448](#)

### V BELT

[M172963](#) (LGTH =4311 mm, TK =11.1 mm,  
WIDTH = 17.1 mm)



### GAGE WHEELS

[GX10168](#)

### MOWER DECK LEVELLING

[AM130907](#)