

Safety Data Sheet

in accordance with 1907/2006/EC

Marldon MXA 200 - 600ml Wood Flooring Adhesive



Version 4

Revision date: 11th May 2017

Replaces: version dated 21st June 2016

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY UNDERTAKING

• 1.1 Product identifier:

Trade Name: Marldon MXA 200 600ml

• 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

• Application of the substance / the mixture

Adhesive for use in the installation of wood flooring, spacings sealant

• 1.3 Details of the supplier of the safety data sheet

SUPPLIER: Haywoods Accessories
172 Brierley Road
Walton Summit Centre
Preston
PR5 8AH

• 1.4 Emergency telephone number 7am - 5pm Monday to Friday

Phone: 01772 647389

Fax: 01772 647397

2. HAZARDS IDENTIFICATION

• 2.1 Classification of the substance or mixture

• Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

• 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 Void

• Hazard pictograms Void

• Signal word Void

• Hazard statements Void

• Supplemental information

EUH210 Safety data sheet available on request.

• 2.3 Other hazards

• Results of PBT and vPvB assessment

• PBT: Not applicable.

• vPvB: Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS*

• 3.2 Chemical characterization: Mixtures

• Description: Silane-terminated, hydrocarbon-based polymer with inorganic fillers

• Dangerous components:			
CAS: 28553-12-0	di"isononyl"phthalate substance with a Community workplace exposure limit	10- <20%	
EINECS: 249-079-5			
Reg.nr.: 01-2119430798-28-xxxx			

Safety Data Sheet

in accordance with 1907/2006/EC

Marldon MXA 200 - 600ml Wood Flooring Adhesive



Version 4

Revision date: 11th May 2017

Replaces: version dated 21st June 2016

CAS: 2768-02-7 EINECS: 220-449-8 Reg.nr.: 01-2119513215-52-xxxx	Trimethoxyvinylsilane Flam. Liq. 3, H226; STOT RE 2, H373; Acute Tox. 4, H332	1- <5%	
CAS: 26761-40-0 EINECS: 247-977-1	Di"isodecyl"phthalate substance with a Community workplace exposure limit	1- <5%	

· **Additional information:**

While curing the following substances are formed and released by a reaction with atmospheric humidity:

Methanol (CAS 67-56-1)

For the wording of the listed risk phrases refer to section 16

4. FIRST AID MEASURES*

· **4.1 Description of first aid measures**

· **General information:** Take affected persons out into the fresh air.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Remove from the skin using a cloth or paper. Then clean with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Information for doctor:** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5. FIRE-FIGHTING MEASURES*

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

Use fire extinguishing methods suitable to surrounding conditions.

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

· **5.3 Advice for firefighters**

· **Protective equipment:** Wear self-contained respiratory protective device.

Safety Data Sheet

in accordance with 1907/2006/EC

Marldon MXA 200 - 600ml Wood Flooring Adhesive



Version 4

Revision date: 11th May 2017

Replaces: version dated 21st June 2016

6. ACCIDENTAL RELEASE MEASURES*

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· 6.2 Environmental precautions:

No special measures required.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Dispose of the material collected according to regulations.

· 6.4 Reference to other sections

By a reaction with atmospheric humidity by-products are released. See Section 8.

7. HANDLING AND STORAGE

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

· **Information about fire - and explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

No special requirements.

· **Information about storage in one common storage facility:** Not required.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight

· **7.3 Specific end use(s)** No further relevant information available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION*

· **Additional information about design of technical facilities:** No further data; see item 7.

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

28553-12-0 di-"isononyl"phthalate

WEL Long-term value: 5 mg/m³

26761-40-0 Di-"isodecyl"phthalate

WEL Long-term value: 5 mg/m³

· **Additional Occupational Exposure Limit Values for possible hazards during processing:**

Safety Data Sheet

in accordance with 1907/2006/EC

Marldon MXA 200 - 600ml Wood Flooring Adhesive



Version 4

Revision date: 11th May 2017

Replaces: version dated 21st June 2016

While curing the following substances are formed and released by a reaction with atmospheric humidity:

Methanol (CAS 67-56-1)

· **Additional information:**

The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

· **Respiratory protection:**

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Filter AX

· **Protection of hands:** Not required

· **Material of gloves** Not applicable

· **Penetration time of glove material** Not applicable.

· **Eye protection:** Safety glasses

· **Body protection:** Protective work clothing

9. PHYSICAL AND CHEMICAL PROPERTIES*

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:

Pasty

Colour:

According to product specification

· **Odour:**

Characteristic

· **Melting point/freezing point:**

Undetermined.

· **Initial boiling point/Boiling range:**

Not applicable.

· **Flash point:**

> 151 °C

· **Ignition temperature:**

420 °C

· **Auto ignition temperature:**

Product is not selfigniting

Explosive properties:

Product does not present an explosion hazard.

· **Explosion limits:**

· **Lower:**

0.1 Vol %

· **Upper:**

0.2 Vol %

· **Density at 20 °C:**

1.6 g/cm³

· **Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

Viscosity:

· **Kinematic:**

Not determined.

Safety Data Sheet

in accordance with 1907/2006/EC

Marldon MXA 200 - 600ml Wood Flooring Adhesive



Version 4

Revision date: 11th May 2017

Replaces: version dated 21st June 2016

Solvent content:

- **VOC (EC)** 3.4 g/l
- **VOC (EC)** 0.21 %

9.2 Other information No further relevant information available.

10. STABILITY AND REACTIVITY*

- **10.1 Reactivity** No further relevant information available
- **10.2 Chemical stability**
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions.** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
None if stored according to specifications
Beginning at approx.. 150°C small amounts of formaldehyde are formed by an oxidative decomposition

11. TOXICOLOGICAL INFORMATION

- **11.1 Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation:** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation:** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitization:** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT – single exposure** Based on available data, the classification criteria are not met.
- **STOT – repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **Other information:**
The product is not biodegradable
- **12.3 Bioaccumulative potential** No further relevant information available.

Safety Data Sheet

in accordance with 1907/2006/EC

Marldon MXA 200 - 600ml Wood Flooring Adhesive



Version 4

Revision date: 11th May 2017

Replaces: version dated 21st June 2016

- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available

13. DISPOSAL CONSIDERATIONS*

- **13.1 Waste treatment methods**
 - **Recommendation** Uncured product may not be disposed of together with household waste and may not reach sewage system. To dispose of, open product containers and let them stand in open air until the reaction is finished totally (means there is no more smell). After that, waste can be disposed of as the cured product. Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities.
 - **European waste catalogue**
 - 08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances
 - 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
 - **Uncleaned packaging:**
 - **Recommendation:**
Empty packages totally (without drops or grains, cleaned with a spatula). Under observation of the relevant local respectively national regulations re-use or recycling is preferred.

14. TRANSPORT INFORMATION

- **14.1 UN number:**
 - **ADR, ADN, IMDG, IATA** Not regulated for transport
- **14.2 UN proper shipping name**
 - **ADR, ADN, IMDG, IATA** Not regulated for transport
- **14.3 Transport hazard class(es)**
 - **ADR, ADN, IMDG, IATA**
 - **Class** Not regulated for transport
- **14.4 Packing group**
 - **ADR, IMDG, IATA** Not regulated for transport
- **14.5 Environmental hazards:**
 - **Marine pollutant:** No
- **14.6 Special precautions for user** Not applicable.
- **14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code** Not applicable.
 - **UN "Model Regulation":** Void

Safety Data Sheet

in accordance with 1907/2006/EC

Marldon MXA 200 - 600ml Wood Flooring Adhesive



Version 4

Revision date: 11th May 2017

Replaces: version dated 21st June 2016

15. REGULATORY INFORMATION*

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments).

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015

· **REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 52a, 52b :**

· **National regulations:**

· **Additional classification according to Decree on Hazardous Materials, Annex II:**

No further relevant information available.

· **Information about limitation of use:** No further relevant information available.

· **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57** Not applicable.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION*

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour

H332 Harmful if inhaled

H373 May cause damage to organs through prolonged or repeated exposure.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam.Liq.3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

* Data compared to the previous version altered.