HAVWOODS




# Technical Data Sheet

Version 1.1

## HRC1910

# Skiron

## Vertical



**Specification**

| | |
|---|---|
| Pattern | Plank |
| Construction | Solid |
| Top Layer Specie | American pine (Tsuga/Pinus spp.) |
| Surface Process | Weathered |
| Finish | Unfinished |
| Connection System | PAR |
| Edge Profile | Reclaimed edge |
| Backing | N/A |
| Wear Layer Thickness | N/A |
| Total Thickness | 3/4" (19mm) |
| Width | 4 1/2" - 11 3/8" (115-290mm) |
| Length | Random (Random) |
| Pack Size | TBC |
| Grade | Rustic |

FSC
www.fsc.org
FSC® C009500
The mark of responsible forestry

Key

* Subject to compatible subfloor and correct installation (see Installation Guidelines) including sensors.

Havwoods (North America), 151 W 18th St, New York, NY 1011, USA
1 347 523 8930 | info@havwoodsusa.com | www.havwoods.com

**Installation Methods**

| | |
|---|---|
| Fully Bonded | Yes* (recommended) |
| Nailed/Screwed | Yes* |

All Havwoods floor must be installed by a competent installer who will have the necessary skills and take individual site circumstances into account. Havwoods warranty will apply only to floors which have been installed by a competent flooring installer comparable to BS8201 in the UK or equivalent standards worldwide.

**Grading Criteria**

| | |
|---|---|
| Sound Knots | Unlimited |
| Broken Knots | Up to 50mm Ø allowed |
| Filled Defects | Allowed |
| Heat/Pith | Not allowed |
| Sapwood | Allowed |
| End Checks | Allowed |
| Insect Damage | Not allowed |
| Filler | Allowed |
| Colour Variation | Allowed |
| Small Cracks | Allowed |
| Inner Bark | Not allowed |
| Medullary Rays | Allowed |

N.B. The product grading criteria is inspected at each mill visually and should be taken as an approximation only. To allow for unavoidable variations in the material characteristics, 3% of materials may vary from the stated range.

**Technical Criteria**

| | |
|---|---|
| Origin | North America |
| Certification | FSC® Certified (FSC-C009500) |
| Janka Hardness Rating | 540 lbf (2,420N) |

HAVWOODS

# For More Information

## Contact Our Experienced Team:

Tel: 1 347 523 8930
Email: info@havwoodsusa.com

Comprehensive maintenance instructions and materials are available from Havwoods for all floors.



This technical data sheet was written by Havwoods International. At the time of writing and publication, all information is specified correctly. The company reserves the right to change the specifications of this product at any time without prior notice to third parties. The photographs used in this document are intended only as illustrations. No rights can be derived from them.