HAVWOODS




Technical Data Sheet

Version 1.1

HW33006

Bayonne

PureVeneer



Specification

Pattern	Veneered sheet
Construction	Solid veneer
Top Layer Specie	European oak veneer (Quercus spp.)
Surface Process	Brushed & stained
Finish	Matt lacquered
Connection System	PAR
Edge Profile	Square edge
Backing	High pressure laminate (HPL)
Wear Layer Thickness	N/A
Total Thickness	1mm
Width	48" (1220mm)
Length	120 1/8" (3050mm)
Pack Size	3.721m²
Grade	Mix match quarter sawn

Key

* Subject to compatible subfloor and correct installation (see Installation Guidelines) including sensors.

Havwoods (North America), 151 W 18th St, New York, NY 1011, USA
1 347 523 8930 | info@havwoodsusa.com | www.havwoods.com

Installation Methods

Fully Bonded	Yes*
Nailed/Screwed	No

All Havwoods floor must be installed by a competent installer who will have the necessary skills and take individual site circumstances into account. Havwoods warranty will apply only to floors which have been installed by a competent flooring installer comparable to BS8201 in the UK or equivalent standards worldwide.

Grading Criteria

Mix-match production technique ensures each panel is consistent in colour and quality without compromising the solid panel aesthetic. This is accomplished by merging veneers selectively sourced from different trees with various slicing techniques. Quater-sawing produces planks with straighter, more uniform grain patterns and greater stability compared to standard plain-sawn timber.

N.B. The product grading criteria is inspected at each mill visually and should be taken as an approximation only. To allow for unavoidable variations in the material characteristics, 3% of materials may vary from the stated range.

Technical Criteria

Origin	Europe

HAVWOODS

For More Information
Contact Our Experienced Team:

Tel: 1 347 523 8930
Email: info@havwoodsusa.com

Comprehensive maintenance instructions and materials are available from Havwoods for all floors.



This technical data sheet was written by Havwoods International. At the time of writing and publication, all information is specified correctly. The company reserves the right to change the specifications of this product at any time without prior notice to third parties. The photographs used in this document are intended only as illustrations. No rights can be derived from them.