




Introducing the new

Walk in the Woods Collection



HPL

High Pressure Laminates



nevamar®

A Panolam Surface Systems Brand.

INTRODUCING



WALK IN THE WOODS

BY NEVAMAR®

Walk in the Woods

A refined and modern collection of woodgrains and solids.

With sustainability in mind, Nevamar's Walk in the Woods was created with an awareness to select woodgrains that are neither exotic nor endangered, and indigenous to North America. The intent is not to promote or influence the use of endangered timber species.

For a sampling of our latest collection, contact your local Nevamar representative or visit nevamar.com.




WO2600 NW **Aurora Oak**



WO9400 NW **Solstice Oak**




WO8800 NW **Twilight Oak**



WZ2200 IW **Sunrise Cedar**



WZ2150 IW **Midnight Cedar**



WW1300 NW **Pacific Walnut**




WW1900 NW **Continental Walnut**



WW1700 NW **Appalachian Walnut**



SP4200 T **Wild Liatris**



SV7700 T **Feral Fern**



SV7600 T **Flourish Green**

Finish Options

Nevamar high pressure laminates are available in 25 finishes designed to enhance the look and texture of any project. Please contact your local Nevamar representative for finish samples, grade and sheet availability. For quicker processing of your sample request, kindly use the designated finish code as listed below.

Aged Bark (AB) Medium-grain weathered wood

Armored Protection® (ARP) (T) Low gloss, textured finish with ARP

Ashwood (AW) Fine woodgrain with cathedral

Barnboard (BB) Linear plank, matte woodgrain

Crystal (CR) Fine pebbled finish, medium gloss

Evolution (EV) Smooth surface enhanced by contrasting matte and gloss organic texture

Fineline (FL) Deep, fine-grained linear pattern

Gloss (GL) High gloss, smooth finish

Granite (GR) Polished stone textured finish

Groovy (GV) Eclectic abstract pattern that appears to create motion

Hex (HX) Geometric repeating pattern, low gloss

Ironwood (IW) Natural flowing wood texture, low gloss

LineZ (LZ) Deeply embossed woodgrain

Medium Gloss (MG) Medium gloss, smooth finish

Metalz (MZ) A high gloss metal look finish as the name implies

Modern Matte* (MM) Velvet touch, fingerprint resistant, ultra matte

Natural Stone (NS) Matte surface accentuates the indentations offering a time-worn look

Natural Wood (NW) Real wood texture, low gloss

Polished Velvet (PV) Smooth, textured furniture finish

Soft Leather (LR) Finely grained leather finish

Super Matte (SM) Smooth, non-reflective surface

Tactile Weave (TW) Modern woven fabric look and feel, low gloss

Textured / Suede (SD) Low gloss, textured finish

Timberline (TL) Wide grained linear texture


Velvet (VE) Smooth, finely grained surface

Wood Essence (WE) Natural, linear woodgrain finish

Upcharges may apply depending on the finish.

*MM is a Specialty Finish

Armored Protection® laminates exclusively from Nevamar® provide more than 2X the wear protection of standard laminates, keeping your designs looking new longer. For unsurpassed resistance to abrasions and scuffs without sacrificing clarity of design, choose Nevamar laminates with Armored Protection (ARP) technology.



(Per ANSI/NEMA LD3 test method)

Environmental Features

No matter which pattern you choose, Nevamar makes your laminate green!

- Nevamar's low emission products are GREENGUARD® certified.
- By formulating our own resins, we can assure you of an eco-conscious manufacturing process.
- Nevamar laminates are easy to clean without using harsh chemicals.
- Our products are manufactured with kraft and decorative paper from recycled or renewable sources to help preserve our forests and promote a healthier environment.
- Distribution centers are strategically located across the country to reduce the use of fossil fuels when delivering Nevamar products.
- Nevamar HPL surfaces do not support bacterial growth making them an ideal choice for healthcare, education and food service installations.



The mark of responsible forestry



Multiple surfaces. One system. Amazing possibilities.

Nevamar continues its long-standing tradition of design and technical innovation featuring a broad selection of quality products. Today, our High Pressure Laminates (HPL) are more versatile than ever, with more design-forward patterns, accent colors, and finishes than ever before. Simply look at what we offer among our specialty laminates and you will know exactly what we mean.



Thicklam®
Thick Phenolic provides unmatched strength for commercial countertops and partitions.

FRL®
Wall Protection Panels are the ideal high-impact wall and door surfacing solution for high-traffic environments.

TFL
Thermally Fused Laminate offers cost-effective design and performance.

ThruColor™ HPL
Eliminates visible lines along laminate edges on finished products.

HPL
High Pressure Laminate is a perfect surface for almost any horizontal or vertical application

WM8340 T Clear Maple	W8351 T Fine Sycamore	WM5577 SD Scandia Maple	WM0005 T Siren Maple	WF0002 SD Washington Apple	WA0001 SD Golden Anigre	WM8342 T Amber Pearwood	WZ0005 MG Recon Oak	WZ0003 T Tawny Satinwood	WA0002 SD Tangier Anigre	WC5581 MG Blossom Cherry	W8352 VE Regency Mahogany	W8294 T Crown Cherry	WZ0017 T Galloway Burl	WS9450 MG Royal Mahogany	W8343 PV Crest Mahogany
WZ0001 T Shibui Woodprint	WZ0018 T Natural Bamboo	WQ0040 T Straightaway Oak	WM5528 SD Vermont Maple	WM8349 T Champagne Sagawood	WZ0002 T Mikado Woodprint	WC2001 T Caluna Cherry	WM8164 T Rustic Quartered Oak	W8371 T Grand Isle Maple	WM8350 T Carmel Sagawood	W8325 T Sovereign Cherry	WF0001 T Edenwood	W8369 T Topaz Khayawood	WW0013 MG Vantage Point Walnut	WZ0007 PV Tendu	WZ0028 PV Kona Blend
WM2640 T Planetree Maple	WZ0054 T Breve	WM8258 T Beige Renaissance	WZ2004 T Kendo	WZ0045 T Validate We Do	WX0075 AB Galao	WM0046 T Illustrious Maple	WZ2200 IW Sunrise Cedar	WH1000 WE Glistening Trail	WZ2001 T Santa Rosa Plum Tree	WZ2009 T Cutting Edge	WY2000 T Miesian	WW7800 T Babbling Brook	WU0060 T Brave Spirit	WW3100 T Stout Walnut	WK0023 PV Marocchino
WE2700 T Meditation Elm	WK0025 T Chai	WK0022 T Antoccino	WZ0062 T Dragonfly	WZ6001 T Dry Creek Plum Tree	WZ0052 T Mazagran				WF0011 T Macchiato	WW9600 T Mid Mod Walnut	WK0017 T Venerable Old Oak	WZ6004 T Modern Edge	W01400 WE Bohemian Edge	WK0024 T Palazzo	

WZ0080 TL Zebrano White	WW9000 WE Sunbeam	WW130 NW Pacific Walnut	WO2600 NW Aurora Oak	WO2600 NW Solstice Oak	WW1700 NW Appalachian Walnut	<div>MM</div> <div>Modern Matte</div> 				WW0900 VE Endless Journey	WW4400 VE Untold Journey	WX4600 VE Whispering Wind	WZ0055 T Carajillo	WM0047 T Iconic Maple	WT0003 PV Valencia Teak
WZ0049 T Crema	WA3000 VE Tranquility	WO7100 WE Simplicity	WU0030 WE Kindred Spirit	WU0010 WE Outer Limits	WT0005 T Luminary Teak	WP3000 AB Weathered Storm	WX8500 VE Roaring Wind	WW1900 NW Continental Walnut	WO8800 NW Twilight Oak	WZ0053 T Zulu	WZ0063 T Yunnan	WK0027 T Bailey	WH0050 PV Rugged Trail	WZ2150 NW Midnight Cedar	WX1150 PV Giant Gray Bamboo
S7024 T Chalk White	S7040 T Spa White	S7005 T Antique White	S2085 T English Lace	S7025 T Neutra	S2037 T Almond	S2110 T Basic	S2019 T Beige	S6024 T Cordial Gray	S2069 T Bethany Beige	S2093 T Sandcastle	S2086 T Jute	S2084 T Foundry	S2115 T Cocoa Bean	VS2002 T Vanilla Bean	S6014 T Black Pearl
S7036 T Precision White	S7032 T Bone White	S7027 T Smoky White	S7004 T Solid White	S2063 T Natural Beige	S6052 T String	S6031 T Fossil Gray	S6003 T Dove Gray	S6047 T Sandpiper	S6037 T Studio Gray	SG0004 T Garden Mist	S6023 T Platinum Gray	S6012 T Neutral Gray	S6027 T Maritime Gray	S6020 T Gunmetal	S6054 T Wrought Iron
SB0300 T Fiji	S5059 T Aqua Lagoon	S3023 T Graphite Blue	S3022 T Deep Blue	S3016 T Regimental Blue	S3048 T Patriot Blue	S3068 T Sunken Treasure	S3070 T Caribbean Blue	S3069 T Soft Island Breeze	SP4200 T Wild Liatris	S3055 T Violine	SP4170 T Tyrian Purple	S6033 T Raven	S6001 T Black	S6053 SM Jett Black	S6053 T Jett Black
														Super Matte Finish	



AW1800 T White Kinetic	TQ6001 T Gray Tranquility	VA2002 T Vision Vava	WZ0056 T Eiskaffe	RK7002 T Veto Proof	LN6001 T Frappe	AW1900 VE Spirito Terrazo	MG1800 EV Galactic Dust	MW5900 EV White Perito Marble	MT4050 EV Taupe Imperiale Marble	HLT004 T Silverline Hautelink	LN6002 T Kopi Susu	AG8000 SD Silver Dollar	AM6001 T Aluminite	MXT002 T Stainless MetalX	VA6001 T Calm Distinction
MR7002 T Wild Oats Matrix	MR7001 T Studio White Matrix	MR6005 T Winter Gray Matrix	MR6008 T Birch Matrix	MR2006 T Straw Matrix	MR2003 T Neutra Matrix	MT2500 EV Man on the Moon	AG7900 EV Spanish Marble	AG8720 EV Smokey Skies	MG1600 EV Upland Stone	MR2002 T Greige Matrix	MR6001 T Gray Matrix	MR3003 T French Blue Matrix	MR6004 T Storm Gray Matrix	MR6007 T Phantom Gray Matrix	MR6002 T Charcoal Matrix
ES2001 T Ivory Essence	YSN002 T Pure Spun Yarn	WZ2000 T Ecru	AT5100 T Blissful Path II	KH2001 T Marrakesh Express	FS2001 T Canyon Fissure	SL6003 EV Rare Earth Slate	AE0500 SD Stepping Stone	AT9960 EV Brown Coralino Marble	ME0600 SD Estasi	WZ0057 T Calypso	VE6001 T Veta Shadows	LD6001 T Black Lodestone	VS6001 T Vous Metal	HLT001 T Basic Black Hautelink	VA5002 T Easy Elegance
AT7700 T Harmony Glow	TM2001 T Ochre Tempera	YSN001 T Tea Stain Spun Yarn	PR2002 T Papier Au Lait	AL2002 T Golden Allusion	VS2001 T Vous Fawn	RK2001 T Classic Rock	LU6001 T Lunaria Shadow	LU3001 T Blue Lunaria	VA2001 T Visible Vava	RK6003 T Verdicts In	EM6001 T Aged Elements	FN6001 T Charcoal Fusion	ES6002 T Charcoal Essence	VU6001 T Adaptable Muse	ALN002 T Decadent Allusion

Please note:

Printed patterns are shown at a reduced scale from representative segments of large sheets

Colors may differ slightly from the actual product
Available for horizontal and vertical applications
Ideal for retail, healthcare, education and other commercial applications

Available in all Nevamar finishes

Please contact Nevamar or your local distributor for samples before specifying

 Denotes the new Walk in the Woods Collection



How to Specify:

	EXAMPLE
Color Name	Galao
Color Reference Number	WX0075
Finish	Aged Bark (AB)
Size	3' x 8' or 3' x 10' 4' x 8' or 4' x 10' 5' x 8' or 5' x 10'

Learn more at
nevamar.com

Proudly Supplied By

Rugby
Architectural Building Products

Technical Specifications

Technical information listed below applies to high pressure decorative laminates. For additional technical data, specification sheets, and three-part CSI, visit nevamar.com.

STANDARD LAMINATE

Nevamar Standard Laminate is designed for either horizontal, vertical, or postforming applications. Typical uses include countertops, tables, vanities, interior doors, cabinets, contract furniture, and retail store fixtures. Three standard grades of Nevamar laminate are suitable for most applications.

G48 General Purpose Grade

Nominal Thickness 0.048"/1.2 mm (NEMA HGS). Most often used in horizontal applications where high-impact resistance and a durable, decorative surface is required.

F39 Postforming Grade

Nominal Thickness 0.039"/1.0 mm (NEMA HGP). Designed for manufacturing countertops and other horizontal surfaces where the laminate may be heated and rolled over the substrate edge to eliminate seams.

F28 Postforming Grade

Nominal Thickness 0.028"/0.7 mm (NEMA VGP). Designed for surfaces where impact resistance is less critical.

SPECIALTY PRODUCTS

ThruColor™ HPL Laminate

ThruColor HPL is intended for use in applications where the edge of laminate contributes to the aesthetics of the final product. Nevamar's manufacturing process provides a second generation color-through laminate that is more flexible and much less likely to chip than other color-through laminates. ThruColor HPL colors and their corresponding colors in standard Nevamar are not exact matches. Sample evaluation is recommended. Ideal for high-wear horizontal and vertical applications such as high-end furniture.

ChemGuard Chemical Resistant Laminate

Available in thicknesses up to 1" (25.4 mm). Nevamar ChemGuard incorporates the decorative features of high pressure laminate into a durable, chemical resistant surfacing material. The unique manufacturing process of Nevamar ChemGuard results in a product with excellent chemical resistant properties. This feature ensures that the ChemGuard surface is more chemical resistant than competitive laminate. Nevamar ChemGuard's superior chemical resistant surface cannot be softened with heat for postforming. ChemGuard is ideal for education labs, culinary testing facilities, photographic darkrooms, nurses stations, medical, dental, and veterinary work areas and mortuaries. Thicker ChemGuard laminate can be used as structural components in laboratory bench tops precluding the use of a substrate.

ThickLam® Thick Phenolic Core Laminate

Available in thickness up to 1" (25.4 mm). Designed for applications where the decorative surface must contribute to the structural stability of the finished assembly. ThickLam offers the same chemical resistance properties as standard Nevamar laminate. ThickLam thick phenolic can be manufactured with enhanced chemical resistance and is available with Class A Fire rating if requested. Available in the following configurations: decorative both sides and decorative one side. Available with black or brown edge. Typical uses include toilet and dressing room privacy partitions, tabletops, doors, workstations, wall panels, and desktops.

Fire Rated Laminate

Designed for applications where a decorative surface must resist combustion and inhibit smoke production. Fire rated laminate is classified by Underwriter's Laboratory, Inc. under File R6581 in both the US and in Canada. Please refer to Nevamar Fire Rated Technical Bulletin for products available as IMO certified. Typical uses include elevator cabs, hospitals, schools, airports, hotels, and other public buildings where strict fire codes apply.

Hi-Wear Laminate

Designed for applications requiring increased abrasion and scuff resistance, the product offers more than five times the wear resistance of standard grade laminate. Due to the manufacturing process, Nevamar Hi-Wear laminate will vary in color from corresponding colors in standard Nevamar. This effect is more pronounced in darker colors and patterns. Sample evaluation prior to order placement is recommended. Typical uses include buffet counters, salad bars, checkout counters, kickboards, bartops, and restaurant counters.

ESD (Electrostatic Dissipative Laminate)

Developed specifically for surfacing workstations where static-sensitive electronic components are manufactured and assembled. ESD is post-formable. Works well in hospitals, medical facilities, and clean rooms as the surface will not attract dust or dirt particles. Due to the unique composition of this product, SDL colors and their corresponding colors in standard Nevamar are not exact matches. Sample evaluation is recommended.

2 Corporate Drive, Suite 926, Shelton, CT 06484
877.726.6526 panolam.com

© 2024 Panolam Industries International, Inc.

