If you're looking for high quality TFL panels for cabinetry, desktops, fixtures and other projects, then look no further than the TFL collection from Panolam.

The Panolam® TFL collection of popular designs are engineered for quality, value and ease of fabrication. Design flexibility and cost effectiveness are in every panel. Panolam® TFL offers the machinability, durability and ease of maintenance you and your customers demand.

Design Integration

Many of our trend forward designs are available in matching HPL and custom edgebanding for your convenience in design and production.

National Availability

Our network of national distributors is backed by our strategically located production facilities. Production shops of any size can count on excellent service and delivery of the Panolam® TFL products you need, when you need them.

Product Versatility

One manufacturer

and highest quality

substrate options.

offering many different surface

When you need a unique solution, we provide the answer to your unique requirements. You can choose from a wide range of panel sizes, core thicknesses and types to meet all forms of design, performance and budgetary challenges.

Typical Uses

Panolam® TFL panels should be used for interior applications where a decorative wear and stain resistant surface is required. Vertical uses include point-ofpurchase displays, pedestals, cabinet side panels, store fixtures, slatwall and furniture. Horizontal uses include displays, shelving, desktops and other uses where heavy abuse is not expected and high-impact resistance is not required.

Quality Assurance

All Panolam® TFL panels are manufactured to strict standards of product quality and consistency. The NEMA test results for Panolam® TFL are shown on the back of this brochure.

Certifications

Panolam® TFL is manufactured using particleboard or MDF substrate panels that are compliant with the CARB Composite Wood ACTM CARB Phase 2 standards at a minimum. CARB ULEF and NAUF substrate such as the Panolam ZCore particleboard is available upon request. The panels are also compliant with the US Department of Housing and Urban Development (HUD) standard 24 CFR 3280.

Panolam is committed to preserving our environment and enhancing the quality of life in the communities we serve. We continue to work for greater awareness about the environmen and the importance of responsible building practices among our employees, customers and suppliers. All colors and designs are available as FSC® certified products.



 Expansive color line giving access own paper offering to hundreds of more control over decorative papers lead times and that can be used the quality of the in both HPL and treated paper.

Panolam® TFL.

Panolam treats our

• We deliver <u>exceptional</u> service to meet your project deadlines.



Thermally Fused Laminates



Panolam® Thermally Fused Laminate Surface Properties

Test for resistance to:1	Description: A measure of the ability of decorative overlaid surface	Typical Performance:	
		Solid Colors	Printed Patterns
WEAR	To maintain its design or color when subject to prolonged abrasive wear	700-900 cycles	125-200 cycles
STAIN	To resist staining by prolonging contact with 15 common household substances ²	Tests 1-10: No effect Tests 11-15: No effect to slight effect	Tests 1-10: No effect Tests 11-15: No effect to slight effect
CLEANABILITY	To be cleaned following prolonged contact with 15 common household substances (High Pressure Laminate maximum allowed + 12)	10	10
LIGHT	To retain its color after prolonged exposure to a light source having a frequency range approximating sunlight through windowglass	No effect to slight effect	No effect to slight effec
HIGH TEMPERATURE	To maintain its color and surface texture when subjected to a high temperature	No effect to slight effect	No effect to slight effec
RADIANT HEAT	To resist any damage when subjected to a radiant heat source	No effect after 80 sec. exposure	No effect after 80 sec. exposure
BOILING WATER	To maintain its color and surface texture when subjected to boiling water	No effect [₽]	No effect ^e

High Pressure

perfect for almost

any horizontal or

vertical application

Laminate

¹ NEMA LD-3-2005 ² Dark colors may show a slight effect.

Panolam Surface Systems: Multiple surfaces. One system.

Same design. Different substrates. Our goal is to help bring your vision to reality without compromise. As your full surface solution ThruColor™ HPI provider, we are here to the core means no visible lines along laminated edges and joints

help navigate the many design and substrate options available to help you achieve your

desired aesthetic, performance, and budgetary attributes for every project.



panolam.
SURFACE SYSTEMS

ThickLam™

Thick Phenolic

unmatched

strength for

commercial

countertops

and partitions

TFL

Fused

Thermally

Laminate

cost-effective

performance

design and

FRL®

Laminate

Fiber Reinforced

high-impact wall


for high-traffic

environments

and door surfacing



panolam



At Panolam Surface Systems, we are bringing more to the surface.

Sheet Size Availability
4' width x 8, 9, 10, or 12' lengths
5' width x 8, 9, 10, or 12' lengths

Finish Options

S4 Peppe	SS	AA Negotiating	AE Little Ba	WA Afterno	W1	W2	W3	WZW			r distribu m® niodii
S431 Willow Grey	Summer Vacation	P73D Penny Lane	AE060 Stargazing	Wasey Wedding Cake	WT870 Steeping In	W190 Gunstock Walnut	WW120 A Good Book	W47N Kona Blend			Contact your local representative or distributed and stributed information objects boardons arodin
S568 Surf	SV750 Fresh Cut Grass	P24D Golden Years	AG801 Jumping in Puddles	W50D Wfor	W304 Giant Gray Bamboo	W40D Stort Walnut	W42W Babbling Brook	W372 Mahogany			Contact your loc
S402 Natural Almond	a Si	LL34 Foundry	P727 Sugar Pie	w163 Looks Likatre	W47D Rugged Trail	WT880 Cool Autumn Night	W196 Appears Likatre	W336 Sunset		:	tive
S463 Antique White	S597 Prism Red	8473 Nubian Brown	AT988 Beachcomber	W13D Simplicity	W155 Trytoo Savatre	WW050 Walnut Grove	W368 Peach Cobbler	W156 Grand Cherry	W140	Riviera Maple	Please note: Printed samples shown are from representative
S499 Galaxy White	LL62 Raven	S405 Black	W92B Draoonfly	W45D Tranquility	W11B Bailey	W617 Pralines & Cream	W59B Macchiato	W41P HP Sovereign Cherry	W256	Country Maple	ted samples shown
S411 Oxford White	LL67 Wrought Iron	S744 Slate	AW300 Love Letters	WC652 Coastal Cottage	W150 Absolute Acajou	W200 Aimtoo Savatre	WA110 Catching Firefiles	W272 Nutmeg Cherry	PN46	Hardrock Maple	Please note: Prin
S645 True White	S565 Storm Gray	S548 Custom Grey	W249 Zebrano White	W221 Leave Likatre	W27D Untold Journey	We1D Weathered Storm	WA030 Pionic in the Park	W689 Backwoods Sycamore	W268	Fusion Maple	
S663 Killington White	= 1	S551 Fog Grey	W47B	W64D Sunbeam	W354 Chocolate Malt	WT860 Taligating	W301 Antoccino	W50N Santa Rosa Plum	W285	Knotty Pine	

Contact your local representative of for more information about Panolan 877.726.6526











proudly supplied by

Architectural Building Products



1-855-650-3265 | www.rugbyabp.com