

# Eurodekor thin boards

Authentic surfaces and convincing properties





# Eurodekor melamine-faced thin boards



Melamine-faced boards offer multiple possibilities for use in furniture and interior design. Thanks to their scratch resistance, abrasion resistance and resistance to chemicals, the surface is very robust.

#### They are very well suited for the following areas of application:

- Interior doors (residential and commercial applications)
- Lightweight, back boards
- Furniture and interior design
- Trade fair construction and shopfitting

#### **Properties**

- High impact resistance and mechanical resistance
- Design versatility with coordinated surface textures
- Optimal surface properties according to EN 14322
- Ideal processing characteristics
- Processing with low tool-wear



#### **Eurodekor Thin MDF HD**



The EGGER Thin MDF HD is a bright, highly compressed board with a particularly fine fibre structure. Thanks to its high density, it complies with the requirements of the EN622-5 and has very good elasto-mechanical properties.

With its high compression, the product is particularly suited for one-sided and therefore asymmetrical lamination, as well as the pressing of deep textures. The structures gathered under the name of Feelwood, reflect surfaces that are close to nature and authentic.

#### **Eurodekor Thin Chipboard**

The EGGER Eurodekor thin chipboard is a light board with low bark content and a particularly smooth chip structure. It corresponds to the requirements of the RAL Quality Assurance Association for interior doors and fulfils the special requirements for impact resistance and mechanical resistance.

# **Product properties**

Melamine-faced thin chipboard, laminated on one side, low-emission - E1 P2

| Thin MDF HD E1 for synchronised pore structure |   |  |
|--|---|--|
| Thickness:                                     | 3 mm (thickness tolerance: according to EN 324-1 based on the nominal size ±0,2 mm)                           |  |
| Decors:  | EGGER wood reproductions, uni and white decors upon request – no pearlescent decors                           |  |
| Textures:                                      | ST27, ST28, ST29 synchronised pore structure, only available with Feelwood decors according to the collection |  |
| Delivery time:                                 | approx. 4 to 5 weeks  |  |

| Thin chipboard E1 P2 for standard textures |  |  |
|--|--|--|
| Thicknesses:                               | 3 mm + 4 mm (thickness tolerance: according to EN 324-1 based on the nominal size ±0,2 mm)       |  |
| Decors:                                    | EGGER wood and material reproductions, uni and white decors upon request – no pearlescent decors |  |
| Textures:                                  | ST2, ST9, ST10, ST11, ST15, ST22   |  |
| Delivery time:                             | approx. 3 to 4 weeks   |  |

| Product information                             | Full boards and half-formats   | Cut-to-size   |
|---|--|---|
| Delivery plant:                                 | St. Johann in Tirol  |   |
| Formats:  | $5,610 \times 2,070$ mm — only thin chipboard $4,300 \times 2,070$ mm — only thin chipboard $2,800 \times 2,070$ mm  | Cuts according to customer specifications   |
| Minimum quantity per decor/texture / thickness: | ≥ 50 full boards - 5,610 × 2,070 mm - only thin chipboard<br>≥ 50 full boards - 4,300 × 2,070 mm - only thin chipboard<br>≥ 100 half-formats - 2,800 × 2,070 mm<br>Variation in number of pieces ± 15 % reserved   | Cut-to-size: ≥ 1000 pieces per order  of which: ≥ 200 pieces per format/texture/thickness   |
| Packaging unit:                                 | 25 pieces $-5,610 \times 2,070 \times 3$ mm $-$ only thin chipboard 50 pieces $-4,300 \times 2,070 \times 3$ mm $-$ only thin chipboard 50 pieces $-2,800 \times 2,070 \times 3$ mm  20 pieces $-5,610 \times 2,070 \times 4$ mm $-$ only thin chipboard 40 pieces $-4,300 \times 2,070 \times 4$ mm $-$ only thin chipboard 40 pieces $-2,800 \times 2,070 \times 4$ mm $-$ only thin chipboard | Door formats cut-to-size: 200 pieces – 3 mm 200 pieces – 4 mm – only thin chipboard other cuts upon request   |
| Grading:  | According to standard, there is a pressed grading (decor on decor) according to EN 14323 with permitted defective fractions: Points: ≤ 2 mm² / m² Length defects: ≤ 20 mm / m²  Customer-specific grading and stacking upon request  | According to standard, there is a pressed grading (decor on decor) according to EN 14323 with permitted defective fractions:  Points: ≤ 2 mm² / m²  Length defects: ≤ 20 mm / m²  Customer-specific grading and stacking upon request |
| Stacking:                                       | Decor on decor, in pairs   | Decor on decor, in pairs or according to customer requirements  |

### **Eurodekor Thin MDF HD 3 mm**



## Eurodekor thin chipboard 3 and 4 mm





## www.egger.com/products-interior



Would you like to know more? Simply scan here and get further information.

Proudly Supplied By

