



"We see it as our mission to produce the most beautiful and decorative oak veneered panels, enabling you to transform your most creative ideas into sensational interiors."






Every Decospan panel we produce is unique. We handle the available oak veneer creatively and with the utmost respect. Our unique production processes capture and enhance the beauty, colour, markings and structure of solid wood, and combine these with the many advantages of a veneered panel. The gleam of amazement in the eyes of our customers when they enter their living room, kitchen or office, gives us the ultimate sense of satisfaction.

Intelligent. With Querkus, we have succeeded in capturing the capriciousness of nature in an accessible and easy to process product. No need to worry about product specifications; you can just focus entirely on the look and feel that will make your project unique.

Authentic. Querkus stands for an honest and authentic product. That's why, as well as processing new oak, we also give old oak beams a second lease of life. Veneer from old oak has a more seasoned and robust look. Recycling and upcycling at their best.

Sustainable. With Querkus we are working to reduce our environmental impact. We do this by making a product with a long service life, only working with oak from sustainably managed forests and by using environmentally-friendly production processes. This is all safeguarded in our Pure Wood Charter.

European. Oak is highly regarded in the furniture industry and in interior design. Because of its durability and excellent workability, oak has been used for many centuries in these parts. Our buyers are always searching for the best logs of European origin.



Oak Smoked Havana

Oak Smoked Arabica

Oak Smoked Robusta



Querkus is a collection of decorative oak veneered panels. You choose the look, veneer thickness and surface finish to create the perfect board that suits your style completely. From now on you no longer have to worry about technical specifications because our simple step-by-step plan enables you to compose a product that will make your project shine.



Step 1: Choose the LOOK

First you determine the appearance of your Querkus veneer product. Think carefully about the atmosphere you want to achieve as the end result. Depending on the chosen look, different veneer thicknesses are available, which you choose depending on the budget or the desired finishing.

For an extra solid look, veneer strips from different trees are combined using our unique mixmatch jointing method. This gives the boards a planked look but still fits together.



Step 2: Choose the THICKNESS

Each look may or may not be available in a number of thicknesses. Choose your thickness according to your budget or desired 'touch' (see step 3).

0,6 mm 1 mm 1,5 mm 2 mm 3,5 mm



Step 3: Choose the TOUCH

Natural oak veneer distinguishes itself from other types of wood and plastic alternatives by its special wood design and grain structure. This can be further accentuated by applying surface treatments. The experience and feel are thus emphasized even more. You immediately feel the authenticity of the product.

Plain

These panels are pre-sanded as standard with 120 grit. The surface is smooth (Plain) and can be further sanded and finished by you.



🧷 Plain

Brushed

A brushed surface does justice to the natural wood structure. Brushed type B1: the soft summer wood is given a subtle and light brush treatment. Brushed type B2 and type B3: the structure can be seen more in depth, with the effect being comparable to sand-blasting.



Scratched

We use a patented procedure for an authentic-looking band sawn structure, giving the veneer panel the look of a solid wood plank, worked by craftsmen.







Scratched type S2









Combination options

LOOK, THICKNESS and TOUCH

Distressed

Random hammer impacts create an unpredictable pattern, giving the veneer an seasoned look.



🖉 Brushed type B3



Distressed type D1

Embossed

A pronounced relief structure is applied to the panels under high pressure. This gives the surface a weathered look & feel.




Embossed surface technology in cooperation with J Grabner GmbH



C Embossed type E1

type S4



≣ Ξ



💿 Oak Natural Allegro



NO NONSENSE PURITY

Natural brings the honest and endearing beauty of the oak to the fore. No frills, just pure nature. For this we use only strictly selected oaks, grown slowly in controlled and regulated growing areas.

The Natural panels are untreated enabling you to apply a wood stain or varnish finish according to taste. Wood oil also offers optimum protection, while retaining the veneer's natural feel and warmth.

The 3 Oak Natural looks are available in 4 veneer thicknesses: 0.6 mm, 1 mm, 1.5 mm and 2 mm.

Oak Natural Vivace









Finish: coloured wood stain & varnish Design: Jaspers-Eyers Realisation: De Laere Decor Photos: Klaas Verdru



Finish: White-wash lacquered Project: Renovation of a mansion, Hoofddorp, 2017 Design: Serge Schoemaker Architects Realisation: Vendel Keukenarchitectuur Photo: MWA Hart Nibbrig







Brushed Type B1

Finish: UV matt varnish Design: Cuypers & Q architecten



 Oak Natural Adagio
 1 mm
 Brushed Type B2

> Finish: Olie met satijnglans Project: La butte aux bois Design: Architectenbureau PCP Realisation: Weygers totale projectinrichting Photo: Hugo Thomassen

www.querkusdecospan.com

16



1 mm Ŋ Scratched Type S1

Finish: coloured wood stain & matt varnish Realisation: De Laere Decor Design: Govaert & Vanhoutte Architects



Oak Natural Adagio



Brushed type B2 (cabinet front) Scratched type S3 (bar table top)

> Finish: Wood stain and UV matt varnish Design: Descamps Interiors







Scratched type SI

Finish: Coloured wood oil Design: 3Architecten Realisation: De Laere Decor Photo: Klaas Verdru







OAK VINTAGE original HARLEM





OAK VINTAGE retro HOBOKEN

OAK VINTAGE retro HARLEM

OAK VINTAGE retro BALTIMORE

VINTAGE intense



OAK VINTAGE intense HOBOKEN

OAK VINTAGE intense HARLEM





OAK VINTAGE original BALTIMORE



The Vintage series tells a story of quality, respect and craftsmanship that give each interior a unique and lived-in look.

For **VINTAGE original**, oak beams that have served for decades as construction wood and train components are processed into veneer with a rich past and warm appearance. The 3 references of Vintage Original are available in 1 and 1.5 mm.

VINTAGE retro pays tribute to the quality and homely cosiness of yesteryear. With its softer expression, Vintage retro is the perfect alternative for those looking for a less pronounced yet authentic character. The Vintage retro references are only available in 0.6 mm which makes this line also very accessible from a budgetary point of view.

The **VINTAGE intense**-line is the showpiece of the Vintage series because of its strongly weathered feel. The surface consists of deeply worn unevenness as if the wood has been through many years in the wilderness. Vintage Intense is only available with a top layer of 3.5 mm and is always provided with an extra deep structure.

Due to the different veneer origins and processing techniques, the different Vintage lines may not be used interchangeably in the same project.



OAK VINTAGE intense BALTIMORE









Finish: Oil with satin finish










Finish: Matt wood oil Design: Teema architects



OAK VINTAGE retro HOBOKEN

↓ 0,6 mm♥Plain

Finish: Lacquer matt Realisation: Elbeko Design: LMS Vermeersch Photo: Annick Vernimmen



Finish: Natural looking lacquer Design: Stijn Vandenberghe Realisation: Pieter Vandenberghe







Finish: Matt varnish Realisation: LV architects














Finish: Matt wood oil



Finish: Matt wood oil





Brushed type B1

Finish: Oil matt Realisation: Van Venrooij Interieurbouw Design: Bob Manders Photo: Peter Baas 10





Oak Smoked Arabica

LOOK

Smoked A CLASS OF ITS OWN

Oak Smoked exudes pure class. Smoking the Croatian oak to the core gives it a classy look and unique character. The traditional smoking process and the oak's typical properties result in a strong, dark look. Oak Smoked is reminiscent of exclusive clubs and hotel lobbies with the very best whiskies and cigars.

The 3 Oak Smoked looks are available in 2 veneer thicknesses: 0.6 mm and 1.5 mm.

Please note: The colour of the wood will change slightly on sanding.

Oak Smoked Robusta








Brushed Type B1

Finish: Matt varnished Project: Renovation of a mansion, Utrecht, 2017 Design: Serge Schoemaker Architects Realisation: Vendel Keukenarchitectuur Photo: MWA Hart Nibbrig










Finish: Satin varnish Realisation: Waeles Interieur Photo: Valerie Clarysse

38





Brushed Type B1

Finish: Matt varnish Design: Govaert & Vanhoutte Photo: Tim Van De Velde


39







Finish: Oil Design: WeWantMore Realisation: Luyten Interior Contractors Photo: Bert Demosure A. PANEL



BALANCING LAYER (Rear) A veneered panel always needs a backing to guarantee the maximum stability of the panel. The table below shows the possibilities.

Possibilities:		DOUBLE-SIDED	SINGLE-SIDED				
		A/A quality	A/B+ quality		A/B quality		
		front and rear	front	rear	front	rear	
0,6 mm							
Natural	1 mm 1,5 mm	Natural	Natural	Natural Oak B+	Natural	Natural Oak B	
Matarat	2 mm			-			
VINTAGE retro	0,6 mm	VINTAGE			VINTAGE	Natural Oak B	
	1 mm	VINTAGE	VINTAGE original	VINTAGE retro			
original	1,5 mm	VINTAGE original			VINTAGE original	Natural Oak B	
VINTAGE intense	3,5 mm	VINTAGE intense	VINTAGE	Natural Oak B+	VINTAGE intense	Natural Oak B	
Oak	0,6 mm	Conclusion		Natural Oak B+		Natural Oak B	
Smoked	1,5 mm	Smoked	Smoked	INALUFAI UAK B+	Smoked	INALUIAI UAK B	

A detailed description of the qualities can be found on www.querkusdecospan.com



"Querkus" is synonymous with a **unique** and superior quality product. You should therefore only place your trust in panels on which you can see the **Decospan logos on** the side. The stamp also gives a production date so that each panel can be clearly traced.

In this way, Decospan seeks to distinguish itself and guarantee its quality!



B. FLEX

Flex is a veneer layon that is very easy to work with. The veneer layon is first pressed onto paper and the wood fibres are then broken. This gives us a flexible sheet of wood veneer.

FLEXIBILITY is the key features of this product.

Applications : curved surfaces, edge bandings, doors, to press panels,...

Dimensions: 3050x1220 mm / 2750x1220mm



TOP LAYER (Front)

The Querkus veneer with the selected

LOOK: only Natural, Vintage Retro and Smoked THICKNESS: 0,6 mm

TOUCH: Plain, Brushed type B1 or Scratched type S1

BACKING LAYER

The gluing of the top- and backing layer is done with a formaldehyde-free glue.

Paper underlay in the shade of the selected LOOK.

Querkus Flex is never delivered filled.

ZERO ADDED ZERO ADDED UREA-FORMALDEHYDE

Flex is possible on a limited number of references

DECOSPAN

Querkus flex is packed in **this packaging**. Only this packaging guarantees **Decospan quality**!

For gluing the product, we strongly recommend that you follow our instructions. These can be found in each box or on our website: www.querkusdecospan.com.

C. SHEET

Thin sheets for applications where lamination on alternative substrates is needed. The veneer properties and thickness of Oak Vintage Original and Oak vintage Intense do not allow to flex the joined sheet. However, these sheets remain very handy as a solution to cover challenging finishes and constructions.

Applications: edge banding, door cladding, pressing panels,...

Dimension: 3050x1220mm



TOP LAYER (Front)

The Querkus veneer with the selected

LOOK: only Vintage Original or Vintage Intense

THICKNESS: depending on the chosen look 1 mm or 3,5 mm

Mount of the second second

BALANCING LAYER

The sheets are provided with a firm fleece, which makes the sheets easy to manipulate and also the glueing can be done without any problem.

Sheet is possible on a limited number of references

43

OVERVIEW

		\$	M)				
	LOOK THICKNESS Combinations options of LOOK, THICKNESS and TOUCH		TOUCH					
C			Plain			Standard: MDF 18mm 3050x1220mm and 2500x1240mm		
				Type B1	Brushed Type B2	Туре В3	Type S1	Type S2
	Compose your product here		Pre- sanded grain 120					
		0,6 mm	~	 Image: A second s			~	
	Natural	1 mm	~	~	**		~	~
	Natural	1,5 mm	~	~	~	~	~	~
		2 mm	~	~	~~	~~	~	~
	VINTAGE retro	0,6 mm	~	~			~	
	VINTAGE original	1 mm	~	~	**		~	~
		1,5 mm	~	~	4	4	~	~
Embossed surface technology in coopera with J Grabner GmbH	UNTAGE intense	3,5 mm			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	Smoked	0,6 mm	~	~				
		1,5 mm	~	~	4	4	~	~
		The stated thickness refers						

The stated thickness refers to the veneer layer without any after-treatment. The final thickness may vary slightly depending on the selected surface treatment.

possibly applied both single or double-sided
 for panel stability, B2 and B3 must always be applied double-sided

44







						FLEX		SHI	EET
					3050x1220mm	2750x1	220mm	3050x1220mm	
Scratched			Distressed	Embossed	Plain	Brushed	Scratched	Plain	Embossed
Type S3	Type S4	Type S5	Type D1	Type E1	Pre-	Type B1	Type S1	Pre- sanded	Type E1
					sanded grain 120			sanded grain 120	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
					~	~	~		
~	~	~	~						
~	<u> </u>	~	~						
•	•	•	•						
~	~	~	~						
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
					~	~	~		
~	~	~	~					~	
	-								
~	~	~	~						
					•••••			•••••	
				~					~
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
					~	✓			
	~	~	 ✓ 						

EDGE BANDING

Matching edge bandings have been developed for each LOOK. This means that Decospan can provide a total solution and each project can be finished into detail.



	50 m per rol				Ref nr.
		Plain	26 mm	0,6 mm	Q-ED01P26-1
	Adapta		46 mm	1 mm	Q-ED01P46-1 Q-ED01B26-1
Uak	Adagio	Brushed	26 mm	1,9 mm	Q-ED01B26-2
Natural	Allegro Vivace		46 mm	1 mm	Q-ED01B46-1
			40 11111	1,9 mm	Q-ED01B46-2
		Scratched	26 mm	0,8 mm	Q-ED01S26-1
			20 11111	1,9 mm	Q-ED01S26-2
			46 mm	0,8 mm	Q-ED01S46-1
				1,9 mm	Q-ED01S46-2
		Brushed	26 mm	1 mm	Q-ED02B26-1
	HOBOKEN	Brashea	46 mm	1mm	Q-ED02B46-1
		Scratched	26 mm	0,8 mm	Q-ED02S26-1
	••••••		46 mm	0,8 mm	Q-ED02S46-1
DAK		Brushed	26 mm	1 mm	Q-ED01B26-1
VINTAGE	HARLEM		46 mm	1 mm	Q-ED01B46-1
retro		Scratched	26 mm 46 mm	0,8 mm	Q-ED01S26-1
	••••••	Brushed		0,8 mm	Q-ED01S46-1
			26 mm 46 mm	1 mm	Q-ED04B26-1 Q-ED04B46-1
	BALTIMORE		26 mm	1 mm 0,8 mm	Q-ED04B40-1
		Scratched	46 mm	0,8 mm	Q-ED04326-1
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	26 mm	1 mm	Q-ED04340-1
	HOBOKEN	Brushed	46 mm	1 mm	Q-ED02B26-1
		Scratched	26 mm	0,8 mm	Q-ED02526-1
			46 mm	0.8 mm	Q-ED02526 1
01%	••••••	•	26 mm	1 mm	Q-ED03B26-1
		Brushed	46 mm	1mm	Q-ED03B46-1
VINTAGE original	HARLEM		26 mm	0,8 mm	Q-ED03S26-1
original		Scratched	46 mm	0,8 mm	Q-ED03S46-1
-	•••••	Brushed	26 mm	1 mm	Q-ED04B26-1
			46 mm	1 mm	Q-ED04B46-1
	BALTIMORE		26 mm	0,8 mm	Q-ED04S26-1
		Scratched	46 mm	0,8 mm	Q-ED04S46-1
DAK	HOBOKEN	Embossed	26 mm	1 mm	Q-ED07E26-1
VINTAGE intense	HARLEM	Embossed	26 mm	1 mm	Q-ED08E26-1
IIILEIISE	BALTIMORE	Embossed	26 mm	1 mm	Q-ED09E26-1
		Brushed	26 mm	1mm	Q-ED06B26-1
	Havana	Brashea	46 mm	1 mm	Q-ED06B46-1
	navdild	Scratched	26 mm	0,8 mm	Q-ED06S26-1
			46 mm	0,8 mm	Q-ED06S46-1
	Arabica	Brushed	26 mm	1mm	Q-ED06B26-1
Smoked		Drushed	46 mm	1 mm	Q-ED06B46-1
Smoked	ALADICA	Scratched	26 mm	0,8 mm	Q-ED06S26-1
			46 mm	0,8 mm	Q-ED06S46-1
	Pobusta	Brushed	26 mm	1 mm	Q-ED05B26-1
		Drusned	46 mm	1 mm	Q-ED05B46-1
	Robusta	Scratchool	26 mm	0,8 mm	Q-ED05S26-1
		Scratched	46 mm	0,8 mm	Q-ED05S46-1







HEADLINE.eu

Proudly Supplied By



1-855-650-3265 www.rugbyabp.com I iShopRugby.com Specification Support by



866-599-1433 designonesource.com