Locks and Builders Hardware 2021





Pamex

Table of Contents

- 1~20 Locks and Door Hardware
 - 1 Hinges
 - 2 Mortise Locks
 - 3-5 Commercial Locksets
 - 6 Interconnected Locksets
- 7~8 Handlesets
 - 9 Contemporary Series
- 10~11 Leversets
 - 12 Knobsets
 - 13 Deadbolts & Electronic Keypad Locks
 - 14 Door Closers
 - 15 Exit Devices
 - 16 Electric Hardware
 - 17 Commercial Door Hardware
- 18~19 Door Hardware
 - 20 Barn Door Hardware

21~28 Bathroom Accessories

- 21 Solano / Vina
- 22 Eureka / La Quinta
- 23 Charleston / Ventura
- 24 Carmel / Seal Beach
- 25 Estes / Campbell
- 26 Corona / Edision
- 27 Recessed Fixtures, Shower Rods, Flanges and Grab Bars
- 28 Hospitality Accessories
- 29~31 Finish Charts
 - 32 Consulting Services
 - 33 About Pamex

HINGES



COMMERCIAL HINGES

Plain Bearing



3.5" x 3.5", 1/4" radius round corner 4" x 4", 1/4" radius round corner



3.5" x 3.5", square corner 4" x 4", square corner 4.5" x 4.5", square corner

2 Ball Bearing



4" x 4", 1/4" radius round corner



4" x 4", square corner 4.5" x 4.5", square corner

RESIDENTIAL HINGES

Spring Hinge



4" x 4", 1/4" radius round corner



4" x 4", square corner 4.5" x 4.5", square corner

Plain Bearing



3.5" x 3.5", 1/4" radius round corner $\$ 4" x 4", 1/4" radius round corner $\$ 3.5" x 3.5", 5/8" radius round corner 4" x 4", 5/8" radius round corner



2 Ball Bearing



4" x 4", 1/4" radius round corner 4" x 4", 5/8" radius round corner

Spring Hinge



4" x 4", 1/4" radius round corner 4" x 4", 5/8" radius round corner



CONTINUOUS GEARED HINGES

- Full mortised, heavy-duty
- No door inset, flush mount
- 450 lbs. door weight maximum
- 48" door width maximum
- Material: Aluminum

Full Mortise



Full Surface

- Full surface, heavy-duty
- 1/16" door inset
- For narrow-faced frames
- 450 lbs. door weight maximum
- 48" door width maximum
- Material: Aluminum

HINGES




MS SERIES ANSI A156.13, Grade 1 Heavy-Duty Mortise Locks

Features:

 \mathcal{D}

- Fully reversible design
- No exposed mounting screws on outside and inside trims
- Can retrofit American Schlage L9000 Series mortise lock bodies
- Outside lever is clutch freewheeling design





Sectional Lever Trim



YT Lever



YM Lever



YH Lever



YR Lever

Escutcheon Plate Lever Trim



EYT Lever





EYH Lever



EYR Lever

www.pamexinc.com

GRADE 1 CYLINDRICAL LOCKS & DEADBOLTS



 \bigcirc



Pendleton

- ANSI A156.2, Grade 1
- Heavy-duty cylindrical leverset
- Meets ADA requirements
- Push button locking
- I/C core lock available
- UL 3-hour fire-rated
- Clutch mechanism
- Electrification available



Annapolis

- ANSI A156.2, Grade 1
- Heavy-duty cylindrical leverset
- Meets ADA requirements
- Push button locking
- I/C core lock available
- UL 3-hour fire-rated
- Clutch mechanism
- Electrification available



Alameda

- ANSI A156.2, Grade 1
- Heavy-duty cylindrical leverset
- Meets ADA requirements
- Push button locking
- I/C core lock available
- UL 3-hour fire-rated
- Clutch mechanism
- Electrification available



FDP Deadbolt

- ANSI A156.36, Grade 1
- Heavy-duty deadbolt
- Meets ADA requirements
- I/C core lock available
- UL 3-hour fire-rated

3





 \mathcal{D}

GRADE 2 CYLINDRICAL LOCKS





Princeton



- ANSI A156.2, Grade 2
- Heavy-duty cylindrical leverset
- Meets ADA requirements
- Push button locking
- I/C core lock available
- UL 3-hour fire-rated



Davidson



- ANSI A156.2, Grade 2
- Heavy-duty cylindrical leverset
- Meets ADA requirements
- Push button locking
- I/C core lock available
- UL 3-hour fire-rated





- ANSI A156.2, Grade 2
- Heavy-duty cylindrical leverset
- Meets ADA requirements
- Push button locking
- I/C core lock available
- UL 3-hour fire-rated



GRADE 2 TUBULAR LOCKS & DEADBOLTS





Cambridge

- 5
- ANSI A156.2, Grade 2
- Standard duty tubular leverset
- Meets ADA requirements
- Turn piece or push button locking
- I/C core lock available
- UL 3-hour fire-rated



Dallas

- ANSI A156.2, Grade 2
- Standard duty tubular leverset
- Meets ADA requirements
- Turn piece or push button locking
- I/C core lock available
- UL 3-hour fire-rated



Sierra

- ANSI A156.2, Grade 2
- Standard duty tubular knobsets
- Quick release function
- Turn piece /push button locking
- I/C core lock available
- UL 3-hour fire-rated



FD7 Deadbolt



- ANSI A156.36, Grade 2
- Heavy-duty deadbolt
- Meets ADA requirements
- I/C core lock available
- UL 3-hour fire-rated



FD8 Deadbolt

- ANSI A156.36, Grade 2
- Heavy-duty deadbolt
- Meets ADA requirements
- Adjustable latch standard (UL 3-hour fire-rated latch available)
- Removable cylinder
- Eliminates rekeying process by exchanging cylinders under one minute

Ŀ




www.pamexinc.com



 \mathcal{D}

INTERCONNECTED LOCKSETS





www.pamexinc.com

6

HANDLESETS



 \bigcirc

















Alhambra

Granada

Tuscany

Catalina









• Naples lever

• Specify LH/RH

• Finishes available: US15, 10B, 11P

• Newberry lever

Other Options Available

Finishes available: US15, 10B
Specify LH/RH

8



 \mathcal{O}



CONTEMPORARY SERIES





Turn exceptional into extraordinary with this exquisite collection of contemporary lever styles.

The sleek, clean lines of these levers pair beautifully with today's modern glazed finishes.





 \mathcal{D}

Available in a wide array of attractive styles, popular finishes, and practical functions, our leversets offer the best quality features you can expect from Pamex.

































 \mathcal{D}

Our knobsets, with their simple charm and various designs, provide home security with elegance and practicality.





Baron



Belle



Saturn



Chester

DEADBOLTS & ELECTRONIC LOCKS





Single Cylinder Deadbolt



Double Cylinder Deadbolt



One-sided Deadbolt with Cover



One-sided Deadbolt

ELECTRONIC KEYPAD LOCKS



- Easy installation, no wiring needed
- Reversible structure
- Easy programming
- Up to 100 user codes
- Customizable auto-relock time
- Illuminated keypad
- Back-up key cylinder override



FKD Series

- Fits standard door prep
- Easy installation, no wiring needed
- Automatic bolt direction determination
- Easy programing
- Up to 10 user codes
- Optional auto-locking function
- Illuminated keypad
- Back-up key cylinder override



DOOR CLOSERS





GC4400 Series

- Full feature, heavy-duty cast-iron door closer
- Adjustable spring sizes 1 through 6
- ANSI A156.4, Grade 1, UL listed
- Tri-packed for regular, parallel, or top jamb installation
- Dual valve adjustable closing and latch speed
- Back-check function standard
- Barrier-free meets ADA compliance
- Full plastic cover standard
- Optional delayed action

GC5900 Series

- Full feature door closer
- Adjustable spring sizes 1 through 6
- ANSI A156.4, Grade 1, UL listed
- Tri-packed for regular, parallel, or top jamb installation
- Dual valve adjustable closing and latch speed
- Back-check function standard
- Barrier-free meets ADA compliance
- Full plastic cover standard
- Optional delayed action

GC6800 Series

- Slim-line design door closer
- Adjustable spring sizes 1 through 6
- ANSI A156.4, Grade 1, UL listed
- Tri-packed for regular, parallel, or top jamb installation

E

- Dual valve adjustable closing and latch speed
- Back-check function standard
- Barrier-free meets ADA compliance
- Full plastic cover standard
- Optional delayed action

GC8700 Series



• Multi-size and power adjustable door closer sizes 1 through 6, 1 through 4 and 3 through 6

- ANSI A156.4, Grade 1, UL listed
- Tri-packed for regular, parallel, or top jamb installation
- Dual valve adjustable closing and latch speed
- Back-check function standard
- Barrier-free meets ADA compliance
- Full plastic cover standard
- GC800 Series
- Standard sized door closer, size 2, 3 and 4.
- ANSI A156.4, Grade 2, UL listed
- Tri-packed for regular, parallel, or top jamb installation
- Dual valve adjustable closing and latch speed
- (Not BHMA Certified)



COMMERCIAL HARDWARE




00 00 700



EXIT DEVICES





15



ELECTRIC HARDWARE

Electric Strikes

 \mathbb{T}



100 Series

• Dual voltage 300/150 mA @ 12/24 VDC

Magnetic Door Holders

- Fail-Secure, reversible for Fail-Safe operation
- For latch throw up to 5/8" with 1/8" door gap
- ANSI A156.31, Grade 2



- Dual voltage 280/140 mA @ 12/24 VDC
- Fail-Secure, reversible for Fail-Safe operation
- For latch throw up to 3/4" with 1/8" door gap
- ANSI A156.31, Grade 2, UL Listed UL 10C, 3-hour fire-rated (fail-secure only)



- 0.51 Amp @ 12 VDC or 0.25 Amp @ 24 VDC
- Fail-Secure, also available in Fail-Safe
- For latch throw up to 3/4" with 1/8" door gap • ANSI A156.31, Grade 1
- UL 10C, 3-hour fire-rated (fail-secure only) UL 1034, burglary-resistant rated





LISTED



- Dual voltage AC or DC inputs of 12/24V or 24/120V
- Low power consumption of 40mA
- Meets ANSI A156.15



- Input: 115VAC 60Hz, 0.6 Amp Output: filtered and electronically • regulated 1 Amp @ 12/24VDC
- (field selectable) • Battery Charger: 150mA @ 12VDC



EPS-2

- Input: 115VAC @ 800mA, 50/60 Hz, fused
- Output: filtered and electronically regulated 2 Amp @ 12/24VDC (field selectable)
- Battery Charger: 250mA @ 13.5 or 27VDC

Power Transfer Devices



Power Transfer Hinge



Power Transfer Loop EPT-L2



Power Transfer EPT-L5

(Ůľ LISTED



Power Transfer Heavy Duty Mortise EPT-M10

www.pamexinc.com



COMMERCIAL DOOR HARDWARE



 \bigcirc



www.pamexinc.com

COMMERCIAL HARDWARE



 \mathbb{T}

DOOR HARDWARE



160° Viewer

- 19

180° Viewer





UL 160° Viewer

UL 180° Viewer



4" Knocker with Viewer



5-1/2" Knocker with Viewer



6" Solid Brass Knocker



Solid Brass Knocker with Viewer



3-1/8" Cast Stop



3" Spring Stop



3-1/8" Spring Stop



3" Rigid Stop



Heavy-Duty Hinge Pin Stop



Deluxe Hinge Pin Stop



Door Security Hinge Pin Stop



Adjustable Hinge Pin Stop



DOOR HARDWARE



Residential Door Saver II Hinge Pin

Bi-Fold Knob



HD Handrail Bracket



Jumbo Handrail Bracket

www.pamexinc.com



www.pamexinc.com



 \mathcal{T}

BARN DOOR HARDWARE

1000 Series

Pamex 1000 Series Classic Style Barn Door Hardware fits perfectly with industrial style homes. The best way to separate rooms without taking up too much space.

Specifications & Features

- Style: classic w/ flat track rail
- Wheel type: bent strap or top mount
- Doors: wood door
- Track length: 6'6" or 8'0"
- Door thickness: 1-3/8" ~ 1-3/4"
- Maximum door weight: 250 lbs.
- Material: metal construction
- Finish: matte black or satin nickel
- Easy to transport two-piece track design
- Soft closing system available



Surface Mount Bent Strap Wheel



Top Mount Single Wheel

2000 Series

Pamex 2000 Series Contemporary Style Barn Door Hardware fits perfectly with modern style homes. The best way to separate rooms without taking up too much space.

.

- Specifications & Features • Style: contemporary w/ round track rail
- Wheel type: strap wheel or top mount
- Doors: wood door or glass door
- Track length: 6'6" or 8'0"
- Door thickness: 1-3/8" ~ 1-3/4"
- Maximum door weight: 250 lbs.
- Material: stainless steel
- Finish: stainless steel
- Easy to transport two-piece track design
- Available with soft closing system



Surface Mount Strap Wheel



Top Mount Single Wheel

DOOR HARDWARE

SOLANO COLLECTION



 \bigcirc





EUREKA COLLECTION

décor. The Eureka Collection achieves a harmony of form, material, and presentation.



Double Robe Hook



European-style Paper Holder



Paper Holder



Towel Ring

Tumbler Holder





Soap Dish





LA QUINTA COLLECTION

Our most decorative and unique collection, La Quinta, features a



Double Robe Hook



Towel Ring



European-style Paper Holder



Paper Holder



Toothbrush/ Tumbler Holder



Soap Dish



www.pamexinc.com

22

 \mathcal{D}

CHARLESTON COLLECTION



 \bigcirc





Towel Ring

Double Robe Hook

European-style Paper Holder



Paper Holder



VENTURA COLLECTION





Double Robe Hook

Toothbrush /

Tumbler Holder



Towel Ring



European-style Paper Holder



Soap Dish



Towel Bar Set

Paper Holder



 \mathbb{Z}

CARMEL COLLECTION

by the Carmel Collection's simple and practical appearance. Double Robe Hook European-style Paper Holder Paper Holder Towel Bar Set Soap Dish Tumbler Holder **Towel Ring** SEAL BEACH COLLECTION Paper Holder Single Robe Hook European-style Paper Holder Towel Bar Set Toothbrush / Soap Dish Tumbler Holder Towel Ring 24 www.pamexinc.com






ESTES COLLECTION



 \bigcirc










European-style Paper Holder



Paper Holder







CAMPBELL COLLECTION





Double Robe Hook



Toothbrush / Tumbler Holder



Paper Holder






Towel Bar Set

Soap Dish



 \mathcal{D}

CORONA COLLECTION







Double Robe Hook



Paper Holder



Towel Ring



Toothbrush / Tumbler Holder



Soap Dish



EDISON COLLECTION



RECESSED FIXTURES, SHOWER RODS, FLANGES & GRAB BARS



 \square



Deep Recessed Paper Holder



Shallow Recessed Paper Holder



Deep Recessed Soap Holder & Grab



Shallow Recessed Soap Holder & Grab



Shower Rod



Flange Set





Zinc Adjustable Flange Set



Zinc Exposed Screw Flange Set



Stainless Steel Grab Bar (Concealed Screws)




Stainless Steel Grab Bar (Peened Finish)



Stainless Steel Grab Bar (Exposed Screws)



Swing Up Grab Bar (Peened Finish)





 \mathcal{D}

HOSPITALITY ACCESSORIES



Pamex's hospitality accessories are suitable for any hotel, hospital, and commercial project. With exceptional quality and price, we offer the best value available in the marketplace today.



Towel Shelf with Bar



Recessed Tissue Dispenser



Retractable Clothes Line



Recessed Extra Paper Holder



Twin Recessed Paper Holder



Surface Mount Twin Paper Holder

Fixed Curv

Fixed Curved Shower Rod

RESIDENTIAL LOCK FINISH CHART



 \bigcirc



Oil Rubbed Bronze



Polished Chrome



Satin Stainless Steel



US3 / 605 Polished Brass



US5 / 609 Antique Brass



US19 / 622 Matte Black



US15A / 620 Antique Nickel



US11P Venetian Bronze



US15 / 619 Satin Nickel



US26D / 626 Satin Chrome

US CODE	3	5	10B	11P	15	15A	19	26	26D	32D	L03
внма	605	609	613		619	620	622	625	626	630	505
HANDLESETS											
Alhambra				•	•						•
Catalina	•		•		•	•					
Granada				•	•						•
Lexington	•	•	•	•	•	•	•	•			•
Springfield	•	•			•						
Тгоу			•	•	•		•	•			
Tuscany			•	•	•						
Victorian	•				•						
LEVERSETS		,									
Alto					•		•	•			
Calypso	•	•			•		•		•		
Denver	•		•		•						
Florence	•	•			•						
Milano	•	•		•	•						
Mira					•		•	•			
Naples	•		•	•	•	•	•	•			
Newberry	•		•		•	•					
Olympic	•	•			•		•	•	•		
Onyx					•		•	•			
Savannah	•	•			•						
Tahoe					•		•	•			
Viano	•		•		•	•					
KNOBSETS											
Baron	•	•	•	•	•	•	•			•	
Belle	•	•								•	
Chester	•		•	•	•						
Kona					•		•	•			
Saturn	•	•	•		•	•		•		•	•
DEADBOLTS											
FD2	•	•	•	•	•	•	•	•	•	•	
FD3	•	•	•	•	•	•	•	•		•	•
FDK/FDS					•		•	•			



 \bigcirc

COMMERCIAL LOCK FINISH CHART

US CODE	3	5	10B	11P	15	15A	19	26	26D	32D
внма	605	609	613		619	620	622	625	626	630
COMMERCIAL LOCKS										
Alameda			•		•				•	
Annapolis			•		•		•		•	
Avalon					•		•		•	
Cambridge	•	•	•		•		•		•	
Concord / Westfield			•		•		•		•	
Dallas			•		•				•	
Daytona / Fremont			•		•				•	
Davidson			•		•				•	
Kenton / Tacoma					•		•	•		
Montclair			•		•				•	
Newport / Hampton			•		•					
Pendleton			•		•				•	
Princeton	•	•	•		•		•		•	
Sierra	•	•								•
Sterling / Ontario					•		•	•		
Toledo / Mirage					•		•	•		
FDP Deadbolt			•		•		•		•	
FD7 Deadbolt	•	•	•		•		•		•	•
FD8 Deadbolt			•		•		•		•	•

BATHROOM ACCESSORIES FINISH CHART









Matte Black







Venetian Bronze

713 Dark Bronze

625 Chrome

605 **Polished Brass**

619 Satin Nickel

US CODE	26	3	15	12P	11P	19	15A
внма	625	605	619	716		622	620
	Chrome	Polished Brass	Satin Nickel	Dark Bronze	Venetian Bronze	Matte Black	Antique Nickel
Solano / Vina	•		•			•	
Eureka / La Quinta	•	•	•				
Charleston	•		•		•	•	
Ventura	•	•	•	•	•	•	•
Carmel	•	•	•	•			
Seal Beach	•	•	•	•		•	
Estes	•		•	•			
Campbell	•	•					
Corona	•	•	•	•		•	
Edison	•						

CALIFORNIA PROPOSITION 65 OVERVIEW

What is Proposition 65?

Proposition 65 requires businesses to provide warnings to Californians about significant exposures to chemicals that cause cancer, birth defects or other reproductive harm. This enables Californians to make informed decisions about their exposures to these chemicals.

Proposition 65 requires California to publish a list of chemicals known to cause cancer, birth defects or other reproductive harm. This list, which must be updated at least once a year, has grown to include approximately 900 chemicals since it was first published in 1987.

What does the warning look like?

MARNING: Cancer and Reproductive Harm - www.P65warnings.ca.gov

What does a warning mean?

The product package associated with the warning could expose individuals to one or more of the chemicals on the list.

How do I learn more about Proposition 65?

Visit this website to learn more about Proposition 65. https://www.p65warnings.ca.gov/

Where do I find answers related to businesses? https://www.p65warnings.ca.gov/sites/default/files/art 6 business ga.pdf



COMPREHENSIVE ARCHITECTURAL HARDWARE CONSULTING SERVICES

PAMEX INC. has experienced architectural hardware experts on staff to provide the architectural and design community with comprehensive consulting services surrounding architectural hardware, doors and frames specifications.

We understand the importance of meeting time-sensitive deadlines and strict budget requirements. When you use Pamex's complimentary specification writing service, you will achieve both.

Pamex saves you time by operating your door hardware specifications on your behalf at no cost. We review the plans and help you spot and fix conflicts between the door schedule and floor plans.

Our goal is to help you by taking the stress and worry out of creating the hardware schedule during the design phase of your project by providing you with the following complimentary services:

- · Developing detailed, architectural hardware specifications and schedules
- Meeting with your design professional and/or owner / architect to discuss project requirements and coordinate security and access control.
- Consulting on the applicable building codes to ensure fire, life-safety, and accessibility requirements are met
- · Assisting with the development of keying schedules
- Provide product catalog cuts, electrical elevations, and riser diagrams
- · Review of substitution requests, product applications, and product questions
- · Review and comment on hardware submittals
- · Conduct jobsite reviews, pre-installation meetings and post-installation inspections
- Conduct fire door inspections (FDAI-certified)

We believe that by offering you these complimentary, value-added services, along with our premium quality and cost-effective products, you'll see for yourself how Pamex really does give you more.

Specifications:

NSULTING SERVICE

- Section 08 71 10 Door Hardware
- Section 08 74 00 Access Control Hardware
- Section 08 71 53 Security Door Hardware
- Section 10 28 00 Toilet, Bath, and Laundry
- Section 28 00 00 Electronic Safety and Security













ABOUT PAMEX

Established in 1985, Pamex Inc. is a leading manufacturer and distributor of builders' hardware. Quality products and outstanding customer service are the hallmarks of Pamex. Our major product lines include commercial and residential door locksets, door closers, exit devices, hinges, bath accessories, and miscellaneous door hardware.

We offer high quality, durable products and services at significant value to all of our customers. Our headquarters and main warehouse in Chino, California inventories products in substantial volume to ensure that we can complete any multi-family, single-family, or commercial project. Our services include specification writing, submittal reviews, fire and accessibility code expertise, and keying schedule. We also provide in-house keying services, order entry, and shipping management. Our dedicated customer service team ensure that we provide the best service all along the way.

MISSION

To provide extraordinary service and supply quality products to meet customer needs and exceed their expectations To continuously improve upon our services and products by embracing innovation and new challenges

WHY PAMEX?

Here are seven main reasons to choose Pamex as your hardware solution:

- Service: Our unparalleled level of customer service ensures our customers have our full support every step of the way.
- **Convenience**: We are a one-stop shop for hardware products and services, including in-house rekeying, and creation of keying schedules, specifications writing, codes and compliance consultation, and substitution request.
- Responsiveness: Orders are processed and shipped smoothly and quickly
- Knowledge: We have a wealth of expertise on codes, products, and the industry.
- Quality: Our high quality, durable products offer the best of security with warranties to back up our promise.
- Cost: Keep your development in budget with durable, cost-effective hardware solutions.
- Integrity: We say what we will do and do what we say!

Pamex Inc. 4680 Vinita Ct. Chino, CA 91710













phone (909) 606-4168 (800) 621-6869 fax (909) 606-4358 (800) 838-8307

sales@pamexinc.com | pamexinc.com





Proudly Supplied By

