

LOTTE CHEMICAL CALIFORNIA INC. www.staron.com

proudly supplied by



1-855-650-3265 | www.rugbyabp.com

SOLID SURFACES STARON





Originally established in 1954 as Cheil Industries, the Samsung Group launched its chemical-business units in 1988 as part of an overall business expansion strategy.

In 1992, the company commenced the manufacture of acrylic solid surface products marketed under the "Staron" brand, followed by the introduction of the Tempest Collection launched in 2006. The Samsung Group further expanded its decorative surfaces portfolio by introducing Radianz[®] Quartz Surfaces in 2009.

With its drive to become a global supplier of top-tier decorative surfacing materials, LOTTE Chemical Corporation launched LOTTE Advanced Materials in May of 2016 through its acquisition of Samsung Chemical.

In 2020, LOTTE Advanced Materials has reached a new milestone with its affiliation with LOTTE Chemical Corporation. LOTTE Chemical pursues sustainable growth with outstanding performance in today's surface industry through cutting-edge technology and insight into global market trends.




High-quality materials, refined sensibilities.

LOTTE CHEMICAL

2020 LOTTE CHEMICAL

LOTTE CHEMICAL built up ABS and PS plants in 1989, signaling its first major step into the market. Since then, the company has been expanding its business rapidly in a variety of categories including PC.







NATURAL QUARTZ SURFACE

Locelain[™] SINTERED STONE

TOTAL SOLUTION PROVIDER OF DECORATIVE SURFACES

storex[®]

INFINO

ABS | ABS ALLOY | ASA | EPS | SAN

PC | PC ALLOY | PBT | MPPE | PA | PPA | PPS | PCT | TPE



STRETCH YOUR IMAGINATION TO EXPERIENCE **THE POSSIBILITIES** WITH STARON.

WHY STARON?



RELIABLE PERFORMANCE

• Cutting-edge technology sets a new standard in surface • Able to be inconspicuously repaired due to its homogenous







TRANSLUCENCY

 Creative back-lighting effects created by altering the thickness of the material to allow transmission from a low-energy light source

HYGIENIC SURFACE • Non-porous surface inhibits

 Resistant to heat and abrasion • Able to refurbish to a new



IMPERCEPTIBLE SEAMS

Consistent color and texture on

• Installed without gaps, crevices, or obvious joint-lines

every sheet provides a smooth and

Staron[®] solid surface materials boast dimensional flexibility and low maintenance and is ideal for a multitude of interior applications. Comprised of a wide range of color and pattern options, Staron[®] is nonporous, ultra-hygienic and ultimately durable. The Tempest and Supreme collections offer translucent properties combined with elegant, refined patterns.



DIMENSIONAL FLEXIBILITY

- Thermo-formable into three-dimensional shapes
- Excellent workability enables virtually unlimited design



INFINITE RANGE OF COLORS

- Over 150 color options ranging from natural to vivid
- color trend experts keeps Staron commercially relevant



GLOBAL NETWORK

Regional branch offices and




RELIABLE QUALITY


- Advanced guality control policy and a commercial 10-year warranty
- Certified eco-friendly by Greenquard

COMMERCIAL & PUBLIC SPACES

Observatory Table LOTTE World Tower, Korea

Staron[®] soild surfaces provide a seamless and ultra-hygienic element to any residential and commercial area. Pure and neutral solid-colors, such as Staron[®] Bright White, add a modern and contemporary finish to an interior space.










04

Display Fixtures Stewart Weitzman Shoes Shop, Greece





05 Wall Cladding Mumbai Airport Lounge, India



07 Display Structure Wall LOTTE World Tower, Korea











09 Wall Covering DDP Sky lounge, Korea



11 Exhibition **Fixtures** Samsung HR Development Center, Korea



10 Display Standard Heidi.com Shop, Switzerland Designed by Zaha Hadid

Architect



RESIDENTIAL SPACES

Staron[®] by LOTTE CHEMICAL is becoming a preferred choice among those who prioritize hygienic surface and reliable performance. Achieve the best of both style and quality with Staron[®] that offers non-porous surface and cutting-edge technology for your space.





02 Kitchen Countertop Kitchen in the house A and S, Designed by Recker Architeken (Holzwerkstatt WINTER)







Kitchen Island Aarau, Switzerland Designed by Lammli Architecture








04 Kitchen Countertop SUBZERO Showroom, Indonesia



05 Wall Cladding & Table Sheraton walkerhill, Korea



Wash Bowl, Countertop Oesch Bad, Switzerland









Bathtub, Countertop Oesch Bad, Switzerland







08 Wash Bowl K&B Showroom, France

HEALTHCARE





Durable and ultra hygienic Staron[®] solid surfaces offer unparalleled design flexibility, color selection and ease of maintenance and repair— all while exceeding stringent commercial healthcare standards.









03 Integral Sinks Barmherzige Schwestern Hospital, Austria







O7 Patient's Room Fixture Samsung Seoul Atopycenter, Korea









06 Information Desk King Hamad Oncology Center, Bahrain

CREATIVE WORKS






Think beyond your imagination with the colorful assortment of patterns offered by the unique properties of Staron[®] solid surfaces. With colors ranging from solids to dazzling metallics, Staron[®] can accommodate a multitude of design options.



04

Humpback Whale Island Kitchen



URBAN SERIES PROPOSAL

Simple, modern and sophisticated. Staron[®] Urban Collection is characterized by understated, industrially inspired colors— perfect for commercial spaces as well as minimalist residential applications.

1. Urban Outlook Contrast / Brilliant & Essential / Texture



2. Effortless Beauty Sleek / Neutral / Contemporary



FACADE SOLUTION

Explore your limits with the infinitely versatile and durable surface. Staron[®] offers endless design potentials that meet the demands of any space.

1. Seamless Joint



3. CNC Fabrication



2. Dimensional Flexibility





4. Lighting Effect



Supreme™

THE SUPREME COLLECTION

The variegated patterns of the Supreme Collection offers relaxed aqueous textures to neutral surfaces that can embellish any interior aesthetics. Staron[®] high durability features make it the ideal surfacing material for any unique and distinctive fixtures.



Morning Sky VM114

Nature's Art & Movement









03 Kitchen Countertop Ocean View V0171







04 Information Desk Cloudbank VC118





















NEW COLORS

Tranquil VT115

> **Flux** VF113

Noir Concrete VN180 **Terrazzo Venezia** NT150

Ash Concrete VA129

COLORS OF STARON

SUPREME



Morning Sky VM114

Cloudbank VC118

Magnolia VM143

Elbert VE111





Ocean View VO171



Rainier VR173



Natural Bridge VN144



Dawn VD126







Beige Granite VB172

Tranguil VT115 NEW

Reno VR184

Flux VF113 NEW

Dandelion VD175

Pastoral VP177



Peak FP100

Coconut FC112





Prairie FP142

Rattan FR124 Caraway FC155



Coffee Bean FC158

Radiance(Shimmer) FR148

Igneous FI187

SOLID

Quasar White SQ019 (A) Bright White BW010 (A) Pure white SP016 Sunflower(N) SS042 (A) Univers(N) SU053 Onyx ON095

SANDED







Sanded Vermillion SV430 Sanded Cornmeal SC433 Sanded Papyrus SP474 Sanded Clay SC475





Loam VL155 33

Noir Concrete VN180 NEW

Ash Concrete VA129 NEW

Presto VP159

Sanded White Pepper WP410 Sanded Grey SG420





Horizon FH114



Glimmer FG144



Bamboo FB173



Whippoorwill FW145




Shell FS115



Bronzestar FB154





Ivory SI040



Pearl SP011







Sanded Sahara SS440



Sanded Mocha SM453 Sanded Chestnut SC457



Sanded Meadow SM465 Sanded Onyx SO423



Sanded Gold Dust SG441






34

Sanded Tundra ST482 Sanded Taupe ST486

Sanded Linen SL443

ASPEN





SINKS & BOWLS

ADA Compliant


Staron solid surface sinks and bowls are installed with the all-acrylic sheet in a seamless appearance for a smooth and polished fit. The continuous transition from sink to surface leaves no seams for bacteria or mold to accumulate and grow, thus Staron's nonporous solid surfaces are the most desirable choice for hygienic interior commercial applications. Staron sinks come in three following colors in ten popular models:

COLOR OPTIONS



MOUNTING OPTIONS


Under mount Seam mount





Sink

A2311





- E 8.18in (208mm) 8.85in (225mm)
- H 3.54in (90mm)



A3211




- B 3 38in (86mm)
- C 14.01in (356mm)
- D 15.59in (396mm)
- 20.00in (508mm)
- 6.14in (156mm)
- G 6.81in (173mm)
- H 1.77in (45mm)

B3150



A 16.81in (427mm) B 10.94in (278mm) C 12.87in (327mm) D 14.88in (378mm) E 4.57in (116mm) F 5.43in (138mm)

H 1.77in (45mm)



B3290



- B 15.75in (400mm)
- C 17.64in (450mm)
- D 27.48in (700mm)
- E 7.28in (185mm)
- F 7.87in (200mm)
- H 3.54in (90mm)

A1231



- D 20 94in (532mm)
- E 7.36in (187mm)
- F 7.95in (202mm) H 3.54in (90mm)

B3180




- B 15.75in (400mm)
- C 17.67in (450mm)
- D 15.75in (400mm)
- E 6.89in (175mm)
- F 7.48in (190mm)
- H 3.54in (90mm)

A3181 A 18.18in (462mm)

- B 3 70in (94mm)
- C 13.22in (336mm)
- D 14.80in (376mm)
- E 16.61in (422mm) F 5.47in (139mm)
- G 6.14in (156mm)
- H 1.77in (45mm)





- B 10.98in (279mm)
- C 12.87in (327mm)
- D 18.66in (474mm)
- E 4.57in (116mm)
- F 4.57in (116mm)
- H 1.77in (45mm)

PERFORMANCE PROPERTIES

The information contained herein is provided by LOTTE CHEMICAL Co., Ltd. and subsidiaries and affiliates for information purposes only and should be used by individuals with technical experience and knowledge in the area. LOTTE CHEMICAL does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to the use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions.

PROPERTY	TEST RESULT	TEST PROCEDURE	
Tensile strength	6,000 psi	osi ASTM D 638	
Tensile modulus	600,000 psi	ASTM D 638	
Flexural strength	10,000 psi	ASTM D 790	
Flexural modulus	1,000,000 psi	ASTM D 790	
Elongation	0.5%	ASTM D 638	
Hardness	92 Rockwell "M" Scale 65 Barcol impressor	ASTM D 785 ASTM D 2583	
Thermal expansion	2.0x1.0⁻⁵ in/in F⁰	ASTM D 696	
Gloss (60 Gardner)	Between 5-20	NEMA LD-3	
Color stability	No change-200hrs	NEMA LD-3	
Stain resistance	Passed Rating 41	ANSIZ 124	
Abrasion resistance	Passed	ANSIZ 124	
Boiling water surface resistance	No effect	NEMA LD-3	
High temperature resistance	No effect	NEMA LD-3	
IZON Impact resistance (Notched)	0.28ft. lbf/in	ASTM D 256	
Ball drop 1/2" (12 mm) sheet	144"w/1/2lb ball No failure	NEMA LD-3	
Fungi and Bacterial resistance	No growth	ASTM G 21, G22	
Specific gravity Solid colors Patterened colors	1.72 1.69	ASTM D 792	
Water absorption	0.04%, (1/2", 24hrs) 0.11%, (1/8", 24hrs)	ASTM D 570	
Flammability Flame spread Smoke density	Class A/Class 1 10 10	UBC 8-1 ASTM E 84 ASTM E 84	
Radiant heat resistance	No visual effect	NEMA LD-3	
Toxicity	84.4g (Solid Color) 81.8g (Patterned Color)	Pittsburgh test protocol (LC50 Test)	

PRODUCT DIMENSIONS

COLLECTION

Solid, Sanded, Aspen, Pebble, Quarry, Metallic, Tempest, Supreme

THICKNESS	WIDTH	LENGTH	THICKNESS	WIDTH	LENGTH
mm	mm	mm	mm	mm	mm
12 (1/2″)	760 (30″)	3,680 (145″)	6 (1/4")	760 (30″)	2,500 (98")

• Bright White with wider widths is available. Widths of 1350mm and 930mm with the thickness of 6mm, 9mm and 12mm are available.

Panel thicknesses of 9mm and 19mm available on request.

W

• 6mm (1/4") thickness sheet is not recommended for horizontal application.

• If there is a specific dimension or size that is required for a particular project, please consult with the local agent or distributor.

STARON[®] 10-YEAR LIMITED WARRANTY

The 10-year warranty applies to Staron, Tempest and Supreme Collection products that have been installed in an interior, commercial-use or residential application. For more details, please consult with your Staron products distributor, or visit <u>www.staron.com</u>

DISCLAIMER

The information contained herein is provided by LOTTE CHEMICAL Co., Ltd. and LOTTE CHEMICAL CALIFORNIA INC. for information purposes only and should be used by individuals with technical experience and knowledge in the area. LOTTE CHEMICAL Co., Ltd. does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to the use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions. LOTTE CHEMICAL CALIFORNIA INC. is a subsidiary of LOTTE CHEMICAL Co., Ltd.

COLLECTION



Solid, Sanded, Aspen, Metallic

