

MORE FROM WOOD.

E EGGER


Eurodekor thin boards

**Authentic surfaces and
convincing properties**





Eurodekor melamine-faced thin boards



Melamine-faced boards offer multiple possibilities for use in furniture and interior design. Thanks to their scratch resistance, abrasion resistance and resistance to chemicals, the surface is very robust.

It is very well suited for the following areas of application:

- Interior doors (residential and commercial applications)
- Lightweight, back boards
- Furniture and interior design
- Trade fair construction and shopfitting

Properties

- High impact resistance and mechanical resistance
- Design versatility with coordinated surface textures
- Optimal surface properties according to EN 14322
- Ideal processing characteristics
- Processing with low tool-wear
- High impact resistance and mechanical resistance

Eurodekor Thin MDF HD



The **EGGER Thin MDF HD** is a bright, highly compressed board with a particularly fine fibre structure. Thanks to its **high density**, it complies with the requirements of the EN622-5 and has **very good elasto-mechanical properties**.

With its high compression, the product is particularly suited for one-sided and therefore **asymmetrical lamination**, as well as the **pressing of deep textures**. The structures gathered under the name of Feelwood, reflect surfaces that are close to nature and authentic.

Eurodekor Thin Chipboard

The **EGGER Eurodekor thin chipboard** is a light board with **low bark content** and a particularly **smooth chip structure**. It corresponds to the requirements of the RAL Quality Assurance Association for interior doors and fulfils the special requirements for impact resistance and mechanical resistance.

Product properties

Melamine-faced thin chipboard, laminated on one side, low-emission – E1 P2

Thin MDF HD E1 for deep textures


Thickness:	3 mm
Decors:	EGGER wood reproductions, uni and white decors upon request – no pearlescent decors
Textures:	ST10, ST22; ST27, ST28, ST29 synchronised pore structure, only available with Feelwood decors according to the collection
Delivery time:	approx. 4 to 5 weeks

Thin chipboard E1 P2 for standard textures


Thicknesses:	3 mm + 4 mm (0.12" + 0.16")
Decors:	EGGER wood and material reproductions, uni and white decors upon request – no pearlescent decors
Textures:	ST2, ST9, ST11, ST15
Delivery time:	approx. 3 to 4 weeks

Product information	Full boards and half-formats	Cut-to-size
Delivery plant:	St. Johann in Tirol	
Formats:	5,610 × 2,070 mm – only thin chipboard 4,300 × 2,070 mm – only thin chipboard 2,800 × 2,070 mm	Cuts according to customer specifications
Minimum quantity per decor / texture / thickness:	≥ 50 full boards – 5,610 × 2,070 mm – only thin chipboard ≥ 50 full boards – 4,300 × 2,070 mm – only thin chipboard ≥ 100 half-formats – 2,800 × 2,070 mm Variation in number of pieces ± 15% reserved	Cut-to-size: ≥ 1000 pieces per order of which: ≥ 200 pieces per format/texture/thickness
Packaging unit:	25 pieces – 5,610 × 2,070 × 3 mm – only thin chipboard 50 pieces – 4,300 × 2,070 × 3 mm – only thin chipboard 50 pieces – 2,800 × 2,070 × 3 mm 20 pieces – 5,610 × 2,070 × 4 mm – only thin chipboard 40 pieces – 4,300 × 2,070 × 4 mm – only thin chipboard 40 pieces – 2,800 × 2,070 × 4 mm – only thin chipboard	Door formats cut-to-size: 200 pieces – 3 mm 200 pieces – 4 mm – only thin chipboard other cuts upon request
Grading:	According to standard, there is a pressed grading (decor on decor) according to EN 14323 with permitted defective fractions: Points: ≤ 2 mm ² / m ² Length defects: ≤ 20 mm / m ² Customer-specific grading and stacking upon request	According to standard, there is a pressed grading (decor on decor) according to EN 14323 with permitted defective fractions: Points: ≤ 2 mm ² / m ² Length defects: ≤ 20 mm / m ² Customer-specific grading and stacking upon request
Stacking:	Decor on decor, in pairs	Decor on decor, in pairs or according to customer requirements


Eurodekor Thin MDF HD 3 mm



Eurodekor thin chipboard 3 and 4 mm




U763 ST2
Pearl Grey




H3389 ST15
Natural Light Oak



H1284 ST11
White Ash



H1295 ST15
Chocolate Lakeland Acacia



H1334 ST15
Light Ferrara Oak



H3386 ST15
Oak natural




H1521 ST15
Honey Maple




H1727 ST15
Natural Birch




H1582 ST15
Ellmau Beech



H3304 ST9
Grey Lacquered Chateau Oak




H3306 ST9
Anthracite Chateau Oak




H1199 ST11
Black Brown Thermo Oak



H1502 ST15
Alder



H3734 ST9 / ST15
Natural Dijon Walnut



H1555 ST15
Wenge

Proudly Distributed by



1-855-650-3265
www.rugbyabp.com | iShopRugby.com



888-826-5528
hardwoods-inc.com | www.hardwoods.online

Specification Support by



866-599-1433
designonesource.com