



## QUICK SHIP DOORS



# QUICK SHIP DOOR PROGRAM

**Thickness:** 1-3/8" or 1-3/4"

**Width:** (Std. stile & rail dimensions. Bi-folds included.)  
Any width up to 3'0"

**Height:** Any height up to 8'0"

**Species:** Stain Grade Poplar  
Paint Grade Poplar  
(raw or primed)  
Poplar w/MDF Panel  
(raw or primed)

**Hardware:** Any stock hinge, ball catch, or flush bolt in our wide selection of standard hardware finishes.

**Machining:** Standard 2 1/8" bore with 2 3/8" or 2 3/4" backset. T-Astragals, weatherstrip and sills are also available. See back page for jamb and hardware options.


**Quantities:** Maximum of 50 doors total, per order

**Lead Time:** 10 production days (slab or pre-hung)\*


\*Allow an additional 3 production days for primed doors

**NOTE:** Due to expedited lead time, once order is placed, cancellations and/or changes cannot be accepted.


## INTERIOR PANEL DOORS




KW1000\*  
Flat Panel Only




KW2000




KW2100




KW3000




KW3003\*  
Flat Panel Only




KW3020




KW3060\*  
Flat Panel Only




KW4000




KW5000



KW5020



KW6000



KW6040

\*Only available with D13-403 or D23-403 rail and panel options.


## 1 3/8" RAIL & PANEL COMBINATIONS

Images are shown at 25% of size.


### 1/4" GROOVE




B11



E11




241 - 1" panel




341 - 1" panel


### 1/2" GROOVE




B13



D13



E13



403 - 1/2" Flat Panel  
Panel may be veneer or solid


## 1 3/4" RAIL & PANEL COMBINATIONS

Images are shown at 25% of size.


### 1/4" GROOVE




B21



E21




241 - 1" panel




341 - 1" panel

### 1/2" GROOVE




B23



D23




E23




403 - 1/2" Flat Panel  
Panel may be veneer or solid

# QUICK SHIP DOOR PROGRAM


## INTERIOR LITED DOORS



G01000




G01010




G04012



G05000



G10000



G15000

## GLASS OPTIONS

Lited doors are available with standard clear tempered glass or opal (frosted glass).




Clear




Opal (*Frosted*)

## 1<sup>3</sup>/<sub>8</sub>" RAIL & GLASS COMBINATIONS

Images are shown at 25% of size.




B1G - 1-3/8" with 1/4" glass



E1G - 1-3/8" with 1/4" glass

## AVAILABLE SPECIES



Paint Grade Poplar - Primed




Poplar - Stain Grade



Poplar - Paint Grade



Poplar w/ MDF Panels




Poplar w/ MDF Panels - Primed


Photography does not represent all of the natural variation in grain and color that will occur in the production of a complete door package.

## 1<sup>3</sup>/<sub>4</sub>" RAIL & GLASS COMBINATIONS

Images are shown at 25% of size.



B2G - 1-3/4" with 1/4" glass



E2G - 1-3/4" with 1/4" glass

# JAMB & HARDWARE OPTIONS

## RESIDENTIAL HINGES 5/8" RADIUS CORNER



Antique Brass Finish



Antique Nickel Finish



Oil Rubbed Bronze Finish



Primed Finish



Flat Black



Satin Nickel Finish



Satin Brass Finish



Satin Chrome Finish



Bright Brass Finish




Bright Chrome Finish

Any hinge finish shown in our radius corner, residential offering (above) may be specified at no additional up-charge. In addition, we offer a wide selection of square corner, ball bearing and/or architectural hinges for an additional charge.


Please reference the Door & Jamb price book for all available options, along with pricing.

- = Square Corner Options Available
- = Radius Corner Ball Bearing Options Available
- ◆ = Square Corner Ball Bearing Options Available
- ▲ = Architectural Grade Options Available


## JAMB & HANG OPTIONS




Double Rabbeted Jamb




Jamb with 1640-STOP



Exterior Jamb, kerfed with weatherstrip



Jamb with 1644-KW-STOP



Stock jambs are also available in Poplar, Red Oak, and primed finger joint Poplar.

In addition, any stock weatherstrip, or adjustable sill and sweep is available to complete the unit.

Proudly Supplied By Double Rabbeted Jamb, kerfed with weatherstrip