


 **Wilsonart®**

**ADHESIVES**





### CONTACT ADHESIVES



WA 500



The professional and economical choice for fast-drying brush/roller grade contact adhesive. Perfect for small or large shops alike.



WA 600



OTC-compliant, brush/roller-grade adhesive that applies easily and has a wider working window for consumer use.



WA 800/801



Spray-grade contact adhesive designed specifically for postforming applications.



NF942/943



Non-flammable, high solids, OTC compliant spray-grade contact adhesives. Contains no methylene chloride



WA 950/951



Fast-drying, spray-grade contact adhesive designed for non-postforming operations. WA 950/951 provides an easy to use, high strength, economical bonding solution.

### LOW VOC CONTACT ADHESIVES



WA 1700/1701



Low VOC, HAPS-free contact adhesive with outstanding bond and heat strength that can be sprayed, brushed or rolled. This product requires less air pressure, making it easier to spray than traditional contact adhesives.



WA 1800/1801



Low VOC, postforming adhesive that is Ozone Transport Commission (OTC) compliant. This high solids contact adhesive contains the same rubber system as traditional solvent-based adhesives that works with traditional spray guns.



WA 1900/19001



Low VOC, adhesive that is California and Ozone Transport Commission (OTC) compliant. This high solids contact adhesive requires less air pressure, making it easier to spray than traditional contact adhesives.



WA H<sub>2</sub>O



Non-flammable, water-based contact adhesive that can be sprayed, rolled or brushed. Ideal for postforming or non-postforming operations, WA H<sub>2</sub>O is a low VOC alternative for operations where the use of flammable solvents is prohibited or regulated.

#### SYMBOLS KEY

- UL GREENGUARD Certified
- California Compliant (SCAQMD, Rule 1168)
- Ozone Transport Commission (OTC) Compliant
- Non-flammable
- Qualifies for LEED® credit(s)

When you have the need for speed, Wilsonart® Adhesives offer a wide selection of canister and aerosol contact adhesive products. Whether using them for touch up or full scale fabrication, the performance and portability of these products provide a fast, dependable solution for the busy fabricator.

## CANISTERIZED CONTACT ADHESIVES



WA 700 /701



High strength, high tack canister contact adhesive designed for use with high pressure laminates. WA 700/701 is a methylene chloride-free product that bonds quickly and easily using a web spray pattern.



WA NF702 /703



Utilizing the same rubbers and resins as WA 700/701 but with a proprietary, technologically-advanced, NONFLAMMABLE solvent, WA NF702/703 is a true nonflammable canister contact adhesive that is safer and better to spray than the methylene chloride products in the market.



WA 730/731



**Low VOC, HAPS-free** canister contact adhesive designed for use with high pressure laminates. With an innovative pebble spray pattern, WA 730/731 greatly reduces telegraphing.



WA 740/741



High speed, high strength canister contact adhesive designed for use with high pressure laminates. WA 740/741 is a methylene chloride-free product that bonds quickly and easily using a web spray pattern.



WA NF742/743



Containing the same high strength rubbers and resins as WA 740/471, the proprietary, technologically-advanced nonflammable WA NF742/743 canister contact adhesive is safer, easier, and better to spray than the methylene chloride products in the market.



WA 700A/WA 740A



High speed, methylene chloride-free, and high strength aerosol contact adhesives designed for a variety of applications including high pressure laminates, fabrics, foam, wood, metals, papers, and plastics. California compliant, WA High Tack, also available (see chart).

## SOLVENTS AND CLEANERS



NF702A



High speed, methylene chloride-free, and high strength aerosol contact adhesives designed for a variety of applications including high pressure laminates, fabrics, foam, wood, metals, papers, and plastics.



WA 110

Extremely flammable solvent designed to dissolve dried adhesive film and clean equipment including brushes, spray guns, pumps and pressure pots.



WA 121

Extremely flammable hydrocarbon blend specifically formulated to remove overspray/adhesive residue from fabricated parts and decorative surfaces without smearing or leaving an adhesive film.



WA 130



Extremely flammable, low VOC\* solvent designed to dissolve dried adhesive film and clean equipment including brushes, spray guns, pumps and pressure pots.



CITRUS CLEANER



Extremely flammable, OTC-compliant cleaner that is designed to dissolve and remove dried adhesive overspray and residue from high pressure laminate. Available in multiple volumes.



WA ACETONE



Fast-evaporating acetone is perfect for cleaning parts and decorative surfaces without leaving a sticky residue or oily film like lacquer thinner does.

## CONTACT ADHESIVES, SOLVENTS AND CLEANERS

Wilsonart® Adhesives have held together many of America's foremost projects since 1970. Wilsonart's breadth of contact adhesives, cleaners, and solvents are superior in terms of selection and unmatched in terms of performance. Available from your trusted Wilsonart representative.

## PVA WOOD GLUE ADHESIVES



### WA 10 GLUE



Fast-setting, PVA adhesive designed for wood-to-wood applications and panel manufacturing operations requiring faster machine times.



### WA 30 GLUE



High-strength, fast-setting, yellow PVA adhesive designed for wood-to-wood applications. Sands like wood, not like a typical wood glue. Rigid bond improves ease of sanding. Ideal for assembly, cold press and hot press applications.



### WA TYPE II GLUE



Water-resistant PVA assembly adhesive that can be used in hot or cold press panel operations or in radio frequency curing operations.



### WA MELAMINE ADHESIVE



Non-flammable acrylic adhesive designed to bond non-porous materials (including melamine, vinyl, high pressure laminate, PVC, metal, finished plywood, stone, tile, and acrylics) to wood and composite surfaces. Dries quickly to produce a clear, water-resistant bond.

## OTHER PVA ADHESIVES



### WA 3000



Quick setting, high strength PVA adhesive that is ideal for postforming, nip and stack, or heated nip operations. Can be sprayed or applied with a glue spreader.



### WA 3100



PVA adhesive designed specifically to bond laminate to a variety of substrates in cold press applications.



### WA 3125



Economical, low viscosity, water-resistant PVA for use in hot press, cold press, or RF curing operations.



### WA 31350V



Low viscosity PVA adhesive that meets or exceeds the requirements as set out in the Window & Door Manufacturers Association (WDMA) for a Type I and Type II door adhesive.



### WA 3140



High-solids, economical PVA-based adhesive designed for use with high pressure laminate in hot press, cold press, and pinch roll, and dead stack applications.



### WA 3310



This PVA is made exclusively for bonding metal (non-copper & non-ferrous) like Wilsonart Decorative Metals to board applications. This PVA can be applied by standard glue spreaders and even by paint roller.

## PVA ADHESIVES



