STORM DOORS





www.LARSONdoors.com



Storm Doors for Every Home

LARSON[®] storm doors are available in styles and ventilating options to make your home more comfortable. Choose from Screen Away[®] retractable screens that disappear when not in use or convenient built-in screen options.

Consider Low-E

Several storm doors are available with Low-E glass. Low-E (low emissivity) glass contains an extremely durable coating that minimizes the amount of infrared energy that passes through without compromising the amount of visible light that shines in. Low-E glass reduces interior fading and has a dramatic impact on the comfort of your home.



The Low-E Advantage

Keep rooms warmer in the winter by minimizing heat loss.

Keep rooms cooler



in the summer by reflecting the sun's heat.



U.S. Department of Energy recommends Low-E to improve energy efficiency.

Protection

Storm doors protect your entry door and provide an additional layer of security between your home and unwelcome guests.

Installation

LARSON storm doors are available with two installation methods that require no cutting. EasyHang[®] includes one-step hanging with pre-drilled placement holes and adjustable height for an exact fit. The Platinum Collection is pre-assembled for effortless installation. Out of box and on your home in minutes.

Learn more

Visit us at LARSONdoors.com for a comprehensive list of products available to make your home more comfortable.

Platinum COLLECTION



The fast install.

No experience necessary with our pre-assembled doors. Simply add your QuickFit[™] handle, place frame on the opening, and secure in minutes^{*}. Relax, you got this!

Beautiful protection for your home.

The modern design of the Platinum series is both innovative and attractive. It is a one-of-a-kind blend of technology and luxury with a built-in hidden closer and multi-point locking. From open to close, Platinum is the ultimate storm door with added security features and better operation. Backed by a Limited Lifetime warranty.



Platinum IFG Interchangeable Full Glass 459-04E* 459-04 Includes screen for seasonal venting.



Platinum RS

456-04E* 456-04

Screen Away®

cassette when

hides in top

not in use.

Retractable

Screen





Platinum SG Secure Glass 449-04

Platinum SCR Secure Screen 450-18

Dominator[™] shield D between laminated s glass keeps m intruders out. b

Dominator .032 stainless steel wire mesh screen is built to withstand more than 1,000 lbs/in of force.

Includes Break-In Protection Warranty.



	MODEL	SIZE			
Distinum ICC	459-04E Low-E		- Ti		Pre-Hinged
Platinum IFG	459-04	32" x 81"	+		Select Left Hinge (right hand) or
Distinum BC	456-04E Low-E	36" x 81"	1 8		Right Hinge (left
Platinum RS	456-04	CUSTOM SIZES	Left Hinge (Right Hand) Outswing	Right Hinge (Left Hand) Outswing	hand) as viewed from outside.
Platinum SG	449-04				
Platinum SCR	450-18		g	y	

QuickFit⁻ Choose your handle SOLD SEPARATELY Straight: Matte Black, Brushed Nickel, Aged Bronze

Straight: Matte Black, Brushed Nickel, Aged Bronze Curved: Brushed Nickel, Aged Bronze, Antique Brass, Brass, White, Brown, Sandstone



full glass storm doors



Seasonal Venting

Maximize your view with our beautiful fullview storm doors.



149FV Clear



Screen not available



149BV



Elegant Bevel 149EBV



ELEGANT SELECTION	SIZE	Special Standard	CUSTOM
149FVE Low-E			1
149FV Clear	32" x 81" 36" x 81"	30" x 81" 34" x 81" _{White}	1
149PV Pet Door	30 201		
149BV Double Bevel			
149EBV Elegant Bevel	36" x 81"		

QuickFit Choose your handle SOLD SEPARATELY

Straight: Matte Black, Brushed Nickel, Aged Bronze Curved: Brushed Nickel, Aged Bronze, Antique Brass, Brass, White, Brown, Sandstone







* 149FVE features Low-E glass for improved insulation and less fading.



Ventilation Window and screen interchange for seasonal venting 6



Durability Premium frame construction with 1-5/8" thick aluminum



Protection Overlapping frame and two closers provide a tight seal



Convenience Two closers with holdopen button keeps the door open



Finish Installation screw covers conceal exterior screws

retractable screen STORM DOORS

Enjoy it all!

Screen Away® technology for both venting and clear views.





SCREEN

146HV

SCREEN

Bevel


146BV

Cranberry

Green

Colors vary by model





146PV

EASYVENT® SELECTION	SIZE	SPECIAL Standard	CUSTOM	
146FVE Low-E		34" x 81" White	1	
146FV Clear		30" x 81" White only	1	
	32" x 81" 36" x 81"	34" x 81" White, Sandstone		
146MV Midview		34" x 81" White, Sandstone		
149PV Pet Door				
146HV Highview				
146BV Bevel	36" x 81"			



* 146FVE features Low-E glass for improved insulation and less fading.



Ventilation Convenient retractable screen provides any time venting 8



Durability Premium frame construction with 1-7/8" thick aluminum



Protection Overlapping frame and two closers provide a tight seal



Convenience Two closers with holdopen button keeps the door open



Finish Installation screw covers conceal exterior screws



9

pet friendly storm doors

Your Pet Door Headquarters!

Adding a pet door just got easier. The pet friendly selection of storm doors feature a factory-installed pet door. Guaranteed to keep your pet happy and make your life easier. The inside security panel keeps intruders out.



Elegant Selection Fullview Pet Door 149PV

8W x 12H Opening Fits pets up to 40 lbs. Handle sold separately Screen not available



Pet Breeze All Metal Screen Door 360-49 10W x 17H Opening Fits pets up to 100 lbs.



EasyVent® Selection Retractable Screen Pet Door 146PV 8W x 12H Opening Fits pets up to 40 lbs.

Handle sold separately



Wood Core Pet Door 370-79 10W x 17H Opening Fits pets up to 100 lbs.



Pet View All-Metal Pet Door 360-79 10W x 17H Opening Fits pets up to 100 lbs.



Wood Core Pet Door XL 370-78 14W x 23H Opening Fits pets up to 220 lbs.





full glass storm doors







Clear 350-17 350-04

Double Bevel 350-14 350-13

Bring natural light into your home to let kids and pets see out. These durable aluminum and wood core doors are available with interchangeable glass and screen (350 series, 274-FL) or a bottom vent panel (360-NV). Handle styles and finishes vary by model.



Bottom Vent 360-NV



Wood Core 274-FL

		White	Almond	Sandstone	Brown	Black
MODEL	SIZE	CUSTOM		COL	OR	
360-NV	32" x 81" 36" x 81"		White, Sandstone, Brown			
350-14 Brushed Nickel 350-13 Brass	32" x 81" 36" x 81"		White, Almond, Sandstone, Brown, Black		n, Black	
350-17 Brushed Nickel 350-04 Brass	32" x 81" 36" x 81"	1	White, Almond, Sandstone, Brown, Black		n, Black	
274-FL	32" x 81" 36" x 81"	1	White, Almond, Sandstone, Brown		'n	



The Convenience of Screen Away®

Our top performing wood core retractable screen storm doors include features like magnetic weatherstrip that seals tight like a refrigerator for increased energy efficiency (830, 691 series). Most doors include your choice of handle finish.



* 691 doors feature keyed lock



370-81

Durable Aluminum Frame

1-3/8" thick frame is maintenace-free and includes heavy-duty weatherstrip. Includes designer screw covers that conceal exterior screws. Available with a brushed nickel or brass lever.

White

Almond

Sandstone

Brown

356-52 356-60

SCREEN.

MODEL	SIZE	CUSTOM	COLOR
830-82 Brushed Nickel 830-85 Aged Bronze 830-80 Brass	32" x 81" 36" x 81" 34" x 81"	1	White, Almond, Sandstone, Brown
691-52 Brushed Nickel 691-55 Aged Bronze 691-90 Brass	32" x 81" 36" x 81"	1	White, Sandstone, Brown
370-81 Color-Match Lever	32" x 81" 36" x 81" 30" x 81"		White, Almond
356-52 Brushed Nickel 356-60 Brass	32" x 81" 36" x 81"		White

Top or Bottom Venting Storm doors at a great value with built-in glass and screen combinations for convenient venting.

ALL-METAL FRAME





Push Button Handle 660-16 Midview 660-18 Highview

Lever Handle 360-16 Midview 360-18 Highview

WOOD CORE





370-50

DuraTech 237-CF Midview



DuraTech 233-ST Highview

W	hite Almond	Sandstone Brown Black		
MODEL	SIZE	COLOR		
360-18, 660-18	32" x 81" 36" x 81"	White, Brown		
360-16, 660-16	30' X 81" 32" x 81"	White, Brown		
370-50	34" x 81"* 36" x 81"	White, Brown		
237-17 Brushed Nickel 237-07 Brass	32" x 81"	White, Almond, Sandstone, Brown		
233-17 Brushed Nickel 233-07 Brass	36" x 81"	White, Almond, Sandstone, Brown		



* 34" widths: 360-16, 660-16 White only

venting STORM DOORS



Built to Perform

These insulating storm doors feature a solid core with a weather-resistant DuraTech®, durable aluminum or vinyl surface.

MAGNETIC WEATHERSTRIP

830-46






Multi-Vent DuraTech 271-TT

Multi-Vent Single-Vent DuraTech DuraTech 830-14

Choose from two traditional venting options: multi-vent with full screen or bottom vent screen.



278-SS





298-SS Vinyl

Single-Vent 288-SS Aluminum 283-ST Aluminum 293-ST Vinyl

Single-Vent Aluminum 286-SX

Single-Vent DuraTech 380-05

Mobile Home Door



			White	Almond Sandstone Brown
MODEL	SIZE	SPECIAL STANDARD	CUSTOM	COLOR
271-TT Multi-Vent	32" x 81"	30" x 81" 34" x 81" 36" x 85" White only	1	White, Almond, Sandstone, Brown
830-46 Multi-Vent	36" x 81"			White, Brown
830-14 Single-Vent			1	White, Brown


MODEL	SIZE	SPECIAL Standard	CUSTOM	COLOR
278-SS DuraTech	32" x 81" 36" x 81"	30" x 81" 34" x 81" 32" x 85" 36" x 85" White only	1	White, Almond, Sandstone, Brown
288-SS Aluminum		30" x 81" 34" x 81"		White, Brown
298-SS Vinyl		30" x 81" 34" x 81"		White
283-ST Aluminum 286-SX		30" x 81"		White, Brown
293-ST Vinyl				White
380-05* Mobile Home Door	32" x 75" 30" x 75"			White
* 380-05 additional sizes available	e			19

380-05 additional sizes available



This is no ordinary screen door! The durable frame and WearTuff[®] screen are built to withstand up to 300 lbs. of static force and includes handle, closer, and hinges.

Screen Door 360-48



screen upgrades



SUNTEX® 80 Shading fabric in 3 colors



PetScreen[®] 7X stronger





RECORD Your Measure	EMENTS	
Α	WIDTH	
В	WIDTH	
C	WIDTH	+0++
D	HEIGHT	

Door Sizes	Min–Max Doorway Width	Min–Max Doorway Height
30" x 81"	29 7/8" to 30 3/8"	
32" x 81"	31 7/8" to 32 3/8"	00" to 01"
34" x 81"	33 7/8" to 34 3/8"	80" to 81"
36" x 81"	35 7/8" to 36 3/8"	



Size availability varies by model. CUSTOM SIZES available in select models.

MOUNTING GUIDE


PLATINUM COLLECTION (Surface Mount)

The rails mount directly to the face of the exterior brickmold and require a 3/4" wide mounting surface. Determine hinge side as viewed from outside.



STORM DOORS (Recess Mount)

The rails mount inside the opening and require a 1" wide by 1" deep mounting surface.









CENTRALIA, IL 866.755.7636 MOBERLY, MO 800.892.5850 MT. PLEASANT, IA 800.258.5809 SPRING HILL, KS 800.490.4320 Proudly Supplied By



Visit our website at www.midambuilding.com