















Supreme® Shingles

Supreme® three-tab shingles—a smart choice when you need to balance curb appeal, weather resistance and value. *Supreme* shingles come with a 25-Year Limited Warranty*, 60-MPH Wind Resistance Limited Warranty*, and Class A UL Fire Resistance—the industry's highest. StreakGuard™ Protection with a 10-year Algae Resistance Limited Warranty'3 is also available on a regional basis. Visit owenscorning.com/roofing to learn more.

Product Attributes

Warranty Length*

25-Year Limited

Wind Resistance Limited Warranty*

60-MPH

Algae Resistance Limited Warranty*

10 Years

TRU PROtection* Non-Prorated Limited Warranty* Period

5 Years

Product Specifications

Size	12" x 36"
Application Exposure	5"
Shingles per Bundle	Not less than 26
Average Shingle Count per 3 Bundles	80
Average Coverage per 3 Bundles	100 sq. ft.

Applicable Standards and Codes

ASTM D3462

ASTM D228

ASTM D3018 (Type 1)

ICC-ES AC438#

ASTM D3161 (Class F Wind Resistance)

ASTM D7158 (Class H Wind Resistance)

ASTM E108/UL 790 (Class A Fire Resistance)

PRI ER 1378E01

Florida Product Approval[‡]

Miami-Dade County Product Approval²

COLOR DISCLAIMER

As color experts, we know getting the shingle color right is a big part of any roofing purchase. Due to printing color variations, in addition to viewing shingle literature, we suggest you request an actual shingle sample to see how it will appear on your home and with your home's exterior elements in various natural lighting conditions. Lastly, we recommend you verify your color choice by seeing it installed on an actual home; your roofing contractor or supplier can provide a sample and may be able to direct you to a local installation.



Aspen Gray¹





Brownwood¹



Desert Tan¹



Driftwood¹



Estate Gray¹



Onyx Black¹



Shasta White¹

SEE CHART AND MAP FOR COLOR AVAILABILITY



REGIONAL COLOR AVAILABILITY MAP



- * See actual warranty for complete details, limitations and requirements.
- # International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.
- ‡ Applicable only in Service Area 3 (see map).
- ^ Excludes non-Owens Corning® roofing products such as flashing, fasteners, pipe boots and wood decking.
- 1 See Color Disclaimer Information on page 2 for additional details.
- 2 Applies for all areas that recognize a Miami-Dade Notice of Acceptance (NOA).
- 3 Shingles are algae resistant to help control growth of algae and discoloration.







Antique Silver¹



Beachwood Sand¹



Chateau Green¹



Forest Green¹



Spanish Red¹



Teak1



Weathered Wood¹



Williamsburg Gray¹




Total Protection Roofing System[®]^

TOTAL PROTECTION SIMPLIFIED



Owens Corning* Total Protection Roofing System*^ integrates engineered Owens Corning* components that work together to address these three primary performance areas, critical to a high-performance roof, while also making it easy to understand the importance of each. With Owens Corning, it's easy to confidently deliver total protection, beauty and peace of mind.



CENTRALIA, IL 866.755.7636 MOBERLY, MO 800.892.5850 MT. PLEASANT, IA 800.258.5809 SPRING HILL, KS 800.490.4320 Proudly Supplied By

