



FULL LINE DOOR CATALOG



STILE & RAIL | MDF ROUTER CARVED DOORS



CONTENTS

WOODGRAIN OVERVIEW	2
DOOR SELECTION PROCESS	4
INTERIOR	14
/// FLAT PANEL	16
/// RAISED PANEL	18
/// SASH	20
/// FRENCH	22
/// DECORATIVE GLASS AND UTILITY	24
/// LOUVER	26
/// BIFOLD	28
/// MDF ROUTER CARVED	30
EXTERIOR	38
/// SASH	40
/// CRAFTSMAN	42
/// GLASS & TDL	44
/// RAISED PANEL	46
/// SIDELITES	48
/// TRANSOMS	50
CARE & MAINTENANCE	52
RESOURCES	56

THE WOODGRAIN STORY

BEAUTY. STRENGTH. DURABILITY.

Woodgrain combines beauty, strength, and durability in every door we offer. Our finely crafted doors connect your most cherished indoor and outdoor spaces. By combining the breadth of styles, designs and customizable options Woodgrain Doors offers with the superior craftsmanship of our products, you're sure to find a door to meet your functional needs while also enhancing the charm of your home.

Woodgrain is one of the world's leading manufacturers and suppliers of hardwood and softwood stile and rail doors, and door components. Distributors, builders, remodelers, architects, designers and homeowners rely on Woodgrain products to build quality homes. Woodgrain is committed to innovation through continuous improvements in manufacturing, investment in design, excellence in craftsmanship and use of the highest quality raw materials to build doors that are as durable as they are beautiful.



OUR HISTORY

Woodgrain has manufactured millwork and building products for the residential and commercial construction markets since it was founded in 1954. In over 70 years in business, the company has expanded with millwork, distribution, doors, and window divisions — making Woodgrain the preferred leader in the construction and home building industry.

Woodgrain Doors began in 1985 with the acquisition of Meridian Wood Products by our parent company, Woodgrain Millwork. Woodgrain Doors is headquartered in Nampa, Idaho manufacturing and distributing hundreds of thousands of doors annually.





OUR COMMITMENT

In our total commitment to the environment, Woodgrain promises to act as a responsible corporate citizen, optimizing our use of resources and producing products that have a positive impact on the environment and the health of people. The wood used by Woodgrain primarily originates from sustainable sources. Our manufacturing processes ensure over 99% of the wood fiber is used as a product. Woodgrain recycles every product possible and strives to operate in an environmentally conscious manner.



WOODGRAIN'S DOOR SELECTION PROCESS

SELECTING THE RIGHT DOOR


There are many decisions to make when it comes to selecting the right door for you. From the size you need, the traditional to contemporary style you want, and all the available features such as panels, species, and glass, the following process is the quickest way to help you find the door that's right for you and your home:

1. Identify door type and where it will be installed
2. Identify the door size you need
3. Select a wood species
4. Select from the glass options
5. Choose your door design
6. Upgrade with add-ons or customize with options




QUALITY CRAFTSMANSHIP MEETS SUPERIOR PERFORMANCE

Woodgrain's exquisite collection offers a unique combination of beauty and durability. Built upon our superior, quality craftsmanship, we uphold the industry's highest standard of authentic stile and rail construction. With thousands of door designs, styles, and configurations to choose from, you'll find the perfect door to complement your unique style.



STILE & RAIL DOOR CONSTRUCTION

Throughout the catalog, all panel profiles available for each door category are shown as an end view of the panel profiles.



1: DOOR TYPES



FLAT PANEL DOORS

Woodgrain offers interior flat panel doors in a variety of wood species. Flat panel doors offer crisp lines and provide a versatile look that complements both modern and traditional interiors.



SASH DOORS

Woodgrain sash doors include an assortment of handcrafted doors to complement any decor. All sash doors are built with true divided lite construction (TDL), meaning that each pane of glass is a unique piece of glass providing better protection and easier finishing. A variety of interior and exterior designs with numerous light and panel configurations available.



CRAFTSMAN DOORS

Make a memorable first impression with a Woodgrain craftsman entry door. The collection of exterior doors is built with unsurpassed craftsmanship and extensive design and glass options offering natural warmth and beauty to your home. All craftsman doors are built with true divided lite construction (TDL) and Low E glass, meaning that each pane of glass is a unique piece of glass providing better protection and easier finishing.



TRADITIONAL AND CONTEMPORARY FRENCH DOORS

Woodgrain traditional French doors offer an assortment of handcrafted doors to complement any decor. All French glass doors are built with true divided lite construction (TDL), meaning that each pane of glass is a unique piece of glass providing better protection and easier finishing. A variety of interior and exterior design options are available.



DECORATIVE GLASS DOORS

Customize your home with Woodgrain's interior decorative glass doors. Choose from geometric patterns in a variety of styles and finishes.



RAISED PANEL DOORS

Woodgrain offers interior and exterior raised panel doors in a variety of wood species. Raised panel doors offer added dimension to complement traditional and contemporary styles.



PLANK PANEL DOORS

Woodgrain offers interior and exterior plank panel doors in a variety of wood species. Plank panel doors offer added dimension to complement traditional and contemporary styles.



LOUVER DOORS

Woodgrain's louver doors provide a beautifully functioning door with a touch of subtle charm between passageways. Each door is designed to provide privacy and ventilation, and ideal for closets and other spaces that require maximum air circulation. Louver doors are a sensible choice for hallways, closets, and storage rooms.



BIFOLD DOORS

Woodgrain's bifold doors are crafted with state-of-the-art technology to ensure consistent precision assembly. Bifold doors are ideal for smaller spaces, including closets, laundry rooms, and any area where space is at a premium. Bifold doors come with all the necessary hardware for installation.



PRIMED MDF ROUTER CARVED DOORS

The Woodgrain Design Collection of medium density fiberboard (MDF) includes infinite options including personalized options with our auto-CAD technology. California 93120 CARB Compliant for Formaldehyde Phase 2 and TSCA Title VI certified or compliant.



UTILITY DOORS

Customize your home with a utility door in Laundry, Pantry or Wine Cellar.



TRADITIONAL BARN DOORS

Woodgrain's Barn Door Collection is the perfect fit for modern, contemporary, and rustic applications. Built upon our superior quality and craftsmanship, each barn door features a 3/4" panel design to highlight the definition and elegance of the v-groove. The mulls in each layout are full thickness and engineered to meet flush with the stiles and rails to provide a unique combination of beauty, strength, and durability. Barn Doors allow you the flexibility to enhance an entire room with a unique accent piece, while also adding more functionality to your space. From master suites to pantries, barn doors give you the flexibility to customize your space. Any Woodgrain door may be used as a barn door.



DUTCH DOORS

Woodgrain offers a number of interior and exterior doors in a variety of wood species that can be easily altered to create custom Dutch doors. Dutch doors create a versatile look that combines both modern and traditional interiors.



SIDELIGHTS

Woodgrain glass doors also include a variety of sidelights to complement any door. Adding sidelights to either or both sides of your door will increase the impact of your door by inviting natural light into the home at entry or patio doorways. Sidelights are available in insulated or single glazed glass.



TRANSOMS

Woodgrain glass doors include a variety of transoms to complement any door. Adding a transom above your door will extend the height of your door and allow natural light into the home at entry or patio doorways. Transoms are available in insulated or single glazed glass.



FIRE RATED DOORS

Woodgrain doors manufactures 20, 60 and 90 minute fire rated doors in 9 different species. We achieve these ratings by incorporating a special intumescent core into our 1-3/4" thick doors.



2: DOOR SIZES

Our doors and bifolds come in a variety of standard sizes and will range from:

- 6'8", 7'0", 7'6" and 8'0" heights
- 1'0" to 6'0" widths
- 1-3/8" and 1-3/4" thicknesses*

While not all sizes and panel configurations are available in all options, Woodgrain can accommodate many custom orders such as replacing a panel with glass.



*2-1/4" available in select species and styles.



3: WOOD SPECIES

PRM — Primed

Woodgrain's multiple door configurations have a primed option to allow for a better paint finish and color match process for any project. Interior applications are produced with MDF veneer and panels for superior paintability. MDF Design Collection Router Carved doors are also available.

FIR — Douglas Fir

Douglas Fir is a large, generally vertical-grained tree that grows in abundance in the Pacific Northwest. Douglas Fir is characterized by exceptional natural strength, hardness, and durability. The wood varies in color from yellowish tan to light, bright brown.

KPN — Knotty Pine

Knotty Pine is abundant in America. The wood has a rich display of knots that reflects the randomness and beauty of nature. The wood tends to be a honey-toned or straw color while the knots are generally reddish-brown.

PON — Ponderosa Pine

Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.

RAD — Radiata Pine

Radiata Pine is a Premium-grown wood from Chile, New Zealand, and Australia. It has a distinctive grain pattern with a pale cream color. Radiata tends to be harder than other pine species and has fewer knots.

KAL — Knotty Alder

Knotty Alder grows in the Pacific Northwest and is a medium density hardwood with an even grain appearance. The wood is normally light brown with hues of red or peach. Its softer nature makes it easy to machine and receptive to stains and finishes.

MHG — Mahogany

Mahogany is characterized by its natural strength, proven durability, and a rich red color. Its straight grain is usually free of voids and pockets. Khaya Mahogany is the Woodgrain standard MHG door: range and mix of colors in door parts and components from light blonde to dark brown.

MPL — Maple**

Maple grows in the Eastern United States, offers a very fine grain and a white-ish color tinged with reddish brown.

OAK — Northern Red Oak

Hard and heavy, Oak grows mainly in the North Central United States. With a coarse texture and a straight, prominent grain, Oak accepts a broad range of stains and finishes.

WOK — White Oak**

White Oak is marked by its light to medium brown color that is attractive, versatile, and strong. Featuring a straight grain with a coarse texture, White Oak is a popular furniture wood that takes well to a wide range of stains and finishes.

POP — Poplar

Poplar grows in the Eastern United States. The colors of Poplar vary from brown to pale yellow to olive green. Over time, the green color will darken with exposure to sunlight and may turn brown. Poplar is a medium density hardwood, generally straight-grained with a fine, even texture.

*All species shown are clear coated.

**Available only through MN express ship. Not available in Fire Rated door configurations.

4: GLASS OPTIONS

Woodgrain Doors offers 21 glass options to further customize your door. Choose from either a Clear Single Glazed or Insulated Low E glass type. Clear Single Glazed is a single piece of tempered glass whereas Low E Insulated is coated and insulated, which allows it to reflect radiant heat, making it a more energy efficient option.

PRIVACY:

10 9 8 7 6 5 4 3 2 1

This indicates the amount of privacy that each glass profile allows through it; 1 being little privacy and 10 being full privacy.

LIGHT:

10 9 8 7 6 5 4 3 2 1

This indicates the amount of light that each glass profile allows through it; 1 being lots of light and 10 being no light.



Clear

1 1



Artique

3 2



Bevel

2 1



Charcoal Sticks

6 5



Cotswold

7 6



Delta Frost

8 7



White Laminated

8 9



Glue Chip

6 5



Heavy Water

3 2



Mirror

10 10



#42 Clear

7 6



Narrow reed

5 4

					
Obscure	8 8	Rain	7 7	Seedy	2 2
					
Sycamore	7 6	Taffeta	4 4	Ribbed	9 8
					
Water Drop	9 9	Frosted (FRIT)	9 9	V-Groove	2 1

Not all glass options are available in all models or species.

*Certain glass patterns may look slightly different in large pane layouts.

Our glass meets the following standards: ANSI Z97.1 and 16CFR 1201 C II.

5: CHOOSE YOUR DESIGN

The following sections outline the different series of doors grouped by interior and exterior and organized by type to help you find the door you need. Also take note of our specialty router carved series for interior doors as an economical and modern design for your door needs without sacrificing beauty strength and durability.

6: ADD-ONS AND CUSTOMIZATION


FIRE RATED & ALTERNATIVE PANELS



20, 60 and 90 Minute Fire Doors

Woodgrain doors manufactures 20, 60 and 90 minute fire rated doors in 9 different species. We achieve these ratings by incorporating a special intumescent core into our 1-3/4" thick doors.


Woodgrain 20 Minute Fire Rated Door




Woodgrain 90 Minute Fire Rated MDF Door



Woodgrain 60 Minute Fire Rated Door



Woodgrain 90 Minute Fire Rated Wood Door



BARN DOOR CONFIGURATION

AVAILABLE MOUNTING HARDWARE

- 72", 84", and 96" tracks
- Rated up to 200 lbs.
- Handle options and connector piece available

Top Mount



Shown in Black Finish

Hanging Mount




Shown in Black Finish



Both mounts also available
in Nickel Finish

*Note: Any Woodgrain door can be used in barn door or "rolling door" application



DUTCH DOOR MODIFICATION



We offer a large selection of Dutch door styles that are designed and manufactured to be cut in half. **All Woodgrain doors are shipped as a full slab; we do not ship the door pre-cut.** The door shop or door hanger would make the needed cuts to finish the Dutch door functionality. There are a number of different cuts that would achieve the look each individual can determine what works best for their needs.

ALTERNATIVE PANELS

DRY ERASE, MIRROR, AND MAGNETIC CHALKBOARD

Woodgrain offers these three options in the designs below:



20 FP



20 FP



20 FP





PRM 4107

INTERIOR DOORS

Backed by years of door expertise and craftsmanship, Woodgrain interior doors come in a wide range of designs and sizes to fit your style and space. No matter your choice, you can rely upon the quality that Woodgrain doors are renowned for when selecting your perfect door.

TYPES OF INTERIOR DOORS

FLAT PANEL
 DESIGN COLLECTION MDF
 SASH
 DECORATIVE GLASS & UTILITY
 TRADITIONAL & CONTEMPORARY FRENCH
 LOUVER
 RAISED PANEL
 PLANK PANEL
 TRADITIONAL BARN



FLAT PANEL


SPECIFICATIONS

- 6'8", 7'0", 7'6" and 8'0" heights
- 1'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- 3/8" panel; *5/8" panel available on 1-3/4" doors
- 20, 60, 90-minute fire rated available (available on 1-3/4" only)
- Wood stile and rail components with MDF veneers and panels for superior quality painted finish

PANEL OPTIONS



**SHAKER
(4000 SERIES)**
PON, RAD, KPN, PRM, OAK,
POP, KAL, FIR, MHG



**FLAT PANEL OVOLO
(FP SERIES)**
PON, RAD, KPN, PRM, OAK,
POP, FIR, MHG



PRM 4020



20 FP
4020
PON, RAD, KPN,
PRM¹, WOK, **OAK**,
POP, KAL², FIR, MHG



102 FP
4102
PON, RAD, KPN,
PRM¹, WOK, OAK,
POP, KAL², FIR,
MHG, MPL^{2,3}



103 FP
4103
PON, RAD, **KPN**,
PRM¹, WOK, OAK,
POP, KAL², FIR, MHG



103T FP
4103T
PON, RAD, KPN,
PRM¹, WOK, OAK,
POP, KAL², FIR,
MHG, MPL^{2,3}



106 FP
4106
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL², FIR, MHG,
MPL³



107 FP
4107
PON, **RAD**, KPN,
PRM¹, WOK, OAK,
POP, KAL², FIR, MHG



108 FP
4108
PON, RAD, KPN,
PRM¹, OAK, **POP**,
KAL², FIR, MHG,
MPL³



4109
PON, RAD, KPN,
PRM¹, OAK, **POP**,
KAL², FIR, MHG



4112
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL², FIR, MHG



4129
PON, **RAD**, KPN,
PRM¹, OAK, POP,
KAL², FIR, MHG



4131
PON, RAD, KPN,
PRM¹, **OAK**, POP,
KAL², FIR, MHG



4133
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL², FIR, MHG




4141
PON, RAD, KPN,
PRM¹, OAK, **POP**,
KAL², FIR, MHG



4158
PON, **RAD**, KPN,
PRM¹, OAK, POP,
KAL², FIR, MHG



4802
PON, **RAD**, KPN,
PRM¹, OAK, POP,
KAL², FIR, MHG



4803
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL², FIR, **MHG**



4831
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL², FIR, MHG



4833
PON, **RAD**, KPN,
PRM¹, OAK, POP,
KAL², FIR, MHG

1 Species is manufactured with MDF skins and panels.
2 Species only available in Shaker Sticking (4000 Series).
3 Species is only available from Express Ship Inventory in Minnesota.



RAISED PANEL

SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 1'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Square, Arch and Eyebrow Tops
- 20, 60, 90-minute fire rated available (available on 1-3/4" only)

PANEL PROFILES



9/16" RP
PON, RAD, KPN, PRM¹



9/16" DBH*
PON, RAD, KPN, PRM¹



1-3/16" VIP
PON, RAD, KPN, PRM¹,
KAL, FIR, MHG




3/4" SCOOP BP
OAK, POP



3/4" DBH
KAL, FIR, MHG



3/4" PLK
KAL




1-3/16" VIP PLK
PON, RAD, KPN,
PRM, FIR, MHG



1-3/16" VIP BVG
PON, RAD, KPN,
PRM, FIR, MHG



1-1/4" SRR
KAL



1-3/8" SRD
KAL


STICKING OPTIONS



OVOLO
PON, RAD, KPN, PRM,
FIR, MHG



TAPER
KAL



PRM 158



PRM 112


¹ PRM in these designs is 5/8".



20
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



100
PON, RAD, KPN,
PRM¹, OAK, POP,



102
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



103
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



103T
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



106
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG,
MPL²



107
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



108
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG,
MPL²



109
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



110
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



112
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



117
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



129
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



131
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



133
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



141
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



149
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



158
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



802
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG,
MPL²



803
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



804
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



806
PON, RAD, KPN,
PRM¹



820
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



822
PON, RAD, KPN,
PRM¹



831
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



833
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



842
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



849
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



1 Species is manufactured with MDF skins and panels.
2 Species is only available from Express Ship Inventory in Minnesota.

SASH DOORS

SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 2'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Square, Arch, and Eyebrow Tops
- Single Glazed Glass

PANEL OPTIONS





563
PON, RAD, KPN,
PRM¹, FIR, MHG



564
PON, RAD, KPN,
PRM¹, FIR, MHG



567
PON, RAD, KPN,
PRM¹, FIR, MHG



570
PON, RAD, KPN,
PRM¹, FIR, MHG



571
PON, RAD, KPN,
PRM¹, FIR, MHG



572
PON, RAD, KPN,
PRM¹, FIR, MHG



573
PON, RAD, KPN,
PRM¹, FIR, MHG



574
PON, RAD, KPN,
PRM¹, FIR, MHG



581
PON, RAD, KPN,
PRM¹, FIR, MHG



811
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL



812
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL



813
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL



814
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL



816
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL



818
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL



819
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL



844
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL



851
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



859
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



860
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



861
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



862
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



863
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



864
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG

1 Species is manufactured with MDF skins and panels.




FRENCH DOORS


SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 1'6" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Square, Arch and Eyebrow Tops
- Single Glazed Glass
- See pages 10 and 11 for Glass Options

STICKING OPTIONS



Shaker
(4000 Series)
Available in all wood species



Ovolo / 600 Series
PON, RAD, KPN, PRM,
OAK, POP, FIR, MHG



PRM 4020

CONTEMPORARY



4517
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG




4517A
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



603 / 4603
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



603W / 4603W
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



604 / 4604
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



604W / 4604W
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG

605 / 4605
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG

605W / 4605W
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG

606W / 4606W
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG

607W / 4607W
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG




608 / 4608
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG

609 / 4609
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG

610 / 4610
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG

620
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG

622
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG




PRM 628

TRADITIONAL



624
PON, RAD, **KPN**,
PRM, OAK, POP,
KAL, FIR, MHG



625
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG,
MPL²



626
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG




627
PON, **RAD**, KPN,
PRM, OAK, POP,
KAL, FIR, MHG,
MPL²




628
PON, RAD, KPN,
PRM, OAK, **POP**,
KAL, FIR, MHG



634
PON, RAD, KPN,
PRM, OAK, POP



636
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



690
PON, **RAD**, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



691
PON, RAD, KPN,
PRM, OAK, POP,
FIR, MHG



692
PON, RAD, KPN,
PRM, OAK, POP,
FIR, MHG



824
PON, **RAD**, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



825
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG




827
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, **MHG**



836
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



840
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



845
PON, **RAD**, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



846
PON, **RAD**, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



847
PON, RAD, **KPN**,
PRM, OAK, POP,
KAL, FIR, MHG



848
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



PRM 628



PRM 513

¹ Species only available in 1-3/8" thickness.
² Species is only available from Express Ship Inventory in Minnesota.

DECORATIVE GLASS AND UTILITY

SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 2'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Clear V-Groove Single Glazed Glass
- Frosted Silk Screen Glass



380 TOP
PON, RAD, KPN,
PRM, KAL, FIR



380 BTM
PON, RAD, KPN,
PRM, KAL, FIR




381 MID
PON, RAD, KPN,
PRM, KAL, FIR



381 OUT
PON, RAD, KPN,
PRM, KAL, FIR




4380
PON, RAD, KPN,
PRM, KAL, FIR




4381
PON, RAD, KPN,
PRM, KAL, FIR




PRM 652



670
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



672
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



8'0" DOOR

Decorative Glass Doors are available in 8'0" with wood panel options in all species.

ILLUSTRATION OPTIONS

650 Laundry



653 Wine Cellar



652 Pantry



651 Pantry



650
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



651
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



652
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



653
PON, RAD, KPN,
PRM, OAK, POP,
KAL, FIR, MHG



8'0" DOOR

Utility Doors are available in 8'0" with wood panel options in all species.

* Not all sizes are available in all options.

PLANK PANEL

SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 1'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Square and Arch Tops
- Taper Block Sticking
- 20, 60, 90-minute fire rated available (available on 1-3/4" only)

STICKING OPTIONS



TAPER
PON, KPN, PRM, KAL

PANEL PROFILES



11/16" SF PLK
PON, KPN, PRM



3/4" PLK
KAL



1-1/8" SRP
KAL



11/16" SF BVG
PON, KPN, PRM



3/4" BVG
KAL



1-1/8" SRB
KAL



20 PLK
KAL



102 PLK
PON, KPN, PRM', KAL



802 PLK
PON, KPN, PRM', KAL



820 PLK
KAL



180
PON, RAD, KPN, PRM, KAL, FIR



181
PON, RAD, KPN, PRM, KAL, FIR



182
PON, RAD, KPN, PRM, KAL, FIR



183
PON, RAD, KPN, PRM, KAL, FIR



184
PON, RAD, KPN, PRM, KAL, FIR



185
PON, RAD, KPN, PRM, KAL, FIR



186
PON, RAD, KPN, PRM, KAL, FIR

1 Species is Primed Pine unless otherwise noted.



KAL 20 PLK




LOUVER DOORS

Specifications

- 6'8", 7'0" and 8'0" heights
- 1'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- "W" models available with 11" bottom rail for ADA compliance

Panel Options



Standard Louver



730
PON, RAD, PRM¹,
OAK, POP, FIR



732
PON, RAD, PRM¹,
OAK, POP, FIR



733
PON, RAD, PRM¹,
FIR



742
PON, RAD, PRM¹,
OAK, POP, FIR



782
PON, RAD, PRM¹,
OAK, POP, FIR



1-3/16" Standard Louver

False Standard Louver



F 730
PON, RAD, PRM¹




F 732
PON, RAD, PRM¹



F 742
PON, RAD, PRM¹



F 782
PON, RAD, PRM¹



¹ Species is manufactured with MDF skins and panels.



PRM P730

Premium Wide Louver



P 730
RAD, PRM¹, OAK,
POP, FIR



P 732
RAD, PRM¹, OAK,
POP, FIR



P 742
PON, RAD, PRM¹,
OAK, POP, FIR



P 782
PON, KPN, RAD,
PRM¹, OAK, POP,
FIR



2-1/4"
Premium
Louver



OAK P782


Premium Wide False Louver



PF 730
PON, RAD, PRM¹



PF 732
PON, RAD, PRM¹



PF 733
PON, RAD, PRM¹



PF 742
PON, RAD, PRM¹



PF 782
PON, RAD, PRM¹



BIFOLD DOORS

SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 2'0" to 6'0" widths
- 1-3/8" thicknesses
- Square and Arch Tops


PREMIUM LOUVER SPECIFICATIONS:

- 1-3/8" thickness
- 2-1/4" stiles with full scale rails

PREMIUM PANEL OPTIONS



9/16" RP
PON, RAD, KPN, PRM



3/8" Flat
PON, RAD, OAK, POP, KAL, FIR, MHG



9/16" DBH
PON, RAD, KPN, PRM



11/16" SF PLK
PON, RAD, KPN



3/4" PLK
KAL



3/4" BVG
KAL



1-3/16" VIP PLK
PON, RAD, KPN, FIR, MHG




3/4" Scoop BP
OAK, POP



3/4" DBH
KAL, FIR, MHG



1-3/16" VIP
PON, RAD, KPN, FIR, MHG



11/16" SF BVG
PON, RAD, KPN



1-3/16" VIP BVG
PON, RAD, KPN, FIR, MHG



PRM 732 RP



PON 4106 BF

PREMIUM SERIES

RAISED PANEL



100
PON, RAD, KPN,
PRM¹



103
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



106
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG,
MPL³



107
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG

LOUVER



730
PON, RAD, PRM¹,
OAK, POP



732
PON, RAD, PRM¹,
OAK, POP



733
PON, RAD, PRM¹

PREMIUM LOUVER



108
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG,
MPL³



109
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG



802
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL, FIR, MHG,
MPL³



822
PON, RAD, KPN,
PRM¹



P 730*
RAD, PRM¹, OAK,
POP



P 732*
RAD, PRM¹, OAK,
POP



P 733*
RAD, PRM¹, OAK,
POP

* 2-1/4" wide slat

PLANK PANEL



106
PON, KPN, KAL



802
PON, KPN, KAL



20 FP/4020
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL², FIR, MHG



103 FP/4103
PON, RAD, KPN,
PRM¹, OAK², POP,
KAL², FIR, MHG



103T FP 4103T
PON, RAD, KPN,
PRM¹, OAK², POP²,
FIR, MHG, MPL³



106 FP/4106
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL², FIR, MHG,
MPL³



107 FP/4107
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL², FIR, MHG

1 Species is manufactured with MDF skins and panels.

2 Species only available in Shaker (400 Series).

3 Species is only available from Express Ship Inventory in Minnesota.



MDF ROUTER CARVED

PREMIUM ROUTER CARVED MDF DOORS

Woodgrain's Design Collection MDF Doors are made of medium density fiberboard (MDF) and include both 1-3/8" and 1-3/4" doors available in panel, bifold and fire-rated doors. Design Collection MDF doors offer infinite design options by combining cutting edge technology and quality craftsmanship. Woodgrain uses its well-honed techniques from decades of wood door manufacturing to build a better door.

DESIGN COLLECTION MDF DOORS OFFER:

- Exceptionally smooth surface for excellent paint adhesion
- Unlimited design options, including most graphics and text
- Resists shrinkage, expansion, or warping
- Environmentally friendly
- SureEdge design

DESIGN COLLECTION MDF DOORS WITH EXPANDED POLYSTYRENE (EPS) CORE OFFER SEVERAL ADVANTAGES:

- 40% lighter than the standard 2'6" x 6'8" MDF door
- Easier to handle and hang
- Exerts less stress on the hinges
- Improve sound transmission properties
- Bifold doors available



20, 60, 90-minute fire rated available.




PROFILE AND PANEL OPTIONS

Mix and match any of our five profile options or two raised moulding options.




RAISED MOULDING




THE SUREEDGE ADVANTAGE:

SureEdge solid wood edge band is a feature in each MDF door. Installed in each stile the SureEdge system allows maximum screw holding power and ease of hinge mortising.



SureEdge



SureEdge




Precision Routing Technology provides crisp lines



MODERN MDF ROUTER CARVED

SPECIFICATIONS

- 6'8", 7'0", 7'6" and 8'0" heights
- 1'6" to 4'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Fire Rated (available on 1-3/4" only)




5246
PRM



5247
PRM




5248
PRM




5249
PRM




5250
PRM




5251
PRM




5252
PRM




5253
PRM



5254
PRM



5255
PRM




5256
PRM




5257
PRM




5258
PRM



5259
PRM



5260
PRM




5261
PRM




5262
PRM



5263
PRM



5264
PRM



5265
PRM



5266
PRM



5267
PRM



5268
PRM



5270
PRM



5271
PRM



5272
PRM

MDF ROUTER CARVED DOORS

SPECIFICATIONS

- 6'8", 7'0", 7'6" and 8'0" heights
- 1'6" to 4'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Fire Rated (available on 1-3/4" only)



5012
PRM



5013
PRM



5014
PRM



5015
PRM



5016
PRM



5019
PRM



5020
PRM



5021
PRM



5022
PRM



5102
PRM



5103
PRM



5105
PRM



5106
PRM



5107
PRM



5108
PRM



5109
PRM



5114
PRM



5115
PRM



5117
PRM



5118
PRM



5121
PRM



5122
PRM



5123
PRM



5124
PRM





5125
PRM



5126
PRM



5127
PRM



5129
PRM



5130
PRM



5131
PRM



5132
PRM



5133
PRM



5135
PRM



5137
PRM



5138
PRM



5139
PRM



5140
PRM



5141
PRM



5142
PRM



5143
PRM



5144
PRM



5145
PRM



5146
PRM



5147
PRM



5150
PRM



5152
PRM



5153
PRM



5154
PRM



5155
PRM



5157
PRM



5158
PRM



5159
PRM



5161
PRM



5162
PRM



5166
PRM



5168
PRM



5170
PRM



5172
PRM



5173
PRM



5502
PRM



5503
PRM



5506
PRM



5509
PRM



5512
PRM



5517
PRM



5520
PRM



5521
PRM



5529
PRM



5531
PRM



5548
PRM



5552
PRM



5553
PRM



5554
PRM



5555
PRM



5570
PRM



5702
PRM



5706
PRM



5712
PRM



5720
PRM



5721
PRM



5726
PRM



5727
PRM



5728
PRM



5729
PRM



5730
PRM



5731
PRM



5732
PRM



5733
PRM





5734
PRM



5738
PRM



5743
PRM



5754
PRM



5755
PRM



5768
PRM



5769
PRM



5770
PRM



5772
PRM



5773
PRM



5774
PRM



5775
PRM



5776
PRM



5777
PRM



5778
PRM



5802
PRM



5803
PRM



5806
PRM



5808
PRM



5812
PRM



5818
PRM



5819
PRM



5820
PRM



5821
PRM



5822
PRM



5823
PRM



5824
PRM



5825
PRM



5826
PRM



5828
PRM



5829
PRM



5830
PRM



5831
PRM



5832
PRM



5833
PRM



5834
PRM



5835
PRM



5838
PRM



5839
PRM



5840
PRM



5843
PRM



5847
PRM



5848
PRM



5849
PRM



5851
PRM



5852
PRM



5853
PRM



5854
PRM



5855
PRM



5867
PRM



5868
PRM



5870
PRM



5872
PRM



5873
PRM



5874
PRM



5875
PRM



5876
PRM



5877
PRM



5878
PRM



5879
PRM



5920
PRM



5180
PRM



5181
PRM



5182
PRM





KAL 6850

EXTERIOR DOORS

Woodgrain offers a wide array of custom exterior door products that are both on trend and cost-effective. Hundreds of exterior wood door styles are available with 9 wood species to choose from and an additional 21 glass options you are certain to get exactly what you want. Designs are offered in contemporary, craftsman, colonial, and many more styles. Woodgrain exterior doors are made specifically for you to compliment the look of any home and is sure to increase curb appeal.

TYPES OF EXTERIOR DOORS

SASH
CRAFTSMAN
FRENCH
FLAT
RAISED



PON 634



PON 516



FIR 6532



SASH DOORS

SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 2'0" to 3'0" widths
- 1-3/4" thickness
- Square, Arch and Eyebrow Tops
- Single Glazed and Insulated Low E Glass
- KAL raised panel doors have tapered block sticking

PANEL OPTIONS



9/16" RP
PON, RAD, KPN, PRM



9/16" DBH
PON, RAD, KPN, PRM




1-3/16" VIP
PON, RAD, KPN, FIR, MHG



3/4" DBH
FIR, MHG



3/4" DBH PLK
FIR, MHG




3/4" DBH BVG
FIR, MHG




1-3/16" VIP PLK
PON, RAD, KPN, PRM, FIR, MHG



1-3/16" VIP BVG
PON, RAD, KPN, PRM, FIR, MHG



1-3/8" SRR
KAL



1-3/8" SRP
KAL



1-3/8" SRD
KAL

STICKING



Tapered SRR
KAL



Tapered SRP
KAL



SHAKER
(4000 SERIES)
PON, RAD, KPN, PRM, OAK, POP, KAL, FIR, MHG



6000 SERIES
PON, RAD, KPN, PRM, OAK, POP, FIR, MHG



FLAT PANEL OVOLO
(6000 FP SERIES)
PON, RAD, KPN, PRM, OAK, POP, FIR, MHG



512 / 6512
PON, RAD, KPN, PRM¹, KAL, FIR, MHG



513 / 6513
PON, RAD, KPN, PRM¹, KAL, FIR, MHG



514 / 6514
PON, RAD, KPN, PRM¹, KAL, FIR, MHG



515 / 6515
PON, RAD, KPN, PRM¹, KAL, FIR, MHG



516 / 6516
PON, RAD, KPN, PRM¹, KAL, FIR, MHG



518 / 6518
PON, RAD, KPN, PRM¹, KAL, FIR, MHG



551 / 6551
PON, RAD, KPN, PRM¹, KAL, FIR, MHG

¹ Species is primed pine unless otherwise noted.



558 / 6558
PON, RAD, KPN,
PRM¹, FIR, MHG



559 / 6559
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



561 / 6561
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



562 / 6562
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



563 / 6563
PON, RAD, KPN,
PRM¹, FIR, MHG



567 / 6567
PON, RAD, KPN,
PRM¹, FIR, MHG



4517
RAD, FIR, MHG



4517A
RAD, FIR, MHG



570 / 6570
PON, RAD, KPN,
PRM¹, FIR, MHG



571 / 6571
PON, RAD, KPN,
PRM¹, FIR, MHG



572 / 6572
PON, RAD, KPN,
PRM¹, FIR, MHG



573 / 6573
PON, RAD, KPN,
PRM¹, FIR, MHG,
KAL



581 / 6581
PON, RAD, KPN,
PRM¹ FIR, MHG,
KAL



596 / 6596
PON, RAD, KPN,
PRM¹, FIR, MHG



598 / 6598
PON, RAD, KPN,
PRM¹, FIR, MHG



612 / 6612
PON, RAD, KPN,
PRM¹, FIR, MHG



615 / 6615
PON, RAD, PRM¹,
FIR, MHG



812 / 6812
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



813 / 6813
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



814 / 6814
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



816 / 6816
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



818 / 6818
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



844 / 6844
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



851 / 6851
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



859 / 6859
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



861 / 6861
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



862 / 6862
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



2045 / 6045
FIR, MHG

¹ Species is primed pine unless otherwise noted.



CRAFTSMAN DOORS

SPECIFICATIONS

- 6'8", 7'0" & 8'0" heights
- 2'0" to 3'0" widths
- 1-3/4" thickness
- Square and Arch Tops
- All 8/0 doors will have additional glass rows. (6/8 configuration available in 8/0 as custom)
- Raised Panel
- Flat Panel
- Insulated Low E Glass
- KAL raised panel doors have tapered block sticking

DENTIL SHELF OPTION



KAL, FIR, MHG

* MDO exterior rated core

PANEL OPTIONS



3/4" DBH
FIR, MHG



3/4" DBH PLK
FIR, MHG



3/4" DBH BVG
FIR, MHG



1-3/16" VIP
FIR, MHG



1-3/16" VIP BVG
FIR, MHG



1-3/16" VIP PLK
FIR, MHG



1 3/8" SRR
KAL



1 3/8" SRD
KAL



1 3/8" SRD PLK
KAL

STICKING OPTIONS



Tapered SRR
KAL



Tapered SRP
KAL



Flat Panel Ovolo
(6000 FP SERIES)*
FIR, MHG



SHAKER
(4000 Series)*
FIR, KAL, MHG



6000 SERIES
PON, RAD, KPN, PRM,
FIR, MHG



* Species is primed pine unless otherwise noted.



6526 / 4526
KAL, FIR, MHG



6529 / 4529
KAL, FIR, MHG



6532 / 4532
KAL, FIR, MHG



6534 / 4534
KAL, FIR, MHG



6535 / 4535
FIR, MHG



6537 / 4537
FIR, MHG



6538 / 4538
KAL, FIR, MHG



6539 / 4539
FIR, MHG



6550 / 4550
KAL, FIR, MHG



6552 / 4552
KAL, FIR, MHG



6553 / 4553
FIR, MHG



6554 / 4554
KAL, FIR, MHG



6555 / 4555
FIR, MHG



6556 / 4556
FIR, MHG



6557 / 4557
KAL, FIR, MHG



6826 / 4826
KAL, FIR, MHG



6829 / 4829
KAL, FIR, MHG



6832 / 4832
KAL, FIR, MHG



6834 / 4834
KAL, FIR, MHG



6835 / 4835
FIR, MHG



6837 / 4837
FIR, MHG



6838 / 4838
KAL, FIR, MHG



6839 / 4839
FIR, MHG



6850 / 4850
KAL, FIR, MHG



6852 / 4852
KAL, FIR, MHG



6853 / 4853
FIR, MHG



6854 / 4854
KAL, FIR, MHG



6855 / 4855
KAL, FIR, MHG



6856 / 4856
KAL, FIR, MHG



6857 / 4857
KAL, FIR, MHG

* Species is primed pine unless otherwise noted.




GLASS & TDL DOORS

SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 2'0" to 3'0" widths
- 1-3/4" thicknesses
- Square and Arch Tops
- Single Glazed and Insulated Low E Glass



603 / 6603
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



604 / 6604
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



605 / 6605
PON, RAD, KPN,
PRM¹, KAL², FIR,
MHG



620 / 6620
PON, RAD, KPN,
PRM¹, OAK, POP,
KAL², FIR, MHG



624 / 6624
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG




625 / 6625
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG




626 / 6626
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



627 / 6627
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG




628 / 6628
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



630 / 6630
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



636 / 6636
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



690 / 6690
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



824 / 6824
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



836 / 6836
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



840 / 6840
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



845 / 6845
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



846 / 6846
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



847 / 6847
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



848 / 6848
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG

PLANK PANEL DOORS

SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 2'0" to 3'0" widths
- 1-3/4" thicknesses
- Square and Arch Tops
- Fire Rated Available

PANEL OPTIONS



1-3/16" VIP PLK
PON, RAD, KPN, PRM,
FIR, MHG



1-3/16" VIP BVG
PON, RAD, KPN, PRM,
FIR, MHG



1-3/8" SRP
KAL



1 3/8" SRB
KAL



20
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



102
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



802
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



820
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



PON 102 PLK

¹ Species is primed pine unless otherwise noted.



RAISED PANEL DOORS

SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 2'0" to 3'0" widths
- 1-3/4" thickness
- Square, Arch and Eyebrow Tops
- 20, 60, 90-minute fire rated available


PANEL OPTIONS




1-3/16" VIP PLK
PON, RAD, KPN,
PRM, FIR, MHG




1-3/16" VIP BVG
PON, RAD, KPN,
PRM, FIR, MHG




3/4" DBH
FIR, MGH




9/16" RP
PON, RAD, KPN,
PRM



9/16" DBH
PON, RAD, KPN,
PRM



1-3/16" VIP
PON, RAD, KPN,
PRM, FIR, MHG



3/4" DBH PLK
FIR, MHG



3/4" DBH BVG
FIR, MHG



1-3/8" SRP
KAL



1-3/8" SRR
KAL



1-3/8" SRD
KAL



MHG 6532



20
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



100
PON, RAD, KPN,
PRM¹



102
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



103
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



106
PON, RAD, KPN,
PRM¹, FIR, MHG



107
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



108
PON, RAD, KPN,
PRM¹, FIR, MHG



109
PON, RAD, KPN,
PRM¹, FIR, MHG



113
PON, RAD, KPN,
PRM¹, FIR



131
PON, RAD, KPN,
PRM¹, FIR, MHG



133
PON, RAD, KPN,
PRM¹, FIR, MHG



802
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



804
PON, RAD, KPN,
PRM¹, FIR, MHG



806
PON, RAD, KPN,
PRM¹



820
PON, RAD, KPN,
PRM¹, KAL, FIR,
MHG



822
PON, RAD, KPN,
MHG, PRM¹



831
PON, RAD, KPN,
PRM¹, FIR, MHG



833
PON, RAD, KPN,
PRM¹, FIR, MHG



¹ Species is primed pine unless otherwise noted.







DOOR SIDELITE

SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 0'10" to 1'6" widths
- 1-3/8" and 1-3/4" thicknesses
- Square and Arch Tops
- Single Glazed and Insulated Low E Glass (1-3/4" only)

PANEL OPTIONS

					
9/16" RP PON, RAD, KPN, PRM	9/16" DBH PON, RAD, KPN, PRM	1-3/16" VIP PON, RAD, KPN, PRM, FIR, MHG	3/4" DBH FIR, MHG	3/4" DBH PLK FIR, MHG	3/4" DBH BVG FIR, MHG
					
1-3/16" VIP PLK PON, RAD, KPN, PRM, FIR, MHG	1-3/16" VIP BVG PON, RAD, KPN, PRM, FIR, MHG	1-3/8" SRR KAL	1-3/8" SRD KAL	1-3/8" SRP KAL	1 3/8" SRF KAL





1701 / 6701
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1702 / 6702
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1703 / 6703
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1704 / 6704
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1705 / 6705
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1706 / 6706
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1707 / 6707
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1708 / 6708
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1709 / 6709
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1710 / 6710
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1711 / 6711
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1712 / 6712
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1713 / 6713
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1714 / 6714
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1801 / 6801
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1802 / 6802
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1803 / 6803
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1804 / 6804
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1805 / 6805
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1806 / 6806
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1807 / 6807
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1808 / 6808
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1810 / 6810
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1849 / 6849
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1868 / 6868
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1869 / 6869
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹



1892 / 6892
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹




1892 / 6892
PON, RAD, KPN,
PRM², KAL¹, FIR,
MHG¹

¹ Species only available in 1-3/4" thickness.
² Species is primed pine unless otherwise noted.
Not all sizes are available in all options.





MHG 6514



MHG 6532



MHG 6832 with 5-lite Transom and 6808 Sidelites

DOOR TRANSOMS

SPECIFICATIONS

- 1-3/8" and 1-3/4" thicknesses
- Custom width and height configurations
- Single Glazed and Insulated Low E Glass (1-3/4" only)



1 Lite
PON, RAD, KPN, PRM, KAL¹, FIR,
MHG¹



2 Lite
PON, RAD, KPN, PRM, KAL¹, FIR,
MHG¹



3 Lite
PON, RAD, KPN, PRM, KAL¹, FIR,
MHG¹



4 Lite
PON, RAD, KPN, PRM, KAL¹, FIR,
MHG¹



5 Lite
PON, RAD, KPN, PRM, KAL¹, FIR,
MHG¹



6 Lite
PON, RAD, KPN, PRM, KAL¹, FIR,
MHG¹



7 Lite
PON, RAD, KPN, PRM, KAL¹, FIR,
MHG¹



8 Lite
PON, RAD, KPN, PRM, KAL¹, FIR,
MHG¹



9 Lite
PON, RAD, KPN, PRM, KAL¹, FIR,
MHG¹



10 Lite
PON, RAD, KPN, PRM, KAL¹, FIR,
MHG¹

¹ Species only available in 1-3/4" thickness.



CARE & MAINTENANCE


PREPARATION FOR FINISHING

1. When staining, a wood conditioner or sander/sealer must be used to achieve a more uniform finish. (Be sure to follow the wood conditioner manufacturer's instructions closely.)
2. Fir doors should be surface treated with acetone product in advance of wood conditioner.
3. Before applying the first coat of finish, thoroughly sand the entire surface of the door with 180 grit sandpaper. This crucial step helps remove handling marks, fingerprints, fiber pop, natural grain raise, possible water or liquid marks (if exposed during shipping or while on the job-site during the construction phase) and evenly prepares open wood pores to help produce a more uniform finish.
4. Panels and TDL bars float and may become out of alignment during shipping and handling. Carefully take a block of wood and mallet and tap the components to align. Use caution not to damage the door or components during this process.
5. Clean the door thoroughly with a cloth after sanding to remove all dust or foreign material. Avoid using compressed air to blow off the door as moisture or oil in the air may cause spotting. Avoid using caustic or abrasive cleaners.
6. Hang the door before finishing it, then remove it to finish properly. Doors stored in stable climate controlled area and should be finished within 72 hours on home site

EXTERIOR FINISHING: STAIN-AND-CLEAR FINISH

When staining, a wood conditioner must be used to achieve a more uniform finish. (Be sure to follow the wood conditioner manufacturer's instructions closely.) The first coat of stain may be a stain-and-sealer, a combination of stain-and-sealer which colors the door and seals the surface. It is available in a wide range of colors. (Dark color finishes should not be used on doors exposed to prolonged direct sunlight, as some expansion and contraction of door parts may occur. See warranty for detail.) The stain-and-sealer should have an alkyd-resin base. Under no circumstances should a lacquer-based toner or any other lacquer-based finish be used on exterior doors. The second and third coats (two top coats minimum) may be a solvent-borne (oil-base, alkyd resin-base, polyurethane resin-base) or a water-borne (latex resin-base) clear finish. On doors that are glazed, the finish used should flow from the wood slightly onto the glass. This will provide assurance against water leakage and protect the glazing compound from drying out.

All stain-and-clear finishes will perform better if protected from the direct effects of sunlight and weathering, and refinishing will not be required as frequently. In areas of high exposure to sunlight and weather, a marine grade topcoat is recommended. It is suggested best practice to only install Woodgrain exterior doors under an adequate overhang of the length of the doors. An adequate overhang depends on the typical weather conditions of the site where the building is located. This means an overhang of 50% of the height of the doorway in Northern or Eastern exposures. For doors painted or stained dark colors and/or severe exposure, extreme Southern, Southwestern, and Western exposures the overhang must equal the height of the doorway. When finishing doors be sure to finish all six sides, including all faces and edges.





INTERIOR FINISHING

STAIN-AND-CLEAR FINISH

When staining, a wood conditioner must be used to achieve a more uniform finish. (Be sure to follow the wood conditioner manufacturer's instructions closely.) A solvent-borne finish system is recommended for interior doors and may be a lacquer-based system. For best performance, a minimum of two clear top coats should be used over stains. All six sides of the door must be properly sealed for the warranty to apply. Woodgrain Doors have plastic film protection on the glass, removal of plastic film protection immediately after applying the finish is required. Failure to remove the plastic film at this time may cause harm to the glass and will create difficulty in removing the film at a later time. Do not use razor blades or sharp objects to remove the film or clean the glass. These items will scratch the glass.

PAINTED FINISH

Apply 2-3 coats of either oil-base or latex resin-base paints over 1-2 coats of an oil-base primer. PRM with MDF veneer & panels or MDF router carved recommend for ANY painted door application. (Latex or water base primer may contribute to raised grain and require extra sanding to achieve a smooth finish.) All finishes should be applied in accordance with the manufacturer's instructions. All six sides of the door must be properly sealed for the warranty to apply.

CAUTION

Woodgrain doors cannot evaluate all the available paints and stains, nor customers' specific application requirements. Therefore, we do not recommend painting wood veneer doors. Painting wood veneered doors can result in the veneers delaminating due to excessive moisture in the various paint applications. Woodgrain does recommend painting our engineered MDF stile and rail door which is designed just for painting. Please see your sales representative for details.

Your paint dealer should know of suitable finish systems that give satisfactory results in your region. It is highly recommended that top quality finishes be selected, and the application instructions on the container are followed explicitly.

Please do not use metal objects, (razor blades, etc.) to remove caulking compound or paint and varnish residue. It is known to scratch the tempered glass. Please do not use compressed air to blow off wood doors, as condensation in the air lines may cause irregular finishing results.

WOODGRAIN DOORS WITH GLASS

Plastic film protection on the glass should be removed immediately after applying the finish. Failure to remove the plastic film at this time may cause harm to the glass and may create difficulty in removing the film. Use caution to avoid scratching the glass while cleaning it. Glass that is scratched due to cleaning is not covered by the warranty. The film should be removed by scoring edges carefully under sticking or profile edge and peeling off by hand. Doors with multiple panes of glass scratched are not the result of manufacturer defect. SOP instructions for film removal available on request. Use caution when painting/staining muntin bars and sticking as excess paint or stain may bleed behind muntins and be visible after drying.



GLASS CLEANING & CARE GUIDELINES

DO:

- Clean glass when dirt and residue appear
- Exercise special care when cleaning coated glass surfaces
- Avoid cleaning tinted and coated glass surfaces in direct sunlight
- Start cleaning at the upper level of glass and continue to lower levels
- Soak the glass surface with clean water and soap solution to loosen dirt and debris
- Use a mild, non-abrasive commercial window cleaning solution
- Use a squeegee to remove all of the cleaning solution
- Dry all cleaning solution from window gaskets, sealants, and frame
- Be aware of and follow the glass supplier's specific cleaning recommendations
- Prevent conditions that can damage the glass

DON'T:

- Don't use scrapers of any size or type for cleaning glass
- Don't allow dirt and residue to remain on glass for an extended period of time
- Don't begin cleaning glass without knowing if a coated surface is exposed
- Don't clean tinted or coated glass in direct sunlight
- Don't allow water or cleaning residue to remain on the glass or adjacent materials
- Don't begin cleaning without rinsing excessive dirt and debris
- Don't use abrasive cleaning solutions or materials
- Don't allow metal parts of cleaning equipment to contact the glass
- Don't trap abrasive particles between the cleaning materials and the glass surface
- Don't allow other trades to lean tools or materials against the glass surface
- Don't allow splashed materials to dry on the glass surface

FITTING & HANGING

1. Immediately after cutting and fitting (before hanging), seal all cut surfaces and ends of the door with an effective quality sealer. See exterior and interior finishing recommendation for complete instructions.
2. Prior to exterior exposure, doors should be finished with the complete finish system.
3. When hanging a door, allow adequate clearance for swelling of the door or frame in damp weather. Allow approximately 3/16" clearance for swelling when the door is installed in fully dry conditions. Jambs must be plumb.
4. Do not cut doors down in height by more than 2-9/16" (13/16" maximum from the top, 1-3/4" from the bottom). Care should be taken in cutting doors down in width (maximum 1/8" each side) to avoid exposing engineered core. Use sharp fine tooth saw for trimming ends of doors.
5. Caution must be used to avoid impairing the strength of the door when fitting for locks. Allow at least 1" of wood back of mortise.
6. Use three hinges on doors up to 7' in height and four hinges on doors over 7'. Hinges must be set in a straight line to prevent distortion.
7. Multi-point locking systems are recommended for exterior doors 7' and taller.
8. Jambs and stops must be set square and plumb.
9. For best performance, any exterior door should be installed under an overhang equal to the height of the door.
10. To minimize heat loss and save energy, use weatherstripping.
11. Do not use metal objects, (razor blades, etc.) to remove caulking compound or paint and varnish residue, it is known to scratch the tempered glass. Please do not use compressed air to blow off wood doors, as condensation in the air lines may cause irregular finishing results.

STORING & HANDLING

1. Do not walk on any door units. Some units contain glass.
2. Avoid leaving unfinished doors in direct sunlight. Prolonged exposure to direct sunlight will discolor the wood and bake on the plastic film which protects the glass during the finishing process.
3. Avoid dragging doors across one another.
4. Keep doors clean.
5. Store doors flat on a level surface in a dry, well ventilated interior space.
6. Doors should be conditioned to the average prevailing relative humidity of the locality before hanging. This generally takes 48 to 72 hours.
7. Doors should be delivered to the building site only after the concrete, plaster, stucco, drywall work and paint are completely dry.
8. Doors should not be subject to abnormal heat, dryness or humidity for prolonged periods. Avoid sudden changes such as forced heat to dry out a building.
9. Doors must be finished immediately upon delivery to the job site.
10. If the doors are to be stored on the job site, the entire door including top and bottom edges must be sealed with a clear or pigmented based sealer to prevent moisture absorption. All six sides of the door must be properly sealed for the warranty to apply.



MAINTENANCE

Your Woodgrain door has been handcrafted to last for years to come. But, like any fine piece of furniture, its finish will require periodic maintenance to keep it looking great and provide proper protection against the elements. Regular finish maintenance is also a requirement of the warranty that is included with every Woodgrain door.


Here are some signs to watch for that may indicate it is time for maintenance:

- Hairline cracks in the top coat of finish.
- Changes in the color of the finish.
- Changes in the texture of the finish, such as flaking or scaling.
- Dullness or chalkiness in the finish.


If you live in a severe climate or your entry receives a lot of direct sunlight from a southern or western exposure, you will want to examine your door's finish often. Depending on these conditions, you may also need to refinish the door more frequently. See full warranty at: <https://www.woodgrain.com/woodgrain-doors-warranty/>



ONLINE RESOURCES:



**EXPLORE FULL
PRODUCT
OFFERING ON
WEBSITE:**



**FIND THE LATEST
WOODGRAIN
DOOR
LITERATURE:**



**VISIT OUR BLOG
FOR MORE DOOR
CARE RESOURCES
AND DESIGN
INSPIRATION:**



EXPLORE THE MOULDING COLLECTIONS & THE DOORS THEY PAIR WELL WITH ON WOODGRAIN.COM.



CLASSIC COLONIAL

FEATURED DOOR DESIGNS



PRM 5132



OAK 131



OAK 562



OAK 596

MOLDING PROFILES:

	45	Crown	9/16" x 5-1/4"
	47	Crown	9/16" x 4-5/8"
	51	Crown	9/16" x 3-1/4"
	444	Casing	11/16" x 3-1/2"
	356	Casing	11/16" x 2-1/4"
	618	Base	9/16" x 5-1/4"
	620	Base	9/16" x 4-1/4"
	390	Chair Rail	11/16 x 2-5/8"



TIMELESS CRAFTSMAN

FEATURED DOOR DESIGNS



OAK 102



OAK 103T



FIR 6532



FIR 6537

MOLDING PROFILES:

	WCR525	Crown	3/4" x 5-1/4"
	WCR425	Crown	11/16" x 4-1/4"
	931M	Header	1-1/4" x 5-5/16"
	45E2	Casing	11/16" x 4-1/2"
	35E2	Casing	11/16" x 3-1/2"
	25E2	Casing	11/16" x 2-1/2"
	75E1	Base	11/16" x 7-1/2"
	65E1	Base	11/16" x 6-1/2"



VICTORIAN ELEGANCE

FEATURED DOOR DESIGNS



PRM 5132



OAK 131



OAK 562



OAK 596

MOLDING PROFILES:

	1868	Crown	15mm x 5"
	562	Crown	1-1/8" x 7-1/4"
	1711	Casing	13/16" x 5-1/2"
	1646	Casing	7/8" x 3-1/4"
	5163	Base	9/16" x 5-1/4"
	5180	Base	9/16" x 5-1/4"
	W300	Chair Rail	1-1/16" x 3"
	1217	Panel Mould	1/2" x 1-1/2"



CALMING COASTAL


FEATURED DOOR DESIGNS



OAK 733



PRM 5000



PRM 5261



OAK 4606W

MOLDING PROFILES:

	75	Crown	9/16" x 1-5/8"
	60	Crown	9/16" x 1-3/4"
	85	Crown	9/16" x 1-3/4"
	1x4	Casing	3/4" x 3-1/2"
	1x8	Base	3/4" x 7-1/4"
	1207	Base Cap	11/16" x 7/8"
	106	Quarter Round	11/16" x 11/16"
	4275	Panel Mould	1-1/16 x 1-5/8"





PON 109 with VIP panels



WOOLF DISTRIBUTING

www.woolfdistributing.com

GREEN BAY, WI

551 Packerland Dr.

1-920-499-2117

Email:

woolfgb@woolfdistributing.com

Orders:

order-gb@woolfdistributing.com

PEORIA, IL

515 South Maxwell Rd.

1-309-697-1760

Email:

woolfpe@woolfdistributing.com

Orders:

order-pe@woolfdistributing.com

WOODSTOCK, IL

1625 West Lake Shore Dr.

woolf-ws@woolfdistributing.com

Building Materials: **1-815-477-9680**

order-ws@woolfdistributing.com

Millwork: **1-815-356-0438**

order-mw@woolfdistributing.com

Commercial: **1-815-527-9288**

commercialdoors@woolfdistributing.com