

# ADANDE COMPACT UNIT (VCC)




## Applications

- At the griddle for burgers, etc.
- At the fry station for fries, etc.
- Ice cream and ices
- Upright bottle storage
- Mobile catering



## VCC1 R600a



Energy rating per drawer module

## Operational Benefits

- Reliable: amazing temperature stability
- Green: extremely energy efficient
- Cuts food wastage
  - Food does not dehydrate
  - No condensation on the food
- Ergonomically efficient
- Minimal maintenance costs
- Quick and easy to clean
- Robust and reliable
- 24 months parts and labour warranty  
5 year warranty if product is registered (website)



Fridge to Freezer.  
Each drawer is switchable in minutes. Accurate and stable at any temperature. (-22°C to +15°C)

+15°C ← → -22°C

## DIMENSIONS - VCC1.SCW - Elevation & Plan View

### Storage Capacity


60 Litres



Average unit weight: 113kg

## TOP & BASE OPTIONS - Worktops and Castors

(W) - load bearing



	Standard Castors		Small Castors	
Finished Height & Load Bearing Weight with Worktop (W)	900mm	VCC1.GCW	845mm	VCC1.SCW
	200 kg		200 kg	

Blast Chiller option is not available on Compact Units.

CLIMATE TESTING: Tested to Climate Class 4 (30°C and 55% relative humidity) for temperature and energy consumption. Tested to Climate Class 5 (40°C and 40% relative humidity) for temperature.

MAINS: 230 Vac 50 Hz also 60 Hz available.

INSTALLATION NOTE: Hard-wired, gas & plumbed equipment **cannot** be directly installed onto the Adande unit. This equipment must be installed above the Adande unit using an independent equipment stand. Installation must be non-fixed to allow service access.

Imported and distributed exclusively by:

Tom Stoddart Pty Ltd  
39 Forest Way, Karawatha, QLD 4117

1300 79 1954

www.stoddart.com.au  
adande@stoddart.com.au

