









Contents

Display Series

6 Freestanding Refrigerated

8 Freestanding Ambient

10 Freestanding Heated

12 Countertop Displays

Undercounter Series

16 Refrigerators & Freezers

18 1/1GN Refrigerator

20 1/1GN Freezers

Upright Series

24 Upright Refrigerators

26 Upright Freezers

Merchandiser Series

30 Upright Merchandisers

32 Upright Slimline Merchandisers

34 Countertop Merchandisers

36 Refrigerated Back Bar

Preparation Series

40 Sandwich Prep Benches

42 Pizza Prep Benches









Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS









Freestanding Refrigerated

The Airex Freestanding Refrigerated Display Series has been specifically designed to display cakes and patisseries to the highest food safety standards with its adjustable digital temperature control.


Integrating a winning combination of double-glazed heated and frameless glass construction, all Airex display cabinets provide exceptional display with minimal condensation. A uniquely designed vertical integrated low volume airflow system delivers cool air to each shelf, that reduces drying of products and extends the shelf life of merchandise. The range is equipped with reliable and robust components, including highly efficient compressors and EC fans as well as a refrigeration coil with protective coating to help prevent corrosion.

Perfectly matching the Heated and Ambient Series, these versatile refrigerated display cabinets provide hassle free cleaning with removable shelves and condenser filter and is fitted with heavy duty castors for easy maneuverability.



Display Series


DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



900 Series

172kg 3 Tier 2°C - 5°C 230VAC / 10A AXR.FDFSSQ.09


870 x 688 x 1350



1200 Series

198kg 3 Tier 2°C - 5°C 230VAC / 10A AXR.FDFSSQ.12

1170 x 688 x 1350



1500 Series

AXR.FDFSSQ.15

242kg 3 Tier 2°C - 5°C 230VAC / 10A 1470 x 688 x 1350





Freestanding Ambient

The Airex Freestanding Ambient Display Series has been specifically designed for controlled ambient temperatures and are perfectly suited for the display of a variety of breads, pastries and cakes where temperature is not a concern, but retention of quality is.


Each unit is supplied with an adjustable digital temperature control, single glazed frameless glass construction and energy efficient LED lighting for increased product visibility and exceptional display. The range is equipped with reliable and robust components, including highly efficient compressors and EC fans as well as a refrigeration coil with protective coating to help prevent corrosion.

Perfectly matching the Refrigerated and Heated Series, these versatile Ambient display cabinets provide hassle free cleaning with removable shelves and condenser filter and is fitted with heavy duty castors for easy maneuverability.



Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



900 Series

143kg 4 Tier 16°C - 20°C 230VAC / 10A AXA.FDFSSQ.09

870 x 688 x 1350

1200 Series

153kg 4 Tier 16°C - 20°C 230VAC / 10A AXA.FDFSSQ.12

1170 x 688 x 1350





Freestanding Heated

The Airex Freestanding Heated Display Series is equipped with an energy efficient fan forced heating system specifically designed to provide safe, excellent temperature control and humidity for pies, pasties and pastries with even air distribution throughout the cabinet to maintain product at the highest quality.


Designed with innovation in mind, each unit is supplied with a concealed water well positioned for hot air to be passed over, introducing humidity into the display, holding products fresher for longer. A winning combination of single glazed frameless glass construction, adjustable digital temperature control and warm LED lighting to each shelf highlights product visibility and outstanding presentation.

Perfectly matching the Refrigerated and Ambient Series these versatile Heated display cabinets provide hassle free cleaning with removable shelves and is fitted with heavy duty castors for easy maneuverability.



Display Series


DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



900 Series

123kg 4 Tier 60°C - 80°C 230VAC / 10A AXH.FDFSSQ.09


870 x 688 x 1350



1200 Series

154kg 4 Tier 60°C - 80°C 230VAC / 10A AXH.FDFSSQ.12

1170 x 688 x 1350



1500 Series

AXH.FDFSSQ.15

180kg 4 Tier 60°C - 80°C 230VAC / 10A 1470 x 688 x 1350





Countertop Displays

The Airex Countertop Display Series encompasses both Heated and Refrigerated Displays, ideal for areas where floor space is at a premium. Both models feature an adjustable digital temperature control, LED lighting, sliding doors to rear and frameless glass construction for outstanding display.


Countertop Refrigerated Displays feature double glazed heated glass to minimise condensation whilst simultaneously maintaining consistent temperature and keeping products looking fresher for longer. The display is also equipped with reliable and robust components, including highly efficient compressors and EC fans as well as a refrigeration coil with protective coating to help prevent corrosion.

The Heated Display, specifically designed to provide safe, excellent temperature control features a water pan as standard to introduce humidity into the display and is positioned for easy access and maintenance.



Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



Refrigerated

85kg 3 Tier 2°C - 8°C 230VAC / 10A AXR.FDCTSQ.09

905 x 575 x 700

Heated

59kg 3 Tier 60°C - 80°C 230VAC / 10A AXH.FDCTSQ.09

905 x 575 x 700











Undercounter Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS






Refrigerators & Freezers

Airex Undercounter Refrigerators can be supplied with either solid or glass doors while the undercounter Freezer offers solid doors. The range presents 600mm depth and 840mm height, making it ideal for compact or worktop applications. The range is equipped with an adjustable temperature control, environmentally friendly R600a Hydrocarbon refrigerant, two adjustable shelves and a protective coating on the refrigeration coil to help prevent corrosion. CFC free polyurethane insulation provides both structural support and thermal performance efficiency to reduce energy usage across the entire lineup.

Glass door refrigerators feature a lockable double-glazed heated door to provide exceptional display while minimising condensation.

Solid door refrigerators feature a lockable and reversible door to provide adaptability and ensure each unit will fit perfectly into every location.





Undercounter Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




Refrigerator

AXR.UC.1

44kg -2°C - 8°C 230VAC / 10A

595 x 600 x 840




Refrigerator

49kg -2°C - 8°C

AXR.UC.1G 595 x 600 x 840

230VAC / 10A



Freezer

AXF.UC.1

46kg -16°C - -18°C 230VAC / 10A 595 x 600 x 840





1/1GN Refrigerator

Airex Undercounter 1/1GN Refrigerator Series features 2, 3 and 4 door models, each available with either solid or glass doors. Equipped with a Monoblock refrigeration system, each unit allows for improved performance through fan forced ducted cooling, ease of servicing and reliable performance. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and thermal performance to reduce energy usage.


Each Airex Undercounter unit comes standard with 1/IGN shelf configuration with adjustable runners, highly efficient compressors and EC fans, a protective coating on the refrigeration coil to help prevent corrosion, adjustable digital temperature control and energy efficient LED lighting for increased product visibility. To ensure optimum perfomance, filters are easily accesible and remoavble for regular cleaning.

Undercounter refrigerators feature self-closing, lockable doors to provide security and peace of mind. Glass door units are equipped with double glazed heated doors that provides exceptional display while minimising condensation.



Undercounter Series


DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



2 x Solid Doors

AXR.UCGN.2


102kg 0°C - 6°C 230VAC / 10A 1360 x 700 x 840





2 x Glass Doors


AXR.UCGN.2G

107kg 0°C - 6°C 230VAC / 10A 1360 x 700 x 840













1/1GN Freezers

The Airex Undercounter 1/1GN Freezer range features 2 or 3 door models with reversible lockable solid doors. Equipped with a Monoblock refrigeration system, each unit allows for improved performance through fan forced ducted cooling, ease of servicing and reliable performance. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage.


Each Airex Undercounter unit comes standard with 1/1GN shelf configuration with adjustable runners, highly efficient compressors and EC fans, a protective coating on the refrigeration coil to help prevent corrosion, adjustable digital temperature control and energy efficient LED lighting for increased product visibility along with conveniently accessible and removable filters for regular cleaning to ensure optimum performance.


Solid door freezers feature self-closing lockable doors to provide security and peace of mind along with conveniently accessible and removable filters for regular cleaning to ensure optimum performance.



Undercounter Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS













Upright Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS







Upright Refrigerators

The Airex Upright Refrigerator Series feature 1 or 2 door models with the option of either solid or glass doors. Airex Upright Refrigerators are equipped with a Monoblock refrigeration system and vertically integrated ducted cooling for efficient airflow throughout the entire unit. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage.

Airex units are supplied standard with five adjustable shelves per door to maximise storage, with highly efficient compressors and EC fans as well as a protective coating on the refrigeration coil to help prevent corrosion. Adjustable digital temperature control and energy efficient LED lighting is also provided for increased product visibility. Rear panel fan forced air ducts guarantee uniformed cooling throughout the cabinet, along with conveniently accessible and removable filters for regular cleaning to ensure optimum performance.

Upright refrigerators feature self-closing, lockable doors to provide security and peace of mind. Glass door units are equipped with double glazed heated doors that provides exceptional display while minimising condensation





Upright Series


DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



1 x Solid Door

130kg 0°C - 6°C 230VAC / 10A AXR.URGN.1


700 x 850 x 1990



1 x Glass Door

138kg 0°C - 6°C 230VAC / 10A AXR.URGN.1G


700 x 850 x 1990



2 x Solid Doors

197kg 0°C - 6°C 230VAC / 10A AXR.URGN.2

1400 x 850 x 1990



2 x Glass Doors

205kg 0°C - 6°C 230VAC / 10A AXR.URGN.2G

1400 x 850 x 1990





Upright Freezers

The Airex Upright Freezer Series by Airex features both 1 or 2 solid door models. All freezers are equipped with a Monoblock refrigeration system and vertically integrated ducted cooling for efficient airflow throughout the entire cabinet. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage. Rear panel fan forced air ducts ensure uniformed cooling throughout the cabinet.


Airex units are supplied standard with five adjustable shelves per door to maximise storage, with highly efficient compressors and rear panel fan forced air ducts ensure uniformed cooling throughout the cabinet as well as a protective coating on the refrigeration coil to help prevent corrosion. An adjustable digital temperature control and energy efficient LED lighting are also fitted for effective performance and increased product visibility.

Solid door freezers feature a self-closing, lockable door to provide security and peace of mind. Designed with conveniently accessible and removable filters for regular cleaning to ensure optimum performance.



Upright Series


DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



1 x Solid Door

132kg -16°C - -20°C 230VAC / 10A AXF.URGN.1

700 x 850 x 1990




2 x Solid Doors

223kg -16°C - -20°C 230VAC / 10A AXF.URGN.2

1400 x 850 x 1990









Merchandiser Series 4










Upright Merchandisers



The Airex Upright Merchandiser series has been specifically crafted to provide an attractive ready-to-serve cold drink and food display. Ideal for front-of-house settings, the AXR.MEUR.1D, AXR.MEUR.2D and AXR.MEUR.3D door series excel in showcasing chilled food products. Equipped with adjustable temperature control, the frameless, ultra-clear, Low-E double glazed Argon filled glass doors and energy-efficient LED lighting provide exceptional display with minimising condensation. Featuring environmentally friendly R290 Hydrocarbon refrigerant and cyclopentane polyurethane insulation ensure energy efficiency, makeing this merchandiser an appealing and eco-conscious solution for your needs.


Airex establishes a new benchmark in versatile refrigerated merchandisers, featuring an electrostatic finish that helps prevent fingerprints marks and smudges. The units come with five shelves, four of which are adjustable, alongside self-closing doors, castor wheels and adjustable leveling feet. Available in 1, 2 and 3 door options, these units are provided with standard product guides and ticket stripping.

Merchandiser Series




1 x Door Merchandiser AXR.MEUR.1D

1°C - 5°C 230VAC / 10A 600 x 830 x 2040



2 x Door Merchandiser AXR.MEUR.2D

195kg 1°C - 5°C 230VAC / 10A 1200 x 830 x 2040



3 x Door Merchandiser AXR.MEUR.3D

275kg 1°C - 5°C 230VAC / 10A 1800 x 830 x 2040





Upright Slimline Merchandisers



The Airex Upright Merchandiser Series has been specifically designed to provide an attractive ready-to-serve cold drink display and a food display in a compact footprint. Featuring an adjustable digital temperature control, it utilises a winning combination of ultra-clear, Low-E double glazed Argon filled glass door and energy efficient LED lighting. Assisted fan forced airflow delivers cool air to the entire display, combined with environmentally friendly R600a Hydrocarbon refrigerant and a cyclopentane polyurethane insulation, the slimline merchandiser is an efficient solution for any front of house application.

Airex sets the new standard in versatile refrigerated merchandisers with an electrostatic finish to aid in the prevention of finger print marks and smudges. The unit is supplied with five adjustable shelves as well as a self-closing lockable door and adjustable feet.

Merchandiser Series



Slimline

52kg 0°C - 10°C 230VAC / 10A AXR.MEUR.SL

390 x 520 x 1885






Countertop Merchandisers

The Airex Countertop Merchandiser Series has been specifically designed to provide an attractive ready-to-serve cold counter-top drink display in a compact footprint. Offering double glazed glass with warm air blown up all sides to minimise condensation providing exceptional display. Exceptional energy management, cyclopentane polyurethane insulation paired with an environmentally friendly R600a Hydrocarbon refrigerant to enhance performance and efficiency.

Airex Countertop Merchandiser displays are equipped with digital temperature control and fan forced airflow to deliver cool air throughout the display, energy efficient LED lighting, three adjustable shelves for flexibility and a self-closing door as standard.



Merchandiser Series



Countertop

36kg 2°C - 12°C 220-240VAC / 10A AXR.MECT.1.0966

452 x 406 x 966






Refrigerated Back Bar

Airex Refrigerated Back Bar units come in 2-door and 3-door configurations, featuring rear-mounted refrigeration ensures a space-saving footprint. Designed with double-glazed heated glass and two energy-efficient vertical LED lights on each door, these units offer outstanding display quality and minimise condensation. The inclusion of the environmentally friendly R290 hydrocarbon refrigerant enhances energy efficiency.


Featuring an adjustable digital temperature controller and fan-forced airflow for uniform cooling, the back bar refrigerator ensures optimal temperature distribution. It's modern and sleek aesthetic is enhanced by the black internal finishing on all surfaces, excluding the base shelf.





${f 2}$ x ${f Door}$ Refrigerated ${f Back}$ ${f Bar}$ AXR.MEBBC.2D

73kg 900 x 596 x 845 1°C - 5°C 230VAC / 50Hz



3 x Door Refrigerated Back Bar AXR.MEBBC.3D

98kg **1350 x 596 x 845** 1°C - 5°C 230VAC / 50Hz







Preparation Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS





Sandwich Prep Benches

Airex Sandwich Preparation benches offer a range of flexible options including 1, 2 and 3 door configurations with the option of a sleek and modern, toughened frameless glass gantry, fixed with mid-shelf. High-end quality and aesthetic with 1/3 GN pan compatibility, the refrigerated service well generates cold air that distributes both above and below ingredient pans. The unique full-length, coated evaporator coil provides uniformed cooling across the entire well while operating as a fully self-contained unit.


Supplied with sliding Perspex lids for the blown well, digital temperature display and control, cutting board and 100mm deep 1/3GN pans.

Fitted castors (2 lockable) provide the perfect solution for ongoing hygiene and flexibility.



Preparation Series


DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



1 x Solid Door

112kg 5 x 1/3GN 2°C - 5°C 230VAC / 10A AXR.SW.1025


1025 x 845 x 915



2 x Solid Doors

AXR.SW.1740 1740 x 845 x 915

175kg 9 x 1/3GN 2°C - 5°C 230VAC / 10A



3 x Solid Doors

AXR.SW.2450

226kg 13 x 1/3GN 2°C - 5°C 230VAC / 10A 2450 x 845 x 915

Glass Gantry to suit 1025, 1740 & 2450 wide units

AXR.SW.xxxx.GAN

500d x 450h

*AXR.SW.1025.GAN model shown





Pizza Prep Benches

Airex Pizza Preparation benches are available in 1, 2 and 3 door configurations. With 1/3 GN pan compatibility, the angled refrigerated service well generates cold air that distributes both above and below ingredient pans. The unique full-length, coated evaporator coil provides uniformed cooling across the entire well while operating as a fully self-contained unit.


Supplied with removable insulated tilting stainless steel night lids, digital temperature display and control and pizza racks with dropping tray.

The exclusive design provides value for money while offering ideal flexibility. Each sized unit is fitted on castors (2 lockable) for ease of cleaning and adaptable to any new or existing location.



Preparation Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




1 x Solid Door

AXR.PM.1025

115kg 5 x 1/3GN 2°C - 5°C 230VAC / 10A


1025 x 895 x 1070



2 x Solid Doors

AXR.PM.1740

179kg 9 x 1/3GN 2°C - 5°C 230VAC / 10A 1740 x 895 x 1070



3 x Solid Doors

AXR.PM.2450

233kg 13 x 1/3GN 2°C - 5°C 230VAC / 10A 2450 x 895 x 1070



Brisbane

Sydney

Melbourne

Perth

Adelaide

1300 79 1954 www.stoddart.com.au

Auckland

0800 79 1954 www.stoddart.co.nz

Manufactured or Imported & distributed exclusively by:









