


Follow-on formula from six months

BabySemp 2 **BabySemp 2 Lemolac BabySemp 2 SensiPro**


PREPARATION







Close the bottle and shake/mix until the powder is dissolved.





Check that the mixture is not too hot by dropping a small amount on the inside of your wrist. Taste it yourself before giving it to your child.



Serve freshly

prepared. Do not

save any leftovers.



In a pan: Whisk together the correct amount of powder and cold water in a pan and heat to eating temperature.

DOSAGE

It is important to use the correct powder dosage in relation to the amount of water. Too much powder can cause constipation. Too little powder can result in your child having insufficient energy and nutrition.

Water	Powder	Portion amount		
60 ml	2 measures	65 ml		
90 ml	3 measures	100 ml		
120 ml	4 measures	135 ml		
150 ml	5 measures	165 ml		
180 ml	6 measures	200 ml	Scoop size 8.6 ml = 4.7 g.	
210 ml	7 measures	235 ml	Always use the scoop pro-	
240 ml	8 measures	265 ml	vided with level measures.	

USE

Always consult a children's healthcare centre about your child's food. BabySemp 2/BabySemp 2 Lemolac/BabySemp 2 SensiPro are follow-on formulas that are to be used only to supplement a child's increasingly varied diet

BabySemp 2/BabySemp 2 Lemolac/BabySemp2 SensiPro are suitable only for children over six months of age and must not be used as a substitute for breast milk during the child's first six months.

BabySemp 2 Lemolac/BabySemp 2 SensiPro have a low pH. This partially breaks down the protein and makes it softer. This can be seen in prepared BabySemp 2 Lemolac/BabySemp 2 SensiPro, which have a slightly clumped consistency

For the best quality, follow-on formula should be served freshly prepared and used within one hour.

Important: Heat BabySemp 2 SensiPro to a maximum of 40 degrees Celsius. Higher temperatures weaken the effect of the active bacterial culture, Lactobacillus Reuteri Protectis®, the same as in Semper Magdroppar.



Research and development in consultation with paediatricians

BabySemp 2/BabySemp 2 Lemolac/BabySemp 2 SensiPro contain a carefully selected blend of milk fat and vegetable oils. Young children may find it difficult to form sufficient quantities of the long-chain fatty acids omega-3 (DHA) and omega-6 (ARA) themselves. Consequently, these are contained in all BabySemp 2 products, alongside nucleotides and GOS (galacto-oligosaccharides/fibre). Iron contributes to normal cognitive development and under-

standing in children. Vitamin D is essential for the growth and normal development of bone structure, while iodine contributes to normal growth. Consequently, BabySemp 2/BabySemp 2 Lemolac/ BabySemp 2 SensiPro are enriched with iron, vitamin D, and iodine.

HOW BIG A PORTION?

The amounts in the table are approximate as different children consume different amounts. Your child will regulate their own intake according to their needs and their intake of regular food. Consequently, the table should be used only as guidance.

Child's age	No. of meals per day	Water	Powder	Portion amount
6–8 months	1-3	210 ml	7 measures	235 ml
	1-4	180 ml	6 measures	200 ml
> 8 months	1-3	210 ml	7 measures	235 ml
	1-3	180 ml	6 measures	200 ml

BEST BEFORE

The best-before date is stated on the top of the pack. An opened pack should be consumed within one month.

STORAGE

Store in a dry dark place at normal room temperature. Always store the powder in its original packaging. There is smart storage for the scoop in the lid.

QUESTIONS OR COMMENTS?

Call us! Semper AB • Tel. 020-62 20 00 konsumentkontakt@semper.se www.semperbarnmat.se



Take a look at our preparation video (in Swedish).

