

PRICING EFFECTIVE MARCH 2023

BRIEFING™ 2023

Price & Specification Guide


PDF updated November 1, 2023

Gunlocke®

VENEER 1 (SELECT)

NATURAL FC CHERRY

| | |
|----------------------|-------|
| A. Cinnamon/Biltmore | NC260 |
| B. Lowell Ash | NC394 |
| C. Medium Red | NC512 |
| D. Light | NC701 |
| E. Shaker | NC774 |
| F. Burnished | NC777 |








NATURAL FC MAPLE

| | |
|------------|-------|
| G. Natural | NE800 |
| H. Harvest | NE856 |



NATURAL FC WALNUT







| | |
|----------------------|-------|
| I. Florence | NT579 |
| J. Light | NT601 |
| K. Skyline | NT625 |
| L. Nutmeg | NT629 |
| M. Pinnacle | NT679 |
| N. Sumatra | NT693 |
| O. Ebony | NT509 |
| (Use OP TopFin Only) | |



VENEER 2 (PREMIUM)


NATURAL QC WALNUT

| | |
|----------------------|-------|
| A. Florence | QT579 |
| B. Light | QT601 |
| C. Skyline | QT625 |
| D. Nutmeg | QT629 |
| E. Pinnacle | QT679 |
| F. Sumatra | QT693 |
| G. Ebony | QT509 |
| (Use OP TopFin Only) | |



NATURAL RIFT CUT OAK





| | |
|----------------------|-------|
| H. Light | RF301 |
| I. Dark | RF331 |
| J. Phantom Ecru | RF912 |
| (Use OP TopFin Only) | |
| K. Fawn Cypress | RF108 |



veneER 1 (SELECT)

STRATAWOOD CHERRY

| | |
|----------------------|-------|
| A. Cinnamon/Biltmore | SC260 |
| B. Lowell Ash | SC394 |
| C. Clear | SC700 |
| D. Light | SC701 |
| E. Shaker | SC774 |
| F. Burnished | SC777 |



STRATAWOOD MAPLE

| | |
|---|-------|
| G. Belair | SE934 |
| H. Beigewood | SE878 |
| I. Field Elm | SE599 |
| J. Clear Maple | SE800 |
| K. Harvest | SE856 |
| L. Phantom Ecru (Use OP TopFin Only) | SE912 |



STRATAWOOD WALNUT

| | |
|-------------|-------|
| M. Florence | ST579 |
| N. Light | ST601 |
| O. Skyline | ST625 |
| P. Pinnacle | ST679 |
| Q. Sumatra | ST693 |




STRATAWOOD OAK

| | |
|----------|-------|
| R. Clear | SF300 |
| S. Dark | SF331 |






STRATAWOOD SILVER OAK

| | |
|-----------------|-------|
| T. Clear | SB100 |
| U. Portico Teak | SB150 |



STRATAWOOD WASHED WALNUT


| | |
|----------------|-------|
| V. Clear | SW600 |
| W. Smoked Onyx | SW697 |
| X. Smoked Gray | SW612 |



METAL FINISHES

| | |
|-------------------|----------|
| A. Designer White | PJW |
| B. Polished | PC/PA/PS |
| C. Silver | PR6 |
| D. Titanium | P8T* |
| E. Solar Black | P8X* |
| F. Black | P71 |
| G. Pyrite | PJE |
| H. Matte Gold | P8G |
| I. Bullseye | PJF* |
| J. Regatta | P8M* |

*Only available on Occasional Tables



LAMINATES

WOODGRAIN

| | |
|---------------------|------|
| A. Lowell Ash | LLA1 |
| B. Natural Recon | LNR1 |
| C. Phantom Ecru | LPE1 |
| D. Portico Teak | LPT1 |
| E. Skyline Walnut | LSW1 |
| F. Beigewood | LWBE |
| G. Field Elm | LWFE |
| H. Pinnacle Walnut | PINC |
| I. Fawn Cypress | LFC1 |
| J. Natural Maple | LWD |
| K. Harvest Maple | C |
| L. Shaker Cherry | LW7C |
| M. Biltmore Cherry | COGN |
| N. Florence Walnut | LFW1 |
| O. Kingswood Walnut | LK11 |
| P. NeoWalnut | LNU1 |
| Q. Veranda Teak | LVT1 |

SOLID


| | |
|-------------------------|------|
| R. Designer White 15051 | LDW1 |
| S. Loft | LM11 |
| T. Flint | LM16 |
| U. Black | P |



GLASS ETCHED/GLOSS

- A. Ice White GWH1 / GWH2
- B. Black GBK1 / GBK2
- C. Muslin GML1 / GML2
- D. Beige GBG1 / GBG2
- E. Flint GFL1 / GFL2
- F. Loft GLO1 / GLO2


Note: Gloss glass is available only on vertical applications and whiteboards. Etched glass is available only on horizontal tops.



Etched Ice White
GWH1



Etched Black
GBK1




Etched Muslin
GML1



Etched Beige
GBG1




Etched Flint
GFL1




Etched Loft
GLO1



Gloss Ice White
GWH2



Gloss Black
GBK2



Gloss Muslin
GML2



Gloss Beige
GBG2





Gloss Flint
GFL2



Gloss Loft
GLO2

SOLID SURFACE

- A. Designer White SDW4
- B. Frosty White SFW3
- C. Night Stars SNS5
- D. Masoned Concrete SMC2
- E. Monte Amiata SMA1



ORDERING OPTION CODES

Briefing
03/23

EDGE DETAIL (OPTIONAL)

WOOD + LAMINATE

Square SQ
Knife (Add \$545) KN

WOOD ONLY

Square ½" Edge (Add \$327) SQM
Double Flute ½" Edge (Add \$327) DFM
Tri-Oval ½" Edge (Add \$327) TOM
Knife ½" Edge (Add \$872) KNM
Taper ½" Edge (Add \$872) TPM

BACK PANEL

No Back Panel BN
Finished Back Panel Included (Add \$818) BY

WIRE MANAGEMENT

Yes WY
No WN

FLAMMABILITY

CTB 117 Flammability Rating U

LOCKS

Locks Yes, Random Matte Silver Keying (Factory Installed) (Add +\$153) LYSTD
Locks Yes, Omit Lock Core (Field Installed) (Add +\$153) LYOMT
Locks No LN

KEYING

Random Matte Silver Keying (Factory Installed) STD
Omit Lock Core (Field Installed) OMT

PERIMETER AND BEZEL-MOUNT POWER COLOR

White WH
Black BK
Silver SV

PULL OPTIONS

Silea Pull Black (P71) PP71
Silea Pull Silver (PR6) PPR6
Silea Pull Matte Gold (P8G) PP8G
Silea Pull Pyrite (PJE) PPJE
Silea Pull Designer White (PJW) PPJW
Medley Arch Black (P71) HARB
Medley Arch Silver (PR6) HARS
Medley Arette Black (P71) HATB
Medley Arette Silver (PR6) HATS
Trio Linear Black (P71) HLEB
Trio Linear Silver (PR6) HLES
Trio Bar Black (P71) HBRB
Trio Bar Silver (PR6) HBRS
Modern Black (P71) MP71
Modern Silver (PR6) MPR6
Modern Matte Gold (P8G) MP8G
Modern Pyrite (PJE) MPJE
Modern Designer White (PJW) MPJW

UV TOP FINISH

Briefing worksurfaces feature two low emitting UV finish options that enhance the beauty of natural wood and ensures the depth, clarity, color consistency and durability throughout the life of the product.

Open Pore Low Sheen OP
Full Fill ClearTech™ FF
Full Fill Top ≤ 120" Length (+\$273)
Full Fill Top > 120" Length (+\$436)

FSC CERTIFIED

Standard - No FSC X
FSC Certified (5% upcharge) F

FSC TACKBOARD

FSC Mixed Credit FSC
(Upcharge – See Tack & Cushion Pricing)
FSC Not Required NR


EDGE DETAIL (OPTIONAL)

Wood and Laminate (1 3/16" thick)

2 mm Square | **SQ**



Knife | **KN**



*Add +\$545


* Square and Knife only available edges on laminate

Medley 1/2" Square | **SQM**



*Add +\$327

Medley 1/2" Double Flute | **DFM**



*Add +\$327

Knife 1/2" Edge | **KNM**




*Add +\$872

Taper 1/2" Edge | **TPM**



*Add +\$872

Medley 1/2" Trioval | **TOM**



*Add +\$327

*1/2" Edgeband options only available on Rectangular and Round Tops

BEAM COLOR

Silver | **PR6**

Black | **P71**

BACK PANEL

No Back Panel | **BN**

Finished Back Panel Included | **BY (Add \$818)**

WIRE MANAGEMENT

Yes | **WY**

No | **WN**

FLAMMABILITY

CTB 117 Flammability Rating | **U**

CTB 133 Flammability Rating | **U3 (Add \$137)**

LOCKS

Locks Yes, Random Matte Silver Keying (Factory Installed) | **LYSTD (Add \$153)**

Locks Yes, Omit Lock Core (Field Installed) | **LYOMT (Add \$153)**

Locks No | **LN**

KEYING

Random Matte Silver Keying (Factory Installed) | **STD**

Omit Lock Core (Field Installed) | **OMT**

EDGE DETAIL (STANDARD)

Glass and Solid Surface (1/2" plus 1" plywood subtop)



BEVELED SUBTOP

HINGED GLASS DOOR COLOR

Beige | **GBG**

Black | **GBK**

Flint | **GFL**

Loft | **GLO**

Muslin | **GML**

Designer White | **GWH**

BASE COLOR ON OCCASIONAL TABLES

Black | **P71**

Silver | **PR6**

Matte Gold | **P8G**

Pyrite | **PJE**

Designer White | **PJW**

Solar Black | **P8X**

Titanium | **P8T**

Bullseye | **PJF**

Regatta | **P8M**

Polished Chrome | **PC (Add \$218)**

PERIMETER AND BEZEL-MOUNT POWER COLOR

White | **WH**

Black | **BK**

Silver | **SV**

CUSHION UPHOLSTERY

Fabric + Leathers | **G1-G45**

| **L1-L10**

| | | | |
|--|---------|--|---------|
| General Information | 2-6 | Bases. | 103-122 |
| Conditions of Sale | 2 | Expandable Panel Base | 104 |
| GSA Terms & Conditions | 3-4 | Miter Bases | 105-106 |
| Warranty | 5 | 1/2 Taper Bases | 107 |
| Delivery Information. | 6 | Geo Bases. | 108 |
| Veneers & Finishes | 7 | Metal Y Bases | 109 |
| Materials & Finishes. | 8 | Leg Bases | 110 |
| Locks & Keying... | 9-10 | Metal Ribbon Y Bases | 111 |
| Product Reference. | 11-48 | Cylinder Base | 112 |
| Technical Specifications | 12-16 | Full Taper Bases | 113 |
| Scope of Line Reference | 17-18 | Metal X Bases | 114-115 |
| Breadth of Line and Top Shapes. | 19-26 | Metal Post X Bases | 116 |
| Table Base Matrix | 28-35 | Metal Ribbon X Bases | 117 |
| Floor Monument and Technology Locations | 36-45 | Disc Base | 118 |
| Training Tables. | 46-48 | Metal T-Bases | 119 |
| Conference Table Tops | 49-71 | Table Legs | 120 |
| 36" Rectangular Tops | 50-51 | Wire Management Base | 121 |
| 42" and 48" Rectangular Tops. | 52-53 | Steel Worksurface Support | 122 |
| 54" and 60" Rectangular Tops. | 54-55 | Media Tables | 123-131 |
| 36" Arc Boat Tops | 56-57 | Tops | 124-125 |
| 42" and 48" Arc Boat Tops | 58-59 | Miter Bases with Media Wall | 126 |
| 54" and 60" Arc Boat Tops | 60-61 | Metal Y-Bases with Media Wall | 127 |
| 36" Soft Rectangular Tops. | 62-63 | Height-Adjustable Bases with Media Wall. | 128 |
| 42" and 48" Soft Rectangular Tops | 64-65 | Wall-Mounted Miter Bases. | 129 |
| Ellipse Tops | 66-67 | Wall-Mounted Metal Y-Bases. | 130 |
| Round Tops | 68-69 | Finished Back Whiteboard. | 131 |
| Soft Square Tops | 70-71 | Bar Height Collaboration Tables | 133-138 |
| Technology Components. | 73-101 | Table Tops | 134-137 |
| Technology Matrix | 74 | Table Bases. | 138 |
| Perimeter Power. | 75-77 | Training Tables. | 139-147 |
| Bezel Mount Power | 76 | Rectangular Training Tops. | 140 |
| Tech Module | 78 | Corner Training Tops | 141 |
| Single Tech Port. | 79 | Half Round Training Tops. | 142 |
| Double Tech Port | 80 | Training Table Bases | 143-145 |
| Extron Cable Cubby | 81 | Modesty Panel. | 146 |
| Extron Cable Retractor | 82 | Accessories. | 147 |
| Extron Cable Retractor Installation Tips | 83 | Ancillary. | 149-162 |
| Converge Technology Trough | 84 | Credenza Cushions. | 150 |
| Compatible Jacks | 85 | Credenzas | 151-156 |
| Extron Compatibility | 86 | Whiteboards. | 157 |
| Extron Single Space Plates | 87-89 | Hospitality Cart | 158-159 |
| Extron Double Space Plates | 90-91 | Technology Cart | 160-161 |
| Wire Management | 92 | Miscellaneous | 162 |
| Cable Retractor | 93 | Occasional Tables | 163-164 |
| Grommet | 94 | Occasional Tables. | 164 |
| Byrne Data Jacks. | 95 | Fabric Grade Pricing | 166-167 |
| Power Cable Kit | 96 | Weights + Cubes | 168-179 |
| Training Table Power | 97 | | |
| 4-Trac Electrical System | 98-99 | | |
| 4-Trac Accessories and Electrical | 100-101 | | |

INTRODUCTION

The Gunlocke Company is dedicated to providing the finest products and service possible. This price list reflects that commitment. Included is a current listing of our casegood models.

Seating and Lounge are presented in a separate price list. Contact your Gunlocke Customer Services Representative for more information, (800) 828-6300.

Designed for easy use, each page of this price list, and the inside front cover fold out provide all information required to order a product correctly. Should additional information be needed, contact your Gunlocke customer service representative.

PRICING

Prices shown cover standard product specifications. Any changes or alterations, other than those listed, will be subject to an additional charge. Prices include cartoning and freight. Authorization and pricing must be secured in advance for orders or contracts calling for large quantities, indefinite quantities, or extended delivery dates. Prices are subject to change without notice; the most current prices are published on <http://www.gunlocke.com>.

ORDERING

To expedite order entry and to assure proper service, email or fax all orders directly to:

The Gunlocke Company

Attn: Order Entry
One Gunlocke Drive
Wayland, New York 14572

585-728-5111
585-728-8350 FAX
800-828-6300
www.gunlocke.com

Gunlocke will not be responsible for duplicate orders if purchase orders are left unmarked.

ACKNOWLEDGMENT

Each order will be acknowledged by Gunlocke. Customers should check each acknowledgment for accuracy and immediately notify Gunlocke of any discrepancies. The printed acknowledgment is the final agreement between The Gunlocke Company and the customer, superseding all previous communications regarding the order.

SPECIFICATION CHANGES

Gunlocke reserves the right to change specifications for the improvement of products at any time, without notice.

ORDER CHANGES

Gunlocke is not required to accept changes in orders after confirmation. Reasonable changes are subject to additional charges for labor, material and administrative costs.

Order changes of acknowledgment may result in re-scheduling of product.

RETURNED MERCHANDISE

No merchandise may be returned without prior authorization.

SHOWROOMS

For all showroom locations and tour information, please reference the showrooms page online at: www.gunlocke.com/inspiration/showrooms

CANCELLATIONS

Cancellation of orders cannot be accepted since every order is manufactured according to customer specifications.

STORAGE

If delivery cannot be made and products are ready, Gunlocke will transfer products to a storage facility and products will be invoiced at that time. The customer is responsible for storage charges and assumes and bears all risks associated with the storage of that product.

TERMS

Net 30 days from date of invoice. A service charge of eighteen percent (18%) per year or .0004931% per day, compounded monthly, will be added to balance due beyond the thirtieth day. Products are shipped FOB factory, freight prepaid and allowed. Title passes to purchaser and Gunlocke's responsibility ceases when shipment is accepted for transportation by a carrier. A full explanation of all payment terms is found on order and invoice forms.

ORDERING INFORMATION

1a. Intended use: The furniture on this schedule is intended for use by Government executives (or equivalent military rank) in the Executive, Judicial and Legislative Branches of the Federal Government. To help customers make a good purchasing decision based on their needs and budget, GSA has established four grades of furniture. Grade (1) includes furniture that tends to be the most expensive on this schedule, grade (2) furniture tends to be more moderately priced and grades (3) and (4) furniture tend to be affordably priced when compared to grades (1) and (2). Some pieces of furniture on this schedule may be significantly higher in price than GSA Traditional and Contemporary Executive Special Order Program furniture. The ordering agency or service is responsible for determining furniture appropriate for use in its offices which will fit within its budget and comply with applicable Federal or internal agency procurement regulations. Please see reverse for GSA terms and conditions.

Grade 1 All exposed solid parts such as top rims, base rails etc. (except decorative accents, inlays and painted parts) shall be the same species as the face veneer. Top and bottom edges of drawer fronts shall be solid wood in the same species as the face veneers. Drawer sides and backs shall be solid wood.

Grade 2 Exposed wood panel trim and trim on tops shall be the same wood species as the face veneer on the top. Some or all other exposed solid parts, such as base rails can be an alternative wood species (such as poplar or gum) different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction.

Grade 3 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Credentials is grade 3.

Grade 4 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be composite wood material construction such as MDF. Silea and Briefing are grade 4.

- 1. Maximum Order Threshold:**
SIN# 33721 \$250,000
- 2. Minimum order:** \$2,000 list
- 3. Geographic coverage:**
48 contiguous states and DC (CONUS)
- 4. Points of production:**
Wayland, NY, Steuben County, USA
Hickory, NC, Catawba County, USA
- 5. Discount Statement:** Discount is applied to List Price.
Structure in List \$:
\$2,000 – \$100,000 list 60.5%
\$100,001 – \$400,000 list 62.7%
\$400,001 – MOT (\$1,428,571 List). 65.0%
Over MOT (\$1,428,572 List). Negotiable
* These discounts apply to single purchase orders, shipping to the same place in the same time period
- 6. Quantity Discount:** See above
- 7. Payment terms:**
1% 23 days Net 30 days from date of shipment, for product only, for all electronic invoices processed through a Federal payment system, (including, but not limited to, WAWF, IPP, etc.). All other invoice sales are Net 30 days from date of shipment. Prompt payment terms are not applicable to credit card orders.
- 8. Government Credit Cards** are accepted above and below the micro-purchase levels.
Written confirmation and authorized signatures are required. Activities may verbally provide card information, but products shall be confirmed in writing.
Use of credit cards shall be at the time of order placement with cards charged at the time of shipment, see GSAR 552-232-80 (C).
There are no additional discounts for using a credit card.
- 9. Foreign items:** None
- 10a. Time of delivery:** 60 days ARO
- 10b. Expedited delivery:** Contact Gunlocke
- 10c. Overnight and 2-day delivery:** Contact Gunlocke
- 10d. Urgent requirements:** Contact Gunlocke
- 11. FOB point(s):** F.O.B. Origin, with freight being paid by Gunlocke for all deliveries within CONUS.
- 12. Ordering address(es):**
The Gunlocke Company
c/o Authorized Gunlocke GSA Dealer
One Gunlocke Drive
Wayland, NY 14572
Phone: (800) 828-6300
Fax: (585) 728-8350
- 13. Payment address(es):**
The Gunlocke Company LLC
13367 Collections Center Drive
Chicago, IL 60693
- 14. Warranty provision:** See warranty on page 5
- 15. Export packing charges:**
Write for quotation on export packaging.
- 16. Terms and conditions of Government commercial credit card acceptance:** Credit Cards are accepted.
- 17. Terms and conditions of rental, maintenance, and repair:** Not applicable
- 18. Terms and conditions of installation:**
Installation services shall be priced at a rate not to exceed 30% of the net product price, per project. The minimum order charge for installation shall be \$175.00. Projects involving extraordinary circumstances which require installation charges exceeding the proposed installation rates will be submitted to the GSA Contracting Officer for review and approval.
- 19. Project Management:**
\$65 Per Hour, inclusive of IFF
- 20. Reconfiguration and Relocation Services:**
\$65 Per Hour, inclusive of IFF
- 21. Design/Layout Services:**
\$65 Per Hour, inclusive of IFF
- 22. Terms and conditions of repair:**
Refer to Gunlocke Customer Support
- 23. List of service and distribution:** Points: Not applicable
- 24. Participating dealers:** A list of participating dealers will be supplied to any government agency upon request or is available on our website at www.gunlocke.com.
- 25. Preventative maintenance:**
Not applicable. Instruction sheets available upon request.
- 26. Environmental attributes:** Gunlocke has an active environmental program. Please call (800) 828-6300 for details.
- 27. Data universal number system:**
(DUNS) number is 19-993-6550
- 28. CCR registration/Cage Code:** The Gunlocke Company is registered in the DoD CCR. Cage Code - 26574
- 29. Returns:**
No returns of goods will be accepted without written consent and shipping instructions from Gunlocke, and the Government customer will be required to pay all return freight charges. A restocking fee of 30% net will apply on all authorized returns provided Gunlocke receives goods in the condition in which they left the factory. No credit will be given if goods cannot be reused. Special order items are in no event subject to return. Goods must be returned within 70 days of shipment from factory.
- 30. Cancellations:** No charge prior to production. After production has begun (5 days ARO), only the actual costs that the contractor can demonstrate will be billed to the customer if the merchandise cannot be resold within a reasonable period of time (90 days).
- 31. Inside Delivery:** Gunlocke rates are for dock-to-dock delivery and do not include inside delivery, un-cartoning or set up. If desired, arrangements for inside delivery must be made and approved when the order is placed and will have a corresponding fee of 7% of list price of the order with a minimum charge of \$75. Requests for un-cartoning and set up will be coordinated with a Gunlocke Dealer with applicable charges applied to the order.
- 32. Federal Tax ID # 22-3887942**

12 YEAR WARRANTY

Subject to the limitations set forth below. The Gunlocke Company warrants to the original purchaser all product in this price list to be free from defects in material and workmanship for a twelve year period from the date of shipment. This 12-year warranty applies to all products sold and installed by a Gunlocke authorized agent for normal commercial single shift service. Gunlocke will repair, or at its option, replace defective merchandise, free of charge. The following components not manufactured by Gunlocke have the following warranties:

- **High wear components** such as casters and glides are warrantied for five years after date of shipment to original owner.
- **Electrical components** are warrantied 10 years from date of manufacture with exception of lamps and ballasts which are not warrantied. This includes Fluorescent Tasklights.
- **LED tasklights** are warrantied for 3 years from date of shipment to original owner.
- **Drawer suspensions** are warrantied for lifetime of product after shipment to original owner.
- **Personal Corners** including covering (leather) are warrantied for three years of single shift and normal use after shipment to original owner.
- **Height adjustable electrical components** are warrantied for five years of single shift and normal use after shipment to original owner.

Any non-standard material selected by the customer is not warrantied. Neither does this warranty apply to damage resulting from accident, alteration, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. That is, Gunlocke's warranty is only valid if products are given proper use and care. Gunlocke assumes no responsibility for product damages resulting from improper installation or user modification.

WOOD FURNITURE

Wood owes its inherent beauty to variations in color, grain, and texture, and therefore, these variations are not considered defects. There may be minor variations from one piece of furniture to the next even though they are finished at the same time. Exposure to light and the aging process will cause a darkening of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. The Gunlocke Company does not guarantee the exact matching of grain, pattern, and color.

These finishes do not cover any of the natural characteristics of the wood, including nature's colorations, pitch pockets, and the variations of steambent wood. Merchandise will not be replaced because of these natural variations.

It is expressly understood and agreed that the buyer's sole and exclusive remedy for any and all losses or damages resulting from nonconforming goods, or from any other cause, shall be repair or replacement of defective parts, and that Gunlocke shall not be liable for damages or injury to persons or property, nor for replacement of the entire commercial unit, if repair or replacement of defective parts can reasonably render the unit conforming.

All warranty claims must be made in writing by the original owner. Owner may be required to produce the invoice or other evidence to establish that a claim is within the warranty period. Warranty claims may be submitted on the Gunlocke website. <https://apps.gunlockeadvantage.com/QualityFeedback/>

As stated and illustrated on the website, serial numbers are required to process a warranty claim. No person, firm or corporation is authorized to assume for Gunlocke any liability in connection with the sale or installation of Gunlocke products except as stated above.

All other warranties, expressed or implied, are excluded. Gunlocke shall not be liable for incidental or consequential damages of any sort.

Within the Continental USA, all orders above \$20,000 list are shipped FOB factory, freight prepaid and allowed. All orders less than \$20,000 list will be subject to a \$200 net freight charge. Products shipped to Alaska and Hawaii FOB factory, freight prepaid and allowed to port of embarkation. Customer is responsible for freight charges from port of embarkation to final destination.

An anticipated shipping date is indicated on the order acknowledgment. Gunlocke cannot accept responsibility for shipping delays caused by outside sources or unforeseen problems. Delay of shipments requested by customers must be approved by Gunlocke. Any resultant storage charges will be charged to the customer.

Gunlocke may await completion of the entire order and ship all at once or may make partial shipments from time to time at its sole discretion unless the customer requests in writing that partial shipments are needed and Gunlocke approves the specific shipping schedule. Additional charges may apply.

Gunlocke is not liable for any delay or failure to deliver or perform due to strikes, lock-outs, or other labor or transportation difficulties, delay of sources or supply, accidents, fires, acts of God, or any other causes of like or unlike nature beyond the control of Gunlocke.

LIABILITY

Gunlocke products and their packaging are tendered to a transportation company only after passing rigid quality control inspection. At that time, title to the product is passed to the purchaser. However the transportation company assumes all liability from acceptance of shipment through its delivery. That is, Gunlocke's liability ceases at the time of shipment.

FILING OF CLAIMS

All claims for damage or loss must be submitted via our website at: <https://apps.gunlockeadvantage.com/QualityFeedback/> within 15 days after receipt of merchandise. Do not return freight damaged merchandise to Gunlocke. Follow the steps below to expedite processing and resolution of claims.

For Visible Damage

1. Make damage notation on delivery receipt and have driver sign. Do not reject or refuse the shipment.
2. Immediately contact Gunlocke Traffic Department at 585-728-8268.
3. Hold damaged carton and all interior packing for carrier's inspection. These materials will be needed to substantiate the claim.

For Concealed Damage

1. Open cartons within 15 days of receipt and inspect.
2. Follow steps 2 and 3 as listed under Visible Damage.
3. Do not remove product from delivered destination.

For Loss

1. Be sure loss notation is made on delivery receipt and have driver sign.
2. Contact Gunlocke Traffic Department at 585-728-8268.

Should transportation company seek to limit its liability on concealed, loss, or damage claims, please contact Gunlocke's traffic department. After a thorough investigation of the claim, the traffic department will provide you with guidance in corresponding with the carrier.

Returned merchandise, regardless of delivery method, will not be accepted unless specifically authorized by Gunlocke.

For Damage or Loss of Parcel Post or UPS Shipment

Notify the Gunlocke traffic department immediately at 585-728-8268.

NORMAL DELIVERY

All normal ground transportation by Gunlocke will be made on a dock-to-dock basis. The Gunlocke traffic department will determine the recommended method of shipment according to the ship to destination. If the delivery on a shipment takes longer than 2 hours to be unloaded, an additional charge will be billed at \$60/hour at 15 minute increments. Gunlocke reserves the absolute right to determine the method of shipping unless special delivery instructions have been previously approved.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

If a guaranteed delivery time is needed please call Gunlocke Traffic Department at 585-728-8268 for a quote as additional charges will apply. Weekend or after hours deliveries are subject to additional charges.

WEEKEND DELIVERY

A \$500 charge will apply on weekend delivery after 3:00 PM Friday through Sunday evenings.

DROP SHIP / JOB SITE DELIVERY

Orders under \$50,000 list will incur a \$125 charge for ship to locations other than a designated dealer warehouse.

INSIDE DELIVERY

Inside delivery must be noted on order. A minimum \$100 charge will apply.

SPECIAL DELIVERY

Please contact the Gunlocke traffic department for special delivery services such as inside delivery, weekend or after hour deliveries, reconsignment or other special needs. These are billable services.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

DOCK RESTRICTIONS

Gunlocke trailers are 53' x 102"; when attached to truck cab the total length is 75'. If delivery dock will not accommodate trucks of this sizes, the Gunlocke traffic department must be contacted prior to shipping. Alternate arrangements can be made; additional charges may apply.

VENEERS

Available in 8 select veneers and 2 premium veneers. All exposed wood surfaces utilize select flat cut Cherry, Maple, Walnut veneers, Stratawood (FSC reconstituted veneer), premium quarter cut Walnut, or Rift Oak veneers. Stratawood veneer is made from rapidly renewable wood veneer, which provides a repeatable, consistent straight grain pattern. Stratawood veneers are available in Cherry, Maple, Walnut, or Oak at wood 1 pricing in vertical or horizontal orientation. All veneers are carefully selected and matched to assure balance and consistency.

SPECIALTY FINISHES

- Submit a color sample block (minimum size 3" x 3") to Gunlocke so that a finish formulation can be developed to match the special finish and color.
- Review the approval sample provided by Gunlocke.
- Written approval and sign off is required for Gunlocke Customer Service.
- Once written approval and sign off is received, the special finish order will be acknowledged.

Note: See Gunlocke Advantage website for special finish request forms.

All Casegoods & Tables Purchase Orders:

- 10% list upcharge per wood unit to specified veneer option receiving special finish.
- \$250 net formulation fee for special finish.

wood 1 (select)

- Natural Flat Cut Cherry**
 - Natural Flat Cut Maple**
 - Natural Flat Cut Walnut**
 - Stratawood Cherry**
 - Stratawood Maple**
 - Stratawood Walnut**
 - Stratawood Oak**
 - Stratawood Silver Oak**
 - Stratawood Washed Walnut**
-

wood 2 (premium)

- Natural Quarter Cut Walnut**
 - Natural Rift Cut Oak**
-

UV TOP FINISH

Worksurfaces feature two low emitting UV finish options that enhance the beauty of natural wood and ensures depth, clarity, color consistency, and durability throughout the life of the product.

| | |
|---------------------------------------|-----------|
| Open Pore Low Sheen | OP |
| Full-Fill Cleartech (upcharge) | FF |

Full Fill Top ≤ 120" Length (+\$273)
Full Fill Top ≥ 120" Length (+\$436)

Note: FSC options can be chosen as option pick for each model.

The plastic laminate offering includes 11 woodgrain and 3 solid laminate options from Wilsonart. Laminate tops are high-pressure laminate (HPL), and chassis/storage components are thermally fused laminate (TFL). Laminate edgebands are 2mm thick and are color matched to the laminate option chosen.

| Laminates | Description | Option Code | Supplier Name | Supplier Code | Edgeband (ABS, PVC) | Gunlocke Finish Match* |
|----------------------|----------------------|-------------|---------------|---------------|---------------------|------------------------|
| WOODGRAIN | Lowell Ash | LLA1 | Wilsonart | 7994-12 | ABS | NC394 |
| | Natural Recon | LNR1 | Wilsonart | 7996-12 | ABS | RF301 |
| | Phantom Ecru | LPE1 | Wilsonart | 8212-12 | ABS | RF912 |
| | Portico Teak | LPT1 | Wilsonart | 8210K-12 | ABS | SB150 |
| | Skyline Walnut | LSW1 | Wilsonart | 7964K-12 | ABS | QT625 |
| | Pinnacle Walnut | PINC | Wilsonart | 7992-38 | PVC | NT679 |
| | Fawn Cypress | LFC1 | Wilsonart | 8208K-12 | ABS | RF108 |
| | Natural Maple | LWD | Wilsonart | 11021-38 | PVC | NE800 |
| | Harvest Maple | C | Wilsonart | 7953-38 | PVC | NE856 |
| | Shaker Cherry | LW7C | Wilsonart | 7935K-07 | PVC | NC774 |
| | Biltmore Cherry | COGN | Wilsonart | 7924K-07 | PVC | NC260 |
| | Veranda Teak | LVT1 | Wilsonart | 8209K-12 | ABS | SB100 |
| | Kingswood Walnut | LKI1 | Wilsonart | 8218-38 | ABS | N/A |
| | Florence Walnut | LFW1 | Wilsonart | 7993-38 | ABS | NT579 |
| | Neo Walnut | LNU1 | Wilsonart | 7991-38 | ABS | N/A |
| SOLID | Designer White 15051 | LDW1 | Wilsonart | 15051-60 | ABS | WPSW |
| | Loft – Grey Cloud | LM11 | Wilsonart | 15034-60 | ABS | WPLF |
| | Charcoal/Flint | LM16 | Wilsonart | 10592-38 | PVC | WPFT |
| | Black | P | | | | |
| GLASS | Ice White | GWH2 | | | | |
| | Black | GBK2 | | | | |
| | Muslin | GML2 | | | | |
| | Flint | GFL2 | | | | |
| | Loft | GLO2 | | | | |
| | Beige | GBG2 | | | | |
| | Clear Ribbed Glass | RB | | | | |
| SOLID SURFACE | Designer White | SDW4 | | | | |
| | Frosty White | SFW3 | | | | |
| | Night Stars | SNS5 | | | | |
| | Masoned Concrete | SMC2 | | | | |
| | Monte Amiata | SMA1 | | | | |

* See cross reference above for Gunlocke wood / paint finish match. Although these are good matches, they are not exact matches due to grain pattern and sheen variation from laminate to veneer. They coordinate throughout a floorplate, but we recommend they not be utilized in the same office.

Note: Gunlocke does not guarantee an exact finish match to the plastic laminates listed above.

Locks are standard on all below worksurface storage units. Closets and overhead storage are optional locking.

STANDARD OPTIONS

- **Random Keying:** Key(s) arbitrarily assigned and installed at the factory. Factory installed locks are silver.
Note: When the random option is selected, some units may be shipped with the same key number.
- **Omit Lock Core:** The factory will omit lock cores. Removable lock core kits with specific key numbers must be ordered to facilitate keying alike in the field. A lock program must be specified. Field installed locks are available in Matte Silver, Black, Pyrite, Matte Gold, and Designer White.

KEYING

| | | |
|--|------------|---|
| Random Matte Silver Keying (Factory Installed) | STD | |
| Omit Lock Core (Field Installed) | OMT | (If option is chosen, a field installed lock program must be specified) |

LOCK PROGRAM (FIELD INSTALLED ONLY)

| | |
|-------------------|--------------------------|
| Random Keying | X |
| Specified Keying | X101 - X225 |
| Sequential Keying | SEQ/101 - SEQ/225 |

KEYING COLOR (FIELD INSTALLED ONLY)

| | |
|----------------|------------|
| Matte Silver | MTS |
| Black | BLK |
| Matte Gold | MGD |
| Pyrite | PYT |
| Designer White | PJW |

REPLACING LOCK CORES

- Lock must be in the unlocked position.
- Insert core removal key and pull core straight out.
- Insert new core with core removable key, hold core into lock and withdraw core removal key.
- Retain original core for future use.

For field installed locks, the "Omit Lock Core" option must be chosen. Then, specify lock model based on total quantity of lock cores within each office. To ensure ease of ordering for a variety of situations, lock cores can be specified in 3 ways – Random, Specified or Sequential.

| LOCKING MODELS | DESCRIPTION | LIST |
|--------------------------------|-----------------|-------|
| GLKFE1 | 1 core, 2 keys | \$16 |
| GLKFE2 | 2 core, 2 keys | \$21 |
| GLKFE3 | 3 core, 2 keys | \$26 |
| GLKFE4 | 4 core, 2 keys | \$30 |
| GLKFE5 <i>(de-emphasized)</i> | 5 core, 2 keys | \$34 |
| GLKFE6 <i>(de-emphasized)</i> | 6 core, 2 keys | \$42 |
| GLKFE7 <i>(de-emphasized)</i> | 7 core, 2 keys | \$48 |
| GLKFE8 <i>(de-emphasized)</i> | 8 core, 2 keys | \$56 |
| GLKFE9 <i>(de-emphasized)</i> | 9 core, 2 keys | \$63 |
| GLKFE10 <i>(de-emphasized)</i> | 10 core, 2 keys | \$69 |
| GLKFE11 <i>(de-emphasized)</i> | 11 core, 2 keys | \$77 |
| GLKFE12 <i>(de-emphasized)</i> | 12 core, 2 keys | \$83 |
| GLKFE13 <i>(de-emphasized)</i> | 13 core, 2 keys | \$91 |
| GLKFE14 <i>(de-emphasized)</i> | 14 core, 2 keys | \$98 |
| GLKFE15 <i>(de-emphasized)</i> | 15 core, 2 keys | \$104 |

Note: One core removal key minimum per order. One additional core removal key per 25 lock cores will be shipped.

MASTER KEY

One key available to authorized dealers **GLKMSTR \$9**

KEY NUMBERS 101-225 ARE AVAILABLE.

Orders without key numbers will be specified at random.

RANDOM KEYING (FIELD INSTALLED)

The Random Keying option is provided for instances where there are multiple orders or phases to a project and the offices need to be keyed alike but the key numbering is not required. With the random keying option, key numbers are not specified. However, the core kits will be in sequential order from a random starting point.

SPECIFIED KEYING (FIELD INSTALLED)

The Specified Keying option is provided for instances where there is a specific key number desired for all of the cores ordered.

SEQUENTIAL KEYING (FIELD INSTALLED)

The Sequential Keying option is provided for instances when there are multiple orders or phases to a project and it is imperative that key numbers are not duplicated..

RANDOM KEYING EXAMPLE

- There are 18 offices which have 3 black locks that need to be keyed alike, but the key number is not important.

Model String:

GLKFE3. BLK. X. 18
Model Color Program # of Offices

SPECIFIED KEYING EXAMPLE

- There are 6 offices which have 2 silver locks that need to be keyed alike with the key number 202.

Model String:

GLKFE2. MTS. X202. 6
Model Color Program # of Offices

SEQUENTIAL KEYING EXAMPLE

- A multiple phase project has 100 offices - 60 in the first phase with 4 locks, 40 in the second phase with 3 locks. No key number can be duplicated.

Model String (First Phase):

GLKFE4. PYT. SEQ/101. 60

Model String (Second Phase):

GLKFE3. PYT. SEQ/161. 40
Model Color Program # of Offices

Product Reference. 11-48
 Technical Specifications 12-16
 Scope of Line Reference 17-18
 Breadth of Line and Top Shapes 19-26
 Table Base Matrix 28-35
 Floor Monument and Technology Locations 36-45
 Training Tables. 46-48

REFERENCE

Technical specifications

VENEERS

Available in 9 select veneers and 2 premium veneers. All exposed wood surfaces utilize select flat cut Cherry, Maple, Walnut veneers, Stratawood – FSC reconstituted veneer, premium quarter cut Walnut, or Rift Cut Oak veneers. Stratawood veneer is made from rapidly renewable wood veneer, which provides a repeatable, consistent straight grain pattern. Stratawood veneers are available in Cherry, Maple, Walnut, or Oak at wood 1 pricing. These veneers are carefully selected and slip matched to assure balance and consistency throughout the product.

VENEER TOPS

Wood veneer tops feature 3-ply construction and are comprised of a premium 1.125" thick substrate. Tops are available with an optional square or knife edge profile. Square edge tops are 45 lb. density particleboard and knife edge tops are premium MDF construction. Tops are faced with premium veneer and backed with a polymer resin impregnated moisture resistant material. Multi-piece tops are connected with 1/8" thick plastic splines for vertical alignment and steel mechanical fasteners for horizontal alignment to firmly connect the tops end to end. Rectangular tops utilize solid wood edgebands that are species matched except for Rift Cut Oak which is paired with solid ash hardwoods. Non-rectangular tops utilize matching 1mm edgebands that are doubled up for added durability for total thickness of 2mm.

LAMINATE TOPS

The standard laminate offering includes solid and woodgrain laminates from Wilsonart. Laminate tops feature a high pressure laminate (HPL), a balanced 3-ply construction and are comprised of a 1.125" thick substrate. Tops are available with a square edge and are made with 45 lb. density particleboard. Laminate tops have a 2mm matching vinyl edgeband on all sides. Chassis and storage components feature a thermally fused laminate (TFL). For complete technical specifications, visit www.wilsonart.com.

SOLID SURFACE TOPS

Solid surface tops with plywood subtops are a total of 1 1/2" thick. Tops are constructed with 1/2" solid surface material applied to premium 1" plywood. The solid surface has a matte finish. The plywood subtop is 1" thick, faced and backed with a phenolic backer for a balanced construction. Sub top edges are beveled and painted black. Multi-piece subtops are connected with 1/8" thick plastic splines for vertical alignment and steel mechanical fasteners for horizontal alignment to firmly connect the subtops end to end.

BACK PAINTED GLASS TOPS

Back painted glass tops with plywood subtops are a total of 1 1/2" thick. The back painted glass top is 1/2" thick low tempered iron with the top surface soft acid etched. Glass edge is square, aris polished. The plywood subtop is 1" thick, faced and backed with a phenolic backer for a balanced construction. Sub top edges are beveled and painted black. Multi-piece subtops are connected with 1/8" thick plastic splines for vertical alignment and steel mechanical fasteners for horizontal alignment to firmly connect the subtops end to end.

BACK PAINTED GLASS DOORS & WHITEBOARDS

Back painted glass doors and whiteboards are captured by an extruded aluminum mitered frame. The frame is low profile allowing only 1/16" visible frame around the perimeter of the glass from the front view. Back painted glass is 4mm thick and whiteboard applications include a steel backer for use with magnets. Back painted glass used in vertical applications has a clear glossy finish for use as a writable surface. These units can be used with dry-erase markers. 6 magnets are included with each whiteboard. Whiteboards are mounted to the wall with a z-bracket connection.

TECHNOLOGY PORTS

Recessed in table top, unit is available as double door and single door port. Cover flips up to access power and data ports. Veneer tops are available with wood, a powder coat finish or polished aluminum doors. Laminate, back painted glass and solid surface tops are available with a powder coat finish or polished aluminum

door option. Hinged port doors are on a dampening hinge for smooth open/close. Wood port doors are a close veneer match to top, but not an exact match. The sheet metal port assembly that houses the power and Extron components is black powder coated sheet metal. Power units are powder coated sheet metal enclosure and rated for 15 amp, 125 volt with circuit breaker. Units can be specified with 10' grounded standard plug or 6' hardwire conduit option. Unit is field installed. UL Listed. Each USB simplex includes (2) 1 amp USB ports.

- Double port units include (6) simplex power/USB power outlets and (2) double space Extron AAP plates or (4) single space Extron AAP plates.
- Single port units include (3) simplex power/USB power outlets and (1) double space Extron AAP plate or (2) single space Extron AAP plates.

Extron units are ordered separately. For complete specifications on the Extron AAP plates reference the Extron website, Architectural Connectivity <http://www.extron.com/product/index.aspx>.

50" TECHNOLOGY TROUGH RECESSED IN TABLE TOP

Unit is 11 5/16" D x 49 3/8" W, powder coated in your choice of silver, black, pyrite, matte gold or designer white finish. Includes (2) nominal 10" sliding doors. Doors are elevated 1/2" to accommodate cords entering and exiting wire access opening. Each standard unit includes (12) AC power outlets, (20) jack openings, (2) AAP Extron blank plates. Each 50" trough includes (4) power enclosures that contain (3) simplex receptacles per enclosure. Each enclosure is rated for 15 amp, 125 volt with circuit breaker. Units can be specified with 10' grounded standard plug or 6' hardwire conduit option. Each 50" trough includes (4) power supply cords. Numerous jack options available, see ordering page for available options. Unit is field installed. UL Listed

PERIMETER POWER

Perimeter Power units are available in three sizes and are offered as surface mount, under worksurface mount, and clamp mount units. Available in black, white or silver, power units incorporate a combination of power, USB power, and data integration. Each enclosure is rated

for 15 amp, 125 volt. Units can be specified with 10' standard plug or 6' hardwire conduit option. Unit is field installed. UL Listed. USB charging ports are 2.1 amps per port. For information on each model, reference the "Power Units" page in the price book.

TRIO BEZEL MOUNT POWER

Available in black, white or silver, power units incorporate a combination of power, USB power, and data integration. Each enclosure is rated for 15 amp, 125 volt. Units can be specified with 10' standard plug or 6' hardwire conduit option. Unit is field installed. UL Listed. USB charging ports are 2.1 amps per port.

TECH MODULE POWER

Available in black or silver, power units incorporate a combination of power, USB power, data integration and Qi wireless charging option. Each enclosure is rated for 15 amp, 125 volt. Units can be specified with 10' standard plug or 6' hardwire conduit option. Unit is field installed. UL Listed. USB charging ports are 2.1 amps per port.

Qi charging is available on Corded and Hardwire versions.

- Includes 3 Qi charging coils (5 watts each) for wireless charging.
- Units have LED indicator lights below the lid's surface.
- Units house power and charging USB inside. All units are Qi certified.

CABLE CUBBY

The Extron Cable Cubby® Series is the AV industry's gold standard for conference table AV connectivity, AC power, and cable management. Units include an 9.5' power cord. These sophisticated yet durable, furniture-mountable enclosures blend seamlessly with any furniture and room décor, virtually disappearing into the surface when closed. Cable Cubby Series enclosures are engineered for fast assembly and installation on the job site. A simple, elegant integrated clamp system secures Cable Cubby Series enclosures to the furniture surface without the need for tools or additional parts. These versatile modular enclosures accommodate Extron Retractor Series or Retractor Series XL patented, variable-speed cable retraction modules, AV cables, or AAP™ AV Connectivity Modules. They can be

easily customized to your exact needs using the online Extron Cable Cubby Builder. In addition, Extron has unique enclosures that best accommodate high end environments and special circumstances when cutting into the surface is not an option.

POWER CABLE KIT

Convenient way to connect all power cords to a single power source. Unit includes 10' power in feed conduit. The power cable kit is rated for 20 amps per circuit allowing the use of 2 circuits with 2 line conductors, 1 neutral and 1 ground. The line conductors, neutral and ground are all 12 AWG. The kit can be wired in both single and 3-phase configurations, 240/120V, 208/120V, respectively. UL Listed, to be installed by certified electrician.

METAL X / Y BASES

Metal X and Y bases are constructed of cast aluminum feet mounted to a 2.25" diameter steel column. The cast feet are bolted to the steel column. Top plates are welded to the steel column. Y bases include an extruded aluminum horizontal stretcher mounted at same height as feet, which is also bolted to the column. All components ship knocked down for field installation. (See base dimension and floor monument locations for additional information) Optional wire management grommets may be specified. When option is specified an oval cutout is included in the column below the top plate and above the feet connection. A plastic grommet cover is included in the cutouts. Cast aluminum feet and extruded aluminum horizontal stretchers are polished aluminum and steel columns are chrome finish. Powder coat finish options are also available. An optional extruded aluminum beam assembly may be added to Y bases for horizontal wire management beneath the top to each column. The beam assembly is required for larger bases. The beam consists of extruded aluminum 1 1/2"W x 3" H beam in a powder coat finish. All beams include standard plastic wire managers mounted along the inside face of beams. Base ships knocked down.

METAL RIBBON BASES

Ribbon bases are constructed of 3/8" thick x 3" wide steel. All welds are

buffed and polished for a seamless aesthetic. The top frame is constructed of 1.5" wide x 3" high steel tubing. The top frame assembly is powder coated and welded to the base below to provide a strong durable base assembly. (See base dimension and floor monument locations for additional information.) Ships fully assembled. Available in a powder coat or polished stainless finish.

MITER BASES

Miter bases are constructed of 3/4" thick 3-ply veneer panels or painted MDF. Outer panels are mitered in corners and securely fastened together with a clamex connector and 1.5" steel vertical tubing for added strength. Removable wire management panels are connected with spring clips. Steel beam attachment brackets and screws included to attach base to aluminum frame. Bottom is open for managing wires from floor monument to table top. (See base dimension and floor monument locations for additional information.) Each base assembly includes 2 extruded aluminum beams running along the length. The beams and bases are assembled prior to installing the table top. This allows the top to be installed last preventing damage to the table top. The beam consists of extruded aluminum 1 1/2"W x 3" H beam in a powder coat finish. All beams include standard plastic wire managers mounted along the inside face of beams. Bases are available in veneer MDF. Bases and beams ships knocked down.

MITER HEIGHT ADJUSTABLE BASES

Miter bases are constructed of 3/4" thick 3-ply veneer panels or painted MDF. Outer panels are mitered in corners and securely fastened together with a clamex connector and 1.5" steel vertical tubing for added strength. Removable wire management panels are connected with spring clips. An integrated steel structural assembly is designed into the base to tie together the aluminum beams, height adjustable motors, and the miter base. Bottom is open for managing wires from floor monument to table top. (See base dimension and floor monument locations for additional information) Each base assembly includes 2 extruded aluminum beams running along the length. The beams, height adjustable components, bases are assembled via integrated steel

REFERENCE

Technical specifications

assembly prior to installing the table top. This allows the top to be installed last preventing damage to the table top. The beam consists of extruded aluminum 1 1/2"W x 3" H beam in a powder coat finish. All beams include standard plastic wire managers mounted along the inside face of beams. Bases are available in veneer MDF. Bases and beams ships knocked down. Height adjustable components include:

- Qty (4) height adjustable lifting columns
- Qty (1) control box
- Qty (1) memory handset with 3 pre-set buttons, up/down buttons, and digital height readout.
- Qty (4) 6' cables connect lifting columns to control box
- Qty (1) 10' standard plug power cable to connect control box to power source

Lifting columns are rated for 225 lbs dynamic load per column. Height range is 29" to 45". Each control box is powered by 120V / 60Hz. 4 lifting columns may draw approximately 3.31 amps total maximum under full load. Standby power is 0.1W.

EXPANDABLE BASES

Expandable bases are constructed of 3/4" thick 3-ply veneer, laminate, or painted MDF panels. Panels are securely fastened together using cam-lock fasteners and dowels and 1.5" steel vertical tubing for added strength. The base includes inner panels that can be repositioned using bolts into an insert to gain additional wire management and floor core capacity within the base. Removable wire management panels are connected with spring clips. Bottom is open for managing wires from floor monument to table top. (See base dimension and floor monument locations for additional information.) Each base assembly includes 2 extruded aluminum beams running along the length. Steel beam attachment brackets and screws included to attach base to aluminum beams. The beams and bases are assembled prior to installing the table top. This allows the top to be installed last preventing damage to the table top. The beam consists of extruded aluminum 1 1/2"W x 3" H beam in a powder coat finish. All beams include standard plastic wire managers mounted along the inside face of beams. Bases

are available in veneer or laminate MDF. Bases and beams ships knocked down.

TAPER BASES

Taper bases are constructed of 1/8" plywood bent panels and 3/4" thick MDF. Panels are securely fastened together with steel angle brackets, wood screws, and solid wood sticks. Removable wire management panel connected with keku fasteners. Steel beam attachment brackets and screws included to attach base to aluminum frame. Bottom includes cutout for managing wires from floor monument to table top. (See base dimension and floor monument locations for additional information.) Each base assembly includes 2 extruded aluminum triangular beams running along the length. The beams and bases are assembled prior to installing the table top. This allows the top to be installed last preventing damage to the table top. The beam consists of extruded aluminum 1 1/2"W x 3"H beam, silver or black. Beams are assembled at ends, with steel angle brackets and screws. All beams include standard plastic wire managers mounted along the inside face of beams. Ships knocked down.

GEO BASE

Geo base is constructed of 3/4" thick 3-ply panels. Panels are securely fastened together with mini-fix connectors, wood biscuits and steel angle brackets. Removable wire management panel connected with keku fasteners. Panel includes routed reveal along top edge for easy removal. Steel attachment bracket and screws included to attach base to aluminum frame. Bottom includes 3" x 11" cutout for managing wires from floor monument to table top. Bottom of base elevated 2 3/8" from floor to accommodate height of floor monument. (See base dimension info for additional information)

LEG BASES

Leg bases are constructed of 1 1/2"W x 3"H steel tubing. The leg is hollow for wire management with an access hole on the inside top of the leg. The bottom of the leg has a beveled cutback and open for managing wires from floor monument to table top. (See base dimension and floor monument locations for additional information.) Each base assembly includes 2 extruded aluminum beams

running along the length. The beams and bases are assembled prior to installing the table top. This allows the top to be installed last preventing damage to the table top. The beam consists of extruded aluminum 1 1/2"W x 3"H beam in a powder coat finish. All beams include standard plastic wire managers mounted along the inside face of beams. Leg Bases are available in chrome or a powder coat finish. 4 legs are included on bases up to 120"W. Larger bases include a veneer, paint, or laminate wire management center base with a removable access door. On smaller table tops (rounds, soft square tops) each individual leg screws through top plate to the bottom of the top. An optional veneer, paint, or laminate wire management center base with a removable access door may be ordered separately on larger tops to cover floor cores. Bases and beams ships knocked down.

CYLINDER AND HALF CYLINDER BASES

Inner material consists of a wood composite tube. Top and bottom panels are a 3/4" particleboard glued and pinned to the composite tube. Top and bottom panels include appropriate cutouts for routing wires from the top to the floor for wire management models. The cylinder core is faced with a 2-ply material utilizing an outer plain sliced select veneer on a 1/28" popular cross band. This 2-ply face material is attached to the cylinder core with permanent bond PVA glue. A 3/4" sub-top is attached to the base with screws and provides an attachment method to connect the base to the top. The sub-top is pre-bored for screws for easy attachment to top. Glides with 1 1/8" of adjustment are included for leveling.

TRAINING TABLES

Available in wood or laminate tops. Training Tables are available with a flip top base on casters or a fixed top base on glides. Bases are constructed of aluminum feet mounted to a 2.25" diameter steel column. The cast feet are bolted to the steel column. Top plates are welded to the steel column. Includes an extruded aluminum horizontal stretcher below the top plate for lateral support, which is also bolted to the column. All components ship knocked down for field installation. The flip mechanism is bolted to each

top plate. The flip top base includes a single handle that activates a plastic coated steel cable connected to a folding mechanism that allows the top to pivot 90 degrees to facilitate nesting. The mechanism locks the top in the horizontal and vertical position and the handle must be compressed to unlock. Optional wire management grommets may be specified in the vertical columns. When option is specified an oval cutout is included in the column below the top plate and above the feet connection. A plastic grommet cover is included in the cutouts. Cast aluminum feet and extruded aluminum horizontal stretchers are polished aluminum and steel columns are chrome finish. Base ships knocked down. Modesty panels connect to bottom of the worksurface with a hinged metal steel bracket which allows the panel to pivot and remain in a vertical position when the table is flipped up for nesting. Corner Tops are designed to be used in conjunction with rectangular tops to create U-configurations. The 90 degree corners are attached in the field with metal steel brackets and threaded knobs that attach to the steel inserts on the bottom of the worksurface for easy removal without tools. Connection hardware included with corner unit. Rectangular, Hexagon, and Half Round Tops include steel threaded inserts that are located on bottom of all tops to mount removable ganging mechanism. Ganging mechanism must be ordered separately.

OCCASIONAL TABLES

Occasional table tops are available in wood or laminate and are 1/2" thick. Tops are 3-ply construction on a MDF substrate and are profiled with a knife edge. Bases are constructed of a 1 1/4" diameter solid steel column bolted to a 3/16" disc base. Bases are available in a range of powder coat finishes or polished chrome. Base ships knocked down.

CREDENZAS ON RIBBON BASE

Available in low seated, standard, and buffet heights. Credenza chassis are made with veneer end panels and fronts which are constructed with 3/4" thick balanced 3-ply panels. Panels are securely fastened together with cam fasteners in conjunction with pressed hardwood biscuits are securely adhered with PVA (white polyvinyl acetate) glue. Credenzas tops are ordered separately. Wood

and laminate tops are 3/4" thick. Back painted glass and solid surface tops are 1/2" thick. Ribbon Base Credenzas include a 3/8" thick x 3" wide powder coat or polished stainless steel foot that runs front to back on unit. The foot raises the credenza 4 3/16" off the floor. All hinged doors include touch latches. All adjustable shelves are standard doors. Each unit is equipped with a minimum of four adjustable glides.

CREDENZAS TO FLOOR

Available in standard and buffet heights. Credenza chassis are made with veneer end panels and fronts which are constructed with 3/4" thick balanced 3-ply panels. Panels are securely fastened together with cam fasteners in conjunction with pressed hardwood biscuits that are securely adhered with PVA (white polyvinyl acetate) glue. Credenza tops are ordered separately. Wood and laminate tops are 3/4" thick. Back painted glass and solid surface tops are 1/2" thick.

- (SP1) Storage Pedestal with Shelf – 1 adjustable shelf. Hinged door front can be left or right handed depending on specified location. Standard height internal dimensions – 21 1/2"D x 22 1/2"W x 26 1/4"H, Buffet height internal dimensions – 21 1/2"D x 22 1/2"W x 32 1/2"H.
- (SP4) Drawer Storage Pedestal – 4 extendable drawers behind a hinged door. Hinged door front can be left or right handed depending on specified location. Box drawers are mounted on soft close suspensions. Box drawer internal dimensions are 14"D x 19 5/16"W x 3 1/4"H.
- (SPU) Utility Pedestal - Includes a vented back panel. May be used for AV Rack, Refrigerator or Trash/Recycle bin (ordered separately). Standard Height Internal Dimensions 21 1/2"D x 22 1/2"W x 26 1/4"H. Buffet Height Internal Dimensions 21 1/2"D x 22 1/2"W x 33 1/4"H.

MEDIA TABLES

Available in wood, laminate, back painted glass, and solid surface tops. Media wall is constructed of 3/4" thick 3-ply veneer panels. Outer panels are mitered in corners and securely fastened together with clamex connectors and solid wood sticks are glued in corners for added strength. Removable wire management panels are connected with keku fasteners. Steel

beam attachment brackets and screws included to attach base to aluminum frame. Bottom is open for managing wires from floor monument to table top. (See base dimension and floor monument locations for additional information.) The face of the media wall includes a 10"H x 12 3/8"W cutout for managing TV cables. TV mount is NOT included. Designed for use with low-profile, fixed TV wall mount brackets - non-articulating. The TV mount is field installed to the face of the media wall. The media wall is 54"W and is for use with 50" flat screen TV's and smaller. Each base assembly includes 2 extruded aluminum triangular beams running along the length. The beams, base, and media wall are assembled prior to installing the table top. This allows the top to be installed last preventing damage to the table top. The beam consists of extruded aluminum 1 1/2"W x 3"H beam, silver or black. Beams are assembled at ends with steel angle brackets and screws. All beams include standard plastic wire managers mounted along the inside face of beams. In freestanding applications, a back painted glass whiteboard with steel backer is attached to back of media wall. See whiteboard specs for additional information. A metal Y base may be substituted in place of miter base. Ships knocked down.

BAR HEIGHT COLLABORATIVE TABLE BASES

Available in wood, laminate, back painted glass, and solid surface tops. Wood and laminate tops are 1 1/2" thick with the edge rabbitted to 1/2" visible thickness over base and 1" concealed into base. Back painted glass and solid surface tops are 1/2" thick with 1" plywood subtop. Miter bases are constructed of 3/4" thick 3-ply veneer panels or painted MDF. Outer panels are mitered in corners and securely fastened together with clamex connectors and solid wood sticks are glued in corners for added strength. Removable wire management panels are connected with keku fasteners. Steel beam attachment brackets and screws included to attach base to aluminum frame. Bottom is open for managing wires from floor monument to table top. (See base dimension and floor monument locations for additional information.)

REFERENCE

Technical specifications

Each base assembly includes 2 extruded aluminum triangular beams running along the length. The beams and bases are assembled prior to installing the table top. This allows the top to be installed last preventing damage to the table top. The beam consists of extruded aluminum 1 1/2"W x 3"H beam, silver or black. Beams are assembled at ends with steel angle brackets and screws. All beams include standard plastic wire managers mounted along the inside face of beams. Ships knocked down.

DRAWERS

All drawers are constructed of four sides and a bottom, which are attached to a drawer front with screws for easy removal. Drawer fronts feature matched veneer within each pedestal set. The drawer side material is 3-ply 12mm vinyl wrapped particleboard and are miterfold construction. The bottom material is a 3-ply substrate consisting of vinyl wrapped high density fiberboard core.

SUSPENSIONS

Suspensions utilize cold rolled steel, zinc plated, high-grade drawer suspensions. Box drawers are full extension, featuring precision steel ball bearings for a smoother, quieter range of motion and are load rated for 120lbs. File drawers are full extension, featuring precision steel ball bearings for increased weight capacity and are load rated for 120 lbs. Lateral file suspensions are load rated for 150lbs. and include an anti-tip mechanism that prevents both drawers from being opened at the same time. All suspensions are soft close and are warranted for the lifetime of the product.

HINGES

Doors with metal pulls include a 105° hinge with an integrated soft-close mechanism. Doors with touch latch utilize a 110° hinge. Hinges are fully adjustable.

LOCKS AND KEYING

Locks are standard on all desks, credenzas, returns, modular pedestals, and storage units. Locks are optional on closets and overhead cabinets. Each pedestal is independently locked. Keying is available either random (factory installed), or omit (field installed). When

“Random Keying” is chosen, the factory will assign key(s) arbitrarily. Factory installed lock cores will be matte silver. When “Omit Lock Core” is chosen, the factory will omit lock cores and locks will be field installed. A keying program must be chosen - Random, Specified, or Sequential – to specify keys. Field installed locks will be available in matte silver, black, pyrite, and matte gold.

FINISH

Natural veneer is subject to nature’s quality control. Each species will exhibit differences in grain pattern and tone. This is to be expected and, in fact, to the beauty and individuality of each product. Flat Cut veneers emphasize the variations of wood by exhibiting cathedrals in the grain pattern. Quarter Cut and Rift Cut veneers are a premium cut that maintains variations in the grain but without cathedral patterns. Stratawood is a natural, FSC®-certified reconstituted veneer that is designed to exhibit a straight-grain pattern, absent of cathedrals or other significant grain and tone variations. Worksurfaces, desktops, and tabletops are protected by one of the world’s most advanced UV cured finish coatings, available in Full Fill ClearTech® or Open Pore low sheen finish, applied by state-of-the-art finishing equipment. Both finishes meet the stringent requirements for VOC emissions and air quality. Cured in a specially designed ultraviolet oven, the finish fuses to the wood, forming a durable shield that provides a high level of scratch, stain, chemical, and heat resistance, plus a high level of clarity. Chassis, storage, overheads, and veneer bases are finished with a 30 sheen, conversion varnish finish. All colors and species are not available on all products. Please refer to front cover of price lists for availability of finishes. For the technical specifications see the Finish System Guide & Technical specifications available at www.gunlocke.com/finishsystem.

CLEANING WOOD FINISH

Dust with damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Do not use furniture polishes containing oil, wax,

or silicone, which can produce an oily film or haze.

CLEANING LAMINATE

Dust with damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Note: Do not use furniture polishes containing oil, wax or silicone, which can produce an oily film or haze.

CLEANING GLASS

Dust with damp cloth. Remove fingerprints or soiling with glass cleaner; use any common glass cleaner on the market. Spray glass cleaner onto the glass and wipe clean using a soft cloth.

CLEANING SOLID SURFACE

Solid surface tops should be cleaned with warm soapy water, or ammonia-based household cleaner. Do not use window cleaner as they can leave a waxy build-up.

TABLE TOPS



Rectangular



Arc Boat



Soft Rectangle



Ellipse




Round




Soft Square

BASES




Expandable
Base




Miter Base



1/2 Taper Base




Geo Base



Metal Y Base




Leg Base



Metal Ribbon
Y Base

BASES FOR SMALL TOPS



Cylinder Base



Full Taper Base




Metal X Base



Metal Post
X Base



Metal Ribbon
X Base




Disc Base




Metal T Base


MEDIA TABLE / MEDIA WALL




Media Table Top




Wood Miter Base
Media Wall



Metal Y Base
Media Wall



Height Adjustable
Media Wall



Wood Miter Base
No Media




Metal Y Base
No Media

BAR HEIGHT COLLABORATION TABLES




Tops




Bases


TRAINING TOPS



Rectangular




Corner




Half Round


TRAINING BASES




Flip Base with Casters
For Rectangular Tops



Fixed Base with Glides
For Rectangular Tops




Flip Base with Casters
For Half Round Tops




Fixed Base with Glides
For Half Round Tops


CRENZAS & ANCILLARY




Credenzas on Ribbon Base
with Wood Doors




Credenzas on Ribbon Base
with Glass Doors



Credenza to Floor




Credenza to Floor
with Glass Doors




Buffet Credenza
with Drawers



Hospitality Cart



Tech Cart




Nested Tables



End Table




Laptop Table




Whiteboards


BREADTH OF LINE



Rectangular



Arc Boat




Soft Rectangle

Primary Use:


Conference room table tops for board rooms, staff conference rooms, and meeting rooms.

Grain Direction:

All wood on Briefing tops run short grain, grain running the depth of top. All laminate tops run long grain, grain running the width of top.



Example:
Grain running depth of top



Example:
Grain running width of top

| seating d x w | capacity | veneer grain direction | laminate grain direction |
|------------------|----------|------------------------------|--------------------------------|
| 36 x 72 | 4 - 6 | depth | width |
| 36 x 84 | 4 - 6 | depth | width |
| 36 x 96 | 6 - 8 | depth | width |
| 42 x 72 | 4 - 6 | depth | width |
| 42 x 84 | 4 - 6 | depth | width |
| 42 x 96 | 6 - 8 | depth | width |
| 42 x 108 | 6 - 8 | depth | width |
| 42 x 120 | 8 - 10 | depth | width |
| 48 x 72 | 4 - 6 | depth | width |
| 48 x 84 | 4 - 6 | depth | width |
| 48 x 96 | 6 - 8 | depth | width |
| 48 x 108 | 6 - 8 | depth | width |
| 48 x 120 | 8 - 10 | depth | width |
| 48 x 144 | 10 - 12 | depth | width |
| 48 x 168 | 12 - 14 | depth | width |
| 48 x 192 | 14 - 16 | depth | width |
| 54 x 120 | 8 - 10 | depth | width |
| 54 x 144 | 10 - 12 | depth | width |
| 54 x 168 | 12 - 14 | depth | width |
| 54 x 192 | 14 - 16 | depth | width |
| 54 x 216 | 16 - 18 | depth | width |
| 54 x 240 | 18 - 20 | depth | width |
| 60 x 120 | 8 - 10 | depth | width |
| 60 x 144 | 10 - 12 | depth | width |
| 60 x 168 | 12 - 14 | depth | width |
| 60 x 192 | 14 - 16 | depth | width |
| 60 x 216 | 16 - 18 | depth | width |
| 60 x 240 | 18 - 20 | depth | width |

TOP SHAPES

Rectangular, soft rectangular, and arc boat tops


RECTANGULAR, SOFT RECTANGULAR, AND ARC BOAT TOPS – WOOD

| | 36 | 42 | 48 | 54 | 60 |
|-----|----|----------------------------------|----------------------------------|----|----|
| 72 | | | | | |
| 84 | | | | | |
| 96 | | | | | |
| 108 | | | | | |
| 120 | | *Option for 1 or 2-piece top | *Option for 1 or 2-piece top | | |
| 144 | | | | | |
| 168 | | | | | |
| 192 | | | | | |
| 216 | | | | | |
| 240 | | | | | |

RECTANGULAR, SOFT RECTANGULAR, AND ARC BOAT TOPS – LAMINATE, GLASS AND SOLID SURFACE

| | 36 | 42 | 48 | 54 | 60 |
|-----|----|----------------------------------|----------------------------------|----|----|
| 72 | | | | | |
| 84 | | | | | |
| 96 | | | | | |
| 108 | | | | | |
| 120 | | *Option for 1 or 2-piece top | *Option for 1 or 2-piece top | | |
| 144 | | | | | |
| 168 | | | | | |
| 192 | | | | | |
| 216 | | | | | |
| 240 | | | | | |

BREADTH OF LINE



Ellipse


| | d x w | seating capacity | veneer grain direction | lamine grain direction |
|---------|----------|------------------|------------------------|------------------------|
| Ellipse | | | | |
| | 36 x 72 | 4 - 6 | depth | width |
| | 42 x 84 | 6 - 8 | depth | width |
| | 48 x 96 | 6 - 8 | depth | width |
| | 48 x 108 | 6 - 8 | depth | width |

Primary Use:


Conference room table tops for video conference, meeting rooms, and staff conference rooms.

Grain Direction:

All wood on Briefing tops run short grain, grain running the depth of top. All laminate tops run long grain, grain running the width of top.



Example:
Grain running depth of top















Example:
Grain running width of top

TOP SHAPES


Ellipse tops

Briefing
03/23


ELLIPSE

| | WOOD | LAMINATE | GLASS/SOLID SURFACE |
|----------|---|---|--|
| 36 X 72 |  |  |  |
| 42 X 84 |  |  |  |
| 48 X 96 |  |  |  |
| 48 X 108 |  |  |  |

BREADTH OF LINE



Round



Soft Square

| d x w | seating capacity | veneer grain direction | laminata grain direction |
|---------|------------------|------------------------|--------------------------|
| 30 x 30 | 2 - 3 | - | - |
| 36 x 36 | 2 - 3 | - | - |
| 42 x 42 | 3 - 4 | - | - |
| 48 x 48 | 4 - 5 | - | - |
| 54 x 54 | 4 - 5 | - | - |
| 60 x 60 | 5 - 6 | - | - |
| 66 x 66 | 5 - 7 | - | - |
| 72 x 72 | 6 - 8 | - | - |
| 78 x 78 | 7 - 9 | - | - |
| 84 x 84 | 8 - 10 | - | - |

Primary Use:

Conference room table tops for video conference, meeting rooms, and staff conference rooms,


TOP SHAPES

Round and soft square tops


ROUND AND SOFT SQUARE

| | WOOD | LAMINATE | GLASS/SOLID SURFACE |
|----|------|----------|---------------------|
| 30 | | | |
| 36 | | | |
| 42 | | | |
| 48 | | | |
| 54 | | | |
| 60 | | | |
| 66 | | | |
| 72 | | | |
| 78 | | | |
| 84 | | | |

BREADTH OF LINE



Collaborative Bar Height




Media Table

Primary Use:


Conference room table tops for video conference, quick touchdown areas, and staff conference rooms.

Grain Direction:

All wood on Briefing tops run short grain, grain running the depth of top. All laminate tops run long grain, grain running the width of top.



Example:
Grain running depth of top



Example:
Grain running width of top

| d x w | seating capacity | veneer grain direction | laminate grain direction |
|---------------------------------|------------------|------------------------|--------------------------|
| Collaborative Bar Height | | | |
| 30 x 72 | 4 - 6 | depth | width |
| 30 x 96 | 6 - 8 | depth | width |
| 30 x 120 | 8 - 10 | depth | width |
| 30 x 144 | 10 - 12 | depth | width |
| 36 x 72 | 4 - 6 | depth | width |
| 36 x 96 | 6 - 8 | depth | width |
| 36 x 120 | 8 - 10 | depth | width |
| 36 x 144 | 10 - 12 | depth | width |
| 42 x 72 | 4 - 6 | depth | width |
| 42 x 96 | 6 - 8 | depth | width |
| 42 x 120 | 8 - 10 | depth | width |
| 42 x 144 | 10 - 12 | depth | width |
| 48 x 72 | 4 - 6 | depth | width |
| 48 x 96 | 6 - 8 | depth | width |
| 48 x 120 | 8 - 10 | depth | width |
| 48 x 144 | 10 - 12 | depth | width |





















Media Tables

| | | | |
|------------|-------|-------|-------|
| 42/48 x 72 | 4 - 6 | depth | width |
| 42/48 x 84 | 4 - 6 | depth | width |
| 42/48 x 96 | 6 - 8 | depth | width |

TOP SHAPES

Collaborative bar height and media table tops

COLLABORATIVE (BAR HEIGHT) – WOOD, LAMINATE, GLASS AND SOLID SURFACE

| | 30 | 36 | 42 | 48 |
|--|---|---|--|---|
| 72 |  |  |  |  |
| 96 |  |  |  |  |
| 120 |  |  |  |  |
| 144 Wood |  |  |  |  |
| 144 Glass Laminate Solid Surface |  |  |  |  |

MEDIA TABLES – WOOD, LAMINATE, GLASS AND SOLID SURFACE






| | 42/48 |
|----|---|
| 72 |  |
| 84 |  |
| 96 |  |

TABLE BASE MATRIX

Briefing offers numerous product options and surface material choices across a wide range of workplace applications. The result is a universal tables platform encompassing everything needed to address customer application, style, material, and budget needs.

| | | | height |
|--|------------------|----------------|-----------------------|
| | | | materials |
| | | | center base |
| | | | center base style |
| | Rectangular Tops | Arc Boat Tops | Soft Rectangular Tops |
|  | GD2TRT3672-W | GD2TAB3672-W | GD2TSRT3672-W |
| | GD2TRT3684-W | GD2TAB3684-W | GD2TSRT3684-W |
| | GD2TRT3696-W | GD2TAB3696-W | GD2TSRT3696-W |
| | GD2TRT4272-W | GD2TAB4272-W | GD2TSRT4272-W |
| | GD2TRT4284-W | GD2TAB4284-W | GD2TSRT4284-W |
| | GD2TRT4296-W | GD2TAB4296-W | GD2TSRT4296-W |
| | GD2TRT42108-W | GD2TAB42108-W | GD2TSRT42108-W |
| | GD2TRT42120-W | GD2TAB42120-W | GD2TSRT42120-W |
| | GD2TRT42120M-W | GD2TAB42120M-W | GD2TSRT42120M-W |
| | GD2TRT4872-W | GD2TAB4872-W | GD2TSRT4872-W |
| | GD2TRT4884-W | GD2TAB4884-W | GD2TSRT4884-W |
| | GD2TRT4896-W | GD2TAB4896-W | GD2TSRT4896-W |
| | GD2TRT48108-W | GD2TAB48108-W | GD2TSRT48108-W |
| | GD2TRT48120-W | GD2TAB48120-W | GD2TSRT48120-W |
| | GD2TRT48120M-W | GD2TAB48120M-W | GD2TSRT48120M-W |
| | GD2TRT48144-W | GD2TAB48144-W | |
| | GD2TRT48168-W | GD2TAB48168-W | |
| | GD2TRT48192-W | GD2TAB48192-W | |
| | GD2TRT54120-W | GD2TAB54120-W | |
| | GD2TRT54144-W | GD2TAB54144-W | |
| | GD2TRT54168-W | GD2TAB54168-W | |
| | GD2TRT54192-W | GD2TAB54192-W | |
| | GD2TRT54216-W | GD2TAB54216-W | |
| | GD2TRT54240-W | GD2TAB54240-W | |
| | GD2TRT60120-W | GD2TAB60120-W | |
| | GD2TRT60144-W | GD2TAB60144-W | |
| | GD2TRT60168-W | GD2TAB60168-W | |
| | GD2TRT60192-W | GD2TAB60192-W | |
| GD2TRT60216-W | GD2TAB60216-W | | |
| GD2TRT60240-W | GD2TAB60240-W | | |


| | Ellipse Tops |
|--|---------------|
|  | GD2TEL3672-W |
| | GD2TEL4284-W |
| | GD2TEL4896-W |
| | GD2TEL48108-W |


| WOOD BASES | | | | |
|---|---|---|--|---|
|  |  |  |  |  |
| standard height | standard height | BAR height | standard height | standard height |
| wood, lam | wood | wood | wood | wood |
| starting at 168 | starting at 168 | starting at 168 | starting at 168 | starting at 168 |
| matching | matching | n/a | matching | matching |
| Expandable Base | Miter Base | Miter Base | 1/2 Taper Base | Geo Base |
| GD2EXBS72-CW | GD2MBS72-CW | GD2MBT72-CW | n/a | n/a |
| GD2EXBS84-CW | GD2MBS84-CW | GD2MBT84-CW | n/a | n/a |
| GD2EXBS96-CW | GD2MBS96-CW | GD2MBT96-CW | n/a | n/a |
| GD2EXBS72-AW | GD2MBS72-AW | GD2MBT72-AW | n/a | n/a |
| GD2EXBS84-AW | GD2MBS84-AW | GD2MBT84-AW | n/a | n/a |
| GD2EXBS96-AW | GD2MBS96-AW | GD2MBT96-AW | GD2TBS96-AW | GD2GBS96-AW |
| GD2EXBS108-AW | GD2MBS108-AW | GD2MBT108-AW | GD2TBS108-AW | GD2GBS108-AW |
| GD2EXBS120-AW | GD2MBS120-AW | GD2MBT120-AW | GD2TBS120-AW | GD2GBS120-AW |
| GD2EXBS120-AW | GD2MBS120-AW | GD2MBT120-AW | GD2TBS120-AW | GD2GBS120-AW |
| GD2EXBS72-AW | GD2MBS72-AW | GD2MBT72-AW | n/a | n/a |
| GD2EXBS84-AW | GD2MBS84-AW | GD2MBT84-AW | n/a | n/a |
| GD2EXBS96-AW | GD2MBS96-AW | GD2MBT96-AW | GD2TBS96-AW | GD2GBS96-AW |
| GD2EXBS108-AW | GD2MBS108-AW | GD2MBT108-AW | GD2TBS108-AW | GD2GBS108-AW |
| GD2EXBS120-AW | GD2MBS120-AW | GD2MBT120-AW | GD2TBS120-AW | GD2GBS120-AW |
| GD2EXBS120-AW | GD2MBS120-AW | GD2MBT120-AW | GD2TBS120-AW | GD2GBS120-AW |
| GD2EXBS144-AW | GD2MBS144-AW | n/a | GD2TBS144-AW | GD2GBS144-AW |
| GD2EXBS168-AW | GD2MBS168-AW | n/a | GD2TBS168-AW | GD2GBS168-AW |
| GD2EXBS192-AW | GD2MBS192-AW | n/a | GD2TBS192-AW | GD2GBS192-AW |
| GD2EXBS120-BW | GD2MBS120-BW | n/a | n/a | GD2GBS120-BW |
| GD2EXBS144-BW | GD2MBS144-BW | n/a | n/a | GD2GBS144-BW |
| GD2EXBS168-BW | GD2MBS168-BW | n/a | n/a | GD2GBS168-BW |
| GD2EXBS192-BW | GD2MBS192-BW | n/a | n/a | GD2GBS192-BW |
| GD2EXBS216-BW | GD2MBS216-BW | n/a | n/a | GD2GBS216-BW |
| GD2EXBS240-BW | GD2MBS240-BW | n/a | n/a | GD2GBS240-BW |
| GD2EXBS120-BW | GD2MBS120-BW | n/a | GD2TBS120-BW | GD2GBS120-BW |
| GD2EXBS144-BW | GD2MBS144-BW | n/a | GD2TBS144-BW | GD2GBS144-BW |
| GD2EXBS168-BW | GD2MBS168-BW | n/a | GD2TBS168-BW | GD2GBS168-BW |
| GD2EXBS192-BW | GD2MBS192-BW | n/a | GD2TBS192-BW | GD2GBS192-BW |
| GD2EXBS216-BW | GD2MBS216-BW | n/a | GD2TBS216-BW | GD2GBS216-BW |
| GD2EXBS240-BW | GD2MBS240-BW | n/a | GD2TBS240-BW | GD2GBS240-BW |





| Expandable Base | Miter Base | Miter Base | 1/2 Taper Base | Geo Base |
|-----------------|--------------|--------------|----------------|--------------|
| GD2EXBS72-CW | GD2MBS72-CW | GD2MBT72-CW | n/a | n/a |
| GD2EXBS84-AW | GD2MBS84-AW | GD2MBT84-AW | n/a | n/a |
| GD2EXBS96-AW | GD2MBS96-AW | GD2MBT96-AW | n/a | GD2GBS96-AW |
| GD2EXBS108-AW | GD2MBS108-AW | GD2MBT108-AW | n/a | GD2GBS108-AW |

TABLE BASE MATRIX

Briefing offers numerous product options and surface material choices across a wide range of workplace applications. The result is a universal tables platform encompassing everything needed to address customer application, style, material, and budget needs.

| | | | height |
|--|------------------|----------------|-----------------------|
| | | | materials |
| | | | center base |
| | | | center base style |
| | Rectangular Tops | Arc Boat Tops | Soft Rectangular Tops |
|  | GD2TRT3672-W | GD2TAB3672-W | GD2TSRT3672-W |
| | GD2TRT3684-W | GD2TAB3684-W | GD2TSRT3684-W |
| | GD2TRT3696-W | GD2TAB3696-W | GD2TSRT3696-W |
| | GD2TRT4272-W | GD2TAB4272-W | GD2TSRT4272-W |
| | GD2TRT4284-W | GD2TAB4284-W | GD2TSRT4284-W |
| | GD2TRT4296-W | GD2TAB4296-W | GD2TSRT4296-W |
| | GD2TRT42108-W | GD2TAB42108-W | GD2TSRT42108-W |
| | GD2TRT42120-W | GD2TAB42120-W | GD2TSRT42120-W |
| | GD2TRT42120M-W | GD2TAB42120M-W | GD2TSRT42120M-W |
| | GD2TRT4872-W | GD2TAB4872-W | GD2TSRT4872-W |
| | GD2TRT4884-W | GD2TAB4884-W | GD2TSRT4884-W |
| | GD2TRT4896-W | GD2TAB4896-W | GD2TSRT4896-W |
| | GD2TRT48108-W | GD2TAB48108-W | GD2TSRT48108-W |
| | GD2TRT48120-W | GD2TAB48120-W | GD2TSRT48120-W |
| | GD2TRT48120M-W | GD2TAB48120M-W | GD2TSRT48120M-W |
| | GD2TRT48144-W | GD2TAB48144-W | |
| | GD2TRT48168-W | GD2TAB48168-W | |
| | GD2TRT48192-W | GD2TAB48192-W | |
| | GD2TRT54120-W | GD2TAB54120-W | |
| | GD2TRT54144-W | GD2TAB54144-W | |
| | GD2TRT54168-W | GD2TAB54168-W | |
| | GD2TRT54192-W | GD2TAB54192-W | |
| | GD2TRT54216-W | GD2TAB54216-W | |
| | GD2TRT54240-W | GD2TAB54240-W | |
| | GD2TRT60120-W | GD2TAB60120-W | |
| | GD2TRT60144-W | GD2TAB60144-W | |
| | GD2TRT60168-W | GD2TAB60168-W | |
| | GD2TRT60192-W | GD2TAB60192-W | |
| | GD2TRT60216-W | GD2TAB60216-W | |
| | GD2TRT60240-W | GD2TAB60240-W | |

| | Ellipse Tops |
|--|---------------|
|  | GD2TEL3672-W |
| | GD2TEL4284-W |
| | GD2TEL4896-W |
| | GD2TEL48108-W |


| METAL BASES | | | |
|---|---|--|---|
|  |  |  |  |
| standard height | BAR height | standard height | standard height |
| Metal | Metal | Metal | Metal |
| starting at 144 | n/a | starting at 144 | n/a |
| matching | n/a | panel | n/a |
| Metal Y Base | Metal Y Base | Leg Base | Ribbon Base |
| GG2YBS72-A + optional beam | GG2YBT72-A + optional beam | GD2LBS72-A | GD2HBS72-C |
| GG2YBS84-A + optional beam | GG2YBT84-A + optional beam | GD2LBS84-A | GD2HBS84-C |
| GG2YBS96-A + optional beam | GG2YBT96-A + optional beam | GD2LBS96-A | GD2HBS96-C |
| GG2YBS72-A + optional beam | GG2YBT72-A + optional beam | GD2LBS72-A | GD2HBS72-A |
| GG2YBS84-A + optional beam | GG2YBT84-A + optional beam | GD2LBS84-A | GD2HBS84-A |
| GG2YBS96-A + optional beam | GG2YBT96-A + optional beam | GD2LBS96-A | GD2HBS96-A |
| GG2YBS108-A + beam required | n/a | GD2LBS108-A | GD2HBS108-A |
| GG2YBS120-A + beam required | n/a | GD2LBS120-A | GD2HBS120-A |
| GG2YBS120-A + beam required | n/a | GD2LBS120-A | GD2HBS120-A |
| GG2YBS72-A + optional beam | GG2YBT72-A + optional beam | GD2LBS72-A | GD2HBS72-A |
| GG2YBS84-A + optional beam | GG2YBT84-A + optional beam | GD2LBS84-A | GD2HBS84-A |
| GG2YBS96-A + optional beam | GG2YBT96-A + optional beam | GD2LBS96-A | GD2HBS96-A |
| GG2YBS108-A + beam required | n/a | GD2LBS108-A | GD2HBS108-A |
| GG2YBS120-A + beam required | n/a | GD2LBS120-A | GD2HBS120-A |
| GG2YBS120-A + beam required | n/a | GD2LBS120-A | GD2HBS120-A |
| GG2YBS144-A + beam required | n/a | GD2LBS144-AW | n/a |
| GG2YBS168-A + beam required | n/a | GD2LBS168-AW | n/a |
| GG2YBS192-A + beam required | n/a | GD2LBS192-AW | n/a |
| n/a | n/a | GD2LBS120-B | n/a |
| n/a | n/a | GD2LBS144-BW | n/a |
| n/a | n/a | GD2LBS168-BW | n/a |
| n/a | n/a | GD2LBS192-BW | n/a |
| n/a | n/a | GD2LBS216-BW | n/a |
| n/a | n/a | GD2LBS240-BW | n/a |
| n/a | n/a | GD2LBS120-B | n/a |
| n/a | n/a | GD2LBS144-BW | n/a |
| n/a | n/a | GD2LBS168-BW | n/a |
| n/a | n/a | GD2LBS192-BW | n/a |
| n/a | n/a | GD2LBS216-BW | n/a |
| n/a | n/a | GD2LBS240-BW | n/a |


| Expandable Base | Miter Base | Miter Base | 1/2 Taper Base |
|------------------------------|------------------------------|-------------|----------------|
| n/a | n/a | GD2LBS72-A | GD2HBS72-C |
| GG2YBS72-A** + optional beam | GG2YBT72-A** + optional beam | GD2LBS84-A | GD2HBS84-A |
| GG2YBS84-A** + optional beam | GG2YBT84-A** + optional beam | GD2LBS96-A | GD2HBS96-A |
| GG2YBS96-A** + beam req'd | GG2YBT96-A** + beam req'd | GD2LBS108-A | GD2HBS108-A |




**down one size vs rectangular
Gunlocke

TABLE BASE MATRIX

Briefing offers numerous product options and surface material choices across a wide range of workplace applications. The result is a universal tables platform encompassing everything needed to address customer application, style, material, and budget needs.

| | |
|---|-------------------|
| | height |
| | materials |
| | Round Tops |
|  | GD2TRD30-W |
| | GD2TRD36-W |
| | GD2TRD42-W |
| | GD2TRD48-W |
| | GD2TRD54-W |
| | GD2TRD60-W |
| | GD2TRD66-W |
| | GD2TRD72-W |
| | GD2TRD78-W |
| | GD2TRD84-W |


| | |
|---|-------------------------|
| | Soft Square Tops |
|  | GD2TSSQ30-W |
| | GD2TSSQ36-W |
| | GD2TSSQ42-W |
| | GD2TSSQ48-W |
| | GD2TSSQ54-W |
| | GD2TSSQ60-W |
| | GD2TSSQ66-W |
| | GD2TSSQ72-W |
| | GD2TSSQ78-W |
| | GD2TSSQ84-W |


| WOOD BASES | | |
|---|---|---|
|  |  |  |
| standard height | loung height | standard height |
| wood, lam | wood | wood |
| Cylinder Base | Full Taper Base | Full Taper Base |
| n/a | n/a | n/a |
| GG2BSWCYL18-W | n/a | n/a |
| GG2BSWCYL18-W | GD2TBL-AW | GD2TBS-AW |
| GG2BSWCYL18-W | GD2TBL-AW | GD2TBS-AW |
| GG2BSWCYL24-W | GD2TBL-BW | GD2TBS-BW |
| GG2BSWCYL24-W | GD2TBL-BW | GD2TBS-BW |
| GG2BSWCYL36-W | n/a | GD2TBS-DW |
| GG2BSWCYL36-W | n/a | GD2TBS-DW |
| GG2BSWCYL48-W | n/a | GD2TBS-EW |
| GG2BSWCYL48-W | n/a | GD2TBS-EW |









| Cylinder Base | Full Taper Base | Full Taper Base |
|---------------|-----------------|-----------------|
| n/a | n/a | n/a |
| GG2BSWCYL18-W | n/a | n/a |
| GG2BSWCYL24-W | GD2TBL-BW | GD2TBS-BW |
| GG2BSWCYL24-W | GD2TBL-BW | GD2TBS-BW |
| GG2BSWCYL36-W | n/a | GD2TBS-DW |
| GG2BSWCYL36-W | n/a | GD2TBS-DW |
| GG2BSWCYL48-W | n/a | GD2TBS-EW |
| GG2BSWCYL48-W | n/a | GD2TBS-EW |
| n/a | n/a | n/a |
| n/a | n/a | n/a |

TABLE BASE MATRIX

Briefing offers numerous product options and surface material choices across a wide range of workplace applications. The result is a universal tables platform encompassing everything needed to address customer application, style, material, and budget needs.

| | |
|---|-------------------|
| | height |
| | materials |
| | Round Tops |
|  | GD2TRD30-W |
| | GD2TRD36-W |
| | GD2TRD42-W |
| | GD2TRD48-W |
| | GD2TRD54-W |
| | GD2TRD60-W |
| | GD2TRD66-W |
| | GD2TRD72-W |
| | GD2TRD78-W |
| | GD2TRD84-W |


| | |
|---|-------------------------|
| | Soft Square Tops |
|  | GD2TSSQ30-W |
| | GD2TSSQ36-W |
| | GD2TSSQ42-W |
| | GD2TSSQ48-W |
| | GD2TSSQ54-W |
| | GD2TSSQ60-W |
| | GD2TSSQ66-W |
| | GD2TSSQ72-W |
| | GD2TSSQ78-W |
| | GD2TSSQ84-W |

| METAL BASES | | | | | | | |
|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |
| lounge height | standard height | BAR height | lounge height | standard height | standard height | BAR height | standard height |
| metal | metal | metal | metal | metal | metal | metal | metal |
| Metal X Base | Metal X Base | Metal X Base | Ribbon X Base | Ribbon X Base | Disc Base | Disc Base | Leg Base |
| GG2XBL26-LD | GG2XBS26-LD | GG2XBT26-LD | n/a | n/a | GG2MDISC18-LD | n/a | GD2LBS-LEG qty 4 |
| GG2XBL26-LD | GG2XBS26-LD | GG2XBT26-LD | GD2HBL-C | GD2HBS-C | GG2MDISC18-LD | GG2MDISC24B-LD | GD2LBS-LEG qty 4 |
| GG2XBL33-LD | GG2XBS33-LD | GG2XBT33-LD | GD2HBL-A | GD2HBS-A | GG2MDISC24-LD | GG2MDISC24B-LD | GD2LBS-LEG qty 4 |
| GG2XBL38-LD | GG2XBS38-LD | GG2XBT38-LD | GD2HBL-A | GD2HBS-A | GG2MDISC24-LD | n/a | GD2LBS-LEG qty 4 |
| GG2XBL38-LD | GG2XBS38-LD | GG2XBT38-LD | GD2HBL-B | GD2HBS-B | n/a | n/a | GD2LBS-LEG qty 4 |
| n/a | GG2XBS38-4LD | n/a | GD2HBL-B | GD2HBS-B | n/a | n/a | GD2LBS-LEG qty 4 + stiffener |
| n/a | GG2XBS46-4LD | n/a | n/a | GD2HBS-D | n/a | n/a | GD2LBS-LEG qty 4 + stiffener |
| n/a | GG2XBS46-4LD | n/a | n/a | GD2HBS-D | n/a | n/a | GD2LBS-LEG qty 4 + stiffener |
| n/a | GG2XBS58-4LD | n/a | n/a | GD2HBS-E | n/a | n/a | GD2LBS-LEG qty 4 + stiffener |
| n/a | GG2XBS58-4LD | n/a | n/a | GD2HBS-E | n/a | n/a | GD2LBS-LEG qty 4 + stiffener |

| Metal X Base | Metal X Base | Metal X Base | Ribbon X Base | Ribbon X Base | Disc Base | Disc Base | Leg Base |
|--------------|--------------|--------------|---------------|---------------|---------------|----------------|------------------------------|
| GG2XBL33-LD | GG2XBS33-LD | GG2XBT33-LD | n/a | n/a | GG2MDISC24-LD | GG2MDISC24B-LD | GD2LBS-LEG qty 4 |
| GG2XBL38-LD | GG2XBS38-LD | GG2XBT38-LD | GD2HBL-A | GD2HBS-A | GG2MDISC24-LD | n/a | GD2LBS-LEG qty 4 |
| GG2XBL38-LD | GG2XBS38-LD | GG2XBT38-LD | GD2HBL-B | GD2HBS-B | n/a | n/a | GD2LBS-LEG qty 4 |
| n/a | GG2XBS38-4LD | n/a | GD2HBL-B | GD2HBS-B | n/a | n/a | GD2LBS-LEG qty 4 |
| n/a | GG2XBS46-4LD | n/a | n/a | GD2HBS-D | n/a | n/a | GD2LBS-LEG qty 4 + stiffener |
| n/a | GG2XBS46-4LD | n/a | n/a | GD2HBS-D | n/a | n/a | GD2LBS-LEG qty 4 + stiffener |
| n/a | GG2XBS58-4LD | n/a | n/a | GD2HBS-E | n/a | n/a | GD2LBS-LEG qty 4 + stiffener |
| n/a | GG2XBS58-4LD | n/a | n/a | GD2HBS-E | n/a | n/a | GD2LBS-LEG qty 4 + stiffener |
| n/a | n/a | n/a | n/a | n/a | n/a | n/a | GD2LBS-LEG qty 4 + stiffener |
| n/a | n/a | n/a | n/a | n/a | n/a | n/a | GD2LBS-LEG qty 4 + stiffener |

FLOOR MONUMENT LOCATION


Metal Y Base



| d x w | center of base A | center of base B | center of base C |
|-------|------------------|------------------|------------------|
|-------|------------------|------------------|------------------|

Rectangular, Arc Boat, and Soft Rectangular Tops

| | | | |
|----------|--------|----|---------|
| 36 x 72 | 14 7/8 | - | 57 1/8 |
| 36 x 84 | 15 7/8 | - | 68 1/8 |
| 36 x 96 | 17 7/8 | - | 78 1/8 |
| 42 x 72 | 14 7/8 | - | 57 1/8 |
| 42 x 84 | 15 7/8 | - | 68 1/8 |
| 42 x 96 | 17 7/8 | - | 78 1/8 |
| 42 x 108 | 17 7/8 | - | 90 1/8 |
| 42 x 120 | 17 7/8 | - | 102 1/8 |
| 42 x 144 | 19 3/4 | 72 | 124 1/4 |
| 42 x 168 | 17 3/4 | 84 | 150 1/4 |
| 42 x 192 | 17 3/4 | 96 | 174 1/4 |
| 48 x 72 | 14 7/8 | - | 57 1/8 |
| 48 x 84 | 15 7/8 | - | 68 1/8 |
| 48 x 96 | 17 7/8 | - | 78 1/8 |
| 48 x 108 | 17 7/8 | - | 90 1/8 |
| 48 x 120 | 17 7/8 | - | 102 1/8 |
| 48 x 144 | 19 3/4 | 72 | 124 1/4 |
| 48 x 168 | 17 3/4 | 84 | 150 1/4 |
| 48 x 192 | 17 3/4 | 96 | 174 1/4 |



| d x w | center of base A | center of base B |
|-------|------------------|------------------|
|-------|------------------|------------------|

Ellipse Tops – No miter beam assembly

| | | |
|----------|--------|--------|
| 36 x 72 | 14 7/8 | 57 1/8 |
| 42 x 84 | 15 7/8 | 60 1/8 |
| 48 x 96 | 17 7/8 | 78 1/8 |
| 48 x 108 | 23 7/8 | 84 1/8 |

Ellipse Tops – With miter beam assembly



| | | |
|----------|--------|--------|
| 42 x 84 | 20 7/8 | 63 1/8 |
| 48 x 96 | 21 7/8 | 74 1/8 |
| 48 x 108 | 23 7/8 | 84 1/8 |

TECHNOLOGY LOCATIONS ON BASE

Metal Y Base Wire Management



Wire Management (WY) option available in vertical columns. When specified, a grommet access hole will be included below top plate and above horizontal stretcher.

- Grommet hole diameter is 1 1/4 in.
- Tube inner diameter is ~2 in.



FLOOR MONUMENT LOCATION

Ribbon Y Base



| d x w | center of base A | center of base B |
|---|------------------|------------------|
| Rectangular, Arc Boat, and Soft Rectangular Tops | | |
| 36 x 72 | 26 1/2 | 45 1/2 |
| 36 x 84 | 26 1/2 | 57 1/2 |
| 36 x 96 | 26 1/2 | 69 1/2 |
| 42 x 72 | 28 3/8 | 46 5/8 |
| 42 x 84 | 28 3/8 | 55 5/8 |
| 42 x 96 | 28 3/8 | 67 5/8 |
| 42 x 108 | 28 3/8 | 79 5/8 |
| 42 x 120 | 28 3/8 | 91 5/8 |
| 48 x 72 | 28 3/8 | 46 5/8 |
| 48 x 84 | 28 3/8 | 55 5/8 |
| 48 x 96 | 28 3/8 | 67 5/8 |
| 48 x 108 | 28 3/8 | 79 5/8 |
| 48 x 120 | 28 3/8 | 91 5/8 |


Ellipse Tops

| d x w | center of base A | center of base B |
|----------|------------------|------------------|
| 36 x 72 | 26 1/2 | 45 1/2 |
| 42 x 84 | 26 1/2 | 57 1/2 |
| 48 x 96 | 28 3/8 | 67 5/8 |
| 48 x 108 | 28 3/8 | 79 5/8 |

TECHNOLOGY LOCATIONS ON BASE

Ribbon Y Base Wire Management

An add-on Wire Management Accessory is available. Accessory is self-adhesive and can be mounted on any of the vertical members.




REFERENCE


Floor monument and technology locations on base

FLOOR MONUMENT LOCATION

1/2 Taper Base



| d x w | center of base A | center of base B | center of base C |
|---|------------------|------------------|------------------|
| Rectangular, Arc Boat, and Soft Rectangular Tops | | | |
| 42 x 96 | 22 1/2 | - | 73 1/2 |
| 42 x 108 | 22 1/2 | - | 85 1/2 |
| 42 x 120 | 22 1/2 | - | 97 1/2 |
| 48 x 96 | 22 1/2 | - | 73 1/2 |
| 48 x 108 | 22 1/2 | - | 85 1/2 |
| 48 x 120 | 22 1/2 | - | 97 1/2 |
| 48 x 144 | 22 1/2 | 72 | 121 1/2 |
| 48 x 168 | 21 7/8 | 84 | 146 1/8 |
| 48 x 192 | 21 7/8 | 96 | 170 1/8 |
| 54 x 120 | 21 1/2 | - | 98 1/2 |
| 54 x 144 | 21 1/2 | - | 122 1/2 |
| 54 x 168 | 21 1/2 | 84 | 146 1/2 |
| 54 x 192 | 21 1/2 | 96 | 170 1/2 |
| 54 x 216 | 24 1/4 | 108 | 191 1/2 |
| 54 x 240 | 24 1/4 | 120 | 216 |
| 60 x 120 | 21 1/2 | - | 98 1/2 |
| 60 x 144 | 21 1/2 | - | 122 1/2 |
| 60 x 168 | 21 1/2 | 84 | 146 1/2 |
| 60 x 192 | 21 1/2 | 96 | 170 1/2 |
| 60 x 216 | 24 1/4 | 108 | 191 1/2 |
| 60 x 240 | 24 1/4 | 120 | 216 |





| d x w | center of base A | center of base B |
|---------------------|------------------|------------------|
| Ellipse Tops | | |
| 48 x 96 | 22 1/2 | 73 1/2 |
| 48 x 108 | 22 1/2 | 85 1/2 |

TECHNOLOGY LOCATIONS ON BASE

Center Base Wire Management



- Door can be removed to access wire management.



■ = Shaded area represents wire management location in base.


End Base Wire Management

- Door can be removed to access wire management.




FLOOR MONUMENT LOCATION

Miter Base



| d x w | center of base A | center of base B | center of base C |
|--|------------------|------------------|------------------|
| Rectangular, Arc Boat, and Soft Rectangular Tops | | | |
| 36 x 72 | 21 1/8 | - | 50 7/8 |
| 36 x 84 | 21 1/8 | - | 62 7/8 |
| 36 x 96 | 21 1/8 | - | 74 7/8 |
| 42 x 72 | 21 1/8 | - | 50 7/8 |
| 42 x 84 | 21 1/8 | - | 62 7/8 |
| 42 x 96 | 21 1/8 | - | 74 7/8 |
| 42 x 108 | 21 1/8 | - | 86 7/8 |
| 42 x 120 | 21 1/8 | - | 98 7/8 |
| 48 x 72 | 21 1/8 | - | 50 7/8 |
| 48 x 84 | 21 1/8 | - | 62 7/8 |
| 48 x 96 | 21 1/8 | - | 74 7/8 |
| 48 x 108 | 21 1/8 | - | 86 7/8 |
| 48 x 120 | 21 1/8 | - | 98 7/8 |
| 48 x 144 | 21 1/8 | - | 122 7/8 |
| 48 x 168 | 19 5/8 | 84 | 149 3/8 |
| 48 x 192 | 21 1/8 | 96 | 170 7/8 |
| 54 x 120 | 21 1/8 | - | 98 7/8 |
| 54 x 144 | 21 1/8 | - | 122 7/8 |
| 54 x 168 | 19 5/8 | 84 | 149 3/8 |
| 54 x 192 | 21 1/8 | 96 | 170 7/8 |
| 54 x 216 | 21 1/4 | 108 | 194 3/4 |
| 54 x 240 | 21 1/4 | 120 | 220 |
| 60 x 120 | 21 1/8 | - | 98 7/8 |
| 60 x 144 | 21 1/8 | - | 122 7/8 |
| 60 x 168 | 19 5/8 | 84 | 149 3/8 |
| 60 x 192 | 21 1/8 | 96 | 171 3/8 |
| 60 x 216 | 21 1/4 | 108 | 194 3/4 |
| 60 x 240 | 21 1/4 | 120 | 220 |




Ellipse Tops

| d x w | center of base A | center of base B |
|----------|------------------|------------------|
| 36 x 72 | 21 1/8 | 50 7/8 |
| 42 x 84 | 21 1/8 | 62 7/8 |
| 48 x 96 | 21 1/8 | 74 7/8 |
| 48 x 108 | 21 1/8 | 98 7/8 |

TECHNOLOGY LOCATIONS ON BASE


Center Base Wire Management

• Door can be removed to access wire management.



End Base Wire Management



• Door can be removed to access wire management.



■ = Shaded area represents wire management location in base.

FLOOR MONUMENT LOCATION

Expandable Base



| d x w | center of base A | center of base B | center of base C |
|---|------------------|------------------|------------------|
| Rectangular, Arc Boat, and Soft Rectangular Tops | | | |
| 36 x 72 | 22 1/4 | - | 49 3/4 |
| 36 x 84 | 22 1/4 | - | 61 3/4 |
| 36 x 96 | 22 1/4 | - | 73 3/4 |
| 42 x 72 | 22 1/4 | - | 49 3/4 |
| 42 x 84 | 22 1/4 | - | 61 3/4 |
| 42 x 96 | 22 1/4 | - | 73 3/4 |
| 42 x 108 | 22 1/4 | - | 85 3/4 |
| 42 x 120 | 22 1/4 | - | 97 3/4 |
| 48 x 72 | 22 1/4 | - | 49 3/4 |
| 48 x 84 | 22 1/4 | - | 61 3/4 |
| 48 x 96 | 22 1/4 | - | 73 3/4 |
| 48 x 108 | 22 1/4 | - | 85 3/4 |
| 48 x 120 | 22 1/4 | - | 97 3/4 |
| 48 x 144 | 22 1/4 | - | 121 3/4 |
| 48 x 168 | 22 1/4 | 84 | 145 3/4 |
| 48 x 192 | 22 1/4 | 96 | 169 3/4 |
| 54 x 120 | 22 1/4 | - | 97 3/4 |
| 54 x 144 | 22 1/4 | - | 121 3/4 |
| 54 x 168 | 22 1/4 | 84 | 145 3/4 |
| 54 x 192 | 22 1/4 | 96 | 169 3/4 |
| 54 x 216 | 22 1/4 | 108 | 193 3/4 |
| 54 x 240 | 22 1/4 | 120 | 217 3/4 |
| 60 x 120 | 22 1/4 | - | 97 3/4 |
| 60 x 144 | 22 1/4 | - | 121 3/4 |
| 60 x 168 | 22 1/4 | 84 | 145 3/4 |
| 60 x 192 | 22 1/4 | 96 | 169 3/4 |
| 60 x 216 | 22 1/4 | 108 | 193 3/4 |
| 60 x 240 | 22 1/4 | 120 | 217 3/4 |


Ellipse Tops

| d x w | center of base A | center of base B |
|----------|------------------|------------------|
| 36 x 72 | 22 1/4 | 49 3/4 |
| 42 x 84 | 22 1/4 | 61 3/4 |
| 48 x 96 | 22 1/4 | 73 3/4 |
| 48 x 108 | 22 1/4 | 85 3/4 |

TECHNOLOGY LOCATIONS ON BASE


Center Base Wire Management

• Door can be removed to access wire management.





End Base Wire Management

• Door can be removed to access wire management.



FLOOR MONUMENT LOCATION

Geo Base




| d x w | center of base A | center of base B | center of base C |
|---|------------------|------------------|------------------|
| Rectangular, Arc Boat, and Soft Rectangular Tops | | | |
| 36 x 96 | 18 3/4 | - | 78 |
| 42 x 96 | 18 3/4 | - | 78 |
| 42 x 108 | 19 | - | 89 1/4 |
| 42 x 120 | 19 | - | 101 1/4 |
| 48 x 96 | 18 3/4 | - | 78 |
| 48 x 108 | 19 | - | 89 1/4 |
| 48 x 120 | 19 | - | 101 1/4 |
| 48 x 144 | 19 | - | 124 1/2 |
| 48 x 168 | 20 1/4 | 84 | 148 1/4 |
| 48 x 192 | 20 1/4 | 96 | 171 3/4 |
| 54 x 120 | 20 1/4 | - | 99 3/4 |
| 54 x 144 | 20 1/4 | - | 124 1/4 |
| 54 x 168 | 20 1/4 | 84 | 148 1/4 |
| 54 x 192 | 20 1/4 | 96 | 171 3/4 |
| 54 x 240 | 21 1/4 | 120 | 219 1/4 |
| 60 x 120 | 20 1/4 | - | 99 3/4 |
| 60 x 144 | 20 1/4 | - | 124 1/4 |
| 60 x 168 | 20 1/4 | 84 | 148 1/4 |
| 60 x 192 | 20 1/4 | 96 | 171 3/4 |
| 60 x 240 | 20 1/4 | 120 | 219 1/4 |

| d x w | center of base A | center of base B |
|---------------------|------------------|------------------|
| Ellipse Tops | | |
| 48 x 96 | 18 3/4 | 78 |
| 48 x 108 | 19 | 89 1/4 |


TECHNOLOGY LOCATIONS ON BASE

Center Base Wire Management

- Door can be removed to access wire management.



End Base Wire Management



Gunlocke


■ = Shaded area represents wire management location in base.

REFERENCE


Floor monument and technology locations on base

FLOOR MONUMENT LOCATION

Leg Base



| d x w | center of base A | center of base B | center of base C |
|---|------------------|------------------|------------------|
| Rectangular, Arc Boat, and Soft Rectangular Tops | | | |
| 36 x 72 | 19 1/2 | - | 52 1/2 |
| 36 x 84 | 19 1/2 | - | 64 1/2 |
| 36 x 96 | 19 1/2 | - | 76 1/2 |
| 42 x 72 | 19 1/2 | - | 52 1/2 |
| 42 x 84 | 19 1/2 | - | 64 1/2 |
| 42 x 96 | 19 1/2 | - | 76 1/2 |
| 42 x 108 | 19 1/2 | - | 88 1/2 |
| 42 x 120 | 19 1/2 | - | 172 1/2 |
| 48 x 72 | 19 1/2 | - | 52 1/2 |
| 48 x 84 | 19 1/2 | - | 64 1/2 |
| 48 x 96 | 19 1/2 | - | 76 1/2 |
| 48 x 108 | 19 1/2 | - | 88 1/2 |
| 48 x 120 | 19 1/2 | - | 100 1/2 |
| 48 x 144 | 19 1/2 | 72 | 125 3/4 |
| 48 x 168 | 19 1/2 | 84 | 148 1/2 |
| 48 x 192 | 19 1/2 | 96 | 172 1/2 |
| 54 x 120 | 19 1/2 | - | 100 1/2 |
| 54 x 144 | 19 1/2 | 72 | 125 3/4 |
| 54 x 168 | 19 1/2 | 84 | 148 1/2 |
| 54 x 192 | 19 1/2 | 96 | 172 1/2 |
| 54 x 216 | 19 1/2 | 108 | 196 1/2 |
| 54 x 240 | 19 1/2 | 120 | 220 1/2 |
| 60 x 120 | 19 1/2 | - | 100 1/2 |
| 60 x 144 | 19 1/2 | 72 | 125 3/4 |
| 60 x 168 | 19 1/2 | 84 | 148 1/2 |
| 60 x 192 | 19 1/2 | 96 | 172 1/2 |
| 60 x 216 | 19 1/2 | 108 | 196 1/2 |
| 60 x 240 | 19 1/2 | 120 | 220 1/2 |




| d x w | center of base A | center of base B |
|---------------------|------------------|------------------|
| Ellipse Tops | | |
| 36 x 72 | 19 1/2 | 52 1/2 |
| 42 x 84 | 19 1/2 | 64 1/2 |
| 48 x 96 | 19 1/2 | 76 1/2 |
| 48 x 108 | 19 1/2 | 88 1/2 |

TECHNOLOGY LOCATIONS ON BASE


Center Base Wire Management

- Door can be removed to access wire management.



■ = Shaded area represents wire management location in base.

End Base Wire Management




TECHNOLOGY LOCATIONS ON BASE

Metal X Base

X Wire Management

Wire Management (WY) option available in vertical columns. When specified, a grommet access hole will be included below top plate and above horizontal stretcher.

- Grommet hole diameter is 1 1/4 in.
- Tube inner diameter is ~2 in.




Non-Wire Management Base (shown as reference)



Ribbon X base


Ribbon X Wire Management

An add-on Wire Management Accessory is available. Accessory is self-adhesive and can be mounted on any of the vertical members.



Full Taper Base

Full taper base Wire Management




■ = Shaded area represents wire management location in base.

REFERENCE

Floor monument and technology locations on base

FLOOR MONUMENT LOCATION

Media Table Miter Base




| d x w | center of base A | center of base B |
|-------------------|------------------|---------------------------------|
| Media Table Tops | | |
| From Wall to Base | | |
| 42/48 x 72 | 3 | 59 ⁹ / ₁₆ |
| 42/48 x 84 | 3 | 71 ⁹ / ₁₆ |
| 42/48 x 96 | 3 | 83 ⁹ / ₁₆ |

TECHNOLOGY LOCATIONS ON BASE

Media Table Wire Management


- Door can be removed to access wire management.



 = Shaded area represents wire management location in base.

FLOOR MONUMENT LOCATION

Collaboration Bar Height Base




| d x w | center of base A | center of base B | center of base C |
|--------------------------|------------------|------------------|------------------|
| Collaboration Table Tops | | | |
| 30 x 72 | 3 1/8 | – | 68 7/8 |
| 30 x 96 | 3 1/8 | – | 92 7/8 |
| 30 x 120 | 3 1/8 | – | 116 7/8 |
| 30 x 144 | 3 1/8 | 72 | 140 7/8 |
| 36 x 72 | 3 1/8 | – | 68 7/8 |
| 36 x 96 | 3 1/8 | – | 92 7/8 |
| 36 x 120 | 3 1/8 | – | 116 7/8 |
| 36 x 144 | 3 1/8 | 72 | 140 7/8 |
| 42 x 72 | 3 1/8 | – | 68 7/8 |
| 42 x 96 | 3 1/8 | – | 92 7/8 |
| 42 x 120 | 3 1/8 | – | 116 7/8 |
| 42 x 144 | 3 1/8 | 72 | 140 7/8 |
| 48 x 72 | 3 1/8 | – | 68 7/8 |
| 48 x 96 | 3 1/8 | – | 92 7/8 |
| 48 x 120 | 3 1/8 | – | 116 7/8 |
| 48 x 144 | 3 1/8 | 72 | 140 7/8 |

TECHNOLOGY LOCATIONS ON BASE

Collaborative Base Wire Management

- Door can be removed to access wire management.



■ = Shaded area represents wire management location in base.

HOW TO SPECIFY

Gunlocke's Briefing Table Series has been designed to address the needs of the constantly changing multi-purpose conference area. This simple, intuitive design enables the user to efficiently manage the everyday demands of setting up and reconfiguring a meeting room. The nesting feature and flip top options provide a quick transition to storage with minimization of space. Briefing provides reconfigurable modularity and flexibility of use.

TABLE FUNCTIONALITY AND BASE MATERIAL

Briefing tables are available with both a fixed top and a flip top. The flip top incorporates a flip mechanism that allows the table to transition quickly to storage with minimization of space. Briefing metal bases are available in a polished aluminum finish and incorporate wire management capabilities.

MODESTY PANEL



Modesty panel options are available for both fixed and flip top Briefing Tables. Modesty panel will be 7 H" high and a H" shorter than the overall width of the specified top. All modesty panels are hinged and pivot out of the way when the flip top mechanism is actuated to vertical position.

CONNECTIVITY

The Briefing table leg incorporates wire management capabilities. The leg channel serves to conceal power/data cords; the opening at the base of the cast leg allows plug passage to external power/data sources. Table top power/data access is offered in an exposed power option.

EXPOSED POWER /PORT LOCATION

Briefing tables are available with an exposed power cutout, rectangular in shape. The drawings below indicate the standard table top surface placement for the power. The exposed power drawings below indicate the standard top surface placement for the power. The exposed power units are always centered as shown, with distance from edge determined by the top shape specified.




| top size | x |
|----------|--------|
| 20" | 5.75 |
| 24" | 5.75 |
| 30" | 7.375 |
| 36" | 10.375 |


WIRE MANAGEMENT

The Briefing extruded metal horizontal support beam includes a plastic wire manager. The leg incorporates wire management capabilities by means of a removable grommet. The leg channel serves to conceal power/data cords; the opening at the base of the cast leg allows plug passage to external power/data sources.

- Grommet hole diameter is 1 ¼ in.
- Tube inner diameter is ~2 in.



GRAIN DIRECTION



GRAIN DIRECTION GANGING CONFIGURATIONS





TABLE GANGING


Briefing tables are available with an optional ganging device used to connect multiple tables. The ganging device swivels out of the way when not in use. Briefing tables are pre-drilled and include inserts to accept ganging devices.





FLIP TOP NESTING

To address the needs of the constantly changing multi-purpose conference area, Briefing provides reconfigurability, modularity and flexibility of use. The simple, intuitive design enables the user to efficiently manage the everyday demands of setting up and reconfiguring a meeting room. The nesting feature and flip top options provide a quick transition to storage with minimization of space.


- Center of leg is always 8.875" from edge of worksurface.
- Based on tube thickness, this drives 7.75" from tube face to edge of worksurface.



The nesting mechanism releases the flip top and allows it to tilt and lock into place. The locking feature positively latches the table top into nesting position. Integral bumpers protect tables when in nested position.







BASED ON 60" TABLETOP



| | |
|--|-------|
| Conference Table Tops | 49-71 |
| 36" Rectangular Tops | 50-51 |
| 42" and 48" Rectangular Tops. | 52-53 |
| 54" and 60" Rectangular Tops. | 54-55 |
| 36" Arc Boat Tops | 56-57 |
| 42" and 48" Arc Boat Tops | 58-59 |
| 54" and 60" Arc Boat Tops | 60-61 |
| 36" Soft Rectangular Tops. | 62-63 |
| 42" and 48" Soft Rectangular Tops. | 64-65 |
| Ellipse Tops | 66-67 |
| Round Tops | 68-69 |
| Soft Square Tops | 70-71 |

36" RECTANGULAR TOPS

Briefing
03/23

| | D | W | model number + type | veneer 1 | veneer 2 | laminare | solid surface | glass |
|---|----|----|--|----------|----------|----------|---------------|-------|
| 36" RECTANGULAR  | 36 | 72 | GD2TRT3672-  | 2,219 | 2,442 | 1,665 | 7,324 | 6,103 |
| | 36 | 84 | GD2TRT3684-  | 2,567 | 2,825 | 1,924 | 8,472 | 7,060 |
| | 36 | 96 | GD2TRT3696-  | 3,047 | 3,353 | 2,283 | 10,050 | 8,377 |

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

L = Laminate

S = Solid Surface

G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W
2. FSC
3. TOP FINISH + EDGE DETAIL
4. TOP UV FINISH
5. TECHNOLOGY CUTOUT

LAMINATE

1. MODEL NUMBER + L
2. FSC
3. TOP FINISH
4. EDGE DETAIL
5. TECHNOLOGY CUTOUT

SOLID SURFACE

1. MODEL NUMBER + S
2. TOP FINISH
3. TECHNOLOGY CUTOUT

GLASS

1. MODEL NUMBER + G
2. TOP FINISH
3. TECHNOLOGY CUTOUT

See inside front cover for required option codes

Example

GD2TRT3672-W.X.NC260SQ.OP.C1E

| | | | | | |
|--------------|-----|--------|-------------|---------------|-------------------|
| GD2TRT3672-W | X | NC260 | SQ | OP | C1E |
| MODEL NUMBER | FSC | FINISH | EDGE DETAIL | TOP UV FINISH | TECHNOLOGY CUTOUT |

| technology cutout option | cutout option code | description | 36" DEPTH TOPS | | | technology model # required | quantity |
|--------------------------------|--------------------------|-------------|----------------|---------|---------|-----------------------------------|----------|
| | | | 36 x 72 | 36 x 84 | 36 x 96 | | |

No Technology Cutout

| | | | | | | | |
|---|-----------|-----------------------------|---|---|---|----|-----|
|  | GN | No Technology Cutout | • | • | • | GN | N/A |
|---|-----------|-----------------------------|---|---|---|----|-----|

1 Technology Cutout

| | | | | | | | |
|---|------------|-------------------|---|---|---|---------------------|---|
|  | C1E | 1 Bezel Mnt Power | • | • | • | ACTRIOBZL-EEEUD-___ | 1 |
|---|------------|-------------------|---|---|---|---------------------|---|

Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.

PORT DOOR MATERIAL UPCHARGES:


















V Veneer (Add \$218 per cutout) Veneer doors ship with top

Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are only available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

42" AND 48" RECTANGULAR TOPS

Briefing
03/23

| | D | W | model number + type | veneer 1 | veneer 2 | laminate | solid surface | glass |
|---|----|-----|--|----------|----------|----------|---------------|--------|
| 42" RECTANGULAR  | 42 | 72 | GD2TRT4272-  | 3,371 | 3,709 | 2,361 | 11,130 | 9,272 |
| | 42 | 84 | GD2TRT4284-  | 4,032 | 4,436 | 2,821 | 13,305 | 11,087 |
| | 42 | 96 | GD2TRT4296-  | 4,217 | 4,639 | 2,951 | 13,914 | 11,595 |
| | 42 | 108 | GD2TRT42108-  | 5,195 | 5,715 | 3,637 | 17,145 | 14,288 |
| | 42 | 120 | GD2TRT42120-  | 5,610 | 6,172 | 3,922 | 18,506 | 15,424 |
| | 42 | 120 | GD2TRT42120M-  | 5,610 | 6,172 | 3,922 | 18,506 | 15,424 |
| 48" RECTANGULAR  | 48 | 72 | GD2TRT4872-  | 3,700 | 4,071 | 2,588 | 12,212 | 10,178 |
| | 48 | 84 | GD2TRT4884-  | 4,435 | 4,879 | 3,104 | 14,637 | 12,198 |
| | 48 | 96 | GD2TRT4896-  | 4,774 | 5,252 | 3,341 | 15,752 | 13,126 |
| | 48 | 108 | GD2TRT48108-  | 5,699 | 6,270 | 3,991 | 18,806 | 15,670 |
| | 48 | 120 | GD2TRT48120-  | 6,518 | 7,170 | 4,562 | 21,507 | 17,920 |
| | 48 | 120 | GD2TRT48120M-  | 6,518 | 7,170 | 4,562 | 21,507 | 17,920 |
| | 48 | 144 | GD2TRT48144-  | 8,043 | 8,848 | 5,628 | 26,541 | 22,115 |
| | 48 | 168 | GD2TRT48168-  | 9,122 | 10,035 | 6,386 | 30,103 | 25,086 |
| | 48 | 192 | GD2TRT48192-  | 10,807 | 11,889 | 7,564 | 35,662 | 29,719 |

Note: 120" Tops available as one or two piece tops. Use 120M Model for two piece top.

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood

L = Laminate

S = Solid Surface

G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE
DETAIL

4. TOP UV FINISH

5. TECHNOLOGY
CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY
CUTOUT

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY
CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY
CUTOUT

See inside front cover for required option codes


Example

GD2TRT4272-W.X.NC260SQ.OP.C1E





| | | | | | |
|--------------|-----|--------|----------------|------------------|----------------------|
| GD2TRT4272-W | X | NC260 | SQ | OP | C1E |
| MODEL NUMBER | FSC | FINISH | EDGE DETAIL | TOP UV FINISH | TECHNOLOGY CUTOUT |

| technology cutout option | cutout option code | description | 42" DEPTH TOPS | | | | | | 48" DEPTH TOPS | | | | | | | technology model # required | qty |
|--------------------------------|--------------------------|-------------|----------------|---------|---------|----------|----------|-------------|----------------|---------|---------|----------|----------|-------------|----------|-----------------------------------|-----|
| | | | 42 x 72 | 42 x 84 | 42 x 96 | 42 x 108 | 42 x 120 | 42 x 120(W) | 48 x 72 | 48 x 84 | 48 x 96 | 48 x 108 | 48 x 120 | 48 x 120(W) | 48 x 144 | | |






No Technology Cutout

| | | | | | | | | | | | | | | | | | | | |
|---|-----------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
|  | GN | No Technology Cutout | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | GN | N/A |
|---|-----------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|






1 Technology Cutout

| | | | | | | | | | | | | | | | | | | |
|---|----------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|---|
|  | C1E | 1 Bezel Mnt Power | • | • | • | • | • | • | • | • | • | • | • | • | • | • | ACTRIOBZL-EEEUD-__ | 1 |
|  | C1SA C1SV | 1 Single port, alum door 1 Single port, veneer door (Wood Tops Only) | • | • | • | • | • | • | • | • | • | • | • | • | • | • | GD2PORTS-__ | 1 |
|  | C1DA C1DV | 1 Double port, alum door 1 Double port, veneer door (Wood Tops Only) | • | • | • | • | • | • | • | • | • | • | • | • | • | • | GD2PORTD-__ | 1 |
|  | C1TM | 1 Tech Module | • | • | • | • | • | • | • | • | • | • | • | • | • | • | ACTMEL-__ | 1 |

2 Technology Cutouts

| | | | | | | | | | | | | | | | | | | |
|---|----------------------------|--|--|--|--|---|---|---|--|--|--|---|---|---|---|---|--------------|---|
|  | C2SA C2SV | 2 Single ports, alum door 2 Single ports, veneer door (Wood Tops Only) | | | | • | • | • | | | | • | • | • | • | • | GD2PORTS-__ | 2 |
|  | C2DA C2DV | 2 Double ports, alum door 2 Double ports, veneer door (Wood Tops Only) | | | | • | • | • | | | | • | • | • | • | • | GD2PORTD-__ | 2 |
|  | C2CS* | 2 Cable Cubby 1200's | | | | • | • | • | | | | • | • | • | • | • | AC-CC1202-__ | 2 |
|  | C2CD* | 2 Cable Cubby 1400's | | | | • | • | • | | | | • | • | • | • | • | AC-CC1402-__ | 2 |
|  | C2TM | 2 Tech modules | | | | • | • | • | | | | • | • | • | • | • | ACTMEL-__ | 2 |

3 Technology Cutouts

| | | | | | | | | | | | | | | | | | | | |
|---|--------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|---|--------------|---|
|  | C3SA C3SV | 3 Single ports, alum door 3 Single ports, veneer door (Wood Tops Only) | | | | | | | | | | | | | • | • | • | GD2PORTS-__ | 3 |
|  | C3DDDA C3DDDV | 3 Double ports, alum door 3 Double ports, veneer door (Wood Tops Only) | | | | | | | | | | | | | • | • | • | GD2PORTD-__ | 3 |
|  | C3CS* | 3 Cable Cubby 1200's | | | | | | | | | | | | | • | • | • | AC-CC1202-__ | 3 |
|  | C3CD* | 3 Cable Cubby 1400's | | | | | | | | | | | | | • | • | • | AC-CC1402-__ | 3 |
|  | C3TM | 3 Tech modules | | | | | | | | | | | | | • | • | • | ACTMEL-__ | 3 |

1 Trough Cutout

| | | | | | | | | | | | | | | | | | | |
|---|-------------|-------------------|--|--|--|--|--|---|--|--|--|--|--|--|---|---|------------------|---|
|  | PDTG | Power/Data Trough | | | | | | • | | | | | | | • | • | GD2TPTR-50BNK-__ | 1 |
|---|-------------|-------------------|--|--|--|--|--|---|--|--|--|--|--|--|---|---|------------------|---|

2 Trough Cutouts

| | | | | | | | | | | | | | | | | | | |
|---|-------------|-------------------|--|--|--|--|--|--|--|--|--|--|--|--|---|---|------------------|---|
|  | PDTG | Power/Data Trough | | | | | | | | | | | | | • | • | GD2TPTR-50BNK-__ | 2 |
|---|-------------|-------------------|--|--|--|--|--|--|--|--|--|--|--|--|---|---|------------------|---|

Note: Above options are for cutout only; technology unit ordered separately on pages 75-84.

*Cable Cubbies for use with expandable base only.

PORT DOOR MATERIAL UPCHARGES:



V Veneer (Add \$218 per cutout) Veneer doors ship with top

Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are only available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

54" AND 60" RECTANGULAR TOPS

Briefing
03/23

| | D | W | model number + type | veneer 1 | veneer 2 | laminate | solid surface | glass |
|---|----|-----|--|----------|----------|----------|---------------|--------|
| 54" RECTANGULAR  | 54 | 120 | GD2TRT54120- <input type="checkbox"/> | 7,183 | 7,902 | 5,026 | 23,694 | 19,746 |
| | 54 | 144 | GD2TRT54144- <input type="checkbox"/> | 8,654 | 9,520 | 6,061 | 28,562 | 23,801 |
| | 54 | 168 | GD2TRT54168- <input type="checkbox"/> | 10,408 | 11,449 | 7,284 | 34,343 | 28,616 |
| | 54 | 192 | GD2TRT54192- <input type="checkbox"/> | 12,214 | 13,436 | 8,549 | 40,306 | 33,588 |
| | 54 | 216 | GD2TRT54216- <input type="checkbox"/> | 14,325 | 15,759 | 10,028 | 47,276 | 39,396 |
| | 54 | 240 | GD2TRT54240- <input type="checkbox"/> | 18,035 | 19,839 | 12,624 | 59,515 | 49,595 |
| 60" RECTANGULAR  | 60 | 120 | GD2TRT60120- <input type="checkbox"/> | 7,978 | 8,776 | 5,585 | 26,331 | 21,940 |
| | 60 | 144 | GD2TRT60144- <input type="checkbox"/> | 10,115 | 11,127 | 7,082 | 33,379 | 27,817 |
| | 60 | 168 | GD2TRT60168- <input type="checkbox"/> | 12,501 | 13,752 | 8,748 | 41,250 | 34,374 |
| | 60 | 192 | GD2TRT60192- <input type="checkbox"/> | 14,274 | 15,702 | 9,990 | 47,100 | 39,252 |
| | 60 | 216 | GD2TRT60216- <input type="checkbox"/> | 17,197 | 18,918 | 12,037 | 56,755 | 47,295 |
| | 60 | 240 | GD2TRT60240- <input type="checkbox"/> | 19,255 | 21,182 | 13,478 | 63,545 | 52,953 |

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

L = Laminate

S = Solid Surface

G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE
DETAIL

4. TOP UV FINISH

5. TECHNOLOGY
CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY
CUTOUT

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY
CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH



















3. TECHNOLOGY
CUTOUT

See inside front cover for required option codes

Example

GD2TRT54120-W.X.NC260SQ.OP.C1E

| | | | | | |
|---------------|-----|--------|----------------|------------------|----------------------|
| GD2TRT54120-W | X | NC260 | SQ | OP | C1E |
| MODEL NUMBER | FSC | FINISH | EDGE DETAIL | TOP UV FINISH | TECHNOLOGY CUTOUT |

| technology cutout option | cutout option code | description | 54" DEPTH TOPS | | | | | | 60" DEPTH TOPS | | | | | | technology model # required | qty | |
|---|--------------------------|---|----------------|----------|----------|----------|----------|----------|----------------|----------|----------|----------|----------|----------|-----------------------------------|-------------|---|
| | | | 54 x 120 | 54 x 144 | 54 x 168 | 54 x 192 | 54 x 216 | 54 x 240 | 60 x 120 | 60 x 144 | 60 x 168 | 60 x 192 | 60 x 216 | 60 x 240 | | | |
| No Technology Cutout | | | | | | | | | | | | | | | | | |
| | GN | No Technology Cutout | • | • | • | • | • | • | • | • | • | • | • | • | GN | N/A | |
| 1 Technology Cutout | | | | | | | | | | | | | | | | | |
|  | C1E | 1 Bezel Mnt Power | • | | | | | | • | | | | | | ACTRIOBZL-EEEUD-__ | 1 | |
|  | C1SA C1SV | 1 Single port, alum door 1 Single port, veneer door (Wood Tops Only) | • | | | | | | • | | | | | | GD2PORTS-__ | 1 | |
|  | C1DA C1DV | 1 Double port, alum door 1 Double port, veneer door (Wood Tops Only) | • | | | | | | • | | | | | | GD2PORTD-__ | 1 | |
|  | C1TM | 1 Tech Module | • | | | | | | • | | | | | | ACTMEL-__ | 1 | |
| 2 Technology Cutouts | | | | | | | | | | | | | | | | | |
|  | C2SA C2SV | 2 Single ports, alum door 2 Single ports, veneer door (Wood Tops Only) | • | • | • | • | • | • | • | • | • | • | • | • | GD2PORTS-__ | 2 | |
|  | C2DA C2DV | 2 Double ports, alum door 2 Double ports, veneer door (Wood Tops Only) | | • | • | • | • | • | | • | • | • | • | • | GD2PORTD-__ | 2 | |
|  | C2CS* | 2 Cable Cubby 1200's | • | • | • | • | • | • | • | • | • | • | • | • | AC-CC1202-__ | 2 | |
|  | C2CD* | 2 Cable Cubby 1400's | • | • | • | • | • | • | • | • | • | • | • | • | AC-CC1402-__ | 2 | |
|  | C2TM | 2 Tech modules | • | • | • | • | • | • | • | • | • | • | • | • | ACTMEL-__ | 2 | |
| 3 Technology Cutouts | | | | | | | | | | | | | | | | | |
|  | C3SA C3SV | 3 Single ports, alum door 3 Single ports, veneer door (Wood Tops Only) | | • | • | • | • | • | | • | • | • | • | • | GD2PORTS-__ | 3 | |
|  | C3DA C3DV | 3 Double ports, alum door 3 Double ports, veneer door (Wood Tops Only) | | • | • | • | • | • | | • | • | • | • | • | GD2PORTD-__ | 3 | |
|  | C3CS* | 3 Cable Cubby 1200's | | | • | • | • | • | | | • | • | • | • | AC-CC1202-__ | 3 | |
|  | C3CD* | 3 Cable Cubby 1400's | | | • | • | • | • | | | • | • | • | • | AC-CC1402-__ | 3 | |
|  | C3TM | 3 Tech modules | | • | • | • | • | • | | • | • | • | • | • | ACTMEL-__ | 3 | |
| 5 Technology Cutouts | | | | | | | | | | | | | | | | | |
|  | C5SA C5SV | 5 Single ports, alum door 5 Single ports, veneer door (Wood Tops Only) | | | | | | • | • | | | | | • | • | GD2PORTS-__ | 5 |
|  | C5TM | 5 Tech modules | | | | | | • | • | | | | | • | • | ACTMEL-__ | 5 |
| 1 Trough Cutout | | | | | | | | | | | | | | | | | |
|  | PDTG | Power/Data Trough | • | • | | | | | • | • | | | | | GD2TPTR-50BNK-__ | 1 | |
| 2 Trough Cutouts | | | | | | | | | | | | | | | | | |
|  | PDTG | Power/Data Trough | | | • | • | • | • | | | • | • | • | • | GD2TPTR-50BNK-__ | 2 | |

Note: Above options are for cutout only; technology unit ordered separately on pages 75-84.

*Cable Cubbies for use with expandable base only.

PORT DOOR MATERIAL UPCHARGES:


V Veneer (Add \$218 per cutout) Veneer doors ship with top

Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are only available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

36" ARC BOAT TOPS

Briefing
03/23

| | Center D | End D | W | model number + type | veneer 1 | veneer 2 | laminata | solid surface | glass |
|--|-------------|----------|----|---|----------|----------|----------|---------------|-------|
| 36" ARC BOAT  | 36 | 33 1/2 | 72 | GD2TAB3672- <input type="checkbox"/> | 2,549 | 2,805 | 1,915 | 8,422 | 7,018 |
| | 36 | 32 1/2 | 84 | GD2TAB3684- <input type="checkbox"/> | 2,951 | 3,247 | 2,213 | 9,745 | 8,121 |
| | 36 | 31 | 96 | GD2TAB3696- <input type="checkbox"/> | 3,503 | 3,854 | 2,625 | 11,559 | 9,632 |

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

L = Laminate

S = Solid Surface

G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W
2. FSC
3. TOP FINISH + EDGE DETAIL
4. TOP UV FINISH
5. TECHNOLOGY CUTOUT

LAMINATE

1. MODEL NUMBER + L
2. FSC
3. TOP FINISH
4. EDGE DETAIL
5. TECHNOLOGY CUTOUT

SOLID SURFACE

1. MODEL NUMBER + S
2. TOP FINISH
3. TECHNOLOGY CUTOUT

GLASS

1. MODEL NUMBER + G
2. TOP FINISH
3. TECHNOLOGY CUTOUT

See inside front cover for required option codes

Example

GD2TAB3672-W.X.NC260SQ.OP.C1E

| | | | | | |
|--------------|-----|--------|-------------|---------------|-------------------|
| GD2TAB3672-W | X | NC260 | SQ | OP | C1E |
| MODEL NUMBER | FSC | FINISH | EDGE DETAIL | TOP UV FINISH | TECHNOLOGY CUTOUT |

| technology cutout option | cutout option code | description | 36" DEPTH TOPS | | | technology model # required | quantity |
|--------------------------------|--------------------------|-------------|----------------|---------|---------|-----------------------------------|----------|
| | | | 36 x 72 | 36 x 84 | 36 x 96 | | |

No Technology Cutout

| | | | | | | | |
|---|-----------|-----------------------------|---|---|---|----|-----|
|  | GN | No Technology Cutout | • | • | • | GN | N/A |
|---|-----------|-----------------------------|---|---|---|----|-----|

1 Technology Cutout

| | | | | | | | |
|---|------------|-------------------|---|---|---|--------------------|---|
|  | C1E | 1 Bezel Mnt Power | • | • | • | ACTRIOBZL-EEEUD-__ | 1 |
|---|------------|-------------------|---|---|---|--------------------|---|

Note: Above options are for cutout only, technology unit ordered separately on page 76.

PORT DOOR MATERIAL UPCHARGES:



V Veneer (Add \$218 per cutout) Veneer doors ship with top

Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are only available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

42" AND 48" ARC BOAT TOPS

Briefing
03/23

| | Center D | End D | W | model number + type | veneer 1 | veneer 2 | laminat | solid surface | glass |
|--|-------------|----------|-----|---|----------|----------|---------|---------------|--------|
| 42" ARC BOAT  | 42 | 39 1/2 | 72 | GD2TAB4272- <input type="checkbox"/> | 3,878 | 4,267 | 2,714 | 12,799 | 10,663 |
| | 42 | 38 1/2 | 84 | GD2TAB4284- <input type="checkbox"/> | 4,636 | 5,101 | 3,247 | 15,302 | 12,752 |
| | 42 | 39 3/4 | 96 | GD2TAB4296- <input type="checkbox"/> | 4,849 | 5,335 | 3,396 | 15,999 | 13,332 |
| | 42 | 39 | 108 | GD2TAB42108- <input type="checkbox"/> | 5,976 | 6,575 | 4,184 | 19,717 | 16,430 |
| | 42 | 38 1/4 | 120 | GD2TAB42120- <input type="checkbox"/> | 6,449 | 7,095 | 4,513 | 21,282 | 17,735 |
| | 42 | 38 1/4 | 120 | GD2TAB42120M- <input type="checkbox"/> | 6,449 | 7,095 | 4,513 | 21,282 | 17,735 |
| 48" ARC BOAT  | 48 | 47 | 72 | GD2TAB4872- <input type="checkbox"/> | 4,257 | 4,684 | 2,978 | 14,045 | 11,703 |
| | 48 | 46 1/2 | 84 | GD2TAB4884- <input type="checkbox"/> | 5,102 | 5,613 | 3,570 | 16,831 | 14,026 |
| | 48 | 45 3/4 | 96 | GD2TAB4896- <input type="checkbox"/> | 5,489 | 6,039 | 3,839 | 18,113 | 15,092 |
| | 48 | 45 | 108 | GD2TAB48108- <input type="checkbox"/> | 6,552 | 7,209 | 4,588 | 21,630 | 18,023 |
| | 48 | 44 1/4 | 120 | GD2TAB48120- <input type="checkbox"/> | 7,494 | 8,244 | 5,246 | 24,730 | 20,610 |
| | 48 | 45 | 120 | GD2TAB48120M- <input type="checkbox"/> | 7,494 | 8,244 | 5,246 | 24,730 | 20,610 |
| | 48 | 43 3/4 | 144 | GD2TAB48144- <input type="checkbox"/> | 9,250 | 10,176 | 6,476 | 30,522 | 25,433 |
| | 48 | 42 1/4 | 168 | GD2TAB48168- <input type="checkbox"/> | 10,492 | 11,542 | 7,343 | 34,623 | 28,851 |
| | 48 | 42 1/4 | 192 | GD2TAB48192- <input type="checkbox"/> | 12,426 | 13,669 | 8,700 | 41,013 | 34,175 |

Note: 120" Tops available as one or two piece tops. Use 120M Model for two piece top.

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

L = Laminat

S = Solid Surface

G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE
DETAIL

4. TOP UV FINISH

5. TECHNOLOGY
CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY
CUTOUT

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY
CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH


















3. TECHNOLOGY
CUTOUT

See inside front cover for required option codes

Example

GD2TAB4272-W.X.NC260SQ.OP.C1E

| | | | | | |
|--------------|-----|--------|----------------|------------------|----------------------|
| GD2TAB4272-W | X | NC260 | SQ | OP | C1E |
| MODEL NUMBER | FSC | FINISH | EDGE DETAIL | TOP UV FINISH | TECHNOLOGY CUTOUT |

| technology cutout option | cutout option code | description | 42" DEPTH TOPS | | | | | | 48" DEPTH TOPS | | | | | | technology model # required | qty | | | |
|---|--------------------------|--|----------------|---------|---------|----------|----------|-------------|----------------|---------|---------|----------|----------|-------------|-----------------------------------|-----|---------------------|----------------|----------|
| | | | 42 x 72 | 42 x 84 | 42 x 96 | 42 x 108 | 42 x 120 | 42 x 120(M) | 48 x 72 | 48 x 84 | 48 x 96 | 48 x 108 | 48 x 120 | 48 x 120(M) | | | 48 x 144 | 48 x 168 | 48 x 192 |
| No Technology Cutout | | | | | | | | | | | | | | | | | | | |
|  | GN | No Technology Cutout | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | GN | N/A |
| 1 Technology Cutout | | | | | | | | | | | | | | | | | | | |
|  | C1E | 1 Bezel Mnt Power | • | • | • | • | • | | • | • | • | • | • | | | | ACTRIOBZL-EEEUD-___ | 1 | |
|  | C1SA C1SV | 1 Single port, alum door 1 Single port, veneer door (Wood Tops Only) | • | • | • | • | • | | • | • | • | • | • | | | | GD2PORTS- | 1 | |
|  | C1DA C1DV | 1 Double port, alum door 1 Double port, veneer door (Wood Tops Only) | • | • | • | • | • | | • | • | • | • | • | | | | GD2PORTD- | 1 | |
|  | C1TM | 1 Tech Module | • | • | • | • | • | | • | • | • | • | • | | | | ACTMEL- | 1 | |
| 2 Technology Cutouts | | | | | | | | | | | | | | | | | | | |
|  | C2SA C2SV | 2 Single ports, alum door 2 Single ports, veneer door (Wood Tops Only) | | | | • | • | • | | | | • | • | • | • | • | GD2PORTS- | 2 | |
|  | C2DA C2DV | 2 Double ports, alum door 2 Double ports, veneer door (Wood Tops Only) | | | | • | • | • | | | | • | • | • | • | • | GD2PORTD- | 2 | |
|  | C2CS* | 2 Cable Cubby 1200's | | | | • | • | • | | | | • | • | • | • | • | AC-CC1202- | 2 | |
|  | C2CD* | 2 Cable Cubby 1400's | | | | • | • | • | | | | • | • | • | • | • | AC-CC1402- | 2 | |
|  | C2TM | 2 Tech Modules | | | | • | • | • | | | | • | • | • | • | • | ACTMEL- | 2 | |
| 3 Technology Cutouts | | | | | | | | | | | | | | | | | | | |
|  | C3SA C3SV | 3 Single ports, alum door 3 Single ports, veneer door (Wood Tops Only) | | | | | | | | | | | | | • | • | • | GD2PORTS- | 3 |
|  | C3DA C3DV | 3 Double ports, alum door 3 Double ports, veneer door (Wood Tops Only) | | | | | | | | | | | | | • | • | • | GD2PORTD- | 3 |
|  | C3CS* | 3 Cable Cubby 1200's | | | | | | | | | | | | | • | • | | AC-CC1202- | 3 |
|  | C3CD* | 3 Cable Cubby 1400's | | | | | | | | | | | | | • | • | | AC-CC1402- | 3 |
|  | C3TM | 3 Tech Modules | | | | | | | | | | | | | • | • | • | ACTMEL- | 3 |
| 1 Trough Cutout | | | | | | | | | | | | | | | | | | | |
|  | PDTG | Power/Data Trough | | | | | | • | | | | | | | • | • | | GD2TPTR-50BNK- | 1 |
| 2 Trough Cutouts | | | | | | | | | | | | | | | | | | | |
|  | PDTG | Power/Data Trough | | | | | | | | | | | | | • | • | | GD2TPTR-50BNK- | 2 |

Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.

*Cable Cubbies for use with expandable base only.

PORT DOOR MATERIAL UPCHARGES:



V Veneer (Add \$218 per cutout) Veneer doors ship with top

Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are only available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

54" AND 60" ARC BOAT TOPS

Briefing
03/23

| | Center D | End D | W | model number + type | veneer 1 | veneer 2 | laminata | solid surface | glass |
|--|----------|--------|-----|--|----------|----------|----------|---------------|--------|
| 54" ARC BOAT  | 54 | 52 | 120 | GD2TAB54120- <input type="checkbox"/> | 8,257 | 9,084 | 5,781 | 27,250 | 22,706 |
| | 54 | 51 | 144 | GD2TAB54144- <input type="checkbox"/> | 9,953 | 10,950 | 6,968 | 32,845 | 27,371 |
| | 54 | 49 3/4 | 168 | GD2TAB54168- <input type="checkbox"/> | 11,969 | 13,166 | 8,376 | 39,492 | 32,911 |
| | 54 | 48 1/2 | 192 | GD2TAB54192- <input type="checkbox"/> | 14,047 | 15,453 | 9,831 | 46,356 | 38,628 |
| | 54 | 46 3/4 | 216 | GD2TAB54216- <input type="checkbox"/> | 16,476 | 18,125 | 11,532 | 54,369 | 45,307 |
| | 54 | 44 3/4 | 240 | GD2TAB54240- <input type="checkbox"/> | 20,740 | 22,815 | 14,517 | 68,445 | 57,037 |
| 60" ARC BOAT  | 60 | 58 1/4 | 120 | GD2TAB60120- <input type="checkbox"/> | 9,175 | 10,093 | 6,424 | 30,281 | 25,233 |
| | 60 | 57 1/4 | 144 | GD2TAB60144- <input type="checkbox"/> | 11,634 | 12,799 | 8,144 | 38,386 | 31,986 |
| | 60 | 56 | 168 | GD2TAB60168- <input type="checkbox"/> | 14,375 | 15,813 | 10,061 | 47,439 | 39,531 |
| | 60 | 54 1/2 | 192 | GD2TAB60192- <input type="checkbox"/> | 16,415 | 18,057 | 11,488 | 54,169 | 45,139 |
| | 60 | 52 3/4 | 216 | GD2TAB60216- <input type="checkbox"/> | 19,777 | 21,756 | 13,845 | 65,266 | 54,389 |
| | 60 | 51 | 240 | GD2TAB60240- <input type="checkbox"/> | 22,143 | 24,358 | 15,501 | 73,074 | 60,895 |

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

L = Laminate

S = Solid Surface

G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE
DETAIL

4. TOP UV FINISH

5. TECHNOLOGY
CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY
CUTOUT

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY
CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH




















3. TECHNOLOGY
CUTOUT

See inside front cover for required option codes

Example

GD2TAB54120-W.X.NC260SQ.OP.C1E

| | | | | | |
|---------------|-----|--------|----------------|------------------|----------------------|
| GD2TAB54120-W | X | NC260 | SQ | OP | C1E |
| MODEL NUMBER | FSC | FINISH | EDGE DETAIL | TOP UV FINISH | TECHNOLOGY CUTOUT |

| technology cutout option | cutout option code | description | 54" DEPTH TOPS | | | | | 60" DEPTH TOPS | | | | | technology model # required | qty | | |
|---|--------------------------|--|----------------|----------|----------|----------|----------|----------------|----------|----------|----------|----------|-----------------------------------|-----|---------------------|----------|
| | | | 54 x 120 | 54 x 144 | 54 x 168 | 54 x 192 | 54 x 216 | 54 x 240 | 60 x 120 | 60 x 144 | 60 x 168 | 60 x 192 | | | 60 x 216 | 60 x 240 |
| No Technology Cutout | | | | | | | | | | | | | | | | |
|  | GN | No Technology Cutout | • | • | • | • | • | • | • | • | • | • | • | • | GN | N/A |
| 1 Technology Cutout | | | | | | | | | | | | | | | | |
|  | C1E | 1 Bezel Mnt Power | • | | | | | | • | | | | | | ACTRIOBZL-EEEUD-___ | 1 |
|  | C1SA C1SV | 1 Single port, alum door 1 Single port, veneer door (Wood Tops Only) | • | | | | | | • | | | | | | GD2PORTS- | 1 |
|  | C1DA C1DV | 1 Double port, alum door 1 Double port, veneer door (Wood Tops Only) | • | | | | | | • | | | | | | GD2PORTD- | 1 |
|  | C1TM | 1 Tech Module | • | | | | | | • | | | | | | ACTMEL- | 1 |
| 2 Technology Cutouts | | | | | | | | | | | | | | | | |
|  | C2SA C2SV | 2 Single ports, alum door 2 Single ports, veneer door (Wood Tops Only) | • | • | • | • | • | • | • | • | • | • | • | • | GD2PORTS- | 2 |
|  | C2DA C2DV | 2 Double ports, alum door 2 Double ports, veneer door (Wood Tops Only) | | • | • | • | • | • | | • | • | • | • | • | GD2PORTD- | 2 |
|  | C2CS* | 2 Cable Cubby 1200's | • | • | • | • | • | • | • | • | • | • | • | • | AC-CC1202- | 2 |
|  | C2CD* | 2 Cable Cubby 1400's | • | • | • | • | • | • | • | • | • | • | • | • | AC-CC1402- | 2 |
|  | C2TM | 2 Tech Modules | • | • | • | • | • | • | • | • | • | • | • | • | ACTMEL- | 2 |
| 3 Technology Cutouts | | | | | | | | | | | | | | | | |
|  | C3SA C3SV | 3 Single ports, alum door 3 Single ports, veneer door (Wood Tops Only) | | • | • | • | • | • | | • | • | • | • | • | GD2PORTS- | 3 |
|  | C3DA C3DV | 3 Double ports, alum door 3 Double ports, veneer door (Wood Tops Only) | | • | • | • | • | • | | • | • | • | • | • | GD2PORTD- | 3 |
|  | C3CS* | 3 Cable Cubby 1200's | | | • | • | • | • | | | • | • | • | • | AC-CC1202- | 3 |
|  | C3CD* | 3 Cable Cubby 1400's | | | • | • | • | • | | | • | • | • | • | AC-CC1402- | 3 |
|  | C3TM | 3 Tech Modules | | • | • | • | • | • | | • | • | • | • | • | ACTMEL- | 3 |
| 5 Technology Cutouts | | | | | | | | | | | | | | | | |
|  | C5SA C5SV | 5 Single ports, alum door 5 Single ports, veneer door (Wood Tops Only) | | | | | | • | • | | | | • | • | GD2PORTS- | 5 |
|  | C5TM | 5 Tech Modules | | | | | | • | • | | | | • | • | ACTMEL- | 5 |
| 1 Trough Cutout | | | | | | | | | | | | | | | | |
|  | PDTG | Power/Data Trough | • | • | | | | | • | • | | | | | GD2TPTR-50BNK- | 1 |
| 2 Trough Cutouts | | | | | | | | | | | | | | | | |
|  | PDTG | Power/Data Trough | | | • | • | • | • | | | • | • | • | • | GD2TPTR-50BNK- | 2 |

Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.

*Cable Cubbies for use with expandable base only.

PORT DOOR MATERIAL UPCHARGES:


V Veneer (Add \$218 per cutout) Veneer doors ship with top

Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are only available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

36" SOFT RECTANGULAR TOPS

Briefing
03/23

| | D | W | model number + type | veneer 1 | veneer 2 | laminata | solid surface | glass |
|--|----|----|--|----------|----------|----------|---------------|-------|
| 36" SOFT RECT TOPS  | 36 | 72 | GD2TSRT3672- <input type="checkbox"/> | 2,549 | 2,805 | 1,915 | 8,422 | 7,018 |
| | 36 | 84 | GD2TSRT3684- <input type="checkbox"/> | 2,951 | 3,247 | 2,213 | 9,745 | 8,121 |
| | 36 | 96 | GD2TSRT3696- <input type="checkbox"/> | 3,503 | 3,854 | 2,625 | 11,559 | 9,632 |

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

L = Laminate

S = Solid Surface

G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE
DETAIL

4. TOP UV FINISH

5. TECHNOLOGY
CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY
CUTOUT

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY
CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY
CUTOUT

See inside front cover for required option codes

Example

GD2TSRT3672-W.X.NC260SQ.OP.C1E

| | | | | | |
|---------------|-----|--------|----------------|------------------|----------------------|
| GD2TSRT3672-W | X | NC260 | SQ | OP | C1E |
| MODEL NUMBER | FSC | FINISH | EDGE DETAIL | TOP UV FINISH | TECHNOLOGY CUTOUT |

36" DEPTH TOPS

| technology cutout option | cutout option code | description | 36 x 72 | 36 x 84 | 36 x 96 | technology model # required | qty |
|--------------------------------|--------------------------|-------------|---------|---------|---------|-----------------------------------|-----|
|--------------------------------|--------------------------|-------------|---------|---------|---------|-----------------------------------|-----|

No Technology Cutout

| | | | | | | | |
|--------------------------|-----------|-----------------------------|---|---|---|----|-----|
| <input type="checkbox"/> | GN | No Technology Cutout | • | • | • | GN | N/A |
|--------------------------|-----------|-----------------------------|---|---|---|----|-----|

1 Technology Cutout

| | | | | | | | |
|--------------------------|------------|-------------------|---|---|---|--------------------|---|
| <input type="checkbox"/> | C1E | 1 Bezel Mnt Power | • | • | • | ACTRIOBZL-EEEUD-__ | 1 |
|--------------------------|------------|-------------------|---|---|---|--------------------|---|

Note: Above options are for cutout only, technology unit ordered separately on page 76.

PORT DOOR MATERIAL UPCHARGES:



V Veneer (Add \$218 per cutout) Veneer doors ship with top

Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are only available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

42" AND 48" SOFT RECTANGULAR TOPS

Briefing
03/23

| | D | W | model number + type | veneer 1 | veneer 2 | laminata | solid surface | glass |
|--|----|-----|--|----------|----------|----------|---------------|--------|
| 42" SOFT RECT TOPS  | 42 | 72 | GD2TSRT4272- <input type="checkbox"/> | 3,878 | 4,267 | 2,714 | 12,799 | 10,663 |
| | 42 | 84 | GD2TSRT4284- <input type="checkbox"/> | 4,636 | 5,101 | 3,247 | 15,302 | 12,752 |
| | 42 | 96 | GD2TSRT4296- <input type="checkbox"/> | 4,849 | 5,335 | 3,396 | 15,999 | 13,332 |
| | 42 | 108 | GD2TSRT42108- <input type="checkbox"/> | 5,976 | 6,575 | 4,184 | 19,717 | 16,430 |
| | 42 | 120 | GD2TSRT42120- <input type="checkbox"/> | 6,449 | 7,095 | 4,513 | 21,282 | 17,735 |
| | 42 | 120 | GD2TSRT42120M- <input type="checkbox"/> | 6,449 | 7,095 | 4,513 | 21,282 | 17,735 |
| 48" SOFT RECT TOPS  | 48 | 72 | GD2TSRT4872- <input type="checkbox"/> | 4,257 | 4,684 | 2,978 | 14,045 | 11,703 |
| | 48 | 84 | GD2TSRT4884- <input type="checkbox"/> | 5,102 | 5,613 | 3,570 | 16,831 | 14,026 |
| | 48 | 96 | GD2TSRT4896- <input type="checkbox"/> | 5,489 | 6,039 | 3,839 | 18,113 | 15,092 |
| | 48 | 108 | GD2TSRT48108- <input type="checkbox"/> | 6,552 | 7,209 | 4,588 | 21,630 | 18,023 |
| | 48 | 120 | GD2TSRT48120- <input type="checkbox"/> | 7,494 | 8,244 | 5,246 | 24,730 | 20,610 |
| | 48 | 120 | GD2TSRT48120M- <input type="checkbox"/> | 7,494 | 8,244 | 5,246 | 24,730 | 20,610 |

Note: 120" Tops available as one or two piece tops. Use 120M Model for two piece top.

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

L = Laminate

S = Solid Surface

G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE
DETAIL

4. TOP UV FINISH

5. TECHNOLOGY
CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY
CUTOUT

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY
CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY
CUTOUT

See inside front cover for required option codes


Example

GD2TSRT4272-W.X.NC260SQ.OP.C1E





| | | | | | |
|---------------|-----|--------|----------------|------------------|----------------------|
| GD2TSRT4272-W | X | NC260 | SQ | OP | C1E |
| MODEL NUMBER | FSC | FINISH | EDGE DETAIL | TOP UV FINISH | TECHNOLOGY CUTOUT |

| technology cutout option | cutout option code | description | 42" DEPTH TOPS | | | | | | 48" DEPTH TOPS | | | | | | technology model # required | qty |
|--------------------------|--------------------|-------------|----------------|---------|---------|----------|----------|-------------|----------------|---------|---------|----------|----------|-------------|-----------------------------|-----|
| | | | 42 x 72 | 42 x 84 | 42 x 96 | 42 x 108 | 42 x 120 | 42 x 120(M) | 48 x 72 | 48 x 84 | 48 x 96 | 48 x 108 | 48 x 120 | 48 x 120(M) | | |






No Technology Cutout

| | | | | | | | | | | | | | | | | |
|---|-----------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
|  | GN | No Technology Cutout | • | • | • | • | • | • | • | • | • | • | • | • | GN | N/A |
|---|-----------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|

1 Technology Cutout

| | | | | | | | | | | | | | | | | |
|---|----------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---------------------|---|
|  | C1E | 1 Bezel Mnt Power | • | • | • | • | • | • | • | • | • | • | • | • | ACTRIOBZL-EEEUD-___ | 1 |
|  | C1SA C1SV | 1 Single port, alum door 1 Single port, veneer door (Wood Tops Only) | • | • | • | • | • | • | • | • | • | • | • | • | GD2PORTS- | 1 |
|  | C1DA C1DV | 1 Double port, alum door 1 Double port, veneer door (Wood Tops Only) | • | • | • | • | • | • | • | • | • | • | • | • | GD2PORTD- | 1 |
|  | C1TM | 1 Tech Module | • | • | • | • | • | • | • | • | • | • | • | • | ACTMEL- | 1 |

2 Technology Cutouts

| | | | | | | | | | | | | | | | | |
|---|----------------------------|--|--|--|--|---|---|---|--|--|--|---|---|---|------------|---|
|  | C2SA C2SV | 2 Single ports, alum door 2 Single ports, veneer door (Wood Tops Only) | | | | • | • | • | | | | • | • | • | GD2PORTS- | 2 |
|  | C2DA C2DV | 2 Double ports, alum door 2 Double ports, veneer door (Wood Tops Only) | | | | • | • | • | | | | • | • | • | GD2PORTD- | 2 |
|  | C2CS* | 2 Cable Cubby 1200's | | | | • | • | • | | | | • | • | • | AC-CC1202- | 2 |
|  | C2CD* | 2 Cable Cubby 1400's | | | | • | • | • | | | | • | • | • | AC-CC1402- | 2 |
|  | C2TM | 2 Tech Modules | | | | • | • | • | | | | • | • | • | ACTMEL- | 2 |

Trough Cutout

| | | | | | | | | | | | | | | | | |
|---|-------------|-------------------|--|--|--|--|--|---|--|--|--|--|--|---|----------------|---|
|  | PDTG | Power/Data Trough | | | | | | • | | | | | | • | GD2TPTR-50BNK- | 1 |
|---|-------------|-------------------|--|--|--|--|--|---|--|--|--|--|--|---|----------------|---|






Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.
*Cable Cubbies for use with expandable base only.

PORT DOOR MATERIAL UPCHARGES:

V Veneer (Add \$218 per cutout) Veneer doors ship with top


Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are only available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

| | D | W | model number + type | veneer 1 | veneer 2 | laminata | solid surface | glass |
|---|----|-----|---|----------|----------|----------|---------------|--------|
| ELLIPSE  | 36 | 72 | GD2TEL3672-  | 2,549 | 2,805 | 1,915 | 8,422 | 7,018 |
| | 42 | 84 | GD2TEL4284-  | 4,636 | 5,101 | 3,247 | 15,302 | 12,752 |
| | 48 | 96 | GD2TEL4896-  | 5,489 | 6,039 | 3,839 | 18,113 | 15,092 |
| | 48 | 108 | GD2TEL48108-  | 6,435 | 7,080 | 4,507 | 21,237 | 17,697 |


Ellipse Tops are recommended for use with Metal Y Bases for maximum leg clearance.

If Mitered Beam Assembly will NOT be used with Metal Y Base, then use standard recommended base size.



GD2TEL4896-W
GG2YBS96-A

If Mitered Beam Assembly will be used with Metal Y Base, then recommend using a 12" smaller Base and Beam Assembly due to additional top support provided by Beam Assembly.



GD2TEL4896-W
GG2YBS84-A
GD2YBEAM84

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

L = Laminate

S = Solid Surface

G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE
DETAIL

4. TOP UV FINISH

5. TECHNOLOGY
CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY
CUTOUT

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY
CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY
CUTOUT

See inside front cover for required option codes

Example

GD2TEL3672-W.X.NC260SQ.OP.C1E

| | | | | | |
|--------------|-----|--------|----------------|------------------|----------------------|
| GD2TEL3672-W | X | NC260 | SQ | OP | C1E |
| MODEL NUMBER | FSC | FINISH | EDGE DETAIL | TOP UV FINISH | TECHNOLOGY CUTOUT |

| technology cutout option | cutout option code | description | | | | | technology model # required | quantity |
|--------------------------|--------------------|-------------|---------|---------|---------|----------|-----------------------------|----------|
| | | | 36 x 72 | 42 x 84 | 48 x 96 | 48 x 108 | | |

No Technology Cutout

| | | | | | | | | |
|--|-----------|-----------------------------|---|---|---|---|----|-----|
| | GN | No Technology Cutout | • | • | • | • | GN | N/A |
|--|-----------|-----------------------------|---|---|---|---|----|-----|

1 Technology Cutout

| | | | | | | | | |
|--|----------------------------|---|---|---|---|---|---------------------|---|
| | C1E | 1 Bezel Mnt Power | • | • | • | • | ACTRIOBZL-EEEUD-___ | 1 |
| | C1SA C1SV | 1 Single port, alum door 1 Single port, veneer door (Wood Tops Only) | | • | • | • | GD2PORTS-___ | 1 |
| | C1DA C1DV | 1 Double port, alum door 1 Double port, veneer door (Wood Tops Only) | | • | • | • | GD2PORTD-___ | 1 |
| | C1TM | 1 Tech Module | | • | • | • | ACTMEL-___ | 1 |


Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.

PORT DOOR MATERIAL UPCHARGES:

V Veneer (Add \$218 per cutout) Veneer doors ship with top

Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the “C2” option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the “C3” option (3 tech cutouts).

Veneer doors are only available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

| | Dia | model number + type | veneer 1 | veneer 2 | laminata | solid surface | glass |
|---|-----|---|----------|----------|----------|---------------|--------|
| ROUND  | 30 | GD2TRD30- <input type="checkbox"/> | 2,611 | 2,873 | 1,959 | 6,734 | 5,612 |
| | 36 | GD2TRD36- <input type="checkbox"/> | 2,873 | 3,161 | 2,153 | 7,411 | 6,174 |
| | 42 | GD2TRD42- <input type="checkbox"/> | 3,120 | 3,433 | 2,185 | 8,054 | 6,711 |
| | 48 | GD2TRD48- <input type="checkbox"/> | 4,081 | 4,490 | 2,856 | 10,532 | 8,776 |
| | 54 | GD2TRD54- <input type="checkbox"/> | 4,988 | 5,488 | 3,491 | 12,869 | 10,723 |
| | 60 | GD2TRD60- <input type="checkbox"/> | 6,070 | 6,678 | 4,247 | 15,655 | 13,048 |
| | 66 | GD2TRD66- <input type="checkbox"/> | 6,980 | 7,679 | 4,886 | 18,012 | 15,009 |
| | 72 | GD2TRD72- <input type="checkbox"/> | 8,028 | 8,832 | 5,619 | 20,715 | 17,261 |
| | 78 | GD2TRD78- <input type="checkbox"/> | 8,832 | 9,716 | 6,182 | 22,788 | 18,988 |
| | 84 | GD2TRD84- <input type="checkbox"/> | 9,716 | 10,689 | 6,800 | 25,066 | 20,887 |

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

L = Laminate

S = Solid Surface

G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE
DETAIL

4. TOP UV FINISH

5. TECHNOLOGY
CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY
CUTOUT

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY
CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY
CUTOUT

See inside front cover for required option codes

Example

GD2TRD30-W.X.NC260SQ.OP.C1G

| | | | | | |
|--------------|-----|--------|----------------|------------------|----------------------|
| GD2TRD30-W | X | NC260 | SQ | OP | C1G |
| MODEL NUMBER | FSC | FINISH | EDGE DETAIL | TOP UV FINISH | TECHNOLOGY CUTOUT |

| technology cutout option | cutout option code | description | 30 x 30 | 36 x 36 | 42 x 42 | 48 x 48 | 54 x 54 | 60 x 60 | 66 x 66 | 72 x 72 | 78 x 78 | 84 x 84 | technology model # required | qty |
|--------------------------|--------------------|-------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----------------------------|-----|
|--------------------------|--------------------|-------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----------------------------|-----|

No Technology Cutout

| | | | | | | | | | | | | | | |
|--|-----------|-----------------------------|---|---|---|---|---|---|---|---|---|---|----|-----|
| | GN | No Technology Cutout | • | • | • | • | • | • | • | • | • | • | GN | N/A |
|--|-----------|-----------------------------|---|---|---|---|---|---|---|---|---|---|----|-----|

1 Technology Cutout

| | | | | | | | | | | | | | | |
|--|-------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---------------------|---|
| | C1G | Grommet Uno Bezel Mnt Power | • | • | • | • | | | | | | | ACUNOBZL-___ | 1 |
| | C1E | 1 Bezel Mnt Power | | | | | • | • | • | • | • | • | ACTRIOBZL-EEEUD-___ | 1 |
| | C1SA | 1 Single port, alum door | | | | | • | • | • | • | • | • | GD2PORTS- | 1 |
| | C1TM | 1 Tech Module | | | | | • | • | • | • | • | • | ACTMEL- | 1 |

2 Technology Cutouts

| | | | | | | | | | | | | | | |
|--|----------------------------|--|--|--|--|--|--|--|---|---|---|---|---------------------|---|
| | C2E | 2 Trio Bezel Mnt Power | | | | | | | • | • | • | • | ACTRIOBZL-EEEUD-___ | 2 |
| | C2SA C2SV | 2 Single ports, alum door 2 Single ports, veneer door (Wood Tops Only) | | | | | | | • | • | • | • | GD2PORTS- | 2 |
| | C2TM | 2 Tech Modules | | | | | | | • | • | • | • | ACTMEL- | 2 |

Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.

PORT DOOR MATERIAL UPCHARGES:


V Veneer (Add \$218 per cutout) Veneer doors ship with top

Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the “C2” option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the “C3” option (3 tech cutouts).

Veneer doors are only available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

SOFT SQUARE TOPS

Briefing
03/23

| | D | W | model number + type | veneer 1 | veneer 2 | laminare | solid surface | glass |
|---|----|----|--|----------|----------|----------|---------------|--------|
| SOFT SQUARE  | 30 | 30 | GD2TSSQ30- <input type="checkbox"/> | 2,611 | 2,873 | 1,959 | 6,734 | 5,612 |
| | 36 | 36 | GD2TSSQ36- <input type="checkbox"/> | 2,873 | 3,161 | 2,153 | 7,411 | 6,174 |
| | 42 | 42 | GD2TSSQ42- <input type="checkbox"/> | 3,120 | 3,433 | 2,185 | 8,054 | 6,711 |
| | 48 | 48 | GD2TSSQ48- <input type="checkbox"/> | 4,081 | 4,490 | 2,856 | 10,532 | 8,776 |
| | 54 | 54 | GD2TSSQ54- <input type="checkbox"/> | 4,988 | 5,488 | 3,491 | 12,869 | 10,723 |
| | 60 | 60 | GD2TSSQ60- <input type="checkbox"/> | 6,070 | 6,678 | 4,247 | 15,655 | 13,048 |
| | 66 | 66 | GD2TSSQ66- <input type="checkbox"/> | 6,980 | 7,679 | 4,886 | 18,012 | 15,009 |
| | 72 | 72 | GD2TSSQ72- <input type="checkbox"/> | 8,028 | 8,832 | 5,619 | 20,715 | 17,261 |
| | 78 | 78 | GD2TSSQ78- <input type="checkbox"/> | 8,832 | 9,716 | 6,182 | 22,788 | 18,988 |
| | 84 | 84 | GD2TSSQ84- <input type="checkbox"/> | 9,716 | 10,689 | 6,800 | 25,066 | 20,887 |

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

L = Laminate

S = Solid Surface

G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE
DETAIL

4. TOP UV FINISH

5. TECHNOLOGY
CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY
CUTOUT

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY
CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY
CUTOUT

See inside front cover for required option codes


Example

GD2TSSQ30-W.X.NC260SQ.OP.C1G





| | | | | | |
|--------------|-----|--------|----------------|------------------|----------------------|
| GD2TSSQ30-W | X | NC260 | SQ | OP | C1G |
| MODEL NUMBER | FSC | FINISH | EDGE DETAIL | TOP UV FINISH | TECHNOLOGY CUTOUT |

| technology cutout option | cutout option code | description | 30 x 30 | 36 x 36 | 42 x 42 | 48 x 48 | 54 x 54 | 60 x 60 | 66 x 66 | 72 x 72 | 78 x 78 | 84 x 84 | technology model # required | qty |
|--------------------------|--------------------|-------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----------------------------|-----|
|--------------------------|--------------------|-------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----------------------------|-----|




No Technology Cutout

| | | | | | | | | | | | | | | |
|---|-----------|-----------------------------|---|---|---|---|---|---|---|---|---|---|----|-----|
|  | GN | No Technology Cutout | • | • | • | • | • | • | • | • | • | • | GN | N/A |
|---|-----------|-----------------------------|---|---|---|---|---|---|---|---|---|---|----|-----|

1 Technology Cutout

| | | | | | | | | | | | | | | |
|---|-------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---------------------|---|
|  | C1G | Grommet Uno Bezel Mnt Power | • | • | • | • | | | | | | | ACUNOBZL-___ | 1 |
|  | C1E | 1 Bezel Mnt Power | | | | | • | • | • | • | • | • | ACTRIOBZL-EEEUD-___ | 1 |
|  | C1SA | 1 Single port, alum door | | | | | • | • | • | • | • | • | GD2PORTS- | 1 |
|  | C1TM | 1 Tech Module | | | | | • | • | • | • | • | • | ACTMEL- | 1 |

2 Technology Cutouts

| | | | | | | | | | | | | | | |
|---|----------------------------|--|--|--|--|--|--|--|---|---|---|---|---------------------|---|
|  | C2E | 2 Trio Bezel Mnt Power | | | | | | | • | • | • | • | ACTRIOBZL-EEEUD-___ | 2 |
|  | C2SA C2SV | 2 Single ports, alum door 2 Single ports, veneer door (Wood Tops Only) | | | | | | | • | • | • | • | GD2PORTS- | 2 |
|  | C2TM | 2 Tech Modules | | | | | | | • | • | • | • | ACTMEL- | 2 |

Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.

PORT DOOR MATERIAL UPCHARGES:

V Veneer (Add \$218 per cutout) Veneer doors ship with top










Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the “C2” option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the “C3” option (3 tech cutouts).

Veneer doors are only available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

- Technology Components 73-101
 - Technology Matrix 74
 - Perimeter Power 75-77
 - Bezel Mount Power 76
 - Tech Module 78
 - Single Tech Port 79
 - Double Tech Port 80
 - Extron Cable Cubby 81
 - Extron Cable Retractor 82
 - Extron Cable Retractor Installation Tips 83
 - Converge Technology Trough 84
 - Compatible Jacks 85
 - Extron Compatibility 86
 - Extron Single Space Plates 87-89
 - Extron Double Space Plates 90-91
 - Wire Management 92
 - Cable Retractor 93
 - Grommet 94
 - Byrne Data Jacks 95
 - Power Cable Kit 96
 - Training Table Power 97
 - 4-Trac Electrical System 98-99
 - 4-Trac Accessories and Electrical 100-101

TECHNOLOGY MATRIX

| Technology Option | Technology | Retractable Cable Option | Finish Options | Price |
|---------------------------|---|---|--|--------------|
| Perimeter Power | USB and Power *Trio model comes with data jack blank | N/A | Silver, Black and White | \$ |
| Bezel Mount Power | USB, Power and Data Jack Blank | N/A | Silver, Black and White | \$\$ |
| Tech Module | USB Power, Extron AAP-Cutout or Qi Wireless Charging | Yes - See Cable Retractors Page 82 | Silver and Black | \$\$\$ |
| Tech Port | Power, Optional USB and Extron AAP-Cutouts | Yes - See Cable Retractors Page 82 | Black, Silver, White, Gold, Pyrite, Polished Aluminum or Matching Veneer | \$\$\$\$ |
| Extron Cable Cubby | Power, USB and Extron AAP-Cutouts | Yes - See Extron Cable Retractors Page 82 | Silver and Black | \$\$\$\$\$ |
| Technology Trough | Power, USB and Extron AAP-Cutouts | Yes - See Cable Retractors Page 82 | Black, Silver, White, Gold and Pyrite | \$\$\$\$\$\$ |

| | D | W | H | model number | list |
|--|--|-------|-------|-----------------------------|------|
| STANDARD PLUG | 2 3/4 | 4 1/8 | 1 3/4 | ACPUNDER-EU | 413 |
|  | <ul style="list-style-type: none"> • Includes 2 USB plus 1 Power • USB is charging | | | | |
|  | 2 3/4 | 6 1/2 | 1 3/4 | GDAPPM-EEU | 499 |
| <ul style="list-style-type: none"> • Includes 2 USB plus 2 Power | | | | | |
|  | 2 3/4 | 8 | 1 3/4 | ACTRIOUNDER-EEEUD | 555 |
| <ul style="list-style-type: none"> • Includes 2 USB, 1 Data plus 3 Power <p>Note: Used with BYRNE DATA JACKS FOR EXPOSED POWER, page 95.</p> | | | | | |
| HARDWIRED | 2 3/4 | 4 1/8 | 1 3/4 | ACPUNDER-EU-HW | 413 |
|  | <ul style="list-style-type: none"> • Includes 2 USB plus 1 Power | | | | |
|  | 2 3/4 | 6 1/2 | 1 3/4 | GDAPPM-EEU-HW | 499 |
| <ul style="list-style-type: none"> • Includes 2 USB plus 2 Power | | | | | |
|  | 2 3/4 | 8 | 1 3/4 | ACTRIOUNDER-EEEUD-HW | 555 |
| <ul style="list-style-type: none"> • Includes 2 USB, 1 Data plus 3 Power <p>Note: Used with BYRNE DATA JACKS FOR EXPOSED POWER, page 95.</p> | | | | | |
| DAISY CHAIN | 2 3/4 | 4 1/8 | 1 3/4 | ACUNOUNDER-PS | 413 |
|  | <ul style="list-style-type: none"> • Includes 2 USB plus 1 Power | | | | |
|  | 2 3/4 | 6 1/2 | 1 3/4 | ACDUOUNDER-PS | 493 |
| <ul style="list-style-type: none"> • Includes 2 USB plus 2 Power | | | | | |
|  | 2 3/4 | 8 | 1 3/4 | ACTRIOUNDER-PS | 555 |
| <ul style="list-style-type: none"> • Includes 2 USB, 1 Data plus 3 Power <p>Note: Used with BYRNE DATA JACKS FOR EXPOSED POWER, page 95.</p> | | | | | |

PRODUCT INFO

10' Standard plug or 6' hardwire power source
 • Infeed and chains must be ordered separately. See page 77.

TO ORDER PLEASE SPECIFY THE FOLLOWING:










- MODEL NUMBER**
 - POWER UNIT COLOR**
 - BK** Black
 - SV** Silver
 - WH** White
- You can daisychain up to 8 units per infeed.
 - * You can mix any combination of the Uno, Duo or Trio (1 outlet, 2 outlets or 3 outlets). The limit is 8 total units.

Example

ACUNOUNDER-PS.BK
 ACUNOUNDER-PS BK
 MODEL NUMBER POWER UNIT COLOR

BEZEL MOUNT POWER MODULE

Briefing
03/23

| | D | W | H | model number | list |
|---|-------|-------|-------|--|------|
| STANDARD PLUG | 2 3/4 | 4 1/8 | 1 3/4 | ACUNOBZL-EU | 431 |
|  | | | | <ul style="list-style-type: none"> Includes 2 USB plus 1 Power USB is charging | |
|  | 2 3/4 | 6 1/2 | 1 3/4 | ACDUOBZL-EEU | 511 |
| | | | | <ul style="list-style-type: none"> Includes 2 USB plus 2 Power | |
|  | 2 3/4 | 8 | 1 3/4 | ACTRIOBZL-EEEUD | 588 |
| | | | | <ul style="list-style-type: none"> Includes 2 USB, 1 Data plus 3 Power <p>Note: Used with BYRNE DATA JACKS FOR EXPOSED POWER, page 95.</p> | |
| HARDWIRED | 2 3/4 | 4 1/8 | 1 3/4 | ACUNOBZL-EU-HW | 431 |
|  | | | | <ul style="list-style-type: none"> Includes 2 USB plus 1 Power | |
|  | 2 3/4 | 6 1/2 | 1 3/4 | ACDUOBZL-EEU-HW | 511 |
| | | | | <ul style="list-style-type: none"> Includes 2 USB plus 2 Power | |
|  | 2 3/4 | 8 | 1 3/4 | ACTRIOBZL-EEEUD-HW | 588 |
| | | | | <ul style="list-style-type: none"> Includes 2 USB, 1 Data plus 3 Power | |
| DAISY CHAIN | 2 3/4 | 4 1/8 | 1 3/4 | ACUNOBZL-PS | 431 |
|  | | | | <ul style="list-style-type: none"> Includes 2 USB plus 1 Power | |
|  | 2 3/4 | 6 1/2 | 1 3/4 | ACDUOBZL-PS | 511 |
| | | | | <ul style="list-style-type: none"> Includes 2 USB plus 2 Power | |
|  | 2 3/4 | 8 | 1 3/4 | ACTRIOBZL-PS | 588 |
| | | | | <ul style="list-style-type: none"> Includes 2 USB, 1 Data plus 3 Power <p>Note: Used with BYRNE DATA JACKS FOR EXPOSED POWER, page 95.</p> | |

PRODUCT INFO

10' Standard plug or 6' hardwire power source
 • Infeed and chains must be ordered separately. See page 77.



TO ORDER PLEASE SPECIFY THE FOLLOWING:


- MODEL NUMBER**
- POWER UNIT COLOR**
BK Black
SV Silver
WH White

Example

ACUNOUNDER-PS.BK
 ACUNOUNDER-PS BK
 MODEL NUMBER POWER UNIT COLOR

DAISY CHAIN COMPONENTS FOR PERIMETER AND BEZEL MOUNT POWER

| | D | W | H | model number | list |
|--|-------|----|---|---|------|
| INFEED | | 12 | | ACDKPWRIN-PS | 798 |
|   | | | | <ul style="list-style-type: none"> • Uno, Duo, Trio Daisy Chain Infeed, Std Plug • The total length of this infeed is 144.4". • From the plug in Cord to box is 108". • Box to perimeter plug is 29". • You can daisychain up to 8 units per infeed. • You can mix any combination of the Uno, Duo or Trio (1 outlet, 2 outlets or 3 outlets). The limit is 8 total units. <p>Note: This cannot be used with 4-track system. It can be used with power cable kit to allow single/double/tech modules to be used in conjunction with perimeter and bezel mount power modules.</p> | |
| | 1 3/4 | 36 | 1 | ACDKPWRJ36-PS | 210 |
| | | | | <ul style="list-style-type: none"> • Uno, Duo, Trio Daisy Chain Jumper 36" | |
| | 1 3/4 | 48 | 1 | ACDKPWRJ48-PS | 213 |
| | | | | <ul style="list-style-type: none"> • Uno, Duo, Trio Daisy Chain Jumper 48" | |
| | 1 3/4 | 60 | 1 | ACDKPWRJ60-PS | 159 |
| | | | <ul style="list-style-type: none"> • Uno, Duo, Trio Daisy Chain Jumper 60" | | |
| 1 3/4 | 72 | 1 | ACDKPWRJ72-PS | 174 | |
| | | | <ul style="list-style-type: none"> • Uno, Duo, Trio Daisy Chain Jumper 72" | | |
| 1 3/4 | 84 | 1 | ACDKPWRJ84-PS | 187 | |
| | | | <ul style="list-style-type: none"> • Uno, Duo, Trio Daisy Chain Jumper 84" | | |







PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

ACDKPWRIN-PS
ACDKPWRIN-PS
MODEL NUMBER

| | D | W | H | model number | list |
|---|---|---|---|---------------------|-------|
| STANDARD PLUG  | | | | ACTMEL-S | 811 |
| | <ul style="list-style-type: none"> Includes 3 Power and Extron, Standard Plug, Silver Extron plates must be ordered separately. USB charging. <p>Note: These are double Extron units.</p> | | | | |
| STANDARD PLUG with Optional Wireless Charging  | | | | ACTMELQI-S | 1,215 |
| | <ul style="list-style-type: none"> Includes 3 Power, USB and Qi Wireless Charging, Standard Plug, Fog (Silver) | | | | |
| HARDWIRED  | | | | ACTMEL-SHW | 811 |
| | <ul style="list-style-type: none"> Includes 3 Power and Extron, Hardwired, Silver Extron plates must be ordered separately. USB charging. <p>Note: These are double Extron units.</p> | | | | |
| HARDWIRED with Optional Wireless Charging  | | | | ACTMELQI-SHW | 1,215 |
| | <ul style="list-style-type: none"> Includes 3 Power, USB and Qi Wireless Charging, Hardwired, Fog (Silver) USB charging. <p>Note: These are double Extron units.</p> | | | | |
| | | | | ACTMELQI-SHW | 1,215 |
| | <ul style="list-style-type: none"> Includes 3 Power, USB and Qi Wireless Charging, Hardwired, Black USB charging. <p>Note: These are double Extron units.</p> | | | | |

PRODUCT INFO

Unit includes 10' power in feed conduit.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER



Example

ACTMEL-S
 ACTMEL-S
 MODEL NUMBER

| | D | W | H | model number | list |
|----------------------|--|-------|---|----------------------|-------|
| STANDARD PLUG | 15 1/4 | 8 3/4 | 4 | GD2PORTS-A | 2,127 |
| | <ul style="list-style-type: none"> • Includes 3 power plus 1 Extron in each port • Extron plates must be ordered separately. See pages 87-91. | | | | |
| HARDWIRED | 15 1/4 | 8 3/4 | 4 | GD2PORTS-B | 2,304 |
| | <ul style="list-style-type: none"> • Includes 2 power plus 1 USB power simplex and 1 Extron in each port • Extron plates must be ordered separately. See pages 87-91. | | | | |
| HARDWIRED | 15 1/4 | 8 3/4 | 4 | GD2PORTS-A-HW | 2,127 |
| | <ul style="list-style-type: none"> • Includes 3 power plus 1 Extron in each port • Extron plates must be ordered separately. See pages 87-91. | | | | |
| HARDWIRED | 15 1/4 | 8 3/4 | 4 | GD2PORTS-B-HW | 2,304 |
| | <ul style="list-style-type: none"> • Includes 2 power plus 1 USB power simplex and 1 Extron in each port • Extron plates must be ordered separately. See pages 87-91. • USB charging. | | | | |

Note:

Veneer doors are included with table tops.



PRODUCT INFO

10' Standard plug or 6' hardwire power source

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

2. HARDWARE COLOR OPTION


- P71** Black
- PR6** Silver
- P8G** Matte Gold
- PJE** Pyrite
- PJW** Designer White
- V** Veneer Doors (included with top); the option pick for the table top must be either SV or DV
- PA** Polished Aluminum (+\$218)

Example

GD2PORTS-A.P71
 GD2PORTS-A P71
 MODEL NUMBER HARDWARE COLOR OPTION

| | D | W | H | model number | list |
|----------------------|--|--------|---|----------------------|-------|
| STANDARD PLUG | 15 1/4 | 19 1/4 | 4 | GD2PORTD-A | 3,545 |
| | <ul style="list-style-type: none"> • Includes 6 power plus 2 Extron in each port • Extron plates must be ordered separately. See pages 87-91. | | | | |
| | 15 1/4 | 19 1/4 | 4 | GD2PORTD-B | 3,724 |
| | <ul style="list-style-type: none"> • Includes 4 power plus 2 USB power and 2 Extron in each port • Extron plates must be ordered separately. See pages 87-91. | | | | |
| HARDWIRED | 15 1/4 | 19 1/4 | 4 | GD2PORTD-A-HW | 3,545 |
| | <ul style="list-style-type: none"> • Includes 6 power plus 2 Extron in each port • Extron plates must be ordered separately. See pages 87-91. | | | | |
| | 15 1/4 | 19 1/4 | 4 | GD2PORTD-B-HW | 3,724 |
| | <ul style="list-style-type: none"> • Includes 4 power plus 2 USB power and 2 Extron in each port • Extron plates must be ordered separately. See pages 87-91. • USB charging. | | | | |

Note:
Veneer doors are included with table tops.



PRODUCT INFO







10' Standard plug or 6' hardwire power source

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER**
- HARDWARE COLOR OPTION**
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White
 - V** Veneer Doors (included with top); the option pick for the table top must be either SV or DV
 - PA** Polished Aluminum (+\$218)

Example

GD2PORTD-A.P71
 GD2PORTD-A P71
 MODEL NUMBER HARDWARE COLOR OPTION

| | D | W | H | model number | list |
|--|---|---|---|---|-------|
| STANDARD PLUG Single-Sided  | | | | AC-CC1202-BK | 3,393 |
| | <ul style="list-style-type: none"> • Includes 2 Power, 2 USB, and Extron, Standard Plug, Black • Extron plates must be ordered separately. • USB charging. | | | | |
| Double-Sided  | | | | AC-CC1402-BK | 6,638 |
| | <ul style="list-style-type: none"> • Includes 4 Power, 4 USB, and 2 Extron, Standard Plug, Black • Extron plates must be ordered separately. • USB charging. | | | | |
| HARDWIRED Single-Sided  | | | | AC-CC1202-BKHW | 3,393 |
| | <ul style="list-style-type: none"> • Includes 2 Power, 2 USB, and Extron, Hardwired, Black • Extron plates must be ordered separately. • USB charging. | | | | |
| Double-Sided  | | | | AC-CC1402-BKHW | 6,638 |
| | <ul style="list-style-type: none"> • Includes 2 Power, 2 USB, and Extron, Hardwired, Black • Extron plates must be ordered separately. • USB charging. | | | | |
| | | | | AC-CC1202-AHW | 3,393 |
| <ul style="list-style-type: none"> • Includes 2 Power, 2 USB, and Extron, Hardwired, Brushed Aluminum • Extron plates must be ordered separately. • USB charging. | | | | | |
| | | | | AC-CC1402-AHW | 6,638 |
| <ul style="list-style-type: none"> • Includes 4 Power, 4 USB, and 2 Extron, Hardwired, Brushed Aluminum • Extron plates must be ordered separately. • USB charging. | | | | | |
|  | | <p>Extron AAP Blank Plate can accommodate three retractable modules, three AAP modules or eight AV Cables</p> | |  | |
| Cable Cubby 1202 | | | | Cable Cubby 1402 | |

PRODUCT INFO

10' Standard plug or 6' hardwire power source. Expandable Panel Base is required for use with these cable cubbies.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER






Example


AC-CC1202-BK
 AC-CC1202-BK
 MODEL NUMBER

EXTRON CABLE CUBBY RETRACTORS

for use with extron cable cubbies only

Briefing
03/23

| | D | W | H | model number | list |
|---|-------|-------|--------|-----------------------|-------|
| HDMI  <ul style="list-style-type: none"> • HDMI Cable Retractor • 3 Feet | 4 3/4 | 1 1/4 | 22 3/4 | AC-RS-2HDMI | 1,731 |
| NETWORK  <ul style="list-style-type: none"> • Network CAT6 Cable Retractor • 3 Feet | 4 3/4 | 1 1/4 | 22 3/4 | AC-RS-2NETWORK | 1,731 |
| VGA  <ul style="list-style-type: none"> • VGA Cable Retractor • 3 Feet | 4 3/4 | 1 1/4 | 22 3/4 | AC-RS-2VGA-A | 1,918 |
| FILLER  <ul style="list-style-type: none"> • With Blank and Cable Pass-Through Plates • Required to occupy unused retractor module space. | 1 | 1 | 1/4 | AC-RS-FILLER | 295 |
| HORIZONTAL MOUNTING BRACKET  <ul style="list-style-type: none"> • Hold Three Retractor Modules • Required for Horizontal Mounting | 1 | 1 | 1/4 | AC-RS-BRACKET | 132 |



PRODUCT INFO

- Cable Cubby 1200 and 1400 have a retractor capacity of 3.
- Retractors can be mounted horizontal, vertical or angular (see page 83).
- Cables pull out to 5' in length.
- Simple push-button release retracts cable into Cable Cubby enclosure after use.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


1. MODEL NUMBER

Example


ACEXP-HDMI-BK
 ACEXP-HDMI-BK
 MODEL NUMBER

MOUNTING ORIENTATION


Horizontal Mounting




Vertical Mounting



Angular Mounting



PIGTAILS



*To make connections to devices under the table, Retractor Series have 6 feet (1.8 m) of pigtail from the exit of the cable retainer (see the illustration). Depending on the retractor mounting and the location of the devices, you may require patch cables to extend the reach of the pigtail.

If you need to connect to devices further than the pigtails allow, contact your Extron representative or go to www.extron.com for a full line of patch cables.

| | D | W | H | model number | list |
|----------------------|---------|--------|-------|----------------------|-------|
| STANDARD PLUG | 11 5/16 | 51 1/8 | 5 1/8 | GD2TPTR-50BNK | 6,606 |

- Includes 4 Extron AAP blanks, 8 power, 4 dual USB power (8 total), 8 data jack blanks
- Extron plates must be ordered separately.


HARDWIRED



| | | | | | |
|--|---------|--------|-------|-------------------------|-------|
| | 11 5/16 | 51 1/8 | 5 1/8 | GD2TPTR-50BNK-HW | 6,606 |
|--|---------|--------|-------|-------------------------|-------|


- Includes 4 Extron AAP blanks, 8 power, 4 dual USB power (8 total), 8 data jack blanks
- Extron plates must be ordered separately.

POWER CORD QUANTITY AND LOCATIONS




Note: Each 50" Trough includes (4) power supply cords.

STANDARD CONFIGURATION



B **EXTRON AAP DOUBLE BLANK PLATE (70-090-12)**



Each 50" technology trough specified can be populated with 4 Extron AAP Blanks. See page 87-91 for options to customize trough.



Each 50" technology trough specified can be populated with (8) of the Leviton components listed to the right. Price listed is per jack.

Specify model number from the list below:

| accessory jack components | model number | list price | quantity (specify 2) | |
|---------------------------|--------------|---------------|----------------------|--------------------------|
| | RJ-45 | AC-45 | 93 | <input type="checkbox"/> |
| | RJ-11 | AC-11 | 56 | <input type="checkbox"/> |
| | Blank | AC-BNK | 66 | <input type="checkbox"/> |

TOTAL (20)

PRODUCT INFO

Units can be specified with 10' standard plug or 6' hardwire conduit.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER**
- HARDWARE COLOR OPTION**
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White


Example

GD2TPTR-50BNK.P71
 GD2TPTR-50BNK P71
 MODEL NUMBER HARDWARE COLOR OPTION

JACK COMPATIBILITY


Additional flexibility is provided in the Converge technology solution by offering a range of technology solutions in the jack openings.

Blank jack openings may be populated in the field with any of the following manufacturers jacks:



Converge Jack Cutout Size

Example



The large technology port blank jacks (4) shown above can be populated with any of the jacks including RJ45, CAT5, CAT5e, and CAT6 from the manufacturers listed below. The Leviton RJ-45 connectors are CAT6.

| manufacturer | jack series | website | phone |
|---------------------------------------|----------------------------|------------------------------|-----------------------|
| AMP/TYCO (NETCONNECT) | SL Series & 110 | www.ampnetconnect.com | 1 800 553-0938 |
| LEVITON (standard in Converge) | Quick Port | www.leviton.com | 1 800 824-3005 |
| PANDUIT | NetKey | www.panduit.com | 1 800 777-3300 |
| SIEMON | Max Keystone | www.siemon.com | 1 866 474-1197 |


| manufacturer | product | website | phone |
|---------------|-------------------------------|-----------------------|-----------------------|
| Extron | AAP Double Space Plate | www.extron.com | 1 800 633-9876 |

EXTRON COMPATIBILITY

Extron offers a wide range of technology solutions to meet specific technology requirements. Contact Extron for a complete list of options.

| manufacturer | website | phone |
|--------------|----------------|----------------|
| Extron | www.extron.com | 1 800 633 9876 |

| | |
|--|--|
| Double space - blank plate Extron Model # 70-090-12 | Single space - blank plate Extron Model # 70-090-11 |
| | Single space - blank plate Extron Model # 70-090-11 |



Extron Cut-Out Size



For use with (1) double space Extron plate or (2) single space Extron plates.








EXTRON TEAMWORK®

Extron TeamWork® offers a pre-configured collaborative system designed for fast, easy implementation with minimal setup. Allowing for groups of 4 to 6 users to share content by connecting the "Show Me" cable to a laptop or tablet. As soon as a signal is detected, power is automatically directed to the video display. Users can switch the display automatically to another device by pressing the "Share" button on the "Show Me" cable, and the switcher automatically displays the appropriate input on the video display. TeamWork® systems works with most flat panel displays, laptops, and tablets.

Extron TeamWork® system must be ordered directly from Extron. Visit www.extron.com or call 1-800-633-9876 for more information.

Gunlocke recommends an Extron APP double space cable organizer with TeamWork® to help keep the wires untangled and organized. Model AC-7054211.



| | D | W | H | model number | list |
|--|-------|-------|-----|-------------------|------|
|  | 1 1/2 | 3 1/2 | 5/8 | AC-7009011 | 111 |
| <ul style="list-style-type: none"> • Single Plate, blank • Extron Part Number: 70-090-11 | | | | | |
|  | 1 1/2 | 3 1/2 | 5/8 | AC-7010113 | 265 |
| <ul style="list-style-type: none"> • Single Plate, includes 1 audio plus 1 VGA F-F • Extron Part Number: 70-101-13 | | | | | |
|  | 1 1/2 | 3 1/2 | 5/8 | AC-7010173 | 313 |
| <ul style="list-style-type: none"> • Single Plate labeled, includes 1 audio plus 1 VGA F-F • Extron Part Number: 70-101-73 | | | | | |
|  | 1 1/2 | 3 1/2 | 5/8 | AC-7010111 | 265 |
| <ul style="list-style-type: none"> • Single Plate, includes 1 audio F-F • Extron Part Number: 70-101-11 | | | | | |
|  | 1 1/2 | 3 1/2 | 5/8 | AC-7041111 | 184 |
| <ul style="list-style-type: none"> • Single Plate, includes 1 RJ11 phone F-F • Extron Part Number: 70-411-11 | | | | | |
|  | 1 1/2 | 3 1/2 | 5/8 | AC-7049111 | 265 |
| <ul style="list-style-type: none"> • Single Plate, includes 2 RJ45 data F-F • Extron Part Number: 70-491-11 | | | | | |
|  | 1 1/2 | 3 1/2 | 5/8 | AC-7049112 | 365 |
| <ul style="list-style-type: none"> • Single Plate, includes 2 RJ45 data F-Pdwn CAT6 AMP • Extron Part Number: 70-491-12 | | | | | |
| <ul style="list-style-type: none"> • All Extron plates open market | | | | | |

PRODUCT INFO

Note: Plates do not come with the connecting cable.

TO ORDER PLEASE SPECIFY THE FOLLOWING:







1. MODEL NUMBER

Example

AC-7009011
AC-7009011
MODEL NUMBER

EXTRON SINGLE SPACE PLATES

Briefing
03/23

| | D | W | H | model number | list |
|---|-------|-------|-----|--|------|
|  | 1 1/2 | 3 1/2 | 5/8 | AC-7049113 | 365 |
| | | | | <ul style="list-style-type: none"> • Single Plate, includes 2 RJ45 data F-Pdwn CAT6 SIEMON • Extron Part Number: 70-491-13 | |
|  | 1 1/2 | 3 1/2 | 5/8 | AC-7049114 | 365 |
| | | | | <ul style="list-style-type: none"> • Single Plate, includes 2 RJ45 data F-Pdwn CAT6 Otronics • Extron Part Number: 70-491-14 | |
|  | 1 1/2 | 3 1/2 | 5/8 | AC-7049115 | 365 |
| | | | | <ul style="list-style-type: none"> • Single Plate, includes 2 RJ45 data F-Pdwn CAT6 Leviton • Extron Part Number: 70-491-15 | |
|  | 1 1/2 | 3 1/2 | 5/8 | AC-7049116 | 365 |
| | | | | <ul style="list-style-type: none"> • Single Plate, includes 2 RJ45 data F-Pdwn CAT6 Panduit • Extron Part Number: 70-491-16 | |
|  | 1 1/2 | 3 1/2 | 5/8 | AC-7016111 | 527 |
| | | | | <ul style="list-style-type: none"> • Single Plate, includes 1 audio plus 1 VGA • Extron Part Number: 70-161-11 | |
|  | 1 1/2 | 3 1/2 | 5/8 | AC-7061602 | 276 |
| | | | | <ul style="list-style-type: none"> • Single Plate, HDMI plate F/F • Extron Part Number: 70-616-02 | |
| | | | | <ul style="list-style-type: none"> • All Extron plates open market | |

PRODUCT INFO

Note: Plates do not come with the connecting cable.

TO ORDER PLEASE SPECIFY THE FOLLOWING:



1. MODEL NUMBER

Example

AC-7049113

AC-7049113

MODEL NUMBER

| | D | W | H | model number | list |
|--|-------|-------|-----|-------------------|------|
|  | 1 1/2 | 3 1/2 | 5/8 | AC-7067712 | 276 |
| <ul style="list-style-type: none"> • Single Plate, includes 1 DispPrt F-DispPrt F 10" Pigtail • Extron Part Number: 70-677-12 | | | | | |
|  | 1 1/2 | 3 1/2 | 5/8 | AC-7045412 | 276 |
| <ul style="list-style-type: none"> • Single Plate, includes 2 USB A F-2 USB A F 10" Pigtail • Extron Part Number: 70-454-12 • All Extron plates open market | | | | | |

PRODUCT INFO

Note: Plates do not come with the connecting cable.

TO ORDER PLEASE SPECIFY THE FOLLOWING:





1. MODEL NUMBER

Example

AC-7067712
AC-7067712
MODEL NUMBER

EXTRON DOUBLE SPACE PLATES

Briefing
03/23

| | D | W | H | model number | list |
|--|-------|-------|-------|---|------|
|  | 1 1/2 | 3 1/2 | 1 3/8 | AC-7009012 | 93 |
| | | | | <ul style="list-style-type: none"> • Double Plate, blank • Extron Part Number: 70-090-12 | |
|  | 1 1/2 | 3 1/2 | 1 3/8 | AC-7010011 | 244 |
| | | | | <ul style="list-style-type: none"> • Double Plate, includes 2 RJ45 data F-F • Extron Part Number: 70-100-11 | |
|  | 1 1/2 | 3 1/2 | 1 3/8 | AC-7010314 | 241 |
| | | | | <ul style="list-style-type: none"> • Double Plate, includes 2 XLR 3 pin F to Solder Cups • Extron Part Number: 70-103-14 | |
|  | 1 1/2 | 3 1/2 | 1 3/8 | AC-7046411 | 310 |
| | | | | <ul style="list-style-type: none"> • Double Plate, includes 2 fiber SC F-F Barrels • Extron Part Number: 70-464-11 • All Extron plates open market | |

PRODUCT INFO

Note: Plates do not come with the connecting cable.

TO ORDER PLEASE SPECIFY THE FOLLOWING:




1. MODEL NUMBER

Example

AC-7009012

AC-7009012

MODEL NUMBER

| | D | W | H | model number | list |
|---|-------|-------|-------|---|------|
|  | 1 1/2 | 3 1/2 | 1 3/8 | AC-7026701 | 436 |
| | | | | <ul style="list-style-type: none"> • Double Plate, Cable pass through set • Extron Part Number: 70-267-01; 70-270-01 | |
|  | 1 1/2 | 3 1/2 | 1 3/8 | AC-7054211 | 436 |
| | | | | <ul style="list-style-type: none"> • Double Plate, Cable organizer • Extron Part Number: 70-542-11 | |
|  | 1 1/2 | 3 1/2 | 1 3/8 | AC-70107602 | 725 |
| | | | | <ul style="list-style-type: none"> • Double Super Plate, includes 1 HDMI, 1 VGA, 1 audio, and 1 USB • Extron Part Number: 70-107-602 • All Extron plates open market | |

PRODUCT INFO





Note: Plates do not come with the connecting cable.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

AC-7026701
AC-7026701
MODEL NUMBER

| | D | W | H | model number | list |
|---|-------|--------|-----|---|------|
| WIRE CLIP | 1 | 1 | 1/4 | AC-WIRECLIP | 69 |
|  | | | | <ul style="list-style-type: none"> • Wire clip with screws • If used on training table, tables to run a wire down the leg. These are plastic. | |
|  | | | 1/4 | GD2HBS-WIREMGR | 935 |
| | | | | <ul style="list-style-type: none"> • Vertical Wire Manager for Bases • Used on ribbon bases to run wire down to the floor; this is stainless steel. | |
|  | | | 1/4 | ACPPUNDER-MGR | 200 |
| | | | | <ul style="list-style-type: none"> • Perimeter Power Cord Manager Beneath Beam • Used on bases with beam so you can run wire from the inside of the beam to the outside of the table for undermount units. This is sheet metal that is painted. | |
| WIRE SPINE | 1 1/2 | 3 1/16 | 30 | CVSPINE | 639 |
|  | | | | <ul style="list-style-type: none"> • Can be used for tables to manage cords to floor. • Used for table with legs. Run wires to the floor from the middle of the table. This is plastic. | |





PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER**
- HARDWARE COLOR (GD2HBS-WIREMGR ONLY)**
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White
 - PS** Polished Stainless (+\$218)

Example

GD2HBS-WIREMGR.P71
 GD2HBS-WIREMGR P71
 MODEL NUMBER HARDWARE COLOR

| | D | W | H | model number | list |
|---|-------|-------|--------|--|-------|
| HDMI  | 4 3/4 | 1 1/4 | 22 3/4 | AC-CR-HDMI | 1,142 |
| | | | | • HDMI Cable Retractor with Mounting Bracket | |
| NETWORK  | 4 3/4 | 1 1/4 | 22 3/4 | AC-CR-CAT6 | 1,142 |
| | | | | • CAT6 Cable Retractor with Mounting Bracket | |
| VGA  | 1 | 1 | 1/4 | AC-CR-VGA | 1,142 |
| | | | | • VGA Cable Retractor with Mounting Bracket | |
| FILLER  | 1 | 1 | 1/4 | AC-CR-USB | 1,142 |
| | | | | • USB Cable Retractor with Mounting Bracket | |

PRODUCT INFO

- For use with the tech module, single port, double port or technology trough.
- Cables pull out to 5' in length.
- Retractors attach to the underside of any worksurface and are able to stack.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

AC-CR-HDMI
 AC-CR-HDMI
 MODEL NUMBER

| D | W | H | model number | list |
|-------|---|---|---------------|------|
| 2 1/2 | 5 | 1 | GS2GMT | 178 |



- Silea EH Rectangular Grommet

PRODUCT INFO






TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER**
- HARDWARE COLOR**
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White

Example

GS2GMT.P71

| | |
|--------------|----------------|
| GS2GMT | P71 |
| MODEL NUMBER | HARDWARE COLOR |

| | D | W | H | model number | list |
|--|---|---|-----|--|------|
| HDMI  | 1 | 1 | 1/4 | ACEXP-HDMI-BK | 183 |
| | | | | <ul style="list-style-type: none"> • HDMI Adapter insert, black • Connects HDMI enabled electronics (laptops, etc.) to remote displays. Female / Female connection, 18" length. | |
| VGA  | 1 | 1 | 1/4 | ACEXP-VGA-BK | 183 |
| | | | | <ul style="list-style-type: none"> • VGA Adapter insert, black • Connects VGA1 enabled electronics (laptops, etc.) to remote displays. Male / Male connection, 120" length. | |
| CAT5E  | 1 | 1 | 1/4 | ACEXP-CAT5E-BK | 183 |
| | | | | <ul style="list-style-type: none"> • CAT5e Adapter insert, black • Pre-terminated CAT5 cable. Provides remote access to network connections allowing surface access. Female / Male connection. 72" length. | |
| CAT6E  | 1 | 1 | 1/4 | ACEXP-CAT6-BK | 183 |
| | | | | <ul style="list-style-type: none"> • CAT6 Adapter insert, black • Pre-terminated CAT6 cable. Provides remote access to network connections allowing surface access. Female / Male connection. 72" length. | |
| USB  | 1 | 1 | 1/4 | ACEXP-USB-BK | 183 |
| | | | | <ul style="list-style-type: none"> • USB-A Adapter insert, black • Provides an extension, allowing surface access to USB. Female / Male connection. 72" length. | |

PRODUCT INFO


TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

ACEXP-HDMI-BK
 ACEXP-HDMI-BK
 MODEL NUMBER


| | W | model number | list |
|--|-----|-----------------|------|
| POWER CABLE KIT WITH 6 RECEPTACLE OUTLETS | 172 | CVPWRKT6 | 811 |



Example

- Provides enough receptacles for all port and (1) technology trough options.
- Power cable kit must be specified with standard plug technology units. (Example: GD2PORTD-A). Technology unit electric cords plug into receptacle outlets of power cable kit.
- Power cable kit is hardwired to power source

| | | | |
|---|-----|------------------|-------|
| POWER CABLE KIT WITH 12 RECEPTACLE OUTLETS | 244 | CVPWRKT12 | 1,426 |
|---|-----|------------------|-------|



Example

- Provides enough receptacles for (2) technology trough options.
- Power cable kit must be specified with standard plug technology units. (Example: GD2PORTD-A quantity 2). Technology unit electric cords plug into receptacle outlets of power cable kit.
- Power cable kit is hardwired to power source

PRODUCT INFO

note:






- To be installed by certified electrician
- Convenient way to connect all power cords to a single power source
- Includes 10' power in feed conduit
- The power cable kit is rated for 20 amps per circuit allowing the use of 2 circuits with 2 line conductors, 1 neutral and 1 ground. The line conductors, neutral and ground are all 12 AWG. The kit can be wired in both single and 3-phase configurations, 240/ 120V, 208/ 120V, respectively.
- UL Listed

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

CVPWRKT6
CVPWRKT6
MODEL NUMBER

| | D | W | H | model number | list |
|---|--|-------|-------|-----------------------|------|
| STANDARD PLUG | 6 1/2 | 4 1/2 | 1 1/2 | AC-PWRDU2E-S | 617 |
|  | <ul style="list-style-type: none"> • Includes 1 Data, 1 USB, and 2 Power, Silver • USB charging. <p>Note: Used with BYRNE DATA JACKS FOR EXPOSED POWER, page 95.</p> | | | | |
| | 6 1/2 | 4 1/2 | 1 1/2 | AC-PWRDU2E-B | 617 |
| | <ul style="list-style-type: none"> • Includes 1 Data, 1 USB, and 2 Power, Black • USB charging. | | | | |
| HARDWIRED | 6 1/2 | 4 1/2 | 1 1/2 | AC-PWRDU2E-SHW | 617 |
|  | <ul style="list-style-type: none"> • Includes 1 Data, 1 USB, and 2 Power, Silver, Hardwired • USB charging. | | | | |
| | 6 1/2 | 4 1/2 | 1 1/2 | AC-PWRDU2E-BHW | 617 |
| | <ul style="list-style-type: none"> • Includes 1 Data, 1 USB, and 2 Power, Black, Hardwired • USB charging. | | | | |
| INTERLINK | 6 1/2 | 4 1/2 | 1 1/2 | AC-PWRD3E-SIQ | 617 |
|  | <ul style="list-style-type: none"> • Includes 1 Data and 3 Power, Silver, Interlink • USB charging. • You can daisychain up to 8 units per infeed. • You can mix any combination of the Uno, Duo or Trio (1 outlet, 2 outlets or 3 outlets). The limit is 8 total units. | | | | |
| | 6 1/2 | 4 1/2 | 1 1/2 | AC-PWRD3E-BIQ | 617 |
| | <ul style="list-style-type: none"> • Includes 1 Data and 3 Power, Black, Interlink • USB charging. • You can daisychain up to 8 units per infeed. • You can mix any combination of the Uno, Duo or Trio (1 outlet, 2 outlets or 3 outlets). The limit is 8 total units. | | | | |
|  | 2 1/2 | 72 | 1 1/2 | AC-PWRIN-IQ | 762 |
| | <ul style="list-style-type: none"> • Interlink 72" Infeed, Std Plug | | | | |
|  | 1 1/2 | 36 | 1 1/8 | AC-PWRJ36-IQ | 159 |
| | <ul style="list-style-type: none"> • Interlink 36" Jumper | | | | |

PRODUCT INFO

10' standard plug or
6' hardwire power source

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

AC-PWRDU2E-S
AC-PWRDU2E-S
MODEL NUMBER

ELECTRICAL SYSTEM

Briefing Tables are available in 3 electrical in-feed options: corded standard plug, hardwire with quick disconnect, or hardwire. Installation and use of electrical systems, the number of receptacles per circuit, and connections to the building power supply should be in compliance with all local and national electrical codes. Verify code requirements before ordering. Wire harnesses and snap connectors are not allowed in Chicago. Customer must furnish electrical wiring components in cases where the Briefing electrical system does not meet code.

The ports offered in Briefing Tables can plug directly into a floor or wall outlet. However, if you plan to daisy-chain the tables or don't have access to power for each of the tables you can order the electrical system based on Byrne 4-Trac in addition to the ports or grommets. All the components of this system are UL listed (UL 183) with the exception of the standard plug power in-feed that is UL recognized (UL 1286).

All flexible parts are metal conduit with the exception of the last section of the power in feed with plug.


Please check with the local authorities for compliance with the electrical requirements for your market and always use a certified electrician for the installation.

HOW TO ORDER

1. Determine the required amps for the setup and decide if you are going to use one or two circuits. You need to use a certified electrician for circuit load estimates and install.
2. Select the Modular Power units for each of the tables. If you use 2 circuits order "Duplex Circuit 2", two per table and replace the "Circuit 1 duplex" that ships standard with the Modular Power on half of the total number of tables.
3. Select a power in-feed (plug, hardwire, rotating entry).

4-TRAC SYSTEM

The 4-Trac electrical system is rated for 20amp per circuit however, according to the National Electrical Code for continuous use, one should budget for 16amp per circuit. The total length of the circuit should not exceed 300" and 13 duplexes. However, some units such as projectors, desktop computers and monitors can draw more current and limit further the number of units you can plug in a circuit. Please consult with your local electrician to determine the best solution for your needs.




POWER IN-FEED

Power In-feed allows you to bring power from a floor or wall mounted power box. All of the 3 solutions below do not restrict the tables to connect in a certain sequence:

POWER IN-FEED HARDWIRE


This unit has 4-wires at one end and a modular connector at the other end.

The modular end connects to a duplex receptacle installed under the table top. This is a 20 amp, 2-circuit unit.



ROTATING POWER IN-FEED WITH QUICK DISCONNECT

This unit replaces a wall outlet to allow for quick disconnect from the wall. Can be used in place of the power in-feed hardwire if the code requires a hard wire connection to the building. This is a 20 amp, 2-circuit unit. Includes a 72" jumper, which connects to a duplex receptacle installed under the table top.




POWER IN-FEED WITH PLUG

This unit has a standard plug at one end and a modular connector at the other end. The modular end connects to a duplex receptacle installed under the table top. This is a 20 amp, 1-circuit unit; it will not fit in a 15 amp power outlet.




4-WIRE H CONNECTOR

This unit can be used when you need to bring power to a series of daisy chained tables somewhere else than the at the ends of the chain. This acts as a T-splitter and connects to 3 jumpers (two from the tables and one from the power source). This is usually used in conjunction with one of the 3 power solutions listed above.



JUMPER

Is used to connect: table-table, table-corner-table, H-connector to rotating power in feed.




MODULAR POWER

Attaches under the table top and stays with the top when the table is moved, flipped or nested. The unit has a power duplex at each end. The standard configuration is Circuit 1 only. Using a single circuit allows for non-sequential configuration but reduces the number of tables that can be daisy chained. If you need to connect more tables that share a single power in-feed you need to alternate the tables to include Circuit 2 (e.g. 4 tables in a row will be configure as follows: Table 1 C1, Table 2 C2, Table 3 C1, Table 4 C2). To alternate circuits you can buy the standard Modular Power for the table size you need and then buy separate Circuit 2 duplexes (you need 2 per table) and replace these in the field. You would also need to keep track of the tables sequence to make sure you alternate Circuit 1 and 2 – the tables become sequential now.



4-TRAC ELECTRICAL SYSTEM ACCESSORIES

Briefing
03/23

| | D | W | H | model number | list |
|---|-------|--------|---|--------------------|------|
| MODULAR POWER | 1 3/4 | 44 3/8 | 1 | AC-PWR60-4T | 248 |
| CIRCUIT 1 DUPLEXES INCLUDED | 1 3/4 | 50 3/8 | 1 | AC-PWR66-4T | 254 |
|  | 1 3/4 | 56 3/8 | 1 | AC-PWR72-4T | 265 |
| | 1 3/4 | 62 3/8 | 1 | AC-PWR78-4T | 275 |
| | 1 3/4 | 68 3/8 | 1 | AC-PWR84-4T | 284 |

| | | | | | |
|-----------------------------|-------|--------|---|---------------------|-----|
| MODULAR POWER | 1 3/4 | 45 3/8 | 1 | AC-PWRZ48-4T | 230 |
| ROUND TOPS | 1 3/4 | 56 3/8 | 1 | AC-PWRZ60-4T | 248 |
| CIRCUIT 1 DUPLEXES INCLUDED | 1 3/4 | 68 3/8 | 1 | AC-PWRZ72-4T | 265 |



PRODUCT INFO





Comes with clips to help secure to worksurface.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

AC-GANGTT
AC-GANGTT
MODEL NUMBER

| | D | W | H | model number | list |
|--|---|--------|-----|---------------------|------|
| POWER IN FEED/ STARTER KIT | 1 3/4 | 72 | 1 | AC-PWRINSP | 309 |
| | • Standard plug | | | | |
| | 1 3/4 | 72 | 1 | AC-PWRINHW | 309 |
| | • Hardwire | | | | |
|  | 1 3/4 | 16 3/8 | 1 | AC-PWRJTT-4T | 112 |
| | • Table to Table | | | | |
| | 1 3/4 | 27 1/4 | 1 | AC-PWRJET-4T | 119 |
| | • End Table/ Corner Table | | | | |
| CIRCUIT 2 DUPLEX AND ONE  | 1 3/4 | 5 9/16 | 1 | AC-PWRDP2 | 78 |
| | • Optional | | | | |
| CONNECTOR  | 1 1/2 | 1 5/8 | 3/4 | AC-PWRHCON | 82 |
| | • Optional • All modular power units ship standard with Circuit 1 duplexes only • Circuit 2 duplexes may be ordered separately and swapped out in the field | | | | |
| DUPLEX DOUBLER  | 1 5/8 | 1 5/8 | 3/4 | AC-PWRDPDB | 40 |
| | • Optional | | | | |

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

AC-PWRINSP
AC-PWRINSP
MODEL NUMBER





Bases 103-122

- Expandable Panel Base 104
- Miter Bases 105-106
- 1/2 Taper Bases 107
- Geo Bases 108
- Metal Y Bases 109
- Leg Bases 110
- Metal Ribbon Y Bases 111
- Cylinder Base 112
- Full Taper Bases 113
- Metal X Bases 114-115
- Metal Post X Bases 116
- Metal Ribbon X Bases 117
- Disc Base 118
- Metal T-Bases 119
- Table Legs 120
- Wire Management Base 121
- Steel Worksurface Support 122


EXPANDABLE PANEL BASE

Standard height

Briefing
03/23


| | for use with top sizes | D | W | H | model number + type | veneer 1 | veneer 2 | laminat |
|---|------------------------|--------|--------|--------|--|----------|----------|---------|
| STANDARD HEIGHT  | 36 x 72 | 20 3/4 | 35 3/4 | 27 5/8 | GD2EXBS72-C  | 4,670 | 5,138 | 3,476 |
| | 36 x 84 | 20 3/4 | 47 3/4 | 27 5/8 | GD2EXBS84-C  | 4,900 | 5,391 | 3,706 |
| | 36 x 96 | 20 3/4 | 59 3/4 | 27 5/8 | GD2EXBS96-C  | 5,131 | 5,645 | 3,937 |







STANDARD HEIGHT



| | | | | | | | |
|-------------|--------|---------|--------|---|--------|--------|-------|
| 42/48 x 72 | 24 3/4 | 35 3/4 | 27 5/8 | GD2EXBS72-A  | 6,000 | 6,601 | 4,406 |
| 42/48 x 84 | 24 3/4 | 47 3/4 | 27 5/8 | GD2EXBS84-A  | 6,230 | 6,854 | 4,636 |
| 42/48 x 96 | 24 3/4 | 59 3/4 | 27 5/8 | GD2EXBS96-A  | 6,461 | 7,108 | 4,867 |
| 42/48 x 108 | 24 3/4 | 71 3/4 | 27 5/8 | GD2EXBS108-A  | 6,691 | 7,361 | 5,097 |
| 42/48 x 120 | 24 3/4 | 83 3/4 | 27 5/8 | GD2EXBS120-A  | 6,918 | 7,611 | 5,324 |
| 42/48 x 144 | 24 3/4 | 107 3/4 | 27 5/8 | GD2EXBS144-A  | 7,378 | 8,116 | 5,784 |
| 42/48 x 168 | 24 3/4 | 131 3/4 | 27 5/8 | GD2EXBS168-A  | 10,492 | 11,542 | 8,103 |
| 42/48 x 192 | 24 3/4 | 155 3/4 | 27 5/8 | GD2EXBS192-A  | 10,948 | 12,044 | 8,559 |

STANDARD HEIGHT



| | | | | | | | |
|-------------|--------|---------|--------|---|--------|--------|--------|
| 54/60 x 120 | 29 3/4 | 83 3/4 | 27 5/8 | GD2EXBS120-B  | 8,245 | 9,071 | 6,254 |
| 54/60 x 144 | 29 3/4 | 107 3/4 | 27 5/8 | GD2EXBS144-B  | 8,705 | 9,576 | 6,714 |
| 54/60 x 168 | 29 3/4 | 131 3/4 | 27 5/8 | GD2EXBS168-B  | 12,485 | 13,735 | 9,497 |
| 54/60 x 192 | 29 3/4 | 155 3/4 | 27 5/8 | GD2EXBS192-B  | 12,941 | 14,235 | 9,953 |
| 54/60 x 216 | 29 3/4 | 179 3/4 | 27 5/8 | GD2EXBS216-B  | 13,405 | 14,746 | 10,417 |
| 54/60 x 240 | 29 3/4 | 203 3/4 | 27 5/8 | GD2EXBS240-B  | 13,863 | 15,250 | 10,875 |

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W
2. FSC
3. FINISH
4. BEAM COLOR

P71 Black
PR6 Silver

LAMINATE

1. MODEL NUMBER + L
2. FSC
3. FINISH
4. BEAM COLOR





















P71 Black
PR6 Silver

See inside front cover for required option codes

Example

GD2MBS72-C.X.NC260.P71

| | | | |
|--------------|-----|--------|------------|
| GD2MBS72-C | X | NC260 | P71 |
| MODEL NUMBER | FSC | FINISH | BEAM COLOR |

| | for use with top sizes | D | W | H | model number + type | veneer 1 | veneer 2 |
|--|------------------------|--------|---------|--------|--|----------|----------|
| STANDARD HEIGHT  | 36 x 72 | 20 1/2 | 35 3/4 | 27 5/8 | GD2MBS72-C  | 5,114 | 5,627 |
| | 36 x 84 | 20 1/2 | 47 3/4 | 27 5/8 | GD2MBS84-C  | 5,344 | 5,880 |
| | 36 x 96 | 20 1/2 | 59 3/4 | 27 5/8 | GD2MBS96-C  | 5,575 | 6,134 |
| STANDARD HEIGHT  | 42/48 x 72 | 24 3/4 | 35 3/4 | 27 5/8 | GD2MBS72-A  | 6,590 | 7,250 |
| | 42/48 x 84 | 24 3/4 | 47 3/4 | 27 5/8 | GD2MBS84-A  | 6,820 | 7,503 |
| | 42/48 x 96 | 24 3/4 | 59 3/4 | 27 5/8 | GD2MBS96-A  | 7,051 | 7,757 |
| | 42/48 x 108 | 24 3/4 | 71 3/4 | 27 5/8 | GD2MBS108-A  | 7,281 | 8,010 |
| | 42/48 x 120 | 24 3/4 | 83 3/4 | 27 5/8 | GD2MBS120-A  | 7,508 | 8,260 |
| | 42/48 x 144 | 24 3/4 | 107 3/4 | 27 5/8 | GD2MBS144-A  | 7,968 | 8,765 |
| | 42/48 x 168 | 24 3/4 | 131 3/4 | 27 5/8 | GD2MBS168-A  | 11,378 | 12,516 |
| | 42/48 x 192 | 24 3/4 | 155 3/4 | 27 5/8 | GD2MBS192-A  | 11,834 | 13,018 |
| STANDARD HEIGHT  | 54/60 x 120 | 29 3/4 | 83 3/4 | 27 5/8 | GD2MBS120-B  | 8,982 | 9,881 |
| | 54/60 x 144 | 29 3/4 | 107 3/4 | 27 5/8 | GD2MBS144-B  | 9,442 | 10,388 |
| | 54/60 x 168 | 29 3/4 | 131 3/4 | 27 5/8 | GD2MBS168-B  | 13,592 | 14,952 |
| | 54/60 x 192 | 29 3/4 | 155 3/4 | 27 5/8 | GD2MBS192-B  | 14,048 | 15,454 |
| | 54/60 x 216 | 29 3/4 | 179 3/4 | 27 5/8 | GD2MBS216-B  | 14,512 | 15,964 |
| | 54/60 x 240 | 29 3/4 | 203 3/4 | 27 5/8 | GD2MBS240-B  | 14,970 | 16,467 |

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. FINISH

4. BEAM COLOR

P71 Black

PR6 Silver

See inside front cover for required option codes

Example




GD2MBS72-C.X.NC260.P71


| | | | |
|--------------|-----|--------|------------|
| GD2MBS72-C | X | NC260 | P71 |
| MODEL NUMBER | FSC | FINISH | BEAM COLOR |

MITER BASES


Bar height






Briefing
03/23

| for use with top sizes | D | W | H | model number + type | veneer 1 | veneer 2 |
|------------------------|--------|--------|--------|---|----------|----------|
| BAR HEIGHT | | | | | | |
| 36 x 72 | 20 1/2 | 35 3/4 | 41 1/8 | GD2MBT72-C  | 6,000 | 6,601 |
| 36 x 84 | 20 1/2 | 47 3/4 | 41 1/8 | GD2MBT84-C  | 6,230 | 6,854 |
| 36 x 96 | 20 1/2 | 59 3/4 | 41 1/8 | GD2MBT96-C  | 6,461 | 7,108 |



BAR HEIGHT



| | | | | | | |
|-------------|--------|--------|--------|--|-------|-------|
| 42/48 x 72 | 24 3/4 | 35 3/4 | 41 1/8 | GD2MBT72-A  | 7,475 | 8,223 |
| 42/48 x 84 | 24 3/4 | 47 3/4 | 41 1/8 | GD2MBT84-A  | 7,705 | 8,476 |
| 42/48 x 96 | 24 3/4 | 59 3/4 | 41 1/8 | GD2MBT96-A  | 7,936 | 8,730 |
| 42/48 x 108 | 24 3/4 | 71 3/4 | 41 1/8 | GD2MBT108-A  | 8,166 | 8,984 |
| 42/48 x 120 | 24 3/4 | 83 3/4 | 41 1/8 | GD2MBT120-A  | 8,393 | 9,233 |

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. FINISH

4. BEAM COLOR

P71 Black


PR6 Silver


See inside front cover for required option codes

Example

GD2MBT72-C.X.NC260.P71

| | | | |
|--------------|-----|--------|------------|
| GD2MBT72-C | X | NC260 | P71 |
| MODEL NUMBER | FSC | FINISH | BEAM COLOR |

| | for use with top sizes | D | W | H | model number | veneer 1 | veneer 2 |
|---|------------------------|--------|---------|--------|---------------------|----------|----------|
|  | 42/48 x 96 | 28 1/4 | 61 3/4 | 27 1/2 | GD2TBS96-AW | 10,000 | 11,001 |
| | 42/48 x 108 | 28 1/4 | 73 3/4 | 27 1/2 | GD2TBS108-AW | 10,230 | 11,254 |
| | 42/48 x 120 | 28 1/4 | 85 3/4 | 27 1/2 | GD2TBS120-AW | 10,457 | 11,504 |
| | 42/48 x 144 | 28 1/4 | 109 3/4 | 27 1/2 | GD2TBS144-AW | 10,917 | 12,010 |
| | 42/48 x 168 | 28 1/4 | 133 3/4 | 27 1/2 | GD2TBS168-AW | 15,803 | 17,384 |
| | 42/48 x 192 | 29 1/8 | 168 1/8 | 27 1/2 | GD2TBS192-AW | 16,259 | 17,886 |

| | | | | | | | |
|---|-------------|--------|---------|--------|---------------------|--------|--------|
|  | 54/60 x 120 | 33 1/4 | 94 1/8 | 27 1/2 | GD2TBS120-BW | 11,931 | 13,125 |
| | 54/60 x 144 | 33 1/4 | 118 1/8 | 27 1/2 | GD2TBS144-BW | 12,391 | 13,631 |
| | 54/60 x 168 | 33 1/4 | 142 1/8 | 27 1/2 | GD2TBS168-BW | 18,014 | 19,816 |
| | 54/60 x 192 | 33 1/4 | 166 1/8 | 27 1/2 | GD2TBS192-BW | 18,470 | 20,317 |
| | 54/60 x 216 | 33 1/4 | 190 1/8 | 27 1/2 | GD2TBS216-BW | 18,934 | 20,828 |
| | 54/60 x 240 | 33 1/4 | 214 1/8 | 27 1/2 | GD2TBS240-BW | 19,392 | 21,332 |

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER**
- 2. FSC**
- 3. FINISH**
- 4. BEAM COLOR**
 - P71** Black
 - PR6** Silver

See inside front cover for required option codes


Example


| | | | |
|-------------------------|-----|--------|------------|
| GD2TBS96-AW.X.NC260.P71 | | | |
| GD2TBS96-AW | X | NC260 | P71 |
| MODEL NUMBER | FSC | FINISH | BEAM COLOR |

GEO BASE

Standard height

Briefing
03/23

| | for use with top sizes | D | W | H | model number | veneer 1 | veneer 2 |
|---|------------------------|----|---------|--------|---------------------|----------|----------|
| STANDARD HEIGHT  | 42/48 x 72 | 24 | 62 3/4 | 27 5/8 | GD2GBS96-AW | 10,000 | 11,001 |
| | 42/48 x 84 | 24 | 74 3/4 | 27 5/8 | GD2GBS108-AW | 10,230 | 11,254 |
| | 42/48 x 96 | 24 | 86 3/4 | 27 5/8 | GD2GBS120-AW | 10,457 | 11,504 |
| | 42/48 x 108 | 24 | 110 3/4 | 27 5/8 | GD2GBS144-AW | 10,917 | 12,010 |
| | 42/48 x 120 | 24 | 134 3/4 | 27 5/8 | GD2GBS168-AW | 15,803 | 17,384 |
| | 42/48 x 144 | 24 | 158 3/4 | 27 5/8 | GD2GBS192-AW | 16,259 | 17,886 |

| | | | | | | | |
|---|-------------|----|---------|--------|---------------------|--------|--------|
| STANDARD HEIGHT  | 54/60 x 120 | 29 | 88 3/4 | 27 5/8 | GD2GBS120-BW | 11,931 | 13,125 |
| | 54/60 x 144 | 29 | 112 3/4 | 27 5/8 | GD2GBS144-BW | 12,391 | 13,631 |
| | 54/60 x 168 | 29 | 136 3/4 | 27 5/8 | GD2GBS168-BW | 18,014 | 19,816 |
| | 54/60 x 192 | 29 | 160 3/4 | 27 5/8 | GD2GBS192-BW | 18,470 | 20,317 |
| | 54/60 x 216 | 29 | 184 3/4 | 27 5/8 | GD2GBS216-BW | 18,934 | 20,828 |
| | 54/60 x 240 | 29 | 208 3/4 | 27 5/8 | GD2GBS240-BW | 19,392 | 21,332 |

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. **MODEL NUMBER**
2. **FSC**
3. **FINISH**
4. **BEAM COLOR**
 - P71** Black
 - PR6** Silver


See inside front cover for required option codes


Example

| | | | |
|-------------------------|-----|--------|------------|
| GD2GBS96-AW.X.NC260.P71 | | | |
| GD2GBS96-AW | X | NC260 | P71 |
| MODEL NUMBER | FSC | FINISH | BEAM COLOR |

| | for use with top sizes | D | W | H | model number | list |
|---|------------------------|--------|---------|--------|--------------------|-------|
| STANDARD HEIGHT  | 36/42/48 x 72 | 33 3/8 | 62 1/8 | 27 3/4 | GG2YBS72-A | 2,263 |
| | 36/42/48 x 84 | 33 3/8 | 72 1/8 | 27 3/4 | GG2YBS84-A | 2,340 |
| | 36/42/48 x 96 | 33 3/8 | 80 1/8 | 27 3/4 | GG2YBS96-A | 2,407 |
| | 42/48 x 108 | 33 3/8 | 92 1/8 | 27 3/4 | GG2YBS108-A | 2,521 |
| | 42/48 x 120 | 33 3/8 | 104 1/8 | 27 3/4 | GG2YBS120-A | 2,620 |
| | 42/48 x 144 | 33 3/8 | 124 1/2 | 27 3/4 | GG2YBS144-A | 3,960 |
| | 42/48 x 168 | 33 3/8 | 152 1/2 | 27 3/4 | GG2YBS168-A | 4,096 |
| | 42/48 x 192 | 33 3/8 | 176 1/2 | 27 3/4 | GG2YBS192-A | 4,214 |

SPEC NOTE: 144, 168, 192 models include a center base with vertical column. These size bases DO NOT accommodate a center technology unit in the table top, directly over the center base.

| | | | | | | |
|--|---------------|--------|--------|--------|-------------------|-------|
| BAR HEIGHT  | 36/42/48 x 72 | 33 3/8 | 62 1/8 | 40 3/4 | GG2YBT72-A | 2,468 |
| | 36/42/48 x 84 | 33 3/8 | 72 1/8 | 40 3/4 | GG2YBT84-A | 2,543 |
| | 36/42/48 x 96 | 33 3/8 | 80 1/8 | 40 3/4 | GG2YBT96-A | 2,614 |

| | | | | | | |
|--|---------------|--------|---------|-------|----------------------|-------|
| ADD-ON MITERED BEAM ASSEMBLY  | 36/42/48 x 72 | 24 3/4 | 54 7/8 | 3 1/8 | GG2YBEAM72-A | 1,704 |
| | 36/42/48 x 84 | 24 3/4 | 64 7/8 | 3 1/8 | GG2YBEAM84-A | 1,934 |
| | 36/42/48 x 96 | 24 3/4 | 72 7/8 | 3 1/8 | GG2YBEAM96-A | 2,165 |
| | 42/48 x 108 | 24 3/4 | 84 7/8 | 3 1/8 | GG2YBEAM108-A | 2,395 |
| | 42/48 x 120 | 24 3/4 | 96 7/8 | 3 1/8 | GG2YBEAM120-A | 2,622 |
| | 42/48 x 144 | 24 3/4 | 117 1/8 | 3 1/8 | GG2YBEAM144-A | 3,593 |
| | 42/48 x 168 | 24 3/4 | 145 1/8 | 3 1/8 | GG2YBEAM168-A | 4,053 |
| | 42/48 x 192 | 24 3/4 | 169 1/8 | 3 1/8 | GG2YBEAM192-A | 4,509 |

- Required for tops above 108" widths only
- Reference table matrix on page 179.

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

- Base ships knocked down

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

FOR BASE MODELS

- MODEL NUMBER**
- HARDWARE COLOR**
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White
 - PA** Polished Aluminum (+\$218)
- WIRE MANAGEMENT**
 - WN** No Wire Management
 - WY** Yes Wire Management

FOR BEAM ASSEMBLY MODELS

- MODEL NUMBER**
- BEAM COLOR**
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White

See inside front cover for required option codes





Example

| | | |
|-------------------|----------------|-----------------|
| GG2YBS72-A.P71.WN | | |
| GG2YBS72-A | P71 | WN |
| MODEL NUMBER | HARDWARE COLOR | WIRE MANAGEMENT |

LEG BASES

Standard height

Briefing
03/23

| | for use with top sizes | D | W | H | model number + type | metal | metal w/ veneer 1 center base | metal w/ veneer 2 center base | metal w/ laminate center base |
|---|------------------------|--------|---------|--------|---------------------|-------|-------------------------------|-------------------------------|-------------------------------|
| STANDARD HEIGHT  | 42/48 x 72 | 24 3/4 | 37 1/4 | 27 1/2 | GD2LBS72-A | 5,409 | | | |
| | 42/48 x 84 | 24 3/4 | 49 1/4 | 27 1/2 | GD2LBS84-A | 5,639 | | | |
| | 42/48 x 96 | 24 3/4 | 61 1/4 | 27 1/2 | GD2LBS96-A | 5,870 | | | |
| | 42/48 x 108 | 24 3/4 | 73 1/4 | 27 1/2 | GD2LBS108-A | 6,100 | | | |
| | 42/48 x 120 | 24 3/4 | 85 1/4 | 27 1/2 | GD2LBS120-A | 6,327 | | | |
|  | 42/48 x 144 | 24 3/4 | 112 | 27 1/2 | GD2LBS144-A | | 9,443 | 10,387 | 8,645 |
| | 42/48 x 168 | 24 3/4 | 133 1/4 | 27 1/2 | GD2LBS168-A | | 9,903 | 10,894 | 9,105 |
| | 42/48 x 192 | 24 3/4 | 157 1/4 | 27 1/2 | GD2LBS192-A | | 10,359 | 11,395 | 9,561 |
| STANDARD HEIGHT  | 54/60 x 120 | 29 3/4 | 85 1/4 | 27 1/2 | GD2LBS120-B | 7,508 | | | |
|  | 54/60 x 144 | 29 3/4 | 112 | 27 1/2 | GD2LBS144-B | | 11,287 | 12,417 | 10,291 |
| | 54/60 x 168 | 29 3/4 | 133 1/4 | 27 1/2 | GD2LBS168-B | | 11,747 | 12,923 | 10,751 |
| | 54/60 x 192 | 29 3/4 | 157 1/4 | 27 1/2 | GD2LBS192-B | | 12,203 | 13,424 | 11,207 |
| | 54/60 x 216 | 29 3/4 | 181 1/4 | 27 1/2 | GD2LBS216-B | | 12,667 | 13,934 | 11,671 |
| | 54/60 x 240 | 29 3/4 | 205 1/4 | 27 1/2 | GD2LBS240-B | | 13,125 | 14,438 | 12,129 |

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

For models up to 120"

METAL

1. MODEL NUMBER

2. HARDWARE COLOR

- P71** Black
- PR6** Silver
- P8G** Matte Gold
- PJE** Pyrite
- PJW** Designer White
- PC** Polished Chrome (+\$218)

3. BEAM COLOR

- P71** Black
- PR6** Silver
- P8G** Matte Gold
- PJE** Pyrite
- PJW** Designer White

For models 144" and above

WOOD

1. MODEL NUMBER + W

2. FSC

3. FINISH

4. HARDWARE COLOR

- P71** Black
- PR6** Silver
- P8G** Matte Gold
- PJE** Pyrite
- PJW** Designer White
- PC** Polished Chrome (+\$218)

5. BEAM COLOR

- P71** Black
- PR6** Silver
- P8G** Matte Gold
- PJE** Pyrite
- PJW** Designer White

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. FINISH

4. HARDWARE COLOR

- P71** Black
- PR6** Silver
- P8G** Matte Gold
- PJE** Pyrite
- PJW** Designer White
- PC** Polished Chrome (+\$218)

5. BEAM COLOR

- P71** Black
- PR6** Silver
- P8G** Matte Gold
- PJE** Pyrite
- PJW** Designer White


See inside front cover for required option codes

Example


GD2LBS144-A.X.NC260.P71.P71

| | | | | |
|--------------|-----|--------|----------------|------------|
| GD2LBS144-A | X | NC260 | P71 | P71 |
| MODEL NUMBER | FSC | FINISH | HARDWARE COLOR | BEAM COLOR |


| | for use with top sizes | D | W | H | model number | list |
|------------------------|------------------------------|--------|--------|--------|-------------------|-------|
| STANDARD HEIGHT | 36 x 72 | 28 1/2 | 46 1/8 | 27 1/2 | GD2HBS72-C | 9,309 |
| | 36 x 84 | 28 1/2 | 58 1/8 | 27 1/2 | GD2HBS84-C | 9,621 |
| | 36 x 96 | 28 1/2 | 70 1/8 | 27 1/2 | GD2HBS96-C | 9,927 |



| | | | | | | |
|------------------------|-------------|--------|----|--------|--------------------|--------|
| STANDARD HEIGHT | 42/48 x 72 | 32 1/8 | 46 | 27 1/2 | GD2HBS72-A | 10,238 |
| | 42/48 x 84 | 32 1/8 | 58 | 27 1/2 | GD2HBS84-A | 10,550 |
| | 42/48 x 96 | 32 1/8 | 70 | 27 1/2 | GD2HBS96-A | 10,858 |
| | 42/48 x 108 | 32 1/8 | 82 | 27 1/2 | GD2HBS108-A | 11,171 |
| | 42/48 x 120 | 32 1/8 | 94 | 27 1/2 | GD2HBS120-A | 11,478 |



| | | | | | | |
|---------------------|--|---|---|-----|-----------------------|-----|
| WIRE MANAGER | | 1 | 1 | 1/4 | GD2HBS-WIREMGR | 935 |
|---------------------|--|---|---|-----|-----------------------|-----|



PRODUCT INFO

- Base includes a welded top frame assembly.
- Ships assembled as one-piece.
- See Product Reference for floor core locations and wire access information.
- Ribbon base is 3" wide x 3/8" thick stainless steel.
- Wire manager adheres with double sided tape on the inside of the ribbon base.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER**
- HARDWARE COLOR**
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White
 - PS** Polished Stainless (+\$218)

See inside front cover for required option codes


Example

GD2HBS72-C.P71
 GD2HBS72-C P71
 MODEL NUMBER HARDWARE COLOR

CYLINDER BASE


Briefing
03/23

| | for use with top sizes | Dia. | H | model number + type | veneer 1 | veneer 2 | laminata |
|------------------------|------------------------|------|--------|--|----------|----------|----------|
| STANDARD HEIGHT | 36/42/48 | 18 | 27 7/8 | GG2BSWCYL18- <input type="checkbox"/> | 2,340 | 2,575 | 1,636 |
| | 54/60 | 24 | 27 7/8 | GG2BSWCYL24- <input type="checkbox"/> | 3,106 | 3,417 | 2,175 |
| | 66/72 | 36 | 27 7/8 | GG2BSWCYL36- <input type="checkbox"/> | 3,573 | 3,931 | 2,499 |
| | 78/84 | 48 | 27 7/8 | GG2BSWCYL48- <input type="checkbox"/> | 4,108 | 4,519 | 2,878 |



• Reference table matrix on page 177.

STANDARD HEIGHT WITH WIRE MANAGEMENT



| | | | | | | | |
|--|----------|----|--------|--|-------|-------|-------|
| | 36/42/48 | 18 | 27 7/8 | GG2BSWCYL18WM- <input type="checkbox"/> | 3,807 | 4,189 | 2,666 |
| | 54/60 | 24 | 27 7/8 | GG2BSWCYL24WM- <input type="checkbox"/> | 3,998 | 4,399 | 2,798 |
| | 66/72 | 36 | 27 7/8 | GG2BSWCYL36WM- <input type="checkbox"/> | 4,397 | 4,838 | 3,078 |
| | 78/84 | 48 | 27 7/8 | GG2BSWCYL48WM- <input type="checkbox"/> | 4,837 | 5,321 | 3,386 |

• Reference table matrix on page 177.

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|----------------------------|----------------------------|
| WOOD | LAMINATE |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L |
| 2. FSC | 2. FSC |
| 3. FINISH | 3. FINISH |

See inside front cover for required option codes

Example


GG2BSWCYL18-W.X.NC260
 GG2BSWCYL18-W X NC260
 MODEL NUMBER FSC FINISH

| | for use with top sizes | Dia. | H | model number | veneer 1 | veneer 2 |
|----------------------|------------------------|------|--------|------------------|----------|----------|
| LOUNGE HEIGHT | 42/48 | 22 | 24 1/4 | GD2TBL-AW | 4,018 | 4,421 |
| | 54/60 | 28 | 24 1/4 | GD2TBL-BW | 4,232 | 4,657 |



• Reference table matrix on page 174.

STANDARD HEIGHT



| | | | | | | |
|--|-------|----|--------|------------------|-------|-------|
| | 42/48 | 22 | 27 1/2 | GD2TBS-AW | 4,232 | 4,657 |
| | 54/60 | 28 | 27 1/2 | GD2TBS-BW | 4,443 | 4,888 |
| | 66/72 | 30 | 27 1/2 | GD2TBS-DW | 4,885 | 5,375 |
| | 78/84 | 34 | 27 1/2 | GD2TBS-EW | 5,376 | 5,914 |

• Reference table matrix on page 174.

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.






TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER + W**
- 2. FSC**
- 3. FINISH**

See inside front cover for required option codes

Example

| | | |
|-------------------|-----|--------|
| GD2TBL-AW.X.NC260 | | |
| GD2TBL-AW | X | NC260 |
| MODEL NUMBER | FSC | FINISH |

| | for use with top sizes | D | W | H | model number | list |
|--|------------------------------|--------|--------|--------|---------------------|-------|
| LOUNGE HEIGHT  | 30/36 | 26 | 26 | 24 1/4 | GG2XBL26-LD | 1,107 |
| | 42 | 32 3/4 | 32 3/4 | 24 1/4 | GG2XBL33-LD | 1,196 |
| | 48/54 | 38 1/4 | 38 1/4 | 24 1/4 | GG2XBL38-LD | 1,283 |
| LOUNGE HEIGHT WITH WIRE MANAGEMENT  | 30/36 | 26 | 26 | 24 1/4 | GG2XBL26M-LD | 1,220 |
| | 42 | 32 3/4 | 32 3/4 | 24 1/4 | GG2XBL33M-LD | 1,316 |
| | 48/54 | 38 1/4 | 38 1/4 | 24 1/4 | GG2XBL38M-LD | 1,415 |
| STANDARD HEIGHT  | 30/36 | 26 | 26 | 27 3/4 | GG2XBS26-LD | 1,153 |
| | 42 | 32 3/4 | 32 3/4 | 27 3/4 | GG2XBS33-LD | 1,241 |
| | 48/54 | 38 1/4 | 38 1/4 | 27 3/4 | GG2XBS38-LD | 1,330 |
| STANDARD HEIGHT WITH WIRE MANAGEMENT  | 30/36 | 26 | 26 | 27 3/4 | GG2XBS26M-LD | 1,266 |
| | 42 | 32 3/4 | 32 3/4 | 27 3/4 | GG2XBS33M-LD | 1,365 |
| | 48/54 | 38 1/4 | 38 1/4 | 27 3/4 | GG2XBS38M-LD | 1,463 |
| STANDARD HEIGHT WITH CASTERS  | 30/36 | 26 | 26 | 27 3/4 | GG2XBS26-ST | 1,382 |
| | 42 | 32 3/4 | 32 3/4 | 27 3/4 | GG2XBS33-ST | 1,469 |
| | 48/54 | 38 1/4 | 38 1/4 | 27 3/4 | GG2XBS38-ST | 1,557 |

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

- Bases shipped knocked down.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER**
- HARDWARE COLOR**
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White
 - PA** Polished Aluminum (+\$218)

Example

| | |
|-----------------|----------------|
| GG2XBL26-LD.P71 | |
| GG2XBL26-LD | P71 |
| MODEL NUMBER | HARDWARE COLOR |

| | for use with top sizes | D | W | H | model number | list |
|-------------------|------------------------------|--------|--------|--------|--------------------|-------|
| BAR HEIGHT | 30/36 | 26 | 26 | 40 3/4 | GG2XBT26-LD | 1,196 |
| | 42 | 32 3/4 | 32 3/4 | 40 3/4 | GG2XBT33-LD | 1,283 |
| | 48/54 | 38 1/4 | 38 1/4 | 40 3/4 | GG2XBT38-LD | 1,372 |



| | | | | | | |
|--|-------|--------|--------|--------|---------------------|-------|
| BAR HEIGHT WITH WIRE MANAGEMENT | 30/36 | 26 | 26 | 40 3/4 | GG2XBT26M-LD | 1,316 |
| | 42 | 32 3/4 | 32 3/4 | 40 3/4 | GG2XBT33M-LD | 1,415 |
| | 48/54 | 38 1/4 | 38 1/4 | 40 3/4 | GG2XBT38M-LD | 1,512 |



PRODUCT INFO

See Product Reference for floor core locations and wire access information.

- Bases shipped knocked down.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER**
- HARDWARE COLOR**
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White
 - PA** Polished Aluminum (+\$218)

Example

GG2XBT26-LD.P71
 GG2XBT26-LD P71
 MODEL NUMBER HARDWARE COLOR

| | for use with top sizes | D | W | H | model number | list |
|---|------------------------------|--------|--------|--------|----------------------|-------|
| STANDARD HEIGHT | 60 | 32 3/4 | 32 3/4 | 27 3/4 | GG2XBS38-4LD | 2,803 |
| | 66,72 | 40 3/4 | 40 3/4 | 27 3/4 | GG2XBS46-4LD | 2,986 |
| | 78,84 | 48 3/4 | 48 3/4 | 27 3/4 | GG2XBS58-4LD | 3,171 |
| STANDARD HEIGHT WITH WIRE MANAGEMENT | 60 | 32 3/4 | 32 3/4 | 27 3/4 | GG2XBS38M-4LD | 3,083 |
| | 66,72 | 40 3/4 | 40 3/4 | 27 3/4 | GG2XBS46M-4LD | 3,285 |
| | 78,84 | 48 3/4 | 48 3/4 | 27 3/4 | GG2XBS58M-4LD | 3,487 |



PRODUCT INFO

See Product Reference for floor core locations and wire access information.




- Bases shipped knocked down.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER**
- HARDWARE COLOR**
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White
 - PA** Polished Aluminum (+\$218)

Example

GG2XBS38-4LD.P71
 GG2XBS38-4LD P71
 MODEL NUMBER HARDWARE COLOR

| | for use with top sizes | D | W | H | model number | list |
|---|------------------------------|---------|---------|--------|-----------------------|-------|
| LOUNGE HEIGHT  | 36 | 24 3/4 | 24 3/4 | 24 1/4 | GD2HBL-C | 6,317 |
| | 42,48 | 28 9/16 | 28 9/16 | 24 1/4 | GD2HBL-A | 6,568 |
| | 54,60 | 33 1/16 | 33 1/16 | 24 1/4 | GD2HBL-B | 7,242 |
| STANDARD HEIGHT  | 36 | 24 3/4 | 24 3/4 | 27 1/2 | GD2HBS-C | 6,649 |
| | 42,48 | 28 1/2 | 28 1/2 | 27 1/2 | GD2HBS-A | 6,917 |
| | 54,60 | 34 1/4 | 34 1/4 | 27 1/2 | GD2HBS-B | 7,624 |
| | 66,72 | 46 1/4 | 46 1/4 | 27 1/2 | GD2HBS-D | 8,387 |
| | 78,84 | 58 1/4 | 58 1/4 | 27 1/2 | GD2HBS-E | 9,225 |
| WIRE MANAGER  | | 1 | 1 | 1/4 | GD2HBS-WIREMGR | 935 |

PRODUCT INFO

- Base includes a welded top frame assembly.
- Ships assembled as one-piece.
- See Product Reference for floor core locations and wire access information.
- Wire manager adheres with double sided tape on the inside of the ribbon base.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER**
- HARDWARE COLOR**
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White
 - PS** Polished Stainless (+\$218)


Example

GD2HBL-C.P71
 GD2HBL-C P71
 MODEL NUMBER HARDWARE COLOR


DISC BASE

Briefing
03/23

| | for use with top sizes | D | W | H | model number | list |
|------------------------|------------------------------|----|----|--------|----------------------|-------|
| STANDARD HEIGHT | 30,36 | 18 | 18 | 27 3/4 | GG2MDISC18-LD | 1,263 |
| | 42,48 | 24 | 24 | 27 3/4 | GG2MDISC24-LD | 1,481 |



| | | | | | | |
|-------------------|-------|----|----|----|-----------------------|-------|
| BAR HEIGHT | 36,42 | 24 | 24 | 41 | GG2MDISC24B-LD | 1,810 |
|-------------------|-------|----|----|----|-----------------------|-------|



PRODUCT INFO

See Product Reference for floor core locations and wire access information.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. **MODEL NUMBER**
2. **HARDWARE COLOR**
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White
 - PC** Polished Chrome (+\$218)


Example

GG2MDISC18-LD.P71
 GG2MDISC18-LD P71
 MODEL NUMBER HARDWARE COLOR

| | for use with top sizes | D | W | H | model number | list |
|------------------------|------------------------|----|--------|--------|---------------------|------|
| STANDARD HEIGHT | 24D | 6 | 19 7/8 | 27 5/8 | GG2MTL20T-LD | 720 |
| | 30/36D | 6 | 25 7/8 | 27 5/8 | GG2MTL26T-LD | 766 |
| | 42D | 8 | 32 5/8 | 27 5/8 | GG2MTL33T-LD | 801 |
| | 48D | 12 | 38 1/8 | 27 5/8 | GG2MTL38T-LD | 849 |



| | | | | | | |
|-------------------------------------|--------|---|--------|--------|---------------------|-----|
| STANDARD HEIGHT WITH CASTERS | 24D | 6 | 19 7/8 | 27 5/8 | GG2MTL20T-ST | 896 |
| | 30/36D | 6 | 25 7/8 | 27 5/8 | GG2MTL26T-ST | 941 |



| Table Width | # Bases Required | Inset From End | Center Bases |
|-------------|------------------|----------------|----------------|
| 60" Width | 2 | 10 | - |
| 66" Width | 2 | 10 | - |
| 72" Width | 2 | 10 | - |
| 78" Width | 2 | 13 | - |
| 84" Width | 2 | 15 | - |
| 90" Width | 3 | 10 | Centered |
| 96" Width | 3 | 10 | Centered |
| 108" Width | 3 | 10 | Centered |
| 120" Width | 3 | 13 | Centered |
| 132" Width | 3 | 15 | Centered |
| 144" Width | 4 | 13 | Equally Spaced |
| 156" Width | 4 | 13 | Equally Spaced |
| 168" Width | 4 | 15 | Equally Spaced |

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

TO ORDER PLEASE SPECIFY THE FOLLOWING:




- 1. MODEL NUMBER**
- 2. HARDWARE COLOR**
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White
 - PA** Polished Aluminum (+\$218)

Example

GG2MTL20T-LD.P71
 GG2MTL20T-LD P71
 MODEL NUMBER HARDWARE COLOR

TABLE LEGS

Briefing
03/23

| | for use with top sizes | D | W | H | model number | list |
|--|------------------------------|----|-------|--------|----------------------|------|
| 2" ROUND METAL LEG WITH CASTER | 42,48 | 2 | 2 | 27 3/4 | GG2MTLLEG2-ST | 442 |
|  | | | | | | |
| 2" ROUND METAL LEG WITH GLIDE | 42,48 | 2 | 2 | 27 1/2 | GG2MTLLEG2-GD | 383 |
|  | | | | | | |
| LEG BASE | 42,48 | 13 | 1 1/2 | 27 5/8 | GD2LBS-LEG | 589 |
|  | | | | | | |

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

- When specifying legs for use with tops over a 48" span 1 stiffener bar will be needed. For any two piece round tops, 4 stiffener bars will be needed. See page 122 for ordering code.




TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER**
- HARDWARE COLOR**
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White
 - PC** Polished Chrome (+\$218)

Example

GG2MTLLEG2-ST.P71
 GG2MTLLEG2-ST P71
 MODEL NUMBER HARDWARE COLOR

| | D | W | H | model number + type | veneer 1 | veneer 2 | laminata |
|---------------------|----|----|--------|---|----------|----------|----------|
| 18 x 18 CUBE | 18 | 18 | 27 1/2 | GD2WMBS-1818- <input type="text"/> | 2,655 | 2,921 | 1,857 |



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD


1. MODEL NUMBER + W
2. FSC
3. FINISH

LAMINATE

1. MODEL NUMBER + L
2. FSC
3. FINISH

Example

GD2WMBS-1818-W.X.NC260
 GD2WMBS-1818-W X NC260
 MODEL NUMBER + TYPE FSC FINISH



| | D | W | H | model number | in. |
|--|-------|----|-------|----------------|-----|
| | 2 1/2 | 30 | 1 1/2 | ACMWS30 | 67 |
| | 2 1/2 | 36 | 1 1/2 | ACMWS36 | 72 |
| | 2 1/2 | 41 | 1 1/2 | ACMWS41 | 73 |
| | 2 1/2 | 47 | 1 1/2 | ACMWS47 | 74 |
| | 2 1/2 | 53 | 1 1/2 | ACMWS53 | 75 |
| | 2 1/2 | 59 | 1 1/2 | ACMWS59 | 76 |
| | 2 1/2 | 65 | 1 1/2 | ACMWS65 | 77 |
| | 2 1/2 | 71 | 1 1/2 | ACMWS71 | 78 |
| | 2 1/2 | 83 | 1 1/2 | ACMWS83 | 117 |

PRODUCT INFO

Use supports on worksurfaces that span 48" unsupported without a full modesty panel.

Calculate total distance between kneewell panels or bases and subtract 6". Use closest available model size.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example


ACMWS30
ACMWS30
MODEL NUMBER

Media Tables 123-131
Tops 124-125
Miter Bases with Media Wall 126
Metal Y-Bases with Media Wall 127
Height-Adjustable Bases with Media Wall 128
Wall-Mounted Miter Bases 129
Wall-Mounted Metal Y-Bases 130
Finished Back Whiteboard 131

MEDIA TABLE TOPS

Briefing
03/23

| | D | W | model number + type | veneer 1 | veneer 2 | laminare | solid surface | glass |
|-------------------------|-------|----|---|----------|----------|----------|---------------|--------|
| MEDIA TABLE TOPS | 42/48 | 72 | GD2MTT424872- <input type="checkbox"/> | 4,257 | 4,684 | 2,978 | 14,045 | 11,703 |
| | 42/48 | 84 | GD2MTT424884- <input type="checkbox"/> | 5,102 | 5,613 | 3,570 | 16,831 | 14,026 |
| | 42/48 | 96 | GD2MTT424896- <input type="checkbox"/> | 5,489 | 6,039 | 3,839 | 18,113 | 15,092 |



PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

L = Laminate

S = Solid Surface

G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE
DETAIL

4. TOP UV FINISH

5. TECHNOLOGY
CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY
CUTOUT

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY
CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY
CUTOUT

See inside front cover for required option codes

Example

GD2MTT424872-W.X.NC260SQ.OP.C1SA





| | | | | | |
|----------------|-----|--------|----------------|------------------|----------------------|
| GD2MTT424872-W | X | NC260 | SQ | OP | C1SA |
| MODEL NUMBER | FSC | FINISH | EDGE DETAIL | TOP UV FINISH | TECHNOLOGY CUTOUT |

| technology cutout option | cutout option code | description | 42/48" DEPTH TOPS | | | technology model required | quantity |
|--------------------------|--------------------|-------------|-------------------|------------|------------|---------------------------|----------|
| | | | 42/48 x 72 | 42/48 x 84 | 42/48 x 96 | | |

No Technology Cutout

| | | | | | | | |
|---|-----------|-----------------------------|---|---|---|----|-----|
|  | GN | No Technology Cutout | • | • | • | GN | N/A |
|---|-----------|-----------------------------|---|---|---|----|-----|

1 Technology Cutout

| | | | | | | | |
|---|----------------------------|---|---|---|---|-----------------|---|
|  | C1E | 1 Bezel Mnt Power | • | • | • | ACTRIOBZL-EEEUD | 1 |
|  | C1SA C1SV | 1 Single port, alum door 1 Single port, veneer door (Wood Tops Only) | • | • | • | GD2PORTS-___ | 1 |
|  | C1DA C1DV | 1 Double port, alum door 1 Double port, veneer door (Wood Tops Only) | • | • | • | GD2PORTD-___ | 1 |
|  | C1TM | 1 Tech Module | • | • | • | ACTMEL-___ | 1 |


Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.
Add \$218 for veneer door option.

MEDIA TABLE BASE


Miter base | unfinished back

Briefing
03/23

| | for use with top sizes | D | W | H | model number | veneer 1 | veneer 2 |
|------------------------|------------------------|----|----|----|--------------------|----------|----------|
| STANDARD HEIGHT | 42/48 x 72 | 61 | 54 | 62 | GD2MBSW72-W | 7,697 | 8,467 |
| | 42/48 x 84 | 73 | 54 | 62 | GD2MBSW84-W | 7,927 | 8,720 |
| | 42/48 x 96 | 85 | 54 | 62 | GD2MBSW96-W | 8,154 | 8,970 |



| | | | | | | | |
|-------------------|------------|----|----|--------|--------------------|-------|-------|
| BAR HEIGHT | 42/48 x 72 | 61 | 54 | 75 1/2 | GD2MBTW72-W | 8,513 | 9,365 |
| | 42/48 x 84 | 73 | 54 | 75 1/2 | GD2MBTW84-W | 8,743 | 9,618 |
| | 42/48 x 96 | 85 | 54 | 75 1/2 | GD2MBTW96-W | 8,970 | 9,868 |



Note: Recommended television size is 42-50" flat screen

See page 131 for Finished Back Whiteboard

PRODUCT INFO

- TV mount is NOT included.
- Media table designed for use with low profile FIXED TV wall mounts. (non-articulating)

See product reference for TV mount recommendations.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER + W

2. FSC

3. FINISH

4. BEAM COLOR

- P71** Black
- PR6** Silver


See inside front cover for required option codes

Example


GD2MBSW72-W.X.NC260.P71

| | | | |
|--------------|-----|--------|------------|
| GD2MBSW72-W | X | NC260 | P71 |
| MODEL NUMBER | FSC | FINISH | BEAM COLOR |

| | for use with top sizes | D | W | H | model number | veneer 1 | veneer 2 |
|------------------------|------------------------|----|----|----|--------------------|----------|----------|
| STANDARD HEIGHT | 42/48 x 72 | 61 | 54 | 62 | GD2YBSW72-W | 6,324 | 6,957 |
| | 42/48 x 84 | 73 | 54 | 62 | GD2YBSW84-W | 6,554 | 7,210 |
| | 42/48 x 96 | 85 | 54 | 62 | GD2YBSW96-W | 6,781 | 7,459 |



| | | | | | | | |
|-------------------|------------|----|----|--------|--------------------|-------|-------|
| BAR HEIGHT | 42/48 x 72 | 61 | 54 | 75 1/2 | GD2YBTW72-W | 6,843 | 7,528 |
| | 42/48 x 84 | 73 | 54 | 75 1/2 | GD2YBTW84-W | 7,073 | 7,781 |
| | 42/48 x 96 | 85 | 54 | 75 1/2 | GD2YBTW96-W | 7,300 | 8,031 |



Note: Recommended television size is 42-50" flat screen

See page 131 for Finished Back Whiteboard

PRODUCT INFO

- TV mount is NOT included.
- Media table designed for use with low profile FIXED TV wall mounts. (non-articulating)

See product reference for TV mount recommendations.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER + W

2. FSC

3. WOOD FINISH

4. BASE FINISH

- P71** Black
- PR6** Silver
- P8G** Matte Gold
- PJE** Pyrite
- PJW** Designer White
- PA** Polished Aluminum (+\$218)

5. BEAM COLOR

- P71** Black
- PR6** Silver
- P8G** Matte Gold
- PJE** Pyrite
- PJW** Designer White

6. WIRE MANAGEMENT

- WN** No Wire Management
- WY** Wire Management Yes

See inside front cover for required option codes

Example


| | | | | | |
|--------------------------------|-----|--------|-------------|------------|-----------------|
| GD2YBSW72-W.X.NC260.P71.P71.WN | | | | | |
| GD2YBSW72-W | X | NC260 | P71 | P71 | WN |
| MODEL NUMBER | FSC | FINISH | BASE FINISH | BEAM COLOR | WIRE MANAGEMENT |

MEDIA TABLE BASE

Height adjustable | unfinished back

Briefing
03/23

| | for use with top sizes | D | W | H | model number | veneer 1 | veneer 2 |
|------------------------|------------------------|----|----|--------|--------------------|----------|----------|
| WOOD MITER BASE | 42/48 x 72 | 61 | 54 | 75 1/2 | GD2MBAW72-W | 20,466 | 22,514 |
| | 42/48 x 84 | 73 | 54 | 75 1/2 | GD2MBAW84-W | 20,696 | 22,766 |
| | 42/48 x 96 | 85 | 54 | 75 1/2 | GD2MBAW96-W | 20,923 | 23,016 |



↑
HEIGHT
↓
ADJUSTABLE

Note: Recommended television size is 42-50" flat screen

See page 131 for Finished Back Whiteboard

PRODUCT INFO

- TV mount is NOT included.
- Media table designed for use with low profile FIXED TV wall mounts. (non-articulating)

See product reference for TV mount recommendations.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


- 1. MODEL NUMBER + W**
- 2. FSC**
- 3. WOOD FINISH**
- 4. BEAM COLOR**
P71 Black
PR6 Silver

See inside front cover for required option codes

Example


GD2MBSW72-W.X.NC260.P71
 GD2MBSW72-W X NC260 P71
 MODEL NUMBER FSC FINISH BEAM COLOR

| | for use with top sizes | D | W | H | model number | veneer 1 | veneer 2 |
|---|------------------------|--------|----|--------|--------------------|----------|----------|
| WOOD MITER BASE STANDARD HEIGHT | 42/48 x 72 | 24 3/4 | 54 | 27 1/2 | GD2MBSN72-W | 4,608 | 5,070 |
| | 42/48 x 84 | 24 3/4 | 54 | 27 1/2 | GD2MBSN84-W | 4,838 | 5,322 |
| | 42/48 x 96 | 24 3/4 | 54 | 27 1/2 | GD2MBSN96-W | 5,065 | 5,572 |



WOOD MITER BASE
BAR HEIGHT

| | | | | | | | |
|--------------------------------------|------------|--------|----|--------|--------------------|-------|-------|
| WOOD MITER BASE BAR HEIGHT | 42/48 x 72 | 24 3/4 | 54 | 41 1/8 | GD2MBTN72-W | 5,051 | 5,557 |
| | 42/48 x 84 | 24 3/4 | 54 | 41 1/8 | GD2MBTN84-W | 5,281 | 5,810 |
| | 42/48 x 96 | 24 3/4 | 54 | 41 1/8 | GD2MBTN96-W | 5,508 | 6,060 |



PRODUCT INFO

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. **MODEL NUMBER + W**
2. **FSC**
3. **WOOD FINISH**
4. **BEAM COLOR**
 - P71** Black
 - PR6** Silver

See inside front cover for required option codes

Example

| | | | |
|-------------------------|-----|--------|------------|
| GD2MBSN72-W.X.NC260.P71 | | | |
| GD2MBSN72-W | X | NC260 | P71 |
| MODEL NUMBER | FSC | FINISH | BEAM COLOR |

MEDIA TABLE BASE

Wall mounted | no media wall

Briefing
03/23

| | for use with top sizes | D | W | H | model number | list |
|--|------------------------------|----|----|--------|------------------|-------|
| METAL Y BASE STANDARD HEIGHT | 42/48 x 72 | 61 | 54 | 27 3/4 | GD2YBSN72 | 3,235 |
| | 42/48 x 84 | 73 | 54 | 27 3/4 | GD2YBSN84 | 3,465 |
| | 42/48 x 96 | 85 | 54 | 27 3/4 | GD2YBSN96 | 3,692 |



| | | | | | | |
|-----------------------------------|------------|----|----|--------|------------------|-------|
| METAL Y BASE BAR HEIGHT | 42/48 x 72 | 61 | 54 | 40 3/4 | GD2YBTN72 | 3,381 |
| | 42/48 x 84 | 73 | 54 | 40 3/4 | GD2YBTN84 | 3,611 |
| | 42/48 x 96 | 85 | 54 | 40 3/4 | GD2YBTN96 | 3,838 |



PRODUCT INFO

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

2. BASE FINISH

- P71** Black
- PR6** Silver
- P8G** Matte Gold
- PJE** Pyrite
- PJW** Designer White
- PA** Polished Aluminum (+\$218)

3. BEAM COLOR

- P71** Black
- PR6** Silver
- P8G** Matte Gold
- PJE** Pyrite
- PJW** Designer White

4. WIRE MANAGEMENT

- WN** No Wire Management
- WY** Yes Wire Management


See inside front cover for required option codes

Example


GD2YBSN72.P71.P71.WN

| | | | |
|--------------|-------------|------------|-----------------|
| GD2YBSN72 | P71 | P71 | WN |
| MODEL NUMBER | BASE FINISH | BEAM COLOR | WIRE MANAGEMENT |

| | D | W | H | model number | list |
|------------------------|----|----|----|-------------------------|-------|
| STANDARD HEIGHT | 61 | 54 | 62 | GD2C-MTWS-WHTBRD | 4,235 |



| | | | | | |
|---|----|----|--------|-------------------------|-------|
| BAR HEIGHT AND HEIGHT ADJUSTABLE | 61 | 54 | 75 1/2 | GD2C-MTWT-WHTBRD | 4,934 |
|---|----|----|--------|-------------------------|-------|



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER**
- 2. GLASS COLOR**

See inside front cover for required option codes

Example



GD2C-MTWS-WHTBRD.GWH2
 GD2C-MTWS-WHTBRD GWH2
 MODEL NUMBER GLASS COLOR

BAR HEIGHT COLLABORATION TABLES

| | |
|---|---------|
| Bar Height Collaboration Tables | 133-138 |
| Table Tops | 134-137 |
| Table Bases | 138 |

BAR-HEIGHT COLLABORATION TABLE TOPS

Briefing
03/23

| | D | W | model number + type | veneer 1 | veneer 2 | laminata | solid surface | glass |
|---|----|-----|--|----------|----------|----------|---------------|--------|
| 30" TOP  | 30 | 72 | GD2PTT3072- <input type="checkbox"/> | 1,887 | 2,077 | 1,414 | 6,223 | 5,185 |
| | 30 | 96 | GD2PTT3096- <input type="checkbox"/> | 2,588 | 2,848 | 1,940 | 8,545 | 7,120 |
| | 30 | 120 | GD2PTT30120- <input type="checkbox"/> | 3,389 | 3,728 | 2,543 | 11,192 | 9,327 |
| | 30 | 144 | GD2PTT30144- <input type="checkbox"/> | 4,084 | 4,493 | 3,062 | 13,480 | 11,233 |
| 36" TOP  | 36 | 72 | GD2PTT3672- <input type="checkbox"/> | 2,219 | 2,442 | 1,665 | 7,324 | 6,103 |
| | 36 | 96 | GD2PTT3696- <input type="checkbox"/> | 3,047 | 3,353 | 2,283 | 10,050 | 8,377 |
| | 36 | 120 | GD2PTT36120- <input type="checkbox"/> | 3,992 | 4,393 | 2,993 | 13,169 | 10,974 |
| | 36 | 144 | GD2PTT36144- <input type="checkbox"/> | 4,806 | 5,287 | 3,604 | 15,853 | 13,213 |

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

L = Laminate

S = Solid Surface

G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W
2. FSC
3. TOP FINISH + EDGE DETAIL
4. TECHNOLOGY CUTOUT

LAMINATE

1. MODEL NUMBER + L
2. FSC
3. TOP FINISH
4. EDGE DETAIL
5. TECHNOLOGY CUTOUT

SOLID SURFACE

1. MODEL NUMBER + S
2. TOP FINISH
3. TECHNOLOGY CUTOUT

GLASS




1. MODEL NUMBER + G
2. TOP FINISH
3. TECHNOLOGY CUTOUT

See inside front cover for required option codes

Example

GD2PTT3072-W.X.NC260SQ.OP.C1E

| | | | | | |
|--------------|-----|--------|-------------|---------------|-------------------|
| GD2PTT3072-W | X | NC260 | SQ | OP | C1E |
| MODEL NUMBER | FSC | FINISH | EDGE DETAIL | TOP UV FINISH | TECHNOLOGY CUTOUT |

| technology cutout option | cutout option code | description | 30" DEPTH TOPS | | | | 36" DEPTH TOPS | | | | technology model required | qty |
|---|--------------------------|----------------------|----------------|---------|----------|----------|----------------|---------|----------|----------|---------------------------------|-----|
| | | | 30 x 72 | 30 x 96 | 30 x 120 | 30 x 144 | 36 x 72 | 36 x 96 | 36 x 120 | 36 x 144 | | |
| No Technology Cutout | | | | | | | | | | | | |
|  | GN | No Technology Cutout | • | • | • | • | • | • | • | • | GN | N/A |
| 1 Technology Cutout | | | | | | | | | | | | |
|  | C1E | 1 Bezel Mnt Power | • | • | • | • | • | • | • | • | ACTRIOBZL-___ | 1 |
| 2 Technology Cutouts | | | | | | | | | | | | |
|  | C2E | 2 Bezel Mnt Power | | | • | • | | | • | • | ACTRIOBZL-___ | 2 |

Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.






PORT DOOR MATERIAL UPCHARGES:

V Veneer (Add \$218 per cutout) Veneer doors ship with top

Veneer doors are only available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

BAR-HEIGHT COLLABORATION TABLE TOPS

Briefing
03/23

| | D | W | model number + type | veneer 1 | veneer 2 | laminata | solid surface | glass |
|---|----|-----|---|----------|----------|----------|---------------|--------|
| 42" TOP  | 42 | 72 | GD2PTT4272-  | 3,371 | 3,709 | 2,361 | 11,130 | 9,272 |
| | 42 | 96 | GD2PTT4296-  | 4,217 | 4,639 | 2,951 | 13,914 | 11,595 |
| | 42 | 120 | GD2PTT42120-  | 5,610 | 6,172 | 3,922 | 18,506 | 15,424 |
| | 42 | 144 | GD2PTT42144-  | 6,917 | 7,610 | 4,840 | 22,819 | 19,014 |

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

L = Laminate

S = Solid Surface

G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W
2. FSC
3. TOP FINISH + EDGE DETAIL
4. TECHNOLOGY CUTOUT

LAMINATE

1. MODEL NUMBER + L
2. FSC
3. TOP FINISH
4. EDGE DETAIL
5. TECHNOLOGY CUTOUT

SOLID SURFACE

1. MODEL NUMBER + S
2. TOP FINISH
3. TECHNOLOGY CUTOUT

GLASS

1. MODEL NUMBER + G
2. TOP FINISH
3. TECHNOLOGY CUTOUT

See inside front cover for required option codes

Example

GD2PTT4272-.X.NC215.SQ.OP.C1E




| | | | | | |
|--------------|-----|--------|-------------|---------------|-------------------|
| GD2PTT4272- | X | NC215 | SQ | OP | C1E |
| MODEL NUMBER | FSC | FINISH | EDGE DETAIL | TOP UV FINISH | TECHNOLOGY CUTOUT |

| technology cutout option | cutout option code | description | 42" DEPTH TOPS | | | | technology model required | qty |
|--------------------------------|--------------------------|-------------|----------------|---------|----------|----------|---------------------------------|-----|
| | | | 42 x 72 | 42 x 96 | 42 x 120 | 42 x 144 | | |




No Technology Cutout

| | | | | | | | | |
|---|-----------|-----------------------------|---|---|---|---|----|-----|
|  | GN | No Technology Cutout | • | • | • | • | GN | N/A |
|---|-----------|-----------------------------|---|---|---|---|----|-----|

1 Technology Cutout

| | | | | | | | | |
|---|----------------------------|---|---|---|---|---|--------------|---|
|  | C1E | 1 Bezel Mnt Power | • | • | • | • | ACTRIOBZL-__ | 1 |
|  | C1SA C1SV | 1 Single port, alum door 1 Single port, veneer door (Wood Tops Only) | • | • | • | • | GDATPS-__ | 1 |
|  | C1TM | 1 Tech Module | • | • | • | • | ACTMEL-__ | 1 |

2 Technology Cutouts

| | | | | | | | | |
|---|------------------------------|---|--|--|---|---|--------------|---|
|  | C2EE | 2 Bezel Mnt Power | | | • | • | ACTRIOBZL-__ | 2 |
|  | C2SSA C2SSV | 2 Single ports, alum door 2 Single ports, veneer door (Wood Tops Only) | | | • | • | GDATPS-__ | 2 |
|  | C2TM | 2 Tech Modules | | | • | • | ACTMEL-__ | 2 |

Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.

PORT DOOR MATERIAL UPCHARGES:




V Veneer (Add \$218 per cutout) Veneer doors ship with top

Veneer doors are only available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

COLLABORATION TABLE BASES

Bar height

Briefing
03/23

| | D | W | H | model number + type | | veneer 1 | veneer 2 |
|---|-----------------------------------|-----|--------|--|--|----------|----------|
| 30" BASE  | 30 | 72 | 40 3/4 | GD2PBS3072- <input type="checkbox"/> | | 7,428 | 8,172 |
| | 30 | 96 | 40 3/4 | GD2PBS3096- <input type="checkbox"/> | | 7,884 | 8,674 |
| | 30 | 120 | 40 3/4 | GD2PBS30120- <input type="checkbox"/> | | 8,346 | 9,181 |
| | 30 | 144 | 40 3/4 | GD2PBS30144- <input type="checkbox"/> | | 11,284 | 12,413 |
| | • 144" width includes center base | | | | | | |
| 36" BASE  | 36 | 72 | 40 3/4 | GD2PBS3672- <input type="checkbox"/> | | 8,593 | 9,454 |
| | 36 | 96 | 40 3/4 | GD2PBS3696- <input type="checkbox"/> | | 9,049 | 9,955 |
| | 36 | 120 | 40 3/4 | GD2PBS36120- <input type="checkbox"/> | | 9,511 | 10,463 |
| | 36 | 144 | 40 3/4 | GD2PBS36144- <input type="checkbox"/> | | 12,220 | 13,442 |
| | • 144" width includes center base | | | | | | |
| 42" BASE  | 42 | 72 | 40 3/4 | GD2PBS4272- <input type="checkbox"/> | | 9,500 | 10,451 |
| | 42 | 96 | 40 3/4 | GD2PBS4296- <input type="checkbox"/> | | 9,956 | 10,953 |
| | 42 | 120 | 40 3/4 | GD2PBS42120- <input type="checkbox"/> | | 10,418 | 11,461 |
| | 42 | 144 | 40 3/4 | GD2PBS42144- <input type="checkbox"/> | | 13,447 | 14,793 |
| | • 144" width includes center base | | | | | | |

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. FINISH

4. BEAM COLOR

P71 Black

PR6 Silver

See inside front cover for required option codes

Example





GD2PBS3072-W.X.NC260.P71

| | | | |
|--------------|-----|--------|------------|
| GD2PBS3072-W | X | NC260 | P71 |
| MODEL NUMBER | FSC | FINISH | BEAM COLOR |

Training Tables 139-147
 Rectangular Training Tops 140
 Corner Training Tops 141
 Half Round Training Tops 142
 Training Table Bases 143-145
 Modesty Panel 146
 Accessories 147

RECTANGULAR TRAINING TOPS

Briefing
03/23

| | D | W | model number + type | veneer 1 | veneer 2 | laminata |
|---|----|----|---|----------|----------|----------|
| 20" RECTANGULAR  | 20 | 60 | GG2TRT2060- <input type="checkbox"/> | 1,693 | 1,864 | 1,354 |
| | 20 | 66 | GG2TRT2066- <input type="checkbox"/> | 1,759 | 1,936 | 1,407 |
| | 20 | 72 | GG2TRT2072- <input type="checkbox"/> | 1,822 | 2,006 | 1,458 |
| | 20 | 78 | GG2TRT2078- <input type="checkbox"/> | 1,889 | 2,079 | 1,512 |
| | 20 | 84 | GG2TRT2084- <input type="checkbox"/> | 1,959 | 2,156 | 1,566 |
| 24" RECTANGULAR  | 24 | 60 | GG2TRT2460- <input type="checkbox"/> | 1,784 | 1,963 | 1,427 |
| | 24 | 66 | GG2TRT2466- <input type="checkbox"/> | 1,850 | 2,036 | 1,480 |
| | 24 | 72 | GG2TRT2472- <input type="checkbox"/> | 1,920 | 2,113 | 1,533 |
| | 24 | 78 | GG2TRT2478- <input type="checkbox"/> | 1,988 | 2,188 | 1,589 |
| | 24 | 84 | GG2TRT2484- <input type="checkbox"/> | 2,063 | 2,271 | 1,647 |
| 30" RECTANGULAR  | 30 | 60 | GG2TRT3060- <input type="checkbox"/> | 1,882 | 2,071 | 1,508 |
| | 30 | 66 | GG2TRT3066- <input type="checkbox"/> | 1,916 | 2,108 | 1,532 |
| | 30 | 72 | GG2TRT3072- <input type="checkbox"/> | 2,009 | 2,211 | 1,607 |
| | 30 | 78 | GG2TRT3078- <input type="checkbox"/> | 2,136 | 2,350 | 1,707 |
| | 30 | 84 | GG2TRT3084- <input type="checkbox"/> | 2,246 | 2,471 | 1,797 |
| 36" RECTANGULAR  | 36 | 60 | GG2TRT3660- <input type="checkbox"/> | 1,986 | 2,186 | 1,589 |
| | 36 | 66 | GG2TRT3666- <input type="checkbox"/> | 2,083 | 2,293 | 1,667 |
| | 36 | 72 | GG2TRT3672- <input type="checkbox"/> | 2,219 | 2,442 | 1,777 |
| | 36 | 78 | GG2TRT3678- <input type="checkbox"/> | 2,263 | 2,490 | 1,810 |
| | 36 | 84 | GG2TRT3684- <input type="checkbox"/> | 2,567 | 2,825 | 2,053 |

PRODUCT INFO

Spec Tip

Technology selection for cutout only.

For Technology options see pages 98-101

Pre-bored both ends for ganging brackets.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W
2. FSC
3. TOP FINISH + EDGE DETAIL
4. TOP UV FINISH
5. TECHNOLOGY CUTOUT
6. TECHNOLOGY OPTION
 - G Grommet
 - PTC Power/Data Port

LAMINATE





1. MODEL NUMBER + L
2. FSC
3. TOP FINISH
4. EDGE DETAIL
5. TECHNOLOGY CUTOUT
6. TECHNOLOGY OPTION
 - G Grommet
 - PTC Power/Data Port



See inside front cover for required option codes

Example

GG2TRT2060-W.X.NC260SQ.OP.C1PTC

| | | | | | | |
|--------------|-----|--------|-------------|---------------|-------------------|-------------------|
| GG2TRT2060-W | X | NC260 | SQ | OP | C1 | PTC |
| MODEL NUMBER | FSC | FINISH | EDGE DETAIL | TOP UV FINISH | TECHNOLOGY CUTOUT | TECHNOLOGY OPTION |

| | D | W | model number + type | veneer 1 | veneer 2 | laminata |
|--------------------|----|----|--|----------|----------|----------|
| CORNER TOPS | 20 | 20 | GG2TCR20-  | 1,553 | 1,709 | 1,243 |
| | 24 | 24 | GG2TCR24-  | 1,637 | 1,802 | 1,308 |
| | 30 | 30 | GG2TCR30-  | 1,726 | 1,900 | 1,380 |
| | 36 | 36 | GG2TCR36-  | 1,822 | 2,006 | 1,457 |



PRODUCT INFO

Spec Tip
Flat brackets included.
Ganging brackets not needed

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|--------------------------------|---------------------|
| WOOD | LAMINATE |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L |
| 2. FSC | 2. FSC |
| 3. TOP FINISH + EDGE DETAIL | 3. TOP FINISH |
| 4. TOP UV FINISH | 4. EDGE DETAIL |




See inside front cover for required option codes



Example

GG2TCR20-W.X.NC260SQ.OP
 GG2TCR20-W X NC260 SQ OP
 MODEL NUMBER FSC FINISH EDGE DETAIL TOP UV FINISH

HALF ROUND TRAINING TABLE TOPS

Briefing
03/23

| | D | W | model number + type | veneer 1 | veneer 2 | laminate |
|-------------------|----|----|--|----------|----------|----------|
| HALF ROUND | 24 | 48 | GG2THR2448-  | 1,693 | 1,864 | 1,354 |
| | 30 | 60 | GG2THR3060-  | 1,784 | 1,963 | 1,427 |
| | 36 | 72 | GG2THR3672-  | 1,882 | 2,071 | 1,508 |



PRODUCT INFO

Spec Tip

Technology selection for cutout only.

For Technology options see pages 98-101

Ganging brackets not needed

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W
2. FSC
3. TOP FINISH + EDGE DETAIL
4. TOP UV FINISH
5. TECHNOLOGY CUTOUT
6. TECHNOLOGY OPTION
 - G Grommet
 - PTC Power/Data Port

LAMINATE




1. MODEL NUMBER + L
2. FSC
3. TOP FINISH
4. EDGE DETAIL
5. TECHNOLOGY CUTOUT
6. TECHNOLOGY OPTION
 - G Grommet
 - PTC Power/Data Port

See inside front cover for required option codes

Example

GG2THR2448-W.X.NC260SQ.OP.C1.PTC

| | | | | | | |
|--------------|-----|--------|-------------|---------------|-------------------|-------------------|
| GG2THR2448-W | X | NC260 | SQ | OP | C1 | PTC |
| MODEL NUMBER | FSC | FINISH | EDGE DETAIL | TOP UV FINISH | TECHNOLOGY CUTOUT | TECHNOLOGY OPTION |

| | for use with top sizes | D | W | H | model number | list |
|---|------------------------|---------|--------|--------|-------------------|-------|
| 20/24" BASE  | 20/24 x 60 | 17 1/2 | 53 | 27 3/4 | GG2TBF2460 | 2,714 |
| | 20/24 x 66 | 17 1/2 | 59 | 27 3/4 | GG2TBF2466 | 2,739 |
| | 20/24 x 72 | 17 1/2 | 65 | 27 3/4 | GG2TBF2472 | 2,767 |
| | 20/24 x 78 | 17 1/2 | 71 | 27 3/4 | GG2TBF2478 | 2,792 |
| | 20/24 x 84 | 17 1/2 | 77 | 27 3/4 | GG2TBF2484 | 2,818 |
| 30" BASE  | 30 x 60 | 22 3/4 | 56 | 27 3/4 | GG2TBF3060 | 2,784 |
| | 30 x 66 | 22 3/4 | 62 | 27 3/4 | GG2TBF3066 | 2,811 |
| | 30 x 72 | 22 3/4 | 68 | 27 3/4 | GG2TBF3072 | 2,837 |
| | 30 x 78 | 22 3/4 | 74 | 27 3/4 | GG2TBF3078 | 2,863 |
| | 30 x 84 | 22 3/4 | 80 | 27 3/4 | GG2TBF3084 | 2,889 |
| 36" BASE  | 36 x 60 | 28 9/16 | 59 3/8 | 27 3/4 | GG2TBF3660 | 2,923 |
| | 36 x 66 | 28 9/16 | 65 3/8 | 27 3/4 | GG2TBF3666 | 2,950 |
| | 36 x 72 | 28 9/16 | 71 3/8 | 27 3/4 | GG2TBF3672 | 2,978 |
| | 36 x 78 | 28 9/16 | 77 3/8 | 27 3/4 | GG2TBF3678 | 3,006 |
| | 36 x 84 | 28 9/16 | 83 3/8 | 27 3/4 | GG2TBF3684 | 3,035 |

PRODUCT INFO

- Includes 4 locking casters.
- Includes flip mechanism to allow tables to nest.
- See Product Reference for nesting dimensions.
- Base is aluminum.
- Base ships knocked down.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER**
- 2. HARDWARE COLOR**
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White
 - PA** Polished Aluminum (+\$218)
- 3. WIRE MANAGEMENT**
 - WN** No Wire Management
 - WY** Yes Wire Management

Note: Wire Management option recommended for use with:




- Any table that contains a power infeced when modular power system is used
- Managing power cords of technology unit to floor in non-modular power system applications

Example

GG2TBF2460.P71.WN
 GG2TBF2460 P71 WN
 MODEL NUMBER HARDWARE COLORS WIRE MANAGEMENT

FIXED BASE WITH GLIDES

For rectangular training table tops

| | for use with top sizes | D | W | H | model number | list |
|---|------------------------------|---------|--------|--------|-------------------|-------|
| 20/24" BASE  | 20/24 x 60 | 17 1/2 | 53 | 27 3/4 | GG2TBX2460 | 1,901 |
| | 20/24 x 66 | 17 1/2 | 59 | 27 3/4 | GG2TBX2466 | 1,918 |
| | 20/24 x 72 | 17 1/2 | 65 | 27 3/4 | GG2TBX2472 | 1,936 |
| | 20/24 x 78 | 17 1/2 | 71 | 27 3/4 | GG2TBX2478 | 1,954 |
| | 20/24 x 84 | 17 1/2 | 77 | 27 3/4 | GG2TBX2484 | 1,971 |
| 30" BASE  | 30 x 60 | 22 3/4 | 56 | 27 3/4 | GG2TBX3060 | 1,949 |
| | 30 x 66 | 22 3/4 | 62 | 27 3/4 | GG2TBX3066 | 1,968 |
| | 30 x 72 | 22 3/4 | 68 | 27 3/4 | GG2TBX3072 | 1,986 |
| | 30 x 78 | 22 3/4 | 74 | 27 3/4 | GG2TBX3078 | 2,006 |
| | 30 x 84 | 22 3/4 | 80 | 27 3/4 | GG2TBX3084 | 2,022 |
| 36" BASE  | 36 x 60 | 28 9/16 | 59 3/8 | 27 3/4 | GG2TBX3660 | 2,046 |
| | 36 x 66 | 28 9/16 | 65 3/8 | 27 3/4 | GG2TBX3666 | 2,066 |
| | 36 x 72 | 28 9/16 | 71 3/8 | 27 3/4 | GG2TBX3672 | 2,082 |
| | 36 x 78 | 28 9/16 | 77 3/8 | 27 3/4 | GG2TBX3678 | 2,105 |
| | 36 x 84 | 28 9/16 | 83 3/8 | 27 3/4 | GG2TBX3684 | 2,124 |

PRODUCT INFO

- Fixed Table only. Does not flip.
- See Product Reference for nesting dimensions.
- Base ships knocked down.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

2. HARDWARE COLOR

- P71** Black
- PR6** Silver
- P8G** Matte Gold
- PJE** Pyrite
- PJW** Designer White
- PA** Polished Aluminum (+\$218)

3. WIRE MANAGEMENT

- WN** No Wire Management
- WY** Yes Wire Management

Note: Wire Management option recommended for use with:


- Any table that contains a power infeced when modular power system is used
- Managing power cords of technology unit to floor in non-modular power system applications

Example


GG2TBX2460.P71.WN

| | | |
|--------------|-----------------|-----------------|
| GG2TBX2460 | P71 | WN |
| MODEL NUMBER | HARDWARE COLORS | WIRE MANAGEMENT |

| | for use with top sizes | D | W | H | model number | list |
|-----------------------------------|------------------------------|---------|---------|--------|--------------------|-------|
| FLIP BASE WITH CASTERS | 24 x 48 | 17 1/2 | 39 9/16 | 27 3/4 | GG2TBZF2448 | 2,442 |
| | 30 x 60 | 22 3/4 | 52 3/4 | 27 3/4 | GG2TBZF3060 | 2,784 |
| | 36 x 72 | 28 9/16 | 60 9/16 | 27 3/4 | GG2TBZF3672 | 2,978 |



| | | | | | | |
|-----------------------------------|---------|---------|---------|--------|--------------------|-------|
| FIXED BASE WITH GLIDES | 24 x 48 | 17 1/2 | 39 9/16 | 27 3/4 | GG2TBZX2448 | 1,709 |
| | 30 x 60 | 22 3/4 | 52 3/4 | 27 3/4 | GG2TBZX3060 | 1,949 |
| | 36 x 72 | 28 9/16 | 60 9/16 | 27 3/4 | GG2TBZX3672 | 2,082 |



PRODUCT INFO

- Flip Tables include 4 locking casters and flip mechanism to allow tables to nest.
- See Product Reference for nesting dimensions.
- Fixed Tables do not flip.
- Base ships knocked down.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER**
- 2. HARDWARE COLOR**
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White
 - PA** Polished Aluminum (+\$218)
- 3. WIRE MANAGEMENT**
 - WN** No Wire Management
 - WY** Yes Wire Management

Note: Wire Management option recommended for use with:

- Any table that contains a power infeced when modular power system is used
- Managing power cords of technology unit to floor in non-modular power system applications


Example

GG2TBZF2448.P71.WN
 GG2TBZF2448 P71 WN
 MODEL NUMBER HARDWARE COLORS WIRE MANAGEMENT

OPTIONAL MODESTY PANEL

For training tables

Briefing
03/23

| | D | W | H | model number + type | veneer 1 | veneer 2 | laminate |
|---|-----|--------|-------|---|----------|----------|----------|
| MODESTY PANEL  | 3/4 | 59 1/2 | 7 1/2 | GG2TMH60- <input type="checkbox"/> | 1,232 | 1,356 | 801 |
| | 3/4 | 65 1/2 | 7 1/2 | GG2TMH66- <input type="checkbox"/> | 1,297 | 1,427 | 843 |
| | 3/4 | 71 1/2 | 7 1/2 | GG2TMH72- <input type="checkbox"/> | 1,366 | 1,504 | 889 |
| | 3/4 | 77 1/2 | 7 1/2 | GG2TMH78- <input type="checkbox"/> | 1,434 | 1,578 | 931 |
| | 3/4 | 83 1/2 | 7 1/2 | GG2TMH84- <input type="checkbox"/> | 1,506 | 1,658 | 978 |

- Modesty panel is hinged for flip mechanism
- Inset is ~7 inches back edge of worksurface to back edge of modesty panel.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|----------------------------|----------------------------|
| WOOD | LAMINATE |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L |
| 2. FSC | 2. FSC |
| 3. FINISH | 3. FINISH |

See inside front cover for required option codes


Example

GG2TMH60-W.X.NC260

| | | |
|--------------|-----|--------|
| GG2TMH60-W | X | NC260 |
| MODEL NUMBER | FSC | FINISH |


| | D | W | H | model number | list |
|------------------------|-------|-------|-----|------------------|------|
| GANGING BRACKET | 1 3/4 | 5 1/2 | 1/4 | AC-GANGTT | 227 |

(QUANTITY 2)



- Must be ordered separately
- 1 set is required for each table to table connection

WIRE MANAGER



| | | | | | |
|--|-----|----|-------|---------------|----|
| | 7/8 | 47 | 1 3/4 | AC-TWM | 89 |
|--|-----|----|-------|---------------|----|

- Replacement only. Wire Managers ship standard with Fixed and Flip Training Table Bases
- Profile view:



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

AC-GANGTT
AC-GANGTT
MODEL NUMBER


Ancillary. 149-162
Credenza Cushions 150
Credenzas 151-156
Whiteboards. 157
Hospitality Cart 158-159
Technology Cart 160-161
Miscellaneous 162

CREDENZA CUSHIONS

For low height credenza

Briefing
03/23

| | D | W | H | model number | fabric grade | | | |
|--------------------|--------|----|-------|-----------------------|--------------|-----|-----|-------|
| | | | | | 1 | 2 | 3 | COM/4 |
| PED CUSHION | 23 3/4 | 36 | 1 1/2 | GDACRED-CUSH36 | 706 | 723 | 746 | 764 |



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. **MODEL NUMBER**
2. **UPHOLSTERY**
3. **FLAMMABILITY**

For standard flammability rating, please specify CTB117, for California 133 and Boston fire-code treatment, please specify CTB113

OPTION CODES:

U = CTB117
U3 = CTB133 (Add +\$137)

See inside front cover for required option codes

Example

GDACRED-CUSH36.APX15.U

| | | |
|-----------------------------|---------------------------|-----------------------------|
| GDACRED-CUSH36 | APX15 | U |
| <small>MODEL NUMBER</small> | <small>UPHOLSTERY</small> | <small>FLAMMABILITY</small> |

| | D | W | model number + type | veneer 1 | veneer 2 | laminate | solid surface | glass |
|--------------------------|----|-----|--|----------|----------|----------|---------------|-------|
| CREDENZA TOPS | 24 | 48 | GD2CWR2448- <input type="checkbox"/> | 1,334 | 1,469 | 1,000 | 4,406 | 3,672 |
| <input type="checkbox"/> | 24 | 72 | GD2CWR2472- <input type="checkbox"/> | 1,777 | 1,955 | 1,421 | 5,867 | 4,890 |
| | 24 | 90 | GD2CWR2490- <input type="checkbox"/> | 2,048 | 2,253 | 1,638 | 6,756 | 5,630 |
| | 24 | 96 | GD2CWR2496- <input type="checkbox"/> | 2,135 | 2,349 | 1,709 | 7,050 | 5,873 |
| | 24 | 108 | GD2CWR24108- <input type="checkbox"/> | 2,490 | 2,740 | 1,993 | 8,220 | 6,849 |
| | 24 | 120 | GD2CWR24120- <input type="checkbox"/> | 2,850 | 3,136 | 2,281 | 9,407 | 7,840 |

- Square Edge only
- Top thickness:
 - Wood 1 3/16
 - Laminate 1 3/16
 - Glass 1/2
 - Solid Surface 1/2

PRODUCT INFO

Note:
Type must be specified as part of model number.
W = Wood Veneer
L = Laminate
S = Solid Surface
G = Glass

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | | | |
|--------------------------------|--------------------------------|----------------------|---------------------|
| WOOD | LAMINATE | SOLID SURFACE | GLASS |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L | 1. MODEL NUMBER + S | 1. MODEL NUMBER + G |
| 2. FSC | 2. FSC | 2. TOP FINISH | 2. TOP FINISH |
| 3. TOP FINISH + EDGE DETAIL | 3. TOP FINISH + EDGE DETAIL | | |
| 4. TOP UV FINISH | | | |

See inside front cover for required option codes


Example

GD2CWR2448-W.X.NC260SQ.OP
 GD2CWR2448-W X NC260 SQ OP
 MODEL NUMBER FSC FINISH EDGE DETAIL TOP UV FINISH


CREDENZAS ON RIBBON BASE

Wood, laminate, or paint doors

Briefing
03/23

| | D | W | H | model number + type | veneer 1 | veneer 2 | laminate | |
|--|---------|----|-----|---------------------|--|----------|----------|-------|
| LOW HEIGHT  | 4 doors | 24 | 72 | 20 | GD2CLF72- <input type="checkbox"/> | 8,500 | 9,351 | 6,275 |
| | 5 doors | 24 | 90 | 20 | GD2CLF90- <input type="checkbox"/> | 8,805 | 9,686 | 6,163 |
| | 6 doors | 24 | 108 | 20 | GD2CLF108- <input type="checkbox"/> | 10,195 | 11,216 | N/A |

- 13 1/2 inside height


| | | | | | | | | |
|---|---------|----|-----|--------|--|--------|--------|-------|
| STANDARD HEIGHT  | 4 doors | 24 | 72 | 27 1/2 | GD2CSF72- <input type="checkbox"/> | 9,478 | 10,427 | 6,958 |
| | 5 doors | 24 | 90 | 27 1/2 | GD2CSF90- <input type="checkbox"/> | 9,851 | 10,837 | 6,895 |
| | 6 doors | 24 | 108 | 27 1/2 | GD2CSF108- <input type="checkbox"/> | 11,166 | 12,284 | N/A |

- 23 1/2 inside height with 1 shelf

| | | | | | | | | |
|---|---------|----|-----|--------|--|--------|--------|-------|
| BUFFET HEIGHT  | 4 doors | 24 | 72 | 35 3/4 | GD2CBF72- <input type="checkbox"/> | 10,805 | 11,887 | 7,886 |
| | 5 doors | 24 | 90 | 35 3/4 | GD2CBF90- <input type="checkbox"/> | 10,868 | 11,955 | 7,607 |
| | 6 doors | 24 | 108 | 35 3/4 | GD2CBF108- <input type="checkbox"/> | 11,928 | 13,122 | N/A |

- 30 inside height with 1 shelf

Ribbon base detail:



PRODUCT INFO

- All doors are touch latch
- External top required
- Ribbon Base is 4 3/16" tall
- Ribbon base is 3" wide x 3/8" thick
- Finished back panel

Units shipped as separate packages and require field assembly.

- Material for ribbon base.
- Top ordered separately.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. FINISH

4. HARDWARE COLOR

- P71** Black
- PR6** Silver
- P8G** Matte Gold
- PJE** Pyrite
- PJW** Designer White
- PS** Polished Stainless (+\$218)

5. LOCKING

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. FINISH CHASSIS

4. FINISH FRONT

5. HARDWARE COLOR




- P71** Black
- PR6** Silver
- P8G** Matte Gold
- PJE** Pyrite
- PJW** Designer White
- PS** Polished Stainless (+\$218)

6. LOCKING


See inside front cover for required option codes

Example

| | | | | |
|------------------------------|-----|--------|----------------|---------|
| GD2CLF72-W.X.NC260.P71.LYSTD | | | | |
| GD2CLF72-W | X | NC260 | P71 | LYSTD |
| MODEL NUMBER + TYPE | FSC | FINISH | HARDWARE COLOR | LOCKING |

| | D | W | H | model number + type | veneer 1 | veneer 2 |
|---|----|-----|--------|---|----------|----------|
| LOW HEIGHT  | 24 | 72 | 20 | GD2CLF72- <input type="checkbox"/> G | 10,389 | 11,428 |
| | 24 | 90 | 20 | GD2CLF90- <input type="checkbox"/> G | 11,045 | 12,151 |
| | 24 | 108 | 20 | GD2CLF108- <input type="checkbox"/> G | 12,788 | 14,067 |
| STANDARD HEIGHT  | 24 | 120 | 27 1/2 | GD2CSF72- <input type="checkbox"/> G | 11,613 | 12,775 |
| | 24 | 144 | 27 1/2 | GD2CSF90- <input type="checkbox"/> G | 12,360 | 13,597 |
| | 24 | 168 | 27 1/2 | GD2CSF108- <input type="checkbox"/> G | 14,008 | 15,409 |
| BUFFET HEIGHT  | 24 | 120 | 35 3/4 | GD2CBF72- <input type="checkbox"/> G | 13,277 | 14,605 |
| | 24 | 144 | 35 3/4 | GD2CBF90- <input type="checkbox"/> G | 13,638 | 15,003 |
| | 24 | 168 | 35 3/4 | GD2CBF108- <input type="checkbox"/> G | 14,958 | 16,455 |

Ribbon base detail:



PRODUCT INFO

- All doors are touch latch
- External top required
- Ribbon Base is 4 3/16" tall
- Ribbon base is 3" wide x K" thick polished finish
- Finished back panel

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + WG

2. FSC

3. FINISH

4. GLASS COLOR

5. HARDWARE COLOR

- P71** Black
- PR6** Silver
- P8G** Matte Gold
- PJE** Pyrite
- PJW** Designer White
- PS** Polished Stainless (+\$218)

6. LOCKING

See inside front cover for required option codes (GLASS DOORS DO NOT LOCK)

Example


| | | | | |
|------------------------------|-----|--------|-------------|----------------|
| GD2CLF72-WG.X.NC260.GWH2.P71 | | | | |
| GD2CLF72-WG | X | NC260 | GWH2 | P71 |
| MODEL NUMBER + TYPE | FSC | FINISH | GLASS COLOR | HARDWARE COLOR |

CREDENZAS TO FLOOR


72" Wide

Briefing
03/23

| D | W | H | model number + type | veneer 1 | veneer 2 | laminate |
|----|----|--------|---|----------|----------|----------|
| 24 | 48 | 27 1/2 | GD2CSS48- <input type="checkbox"/> | 6,184 | 6,804 | 4,756 |
| 24 | 72 | 27 1/2 | GD2CSS72- <input type="checkbox"/> | 9,420 | 10,363 | 6,915 |
| 24 | 96 | 27 1/2 | GD2CSS96- <input type="checkbox"/> | 11,050 | 12,156 | 9,182 |




STANDARD HEIGHT



BUFFET HEIGHT

| | | | | | | |
|----|----|--------|---|--------|--------|--------|
| 24 | 48 | 35 3/4 | GD2CBS48- <input type="checkbox"/> | 6,861 | 7,548 | 5,275 |
| 24 | 72 | 35 3/4 | GD2CBS72- <input type="checkbox"/> | 10,905 | 11,997 | 7,672 |
| 24 | 96 | 35 3/4 | GD2CBS96- <input type="checkbox"/> | 12,197 | 13,417 | 10,189 |




SP1
Storage Pedestal
1 adjustable shelf
(No upcharge)
Shown without door.



SP4
Storage Pedestal
4 drawers
(No upcharge)
Shown without door.



SPU
Utility Pedestal
Vented back panel
(No upcharge)
Shown without door.
May be Used for AV
Rack, Refrigerator or
Trash/Recycling bin
(ordered separately).



PRODUCT INFO

- All doors are touch latch
- External top required
- 48" 2 Door Unit
- 72" 3 Door Unit
- 96" 4 Door Unit

Laminate units shipped as separate packages and require field assembly.

- Finished back covers entire width of unit (no cutout is added when used with an SP4 pedestal).

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W
2. FSC
3. FINISH
4. PEDESTAL LOCATION 1
5. PEDESTAL LOCATION 2
6. PEDESTAL LOCATION 3 (72" AND 96" ONLY)
7. PEDESTAL LOCATION 4 (96" ONLY)
8. FINISHED BACK PANEL
9. LOCKING

LAMINATE

1. MODEL NUMBER + L
2. FSC
3. FINISH CHASSIS
4. FINISH FRONT
5. PEDESTAL LOCATION 1
6. PEDESTAL LOCATION 2
7. PEDESTAL LOCATION 3 (72" AND 96" ONLY)
8. PEDESTAL LOCATION 4 (96" ONLY)
9. FINISHED BACK PANEL (NOT FOR USE WITH SPU PEDESTALS)
10. LOCKING (EACH DOOR LOCKS, NOT EACH DOOR SET)


See inside front cover for required option codes

Example

GD2CSS72-W.X.NC260.SP1.SP4.SP1.BN.LYSTD


| | | | | | | | |
|---------------------|-----|--------|---------------------|---------------------|--|---------------------|---------|
| GD2CSS72-W | X | NC260 | SP1 | SP4 | SP1 | BN | LYSTD |
| MODEL NUMBER + TYPE | FSC | FINISH | PEDESTAL LOCATION 1 | PEDESTAL LOCATION 2 | PEDESTAL LOCATION 3 (WHERE APPLICABLE) | FINISHED BACK PANEL | LOCKING |

| D | W | H | model number + type | veneer 1 | veneer 2 |
|----|----|--------|--|----------|----------|
| 24 | 48 | 27 1/2 | GD2CSS48- <input type="checkbox"/> G | 7,730 | 8,504 |
| 24 | 72 | 27 1/2 | GD2CSS72- <input type="checkbox"/> G | 11,865 | 13,053 |
| 24 | 96 | 27 1/2 | GD2CSS96- <input type="checkbox"/> G | 13,919 | 15,311 |




STANDARD HEIGHT
GLASS DOORS


| | | | | | |
|----|----|--------|--|--------|--------|
| 24 | 48 | 35 3/4 | GD2CBS48- <input type="checkbox"/> G | 8,572 | 9,430 |
| 24 | 72 | 35 3/4 | GD2CBS72- <input type="checkbox"/> G | 13,736 | 15,111 |
| 24 | 96 | 35 3/4 | GD2CBS96- <input type="checkbox"/> G | 15,356 | 16,892 |



BUFFET HEIGHT
GLASS DOORS



SP1
Storage Pedestal
1 adjustable shelf
(No upcharge)
Shown without door.



SP4
Storage Pedestal
4 drawers
(No upcharge)
Shown without door.



SPU
Utility Pedestal
Vented back panel
(No upcharge)
Shown without door.
May be Used for AV
Rack, Refrigerator or
Trash/Recycling bin
(ordered separately).

PRODUCT INFO

- All doors are touch latch
- External top required
- 48" 2 Door Unit
- 72" 3 Door Unit
- 96" 4 Door Unit
- Finished back covers entire width of unit (no cutout is added when used with an SP4 pedestal).

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- 1. MODEL NUMBER + W**
- 2. FSC**
- 3. FINISH**
- 4. GLASS COLOR**
- 5. PEDESTAL LOCATION 1**
- 6. PEDESTAL LOCATION 2**
- 7. PEDESTAL LOCATION 3 (72" AND 96" ONLY)**
- 8. PEDESTAL LOCATION 4 (96" ONLY)**
- 9. FINISHED BACK PANEL (NOT FOR USE WITH SPU PEDESTALS)**
- 10. LOCKING (GLASS DOORS DO NOT LOCK)**

See inside front cover for required option codes

Example


GD2CSS72-WG.X.NC260.GWH2.SP1.SP4.SP1.BN.LYSTD

| | | | | | | | | |
|---------------------|-----|--------|-------------|---------------------|---------------------|--|---------------------|---------|
| GD2CSS72-W | X | NC260 | GWH2 | SP1 | SP4 | SP1 | BN | LYSTD |
| MODEL NUMBER + TYPE | FSC | FINISH | GLASS COLOR | PEDESTAL LOCATION 1 | PEDESTAL LOCATION 2 | PEDESTAL LOCATION 3 (WHERE APPLICABLE) | FINISHED BACK PANEL | LOCKING |

BUFFET CREDENZA WITH DRAWERS

Briefing
03/23

| | D | W | H | model number + type | veneer 1 | veneer 2 | laminata |
|----------------------|----|----|--------|--|----------|----------|----------|
| BUFFET HEIGHT | 24 | 72 | 34 3/4 | GD2CB2472- <input type="checkbox"/> | 12,279 | 13,508 | 8,596 |



PRODUCT INFO

- External top included
- Non-locking finished back included.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


- | WOOD | LAMINATE |
|-----------------------------|----------------------|
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L |
| 2. FSC | 2. FSC |
| 3. TOP FINISH & EDGE DETAIL | 3. TOP FINISH |
| 4. CHASSIS & DOOR FINISH | 4. CHASSIS FINISH |
| 5. TOP UV FINISH | 5. DOOR FRONT FINISH |
| 6. PULL OPTION | 6. EDGE DETAIL |
| 7. DRAWER OPTION | 7. PULL OPTION |
| | 8. DRAWER OPTION |


See inside front cover for required option codes


Example

GD2CB2472-W.X.NC260SQ.NC260.OP.PP71.VW

| | | | | | | | |
|---------------------|-----|--------|-------------|-----------------------|---------------|-------------|---------------|
| GD2CB2472-W | X | NC260 | SQ | NC260 | OP | PP71 | VW |
| MODEL NUMBER + TYPE | FSC | FINISH | EDGE DETAIL | CHASSIS & DOOR FINISH | TOP UV FINISH | PULL OPTION | DRAWER OPTION |

| | D | W | H | model number | list |
|---|-----|----|----|----------------------|-------|
| HORIZONTAL WALL MOUNT  | 1/2 | 48 | 48 | ACWHT48H48W-G | 3,370 |
| | 1/2 | 60 | 48 | ACWHT48H60W-G | 4,032 |
| | 1/2 | 72 | 48 | ACWHT48H72W-G | 4,701 |
| | 1/2 | 96 | 48 | ACWHT48H96W-G | 6,028 |

| | | | | | |
|---|-----|----|----|----------------------|-------|
| VERTICAL WALL MOUNT  | 1/2 | 36 | 96 | ACWHT84H36W-G | 4,432 |
| | 1/2 | 48 | 96 | ACWHT84H48W-G | 5,852 |

| | | | | | |
|---|-----|----|----|----------------------|-------|
| TOP OF MEDIA TABLE  | 1/2 | 54 | 8 | ACWHT8H54W-G | 1,860 |
| | 1/2 | 54 | 22 | ACWHT22H54W-G | 2,219 |

- Can be used in combination with vertical mount whiteboards to surround Media Tables in applications where Media Wall is against office wall.

PRODUCT INFO

- Units are magnetic
- Ships with 6 magnets
- Frame is clear anodized aluminum

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

ACWHT48H48W-G

ACWHT48H48W-G

MODEL NUMBER

HOSPITALITY CART

Top

Briefing
03/23

| | D | W | H | model number + type | solid surface | glass |
|--------------------------------|--------|----|-----|---|---------------|-------|
| HOSPITALITY CART TOP | 20 3/4 | 36 | 1/2 | GD2CHT2036- <input type="text"/> | 2,829 | 2,357 |



PRODUCT INFO

Note:

Type must be specified as part of model number
S = Solid Surface
G = Glass

TO ORDER PLEASE SPECIFY THE FOLLOWING:



- | | |
|----------------------------|----------------------------|
| SOLID SURFACE | GLASS |
| 1. MODEL NUMBER + S | 1. MODEL NUMBER + G |
| 2. TOP FINISH | 2. TOP FINISH |

See inside front cover for required option codes

Example

| | |
|-------------------|------------|
| GD2CHT2036-G.GWH1 | |
| GD2CHT2036-G | GWH1 |
| MODEL NUMBER | TOP FINISH |

| | D | W | H | model number + type | veneer 1 | veneer 2 | laminate |
|-------------------------|--------|----|--------|------------------------|----------|----------|----------|
| HOSPITALITY CART | 20 3/4 | 36 | 35 1/2 | GD2CHC2036- [] | 4,876 | 5,365 | 3,413 |



Shown without door
Top: drawer
Bottom: 1 adjustable shelf

PRODUCT INFO

- Includes 4 locking casters
- Doors are touch latch
- Order top separately.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|---------------------|---------------------|
| WOOD | LAMINATE |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L |
| 2. FSC | 2. FSC |
| 3. FINISH | 3. FINISH CHASSIS |
| 4. DRAWERS | 4. FINISH FRONT |
| | 5. DRAWERS |

See inside front cover for required option codes

Example


| | | | |
|-------------------------|-----|--------|---------|
| GD2CHC2036-W.X.NC260.VW | | | |
| GD2CHC2036-W | X | NC260 | VW |
| MODEL NUMBER | FSC | FINISH | DRAWERS |

TECHNOLOGY CART

Top

Briefing
03/23

| | D | W | model number + type | veneer 1 | veneer 2 | laminare | solid surface | glass |
|------------------------|----|----|---|----------|----------|----------|---------------|-------|
| TECHNOLOGY CART | 20 | 24 | GD2CTT2024- <input type="checkbox"/> | 1,107 | 1,219 | 941 | 2,658 | 2,219 |



Optional Technology Cutout

• Top thickness:

- Wood 3/4
- Laminare 3/4
- Glass 1/2
- Solid Surface 1/2

PRODUCT INFO

Note:

Type must be specified as part of model number.

- W = Wood Veneer
- L = Laminare
- S = Solid Surface
- G = Glass

Spec Tip

Technology selection for cutout only.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

| WOOD | LAMINATE | SOLID SURFACE | GLASS |
|----------------------------|----------------------------|----------------------------|----------------------------|
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L | 1. MODEL NUMBER + S | 1. MODEL NUMBER + G |
| 2. FSC | 2. FSC | 2. TOP FINISH | 2. TOP FINISH |
| 3. TOP FINISH | 3. TOP FINISH | 3. GROMMET | 3. GROMMET |
| 4. TOP UV FINISH | 4. GROMMET | | |
| 5. GROMMET | | | |


See inside front cover for required option codes

Example


| | | | | |
|-----------------------------|-----|--------|---------------|---------|
| GD2CTT2024-W.X.NC260.OP.C1E | | | | |
| GD2CTT2024-W | X | NC260 | OP | C1E |
| MODEL NUMBER | FSC | FINISH | TOP UV FINISH | GROMMET |

| | D | W | H | model number | veneer 1 | veneer 2 | laminate |
|------------------------|----|----|--------|---|----------|----------|----------|
| TECHNOLOGY CART | 20 | 24 | 35 1/2 | GD2CTC2024- <input type="text"/> | 4,256 | 4,683 | 2,979 |

WOOD CHASSIS



- Laptop Tray | Hinged Door



Shown without door
Top: Open Shelf
Bottom: 1 adjustable shelf
Optional AV Rack

PRODUCT INFO

- Includes 4 locking casters
- Doors are touch latch
- Order top separately.




TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|---------------------|---------------------|
| WOOD | LAMINATE |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L |
| 2. FSC | 2. FSC |
| 3. FINISH | 3. FINISH CHASSIS |
| 4. LOCKS | 4. FINISH FRONT |
| 5. KEYING | 5. LOCKS |
| | 6. KEYING |

See inside front cover for required option codes

Example

GD2CTC2024-W.X.NC260.LYSTD
 GD2CTC2024-W X NC260 LY STD
 MODEL NUMBER FSC FINISH LOCKS KEYING

| | D | W | H | model number | list |
|---|--------|--------|----------|--------------------|-------|
| PULL-OUT TRASH/ RECYCLE BIN  | 18 1/2 | 17 | 17 7/8 | AC-RCYBIN | 1,024 |
| SLIDE OUT AV RACK  | 21 5/8 | 19 1/4 | 22 7/8 | CVAVRACK | 3,624 |
| <ul style="list-style-type: none"> • For use with Credenzas. Only 1 AV Rack may be used per Credenza to prevent tipping. | | | | | |
| FIXED AV RACK  | 11 3/8 | 19 1/4 | 15 15/16 | AC-AVRACKFX | 620 |
| <ul style="list-style-type: none"> • For use with units on casters. | | | | | |
| CUTLERY TRAY  | 14 1/2 | 19 3/8 | 3 1/4 | AC-TRAY | 265 |

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER






Example

AC-RCYBIN
 AC-RCYBIN
 MODEL NUMBER


Occasional Tables 163-164
Occasional Tables 164

OCCASIONAL TABLES

Briefing
03/23

| | D | W | H | model number + type | veneer 1 | veneer 2 | laminated | solid surface |
|--|----|----|--------|---|----------|----------|-----------|---------------|
| LAPTOP TABLE 24H  | 18 | 18 | 24 1/2 | GM2LTRD18H24- [] | 2,125 | 2,338 | 1,992 | 2,481 |
| | | | | <ul style="list-style-type: none"> • Top size 18" Dia. • Disc size 14" Dia. | | | | |
| END TABLE 24H  | 18 | 18 | 24 1/2 | GM2ETRD18H24- [] | 2,127 | 2,340 | 1,992 | 2,482 |
| | | | | <ul style="list-style-type: none"> • Top size 18" Dia. • Disc size 14" Dia. | | | | |
| NESTING TABLE 19H  | 18 | 18 | 19 1/2 | GM2NTRD18H19- [] | 2,125 | 2,338 | 1,992 | 2,481 |
| | | | | <ul style="list-style-type: none"> • Top size 18" Dia. • Disc size 14" Dia. | | | | |
| NESTING TABLE 17H  | 18 | 24 | 17 1/2 | GM2NTRS1824H17- [] | 2,659 | 2,925 | 2,499 | 3,013 |
| | | | | <ul style="list-style-type: none"> • Top size 18" x 24" • Disc size 12" x 18" | | | | |
| NESTING TABLE 15H  | 30 | 30 | 15 1/2 | GM2NTRD30H15- [] | 3,013 | 3,315 | 2,774 | 3,369 |
| | | | | <ul style="list-style-type: none"> • Top size 30" Dia. • Disc size 18" Dia. | | | | |

Nested tables can be grouped together to create a collection with varying heights.



PRODUCT INFO

Top thickness:
 Wood 3/4"
 Laminate 3/4"
 Glass 1/2"
 Solid Surface 1/2"

Top includes inserts for connection to base.

Tops include a knife edge standard.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W
2. FSC
3. FINISH
4. TOP UV FINISH
5. HARDWARE OPTION
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White
 - P8X** Solar Black
 - P8T** Titanium
 - PJF** Bullseye
 - P8M** Regatta
 - PC** Polished Chrome (add \$218)

LAMINATE

1. MODEL NUMBER + L
2. FSC
3. FINISH
4. HARDWARE OPTION
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White
 - P8X** Solar Black
 - P8T** Titanium
 - PJF** Bullseye
 - P8M** Regatta
 - PC** Polished Chrome (add \$218)

SOLID SURFACE

1. MODEL NUMBER + S
2. FINISH
3. HARDWARE OPTION
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White
 - P8X** Solar Black
 - P8T** Titanium
 - PJF** Bullseye
 - P8M** Regatta
 - PC** Polished Chrome (add \$218)

Example

GM2LTRD18H24-W.X.NC260.OP.P71
 GM2LTRD18H24-W X NC260 OP P71
 MODEL NUMBER + TYPE FSC FINISH TOP UV FINISH HARDWARE OPTION

FABRIC GRADE PRICING

Briefing
03/23

| model number | 1 | 2 | 3 | COM/4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
|----------------|-----|-----|-----|-------|-----|-----|-----|-----|-----|-----|-----|-----|-------|-------|-------|-------|
| GDACRED-CUSH36 | 706 | 723 | 746 | 764 | 793 | 817 | 841 | 866 | 891 | 920 | 943 | 972 | 1,004 | 1,029 | 1,060 | 1,093 |

| model number | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | col | L1 | L2 | L3 | L4 | L5 |
|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-----|-------|-------|-------|-------|
| GDACRED-CUSH36 | 1,126 | 1,148 | 1,182 | 1,209 | 1,241 | 1,273 | 1,335 | 1,398 | 1,462 | 1,524 | 1,585 | 764 | 960 | 1,173 | 1,383 | 1,599 | 1,789 |

WEIGHTS + CUBES

Briefing
03/23

| model number | weight | cubes | locks | page |
|-----------------|--------|-------|-------|------|
| AC-7009011 | 1 lb. | 0.1 | — | 87 |
| AC-7009012 | 1 lb. | 0.1 | — | 90 |
| AC-7010011 | 1 lb. | 0.1 | — | 90 |
| AC-7010111 | 1 lb. | 0.1 | — | 87 |
| AC-7010113 | 1 lb. | 0.1 | — | 87 |
| AC-7010173 | 1 lb. | 0.1 | — | 87 |
| AC-7010314 | 1 lb. | 0.1 | — | 90 |
| AC-7016111 | 1 lb. | 0.1 | — | 88 |
| AC-7026701 | 1 lb. | 0.1 | — | 91 |
| AC-7041111 | 1 lb. | 0.1 | — | 87 |
| AC-7045412 | 1 lb. | 0.1 | — | 89 |
| AC-7046411 | 1 lb. | 0.1 | — | 90 |
| AC-7049111 | 1 lb. | 0.1 | — | 87 |
| AC-7049112 | 1 lb. | 0.1 | — | 87 |
| AC-7049113 | 1 lb. | 0.1 | — | 88 |
| AC-7049114 | 1 lb. | 0.1 | — | 88 |
| AC-7049115 | 1 lb. | 0.1 | — | 88 |
| AC-7049116 | 1 lb. | 0.1 | — | 88 |
| AC-7054211 | 1 lb. | 0.1 | — | 91 |
| AC-7061602 | 1 lb. | 0.1 | — | 88 |
| AC-7067712 | 1 lb. | 0.1 | — | 89 |
| AC-70107602 | 1 lb. | 0.1 | — | 91 |
| AC-AVRACKFX | 2 lbs. | 3.8 | — | 162 |
| AC-CC1202-A | 3 lbs. | 0.7 | — | 81 |
| AC-CC1202-AHW | 3 lbs. | 0.7 | — | 81 |
| AC-CC1202-BK | 3 lbs. | 0.7 | — | 81 |
| AC-CC1202-BKHW | 3 lbs. | 0.7 | — | 81 |
| AC-CC1402-A | 5 lbs. | 0.9 | — | 81 |
| AC-CC1402-AHW | 5 lbs. | 0.9 | — | 81 |
| AC-CC1402-BK | 5 lbs. | 0.9 | — | 81 |
| AC-CC1402-BKHW | 5 lbs. | 0.9 | — | 81 |
| AC-CR-CAT6 | 3 lbs. | 1.0 | — | 93 |
| AC-CR-HDMI | 3 lbs. | 1.0 | — | 93 |
| AC-CR-USB | 3 lbs. | 1.0 | — | 93 |
| AC-CR-VGA | 3 lbs. | 1.0 | — | 93 |
| ACDKPWRIN-PS | 5 lbs. | 0.7 | — | 77 |
| ACDKPWRJ36-PS | 3 lbs. | 0.7 | — | 77 |
| ACDKPWRJ48-PS | 4 lbs. | 0.7 | — | 77 |
| ACDKPWRJ60-PS | 5 lbs. | 0.9 | — | 77 |
| ACDKPWRJ72-PS | 7 lbs. | 0.9 | — | 77 |
| ACDKPWRJ84-PS | 9 lbs. | 0.9 | — | 77 |
| ACDUOBZL-EEU | 3 lbs. | 0.2 | — | 76 |
| ACDUOBZL-EEU-HW | 3 lbs. | 0.2 | — | 76 |
| ACDUOBZL-PS | 3 lbs. | 0.2 | — | 76 |

| model number | weight | cubes | locks | page |
|----------------|---------|-------|-------|------|
| ACDUUNDER-PS | 3 lbs. | 0.2 | — | 75 |
| ACEXP-CAT5E-BK | 1 lb. | 0.2 | — | 95 |
| ACEXP-CAT6-BK | 1 lb. | 0.2 | — | 95 |
| ACEXP-HDMI-BK | 1 lb. | 0.2 | — | 95 |
| ACEXP-USB-BK | 1 lb. | 0.2 | — | 95 |
| ACEXP-VGA-BK | 1 lb. | 0.2 | — | 95 |
| AC-GANGTT | 2 lbs. | 0.1 | — | 147 |
| ACMWS30 | 3 lbs. | 0.4 | — | 122 |
| ACMWS36 | 4 lbs. | 0.5 | — | 122 |
| ACMWS41 | 4 lbs. | 0.5 | — | 122 |
| ACMWS47 | 5 lbs. | 0.6 | — | 122 |
| ACMWS53 | 5 lbs. | 0.7 | — | 122 |
| ACMWS59 | 6 lbs. | 0.7 | — | 122 |
| ACMWS65 | 7 lbs. | 0.8 | — | 122 |
| ACMWS71 | 7 lbs. | 0.9 | — | 122 |
| ACMWS83 | 8 lbs. | 1.0 | — | 122 |
| ACPPUNDER-MGR | 3 lbs. | 0.2 | — | 92 |
| ACPUNDER-EU | 2 lbs. | 0.1 | — | 75 |
| ACPUNDER-EU-HW | 2 lbs. | 0.1 | — | 75 |
| AC-PWR60-4T | 5 lbs. | 0.7 | — | 100 |
| AC-PWR66-4T | 6 lbs. | 0.7 | — | 100 |
| AC-PWR72-4T | 7 lbs. | 0.7 | — | 100 |
| AC-PWR78-4T | 8 lbs. | 0.8 | — | 100 |
| AC-PWR84-4T | 9 lbs. | 0.8 | — | 100 |
| AC-PWRD3E-BIQ | 3 lbs. | 0.3 | — | 97 |
| AC-PWRD3E-SIQ | 3 lbs. | 0.3 | — | 97 |
| AC-PWRDP2 | 1 lb. | 0.2 | — | 101 |
| AC-PWRDPDB | 1 lb. | 0.2 | — | 101 |
| AC-PWRDU2E-B | 3 lbs. | 0.3 | — | 97 |
| AC-PWRDU2E-BHW | 3 lbs. | 0.3 | — | 97 |
| AC-PWRDU2E-S | 3 lbs. | 0.3 | — | 97 |
| AC-PWRDU2E-SHW | 3 lbs. | 0.3 | — | 97 |
| AC-PWRHCON | 1 lb. | 0.2 | — | 101 |
| AC-PWRINHW | 5 lbs. | 0.9 | — | 101 |
| AC-PWRIN-IQ | 5 lbs. | 0.7 | — | 97 |
| AC-PWRINQD | 5 lbs. | 0.9 | — | 101 |
| AC-PWRINSP | 5 lbs. | 0.9 | — | 101 |
| AC-PWRJ36-IQ | 3 lbs. | 0.7 | — | 97 |
| AC-PWRJET-4T | 2 lbs. | 0.9 | — | 101 |
| AC-PWRJTT-4T | 2 lbs. | 0.9 | — | 101 |
| AC-PWRZ48-4T | 4 lbs. | 0.7 | — | 100 |
| AC-PWRZ60-4T | 5 lbs. | 0.7 | — | 100 |
| AC-PWRZ72-4T | 5 lbs. | 0.7 | — | 100 |
| AC-RCYBIN | 15 lbs. | 3.6 | — | 162 |

| model number | weight | cubes | locks | page |
|----------------------|----------|-------|-------|------|
| AC-RS-2HDMI | 6 lbs. | 0.7 | — | 82 |
| AC-RS-2NETWORK | 6 lbs. | 0.7 | — | 82 |
| AC-RS-2VGA-A | 6 lbs. | 0.7 | — | 82 |
| AC-RS-BRACKET | 1 lb. | 0.4 | — | 82 |
| AC-RS-FILLER | 6 lbs. | 0.4 | — | 82 |
| ACTMEL-B | 3 lbs. | 0.5 | — | 78 |
| ACTMEL-BHW | 3 lbs. | 0.5 | — | 78 |
| ACTMELQI-B | 3 lbs. | 0.5 | — | 78 |
| ACTMELQI-BHW | 3 lbs. | 0.5 | — | 78 |
| ACTMELQI-S | 3 lbs. | 0.5 | — | 78 |
| ACTMELQI-SHW | 3 lbs. | 0.5 | — | 78 |
| ACTMEL-S | 3 lbs. | 0.5 | — | 78 |
| ACTMEL-SHW | 3 lbs. | 0.5 | — | 78 |
| AC-TRAY | 2 lbs. | 1.7 | — | 162 |
| ACTRIOBZL-EEEUD | 4 lbs. | 0.3 | — | 76 |
| ACTRIOBZL-EEEUD-HW | 4 lbs. | 0.3 | — | 76 |
| ACTRIOBZL-PS | 3 lbs. | 0.3 | — | 76 |
| ACTRIOUNDER-EEEUD | 4 lbs. | 0.3 | — | 75 |
| ACTRIOUNDER-EEEUD-HW | 4 lbs. | 0.3 | — | 75 |
| ACTRIOUNDER-PS | 3 lbs. | 0.3 | — | 75 |
| AC-TWM | 2 lbs. | 0.6 | — | 147 |
| ACUNOBZL-EU | 2 lbs. | 0.1 | — | 76 |
| ACUNOBZL-EU-HW | 2 lbs. | 0.1 | — | 76 |
| ACUNOBZL-PS | 3 lbs. | 0.1 | — | 76 |
| ACUNOUNDER-PS | 3 lbs. | 0.1 | — | 75 |
| ACWHT8H54W-G | 15 lbs. | 10.9 | — | 157 |
| ACWHT22H54W-G | 35 lbs. | 24.7 | — | 157 |
| ACWHT48H48W-G | 55 lbs. | 45.2 | — | 157 |
| ACWHT48H60W-G | 70 lbs. | 55.8 | — | 157 |
| ACWHT48H72W-G | 80 lbs. | 66.4 | — | 157 |
| ACWHT48H96W-G | 105 lbs. | 87.7 | — | 157 |
| ACWHT84H36W-G | 75 lbs. | 58.9 | — | 157 |
| ACWHT84H48W-G | 95 lbs. | 77.0 | — | 157 |
| AC-WIRECLIP | 1 lb. | 0.2 | — | 92 |
| CVAVRACK | 2 lbs. | 7.6 | — | 162 |
| CVPWRKT6 | 5 lbs. | 0.9 | — | 96 |
| CVPWRKT12 | 6 lbs. | 0.9 | — | 96 |
| CVSPINE | 2 lbs. | 2.2 | — | 92 |
| GD2CB2472-L | 354 lbs. | 49.3 | — | 156 |
| GD2CB2472-W | 354 lbs. | 49.3 | — | 156 |
| GD2CBF72-L | 313 lbs. | 41.1 | — | 152 |
| GD2CBF72-W | 295 lbs. | 41.1 | — | 152 |
| GD2CBF72-WG | 295 lbs. | 41.1 | — | 153 |
| GD2CBF90-L | 393 lbs. | 51.1 | — | 152 |

| model number | weight | cubes | locks | page |
|------------------|-----------|-------|-------|------|
| GD2CBF90-W | 387 lbs. | 51.1 | — | 152 |
| GD2CBF90-WG | 387 lbs. | 51.1 | — | 153 |
| GD2CBF108-W | 439 lbs. | 60.6 | — | 152 |
| GD2CBF108-WG | 439 lbs. | 60.6 | — | 153 |
| GD2CBS48-L | 223 lbs. | 31.5 | — | 154 |
| GD2CBS48-W | 190 lbs. | 30.3 | — | 154 |
| GD2CBS48-WG | 190 lbs. | 30.3 | — | 155 |
| GD2CBS72-L | 334 lbs. | 47.1 | — | 154 |
| GD2CBS72-W | 285 lbs. | 44.5 | 3 | 154 |
| GD2CBS72-WG | 285 lbs. | 44.5 | 3 | 155 |
| GD2CBS96-L | 445 lbs. | 62.7 | — | 154 |
| GD2CBS96-W | 380 lbs. | 58.8 | 4 | 154 |
| GD2CBS96-WG | 380 lbs. | 58.8 | 4 | 155 |
| GD2CHC2036-L | 160 lbs. | 24.1 | — | 159 |
| GD2CHC2036-W | 160 lbs. | 24.1 | — | 159 |
| GD2CHT2036-G | 32 lbs. | 1.8 | — | 158 |
| GD2CHT2036-S | 32 lbs. | 1.8 | — | 158 |
| GD2CLF72-L | 203 lbs. | 24.7 | — | 152 |
| GD2CLF72-W | 203 lbs. | 24.7 | 2 | 152 |
| GD2CLF72-WG | 203 lbs. | 24.7 | 2 | 153 |
| GD2CLF90-L | 273 lbs. | 30.7 | — | 152 |
| GD2CLF90-W | 273 lbs. | 30.7 | 3 | 152 |
| GD2CLF90-WG | 273 lbs. | 30.7 | 3 | 153 |
| GD2CLF108-W | 303 lbs. | 36.4 | 3 | 152 |
| GD2CLF108-WG | 303 lbs. | 36.4 | 3 | 153 |
| GD2C-MTWS-WHTBRD | 64.3 lbs. | 101.0 | — | 131 |
| GD2C-MTWT-WHTBRD | 80.8 lbs. | 123.0 | — | 131 |
| GD2CSF72-L | 266 lbs. | 32.9 | — | 152 |
| GD2CSF72-W | 265 lbs. | 32.9 | — | 152 |
| GD2CSF72-WG | 265 lbs. | 32.9 | — | 153 |
| GD2CSF90-L | 302 lbs. | 40.9 | — | 152 |
| GD2CSF90-W | 350 lbs. | 40.9 | — | 152 |
| GD2CSF90-WG | 350 lbs. | 40.9 | — | 153 |
| GD2CSF108-W | 393 lbs. | 48.5 | — | 152 |
| GD2CSF108-WG | 393 lbs. | 48.5 | — | 153 |
| GD2CSS48-L | 194 lbs. | 30.7 | — | 154 |
| GD2CSS48-W | 168 lbs. | 24.7 | — | 154 |
| GD2CSS48-WG | 168 lbs. | 24.7 | — | 155 |
| GD2CSS72-L | 291 lbs. | 45.9 | — | 154 |
| GD2CSS72-W | 252 lbs. | 36.3 | 3 | 154 |
| GD2CSS72-WG | 252 lbs. | 36.3 | 3 | 155 |
| GD2CSS96-L | 388 lbs. | 61.1 | — | 154 |
| GD2CSS96-W | 336 lbs. | 48.0 | 4 | 154 |
| GD2CSS96-WG | 336 lbs. | 48.0 | 4 | 155 |

| model number | weight | cubes | locks | page |
|---------------|----------|-------|-------|------|
| GD2CTC2024-L | 125 lbs. | 15.0 | — | 161 |
| GD2CTC2024-W | 125 lbs. | 15.0 | 1 | 161 |
| GD2CTT2024-G | 22 lbs. | 1.3 | — | 160 |
| GD2CTT2024-L | 15 lbs. | 1.5 | — | 160 |
| GD2CTT2024-S | 22 lbs. | 1.3 | — | 160 |
| GD2CTT2024-W | 15 lbs. | 1.5 | — | 160 |
| GD2CWR2448-G | 52 lbs. | 2.8 | — | 151 |
| GD2CWR2448-L | 36 lbs. | 3.3 | — | 151 |
| GD2CWR2448-S | 52 lbs. | 2.8 | — | 151 |
| GD2CWR2448-W | 36 lbs. | 3.3 | — | 151 |
| GD2CWR2472-G | 78 lbs. | 4.1 | — | 151 |
| GD2CWR2472-L | 53 lbs. | 4.9 | — | 151 |
| GD2CWR2472-S | 78 lbs. | 4.1 | — | 151 |
| GD2CWR2472-W | 53 lbs. | 4.9 | — | 151 |
| GD2CWR2490-G | 97 lbs. | 5.1 | — | 151 |
| GD2CWR2490-L | 67 lbs. | 6.1 | — | 151 |
| GD2CWR2490-S | 97 lbs. | 5.1 | — | 151 |
| GD2CWR2490-W | 67 lbs. | 6.1 | — | 151 |
| GD2CWR2496-G | 104 lbs. | 5.4 | — | 151 |
| GD2CWR2496-L | 71 lbs. | 6.5 | — | 151 |
| GD2CWR2496-S | 104 lbs. | 5.4 | — | 151 |
| GD2CWR2496-W | 71 lbs. | 6.5 | — | 151 |
| GD2CWR24108-G | 117 lbs. | 6.1 | — | 151 |
| GD2CWR24108-L | 80 lbs. | 7.3 | — | 151 |
| GD2CWR24108-S | 117 lbs. | 6.1 | — | 151 |
| GD2CWR24108-W | 80 lbs. | 7.3 | — | 151 |
| GD2CWR24120-G | 130 lbs. | 6.7 | — | 151 |
| GD2CWR24120-L | 89 lbs. | 8.0 | — | 151 |
| GD2CWR24120-S | 130 lbs. | 6.7 | — | 151 |
| GD2CWR24120-W | 89 lbs. | 8.0 | — | 151 |
| GD2EXBS72-AL | 102 lbs. | 14.7 | — | 104 |
| GD2EXBS72-AW | 102 lbs. | 17.1 | — | 104 |
| GD2EXBS72-CL | 52 lbs. | 12.7 | — | 104 |
| GD2EXBS72-CW | 52 lbs. | 12.7 | — | 104 |
| GD2EXBS84-AL | 106 lbs. | 15.0 | — | 104 |
| GD2EXBS84-AW | 106 lbs. | 17.5 | — | 104 |
| GD2EXBS84-CL | 56 lbs. | 13.1 | — | 104 |
| GD2EXBS84-CW | 56 lbs. | 13.1 | — | 104 |
| GD2EXBS96-AL | 109 lbs. | 15.4 | — | 104 |
| GD2EXBS96-AW | 109 lbs. | 17.8 | — | 104 |
| GD2EXBS96-CL | 59 lbs. | 13.5 | — | 104 |
| GD2EXBS96-CW | 59 lbs. | 13.5 | — | 104 |
| GD2EXBS108-AL | 112 lbs. | 15.8 | — | 104 |
| GD2EXBS108-AW | 112 lbs. | 18.2 | — | 104 |

| model number | weight | cubes | locks | page |
|---------------|----------|-------|-------|------|
| GD2EXBS120-AL | 116 lbs. | 16.2 | — | 104 |
| GD2EXBS120-AW | 116 lbs. | 18.6 | — | 104 |
| GD2EXBS120-BL | 125 lbs. | 18.6 | — | 104 |
| GD2EXBS120-BW | 125 lbs. | 18.6 | — | 104 |
| GD2EXBS144-AL | 123 lbs. | 16.9 | — | 104 |
| GD2EXBS144-AW | 123 lbs. | 19.3 | — | 104 |
| GD2EXBS144-BL | 132 lbs. | 19.3 | — | 104 |
| GD2EXBS144-BW | 132 lbs. | 19.3 | — | 104 |
| GD2EXBS168-AL | 183 lbs. | 23.4 | — | 104 |
| GD2EXBS168-AW | 183 lbs. | 23.4 | — | 104 |
| GD2EXBS168-BL | 198 lbs. | 26.9 | — | 104 |
| GD2EXBS168-BW | 198 lbs. | 26.9 | — | 104 |
| GD2EXBS192-AL | 190 lbs. | 24.2 | — | 104 |
| GD2EXBS192-AW | 190 lbs. | 24.2 | — | 104 |
| GD2EXBS192-BL | 205 lbs. | 27.6 | — | 104 |
| GD2EXBS192-BW | 205 lbs. | 27.6 | — | 104 |
| GD2EXBS216-BL | 212 lbs. | 28.4 | — | 104 |
| GD2EXBS216-BW | 212 lbs. | 28.4 | — | 104 |
| GD2EXBS240-BL | 219 lbs. | 29.1 | — | 104 |
| GD2EXBS240-BW | 219 lbs. | 29.1 | — | 104 |
| GD2GBS96-AW | 83 lbs. | 18.9 | — | 108 |
| GD2GBS108-AW | 86 lbs. | 19.3 | — | 108 |
| GD2GBS120-AW | 90 lbs. | 19.7 | — | 108 |
| GD2GBS120-BW | 106 lbs. | 22.8 | — | 108 |
| GD2GBS144-AW | 97 lbs. | 20.4 | — | 108 |
| GD2GBS144-BW | 113 lbs. | 23.6 | — | 108 |
| GD2GBS168-AW | 135 lbs. | 33.3 | — | 108 |
| GD2GBS168-BW | 159 lbs. | 38.6 | — | 108 |
| GD2GBS192-AW | 142 lbs. | 34.0 | — | 108 |
| GD2GBS192-BW | 166 lbs. | 39.4 | — | 108 |
| GD2GBS216-BW | 173 lbs. | 40.1 | — | 108 |
| GD2GBS240-BW | 180 lbs. | 40.9 | — | 108 |
| GD2HBL-A | 65 lbs. | 15.7 | — | 117 |
| GD2HBL-B | 73 lbs. | 20.5 | — | 117 |
| GD2HBL-C | 59 lbs. | 12.1 | — | 117 |
| GD2HBS72-A | 115 lbs. | 29.0 | — | 111 |
| GD2HBS72-C | 110 lbs. | 27.5 | — | 111 |
| GD2HBS84-A | 125 lbs. | 36.1 | — | 111 |
| GD2HBS84-C | 120 lbs. | 34.3 | — | 111 |
| GD2HBS96-A | 135 lbs. | 43.2 | — | 111 |
| GD2HBS96-C | 130 lbs. | 41.0 | — | 111 |
| GD2HBS108-A | 140 lbs. | 50.3 | — | 111 |
| GD2HBS120-A | 150 lbs. | 57.4 | — | 111 |
| GD2HBS-A | 68 lbs. | 17.7 | — | 117 |

| model number | weight | cubes | locks | page |
|----------------|----------|-------|----------------|------|
| GD2HBS-B | 78 lbs. | 24.7 | — | 117 |
| GD2HBS-C | 62 lbs. | 13.7 | — | 117 |
| GD2HBS-E | 103 lbs. | 68.4 | — | 117 |
| GD2HBS-WIREMGR | 3 lbs. | 0.2 | — 92, 111, 117 | |
| GD2LBS72-A | 45 lbs. | 4.5 | — | 110 |
| GD2LBS84-A | 49 lbs. | 4.9 | — | 110 |
| GD2LBS96-A | 52 lbs. | 5.3 | — | 110 |
| GD2LBS108-A | 55 lbs. | 5.6 | — | 110 |
| GD2LBS120-A | 59 lbs. | 6.0 | — | 110 |
| GD2LBS120-B | 69 lbs. | 6.5 | — | 110 |
| GD2LBS144-AL | 111 lbs. | 13.1 | — | 110 |
| GD2LBS144-AW | 111 lbs. | 13.1 | — | 110 |
| GD2LBS144-BL | 126 lbs. | 13.5 | — | 110 |
| GD2LBS144-BW | 126 lbs. | 13.5 | — | 110 |
| GD2LBS168-AL | 117 lbs. | 13.8 | — | 110 |
| GD2LBS168-AW | 117 lbs. | 13.8 | — | 110 |
| GD2LBS168-BL | 132 lbs. | 14.2 | — | 110 |
| GD2LBS168-BW | 132 lbs. | 14.2 | — | 110 |
| GD2LBS192-AL | 124 lbs. | 14.5 | — | 110 |
| GD2LBS192-AW | 124 lbs. | 14.5 | — | 110 |
| GD2LBS192-BL | 139 lbs. | 15.0 | — | 110 |
| GD2LBS192-BW | 139 lbs. | 15.0 | — | 110 |
| GD2LBS216-BL | 146 lbs. | 15.7 | — | 110 |
| GD2LBS216-BW | 146 lbs. | 15.7 | — | 110 |
| GD2LBS240-BL | 153 lbs. | 16.5 | — | 110 |
| GD2LBS240-BW | 153 lbs. | 16.5 | — | 110 |
| GD2LBS-LEG | 15 lbs. | 0.5 | — | 120 |
| GD2MBAW72-W | 271 lbs. | 37.9 | — | 128 |
| GD2MBAW84-W | 274 lbs. | 38.3 | — | 128 |
| GD2MBAW96-W | 278 lbs. | 38.6 | — | 128 |
| GD2MBS72-AW | 88 lbs. | 15.7 | — | 105 |
| GD2MBS72-CW | 80 lbs. | 13.6 | — | 105 |
| GD2MBS84-AW | 92 lbs. | 16.1 | — | 105 |
| GD2MBS84-CW | 84 lbs. | 14.0 | — | 105 |
| GD2MBS96-AW | 95 lbs. | 16.5 | — | 105 |
| GD2MBS96-CW | 87 lbs. | 14.4 | — | 105 |
| GD2MBS108-AW | 98 lbs. | 16.8 | — | 105 |
| GD2MBS120-AW | 102 lbs. | 17.2 | — | 105 |
| GD2MBS120-BW | 110 lbs. | 19.8 | — | 105 |
| GD2MBS144-AW | 109 lbs. | 18.0 | — | 105 |
| GD2MBS144-BW | 117 lbs. | 20.5 | — | 105 |
| GD2MBS168-AW | 165 lbs. | 22.9 | — | 105 |
| GD2MBS168-BW | 178 lbs. | 26.3 | — | 105 |
| GD2MBS192-AW | 172 lbs. | 23.7 | — | 105 |

| model number | weight | cubes | locks | page |
|----------------|----------|-------|-------|------|
| GD2MBS192-BW | 185 lbs. | 27.0 | — | 105 |
| GD2MBS216-BW | 192 lbs. | 27.8 | — | 105 |
| GD2MBS240-BW | 199 lbs. | 28.5 | — | 105 |
| GD2MBSN72-W | 68 lbs. | 7.6 | — | 129 |
| GD2MBSN84-W | 71 lbs. | 8.0 | — | 129 |
| GD2MBSN96-W | 75 lbs. | 8.4 | — | 129 |
| GD2MBSW72-W | 166 lbs. | 28.0 | — | 126 |
| GD2MBSW84-W | 169 lbs. | 28.4 | — | 126 |
| GD2MBSW96-W | 173 lbs. | 28.8 | — | 126 |
| GD2MBT72-AW | 150 lbs. | 21.2 | — | 106 |
| GD2MBT72-CW | 140 lbs. | 18.3 | — | 106 |
| GD2MBT84-AW | 154 lbs. | 21.5 | — | 106 |
| GD2MBT84-CW | 144 lbs. | 18.7 | — | 106 |
| GD2MBT96-AW | 157 lbs. | 21.9 | — | 106 |
| GD2MBT96-CW | 147 lbs. | 19.0 | — | 106 |
| GD2MBT108-AW | 160 lbs. | 22.3 | — | 106 |
| GD2MBT120-AW | 164 lbs. | 22.7 | — | 106 |
| GD2MBTN72-W | 91 lbs. | 9.4 | — | 129 |
| GD2MBTN84-W | 94 lbs. | 9.7 | — | 129 |
| GD2MBTN96-W | 98 lbs. | 10.1 | — | 129 |
| GD2MBTW72-W | 209 lbs. | 34.4 | — | 126 |
| GD2MBTW84-W | 212 lbs. | 34.8 | — | 126 |
| GD2MBTW96-W | 216 lbs. | 35.2 | — | 126 |
| GD2MTT424872-G | 233 lbs. | 81.9 | — | 124 |
| GD2MTT424872-L | 107 lbs. | 9.3 | — | 124 |
| GD2MTT424872-S | 233 lbs. | 22.1 | — | 124 |
| GD2MTT424872-W | 107 lbs. | 9.3 | — | 124 |
| GD2MTT424884-G | 273 lbs. | 95.1 | — | 124 |
| GD2MTT424884-L | 125 lbs. | 10.8 | — | 124 |
| GD2MTT424884-S | 273 lbs. | 25.7 | — | 124 |
| GD2MTT424884-W | 125 lbs. | 10.8 | — | 124 |
| GD2MTT424896-G | 313 lbs. | 108.3 | — | 124 |
| GD2MTT424896-L | 142 lbs. | 12.2 | — | 124 |
| GD2MTT424896-S | 313 lbs. | 29.3 | — | 124 |
| GD2MTT424896-W | 142 lbs. | 12.2 | — | 124 |
| GD2PBS3072-P | 164 lbs. | 16.1 | — | 138 |
| GD2PBS3072-W | 164 lbs. | 16.1 | — | 138 |
| GD2PBS3096-W | 172 lbs. | 16.8 | — | 138 |
| GD2PBS3672-W | 182 lbs. | 18.6 | — | 138 |
| GD2PBS3696-W | 190 lbs. | 19.3 | — | 138 |
| GD2PBS4272-W | 199 lbs. | 21.1 | — | 138 |
| GD2PBS4296-W | 207 lbs. | 21.8 | — | 138 |
| GD2PBS30120-W | 179 lbs. | 17.6 | — | 138 |
| GD2PBS30144-W | 248 lbs. | 9.1 | — | 138 |

WEIGHTS + CUBES

Briefing
03/23

| model number | weight | cubes | locks | page |
|---------------|----------|-------|-------|------|
| GD2PBS36120-W | 197 lbs. | 20.1 | — | 138 |
| GD2PBS36144-W | 280 lbs. | 10.5 | — | 138 |
| GD2PBS42120-W | 214 lbs. | 22.6 | — | 138 |
| GD2PBS42144-W | 311 lbs. | 11.9 | — | 138 |
| GD2PORTD-A | 16 lbs. | 1.3 | — | 80 |
| GD2PORTD-A-HW | 16 lbs. | 1.3 | — | 80 |
| GD2PORTD-B | 16 lbs. | 1.3 | — | 80 |
| GD2PORTD-B-HW | 16 lbs. | 1.3 | — | 80 |
| GD2PORTS-A | 10 lbs. | 0.9 | — | 79 |
| GD2PORTS-A-HW | 10 lbs. | 0.9 | — | 79 |
| GD2PORTS-B | 10 lbs. | 0.9 | — | 79 |
| GD2PORTS-B-HW | 10 lbs. | 0.9 | — | 79 |
| GD2PTT3072-G | 143 lbs. | 55.5 | — | 134 |
| GD2PTT3072-L | 67 lbs. | 6.0 | — | 134 |
| GD2PTT3072-S | 143 lbs. | 14.1 | — | 134 |
| GD2PTT3072-W | 67 lbs. | 6.0 | — | 134 |
| GD2PTT3096-G | 192 lbs. | 73.4 | — | 134 |
| GD2PTT3096-L | 89 lbs. | 7.9 | — | 134 |
| GD2PTT3096-S | 192 lbs. | 18.7 | — | 134 |
| GD2PTT3096-W | 89 lbs. | 7.9 | — | 134 |
| GD2PTT3672-G | 173 lbs. | 64.3 | — | 134 |
| GD2PTT3672-L | 80 lbs. | 7.1 | — | 134 |
| GD2PTT3672-S | 173 lbs. | 16.8 | — | 134 |
| GD2PTT3672-W | 80 lbs. | 7.1 | — | 134 |
| GD2PTT3696-G | 232 lbs. | 85.0 | — | 134 |
| GD2PTT3696-L | 107 lbs. | 9.4 | — | 134 |
| GD2PTT3696-S | 232 lbs. | 22.2 | — | 134 |
| GD2PTT3696-W | 107 lbs. | 9.4 | — | 134 |
| GD2PTT4272-G | 203 lbs. | 73.1 | — | 136 |
| GD2PTT4272-L | 93 lbs. | 8.2 | — | 136 |
| GD2PTT4272-S | 203 lbs. | 19.4 | — | 136 |
| GD2PTT4272-W | 93 lbs. | 8.2 | — | 136 |
| GD2PTT4296-G | 272 lbs. | 96.7 | — | 136 |
| GD2PTT4296-L | 125 lbs. | 10.8 | — | 136 |
| GD2PTT4296-S | 272 lbs. | 25.8 | — | 136 |
| GD2PTT4296-W | 125 lbs. | 10.8 | — | 136 |
| GD2PTT30120-G | 240 lbs. | 91.3 | — | 134 |
| GD2PTT30120-L | 111 lbs. | 9.8 | — | 134 |
| GD2PTT30120-S | 240 lbs. | 23.3 | — | 134 |
| GD2PTT30120-W | 111 lbs. | 9.8 | — | 134 |
| GD2PTT30144-G | 289 lbs. | 56.9 | — | 134 |
| GD2PTT30144-L | 133 lbs. | 7.7 | — | 134 |
| GD2PTT30144-S | 289 lbs. | 16.2 | — | 134 |
| GD2PTT30144-W | 133 lbs. | 7.7 | — | 134 |

| model number | weight | cubes | locks | page |
|---------------|----------|-------|-------|------|
| GD2PTT36120-G | 291 lbs. | 105.7 | — | 134 |
| GD2PTT36120-L | 133 lbs. | 11.6 | — | 134 |
| GD2PTT36120-S | 291 lbs. | 27.7 | — | 134 |
| GD2PTT36120-W | 133 lbs. | 11.6 | — | 134 |
| GD2PTT36144-G | 350 lbs. | 66.0 | — | 134 |
| GD2PTT36144-L | 160 lbs. | 9.1 | — | 134 |
| GD2PTT36144-S | 350 lbs. | 19.2 | — | 134 |
| GD2PTT36144-W | 160 lbs. | 9.1 | — | 134 |
| GD2PTT42120-G | 341 lbs. | 120.2 | — | 136 |
| GD2PTT42120-L | 156 lbs. | 13.4 | — | 136 |
| GD2PTT42120-S | 341 lbs. | 32.1 | — | 136 |
| GD2PTT42120-W | 156 lbs. | 13.4 | — | 136 |
| GD2PTT42144-G | 410 lbs. | 75.1 | — | 136 |
| GD2PTT42144-L | 187 lbs. | 10.5 | — | 136 |
| GD2PTT42144-S | 410 lbs. | 22.3 | — | 136 |
| GD2PTT42144-W | 187 lbs. | 8.7 | — | 136 |
| GD2TAB3672-G | 173 lbs. | 64.3 | — | 56 |
| GD2TAB3672-L | 80 lbs. | 7.1 | — | 56 |
| GD2TAB3672-S | 173 lbs. | 16.8 | — | 56 |
| GD2TAB3672-W | 80 lbs. | 7.1 | — | 56 |
| GD2TAB3684-G | 203 lbs. | 74.7 | — | 56 |
| GD2TAB3684-L | 93 lbs. | 8.2 | — | 56 |
| GD2TAB3684-S | 203 lbs. | 19.5 | — | 56 |
| GD2TAB3684-W | 93 lbs. | 8.2 | — | 56 |
| GD2TAB3696-G | 232 lbs. | 85.0 | — | 56 |
| GD2TAB3696-L | 107 lbs. | 9.4 | — | 56 |
| GD2TAB3696-S | 232 lbs. | 22.2 | — | 56 |
| GD2TAB3696-W | 107 lbs. | 9.4 | — | 56 |
| GD2TAB4272-G | 203 lbs. | 73.1 | — | 58 |
| GD2TAB4272-L | 93 lbs. | 8.2 | — | 58 |
| GD2TAB4272-S | 203 lbs. | 19.4 | — | 58 |
| GD2TAB4272-W | 93 lbs. | 8.2 | — | 58 |
| GD2TAB4284-G | 238 lbs. | 84.9 | — | 58 |
| GD2TAB4284-L | 109 lbs. | 9.5 | — | 58 |
| GD2TAB4284-S | 238 lbs. | 22.6 | — | 58 |
| GD2TAB4284-W | 109 lbs. | 9.5 | — | 58 |
| GD2TAB4296-G | 272 lbs. | 96.7 | — | 58 |
| GD2TAB4296-L | 125 lbs. | 10.8 | — | 58 |
| GD2TAB4296-S | 272 lbs. | 25.8 | — | 58 |
| GD2TAB4296-W | 125 lbs. | 10.8 | — | 58 |
| GD2TAB4872-G | 233 lbs. | 81.9 | — | 58 |
| GD2TAB4872-L | 107 lbs. | 9.3 | — | 58 |
| GD2TAB4872-S | 233 lbs. | 22.1 | — | 58 |
| GD2TAB4872-W | 107 lbs. | 9.3 | — | 58 |

| model number | weight | cubes | locks | page |
|----------------|----------|-------|-------|------|
| GD2TAB4884-G | 273 lbs. | 95.1 | — | 58 |
| GD2TAB4884-L | 125 lbs. | 10.8 | — | 58 |
| GD2TAB4884-S | 273 lbs. | 25.7 | — | 58 |
| GD2TAB4884-W | 125 lbs. | 10.8 | — | 58 |
| GD2TAB4896-G | 313 lbs. | 108.3 | — | 58 |
| GD2TAB4896-L | 142 lbs. | 12.2 | — | 58 |
| GD2TAB4896-S | 313 lbs. | 29.3 | — | 58 |
| GD2TAB4896-W | 142 lbs. | 12.2 | — | 58 |
| GD2TAB42108-G | 307 lbs. | 108.4 | — | 58 |
| GD2TAB42108-L | 140 lbs. | 12.1 | — | 58 |
| GD2TAB42108-S | 307 lbs. | 28.9 | — | 58 |
| GD2TAB42108-W | 140 lbs. | 12.1 | — | 58 |
| GD2TAB42120-G | 341 lbs. | 120.2 | — | 58 |
| GD2TAB42120-L | 156 lbs. | 13.4 | — | 58 |
| GD2TAB42120M-G | 341 lbs. | 63.0 | — | 58 |
| GD2TAB42120M-L | 156 lbs. | 8.8 | — | 58 |
| GD2TAB42120M-S | 341 lbs. | 18.7 | — | 58 |
| GD2TAB42120M-W | 156 lbs. | 8.8 | — | 58 |
| GD2TAB42120-S | 341 lbs. | 32.1 | — | 58 |
| GD2TAB42120-W | 156 lbs. | 13.4 | — | 58 |
| GD2TAB48108-G | 352 lbs. | 121.5 | — | 58 |
| GD2TAB48108-L | 160 lbs. | 13.7 | — | 58 |
| GD2TAB48108-S | 352 lbs. | 32.9 | — | 58 |
| GD2TAB48108-W | 160 lbs. | 13.7 | — | 58 |
| GD2TAB48120-G | 392 lbs. | 134.7 | — | 58 |
| GD2TAB48120-L | 178 lbs. | 15.2 | — | 58 |
| GD2TAB48120M-G | 392 lbs. | 70.6 | — | 58 |
| GD2TAB48120M-L | 178 lbs. | 10.0 | — | 58 |
| GD2TAB48120M-S | 392 lbs. | 21.3 | — | 58 |
| GD2TAB48120M-W | 178 lbs. | 10.0 | — | 58 |
| GD2TAB48120-S | 392 lbs. | 36.5 | — | 58 |
| GD2TAB48120-W | 178 lbs. | 15.2 | — | 58 |
| GD2TAB48144-G | 471 lbs. | 58.6 | — | 58 |
| GD2TAB48144-L | 213 lbs. | 9.9 | — | 58 |
| GD2TAB48144-S | 471 lbs. | 19.4 | — | 58 |
| GD2TAB48144-W | 213 lbs. | 9.9 | — | 58 |
| GD2TAB48168-G | 550 lbs. | 67.8 | — | 58 |
| GD2TAB48168-L | 249 lbs. | 11.4 | — | 58 |
| GD2TAB48168-S | 550 lbs. | 22.5 | — | 58 |
| GD2TAB48168-W | 249 lbs. | 11.4 | — | 58 |
| GD2TAB48192-G | 630 lbs. | 77.0 | — | 58 |
| GD2TAB48192-L | 285 lbs. | 13.0 | — | 58 |
| GD2TAB48192-S | 630 lbs. | 25.5 | — | 58 |
| GD2TAB48192-W | 285 lbs. | 13.0 | — | 58 |

| model number | weight | cubes | locks | page |
|---------------|----------|-------|-------|------|
| GD2TAB54120-G | 442 lbs. | 54.7 | — | 60 |
| GD2TAB54120-L | 200 lbs. | 9.3 | — | 60 |
| GD2TAB54120-S | 442 lbs. | 18.3 | — | 60 |
| GD2TAB54120-W | 200 lbs. | 9.3 | — | 60 |
| GD2TAB54144-G | 532 lbs. | 64.9 | — | 60 |
| GD2TAB54144-L | 240 lbs. | 11.0 | — | 60 |
| GD2TAB54144-S | 532 lbs. | 21.8 | — | 60 |
| GD2TAB54144-W | 240 lbs. | 11.0 | — | 60 |
| GD2TAB54168-G | 621 lbs. | 75.1 | — | 60 |
| GD2TAB54168-L | 280 lbs. | 12.8 | — | 60 |
| GD2TAB54168-S | 621 lbs. | 25.2 | — | 60 |
| GD2TAB54168-W | 280 lbs. | 10.8 | — | 60 |
| GD2TAB54192-G | 711 lbs. | 85.4 | — | 60 |
| GD2TAB54192-L | 320 lbs. | 14.5 | — | 60 |
| GD2TAB54192-S | 711 lbs. | 28.7 | — | 60 |
| GD2TAB54192-W | 320 lbs. | 12.2 | — | 60 |
| GD2TAB54216-G | 803 lbs. | 61.8 | — | 60 |
| GD2TAB54216-L | 360 lbs. | 13.6 | — | 60 |
| GD2TAB54216-S | 803 lbs. | 24.2 | — | 60 |
| GD2TAB54216-W | 360 lbs. | 13.6 | — | 60 |
| GD2TAB54240-G | 890 lbs. | 68.1 | — | 60 |
| GD2TAB54240-L | 400 lbs. | 15.0 | — | 60 |
| GD2TAB54240-S | 890 lbs. | 26.6 | — | 60 |
| GD2TAB54240-W | 400 lbs. | 15.0 | — | 60 |
| GD2TAB60120-G | 493 lbs. | 60.0 | — | 60 |
| GD2TAB60120-L | 222 lbs. | 10.3 | — | 60 |
| GD2TAB60120-S | 493 lbs. | 20.3 | — | 60 |
| GD2TAB60120-W | 222 lbs. | 10.3 | — | 60 |
| GD2TAB60144-G | 593 lbs. | 71.3 | — | 60 |
| GD2TAB60144-L | 267 lbs. | 12.2 | — | 60 |
| GD2TAB60144-S | 593 lbs. | 24.1 | — | 60 |
| GD2TAB60144-W | 267 lbs. | 12.2 | — | 60 |
| GD2TAB60168-G | 692 lbs. | 82.5 | — | 60 |
| GD2TAB60168-L | 311 lbs. | 14.1 | — | 60 |
| GD2TAB60168-S | 692 lbs. | 27.9 | — | 60 |
| GD2TAB60168-W | 311 lbs. | 11.9 | — | 60 |
| GD2TAB60192-G | 792 lbs. | 93.7 | — | 60 |
| GD2TAB60192-L | 356 lbs. | 16.0 | — | 60 |
| GD2TAB60192-S | 792 lbs. | 31.8 | — | 60 |
| GD2TAB60192-W | 356 lbs. | 13.5 | — | 60 |
| GD2TAB60216-G | 895 lbs. | 67.9 | — | 60 |
| GD2TAB60216-L | 400 lbs. | 15.1 | — | 60 |
| GD2TAB60216-S | 895 lbs. | 26.8 | — | 60 |
| GD2TAB60216-W | 400 lbs. | 15.1 | — | 60 |

| model number | weight | cubes | locks | page | model number | weight | cubes | locks | page |
|------------------|----------|-------|-------|------|--------------|----------|-------|-------|------|
| GD2TAB60240-G | 992 lbs. | 74.8 | — | 60 | GD2TRD36-G | 85 lbs. | 33.3 | — | 68 |
| GD2TAB60240-L | 445 lbs. | 16.6 | — | 60 | GD2TRD36-L | 40 lbs. | 3.7 | — | 68 |
| GD2TAB60240-S | 992 lbs. | 29.5 | — | 60 | GD2TRD36-S | 85 lbs. | 8.6 | — | 68 |
| GD2TAB60240-W | 445 lbs. | 16.6 | — | 60 | GD2TRD36-W | 40 lbs. | 3.7 | — | 68 |
| GD2TBL-AW | 247 lbs. | 15.3 | — | 113 | GD2TRD42-G | 117 lbs. | 43.7 | — | 68 |
| GD2TBL-BW | 273 lbs. | 20.6 | — | 113 | GD2TRD42-L | 54 lbs. | 4.9 | — | 68 |
| GD2TBS96-AW | 105 lbs. | 30.2 | — | 107 | GD2TRD42-S | 117 lbs. | 11.5 | — | 68 |
| GD2TBS108-AW | 109 lbs. | 30.6 | — | 107 | GD2TRD42-W | 54 lbs. | 4.9 | — | 68 |
| GD2TBS120-AW | 113 lbs. | 31.0 | — | 107 | GD2TRD48-G | 154 lbs. | 55.6 | — | 68 |
| GD2TBS120-BW | 125 lbs. | 35.6 | — | 107 | GD2TRD48-L | 71 lbs. | 6.3 | — | 68 |
| GD2TBS144-AW | 119 lbs. | 31.7 | — | 107 | GD2TRD48-S | 154 lbs. | 14.9 | — | 68 |
| GD2TBS144-BW | 131 lbs. | 36.3 | — | 107 | GD2TRD48-W | 71 lbs. | 6.3 | — | 68 |
| GD2TBS168-AW | 176 lbs. | 47.2 | — | 107 | GD2TRD54-G | 196 lbs. | 68.8 | — | 68 |
| GD2TBS168-BW | 194 lbs. | 54.0 | — | 107 | GD2TRD54-L | 90 lbs. | 5.3 | — | 68 |
| GD2TBS192-AW | 184 lbs. | 47.9 | — | 107 | GD2TRD54-S | 196 lbs. | 18.7 | — | 68 |
| GD2TBS192-BW | 202 lbs. | 54.8 | — | 107 | GD2TRD54-W | 90 lbs. | 5.3 | — | 68 |
| GD2TBS216-BW | 207 lbs. | 55.5 | — | 107 | GD2TRD60-G | 244 lbs. | 83.5 | — | 68 |
| GD2TBS240-BW | 214 lbs. | 56.3 | — | 107 | GD2TRD60-L | 111 lbs. | 6.5 | — | 68 |
| GD2TBS-AW | 250 lbs. | 16.7 | — | 113 | GD2TRD60-S | 244 lbs. | 23.0 | — | 68 |
| GD2TBS-BW | 277 lbs. | 22.7 | — | 113 | GD2TRD60-W | 111 lbs. | 6.5 | — | 68 |
| GD2TBS-DW | 312 lbs. | 29.9 | — | 113 | GD2TRD66-G | 296 lbs. | 56.7 | — | 68 |
| GD2TBS-EW | 352 lbs. | 38.5 | — | 113 | GD2TRD66-L | 135 lbs. | 7.7 | — | 68 |
| GD2TEL3672-G | 173 lbs. | 64.3 | — | 66 | GD2TRD66-S | 296 lbs. | 16.5 | — | 68 |
| GD2TEL3672-L | 80 lbs. | 7.1 | — | 66 | GD2TRD66-W | 135 lbs. | 7.7 | — | 68 |
| GD2TEL3672-S | 173 lbs. | 16.8 | — | 66 | GD2TRD72-G | 354 lbs. | 66.2 | — | 68 |
| GD2TEL3672-W | 80 lbs. | 7.1 | — | 66 | GD2TRD72-L | 160 lbs. | 9.1 | — | 68 |
| GD2TEL4284-G | 238 lbs. | 84.9 | — | 66 | GD2TRD72-S | 354 lbs. | 19.5 | — | 68 |
| GD2TEL4284-L | 109 lbs. | 9.5 | — | 66 | GD2TRD72-W | 160 lbs. | 9.1 | — | 68 |
| GD2TEL4284-S | 238 lbs. | 22.6 | — | 66 | GD2TRD78-G | 416 lbs. | 76.4 | — | 68 |
| GD2TEL4284-W | 109 lbs. | 9.5 | — | 66 | GD2TRD78-L | 188 lbs. | 10.6 | — | 68 |
| GD2TEL4896-G | 313 lbs. | 108.3 | — | 66 | GD2TRD78-S | 416 lbs. | 22.7 | — | 68 |
| GD2TEL4896-L | 142 lbs. | 12.2 | — | 66 | GD2TRD78-W | 188 lbs. | 10.6 | — | 68 |
| GD2TEL4896-S | 313 lbs. | 29.3 | — | 66 | GD2TRD84-G | 484 lbs. | 87.4 | — | 68 |
| GD2TEL4896-W | 142 lbs. | 12.2 | — | 66 | GD2TRD84-L | 218 lbs. | 12.2 | — | 68 |
| GD2TEL48108-G | 352 lbs. | 121.5 | — | 66 | GD2TRD84-S | 484 lbs. | 26.2 | — | 68 |
| GD2TEL48108-L | 160 lbs. | 13.7 | — | 66 | GD2TRD84-W | 218 lbs. | 12.2 | — | 68 |
| GD2TEL48108-S | 352 lbs. | 32.9 | — | 66 | GD2TRT3672-G | 173 lbs. | 64.3 | — | 50 |
| GD2TEL48108-W | 160 lbs. | 13.7 | — | 66 | GD2TRT3672-L | 80 lbs. | 7.1 | — | 50 |
| GD2TPTR-50BNK | 30 lbs. | 3.6 | — | 84 | GD2TRT3672-S | 173 lbs. | 16.8 | — | 50 |
| GD2TPTR-50BNK-HW | 30 lbs. | 3.6 | — | 84 | GD2TRT3672-W | 80 lbs. | 7.1 | — | 50 |
| GD2TRD30-G | 58 lbs. | 24.3 | — | 68 | GD2TRT3684-G | 203 lbs. | 74.7 | — | 50 |
| GD2TRD30-L | 28 lbs. | 2.6 | — | 68 | GD2TRT3684-L | 93 lbs. | 8.2 | — | 50 |
| GD2TRD30-S | 58 lbs. | 6.0 | — | 68 | GD2TRT3684-S | 203 lbs. | 19.5 | — | 50 |
| GD2TRD30-W | 28 lbs. | 2.6 | — | 68 | GD2TRT3684-W | 93 lbs. | 8.2 | — | 50 |

| model number | weight | cubes | locks | page |
|----------------|----------|-------|-------|------|
| GD2TRT3696-G | 232 lbs. | 85.0 | — | 50 |
| GD2TRT3696-L | 107 lbs. | 9.4 | — | 50 |
| GD2TRT3696-S | 232 lbs. | 22.2 | — | 50 |
| GD2TRT3696-W | 107 lbs. | 9.4 | — | 50 |
| GD2TRT4272-G | 203 lbs. | 73.1 | — | 52 |
| GD2TRT4272-L | 93 lbs. | 8.2 | — | 52 |
| GD2TRT4272-S | 203 lbs. | 19.4 | — | 52 |
| GD2TRT4272-W | 93 lbs. | 8.2 | — | 52 |
| GD2TRT4284-G | 238 lbs. | 84.9 | — | 52 |
| GD2TRT4284-L | 109 lbs. | 9.5 | — | 52 |
| GD2TRT4284-S | 238 lbs. | 22.6 | — | 52 |
| GD2TRT4284-W | 109 lbs. | 9.5 | — | 52 |
| GD2TRT4296-G | 272 lbs. | 96.7 | — | 52 |
| GD2TRT4296-L | 125 lbs. | 10.8 | — | 52 |
| GD2TRT4296-S | 272 lbs. | 25.8 | — | 52 |
| GD2TRT4296-W | 125 lbs. | 10.8 | — | 52 |
| GD2TRT4872-G | 233 lbs. | 81.9 | — | 52 |
| GD2TRT4872-L | 107 lbs. | 9.3 | — | 52 |
| GD2TRT4872-S | 233 lbs. | 22.1 | — | 52 |
| GD2TRT4872-W | 107 lbs. | 9.3 | — | 52 |
| GD2TRT4884-G | 273 lbs. | 95.1 | — | 52 |
| GD2TRT4884-L | 125 lbs. | 10.8 | — | 52 |
| GD2TRT4884-S | 273 lbs. | 25.7 | — | 52 |
| GD2TRT4884-W | 125 lbs. | 10.8 | — | 52 |
| GD2TRT4896-G | 313 lbs. | 108.3 | — | 52 |
| GD2TRT4896-L | 142 lbs. | 12.2 | — | 52 |
| GD2TRT4896-S | 313 lbs. | 29.3 | — | 52 |
| GD2TRT4896-W | 142 lbs. | 12.2 | — | 52 |
| GD2TRT42108-G | 307 lbs. | 108.4 | — | 52 |
| GD2TRT42108-L | 140 lbs. | 12.1 | — | 52 |
| GD2TRT42108-S | 307 lbs. | 28.9 | — | 52 |
| GD2TRT42108-W | 140 lbs. | 12.1 | — | 52 |
| GD2TRT42120-G | 341 lbs. | 120.2 | — | 52 |
| GD2TRT42120-L | 156 lbs. | 13.4 | — | 52 |
| GD2TRT42120M-G | 341 lbs. | 63.0 | — | 52 |
| GD2TRT42120M-L | 156 lbs. | 8.8 | — | 52 |
| GD2TRT42120M-S | 341 lbs. | 18.7 | — | 52 |
| GD2TRT42120M-W | 156 lbs. | 8.8 | — | 52 |
| GD2TRT42120-S | 341 lbs. | 32.1 | — | 52 |
| GD2TRT42120-W | 156 lbs. | 13.4 | — | 52 |
| GD2TRT48108-G | 352 lbs. | 121.5 | — | 52 |
| GD2TRT48108-L | 160 lbs. | 13.7 | — | 52 |
| GD2TRT48108-S | 352 lbs. | 32.9 | — | 52 |
| GD2TRT48108-W | 160 lbs. | 13.7 | — | 52 |

| model number | weight | cubes | locks | page |
|----------------|----------|-------|-------|------|
| GD2TRT48120-G | 392 lbs. | 134.7 | — | 52 |
| GD2TRT48120-L | 178 lbs. | 15.2 | — | 52 |
| GD2TRT48120M-G | 392 lbs. | 70.6 | — | 52 |
| GD2TRT48120M-L | 178 lbs. | 10.0 | — | 52 |
| GD2TRT48120M-S | 392 lbs. | 21.3 | — | 52 |
| GD2TRT48120M-W | 178 lbs. | 10.0 | — | 52 |
| GD2TRT48120-S | 392 lbs. | 36.5 | — | 52 |
| GD2TRT48120-W | 178 lbs. | 15.2 | — | 52 |
| GD2TRT48144-G | 471 lbs. | 58.6 | — | 52 |
| GD2TRT48144-L | 213 lbs. | 9.9 | — | 52 |
| GD2TRT48144-S | 471 lbs. | 19.4 | — | 52 |
| GD2TRT48144-W | 213 lbs. | 9.9 | — | 52 |
| GD2TRT48168-G | 550 lbs. | 67.8 | — | 52 |
| GD2TRT48168-L | 249 lbs. | 11.4 | — | 52 |
| GD2TRT48168-S | 550 lbs. | 22.5 | — | 52 |
| GD2TRT48168-W | 249 lbs. | 11.4 | — | 52 |
| GD2TRT48192-G | 630 lbs. | 77.0 | — | 52 |
| GD2TRT48192-L | 285 lbs. | 13.0 | — | 52 |
| GD2TRT48192-S | 630 lbs. | 25.5 | — | 52 |
| GD2TRT48192-W | 285 lbs. | 13.0 | — | 52 |
| GD2TRT54120-G | 442 lbs. | 54.7 | — | 54 |
| GD2TRT54120-L | 200 lbs. | 9.3 | — | 54 |
| GD2TRT54120-S | 442 lbs. | 18.3 | — | 54 |
| GD2TRT54120-W | 200 lbs. | 9.3 | — | 54 |
| GD2TRT54144-G | 532 lbs. | 64.9 | — | 54 |
| GD2TRT54144-L | 240 lbs. | 11.0 | — | 54 |
| GD2TRT54144-S | 532 lbs. | 21.8 | — | 54 |
| GD2TRT54144-W | 240 lbs. | 11.0 | — | 54 |
| GD2TRT54168-G | 621 lbs. | 75.1 | — | 54 |
| GD2TRT54168-L | 280 lbs. | 12.8 | — | 54 |
| GD2TRT54168-S | 621 lbs. | 25.2 | — | 54 |
| GD2TRT54168-W | 280 lbs. | 10.8 | — | 54 |
| GD2TRT54192-G | 711 lbs. | 85.4 | — | 54 |
| GD2TRT54192-L | 320 lbs. | 14.5 | — | 54 |
| GD2TRT54192-S | 711 lbs. | 28.7 | — | 54 |
| GD2TRT54192-W | 320 lbs. | 12.2 | — | 54 |
| GD2TRT54216-G | 803 lbs. | 61.8 | — | 54 |
| GD2TRT54216-L | 360 lbs. | 13.6 | — | 54 |
| GD2TRT54216-S | 803 lbs. | 24.2 | — | 54 |
| GD2TRT54216-W | 360 lbs. | 13.6 | — | 54 |
| GD2TRT54240-G | 890 lbs. | 68.1 | — | 54 |
| GD2TRT54240-L | 400 lbs. | 15.0 | — | 54 |
| GD2TRT54240-S | 890 lbs. | 26.6 | — | 54 |
| GD2TRT54240-W | 400 lbs. | 15.0 | — | 54 |

WEIGHTS + CUBES

Briefing
03/23

| model number | weight | cubes | locks | page |
|---------------|----------|-------|-------|------|
| GD2TRT60120-G | 493 lbs. | 60.0 | — | 54 |
| GD2TRT60120-L | 222 lbs. | 10.3 | — | 54 |
| GD2TRT60120-S | 493 lbs. | 20.3 | — | 54 |
| GD2TRT60120-W | 222 lbs. | 10.3 | — | 54 |
| GD2TRT60144-G | 593 lbs. | 71.3 | — | 54 |
| GD2TRT60144-L | 267 lbs. | 12.2 | — | 54 |
| GD2TRT60144-S | 593 lbs. | 24.1 | — | 54 |
| GD2TRT60144-W | 267 lbs. | 12.2 | — | 54 |
| GD2TRT60168-G | 692 lbs. | 82.5 | — | 54 |
| GD2TRT60168-L | 311 lbs. | 14.1 | — | 54 |
| GD2TRT60168-S | 692 lbs. | 27.9 | — | 54 |
| GD2TRT60168-W | 311 lbs. | 11.9 | — | 54 |
| GD2TRT60192-G | 792 lbs. | 93.7 | — | 54 |
| GD2TRT60192-L | 356 lbs. | 16.0 | — | 54 |
| GD2TRT60192-S | 792 lbs. | 31.8 | — | 54 |
| GD2TRT60192-W | 356 lbs. | 13.5 | — | 54 |
| GD2TRT60216-G | 895 lbs. | 67.9 | — | 54 |
| GD2TRT60216-L | 400 lbs. | 15.1 | — | 54 |
| GD2TRT60216-S | 895 lbs. | 26.8 | — | 54 |
| GD2TRT60216-W | 400 lbs. | 15.1 | — | 54 |
| GD2TRT60240-G | 992 lbs. | 74.8 | — | 54 |
| GD2TRT60240-L | 445 lbs. | 16.6 | — | 54 |
| GD2TRT60240-S | 992 lbs. | 29.5 | — | 54 |
| GD2TRT60240-W | 445 lbs. | 16.6 | — | 54 |
| GD2TSRT3672-G | 173 lbs. | 64.3 | — | 62 |
| GD2TSRT3672-L | 80 lbs. | 7.1 | — | 62 |
| GD2TSRT3672-S | 173 lbs. | 16.8 | — | 62 |
| GD2TSRT3672-W | 80 lbs. | 7.1 | — | 62 |
| GD2TSRT3684-G | 203 lbs. | 74.7 | — | 62 |
| GD2TSRT3684-L | 93 lbs. | 8.2 | — | 62 |
| GD2TSRT3684-S | 203 lbs. | 19.5 | — | 62 |
| GD2TSRT3684-W | 93 lbs. | 8.2 | — | 62 |
| GD2TSRT3696-G | 232 lbs. | 85.0 | — | 62 |
| GD2TSRT3696-L | 107 lbs. | 9.4 | — | 62 |
| GD2TSRT3696-S | 232 lbs. | 22.2 | — | 62 |
| GD2TSRT3696-W | 107 lbs. | 9.4 | — | 62 |
| GD2TSRT4272-G | 203 lbs. | 73.1 | — | 64 |
| GD2TSRT4272-L | 93 lbs. | 8.2 | — | 64 |
| GD2TSRT4272-S | 203 lbs. | 19.4 | — | 64 |
| GD2TSRT4272-W | 93 lbs. | 8.2 | — | 64 |
| GD2TSRT4284-G | 238 lbs. | 84.9 | — | 64 |
| GD2TSRT4284-L | 109 lbs. | 9.5 | — | 64 |
| GD2TSRT4284-S | 238 lbs. | 22.6 | — | 64 |
| GD2TSRT4284-W | 109 lbs. | 9.5 | — | 64 |

| model number | weight | cubes | locks | page |
|-----------------|----------|-------|-------|------|
| GD2TSRT4296-G | 272 lbs. | 96.7 | — | 64 |
| GD2TSRT4296-L | 125 lbs. | 10.8 | — | 64 |
| GD2TSRT4296-S | 272 lbs. | 25.8 | — | 64 |
| GD2TSRT4296-W | 125 lbs. | 10.8 | — | 64 |
| GD2TSRT4872-G | 233 lbs. | 81.9 | — | 64 |
| GD2TSRT4872-L | 107 lbs. | 9.3 | — | 64 |
| GD2TSRT4872-S | 233 lbs. | 22.1 | — | 64 |
| GD2TSRT4872-W | 107 lbs. | 9.3 | — | 64 |
| GD2TSRT4884-G | 273 lbs. | 95.1 | — | 64 |
| GD2TSRT4884-L | 125 lbs. | 10.8 | — | 64 |
| GD2TSRT4884-S | 273 lbs. | 25.7 | — | 64 |
| GD2TSRT4884-W | 125 lbs. | 10.8 | — | 64 |
| GD2TSRT4896-G | 313 lbs. | 108.3 | — | 64 |
| GD2TSRT4896-L | 142 lbs. | 12.2 | — | 64 |
| GD2TSRT4896-S | 313 lbs. | 29.3 | — | 64 |
| GD2TSRT4896-W | 142 lbs. | 12.2 | — | 64 |
| GD2TSRT42108-G | 307 lbs. | 108.4 | — | 64 |
| GD2TSRT42108-L | 140 lbs. | 12.1 | — | 64 |
| GD2TSRT42108-S | 307 lbs. | 28.9 | — | 64 |
| GD2TSRT42108-W | 140 lbs. | 12.1 | — | 64 |
| GD2TSRT42120-G | 341 lbs. | 120.2 | — | 64 |
| GD2TSRT42120-L | 156 lbs. | 13.4 | — | 64 |
| GD2TSRT42120M-G | 341 lbs. | 63.0 | — | 64 |
| GD2TSRT42120M-L | 156 lbs. | 8.8 | — | 64 |
| GD2TSRT42120M-S | 341 lbs. | 18.7 | — | 64 |
| GD2TSRT42120M-W | 156 lbs. | 8.8 | — | 64 |
| GD2TSRT42120-S | 341 lbs. | 32.1 | — | 64 |
| GD2TSRT42120-W | 156 lbs. | 13.4 | — | 64 |
| GD2TSRT48108-G | 352 lbs. | 121.5 | — | 64 |
| GD2TSRT48108-L | 160 lbs. | 13.7 | — | 64 |
| GD2TSRT48108-S | 352 lbs. | 32.9 | — | 64 |
| GD2TSRT48108-W | 160 lbs. | 13.7 | — | 64 |
| GD2TSRT48120-G | 392 lbs. | 134.7 | — | 64 |
| GD2TSRT48120-L | 178 lbs. | 15.2 | — | 64 |
| GD2TSRT48120M-G | 392 lbs. | 70.6 | — | 64 |
| GD2TSRT48120M-L | 178 lbs. | 10.0 | — | 64 |
| GD2TSRT48120M-S | 392 lbs. | 21.3 | — | 64 |
| GD2TSRT48120M-W | 178 lbs. | 10.0 | — | 64 |
| GD2TSRT48120-S | 392 lbs. | 36.5 | — | 64 |
| GD2TSRT48120-W | 178 lbs. | 15.2 | — | 64 |
| GD2TSSQ30-G | 58 lbs. | 24.3 | — | 70 |
| GD2TSSQ30-L | 28 lbs. | 2.6 | — | 70 |
| GD2TSSQ30-S | 58 lbs. | 6.0 | — | 70 |
| GD2TSSQ30-W | 28 lbs. | 2.6 | — | 70 |

| model number | weight | cubes | locks | page |
|----------------|----------|-------|-------|------|
| GD2TSSQ36-G | 85 lbs. | 33.3 | — | 70 |
| GD2TSSQ36-L | 40 lbs. | 3.7 | — | 70 |
| GD2TSSQ36-S | 85 lbs. | 8.6 | — | 70 |
| GD2TSSQ36-W | 40 lbs. | 3.7 | — | 70 |
| GD2TSSQ42-G | 117 lbs. | 43.7 | — | 70 |
| GD2TSSQ42-L | 54 lbs. | 4.9 | — | 70 |
| GD2TSSQ42-S | 117 lbs. | 11.5 | — | 70 |
| GD2TSSQ42-W | 54 lbs. | 4.9 | — | 70 |
| GD2TSSQ48-G | 154 lbs. | 55.6 | — | 70 |
| GD2TSSQ48-L | 71 lbs. | 6.3 | — | 70 |
| GD2TSSQ48-S | 154 lbs. | 14.9 | — | 70 |
| GD2TSSQ48-W | 71 lbs. | 6.3 | — | 70 |
| GD2TSSQ54-G | 196 lbs. | 68.8 | — | 70 |
| GD2TSSQ54-L | 90 lbs. | 5.3 | — | 70 |
| GD2TSSQ54-S | 196 lbs. | 18.7 | — | 70 |
| GD2TSSQ54-W | 90 lbs. | 5.3 | — | 70 |
| GD2TSSQ60-G | 244 lbs. | 83.5 | — | 70 |
| GD2TSSQ60-L | 111 lbs. | 6.5 | — | 70 |
| GD2TSSQ60-S | 244 lbs. | 23.0 | — | 70 |
| GD2TSSQ60-W | 111 lbs. | 6.5 | — | 70 |
| GD2TSSQ66-G | 296 lbs. | 56.7 | — | 70 |
| GD2TSSQ66-L | 135 lbs. | 7.7 | — | 70 |
| GD2TSSQ66-S | 296 lbs. | 16.5 | — | 70 |
| GD2TSSQ66-W | 135 lbs. | 7.7 | — | 70 |
| GD2TSSQ72-G | 354 lbs. | 66.2 | — | 70 |
| GD2TSSQ72-L | 160 lbs. | 9.1 | — | 70 |
| GD2TSSQ72-S | 354 lbs. | 19.5 | — | 70 |
| GD2TSSQ72-W | 160 lbs. | 9.1 | — | 70 |
| GD2TSSQ78-G | 416 lbs. | 76.4 | — | 70 |
| GD2TSSQ78-L | 188 lbs. | 10.6 | — | 70 |
| GD2TSSQ78-S | 416 lbs. | 22.7 | — | 70 |
| GD2TSSQ78-W | 188 lbs. | 10.6 | — | 70 |
| GD2TSSQ84-G | 484 lbs. | 87.4 | — | 70 |
| GD2TSSQ84-L | 218 lbs. | 12.2 | — | 70 |
| GD2TSSQ84-S | 484 lbs. | 26.2 | — | 70 |
| GD2TSSQ84-W | 218 lbs. | 12.2 | — | 70 |
| GD2WMBS-1818-L | 45 lbs. | 7.9 | — | 121 |
| GD2WMBS-1818-W | 45 lbs. | 7.9 | — | 121 |
| GD2YBSN72 | 79 lbs. | 7.0 | — | 130 |
| GD2YBSN84 | 82 lbs. | 7.4 | — | 130 |
| GD2YBSN96 | 86 lbs. | 7.8 | — | 130 |
| GD2YBSW72-W | 177 lbs. | 27.5 | — | 127 |
| GD2YBSW84-W | 180 lbs. | 27.8 | — | 127 |
| GD2YBSW96-W | 184 lbs. | 28.2 | — | 127 |

| model number | weight | cubes | locks | page |
|-----------------|----------|-------|-------|------|
| GD2YBTN72 | 84 lbs. | 8.1 | — | 130 |
| GD2YBTN84 | 87 lbs. | 8.5 | — | 130 |
| GD2YBTN96 | 91 lbs. | 8.9 | — | 130 |
| GD2YBTW72-W | 202 lbs. | 33.2 | — | 127 |
| GD2YBTW84-W | 205 lbs. | 33.5 | — | 127 |
| GD2YBTW96-W | 209 lbs. | 33.9 | — | 127 |
| GDACRED-CUSH36 | 3 lbs. | 3.0 | — | 150 |
| GDAPPM-EEU | 3 lbs. | 0.2 | — | 75 |
| GDAPPM-EEU-HW | 3 lbs. | 0.2 | — | 75 |
| GG2BSWCYL18-L | 245 lbs. | 13.4 | — | 112 |
| GG2BSWCYL18-W | 245 lbs. | 13.4 | — | 112 |
| GG2BSWCYL18WM-L | 245 lbs. | 13.4 | — | 112 |
| GG2BSWCYL18WM-W | 245 lbs. | 13.4 | — | 112 |
| GG2BSWCYL24-L | 260 lbs. | 18.5 | — | 112 |
| GG2BSWCYL24-W | 260 lbs. | 18.5 | — | 112 |
| GG2BSWCYL24WM-L | 260 lbs. | 18.5 | — | 112 |
| GG2BSWCYL24WM-W | 260 lbs. | 18.5 | — | 112 |
| GG2BSWCYL36-L | 295 lbs. | 32.7 | — | 112 |
| GG2BSWCYL36-W | 295 lbs. | 32.7 | — | 112 |
| GG2BSWCYL36WM-L | 300 lbs. | 32.7 | — | 112 |
| GG2BSWCYL36WM-W | 300 lbs. | 32.7 | — | 112 |
| GG2BSWCYL48-L | 315 lbs. | 52.0 | — | 112 |
| GG2BSWCYL48-W | 315 lbs. | 52.0 | — | 112 |
| GG2BSWCYL48WM-L | 315 lbs. | 52.0 | — | 112 |
| GG2BSWCYL48WM-W | 315 lbs. | 52.0 | — | 112 |
| GG2MDISC18-LD | 40 lbs. | 7.8 | — | 118 |
| GG2MDISC24B-LD | 58 lbs. | 19.0 | — | 118 |
| GG2MDISC24-LD | 50 lbs. | 13.0 | — | 118 |
| GG2MTL20T-LD | 25 lbs. | 2.6 | — | 119 |
| GG2MTL20T-ST | 26 lbs. | 2.6 | — | 119 |
| GG2MTL26T-LD | 28 lbs. | 2.6 | — | 119 |
| GG2MTL26T-ST | 32 lbs. | 2.6 | — | 119 |
| GG2MTL33T-LD | 31 lbs. | 2.6 | — | 119 |
| GG2MTL38T-LD | 35 lbs. | 2.6 | — | 119 |
| GG2MTLLEG2-GD | 10 lbs. | 0.4 | — | 120 |
| GG2MTLLEG2-ST | 10 lbs. | 0.4 | — | 120 |
| GG2TBF2460 | 20 lbs. | 4.8 | — | 143 |
| GG2TBF2466 | 21 lbs. | 5.3 | — | 143 |
| GG2TBF2472 | 22 lbs. | 5.8 | — | 143 |
| GG2TBF2478 | 23 lbs. | 6.3 | — | 143 |
| GG2TBF2484 | 24 lbs. | 6.8 | — | 143 |
| GG2TBF3060 | 22 lbs. | 5.0 | — | 143 |
| GG2TBF3066 | 23 lbs. | 5.5 | — | 143 |
| GG2TBF3072 | 24 lbs. | 6.0 | — | 143 |

WEIGHTS + CUBES

Briefing
03/23

| model number | weight | cubes | locks | page |
|--------------|---------|-------|-------|------|
| GG2TBF3078 | 25 lbs. | 6.5 | — | 143 |
| GG2TBF3084 | 26 lbs. | 7.0 | — | 143 |
| GG2TBF3660 | 24 lbs. | 5.3 | — | 143 |
| GG2TBF3666 | 25 lbs. | 5.8 | — | 143 |
| GG2TBF3672 | 26 lbs. | 6.3 | — | 143 |
| GG2TBF3678 | 27 lbs. | 6.8 | — | 143 |
| GG2TBF3684 | 28 lbs. | 7.3 | — | 143 |
| GG2TBX2460 | 20 lbs. | 4.8 | — | 144 |
| GG2TBX2466 | 21 lbs. | 5.3 | — | 144 |
| GG2TBX2472 | 22 lbs. | 5.8 | — | 144 |
| GG2TBX2478 | 23 lbs. | 6.3 | — | 144 |
| GG2TBX2484 | 24 lbs. | 6.8 | — | 144 |
| GG2TBX3060 | 22 lbs. | 5.0 | — | 144 |
| GG2TBX3066 | 23 lbs. | 5.5 | — | 144 |
| GG2TBX3072 | 24 lbs. | 6.0 | — | 144 |
| GG2TBX3078 | 25 lbs. | 6.5 | — | 144 |
| GG2TBX3084 | 26 lbs. | 7.0 | — | 144 |
| GG2TBX3660 | 24 lbs. | 5.3 | — | 144 |
| GG2TBX3666 | 25 lbs. | 5.8 | — | 144 |
| GG2TBX3672 | 26 lbs. | 6.3 | — | 144 |
| GG2TBX3678 | 27 lbs. | 6.8 | — | 144 |
| GG2TBX3684 | 28 lbs. | 7.3 | — | 144 |
| GG2TBZF2448 | 17 lbs. | 3.6 | — | 145 |
| GG2TBZF3060 | 19 lbs. | 4.7 | — | 145 |
| GG2TBZF3672 | 21 lbs. | 5.3 | — | 145 |
| GG2TBZX2448 | 17 lbs. | 3.6 | — | 145 |
| GG2TBZX3060 | 19 lbs. | 4.7 | — | 145 |
| GG2TBZX3672 | 21 lbs. | 5.3 | — | 145 |
| GG2TCR20-L | 12 lbs. | 1.3 | — | 141 |
| GG2TCR20-W | 12 lbs. | 1.3 | — | 141 |
| GG2TCR24-L | 18 lbs. | 1.8 | — | 141 |
| GG2TCR24-W | 18 lbs. | 1.8 | — | 141 |
| GG2TCR30-L | 28 lbs. | 2.6 | — | 141 |
| GG2TCR30-W | 28 lbs. | 2.6 | — | 141 |
| GG2TCR36-L | 40 lbs. | 3.7 | — | 141 |
| GG2TCR36-W | 40 lbs. | 3.7 | — | 141 |
| GG2THR2448-L | 36 lbs. | 3.3 | — | 142 |
| GG2THR2448-W | 36 lbs. | 3.3 | — | 142 |
| GG2THR3060-L | 56 lbs. | 5.0 | — | 142 |
| GG2THR3060-W | 56 lbs. | 5.0 | — | 142 |
| GG2THR3672-L | 80 lbs. | 7.1 | — | 142 |
| GG2THR3672-W | 80 lbs. | 7.1 | — | 142 |
| GG2TMH60-L | 9 lbs. | 1.4 | — | 146 |
| GG2TMH60-W | 9 lbs. | 1.4 | — | 146 |

| model number | weight | cubes | locks | page |
|--------------|---------|-------|-------|------|
| GG2TMH66-L | 10 lbs. | 1.6 | — | 146 |
| GG2TMH66-W | 10 lbs. | 1.6 | — | 146 |
| GG2TMH72-L | 10 lbs. | 1.7 | — | 146 |
| GG2TMH72-W | 10 lbs. | 1.7 | — | 146 |
| GG2TMH78-L | 11 lbs. | 1.8 | — | 146 |
| GG2TMH78-W | 11 lbs. | 1.8 | — | 146 |
| GG2TMH84-L | 12 lbs. | 2.0 | — | 146 |
| GG2TMH84-W | 12 lbs. | 2.0 | — | 146 |
| GG2TRT2060-L | 37 lbs. | 3.5 | — | 140 |
| GG2TRT2060-W | 37 lbs. | 3.5 | — | 140 |
| GG2TRT2066-L | 41 lbs. | 3.8 | — | 140 |
| GG2TRT2066-W | 41 lbs. | 3.8 | — | 140 |
| GG2TRT2072-L | 44 lbs. | 4.2 | — | 140 |
| GG2TRT2072-W | 44 lbs. | 4.2 | — | 140 |
| GG2TRT2078-L | 48 lbs. | 4.5 | — | 140 |
| GG2TRT2078-W | 48 lbs. | 4.5 | — | 140 |
| GG2TRT2084-L | 52 lbs. | 4.8 | — | 140 |
| GG2TRT2084-W | 52 lbs. | 4.8 | — | 140 |
| GG2TRT2460-L | 44 lbs. | 4.1 | — | 140 |
| GG2TRT2460-W | 44 lbs. | 4.1 | — | 140 |
| GG2TRT2466-L | 49 lbs. | 4.5 | — | 140 |
| GG2TRT2466-W | 49 lbs. | 4.5 | — | 140 |
| GG2TRT2472-L | 53 lbs. | 4.9 | — | 140 |
| GG2TRT2472-W | 53 lbs. | 4.9 | — | 140 |
| GG2TRT2478-L | 58 lbs. | 5.3 | — | 140 |
| GG2TRT2478-W | 58 lbs. | 5.3 | — | 140 |
| GG2TRT2484-L | 62 lbs. | 5.7 | — | 140 |
| GG2TRT2484-W | 62 lbs. | 5.7 | — | 140 |
| GG2TRT3060-L | 56 lbs. | 5.0 | — | 140 |
| GG2TRT3060-W | 56 lbs. | 5.0 | — | 140 |
| GG2TRT3066-L | 61 lbs. | 5.5 | — | 140 |
| GG2TRT3066-W | 61 lbs. | 5.5 | — | 140 |
| GG2TRT3072-L | 67 lbs. | 6.0 | — | 140 |
| GG2TRT3072-W | 67 lbs. | 6.0 | — | 140 |
| GG2TRT3078-L | 72 lbs. | 6.5 | — | 140 |
| GG2TRT3078-W | 72 lbs. | 6.5 | — | 140 |
| GG2TRT3084-L | 78 lbs. | 7.0 | — | 140 |
| GG2TRT3084-W | 78 lbs. | 7.0 | — | 140 |
| GG2TRT3660-L | 67 lbs. | 6.0 | — | 140 |
| GG2TRT3660-W | 67 lbs. | 6.0 | — | 140 |
| GG2TRT3666-L | 73 lbs. | 6.5 | — | 140 |
| GG2TRT3666-W | 73 lbs. | 6.5 | — | 140 |
| GG2TRT3672-L | 80 lbs. | 7.1 | — | 140 |
| GG2TRT3672-W | 80 lbs. | 7.1 | — | 140 |

| model number | weight | cubes | locks | page |
|---------------|---------|-------|-------|------|
| GG2TRT3678-L | 87 lbs. | 7.7 | — | 140 |
| GG2TRT3678-W | 87 lbs. | 7.7 | — | 140 |
| GG2TRT3684-L | 93 lbs. | 8.2 | — | 140 |
| GG2TRT3684-W | 93 lbs. | 8.2 | — | 140 |
| GG2XBL26-LD | 22 lbs. | 2.3 | — | 114 |
| GG2XBL26M-LD | 31 lbs. | 2.3 | — | 114 |
| GG2XBL33-LD | 28 lbs. | 2.3 | — | 114 |
| GG2XBL33M-LD | 35 lbs. | 2.3 | — | 114 |
| GG2XBL38-LD | 36 lbs. | 2.3 | — | 114 |
| GG2XBL38M-LD | 37 lbs. | 2.3 | — | 114 |
| GG2XBS26-LD | 23 lbs. | 2.6 | — | 114 |
| GG2XBS26M-LD | 32 lbs. | 2.6 | — | 114 |
| GG2XBS26-ST | 25 lbs. | 2.6 | — | 114 |
| GG2XBS33-LD | 29 lbs. | 2.6 | — | 114 |
| GG2XBS33M-LD | 36 lbs. | 2.6 | — | 114 |
| GG2XBS33-ST | 30 lbs. | 2.6 | — | 114 |
| GG2XBS38-4LD | 52 lbs. | 2.6 | — | 116 |
| GG2XBS38-LD | 37 lbs. | 2.6 | — | 114 |
| GG2XBS38M-4LD | 53 lbs. | 2.6 | — | 116 |
| GG2XBS38M-LD | 38 lbs. | 2.6 | — | 114 |
| GG2XBS38-ST | 39 lbs. | 2.6 | — | 114 |
| GG2XBS46-4LD | 58 lbs. | 2.6 | — | 116 |
| GG2XBS46M-4LD | 59 lbs. | 2.6 | — | 116 |
| GG2XBS58-4LD | 63 lbs. | 2.6 | — | 116 |
| GG2XBS58M-4LD | 64 lbs. | 2.6 | — | 116 |
| GG2XBT26-LD | 24 lbs. | 3.7 | — | 115 |
| GG2XBT26M-LD | 33 lbs. | 3.7 | — | 115 |
| GG2XBT33-LD | 30 lbs. | 3.7 | — | 115 |
| GG2XBT33M-LD | 37 lbs. | 3.7 | — | 115 |
| GG2XBT38-LD | 38 lbs. | 3.7 | — | 115 |
| GG2XBT38M-LD | 39 lbs. | 3.7 | — | 115 |
| GG2YBEAM72-A | 40 lbs. | 4.6 | — | 109 |
| GG2YBEAM84-A | 43 lbs. | 4.9 | — | 109 |
| GG2YBEAM96-A | 45 lbs. | 5.2 | — | 109 |
| GG2YBEAM108-A | 48 lbs. | 5.6 | — | 109 |
| GG2YBEAM120-A | 52 lbs. | 5.9 | — | 109 |
| GG2YBEAM144-A | 69 lbs. | 8.8 | — | 109 |
| GG2YBEAM168-A | 77 lbs. | 9.6 | — | 109 |
| GG2YBEAM192-A | 84 lbs. | 10.4 | — | 109 |
| GG2YBS72-A | 70 lbs. | 5.5 | — | 109 |
| GG2YBS84-A | 72 lbs. | 6.3 | — | 109 |
| GG2YBS96-A | 75 lbs. | 7.0 | — | 109 |
| GG2YBS108-A | 77 lbs. | 8.0 | — | 109 |
| GG2YBS120-A | 80 lbs. | 9.0 | — | 109 |

| model number | weight | cubes | locks | page |
|------------------|----------|-------|-------|------|
| GG2YBS144-A | 100 lbs. | 5.2 | — | 109 |
| GG2YBS168-A | 108 lbs. | 6.4 | — | 109 |
| GG2YBS192-A | 115 lbs. | 7.4 | — | 109 |
| GG2YBT72-A | 75 lbs. | 5.5 | — | 109 |
| GG2YBT84-A | 77 lbs. | 6.3 | — | 109 |
| GG2YBT96-A | 80 lbs. | 7.0 | — | 109 |
| GM2ETRD18H24-L | 16 lbs. | 1.5 | — | 164 |
| GM2ETRD18H24-S | 25 lbs. | 1.5 | — | 164 |
| GM2ETRD18H24-W | 16 lbs. | 1.5 | — | 164 |
| GM2LTRD18H24-L | 16 lbs. | 6.0 | — | 164 |
| GM2LTRD18H24-S | 25 lbs. | 6.0 | — | 164 |
| GM2LTRD18H24-W | 16 lbs. | 6.0 | — | 164 |
| GM2NTRD18H19-L | 15 lbs. | 1.5 | — | 164 |
| GM2NTRD18H19-S | 24 lbs. | 1.5 | — | 164 |
| GM2NTRD18H19-W | 15 lbs. | 1.5 | — | 164 |
| GM2NTRD30H15-L | 33 lbs. | 3.6 | — | 164 |
| GM2NTRD30H15-S | 56 lbs. | 3.5 | — | 164 |
| GM2NTRD30H15-W | 33 lbs. | 3.6 | — | 164 |
| GM2NTRS1824H17-L | 23 lbs. | 2.0 | — | 164 |
| GM2NTRS1824H17-S | 34 lbs. | 1.9 | — | 164 |
| GM2NTRS1824H17-W | 23 lbs. | 2.0 | — | 164 |
| GS2GMT | 1 lb. | 0.2 | — | 94 |

Gunlocke®

One Gunlocke Drive
Wayland, NY 14572
800 828 6300