CREDENTIALS™

Price & Specification Guide

PDF updated April 17, 2023

Gunlocke®

VENEER 1 (SELECT)

NATURAL FC CHERRY A. Cinnamon/Biltmore NC260 B. Lowell Ash NC394

C. Medium Red NC512
D. Light NC701

E. Shaker NC774
F. Burnished NC777

NATURAL FC MAPLE

G. Natural NE800 H. Harvest NE856

NATURAL FC WALNUT

 I. Florence
 NT579

 J. Light
 NT601

 K. Skyline
 NT625

 L. Nutmeg
 NT629

 M. Pinnacle
 NT679

 N. Sumatra
 NT693

 O. Ebony
 NT509

 (Use OP TopFin Only)



VENEER 2 (PREMIUM)

NATURAL QC WALNUT

A. Florence QT579

B. Light QT601

C. Skyline QT625

D. Nutmeg QT629

E. Pinnacle QT679

F. Sumatra QT693


G. Ebony QT509

(Use OP TopFin Only)

NATURAL RIFT CUT OAK

H. Light RF301
I. Dark RF331
J. Phantom Ecru RF912
(Use OP TopFin Only)

K. Fawn Cypress RF108



ORDERING OPTION CODES

UV TOP FINISH		DESKTOP OPTION		LOCKS	
Open Pore Low Sheen Full Fill ClearTech™	OP FF	Standard Veneer	TVN	Locks Yes Locks No	LY LN
Full Fill Top < 120" Length(+\$273) Full Fill Top > 120" Length(+\$436)		Faux Leather Inlay White (+\$1,653) Black (+\$1,653) Chocolate (+\$1,653)	TLW TLB TLC	KEYING	
PULLS		οποσοιαίο (+φ1,000)	TLO	Field Installed Locks	FL
Metal Pull - Champagne Silver Metal Pull - Dark Bronze Integral Wood Pull	MPS MPZ FPW	Back Painted Glass Insert Ice White, Acid Etched (+\$2,313) Black, Acid Etched (+\$2,313) Muslin, Acid Etched (+\$2,313)	TGW TGB TGM	FACTORY-INSTALLED Random Key Numbers Silver Black	RMS RMB
PENCIL LIP COLOR		PERSONAL CORNER		Designated Key Numbers Specify a number between:	
Pencil Lip - Champagne Silver Pencil Lip - Dark Bronze BACK PAINTED GLASS	PLS PLZ	LEATHER White Black Chocolate	CWH CBL CCH	Silver Black GRAIN DIRECTION	FT100TAS - FT150TAS FT100TA - FT150TA
DOORS/TACKZONE		VINYL		Standard Veneer Direction	VLG
Ice White Black Muslin	WH BK ML	White Black Chocolate	VWH VBL VCH	Cross/Short Veneer Direction	
	IVIL		VGII	MAGNETIC ACCESSO PAINT COLOR	RIES
BACK PAINTED GLASS TOPS		MODESTY PANEL SET #1		White	AWH
Ice White, Acid Etched Black, Acid Etched Muslin, Acid Etched	TWH TBK TML	No Mod Required (deduct \$841) Finished Modesty Panel	MN MY	Black Muslin	ABK AML
		MODESTY PANEL SET #2		OFFICE NUMBER	
		TROUGH BRIDGES		Specify a number	0FC1-0FC199
		No Mod Required (deduct \$1,380) Wall Access Panel	MN AP	to identify each office	

PRODUCT DETAILS

Credentials
05/22

PULLS

Metal Pull - Champagne Silver



Metal Pull - Dark Bronze



Integral Wood Pull



LEATHER DETAILS

Leather Desk Inlay



Leather Tray for Overhead Cubby



Leather Box Drawer Insert



MISC. DETAILS

Grommet



Printer Pedestal



Height Adjustable Desk



Credentials 05/22

TABLE OF CONTENTS

General Information	2-6
Conditions of Sale	2
GSA Terms & Conditions	3-4
Warranty	5
Delivery Information	6
Veneers & Finishes	7
Edge Detail & Pull Options	8
Pedestal Legend	9
Filing	10-11
Product Reference	13-31
Features + Advantages	14-15
Technical Specifications	16-18
Worksurface UV Finishes	19
Height Reference	20
Desktop Leather Inlay and Glass Insert Locations.	21
Worksurface Veneer Grain Directions	22-23
Grommets & Trough Locations	24-25
Metal Pull Locations	26
Integral Wood Pull Locations	27
Specification Tips	28
Wire Management	29-30
Product Specifications	31
1 Toddet opeemeations	
Unitized Casegoods	. 33-105
Unitized Casegoods	. 33-105
Unitized Casegoods	. 33-105
Unitized Casegoods	. 33-105 34-40 41 42-43
Unitized Casegoods	. 33-105 34-40 41 42-43 44-51
Unitized Casegoods Freestanding Table Desks Double Pedestal Desks Single Pedestal Desks Extensions Runoff Desks	. 33-105 34-40 41 42-43 44-51 52-57
Unitized Casegoods Freestanding Table Desks Double Pedestal Desks Single Pedestal Desks Extensions Runoff Desks Bridges	. 33-105 34-40 41 42-43 44-51 52-57 58-59
Unitized Casegoods Freestanding Table Desks Double Pedestal Desks Single Pedestal Desks Extensions Runoff Desks Bridges Credenza & Return Components	. 33-105 34-40 41 42-43 44-51 52-57 58-59 60-63
Unitized Casegoods Freestanding Table Desks Double Pedestal Desks Single Pedestal Desks Extensions Runoff Desks Bridges Credenza & Return Components Pedestals	. 33-105 34-40 41 42-43 44-51 52-57 58-59 60-63 64-75
Unitized Casegoods Freestanding Table Desks Double Pedestal Desks Single Pedestal Desks Extensions Runoff Desks Bridges Credenza & Return Components Pedestals Layers Pedestals	. 33-105 34-40 41 42-43 44-51 52-57 58-59 60-63 64-75 76-87
Unitized Casegoods Freestanding Table Desks Double Pedestal Desks Single Pedestal Desks Extensions Runoff Desks Bridges Credenza & Return Components Pedestals Layers Pedestals Modesty / Access / Support Panels	. 33-105 34-40 41 42-43 44-51 52-57 58-59 60-63 64-75 76-87 88-93
Unitized Casegoods Freestanding Table Desks Double Pedestal Desks Single Pedestal Desks Extensions Runoff Desks Bridges Credenza & Return Components Pedestals Layers Pedestals Modesty / Access / Support Panels Brackets / Storage	. 33-105 34-40 41 42-43 44-51 52-57 58-59 60-63 64-75 76-87 88-93 94-98
Unitized Casegoods Freestanding Table Desks Double Pedestal Desks Single Pedestal Desks Extensions Runoff Desks Bridges Credenza & Return Components Pedestals Layers Pedestals Modesty / Access / Support Panels	. 33-105 34-40 41 42-43 44-51 52-57 58-59 60-63 64-75 76-87 88-93 94-98
Unitized Casegoods Freestanding Table Desks Double Pedestal Desks Single Pedestal Desks Extensions Runoff Desks Bridges Credenza & Return Components Pedestals Layers Pedestals Modesty / Access / Support Panels Brackets / Storage Mobile Pedestals	. 33-105 34-40 41 42-43 44-51 52-57 58-59 60-63 64-75 76-87 88-93 94-98 99
Unitized Casegoods Freestanding Table Desks Double Pedestal Desks Single Pedestal Desks Extensions Runoff Desks Bridges Credenza & Return Components Pedestals Layers Pedestals Modesty / Access / Support Panels Brackets / Storage Mobile Pedestals Cushions	. 33-105 34-40 41 42-43 44-51 52-57 58-59 60-63 64-75 76-87 88-93 94-98
Unitized Casegoods Freestanding Table Desks Double Pedestal Desks Single Pedestal Desks Extensions Runoff Desks Bridges Credenza & Return Components Pedestals Layers Pedestals Modesty / Access / Support Panels Brackets / Storage Mobile Pedestals Cushions Trough Inserts Height Adjustable Desks	. 33-105 34-40 41 42-43 44-51 52-57 58-59 60-63 64-75 76-87 88-93 94-98 99 100 101 102-105
Unitized Casegoods Freestanding Table Desks Double Pedestal Desks Single Pedestal Desks Extensions Runoff Desks Bridges Credenza & Return Components Pedestals Layers Pedestals Modesty / Access / Support Panels Brackets / Storage Mobile Pedestals Cushions Trough Inserts Height Adjustable Desks	. 33-105 34-40 41 42-43 44-51 52-57 58-59 60-63 64-75 76-87 88-93 94-98 99 100 101 . 102-105
Unitized Casegoods Freestanding Table Desks Double Pedestal Desks Single Pedestal Desks Extensions Runoff Desks Bridges Credenza & Return Components Pedestals Layers Pedestals Modesty / Access / Support Panels Brackets / Storage Mobile Pedestals Cushions Trough Inserts Height Adjustable Desks Storage Lateral Files	. 33-105 34-40 41 42-43 44-51 52-57 58-59 60-63 64-75 76-87 88-93 94-98
Unitized Casegoods Freestanding Table Desks Double Pedestal Desks Single Pedestal Desks Extensions Runoff Desks Bridges Credenza & Return Components Pedestals Layers Pedestals Modesty / Access / Support Panels Brackets / Storage Mobile Pedestals Cushions Trough Inserts Height Adjustable Desks Storage Lateral Files Bookcases	. 33-105 34-40 41 42-43 44-51 52-57 58-59 60-63 64-75 76-87 88-93 94-98 99 100 101 . 102-105 107-117 . 108-109
Unitized Casegoods Freestanding Table Desks Double Pedestal Desks Single Pedestal Desks Extensions Runoff Desks Bridges Credenza & Return Components Pedestals Layers Pedestals Modesty / Access / Support Panels Brackets / Storage Mobile Pedestals Cushions Trough Inserts Height Adjustable Desks Storage Lateral Files Bookcases Hinged Door Cabinets	. 33-105 34-40 41 42-43 44-51 52-57 58-59 60-63 64-75 76-87 88-93 94-98 99 100 101 . 102-105 . 107-117 . 108-109
Unitized Casegoods Freestanding Table Desks Double Pedestal Desks Single Pedestal Desks Extensions Runoff Desks Bridges Credenza & Return Components Pedestals Layers Pedestals Modesty / Access / Support Panels Brackets / Storage Mobile Pedestals Cushions Trough Inserts Height Adjustable Desks Storage Lateral Files Bookcases	. 33-105 34-40 41 42-43 44-51 52-57 58-59 60-63 64-75 76-87 88-93 94-98 99 100 101 . 102-105 107-117 . 108-109 110 111 111

Overheads 118-138
Single Wall Mount Overheads
Double High Wall Mount Overheads
Tackboards
Back Painted Glass Whiteboards
Wood Magnetic Tackzone
Shelves for Segmented Tackzone
Miscellaneous
Round Tables & Bases
Accessories140-149
Fabric Grade Pricing
Weights + Cubes

INTRODUCTION

The Gunlocke Company is dedicated to providing the finest products and service possible. This price list reflects that commitment. Included is a current listing of our casegood models.

Seating and Lounge are presented in a separate price list. Contact your Gunlocke Customer Services Representative for more information, (800) 828-6300.

Designed for easy use, each page of this price list, and the inside front cover fold out provide all information required to order a product correctly. Should additional information be needed, contact your Gunlocke customer service representative.

PRICING

Prices shown cover standard product specifications. Any changes or alterations, other than those listed, will be subject to an additional charge. Prices include cartoning and freight. Authorization and pricing must be secured in advance for orders or contracts calling for large quantities, indefinite quantities, or extended delivery dates. Prices are subject to change without notice; the most current prices are published on http://www.gunlocke.com.

ORDERING

To expedite order entry and to assure proper service, email or fax all orders directly to:

The Gunlocke Company

Attn: Order Entry One Gunlocke Drive Wayland, New York 14572 585-728-5111 585-728-8350 FAX 800-828-6300 www.gunlocke.com

Gunlocke will not be responsible for duplicate orders if purchase orders are left unmarked.

ACKNOWLEDGMENT

Each order will be acknowledged by Gunlocke. Customers should check each acknowledgment for accuracy and immediately notify Gunlocke of any discrepancies. The printed acknowledgment is the final agreement between The Gunlocke Company and the customer, superseding all previous communications regarding the order.

SPECIFICATION CHANGES

Gunlocke reserves the right to change specifications for the improvement of products at any time, without notice.

ORDER CHANGES

Gunlocke is not required to accept changes in orders after confirmation. Reasonable changes are subject to additional charges for labor, material and administrative costs

Order changes of acknowledgment may result in re-scheduling of product.

RETURNED MERCHANDISE

No merchandise may by returned without prior authorization.

SHOWROOMS

For all showroom locations and tour information, please reference the showrooms page online at: www.gunlocke.com/inspiration/showrooms

CANCELLATIONS

Cancellation of orders cannot be accepted since every order is manufactured according to customer specifications.

STORAGE

If delivery cannot be made and products are ready, Gunlocke will transfer products to a storage facility and products will be invoiced at that time. The customer is responsible for storage charges and assumes and bears all risks associated with the storage of that product.

TERMS

Net 30 days from date of invoice. A service charge of eighteen percent (18%) per year or .0004931% per day, compounded monthly, will be added to balance due beyond the thirtieth day. Products are shipped FOB factory, freight prepaid and allowed. Title passes to purchaser and Gunlocke's responsibility ceases when shipment is accepted for transportation by a carrier. A full explanation of all payment terms is found on order and invoice forms.

ORDERING INFORMATION

1a.Intended use: The furniture on this schedule is intended for use by Government executives (or equivalent military rank) in the Executive, Judicial and Legislative Branches of the Federal Government. To help customers make a good purchasing decision based on their needs and budget, GSA has established four grades of furniture. Grade (1) includes furniture that tends to be the most expensive on this schedule, grade (2) furniture tends to be more moderately priced and grades (3) and (4) furniture tend to be affordably priced when compared to grades (1) and (2). Some pieces of furniture on this schedule may be significantly higher in price than GSA Traditional and Contemporary Executive Special Order Program furniture. The ordering agency or service is responsible for determining furniture appropriate for use in its offices which will fit within its budget and comply with applicable Federal or internal agency procurement regulations. Please see reverse for GSA terms and conditions.

Grade 1 All exposed solid parts such as top rims, base rails etc. (except decorative accents, inlays and painted parts) shall be the same species as the face veneer. Top and bottom edges of drawer fronts shall be solid wood in the same species as the face veneers. Drawer sides and backs shall be solid wood.

Grade 2 Exposed wood panel trim and trim on tops shall be the same wood species as the face veneer on the top. Some or all other exposed solid parts, such as base rails can be an alternative wood species (such as poplar or gum) different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Silea is grade 2.

Grade 3 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Medley, Kennsington, Credentials, and all tables are grade 3.

Grade 4 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be composite wood material construction such as MDF. Trio is grade 4.

1. Maximum Order Threshold:

2. Minimum order: \$2,000 list

3. Geographic coverage:

48 contiguous states and DC (CONUS)

4. Points of production:

Wayland, NY, Steuben County, USA Hickory, NC, Catawba County, USA

Discount Statement: Discount is applied to List Price.
 Structure in List \$:

\$2,000 – \$100,000 list	60.5%
\$100,001 – \$400,000 list	62.7%
\$400,001 - MOT (\$1,428,571 List)	65.0%
Over MOT (\$1,428,572 List)	egotiable

* These discounts apply to single purchase orders, shipping to the same place in the same time period

6. Quantity Discount: See above

7. Payment terms:

1% 23 days Net 30 days from date of shipment, for product only, for all electronic invoices processed through a Federal payment system, (including, but not limited to, WAWF, IPP, etc.). All other invoice sales are Net 30 days from date of shipment. Prompt payment terms are not applicable to credit card orders.

 Government Credit Cards are accepted above and below the micro-purchase levels.

Written confirmation and authorized signatures are required. Activities may verbally provide card information, but products shall be confirmed in writing.

Use of credit cards shall be at the time of order placement with cards charged at the time of shipment, see GSAR 552-232-80 (C).

There are no additional discounts for using a credit card.

9. Foreign items: None

10a. Time of delivery: 60 days ARO

10b. Expedited delivery: Contact Gunlocke

10c. Overnight and 2-day delivery: Contact Gunlocke

10d. Urgent requirements: Contact Gunlocke

 FOB point(s): F.O.B. Origin, with freight being paid by Gunlocke for all deliveries within CONUS.

12. Ordering address(es):

The Gunlocke Company c/o Authorized Gunlocke GSA Dealer One Gunlocke Drive Wayland, NY 14572 Phone: (800) 828-6300

Phone: (800) 828-6300 Fax: (585) 728-8350

13. Payment address(es):

The Gunlocke Company LLC 13367 Collections Center Drive Chicago, IL 60693

14. Warranty provision: See warranty on page 5

15. Export packing charges:

Write for quotation on export packaging.

16. Terms and conditions of Government commercial credit card acceptance: Credit Cards are accepted.

17. Terms and conditions of rental, maintenance, and repair: Not applicable

18. Terms and conditions of installation:

Installation services shall be priced at a rate not to exceed 30% of the net product price, per project. The minimum order charge for installation shall be \$175.00. Projects involving e xtraordinary circumstances which require installation charges exceeding the proposed installation rates will be submitted to the GSA Contracting Officer for review and approval.

19. Project Management:

\$65 Per Hour, inclusive of IFF

20. Reconfiguration and Relocation Services:

\$65 Per Hour, inclusive of IFF

21. Design/Layout Services:

\$65 Per Hour, inclusive of IFF

22. Terms and conditions of repair:

Refer to Gunlocke Customer Support

- 23. List of service and distribution: Points: Not applicable
- **24.** Participating dealers: A list of participating dealers will be supplied to any government agency upon request or is available on our website at www.gunlocke.com.

25. Preventative maintenance:

Not applicable. Instruction sheets available upon request.

26. Environmental attributes: Gunlocke has an active environmental program. Please call (800) 828-6300 for details.

27. Data universal number system:

(DUNS) number is 19-993-6550

28. CCR registration/Cage Code: The Gunlocke Company is registered in the DoD CCR. Cage Code - 26574

29. Returns:

No returns of goods will be accepted without written consent and shipping instructions from Gunlocke, and the Government customer will be required to pay all return freight charges. A restocking fee of 30% net will apply on all authorized returns provided Gunlocke receives goods in the condition in which they left the factory. No credit will be given if goods cannot be reused. Special order items are in no event subject to return. Goods must be returned within 70 days of shipment from factory.

- **30. Cancellations:** No charge prior to production. After production has begun (5 days ARO), only the actual costs that the contractor can demonstrate will be billed to the customer if the merchandise cannot be resold within a reasonable period of time (90 days).
- 31. Inside Delivery: Gunlocke rates are for dock-to-dock delivery and do not include inside delivery, un-cartoning or set up. If desired, arrangements for inside delivery must be made and approved when the order is placed and will have a corresponding fee of 7% of list price of the order with a minimum charge of \$75. Requests for un-cartoning and set up will be coordinated with a Gunlocke Dealer with applicable charges applied to the order.
- 32. Federal Tax ID # 22-3887942

05/22

12 YEAR WARRANTY

Subject to the limitations set forth below. The Gunlocke Company warrants to the original purchaser all product in this price list to be free from defects in material and workmanship for a twelve year period from the date of shipment. This 12-year warranty applies to all products sold and installed by a Gunlocke authorized agent for normal commercial single shift service. Gunlocke will repair, or at its option, replace defective merchandise, free of charge. The following components not manufactured by Gunlocke have the following warranties:

- High wear components such as casters and glides are warrantied for five years after date of shipment to original owner.
- Electrical components warrantied 10 years from date of manufacture with exception of lamps and ballasts which are not warrantied. This includes Fluorescent Tasklights.
- LED tasklights are warrantied for 3 years from date of shipment to original owner.
- Drawer suspensions are warrantied for lifetime of product after shipment to original owner.
- Personal corners including covering (leather) are warrantied for three years of single shift and normal use after shipment to original owner.
- Height adjustable electrical components are warrantied for five years of single shift and normal use after shipment to original owner.

Any non-standard material selected by the customer is not warrantied. Neither does this warranty apply to damage resulting from accident, alteration, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. That is, Gunlocke's warranty is only valid if products are given proper use and care. Gunlocke assumes no responsibility for product damages resulting from improper installation or user modification.

WOOD FURNITURE

Wood owes its inherent beauty to variations in color, grain, and texture, and therefore, these variations are not considered defects. There may be minor variations from one piece of furniture to the next even though they are finished at the same time. Exposure to light and the aging process will cause a darkening of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. The Gunlocke Company does not guarantee the exact matching of grain, pattern, and color.

These finishes do not cover any of the natural characteristics of the wood, including nature's colorations, pitch pockets, and the variations of steambent wood. Merchandise will not be replaced because of these natural variations.

It is expressly understood and agreed that the buyer's sole and exclusive remedy for any and all losses or damages resulting from nonconforming goods, or from any other cause, shall be repair or replacement of defective parts, and that Gunlocke shall not be liable for damages or injury to persons or property, nor for replacement of the entire commercial unit, if repair or replacement of defective parts can reasonably render the unit conforming.

All warranty claims must be made in writing by the original owner. Owner may be required to produce the invoice or other evidence to establish that a claim is within the warranty period. Warranty claims may be submitted on the Gunlocke website.

https://apps.gunlockeadvantage.com/QualityFeedback/

As stated and illustrated on the website, serial numbers are required to process a warranty claim. No person, firm or corporation is authorized to assume for Gunlocke any liability in connection with the sale or installation of Gunlocke products except as stated above.

All other warranties, expressed or implied, are excluded. Gunlocke shall not be liable for incidental or consequential damages of any sort.

Gunlocke sin# 33721 5

Within the Continental USA, all orders above \$20,000 list are shipped FOB factory, freight prepaid and allowed. All orders less than \$20,000 list will be subject to a \$200 net freight charge. Products shipped to Alaska and Hawaii FOB factory, freight prepaid and allowed to port of embarkation. Customer is responsible for freight charges from port of embarkation to final destination.

An anticipated shipping date is indicated on the order acknowledgment. Gunlocke cannot accept responsibility for shipping delays caused by outside sources or unforeseen problems. Delay of shipments requested by customers must be approved by Gunlocke. Any resultant storage charges will be charged to the customer.

Gunlocke may await completion of the entire order and ship all at once or may make partial shipments from time to time at its sole discretion unless the customer requests in writing that partial shipments are needed and Gunlocke approves the specific shipping schedule. Additional charges may apply.

Gunlocke is not liable for any delay or failure to deliver or perform due to strikes, lock-outs, or other labor or transportation difficulties, delay of sources or supply, accidents, fires, acts of God, or any other causes of like or unlike nature beyond the control of Gunlocke.

LIABILITY

Gunlocke products and their packaging are tendered to a transportation company only after passing rigid quality control inspection. At that time, title to the product is passed to the purchaser. However the transportation company assumes all liability from acceptance of shipment through its delivery. That is, Gunlocke's liability ceases at the time of shipment.

FILING OF CLAIMS

All claims for damage or loss must be submitted via our website at: https://apps.gunlockeadvantage.com/QualityFeedback/within 15 days after receipt of merchandise. Do not return freight damaged merchandise to Gunlocke. Follow the steps below to expedite processing and resolution of claims.

For Visible Damage

- Make damage notation on delivery receipt and have driver sign. Do not reject or refuse the shipment.
- Immediately contact Gunlocke Traffic Department at 585-728-8268.
- Hold damaged carton and all interior packing for carrier's inspection. These materials will be needed to substantiate the claim.

For Concealed Damage

- 1. Open cartons within 15 days of receipt and inspect.
- 2. Follow steps 2, and 3 as listed under Visible Damage.
- 3. Do not remove product from delivered destination.

For Loss

- 1. Be sure loss notation is made on delivery receipt and have driver sign.
- 2. Contact Gunlocke Traffic Department at 585-728-8268.

Should transportation company seek to limit its liability on concealed, loss, or damage claims, please contact Gunlocke's traffic department. After a thorough investigation of the claim, the traffic department will provide you with guidance in corresponding with the carrier.

Returned merchandise, regardless of delivery method, will not be accepted unless specifically authorized by Gunlocke.

For Damage or Loss of Parcel Post or UPS Shipment

Notify the Gunlocke traffic department immediately at 585-728-8268.

NORMAL DELIVERY

All normal ground transportation by Gunlocke will be made on a dock-to-dock basis. The Gunlocke traffic department will determine the recommended method of shipment according to the ship to destination. If the delivery on a shipment takes longer than 2 hours to be unloaded, an additional charge will be billed at \$60/hour at 15 minute increments. Gunlocke reserves the absolute right to determine the method of shipping unless special delivery instructions have been previously approved.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

If a guaranteed delivery time is needed please call Gunlocke Traffic Department at 585-728-8268 for a quote as additional charges will apply. Weekend or after hours deliveries are subject to additional charges.

WEEKEND DELIVERY

A \$500 charge will apply on weekend delivery after 3:00 PM Friday through Sunday evenings.

DROP SHIP / JOB SITE DELIVERY

Orders under \$50,000 list will incur a \$125 charge for ship to locations other than a designated dealer warehouse.

INSIDE DELIVERY

Inside delivery must be noted on order. A minimum \$100 charge will apply.

SPECIAL DELIVERY

Please contact the Gunlocke traffic department for special delivery services such as inside delivery, weekend or after hour deliveries, reconsignment or other special needs. These are billable services.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

DOCK RESTRICTIONS

Gunlocke trailers are 53' x 102"; when attached to truck cab the total length is 75'. If delivery dock will not accommodate trucks of this sizes, the Gunlocke traffic department must be contacted prior to shipping. Alternate arrangements can be made; additional charges may apply.

CREDENTIALS CASEGOODS

Credentials is offered in three select veneers and two premium veneers. All exposed surfaces utilize select plain sliced Cherry, Maple or Walnut veneers or premium Quarter Cut Walnut or Rift Cut Oak veneers.

Specialty Finishes:

- Gunlocke so that a finish formulation can be developed to match the special finish and color.
- Review the approval sample provided by Gunlocke.
- Written approval and sign off is required for Gunlocke customer service.
- Once written approval and sign off is received, the special finish order will be acknowledged.

Note: See Gunlocke Advantage website for special finish request forms.

All Casegoods & Tables Purchase Orders:

- 10% list upcharge per wood unit to base veneer option receiving special finish.
- \$250 net formulation fee for special finish.

Note: This procedure and related costs apply to new and previously formulated special finishes. Special finish orders may receive additional lead time.

UV TOP FINISH

Credentials worksurfaces feature two low emitting UV finish options that enhance the beauty of natural wood and ensures the depth, clarity, color consistency and durability throughout the life of the product.

UV finish options

Full-fill Cleartech (upcharge)	FF
Open Pore Low Sheen	OP

CREDENTIALS VENEERS

veneer 1 (select)

	Plain Sliced Cherry	
	Plain Sliced Maple	
	Plain Sliced Walnut	
veneer 2 (premium)		
	Quarter Cut Walnut	

NOTE: For FSC Certified Product add "FSC" to beginning of finish option code. Example: FSCNC260. A 5% list upcharge will be applied per unit ordered with FSC option.


Gunlocke sin# 33721 7

EDGE DETAILS – square		profiles/cope	

PULL OPTIONS


Credentials is available in a metal pull and an integral wood finger pull. The metal pull is available in an annodized silver and dark bronze finish.

METAL PULL



PEDESTAL LEGEND

NOTE: Left hand pedestals shown below.



MOBILE PEDESTAL

-Optional Face Lock



NOTE: LEATHER BOX DRAWER INSERTS MUST BE ORDERED SEPARATELY.

STANDARD FILING OPTIONS WOOD PEDESTALS

15 wide file drawers

- A. Letter side to side
- B. Legal side to side

18 wide file drawers

- C. Letter side to side
- D. Legal side to side
- E. Letter front to back

- F. Letter side to side
- G. Legal side to side
- H. Letter front to back














30 wide file drawers










36 wide file drawers

- I. Letter side to side
- J. Legal side to side
- K. Letter front to back
- L. Legal front to back





Κ



FILING Reference

05/22

INSIDE DRAWER DIMENSIONS

WOOD DRAWERS

Pedestal width	Drawer type	D	W	Н
15 letter width	24 box	14 ¹ / ₁₆	11 ³ /8	3 1/4
	24 file	1 7 ¹ / ₁₆	11 ³ /8	9 1/8
18 letter width	30 box	14 ¹ / ₁₆	14 ³ /8	3 1/4
	30 file	17 ¹ / ₁₆	14 ³ / ₈	9 1/8
30 width	box	14 ¹ / ₁₆	26 ³ /8	3 1/4
	lateral	17 ¹ / ₁₆	26 ³ /8	9 1/8
36 width	box	14 ¹ / ₁₆	323/8	3 1/4
	lateral	17 ¹ / ₁₆	323/8	9 1/8

LOCKS & KEYING

Locks are standard on all below worksurface storage units. Two lock options are available. When the factory installed lock option is selected lock cores are installed at the factory. Note: when the random option is selected some units may be shipped with the same key number. When the field installed lock option is selected each unit is shipped with an empty lock cylinder. Locks are Silver or Black.

factory installed locks option code

Option 1

silver random keys	RMS
black random keys	RMB
Option 2	Specify a number between
SILVER Designated Keys	100TAS - 150TAS
BLACK Designated Keys	100TA - 150TA

Field installed locks are also available. When field installed locks are specified each unit is shipped with an empty lock cylinder. A separate line item must be ordered to receive the numbered lock cores for field installation. Field installed locks are available at an additional charge of \$9 list per lock core.

Field installed lock core set, specify model # and key number (add \$9 list per core):

	model number	Specify a number between
SILVER Designated Keys	ACLCKFLD	100TAS - 200TAS
BLACK Designated Keys	ACLCKFLD	100TA - 200TA

Note: Add \$9 list per lock core.

Credentials

05/22

PRODUCT REFERENCE

Product Reference
Features + Advantages
Technical Specifications
Worksurface UV Finishes
Height Reference
Desktop Leather Inlay and Glass Insert Locations 21
Worksurface Veneer Grain Directions
Grommets & Trough Locations24-25
Metal Pull Locations26
Integral Wood Pull Locations27
Specification Tips
Wire Management
Product Specifications

ATTRIBUTE	FEATURE	ADVANTAGE
STYLE/DESIGN	Hand selected veneer	 Quarter cut walnut and plain sliced cherry, maple, and walnut Rift cut oak
	Refined aesthetic	Clean, modern design
		Layering and various planes
		Refined details
		Integral wood pull or metal pull
		Mitered worksurfaces with waterfall veneer
		Optional locking on all units
	High end material selection	• Stone
		• Leather
		Back painted glass
		Stainless steel desk base
		Dark bronze and champagne silver hardware
PLANNING FLEXIBILITY	Large breadth of line	Numerous components can be used together to create a
T EMMING TEENISIETT		variety of planning requirements for size and storage
FUNCTIONALITY	Accessory track/trough system	Provides sit-to-stand solution in office
		Electric driven system with three preset heights
		• Height range of 29.5"-42"
		 Integrated in mitered wood base
		 Charcoal black metal shroud for clean aesthetic in up position
STORAGE	Soft close hardware	Hidden bottom mount suspension on soft close drawers
		Soft close hinges on all doors
	Cantilevered worksurfaces	Provides unique aesthetic and conferencing end
	Magnetic tackzone	Backpainted glass and wood tackzone provide magnetic
		surface for posting papers and magnetic accessories
	Hidden box drawers	Provides clean lines and fewer fronts
		Includes veneered front
		Optional leather inserts
	Overhead door options	Hinged, soft lift, or sliding door overheads
	Various pedestal options	Drawers, doors, open shelves, printer storage, and trash can

ATTRIBUTE	FEATURE	ADVANTAGE
TECHNOLOGY INTEGRATION	Wire management	Worksurface trough with pencil lipFlush grommet with door options
	Wall access	Optional hinged wall access panels provide simple, clean wire management
	Lighting	Standard high efficiency LED tasklightingRecessed into bottom of overhead for clean aesthetic
	Worksurface power	Power unit can be installed beneath grommet, in worksurface trough or in kneespace for easy access
SUSTAINABILITY	Design for the environment	 FSC certified products available LEED IEQ 4.5 compliant finish High percentage of recycled content: 66% post industrial and 9% post consumer yielding an RC value factor of 42% Energy Efficient LED task lighting
DURABILITY	Drawer system	 Dowel construction—strength Superior filing capability—extruded file rail integral to drawer UV finish on drawers—scratch and chemical resistant 5-sided drawers—can adjust or remove in field without unloading drawers
	Optional full fill or open pore finish	 UV cured finish on worksurfaces—durable top coat Robotic sprayer—uniformity of finish Depth, clarity, color consistency, and durability

• Backed by Gunlocke's 12-year warranty

12-year warranty

VENEERS

All exposed wood surfaces utilize select Plain Sliced Cherry, Maple, Walnut veneers or premium Quarter Cut Walnut, or Rift Cut Oak veneers. These veneers are carefully selected and slip matched to assure balance and consistency.

WOOD TOPS

Wood veneer tops feature a balanced 3-ply construction and are 1 1/2" thick. Each top has a 3/32" thick external solidwood band on all sides.

Standard tops are constructed of 45 lb particleboard.

Tops connect to the chassis with wood screws through the inset top panel of the pedestals and steel angle brackets.

CHASSIS/PEDESTAL CONSTRUCTION

All wood pedestals are made with veneer end panels and fronts which are constructed with 3/4" thick balanced 3-ply panels. End panels are connected with an inset top, back, and bottom panel which is made of 3/4" thick 3-ply particle board. Panels are securely fastened together with cam fasteners in conjunction with solid wood dowels that are securely adhered with PVA (white polyvinyl acetate) glue. A 1 ¹/₁₆"H x 2 ⁷/₁₆"W 3-ply particle board is mounted to the underside of the inset bottom panel. A threaded steel glide plate is attached to the hardwood stretcher to provide a durable connection between the glide and the bottom of pedestal. The glide plate is 10-gauge or 0.134" thick steel.

Steel glide plates are attached to single end panels with screws. End panels are pre-bored to accept the stem of the glide. The threaded steel glide plate provides a durable connection from glide to bottom of unit end panel.

Each unit is equipped with a minimum of four adjustable glides.

OVERHEAD/STORAGE CONSTRUCTION

All wood panels are constructed with 1" thick balanced 3-ply panels. The top, end, and bottom panels are securely fastened together with wooden dowels that are adhered with PVA (white polyvinyl acetate) glue. This construction method eliminates any visible assembly fasteners.

Wall mount cabinets are mounted to the wall with a spade and "Z" bracket attachment method. Steel barrel nuts and spade brackets are securely mounted through the back of wall mount cabinets. All units ship with a steel Z bracket. This bracket is mounted to the wall by field installers. Installers are responsible for selecting and supplying appropriate fasteners for wall conditions.

Units with hinged doors include 95° soft close hinges. Hinges are fully adjustable.

LAYERS UNITS

All layers runoffs and bridges include a wood box to sit on the low height credenza unit. Layers box includes a protective non-skid strip on bottom edge to protect lower worksurface. Layers units provide 7 ³/₄" of height difference.

GLIDES

Glides provide 1 ¹/₈" of vertical leveling adjustment. Glide bottom is durable nonrust nylon.

DRAWERS

All drawers are constructed of four sides and a bottom, which are attached to a drawer front with screws for easy removal. Drawer fronts feature matched veneer within each pedestal set.

The drawer side material is vinyl-clad particleboard, finished with a roll-coated 7-level UV cured polyester/acrylic finish that provides a high level of chemical and scratch resistance. The drawers are fastened together at each corner with dowel joinery for maximum drawer

strength. The bottom material is a 3-ply substrate consisting of medium density fiberboard core with a melamine face and backer.

Optional leather organization trays are available for all box drawers.

PULLS

Units are available in a continuous metal pull or an integral wood pull.

The drawer front on credenza and return pedestals overlay the worksurface for an uninterrupted appearance. The drawer front on the desk pedestals are below the worksurface to keep main worksurface clean.

Integral wood pull is on a 35° bevel and provides a seamless wood look to the station.

Continuous metal pull is an anodized aluminum pull available in a dark bronze or champagne silver finish. The metal pull on pedestal fronts aligns with metal pull on 24D closets. The metal pull on overhead doors aligns with metal pull on 18D closets.

SUSPENSIONS

Credentials casegoods utilizes zinccoated steel, high-grade drawer suspensions which feature an integrated soft close mechanism. The suspensions are bottom mount and are concealed under the drawer body for a cleaner appearance when opening/closing drawers. Box drawer suspensions are 15" depth full extension and are load rated for 100 lb static load, 90 lb dynamic load. File and lateral file drawers are 18" depth full extension and are load rated for 150 lb static load, 135 lb dynamic load. Lateral files include an anti-tip mechanism that prevents more than one drawer from being opened at the same time.

HINGES

05/22

Units with hinged doors include 95° soft close hinges. Hinges are fully adjustable.

FILING

The file hanging system is an integral part of the drawer. A highly durable black plastic extrusion is securely fastened into a route on the top of the drawer. The plastic extrusion and steel folder rails allow side to side and front to back filing in file and lateral file drawers. The plastic extrusion was designed to promote optimum filing capacity within the drawer while providing a durable, reliable and maintenance free filing system. (See filing capability section for technical information on drawer dimensions.)

LOCKS

Silver or black face locks are optional on all desks, credenzas, returns, modular pedestals, and storage units. Each pedestal is independently locked. Lock plugs are either factory or field installed.

KEYING

Keying is available either factory or field installed. Factory installed keying offers two options: random or designated. When the random keying option is selected an arbitrary key number will be assigned to the unit. Note: some furniture units may have like key numbers when random keying is selected. When the designated keying option is selected a key number must be specified between 100TAS-150TAS for silver lock core and 100TA-150TA for black lock cores. All keys are solid brass. When the field installed keying option is selected, a lock cylinder will not be included in the furniture unit.

WIRE MANAGEMENT

Wire management capabilities include optional worksurface grommets and worksurface troughs. Chassis include wire cutouts in kneewell for seamless wire management between pedestals and adjoining units.

Trough worksurfaces provide a 1" wire management gap on the back edge of the worksurface. An anodized aluminum pencil lip is included with each trough worksurface. The tackzone sits below the worksurface on the top edge of the pedestal end panels. A trough worksurface is REQUIRED for all tackzone applications.

Under worksurface wire managers (Model #ACWM) are sold separately to conceal wires between pedestals. These units house and manage wire horizontally around a station.

Wall access is accommodated in credenza, bridge and return units. Two options are available. (1) No modesty panel provides direct access to wall. (2) The hinged access panel option provides access to the wall as needed, creates a cavity behind the panel to mount a power strip (not provided) and houses cords behind panel. The panel hinges and clips on and off to provide occasional access as needed.

POWER UNIT

A power unit may be ordered separately to add integrated power to the station. The unit includes 3 power outlets – 2 power outlets on top surface and 1 power outlet on the end. Ships with 6 ft power cord with standard plug. UL listed.

The unit can be mounted in various applications: 1) to bottom of worksurface beneath grommets, 2) to bottom of worksurface in trough opening, 3) as power strip inside wall access panels or kneespace.

GROMMET

3.250" x 5.875" rectangular grommet.
Grommet bezel is inset flush to top of worksurface. Includes a hinged door that is on a dampening hinge for smooth open/close. Door material may be specified as wood veneer or back painted glass.

LIGHTING

Recessed low-profile LED overhead lighting is standard and INCLUDED in all overhead cabinets. They do NOT need to be purchased separately. LED lighting provides high efficiency, low energy lighting with a long life. All LED light strips are encased in a silver aluminum extrusion and include a built-in microswitch to turn the light on/off. Lights are field installed. All units include a 10' cord with a standard plug. Light temperature is 3200K.

MONITOR ARM

Monitor arm is EVO2. Monitor arm is silver finish. Monitor arm can be mounted inside grommet hole, desktop trough, or clamped to edge of desk.

Product specs are listed below:

Vertical range: +/- 5.2" from horizontal

Horizontal range: 18.6"

Rotation: 360° at two joints, 180° from

center

Monitor tilt: 90° up, 20° down from center

Monitor pivot: Landscape to portrait

Monitor compatibility: VESA monitor compatible - 75mm & 100mm VESA adapters included

Cable management: Cables are managed beneath arm

Mounting options: Desk clamp, grommet mount, or trough mount

Monitor weight: 7-20lbs

ACCESSORIES

All accessories include imbedded magnets and can be positioned anywhere on wood tackzone and back painted glass tackzone. The accessories provide quick access to files, pencils, and other work utensils. Units are painted standard white, muslin, and black to match glass colors.

PERSONAL CORNER + DESKPADS

Personal corners can be used between two perpendicular worksurfaces to create an ergonomic corner for user. Deskpads are used in-line. All units are wrapped in leather or vinyl. The bottom surface has a felt lining to protect the worksurface. The chassis is made from 10-gauge aluminum. Personal corners are 36"W x 12 1/2"D. Deskpads are 36"W x 18"D. Units are designed to fit over 1 1/2" thick worksurfaces. Desk inlays are Dolce faux leather and are available in three colors.

ORGANIZATIONAL TRAYS

Leather organization trays can be used in box drawers and in cubby of 1H overheads. All units are wrapped in leather. The bottom surface has a protective felt lining.

STAINLESS STEEL BASE

Stainless steel base units include a brushed stainless base. Unit is constructed of 1 ½" square stainless steel tubing. Units are fully welded for seamless construction.

Three top options are available – 1) wood top, 2) stone top, 3) back painted glass top. Units with a wood top are rabbetted into base with a 1/2" top exposed on all sides. Back painted glass tops and stone tops include a recessed plywood subtop for glass/stone. Stone tops include a template for stone so it can be purchased locally.

TACKBOARDS

Tackboards are constructed of $^{7}/_{8}$ " thick material comprised of a $^{1}/_{8}$ " thick hardboard glued in between a layer of $^{3}/_{8}$ " thick pressboard on each side. The fabric is precisely aligned and fitted to the tackboard and adhered to the rigid hardboard with staples.

A trough worksurface is REQUIRED for all tackzone applications.

BACK PAINTED GLASS

Doors and tackzone back painted glass units are captured by an extruded aluminum mitered frame which is powder coated to match. Frame is ³/₄" thick and 1 ³/₄" high. The frame is low profile allowing only ¹/₁₆" visible frame around the perimeter of the glass from the front view. Back painted glass is 4mm thick and is available on doors, and in the "tackzone" of overhead storage. Tackzone glass units are magnetized with a steel backer. These units can also act as a whiteboard with use of dryerase markers. 6 magnets are included with each magnetized whiteboard.

Worksurfaces and desktop inserts in back painted glass are frameless and are acid etched to eliminate fingerprinting.

A trough worksurface is REQUIRED for all tackzone applications.

CLEANING BACK PAINTED GLASS

All back painted glass should be cleaned with a soft lint free cloth and non-ammonia based cleaner only.

FINISH

Natural veneer is subject to nature's quality control. Each species will exhibit differences in grain pattern and tone. This is to be expected and, in fact, contributes to the beauty and individuality of each product. Flat Cut veneers emphasize the variations of wood by exhibiting cathedrals in the grain pattern. Quarter Cut and Rift Cut veneers are a premium cut that maintains variations in the grain but without cathedral patterns. Stratawood is a natural, FSC®-certified reconstituted veneer that is designed to exhibit a straightgrain pattern, absent of cathedrals or other significant grain and tone variations.

Worksurfaces, desktops, and tabletops are protected by one of the world's most advanced UV cured finish coatings, available in Full Fill ClearTech® or Open Pore low sheen finish, applied by state-of-the-art finishing equipment. Both finishes meet the stringent requirements for VOC emissions and air quality. Cured in a specially designed ultraviolet oven, the finish fuses to the wood, forming a durable shield that provides a high level of scratch, stain, chemical, and heat resistance, plus a high level of clarity.

Chassis, storage, overheads, and veneer bases are finished with a 30 sheen, conversion varnish finish.

All colors and species are not available on all products. Please refer to front cover of price lists for availability of finishes.

For the technical specifications see the Finish System Guide & Technical specifications available at www.gunlocke.com/finishsystem.

CLEANING FINISH

Regular dusting and occasional cleaning are recommended to maintain your wood finish. To clean, dampen a soft cloth with luke warm water and gently wipe the wood in the direction of the grain. A mild solution of Murphy's oil soap and water may also be used. Avoid cleaners with oil, waxes, or silicones as they may create a hazy look.

Credentials worksurfaces feature two low emitting UV finish options that enhance the beauty of natural wood and ensures the depth, clarity, color consistency and durability throughout the life of the product.

OPEN PORE UV FINISH

The Gunlocke Open Pore UV Finish delivers a luxurious look-and-feel, while maintaining a high-level of durability and repairability.



- Open pore finish (natural texture of woodgrain is present)
- 20 sheen
- Solvent based UV cured finish with low emitting qualities
- Open pore finish allows for greater repairability

CLEARTECH™ FULL FILLED UV FINISH

The ClearTech™ finishing system is a full-filled UV finish that provides superior durability with strong water, chemical and heat resistance.



- Full-filled finish (provides exceptional depth and clarity)
- 40 sheen
- Solvent based UV cured finish with low emitting qualities
- Superior durability


STANDARD UNIT HEIGHTS FOR CREDENTIALS:

unit	height
Worksurface	1 1/2
Layers Pedestal	20 ³ / ₁₆
Layers Pedestal + Worksurface	21 11/16
2H Pedestal	27 ¹⁵ / ₁₆
2H Pedestal + Worksurface	29 ⁷ / ₁₆

unit	height
3H Storage	43 7/16
4H Storage	57 ⁷ / ₁₆
5H Storage	75 ¹⁵ / ₁₆
6H Storage	84 7/16
1H Overhead	19 ¹ / ₂
2H Overhead	28

28


29 7/16




28 1/2 Standard Height Credenza

2 High Overhead

84 7/16






Layers Height Credenza 2 High Overhead

DESKTOP LEATHER INLAY AND GLASS INSERT LOCATIONS

Desks and Extensions are available with a Faux Leather inlay or a back painted glass insert.

option picks

Standard Veneer	TVN
Faux Leather Inlay	
White (+\$1,653)	TLW
Black (+\$1,653)	TLB
Chocolate (+\$1,653)	TLC
Back Painted Glass Insert (Acid Etched)	
Ice White (+\$2,313)	TGW
Black (+\$2,313)	TGB
Muslin (+\$2,313)	TGM




Freestanding Desk with Modesty Panel Base (LH desk shown)

Ex. GA2DTRM3672L-3WW



Freestanding Double Pedestal Desks & Freestanding Miter Base Desk Ex. GA2DRO3672-32WW GA2DTRR3672-WW



Freestanding Desk with Height Adjustable Base (LH desk shown)

Ex. GA2DTRA3672L-WW



Single Pedestal Desks & All Extension Desks (LH desk shown)

Ex. GA2DRO3672L-3WW


WORKSURFACE VENEER GRAIN DIRECTIONS:

Note: All vertical faces on chassis and storage are vertical grain.

FREESTANDING DESK


Freestanding Desk – short grain Full Base Credenza – short grain

L STATION



Single Pedestal Desk / Extension – long grain Modular Return – short grain

U STATION




Single Pedestal Desk / Extension – long grain Bridge –short grain Modular Credenza –long grain

WORKSURFACE VENEER GRAIN DIRECTIONS:


Note: All vertical faces on chassis and storage are vertical grain.

LAYERS WORKWALL L STATION

Layers Mitered Runoff Desk – long grain Layers Full Bank Credenza – short grain




WORKWALL U STATION




Mitered Runoff Desk –short grain Modular Credenza – long grain Modular Return – short grain

Credentials worksurfaces are available with an optional grommet.


- Grommet is recessed into worksurface and includes a dampening mechanism for smooth open / close.
- Grommet door cover is available in veneer or back painted glass.
- A 1" slot is included for cords and/or monitor arm clamps.




Grommet shown in Single Pedestal Desk with Monitor Arm




Grommet door closed



Grommet dimensions



Grommet door open




Top view shown with power unit – ACPWRT ACPWRT must be ordered separately (shown without door)




The worksurface trough is integral to the design and configuration of the product.

- The trough provides a 1 11/16" gap for cords, power access, and monitor arm clamping.
- All trough worksurfaces include a metal pencil lip.
- The tackzone is recessed into trough area below worksurface level and sits on end panel of pedestal/chassis.



A trough worksurface is REQUIRED in ALL tackzone applications.

- The trough can be on a single worksurface or span across multiple units.
- In situations where the trough spans multiple units, each individual unit MUST be specified with a trough worksurface.



Metal pull locations are shown below.


Left hand units shown where applicable.





MODULAR PEDESTALS












27


Integral wood pull locations are shown below.

Left hand units shown where applicable.



SPECIFICATION TIPS Credentials

STEP 1: SELECT CONFIGURATION




STEP 2: BEGIN WITH DESKING COMPONENTS

- Desk, extensions, runoffs, and full bank credenzas are unitized
- Credenzas and returns are built from modular components which must be specified separately

STEP 3: BE SURE TO SPECIFY TROUGH LOCATIONS ALONG ENTIRE LENGTH OF TACKZONE

• Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough



STEP 4: ADD FREESTANDING STORAGE

• Lateral files, bookcases, closets, storage box, and utility cabinets

STEP 5: ADD OVERHEADS AND TACKZONE

- Fabric tackboard, magnetic glass whiteboards, and wood tackzones are available
- Recessed tasklights are INCLUDED with all overhead cabinets


STEP 6: INSERT ACCESSORIES

• Leather box drawer inserts, power units, magnetic accessories, monitor arms, etc.

STEP 7: OFFICE # OPTION


- An office # option is included on all models ("OFC1" through "OFC199")
- Each individual office must be specified with its own unique office #
- \bullet All components for each office must be specified with the same office # option

GROMMET SPECIFICATIONS




GROMMET LOCATIONS


Credenzas, Returns, Bridges




Pedestal Desks and Run-offs; Miter Desks, Extensions, and Run-offs; Slab Base Extensions and Run-offs




Stainless Metal Base Desks, Extensions, and Runoffs




Layers Run-off Tops



Height Adjustable Desks




Height Adjustable Extensions




GROMMET LOCATIONS


Modesty Panel Base Desks



Modesty Panel Base Extensions (No Trough)



Modesty Panel Base Extensions (Trough End)



05/22

HEIGHT ADJUSTABLE WORKSURFACES

Worksurfaces are actual widths. A 1" clearance gap is required for any height adjustable top on all sides. Moving worksurfaces can collide with other components. It is important to ensure free range of motion prior to operating the table. Please contact Gunlocke's Tailored Solutions department (GUNTS) for special worksurface size requirements if standard models do not provide 1" gaps. Adjacent worksurfaces need to be self supporting. A wall mount bracket may be used.


HEIGHT ADJUSTABLE BASE

Electric height adjustable base unit is available in a 2-Stage lifting column with an offset C-Leg design. The height adjustable base is a compact 2-part lifting column. A lifting column is an electric linear actuator integrated into a stable guide. The sophisticated motor system is completely hidden inside the column. The control box is powered by 110-120V /60Hz. Standby power is 0.1 Watts. Height range is 29" to 45". Lifting columns are rated for 225 lbs. dynamic load per column and are connected to tops using steel support brackets. Pedestals taller than 24 H" when placed under the height adjustable table will limit range in lowest position.

HEIGHT ADJUSTABLE COMPONENTS

Height adjustable components include:

- Qty (2) height adjustable lifting columns
- Qty (1) control box
- Qty (5) keypad options from basic to premium
- Qty (2) cables connecting lifting columns to control box
- Qty (1) standard plug power cable to connect control box to power source



UNITIZED CASEGOODS


Unitized Casegoods
Freestanding Table Desks
Double Pedestal Desks
Single Pedestal Desks
Extensions
Runoff Desks
Bridges
Credenza & Return Components60-63
Pedestals64-75
Layers Pedestals
Modesty / Access / Support Panels
Brackets / Storage
Mobile Pedestals
Cushions
Trough Inserts
Height Adjustable Desks

Gunlocke sin# 33721

FREESTANDING TABLE DESKS

Stainless metal base

		D	W	Н	model number	veneer 1	veneer 2
WOOD TOP							
	_	30	72	29 ⁷ / ₁₆	GA2DTRL3072-W	10,154	11,170
	1	36	72	29 ⁷ /16	GA2DTRL3672-W	10,466	11,514
	User Side	36	78	29 ⁷ / ₁₆	GA2DTRL3678-W	10,781	11,860
		36	84	29 ⁷ / ₁₆	GA2DTRL3684-W	11,104	12,215



[•] Optional 10" height modesty panel with 6" overhang

PRODUCT INFO

Stainless base is 1.5" square stainless tube with brushed finish

Fully welded seamless assembly

1.5" worksurface is rabbeted into stainless base assembly - H" top thickness is visible on all sides

short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	MODESTY
5.	GROMMET
6.	OFFICE #

See inside front cover for required option codes

See set 1 below for grommet option codes

No Grommet
Left
Right
Left & Right
GR (Add +\$191)
GR (Add +\$191)
GB (Add +\$382)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GLSV** = left grommet, silver bezel, veneer door

Example

GA2DTRL3072-W.NC215.FF.MY.GN.OFC1

 GA2DTRL3072-W
 NC215
 FF
 MY
 GN
 OFC1

 MODEL NUMBER
 FINISH
 TOP UV FINISH
 MODESTY
 GROMMET
 OFFICE #

05/22

FREESTANDING TABLE DESKS

Stainless metal base

		D	VV	Н	model number	list
GLASS TOP						
		30	72	29 ⁷ / ₁₆	GA2DTRL3072-G	16,679
		36	72	29 ⁷ / ₁₆	GA2DTRL3672-G	17,194
	User Side	36	78	29 ⁷ / ₁₆	GA2DTRL3678-G	17,711
		36	84	29 ⁷ / ₁₆	GA2DTRL3684-G	18,243




•Back painted glass is 1/2" thick.

STONE TOP

(stone top ordered separately)





30	72	29 7/16	GA2DTRL3072-S	8,135
36	72	29 7/16	GA2DTRL3672-S	8,389
36	78	29 7/16	GA2DTRL3678-S	8,640
36	84	29 7/16	GA2DTRL3684-S	8,900

- Gunlocke will provide a template for the stone to be sourced locally.
 Contact GUNCS for template.
- Template is for 2cm (3/4") thick stone top.

PRODUCT INFO

Stainless base is 1.5" square stainless tube with brushed finish

Fully welded seamless assembly

Includes a 1" plywood subtop

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2DTRL3072-G.TWH.OFC1

MODEL NUMBER

TWH

BACK PAINTED
GLASS COLOR

OFC1 OFFICE #

FREESTANDING TABLE DESKS

Modesty panel base

		D	W	Н	model number	veneer 1	veneer 2
PEDESTAL LEFT	-						
		36	72	29 ⁷ / ₁₆	GA2DTRM3672L-3WW	9,117	10,030
		36	78	29 ⁷ / ₁₆	GA2DTRM3678L-3WW	9,390	10,330
	User Side	36	84	29 ⁷ / ₁₆	GA2DTRM3684L-3WW	9,673	10,641

- 10" overhang approach side
- 15" overhang on conference end
- Pedestal is 18" width w/ hidden upper box drawer

Approach Side

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

2. FINISH No Grommet GN Left GL (Add +\$191) 3. TOP UV FINISH TYPE = add grommet bezel color and door finish	1.	1.	MODEL NUMBER See set 2 below	for grommet option codes
TOP UV FINISH TYPE	2.	2.	T INTO I	
= add grommet bezel color and door finish	3.	3.	TOP UV FINISH TYPE	,
to complete option pick.	4.	4.		
5. PULL	5.	5.	PULL	•
6. GROMMET SV = silver bezel, veneer door BV = black bezel, veneer door	6.	6.	OBOMMET	-,
7. LOCKING WG = silver bezel, white glass door MG = silver bezel, muslin glass door	7.	7.		
8. KEYING BG = black bezel, black glass door	8.	8.		
9. OFFICE # Example: GLSV = left grommet, silver bezel, veneer door	9.	9.	Example: des	

See inside front cover for required option codes

Example

GA2DTRM3672L-3WW.NC215.FF.TVN.MPS.GN.LY.RMS.OFC1

05/22

FREESTANDING TABLE DESKS

Modesty panel base

PEDESTAL RIGHT



User Side

Approach Side

D	W	Н	model number	veneer 1	veneer 2
36	72	29 ⁷ / ₁₆	GA2DTRM3672R-3WW	9,117	10,030
36	78	29 ⁷ / ₁₆	GA2DTRM3678R-3WW	9,390	10,330
36	84	29 ⁷ / ₁₆	GA2DTRM3684R-3WW	9,673	10,641

- 10" overhang approach side
- 15" overhang on conference end
- Pedestal is 18" width w/ hidden upper box drawer

Short grain veneer on worksurface

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER	See set 3 below for grommet option codes
2.	FINISH	No Grommet GN
3.	TOP UV FINISH TYPE	Right GR (Add +\$191)
4.	DESKTOP INSERT	= add grommet bezel color and door finish to complete option pick.
5.	PULL	
6.	GROMMET	SV = silver bezel, veneer door BV = black bezel, veneer door
7.	LOCKING	WG = silver bezel, white glass door MG = silver bezel, muslin glass door
8.	KEYING	BG = black bezel, black glass door
9.	OFFICE #	Example: GRSV = right grommet, silver bezel,
		veneer door

See inside front cover for required option codes


Example

MODEL NUMBER	FINISH	TOP UV FINISH	DESKTOP INSERT	PULL	GROMMET	LOCKING	KEYING	OFFICE #	
GA2DTRM3672R-3WW	NC215	FF	TVN	MPS	GN	LY	RMS	OFC1	
GA2DTRM3672R-3WW.NC215.FF.TVN.MPS.GN.LY.RMS.OFC1									

FREESTANDING TABLE DESKS

Height adjustable base

	D	W	Н	model number	veneer 1	veneer 2
CONFERENCE END LEFT						
	36	72	29 ⁷ / ₁₆	GA2DTRAK3672L-WW	14,521	15,974
	36	78	29 ⁷ /16	GA2DTRAK3678L-WW	15,016	16,519
User Side	36	84	29 ⁷ /16	GA2DTRAK3684L-WW	15,523	17,077
occi olac						



- 12" overhang on conference end
- Provides sit-to-stand electric height adjustment
- · Height adjustable mechanism is integrated into a wood base
- Includes black metal shroud to conceal height adjustable hardware when in raised position
- 29" to 45" height adjustment range

Approach Side

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	DESKTOP INSERT
5.	GROMMET
6.	OFFICE #

See set 3 below for grommet option codes

No Grommet **GN**Right **GR** ___ (Add +\$191)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door BV = black bezel, veneer door WG = silver bezel, white glass door MG = silver bezel, muslin glass door BG = black bezel, black glass door

Example: **GRSV** = right grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2DTRAK3672L-WW.NC215.FF.TVN.GN.OFC1

FREESTANDING TABLE DESKS

Height adjustable base

CONFERENCE END RIGHT



Approach Side



- 6" overhang approach side
- 12" overhang on conference end
- · Provides sit-to-stand electric height adjustment
- Height adjustable mechanism is integrated into a wood base
- Includes black metal shroud to conceal height adjustable hardware when in raised position
- 29" to 45" height adjustment range

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. TOP UV FINISH TYPE
4. DESKTOP INSERT
5. GROMMET
6. OFFICE #

See set 2 below for grommet option codes

No Grommet \mathbf{GN} Left \mathbf{GL} (Add +\$191)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GLSV** = left grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2DTRAK3672R-WW.NC215.FF.TVN.GN.OFC1


 $\frac{\text{GA2DTRAK3672R-WW}}{\text{MODEL NUMBER}} \quad \frac{\text{NC215}}{\text{FINISH}} \quad \frac{\text{FF}}{\text{INSH}} \quad \frac{\text{TVN}}{\text{INSERT}} \quad \frac{\text{GN}}{\text{GROMMET}} \quad \frac{\text{OFC1}}{\text{OFFICE} \#}$

Miter end panel base

FREESTANDING TABLE DESKS

D W Н model number veneer 1 veneer 2 **NON-HANDED** Miter Miter 36 29 7/16 GA2DTRR3672-WW 72 7,282 8,011 36 78 29 7/16 GA2DTRR3678-WW 7,503 8,255 36 84 $29^{7}/_{16}$ GA2DTRR3684-WW 7,728 8,501 User Side





PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	DESKTOP INSERT
5.	GROMMET
6.	OFFICE #

See set 1 below for grommet option codes

No Grommet GN (Add +\$191) Left GL ___ (Add +\$191) ___ (Add +\$191) ___ (Add +\$382) Right Left & Right GB

= add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door BV = black bezel, veneer door
WG = silver bezel, white glass door MG = silver bezel, muslin glass door BG = black bezel, black glass door

Example: GLSV = left grommet, silver bezel,

See inside front cover for required option codes


Example

GA2DTRR3672-WW.NC215.FF.TVN.GN.OFC1

GA2DTRR3672-WW NC215 GN OFC1 TVN MODEL NUMBER FINISH TOP UV FINISH DESKTOP INSERT GROMMET OFFICE#

DOUBLE PEDESTAL DESKS

O5/22





Approach Side

- Full modesty panel with 6" overhang
- -3 pedestals include hidden upper box drawer
- 72" and 78" width units include 15" width pedestal
- 84" width units include 18" width pedestal

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER	See set 1 below for grommet option codes				
2.	FINISH	No Grommet GN Left GL (Add +\$191)				
3.	TOP UV FINISH TYPE	Right GR (Add +\$191)				
4.	DESKTOP INSERT	Left & Right GB (Add +\$382)				
5.	PULL	= add grommet bezel color and door finish				
6.	GROMMET	to complete option pick.				
7.	LOCKING	SV = silver bezel, veneer door BV = black bezel, veneer door				
8.	KEYING	WG = silver bezel, white glass door				
9.	OFFICE #	MG = silver bezel, muslin glass door BG = black bezel, black glass door				

See inside front cover for required option codes

Example

GA2DRO3672-32WW.NC215.FF.TVN.MPS.GN.LY.RMS.OFC1


MODEL NUMBER	FINISH	TOP UV	DESKTOP	PULL	GROMMET	LOCKING	KEYING	OFFICE #
GA2DRO3672-32WW	NC215	FF	TVN	MPS	GN	LY	RMS	OFC1

Example: **GLSV** = left grommet, silver bezel, veneer door


SINGLE PEDESTAL DESKS


Left hand

		D	W	Н	model number	veneer 1	veneer 2
PEDESTAL LEFT							
NO TROUGH		30	72	29 ⁷ / ₁₆	GA2DRO3072L-3WW	8,240	9,065
	7	36	72	29 ⁷ / ₁₆	GA2DRO3672L-3WW	8,494	9,345
		36	78	29 ⁷ / ₁₆	GA2DRO3678L-3WW	8,747	9,623
	User Side	36	84	29 ⁷ / ₁₆	GA2DRO3684L-3WW	9,013	9,915



PEDESTAL LEFT TROUGH RIGHT END





30	72	29 7/16	GA2DRO3072TL-3WW	8,240	9,065
36	72	29 ⁷ / ₁₆	GA2DRO3672TL-3WW	8,494	9,345
36	78	29 ⁷ / ₁₆	GA2DRO3678TL-3WW	8,747	9,623
36	84	29 ⁷ / ₁₆	GA2DRO3684TL-3WW	9,013	9,915

- Full modesty panel with 6" overhang
- -3 pedestals include hidden upper box drawer
- 72" and 78" width units include 15" width pedestal
- 84" width units include 18" width pedestal
- Trough end units are required when a tackzone spans over the end of the desk worksurface
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough. Single Pedestal desks have 6" overhang, deducting 6" from the overall trough insert length.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER	See set 1 below for grommet option codes			
2.	FINISH	No Grommet GN			
3.	TOP UV FINISH TYPE	Left GL (Add +\$191) Right GR (Add +\$191)			
4.	DESKTOP INSERT	Left & Right GB (Add +\$382)			
5.	PULL	= add grommet bezel color and door finish to complete option pick.			
6.	GROMMET				
7.	LOCKING	SV = silver bezel, veneer door BV = black bezel, veneer door			
8.	KEYING	WG = silver bezel, white glass door			
9.	PENCIL LIP COLOR (TROUGH ONLY)	MG = silver bezel, muslin glass door BG = black bezel, black glass door			
10.	OFFICE #	Example: GLSV = left grommet, silver bezel,			

See inside front cover for required option codes

Example

GA2DRO3072L-3WW.NC215.FF.TVN.MPS.GN.LY.RMS.OFC1

GA2DRO3072L-3WW NC215 FF TVN MPS GN ΙY RMS OFC1 MODEL NUMBER FINISH PULL GROMMET LOCKING KEYING OFFICE #

veneer door

05/22

SINGLE PEDESTAL DESKS

See set 1 below for grommet option codes

GN

GL

GR

GB

= add grommet bezel color and door finish

__ (Add +\$191) __ (Add +\$191)

_ (Add +\$382)

No Grommet

Left & Right


to complete option pick. SV = silver bezel, veneer door BV = black bezel, veneer door WG = silver bezel, white glass door MG = silver bezel, muslin glass door BG = black bezel, black glass door Example: GLSV = left grommet, silver bezel, veneer door

Left


Right

Right hand

PEDESTAL RIGHT **NO TROUGH**




D	W	Н	model number	veneer 1	veneer 2
30	72	29 ⁷ /16	GA2DRO3072R-3WW	8,240	9,065
36	72	29 ⁷ /16	GA2DRO3672R-3WW	8,494	9,345
36	78	29 ⁷ /16	GA2DRO3678R-3WW	8,747	9,623
36	84	29 ⁷ /16	GA2DRO3684R-3WW	9,013	9,915



PEDESTAL RIGHT TROUGH LEFT END





30	72	29 7/16	GA2DRO3072TR-3WW	8,240	9,065
36	72	29 ⁷ / ₁₆	GA2DRO3672TR-3WW	8,494	9,345
36	78	29 ⁷ / ₁₆	GA2DRO3678TR-3WW	8,747	9,623
36	84	29 ⁷ / ₁₆	GA2DRO3684TR-3WW	9,013	9,915

- Full modesty panel with 6" overhang
- -3 pedestals include hidden upper box drawer
- 72" and 78" width units include 15" width pedestal
- 84" width units include 18" width pedestal
- Trough end units are required when a tackzone spans over the end of the desk worksurface
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough. Single Pedestal desks have 6" overhang, deducting 6" from the overall trough insert length.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	DESKTOP INSERT
5.	PULL
6.	GROMMET
7.	LOCKING
8.	KEYING
9.	PENCIL LIP COLOR (TROUGH ONLY)
10.	OFFICE #

See inside front cover for required option codes

Example

GA2DRO3072R-3WW.NC215.FF.TVN.MPS.GN.LY.RMS.OFC1

MODEL NUMBER	FINISH	TOP UV	DESKTOP	PULL	GROMMET	LOCKING	KEYING	OFFICE #
GA2DRO3072R-3WW	NC215	FF	TVN	MPS	GN	LY	RMS	OFC1

Gunlocke sin# 33721 43

Left hand | stainless metal base

		D	W	Н	model number	veneer 1	veneer 2
BASE LEF	Г						
NO TROUG	H	30	72	29 ⁷ / ₁₆	GA2XRL3072L-W	9,140	10,055
N		36	72	29 ⁷ / ₁₆	GA2XRL3672L-W	9,420	10,363
		36	78	29 ⁷ / ₁₆	GA2XRL3678L-W	9,703	10,675
	User Side	36	84	29 ⁷ / ₁₆	GA2XRL3684L-W	9,994	10,994

BASE LEFT TROUGH RIGHT END



30	72	29 ⁷ / ₁₆	GA2XRL3072TL-W	9,140	10,055
36	72	29 ⁷ / ₁₆	GA2XRL3672TL-W	9,420	10,363
36	78	29 ⁷ / ₁₆	GA2XRL3678TL-W	9,703	10,675
36	84	29 ⁷ / ₁₆	GA2XRL3684TL-W	9,994	10,994

- Optional 10" height modesty panel with 6" overhang
- Trough end units are required when a tackzone spans over the end of the desk worksurface.
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Stainless base is 1.5" square stainless tube with brushed finish

1.5" worksurface is rabbeted into stainless base assembly.

1/2" top thickness is visible on all sides

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	DESKTOP INSERT
5.	MODESTY
6.	GROMMET
7.	PENCIL LIP COLOR (TROUGH ONLY)
8.	OFFICE #

See set 3 below for grommet option codes

No Grommet **GN**Right **GR** ___ (Add +\$191)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door BV = black bezel, veneer door WG = silver bezel, white glass door MG = silver bezel, muslin glass door BG = black bezel, black glass door

Example: **GRSV** = right grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2XRL3072L-W.NC215.FF.TVN.MY.GN.OFC1

 GA2XRL3072L-W
 NC215
 FF
 TVN
 MY
 GN
 OFC1

 MODEL NUMBER
 FINISH
 TOPUV FINISH
 DESKTOP FINISH
 MODESTY
 GROMMET
 OFFICE FINISH

Right hand | stainless metal base

		D	W	Н	model number	veneer 1	veneer 2
BASE RIGHT							
NO TROUGH		30	72	29 ⁷ / ₁₆	GA2XRL3072R-W	9,140	10,055
		36	72	29 ⁷ / ₁₆	GA2XRL3672R-W	9,420	10,363
		36	78	29 ⁷ / ₁₆	GA2XRL3678R-W	9,703	10,675
A	User Side	36	84	29 ⁷ /16	GA2XRL3684R-W	9,994	10,994

BASE RIGHT TROUGH LEFT END



30	72	29 7/16	GA2XRL3072TR-W	9,140	10,055
36	72	29 ⁷ / ₁₆	GA2XRL3672TR-W	9,420	10,363
36	78	29 ⁷ / ₁₆	GA2XRL3678TR-W	9,703	10,675
36	84	29 ⁷ / ₁₆	GA2XRL3684TR-W	9,994	10,994

- Optional 10" height modesty panel with 6" overhang
- Trough end units are required when a tackzone spans over the end of the desk worksurface.
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Stainless base is 1.5" square stainless tube with brushed finish

1.5" worksurface is rabbeted into stainless base assembly. $^{1}/_{2}$ " top thickness is visible on all sides

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	DESKTOP INSERT
5.	MODESTY
6.	GROMMET
7.	PENCIL LIP COLOR (TROUGH ONLY)
8.	OFFICE #

See set 2 below for grommet option codes

No Grommet **GN**Left **GL** ___ (Add +\$191)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GLSV** = left grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2XRL3072R-W.NC215.FF.TVN.MY.GN.OFC1


 GA2XRL3072R-W
 NC215
 FF
 TVN
 MY
 GN
 OFC1

 MODEL NUMBER
 FINISH
 TOP UV FINISH
 DESKTOP FINISH
 MODESTY
 GROMMET
 OFFICE # FINISH

Left hand | modesty panel base

	D	W	Н	model number	veneer 1 veneer 2
BASE LEFT					
NO TROUGH	30	72	29 ⁷ / ₁₆	GA2XRM3072L-W	7,517 8,270
	36	72	29 ⁷ / ₁₆	GA2XRM3672L-W	7,749 8,524
	36	78	29 ⁷ / ₁₆	GA2XRM3678L-W	7,981 8,780
User Side	36	84	29 ⁷ / ₁₆	GA2XRM3684L-W	8,222 9,045

BASE LEFT TROUGH RIGHT END



30	72	29 7/16	GA2XRM3072TL-W	7,517	8,270
36	72	29 ⁷ / ₁₆	GA2XRM3672TL-W	7,749	8,524
36	78	29 ⁷ / ₁₆	GA2XRM3678TL-W	7,981	8,780
36	84	29 ⁷ / ₁₆	GA2XRM3684TL-W	8,222	9,045

- 10" overhang approach side
- 15" overhang on conference end
- Trough end units are required when a tackzone spans over the end of the desk worksurface.
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1
MODEL NUMBER
FINISH
TOP UV FINISH TYPE
DESKTOP INSERT
GROMMET
PENCIL LIP COLOR (TROUGH ONLY)
OFFICE #

See set 3 below for grommet option codes GN

GR ___ (Add +\$191) Right = add grommet bezel color and door finish to complete option pick.

No Grommet

SV = silver bezel, veneer door BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door BG = black bezel, black glass door

Example: **GRSV** = right grommet, silver bezel, veneer door

See inside front cover for required option codes

Example


GA2XRM3072L-W.NC215.FF.TVN.GN.OFC1

GA2XRM3072L-W NC215 FF OFC1 MODEL NUMBER

Right hand | modesty panel base

		D	W	Н	model number	veneer 1	veneer 2
BASE RIGHT							
NO TROUGH		30	72	29 ⁷ / ₁₆	GA2XRM3072R-W	7,517	8,270
		36	72	29 ⁷ / ₁₆	GA2XRM3672R-W	7,749	8,524
		36	78	29 ⁷ / ₁₆	GA2XRM3678R-W	7,981	8,780
	User Side	36	84	29 ⁷ / ₁₆	GA2XRM3684R-W	8,222	9,045

BASE RIGHT TROUGH LEFT END



30	72	29 ⁷ / ₁₆	GA2XRM3072TR-W	7,517	8,270
36	72	29 ⁷ / ₁₆	GA2XRM3672TR-W	7,749	8,524
36	78	29 ⁷ / ₁₆	GA2XRM3678TR-W	7,981	8,780
36	84	29 ⁷ / ₁₆	GA2XRM3684TR-W	8,222	9,045

- 10" overhang approach side
- 15" overhang on conference end
- Trough end units are required when a tackzone spans over the end of the desk worksurface.
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	DESKTOP INSERT
5.	GROMMET
6.	PENCIL LIP COLOR (TROUGH ONLY)
7.	OFFICE #

See set 2 below for grommet option codes

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GLSV** = left grommet, silver bezel, veneer door

See inside front cover for required option codes

Example


GA2XRM3072R-W.NC215.FF.TVN.GN.OFC1

 GA2XRM3072R-W
 NC215
 FF
 TVN
 GN
 OFC1

 MODEL NUMBER
 FINISH
 TOP UV FINISH
 DESKTOP FINISH
 QROMMET
 OFFICE FINISH

Left hand | height adjustable base

	D	W	Н	model number	veneer 1	veneer 2
CONFERENCE END LEFT						
NO TROUGH	30	72	29 ⁷ / ₁₆	GA2XRAK3072L-W	13,602	14,963
	36	72	29 ⁷ /16	GA2XRAK3672L-W	14,080	15,489
	36	78	29 ⁷ /16	GA2XRAK3678L-W	14,559	16,016
User Side	36	84	29 ⁷ / ₁₆	GA2XRAK3684L-W	15,053	16,559



CONFERENCE END LEFT TROUGH RIGHT END





30	72	29 ⁷ / ₁₆	GA2XRAK3072TL-W	13,602	14,963
36	72	29 ⁷ / ₁₆	GA2XRAK3672TL-W	14,080	15,489
36	78	29 ⁷ / ₁₆	GA2XRAK3678TL-W	14,559	16,016
36	84	29 ⁷ / ₁₆	GA2XRAK3684TL-W	15,053	16,559

- 10" overhang approach side
- 15" overhang on conference end
- Trough end units are required when a tackzone spans over the end of the desk worksurface.
- Trough units include a metal pencil lip
- Provides sit-to-stand electric height adjustment
- Height adjustable mechanism is integrated into a wood base
- Includes black metal shroud to conceal height adjustable hardware when in raised position
- 29" to 45" height adjustment range
- If attaching to a bridge, specify bridge model for use with height adjustable extensions
- If attaching to a return, a 3" shorter width modesty or wall access panel must be used on return

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	DESKTOP INSERT
5.	GROMMET
6.	PENCIL LIP COLOR (TROUGH ONLY)
7.	OFFICE #

See set 3 below for grommet option codes

No Grommet Right GR (Add +\$191)

= add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door

BG = black bezel, black glass door

Example: **GRSV** = right grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2XRAK3072L-W.NC215.FF.TVN.GN.OFC1

05/22


	D	W	Н	model number	veneer 1	veneer 2
CONFERENCE END RIGHT						
NO TROUGH	30	72	29 ⁷ / ₁₆	GA2XRAK3072R-W	13,602	14,963
	36	72	29 ⁷ / ₁₆	GA2XRAK3672R-W	14,080	15,489
	36	78	29 ⁷ /16	GA2XRAK3678R-W	14,559	16,016
User Side	36	84	29 ⁷ /16	GA2XRAK3684R-W	15,053	16,559



CONFERENCE END RIGHT TROUGH LEFT END



User Side



30	72	29 ⁷ / ₁₆	GA2XRAK3072TR-W	13,602	14,963
36	72	29 ⁷ /16	GA2XRAK3672TR-W	14,080	15,489
36	78	29 ⁷ /16	GA2XRAK3678TR-W	14,559	16,016
36	84	29 ⁷ /16	GA2XRAK3684TR-W	15,053	16,559

- 10" overhang approach side
- · 15" overhang on conference end
- Trough end units are required when a tackzone spans over the end of the desk worksurface.
- Trough units include a metal pencil lip
- Provides sit-to-stand electric height adjustment
- Height adjustable mechanism is integrated into a wood base
- Includes black metal shroud to conceal height adjustable hardware when in raised position
- 29" to 45" height adjustment range
- If attaching to a bridge, specify bridge model for use with height adjustable extensions
- If attaching to a return, a 3" shorter width modesty or wall access panel must be used on return

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	DESKTOP INSERT
5.	GROMMET
6.	PENCIL LIP COLOR (TROUGH ONLY)
7.	OFFICE #

See set 2 below for grommet option codes

No Grommet **GN**Left **GL** (Add +\$191)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GLSV** = left grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2XRAK3072R-W.NC215.FF.TVN.GN.OFC1

 GA2XRAK3072R-W
 NC215
 FF
 TVN
 GN
 OFC1

 MODEL NUMBER
 FINISH
 TOP UV FINISH
 DESKTOP FINISH
 ROMMET
 OFFICE OFFICE FINISH

Left hand | miter end panel base

		D	W	Н	model number	veneer 1	veneer 2
BASE LEFT							
NO TROUGH		30	72	29 ⁷ / ₁₆	GA2XRR3072L-W	6,872	7,560
Miter		36	72	29 ⁷ / ₁₆	GA2XRR3672L-W	7,083	7,792
		36	78	29 ⁷ / ₁₆	GA2XRR3678L-W	7,297	8,028
Use	er Side	36	84	29 ⁷ /16	GA2XRR3684L-W	7,516	8,269
Use	_			- , -		•	

BASE LEFT TROUGH RIGHT END



30	72	29 ⁷ / ₁₆	GA2XRR3072TL-W	6,872	7,560
36	72	29 ⁷ / ₁₆	GA2XRR3672TL-W	7,083	7,792
36	78	29 ⁷ / ₁₆	GA2XRR3678TL-W	7,297	8,028
36	84	29 ⁷ / ₁₆	GA2XRR3684TL-W	7,516	8,269

- 6" overhang approach side
- Trough end units are required when a tackzone spans over the end of the desk worksurface.
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	DESKTOP INSERT
5.	GROMMET
6.	PENCIL LIP COLOR (TROUGH ONLY)
7.	OFFICE #

See set 3 below for grommet option codes

No Grommet **GN**Right **GR** ___ (Add +\$191)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GRSV** = right grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2XRR3072L-W.NC215.FF.TVN.GN.OFC1


 GA2XRR3072L-W
 NC215
 FF
 TVN
 GN
 OFC1

 MODEL NUMBER
 FINISH
 TOP UV PINISH
 DESKT D ROMMET
 OFFICE # FINISH

Right hand | miter end panel base

		D	W	Н	model number	veneer 1	veneer 2
BASE RIGHT							
NO TROUGH		30	72	29 ⁷ /16	GA2XRR3072R-W	6,872	7,560
	Miter	36	72	29 ⁷ / ₁₆	GA2XRR3672R-W	7,083	7,792
		36	78	29 ⁷ / ₁₆	GA2XRR3678R-W	7,297	8,028
	User Side	36	84	29 ⁷ /16	GA2XRR3684R-W	7,516	8,269

BASE RIGHT TROUGH LEFT END



30	72	29 7/16	GA2XRR3072TR-W	6,872	7,560
36	72	29 ⁷ / ₁₆	GA2XRR3672TR-W	7,083	7,792
36	78	29 ⁷ / ₁₆	GA2XRR3678TR-W	7,297	8,028
36	84	29 ⁷ / ₁₆	GA2XRR3684TR-W	7,516	8,269

- 6" overhang approach side
- Trough end units are required when a tackzone spans over the end of the desk worksurface.
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	DESKTOP INSERT
5.	GROMMET
6.	PENCIL LIP COLOR (TROUGH ONLY)
7.	OFFICE #

See set 2 below for grommet option codes

No Grommet GN **GL** ___ (Add +\$191) Left

= add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door BG = black bezel, black glass door

Example: **GLSV** = left grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2XRR3072R-W.NC215.FF.TVN.GN.OFC1

GA2XRR3072R-W NC215 GN OFC1 MODEL NUMBER GROMMET OFFICE #

Left hand | stainless metal base

		D	W	Н	model number	veneer 1	veneer 2
STANDARD							
BASE LEFT		30	48	29 ⁷ / ₁₆	GA2RRL3048L-W	7,766	8,544
		30	54	29 ⁷ / ₁₆	GA2RRL3054L-W	7,998	8,799
	User Side	36	54	29 ⁷ / ₁₆	GA2RRL3654L-W	8,240	9,065
		36	60	29 ⁷ / ₁₆	GA2RRL3660L-W	8,487	9,337

[•] Optional 10" height modesty panel with 6" overhang

LAYERS OVERLAPPING BASE LEFT



User Side

30	72	29 7/16	GA2RLRL3072L-W	8,155	8,972
30	78	29 7/16	GA2RLRL3078L-W	8,565	9,422
36	78	29 7/16	GA2RLRL3678L-W	8,992	9,892
36	84	29 ⁷ / ₁₆	GA2RLRL3684L-W	9,440	10,384

- Optional 10" height modesty panel with 6" overhang
- · Layers units overlap low height credenza worksurfaces
- · Includes layers box
- Unit is free-floating on lower credenza worksurface
- Includes pencil lip on end of unit

PRODUCT INFO

Stainless base is 1.5" square stainless tube with brushed finish

1.5" worksurface is rabbeted into stainless base assembly - H" top thickness is visible on all sides

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

. 1	
1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	MODESTY
5.	GROMMET
6.	PENCIL LIP COLOR (LAYERS ONLY)
7.	OFFICE #

See set 3 below for grommet option codes

No Grommet GN
Right GR ___ (Add +\$191)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door BV = black bezel, veneer door WG = silver bezel, white glass door MG = silver bezel, muslin glass door BG = black bezel, black glass door

Example: **GRSV** = right grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2RRL3048L-W.NC215.FF.TVN.MY.GN.PLS.OFC1

 GA2RRL3048L-W
 NC215
 FF
 TVN
 MY
 GN
 PLS
 OFC1

 MODEL NUMBER
 FINISH
 TOP UV
 DESKTOP INISERT
 MODESTY
 GROMMET
 PENCIL LIP OFFICE #

 FINISH
 INSERT
 INSERT
 COLOR
 COLOR
 OFFICE #

Right hand | stainless metal base

		D	W	Н	model number	veneer 1	veneer 2
STANDARD							
BASE RIGHT		30	48	29 ⁷ / ₁₆	GA2RRL3048R-W	7,766	8,544
		30	54	29 ⁷ / ₁₆	GA2RRL3054R-W	7,998	8,799
	User Side	36	54	29 ⁷ / ₁₆	GA2RRL3654R-W	8,240	9,065
4		36	60	29 ⁷ / ₁₆	GA2RRL3660R-W	8,487	9,337

[•] Optional 10" height modesty panel with 6" overhang

LAYERS OVERLAPPING BASE RIGHT



30	72	29 7/16	GA2RLRL3072R-W	8,155	8,972
30	78	29 7/16	GA2RLRL3078R-W	8,565	9,422
36	78	29 7/16	GA2RLRL3678R-W	8,992	9,892
36	84	29 ⁷ / ₁₆	GA2RLRL3684R-W	9,440	10,384

- Optional 10" height modesty panel with 6" overhang
- Layers units overlap low height credenza worksurfaces
- · Includes layers box
- Unit is free-floating on lower credenza worksurface
- Includes pencil lip on end of unit

PRODUCT INFO

Stainless base is 1.5" square stainless tube with brushed finish

1.5" worksurface is rabbeted into stainless base assembly - H" top thickness is visible on all sides

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	MODESTY
5.	GROMMET
6.	PENCIL LIP COLOR (LAYERS ONLY)
7.	OFFICE #

See set 2 below for grommet option codes

No Grommet **GN**Left **GL** ___ (Add +\$191)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door BV = black bezel, veneer door WG = silver bezel, white glass door MG = silver bezel, muslin glass door BG = black bezel, black glass door

Example: **GLSV** = left grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2RRL3048R-W.NC215.FF.TVN.MY.GN.PLS.OFC1

 GA2RRL3048R-W
 NC215
 FF
 TVN
 MY
 GN
 PLS
 OFC1

 MODEL NUMBER
 FINISH
 TOP UV FINISH
 DESKTOP INSERT
 MODESTY
 GROMMET
 PENCIL LIP COLOR
 OFFICEA


Left hand | miter panel base

	D	W	Н	model number	veneer 1	veneer 2
	30	48	29 ⁷ / ₁₆	GA2RRR3048L-W	5,840	6,425
	30	54	29 ⁷ / ₁₆	GA2RRR3054L-W	6,015	6,617
	36	54	29 ⁷ / ₁₆	GA2RRR3654L-W	6,196	6,817
User Side	36	60	29 7/16	GA2RRR3660L-W	6,381	7,020
	User Side	30 36	30 48 30 54 36 54	30 48 29 ⁷ / ₁₆ 30 54 29 ⁷ / ₁₆ 36 54 29 ⁷ / ₁₆	30 48 29 ⁷ / ₁₆ GA2RRR3048L-W 30 54 29 ⁷ / ₁₆ GA2RRR3054L-W 36 54 29 ⁷ / ₁₆ GA2RRR3654L-W	30 48 29 ⁷ / ₁₆ GA2RRR3048L-W 5,840 30 54 29 ⁷ / ₁₆ GA2RRR3054L-W 6,015 36 54 29 ⁷ / ₁₆ GA2RRR3654L-W 6,196

^{• 6&}quot; overhang approach side

LAYERS OVERLAPPING

BASE LEFT



30	72	29 ⁷ / ₁₆	GA2RLRR3072L-W	6,134	6,748
30	78	29 7/16	GA2RLRR3078L-W	6,439	7,084
36	78	29 7/16	GA2RLRR3678L-W	6,758	7,434
36	84	29 ⁷ / ₁₆	GA2RLRR3684L-W	7,099	7,810

- 6" overhang approach side
- Layers units overlap low height credenza worksurfaces
- · Includes layers box
- Unit is free-floating on lower credenza worksurface
- Includes pencil lip on end of unit

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	GROMMET
5.	PENCIL LIP COLOR (LAYERS ONLY)
6.	OFFICE #

See set 3 below for grommet option codes

No Grommet GN
Right GR ___ (Add +\$191)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GRSV** = right grommet, silver bezel, veneer door

See inside front cover for required option codes

Example


GA2RRR3048L-W.NC215.FF.TVN.GNS.PLS.OFC1

Right hand | miter panel base

	D	W	Н	model number	veneer 1 veneer 2
STANDARD					
BASE RIGHT	30	48	29 ⁷ / ₁₆	GA2RRR3048R-W	5,840 6,425
Miter	30	54	29 ⁷ / ₁₆	GA2RRR3054R-W	6,015 6,617
	36	54	29 ⁷ / ₁₆	GA2RRR3654R-W	6,196 6,817
✓ User Side	36	60	29 ⁷ /16	GA2RRR3660R-W	6,381 7,020

^{• 6&}quot; overhang approach side

LAYERS OVERLAPPING BASE RIGHT




30	72	29 ⁷ / ₁₆	GA2RLRR3072R-W	6,134	6,748
30	78	29 ⁷ / ₁₆	GA2RLRR3078R-W	6,439	7,084
36	78	29 ⁷ / ₁₆	GA2RLRR3678R-W	6,758	7,434
36	84	29 ⁷ / ₁₆	GA2RLRR3684R-W	7,099	7,810

- 6" overhang approach side
- Layers units overlap low height credenza worksurfaces
- · Includes layers box
- Unit is free-floating on lower credenza worksurface
- Includes pencil lip on end of unit

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See set 2 below for grommet option codes

No Grommet **GN**Left **GL** ___ (Add +\$191)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door BV = black bezel, veneer door WG = silver bezel, white glass door MG = silver bezel, muslin glass door BG = black bezel, black glass door

Example: **GLSV** = left grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2RRR3048R-W.NC215.FF.TVN.GN.PLS.OFC1

Left hand | pedestal

		D	W	Н	model number	veneer 1	veneer 2
STANDARD							
PEDESTAL LEFT		30	48	29 ⁷ / ₁₆	GA2RRO3048L-3W	7,003	7,704
		30	54	29 ⁷ / ₁₆	GA2RRO3054L-3W	7,211	7,933
		36	54	29 ⁷ / ₁₆	GA2RRO3654L-3W	7,426	8,170
	User Side	36	60	29 ⁷ / ₁₆	GA2RRO3660L-3W	7,652	8,418



- 6" overhang approach side
- -3 pedestals include hidden upper box drawer
- All units include 15" width pedestal

LAYERS OVERLAPPING PEDESTAL LEFT





30	72	29 ⁷ / ₁₆	GA2RLRO3072L-3W	7,355	8,091
30	78	29 ⁷ / ₁₆	GA2RLRO3078L-3W	7,722	8,495
36	78	29 ⁷ / ₁₆	GA2RLRO3678L-3W	8,104	8,915
36	84	29 ⁷ / ₁₆	GA2RLRO3684L-3W	8,512	9,364

- 6" overhang approach side
- -3 pedestals include hidden upper box drawer
- All units include 15" width pedestal
- Layers units overlap low height credenza worksurfaces
- · Includes layers box
- Unit is free-floating on lower credenza worksurface
- Includes pencil lip on end of unit

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	PULL
5.	MODESTY
6.	GROMMET
7.	PENCIL LIP COLOR (LAYERS ONLY)
8.	LOCKING
9.	KEYING
10.	OFFICE #

See inside front cover for required option codes

Example

GA2RRO3048L-3W.NC215.FF.TVN.MPS.MY.GN.PLS.LY.RMS.OFC1

See set 3 below for grommet option codes

= add grommet bezel color and door finish

GR ___ (Add +\$191)

GN

No Grommet

to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: GRSV = right grommet, silver bezel,

veneer door

Right

05/22

Right hand | pedestal

See set 2 below for grommet option codes

GL

= add grommet bezel color and door finish

_ (Add +\$191)

No Grommet

to complete option pick. SV = silver bezel, veneer door BV = black bezel, veneer door **WG** = silver bezel, white glass door **MG** = silver bezel, muslin glass door BG = black bezel, black glass door Example: GLSV = left grommet, silver bezel, veneer door

Left

		D	W	Н	model number	veneer 1	veneer 2
STANDARD							
PEDESTAL RIGHT	Г	30	48	29 ⁷ / ₁₆	GA2RRO3048R-3W	7,003	7,704
		30	54	29 ⁷ /16	GA2RRO3054R-3W	7,211	7,933
		36	54	29 ⁷ /16	GA2RRO3654R-3W	7,426	8,170
	User Side	36	60	29 ⁷ / ₁₆	GA2RRO3660R-3W	7,652	8,418



Approach Side

Approach Side

- -3 pedestals include hidden upper box drawer
 - All units include 15" width pedestal

• 6" overhang approach side

LAYERS OVERLAPPING PEDESTAL RIGHT







- -3 pedestals include hidden upper box drawer
- All units include 15" width pedestal
- Layers units overlap low height credenza worksurfaces
- · Includes layers box
- Unit is free-floating on lower credenza worksurface

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	PULL
5.	MODESTY
6.	GROMMET
7.	PENCIL LIP COLOR (LAYERS ONLY)
8.	LOCKING
9.	KEYING
10.	OFFICE #

See inside front cover for required option codes

Example

GA2RRO3048R-3W.NC215.FF.TVN.MPS.GN.PLS.LY.RMS.OFC1

GA2RRO3048R-3W NC215 TVN MPS MY GN RMS OFC1 MODEL NUMBER OFFICE #

Gunlocke sin# 33721 57

Standard

	D	W	Н	model number	veneer 1	veneer 2
STANDARD						
	24	42	29 ⁷ / ₁₆	GA2BRG2442-WW	3,182	3,501
	24	48	29 ⁷ /16	GA2BRG2448-WW	3,273	3,602
	24	54	29 ⁷ / ₁₆	GA2BRG2454-WW	3,366	3,703

• Optional no modesty panel (deduct -\$841) or full height modesty panel

FOR USE WITH HEIGHT ADJUSTABLE EXTENSIONS



24	42	29 7/16	GA2BRG2442A-WW	3,182	3,501
24	48	29 ⁷ / ₁₆	GA2BRG2448A-WW	3,273	3,602
24	54	29 ⁷ / ₁₆	GA2BRG2454A-WW	3,366	3,703

• Optional no modesty panel (deduct -\$841) or full height modesty panel

LAYERS FOR USE WITH STANDARD OR HEIGHT ADJUSTABLE DESKS/EXTENSIONS




24	66	29 ⁷ / ₁₆	GA2BLRG2466-W	3,345	3,680
24	72	29 ⁷ / ₁₆	GA2BLRG2472-W	3,436	3,781
24	78	29 ⁷ / ₁₆	GA2BLRG2478-W	3,535	3,890

- No modesty panel
- Layers units overlap low height credenza worksurfaces
- Includes layers box
- Unit is free-floating on lower credenza worksurface

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See set 4 below for grommet option codes

No Grommet **GN**Center **GC** ___ (Add +\$191)

___ = add grommet bezel color and door finish to complete option pick.

BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

SV = silver bezel, veneer door

Example: **GCSV** = center grommet, silver bezel, veneer door

See inside front cover for required option codes


Example

GA2BRG2442-WW.NC215.FF.MY.GN.OFC

 GA2BRG2442-WW
 NC215
 FF
 MY
 GN
 OFC1

 MODEL NUMBER
 FINISH
 TOP UV FINISH
 MODESTY FINISH
 GROMMET
 OFFICE #FINISH

Trough back



05/22

D	W	Н	model number	veneer 1	veneer 2
21 1/4	42	29 ⁷ / ₁₆	GA2BRG2442T-WW	4,129	4,543
21 ¹ / ₄	48	29 ⁷ / ₁₆	GA2BRG2448T-WW	4,220	4,643
21 ¹ / ₄	54	29 ⁷ / ₁₆	GA2BRG2454T-WW	4,316	4,748

- Optional no modesty panel (deduct -\$1,380) or wall access panel
- Trough back units are required when a tackzone spans over the back of the worksurface
- Trough units include a metal pencil lip

FOR USE WITH HEIGHT ADJUSTABLE EXTENSIONS



	21 1/4	42	29 ⁷ / ₁₆	GA2BRG2442TA-WW	4,129	4,543
	21 1/4	48	29 ⁷ / ₁₆	GA2BRG2448TA-WW	4,220	4,643
_	21 1/4	54	29 ⁷ / ₁₆	GA2BRG2454TA-WW	4,316	4,748

- Optional no modesty panel (deduct -\$1,380) or wall access panel
- Trough back units are required when a tackzone spans over the back of the worksurface
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. TOP UV FINISH TYPE
4. MODESTY
5. PENCIL LIP COLOR (TROUGH ONLY)
6. OFFICE #

See inside front cover for required option codes

Example

GA2BRG2442T-WW.NC215.FF.MY.PLS.OFC1

 GA2BRG2442T-WW
 NC215
 FF
 MY
 PLS
 OFC1

 MODEL NUMBER
 FINISH
 TOP UV FINISH
 MODESTY
 PENCIL LIP OFFICE & COLOR

CREDENZA WORKSURFACES

Standard & trough back

	D	W	Н	model number	veneer 1	veneer 2
STANDARD						
	24	60	1 ¹ / ₂	GA2CWR2460-W	1,994	2,194
	24	66	1 ¹ / ₂	GA2CWR2466-W	2,099	2,310
	24	72	1 ¹ / ₂	GA2CWR2472-W	2,212	2,434
	24	78	1 ¹ / ₂	GA2CWR2478-W	2,321	2,554
	24	84	1 ¹ / ₂	GA2CWR2484-W	2,436	2,681
	24	90	1 ¹ / ₂	GA2CWR2490-W	2,561	2,818
	24	96	1 ¹ / ₂	GA2CWR2496-W	2,685	2,955
	24	102	1 ¹ / ₂	GA2CWR24102-W	2,877	3,165
	24	108	1 ¹ / ₂	GA2CWR24108-W	3,134	3,448
	24	114	1 ¹ / ₂	GA2CWR24114-W	3,415	3,758
	24	120	1 ¹ / ₂	GA2CWR24120-W	3,726	4,099
TROUGH BACK						
Trough	24	60	1 1/2	GA2CWR2460T-W	1,994	2,194
	24	66	1 ¹ / ₂	GA2CWR2466T-W	2,099	2,310
	24	72	1 ¹ / ₂	GA2CWR2472T-W	2,212	2,434
	24	78	1 ¹ / ₂	GA2CWR2478T-W	2,321	2,554
	24	84	1 ¹ / ₂	GA2CWR2484T-W	2,436	2,681
	24	90	1 ¹ / ₂	GA2CWR2490T-W	2,561	2,818
	24	96	1 ¹ / ₂	GA2CWR2496T-W	2,685	2,955
	24	102	1 ¹ / ₂	GA2CWR24102T-W	2,877	3,165
	24	108	1 ¹ / ₂	GA2CWR24108T-W	3,134	3,448
	24	114	1 ¹ / ₂	GA2CWR24114T-W	3,415	3,758
	24	120	1 ¹ / ₂	GA2CWR24120T-W	3,726	4,099

- Trough back units are required when a tackzone spans over the back of the worksurface
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	GROMMET (STANDARD TOP ONLY)
5.	PENCIL LIP COLOR (TROUGH ONLY)
6.	OFFICE #

See set 5 below for grommet option codes

No Grommet	GN CL (Add (\$101)
Left Right	GL (Add +\$191) GR (Add +\$191)
Center	GC (Add +\$191)

= add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door BG = black bezel, black glass door

Example: GCSV = center grommet, silver bezel, veneer door

Example

GA2CWR2460-W.NC215.FF.GN.PLS.OFC1

GA2CWR2460-W NC215 FF OFC1 PLS TOP UV GROMMET PENCIL LIP OFFICE # FINISH

See inside front cover for required option codes

CREDENZA WORKSURFACES

Trough end

TROUGH	LEFT	END
Trough		
1		

D	W	Н	model number	veneer 1	veneer 2
24	60	1 ¹ / ₂	GA2CWR2460TL-W	1,994	2,194
24	66	1 ¹ / ₂	GA2CWR2466TL-W	2,099	2,310
24	72	1 ¹ / ₂	GA2CWR2472TL-W	2,212	2,434
24	78	1 ¹ / ₂	GA2CWR2478TL-W	2,321	2,554
24	84	1 ¹ / ₂	GA2CWR2484TL-W	2,436	2,681
24	90	1 ¹ / ₂	GA2CWR2490TL-W	2,561	2,818
24	96	1 ¹ / ₂	GA2CWR2496TL-W	2,685	2,955
24	102	1 ¹ / ₂	GA2CWR24102TL-W	2,877	3,165
24	108	1 ¹ / ₂	GA2CWR24108TL-W	3,134	3,448
24	114	1 ¹ / ₂	GA2CWR24114TL-W	3,415	3,758
24	120	1 ¹ / ₂	GA2CWR24120TL-W	3,726	4,099

- Trough left end units are required when a tack zone spans over the left end of the worksurface.

TROUGH RIGHT END



Trough units include a metal pencil lip										
24	60	1 1/2	GA2CWR2460TR-W	1,994	2,194					
24	66	1 ¹ / ₂	GA2CWR2466TR-W	2,099	2,310					
24	72	1 ¹ / ₂	GA2CWR2472TR-W	2,212	2,434					
24	78	1 ¹ / ₂	GA2CWR2478TR-W	2,321	2,554					
24	84	1 ¹ / ₂	GA2CWR2484TR-W	2,436	2,681					
24	90	1 ¹ / ₂	GA2CWR2490TR-W	2,561	2,818					
24	96	1 ¹ / ₂	GA2CWR2496TR-W	2,685	2,955					
24	102	1 ¹ / ₂	GA2CWR24102TR-W	2,877	3,165					
24	108	1 ¹ / ₂	GA2CWR24108TR-W	3,134	3,448					
24	114	1 ¹ / ₂	GA2CWR24114TR-W	3,415	3,758					
24	120	1 ¹ / ₂	GA2CWR24120TR-W	3,726	4,099					

- Trough back units are required when a tackzone spans over the back of the worksurface
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	GROMMET
5.	PENCIL LIP COLOR (TROUGH ONLY)
6.	OFFICE #

See set 5 below for grommet option codes

No Grommet GN Left Right GL ___ (Add +\$191) GR ___ (Add +\$191) GC ___ (Add +\$191)

= add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door **BV** = black bezel, veneer door **WG** = silver bezel, white glass door MG = silver bezel, muslin glass door BG = black bezel, black glass door

Example: GCSV = center grommet, silver

Example

GA2CWR2460TL-W.NC215.FF.GN.PLS.OFC1

GA2CWR2460TL-W NC215 FF PLS OFC1 PENCIL LIP OFFICE # FINISH GROMMET

See inside front cover for required option codes

RETURN WORKSURFACES

Standard

	D	W	Н	model number	veneer 1	veneer 2
STANDARD						
	24	42	1 ¹ / ₂	GA2RWR2442-W	1,710	1,882
	24	48	1 ¹ / ₂	GA2RWR2448-W	1,798	1,978
	24	54	1 ¹ / ₂	GA2RWR2454-W	1,893	2,083
	24	60	1 ¹ / ₂	GA2RWR2460-W	1,994	2,194
	24	66	1 ¹ / ₂	GA2RWR2466-W	2,099	2,310
	24	72	1 ¹ / ₂	GA2RWR2472-W	2,212	2,434

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See set 5 below for grommet option codes

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GCSV** = center grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2RWR2442-W.NC215.FF.GN.OFC1

05/22

RETURN WORKSURFACES

Trough back

	D	W	Н	model number	veneer 1	veneer 2
TROUGH BACK						
Trough	24	42	1 ¹ / ₂	GA2RWR2442T-W	1,710	1,882
Trought -	24	48	1 ¹ / ₂	GA2RWR2448T-W	1,798	1,978
	24	54	1 ¹ /2	GA2RWR2454T-W	1,893	2,083
	24	60	1 ¹ /2	GA2RWR2460T-W	1,994	2,194
	24	66	1 ¹ / ₂	GA2RWR2466T-W	2,099	2,310
	24	72	1 ¹ / ₂	GA2RWR2472T-W	2,212	2,434


- Trough back units are required when a tackzone spans over the back of the worksurface
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2RWR2442T-W.NC215.FF.PLS.OFC1

 GA2RWR2442T-W
 NC215
 FF
 PLS
 OFC1

 MODEL NUMBER
 FINISH
 TOP UV FINISH
 PENCIL LIP COLOR
 OFFICE #

1,484

1,634

PEDESTALS

Full height | left hand

	D	W	Н	model number	veneer 1	veneer 2
15" WIDTH	0.4	4.5	07.157	O A O M D WO 44 EL L L W	4 400	4 500
FALSE PEDESTALS	24	15	27 ¹⁵ / ₁₆	GA2MPW2415L-LW	1,420	1,563
	• Fc	or use w		andard or trough back worksurfaces o modesty panel applications		



24 15 27 ¹⁵/₁₆ **GA2MPW2415L-XBW** 1,484 1,634

 For use with: standard or trough back worksurfaces wall access panel or full back panel applications



24 6 1/2 27 15/16 **GA2MPW2415L-XEW**

 For use with: standard or trough left end worksurfaces no modesty or full back panel applications

• Aligns with wall access panel on adjoining bridge or return

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. OFFICE #

See inside front cover for required option codes

Example

GA2MPW2415L-LW.NC215.OFC1

 GA2MPW2415L-LW
 NC215
 OFC1

 MODEL NUMBER
 FINISH
 OFFICE #

05/22

Full height | left hand

	D	W	Н	model number	veneer 1 v	veneer 2
15" WIDTH FILE FILE	24 ⁷ /8	15	27 ¹⁵ /16	GA2MPW2415L-2W	3,736	4,110
BOX BOX FILE	24 7/8	15	27 ¹⁵ / ₁₆	GA2MPW2415L-3W	3,736	4,110
18" WIDTH FILE FILE	24 7/8	18	27 ¹⁵ /16	GA2MPW2418L-2W	3,926	4,320
BOX BOX FILE	24 7/8	18	27 ¹⁵ / ₁₆	GA2MPW2418L-3W	3,926	4,320


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-3 and -7 pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MPW2415L-2W.NC215.MPS.LY.RMS.OFC1GA2MPW2415L-2W NC215 MPS LY

 $\frac{\text{GA2MPW2415L-2W}}{\text{MODEL NUMBER}} \qquad \frac{\text{NC215}}{\text{Finish}} \qquad \frac{\text{MPS}}{\text{PULL}} \qquad \frac{\text{LY}}{\text{LOCKING}} \qquad \frac{\text{RMS}}{\text{KEYING}} \qquad \frac{\text{OFC1}}{\text{OFFICE}}$

PEDESTALS

Full height | left hand

	D	W	Н	model number	veneer 1	veneer 2
30" WIDTH						
LATERAL FILE	24 ⁷ / ₈	30	27 ¹⁵ / ₁₆	GA2MPW2430L-4W	4,260	4,687
	• 0	otional	face lock			
BOX BOX LATERAL FILE	24 ⁷ / ₈	30	27 15/16	GA2MPW2430L-7W	4,260	4,687
	• 0	otional	face lock			
HINGED DOOR	24 ⁷ / ₈	30	27 15/16	GA2MPW2430L-5W	3,736	4,110
OPEN SHELF	24 ⁷ / ₈	30	27 15/16	GA2MPW2430L-SHW	3,347	3,682
	• 0	otional	face lock			
PRINTER	24 ⁷ / ₈	30	27 ¹⁵ / ₁₆	GA2MPW2430L-PW	3,945	4,340
TRASH RECEPTACLE	24 ⁷ / ₈	30	27 ¹⁵ / ₁₆	GA2MPW2430L-TW	3,945	4,340
	• In	cludes	quantity (2) bru	ushed satin aluminum trash cans		
FILE FILE +	24 ⁷ / ₈	30	27 ¹⁵ / ₁₆	GA2MPW2430L-23W	6,726	7,399
BOX BOX FILE	• 0	otional	face lock			
OPEN CUBBY BOX	24 ⁷ / ₈	30	27 ¹⁵ / ₁₆	GA2MPW2430L-BW	4,135	4,550
LATERAL FILE	• 0	otional	face lock			

PRODUCT INFO

Hinged door cabinets do not lock

-B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	PULL
4.	LOCKING
5.	KEYING
6.	OFFICE #

See inside front cover for required option codes

Example

GA2MPW2430L-4W.NC215.MPS.LY.RMS.OFC1

 $\frac{\text{GA2MPW2430L-4W}}{\text{MODEL NUMBER}} \qquad \frac{\text{NC215}}{\text{Finish}} \quad \frac{\text{MPS}}{\text{PULL}} \quad \frac{\text{LY}}{\text{LOCKING}} \quad \frac{\text{RMS}}{\text{KEYING}} \quad \frac{\text{OFC1}}{\text{OFFICE} \#}$

Full height | left hand


	D	W	Н	model number	veneer 1	veneer 2
36" WIDTH						
LATERAL FILE	24 ⁷ /8	36	27 ¹⁵ / ₁₆	GA2MPW2436L-4W	4,776	5,255
	• 0	ptional	face lock			
BOX BOX LATERAL FILE	24 ⁷ /8	36	27 15/16	GA2MPW2436L-7W	4,776	5,255
	• 0	ptional	face lock			
HINGED DOOR	24 ⁷ /8	36	27 15/16	GA2MPW2436L-5W	4,187	4,607
OPEN SHELF	24 ⁷ /8	36	27 15/16	GA2MPW2436L-SHW	3,747	4,122
	• 0	ptional	face lock			
PRINTER	24 ⁷ /8	36	27 ¹⁵ / ₁₆	GA2MPW2436L-PW	4,420	4,863
TRASH RECEPTACLE	24 ⁷ /8	36	27 ¹⁵ / ₁₆	GA2MPW2436L-TW	4,420	4,863
	Includes quantity (2) brushed satin aluminum trash cans					
FILE FILE +	24 ⁷ /8	36	27 ¹⁵ / ₁₆	GA2MPW2436L-23W	7,065	7,773
BOX BOX FILE	• 0	ptional	face lock			
OPEN CUBBY BOX	24 ⁷ /8	36	27 ¹⁵ / ₁₆	GA2MPW2436L-BW	4,631	5,095
LATERAL FILE	• 0	ptional	face lock			

PRODUCT INFO

Hinged door cabinets do not lock

-B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MPW2436L-4W.NC215.MPS.LY.RMS.OFC1

 $\frac{\text{GA2MPW2436L-4W}}{\text{MODEL NUMBER}} \qquad \frac{\text{NC215}}{\text{Finish}} \qquad \frac{\text{MPS}}{\text{PULL}} \qquad \frac{\text{LY}}{\text{LOCKING}} \qquad \frac{\text{RMS}}{\text{KEYING}} \qquad \frac{\text{OFC1}}{\text{OFFICE #}}$

PEDESTALS

Full height | left hand

	D	W	Н	model number	veneer 1	veneer 2
45" WIDTH HINGED DOOR + FILE FILE	24 7/8	45	27 ¹⁵ / ₁₆	GA2MPW2445L-52W	6,726	7,399
LATERAL FILE + BOX BOX FILE	24 7/8	45	27 15/16	GA2MPW2445L-43W	7,200	7,921
BOX BOX LATERAL FILE + FILE FILE	24 7/8	45	27 15/16	GA2MPW2445L-72W	7,200	7,921
54" WIDTH HINGED DOOR + FILE FILE	24 7/8	54	27 ¹⁵ / ₁₆	GA2MPW2454L-52W	7,299	8,030
LATERAL FILE + BOX BOX FILE	24 7/8	54	27 15/16	GA2MPW2454L-43W	7,830	8,614
BOX BOX LATERAL FILE + FILE FILE	24 7/8	54	27 15/16	GA2MPW2454L-72W	7,830	8,614

PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-3 and -7 pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. PULL
4. LOCKING
5. KEYING
6. OFFICE #

See inside front cover for required option codes

Example

GA2MPW2445L-52W.NC215.MPS.LY.RMS.OFC1

 GA2MPW2445L-52W
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

Full height | left hand

	D	W	Н	model number	veneer 1	veneer 2
60" WIDTH						
LATERAL FILE	24 ⁷ /8	60	27 ¹⁵ / ₁₆	GA2MPW2460L-44W	7,674	8,442
HINGED DOOR	24 ⁷ / ₈	60	27 ¹⁵ / ₁₆	GA2MPW2460L-55W	6,726	7,399
OPEN CUBBY BOX	24 7/8	60	27 ¹⁵ / ₁₆	GA2MPW2460L-BBW	7,443	8,188
LATERAL FILE						


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MPW2460L-44W.NC215.MPS.LY.RMS.OFC1

 $\frac{\text{GA2MPW2460L-44W}}{\text{MODEL NUMBER}} \qquad \frac{\text{NC215}}{\text{Finish}} \qquad \frac{\text{MPS}}{\text{PULL}} \qquad \frac{\text{LY}}{\text{LOCKING}} \qquad \frac{\text{RMS}}{\text{KEYING}} \qquad \frac{\text{OFC1}}{\text{OFFICE}\,\ell}$

	D	W	Н	model number	veneer 1	veneer 2
15" WIDTH FALSE PEDESTALS	24	15	27 ¹⁵ / ₁₆	GA2MPW2415R-LW	1,420	1,563
	• F	or use v		ndard or trough back worksurfaces modesty panel applications		
		15 or use v		GA2MPW2415R-XBW dard or trough back worksurfaces access or full back panel applications	1,484	1,634
	24	6 ¹ / ₂	27 ¹⁵ /16	GA2MPW2415R-XEW	1,484	1,634

standard or trough left end worksurfaces no modesty or full back panel applications



TO ORDER PLEASE SPECIFY THE FOLLOWING:

• Aligns with wall access panel on adjoining bridge or return

MODEL NUMBER 1. 2. **FINISH** OFFICE #

• For use with:

See inside front cover for required option codes

Example

GA2MPW2415R-LW.NC215.OFC1

GA2MPW2415R-LW NC215 OFC1 MODEL NUMBER

Full height | right hand

	D	W	Н	model number	veneer 1	veneer 2
15" WIDTH FILE FILE	24 ⁷ /8	15	27 ¹⁵ /16	GA2MPW2415R-2W	3,736	4,110
BOX BOX FILE	24 ⁷ /8	15	27 ¹⁵ / ₁₆	GA2MPW2415R-3W	3,736	4,110
18" WIDTH FILE FILE	24 7/8	18	27 ¹⁵ / ₁₆	GA2MPW2418R-2W	3,926	4,320
BOX BOX FILE	24 7/8	18	27 ¹⁵ / ₁₆	GA2MPW2418R-3W	3,926	4,320


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-3 and -7 pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

 GA2MPW2415R-2W.NC215.MPS.LY.RMS.OFC1
 LY
 RMS
 OFC1

 GA2MPW2415R-2W
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

PEDESTALS

Full height | right hand

	D	W	Н	model number	veneer 1	veneer 2
30" WIDTH						
LATERAL FILE	24 ⁷ /8	30	27 15/16	GA2MPW2430R-4W	4,260	4,687
BOX BOX LATERAL FILE	24 ⁷ / ₈	30	27 ¹⁵ / ₁₆	GA2MPW2430R-7W	4,260	4,687
HINGED DOOR	24 7/8	30	27 ¹⁵ / ₁₆	GA2MPW2430R-5W	3,736	4,110
OPEN SHELF	24 ⁷ /8	30	27 ¹⁵ / ₁₆	GA2MPW2430R-SHW	3,347	3,682
PRINTER	24 ⁷ /8	30	27 ¹⁵ / ₁₆	GA2MPW2430R-PW	3,945	4,340
TRASH RECEPTACLE	24 ⁷ /8	30	27 ¹⁵ / ₁₆	GA2MPW2430R-TW	3,945	4,340
	• Inc	cludes	quantity (2) b	orushed satin aluminum trash cans		
FILE FILE +	24 ⁷ / ₈	30	27 15/16	GA2MPW2430R-32W	6,726	7,399
BOX BOX FILE						
OPEN CUBBY BOX	24 ⁷ / ₈	30	27 15/16	GA2MPW2430R-BW	4,135	4,550
LATERAL FILE						


PRODUCT INFO

All pedestals have optional face locks

 $\label{eq:hinged} \mbox{Hinged door cabinets do not lock}$

-B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MPW2430R-4W.NC215.MPS.LY.RMS.OFC1

 $\frac{\text{GA2MPW2430R-4W}}{\text{MODEL NUMBER}} \qquad \frac{\text{NC215}}{\text{Finish}} \qquad \frac{\text{MPS}}{\text{PULL}} \qquad \frac{\text{LY}}{\text{LOCKING}} \qquad \frac{\text{RMS}}{\text{KEYING}} \qquad \frac{\text{OFC1}}{\text{OFFICE}\,\#}$

Full height | right hand

	D	W	Н	model number	veneer 1	veneer 2
36" WIDTH						
LATERAL FILE	24 ⁷ /8	36	27 15/16	GA2MPW2436R-4W	4,776	5,255
BOX BOX LATERAL FILE	24 ⁷ / ₈	36	27 ¹⁵ / ₁₆	GA2MPW2436R-7W	4,776	5,255
HINGED DOOR	24 ⁷ / ₈	36	27 ¹⁵ / ₁₆	GA2MPW2436R-5W	4,187	4,607
OPEN SHELF	24 ⁷ / ₈	36	27 ¹⁵ / ₁₆	GA2MPW2436R-SHW	3,747	4,122
PRINTER	24 ⁷ /8	36	27 ¹⁵ / ₁₆	GA2MPW2436R-PW	4,420	4,863
TRASH RECEPTACLE	24 ⁷ /8	36	27 ¹⁵ / ₁₆	GA2MPW2436R-TW	4,420	4,863
	• Ind	cludes	quantity (2) br	ushed satin aluminum trash cans		
BOX BOX FILE+	24 ⁷ / ₈	36	27 15/16	GA2MPW2436R-32W	7,065	7,773
FILE FILE						
OPEN CUBBY BOX	24 ⁷ / ₈	36	27 15/16	GA2MPW2436R-BW	4,631	5,095
LATERAL FILE						


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MPW2436R-4W.NC215.MPS.LY.RMS.OFC1

 $\frac{\text{GA2MPW2436R-4W}}{\text{MODEL NUMBER}} \qquad \frac{\text{NC215}}{\text{Finish}} \qquad \frac{\text{MPS}}{\text{PULL}} \qquad \frac{\text{LY}}{\text{LOCKING}} \qquad \frac{\text{RMS}}{\text{KeYING}} \qquad \frac{\text{OFC1}}{\text{OFFICe} \#}$

PEDESTALS

Full height | right hand

	D	W	Н	model number	veneer 1	veneer 2
45" WIDTH						
HINGED DOOR +	24 7/8	45	27 ¹⁵ / ₁₆	GA2MPW2445R-25W	6,726	7,399
FILE FILE						
LATERAL FILE +	24 7/8	45	27 ¹⁵ / ₁₆	GA2MPW2445R-34W	7,200	7,921
BOX BOX FILE			45.			
BOX BOX LATERAL FILE + FILE FILE	24 7/8	45	27 15/16	GA2MPW2445R-27W	7,200	7,921
54" WIDTH						
HINGED DOOR +	24 7/8	54	27 ¹⁵ / ₁₆	GA2MPW2454R-25W	7,299	8,030
FILE FILE						
LATERAL FILE + BOX BOX FILE	24 7/8	54	27 15/16	GA2MPW2454R-34W	7,830	8,614
BOX BOX LATERAL FILE +	24 7/8	54	27 ¹⁵ / ₁₆	GA2MPW2454R-27W	7,830	8,614
PRODUCT INFO		DER		PECIFY THE FOLLOWING:		
All pedestals have optional face locks	1. 2.		MODEL	NUMBER		
Hinged door cabinets do not lock	3. 4. 5.		PULL LOCKIN KEYING			
-3 and -7 pedestals include hidden upper box drawer	6.		OFFICE			
	See insid	de fron	t cover for requ	uired option codes		
	Example)				
	GA2MPW244	5R-25W.NO	C215.MPS.LY.RMS.OFC	н		
	GA2MPW24		NC215 MF FINISH PUL			

Full height | right hand

	D	W	Н	model number	veneer 1	veneer 2
60" WIDTH LATERAL FILE	24 7/8	60	27 ¹⁵ / ₁₆	GA2MPW2460R-44W	7,674	8,442
HINGED DOOR	24 7/8	60	27 ¹⁵ / ₁₆	GA2MPW2460R-55W	6,726	7,399
OPEN CUBBY BOX LATERAL FILE	24 7/8	60	27 ¹⁵ / ₁₆	GA2MPW2460R-BBW	7,443	8,188


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-BB pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MPW2460R-44W.NC215.MPS.LY.RMS.OFC1

 GA2MPW2460R-44W
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

LAYERS PEDESTALS

Low height | left hand

	D	W	Н	model number	veneer 1	veneer 2
15" WIDTH						
FALSE PEDESTALS	24	15	20 ³ / ₁₆	GA2MLPW2415L-LW	1,350	1,486
	• F	or use w		dard or trough back worksurfaces odesty panel applications		
	24	15 or use w	20 ³ / ₁₆	GA2MLPW2415L-XBW	1,410	1,552

7

standard or trough back worksurfaces wall access panel or full back panel applications

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER 2. **FINISH** OFFICE #

See inside front cover for required option codes

Example

GA2MLPW2415L-LW.NC215.OFC1

 GA2MLPW2415L-LW
 NC215
 OFC1

 MODEL NUMBER
 FINISH
 OFFICE #

LAYERS PEDESTALS

Low height | left hand

	D	W	Н	model number	veneer 1	veneer 2
15" WIDTH						
BOX FILE	24 ⁷ / ₈	15	20 3/16	GA2MLPW2415L-AW	3,548	3,904
18" WIDTH						
BOX FILE	24 ⁷ / ₈	18	20 ³ / ₁₆	GA2MLPW2418L-AW	3,729	4,103
X						


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

 GA2MLPW2415L-AW.NC215.MPS.LY.RMS.OFC1
 LY
 RMS
 OF

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFF

LAYERS PEDESTALS

Low height | left hand

	D	W	Н	model number	veneer 1	veneer 2
30" WIDTH						
BOX LATERAL FILE	24 7/8	30	20 ³ / ₁₆	GA2MLPW2430L-BW	4,050	4,456
	• Op	otional	face lock			
HINGED DOOR	24 7/8	30	20 ³ / ₁₆	GA2MLPW2430L-5W	3,548	3,904
OPEN SHELF	24 7/8	30	20 3/16	GA2MLPW2430L-SHW	3,179	3,498
PRINTER	24 7/8	30	20 ³ / ₁₆	GA2MLPW2430L-PW	3,747	4,122
TRASH RECEPTACLE	24 ⁷ / ₈	30	20 ³ / ₁₆ quantity (2) br	GA2MLPW2430L-TW ushed satin aluminum trash cans	5,816	6,399

PRODUCT INFO

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	PULL
4.	LOCKING
5.	KEYING
6.	OFFICE #

See inside front cover for required option codes

Example

GA2MLPW2430L-BW.NC215.MPS.LY.RMS.OFC1

 GA2MLPW2430L-BW
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

LAYERS PEDESTALS

Low height | left hand


	D	W	Н	model number	veneer 1	veneer 2
36" WIDTH BOX LATERAL FILE	24 ⁷ /8 • Op	36 otional	20 ³ / ₁₆ face lock	GA2MLPW2436L-BW	4,533	4,987
HINGED DOOR	24 7/8	36	20 ³ / ₁₆	GA2MLPW2436L-5W	3,977	4,375
OPEN SHELF	24 7/8	36	20 3/16	GA2MLPW2436L-SHW	3,564	3,921
PRINTER	24 7/8	36	20 ³ / ₁₆	GA2MLPW2436L-PW	4,202	4,623
TRASH RECEPTACLE	24 ⁷ / ₈	36 cludes	20 ³ / ₁₆ quantity (2) br	GA2MLPW2436L-TW ushed satin aluminum trash cans	4,202	4,623

PRODUCT INFO

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MLPW2436L-BW.NC215.MPS.LY.RMS.OFC1

 GA2MLPW2436L-BW
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

LAYERS PEDESTALS

Low height | left hand

	D	W	Н	model number	veneer 1	veneer 2
45" WIDTH						
HINGED DOOR +	24 ⁷ /8	45	20 3/16	GA2MLPW2445L-5AW	6,388	7,027
BOX FILE						
BOX LATERAL FILE +	24 7/8	45	20 ³ / ₁₆	GA2MLPW2445L-BAW	6,838	7,523
BOX FILE						
54" WIDTH	2.4.71		00.24			- 00-
HINGED DOOR + BOX FILE	24 7/8	54	20 ³ / ₁₆	GA2MLPW2454L-5AW	6,933	7,627
BOX LATERAL FILE + BOX FILE	24 7/8	54	20 ³ / ₁₆	GA2MLPW2454L-BAW	7,436	8,181

PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	PULL
4.	LOCKING
5.	KEYING
6.	OFFICE #

See inside front cover for required option codes

Example

GA2MLPW2445L-5AW.NC215.MPS.LY.RMS.OFC1

 $\frac{\text{GA2MLPW2445L-5AW}}{\text{MODEL NUMBER}} \qquad \frac{\text{NC215}}{\text{Finish}} \qquad \frac{\text{MPS}}{\text{PULL}} \qquad \frac{\text{LY}}{\text{LOCKING}} \qquad \frac{\text{RMS}}{\text{KeYING}} \qquad \frac{\text{OFC1}}{\text{OFFICE ℓ}}$

LAYERS PEDESTALS

Low height | left hand


	D	W	Н	model number	veneer 1	veneer 2
60" WIDTH						
BOX LATERAL FILE +	24 ⁷ /8	60	20 3/16	GA2MLPW2460L-BBW	7,293	8,023
BOX LATERAL FILE						
HINGED DOOR +	24 7/8	60	20 3/16	GA2MLPW2460L-55W	6,388	7,027
HINGED DOOR						

PRODUCT INFO

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MLPW2460L-BBW.NC215.MPS.LY.RMS.OFC1

 GA2MLPW2460L-BBW
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

LAYERS PEDESTALS

Low height | right hand

	D	W	Н	model number	veneer 1	veneer 2
15" WIDTH						
FALSE PEDESTALS	24	15	20 ³ / ₁₆	GA2MLPW2415R-LW	1,350	1,486
	• F	or use w		lard or trough back worksurfaces odesty panel applications		
	24 • Fe	15 or use w	20 ³ / ₁₆	GA2MLPW2415R-XBW dard or trough back worksurfaces	1,410	1,552

wall access panel or full back panel applications

PRODUCT INFO	TO ORDER PLEASE SPECIFY THE FOLLOWING:									
	1.	МОЕ	DEL NUMBER							
	2.	FINI	SH							
	3.	OFF	ICE#							
	See inside front c	over for	required option codes							
	Example									
	GA2MLPW2415R-LW.NC215	i.OFC1								
	GA2MLPW2415R-LW	NC215	OFC1							
	MODEL NUMBER	FINISH	OFFICE #							

LAYERS PEDESTALS

Low height | right hand

	D	W	Н	model number	veneer 1	veneer 2
15" WIDTH						
BOX FILE	24 ⁷ /8	15	20 ³ /16	GA2MLPW2415R-AW	3,548	3,904
18" WIDTH						
BOX FILE	24 7/8	18	20 ³ / ₁₆	GA2MLPW2418R-AW	3,729	4,103
-				·	·	


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

 GA2MLPW2415R-AW.NC215.MPS.LY.RMS.0FC1
 LY
 RMS
 OFC1

 GA2MLPW2415R-AW
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

LAYERS PEDESTALS

Low height | right hand

	D	W	Н	model number	veneer 1	veneer 2
30" WIDTH						
BOX LATERAL FILE	24 ⁷ / ₈	30	20 ³ / ₁₆	GA2MLPW2430R-BW	4,050	4,456
	• Op	otional	ace lock			
HINGED DOOR	24 7/8	30	20 ³ / ₁₆	GA2MLPW2430R-5W	3,548	3,904
OPEN SHELF	24 7/8	30	20 ³ / ₁₆	GA2MLPW2430R-SHW	3,179	3,498
PRINTER	24 7/8	30	20 ³ / ₁₆	GA2MLPW2430R-PW	3,747	4,122
TRASH RECEPTACLE	24 ⁷ / ₈	30	20 ³ / ₁₆	GA2MLPW2430R-TW ushed satin aluminum trash cans	5,816	6,399

PRODUCT INFO

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MLPW2430R-BW.NC215.MPS.LY.RMS.OFC1

 GA2MLPW2430R-BW
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

Low height | right hand


	D	W	Н	model number	veneer 1	veneer 2
36" WIDTH BOX LATERAL FILE	24 7/8	36	20 ³ /16	GA2MLPW2436R-BW	4,533	4,987
			face lock		0.055	
HINGED DOOR	24 7/8	36	20 3/16	GA2MLPW2436R-5W	3,977	4,375
OPEN SHELF	24 7/8	36	20 ³ / ₁₆	GA2MLPW2436R-SHW	3,564	3,921
PRINTER	24 7/8	36	20 ³ / ₁₆	GA2MLPW2436R-PW	4,202	4,623
TRASH RECEPTACLE	24 ⁷ / ₈	36 cludes	20 ³ / ₁₆ quantity (2) bi	GA2MLPW2436R-TW rushed satin aluminum trash cans	4,202	4,623

PRODUCT INFO

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

 GA2MLPW2436R-BW.NC215.MPS.LY.RMS.OFC1
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

LAYERS PEDESTALS

Low height | right hand

	D	W	Н	model number	veneer 1	veneer 2
45" WIDTH						
HINGED DOOR +	24 ⁷ /8	45	20 ³ / ₁₆	GA2MLPW2445R-A5W	6,388	7,027
BOX FILE						
BOX LATERAL FILE +	24 ⁷ /8	45	20 ³ / ₁₆	GA2MLPW2445R-ABW	6,838	7,523
BOX FILE						
54" WIDTH HINGED DOOR +	24 ⁷ /8	54	20 ³ / ₁₆	GA2MLPW2454R-A5W	6,933	7,627
BOX FILE			20 /10	GAZINEI WZTOTII AOW	0,300	7,027
BOX LATERAL FILE + BOX FILE	24 7/8	54	20 ³ / ₁₆	GA2MLPW2454R-ABW	7,436	8,181
BOX FILE						

PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	PULL
4.	LOCKING
5.	KEYING
6.	OFFICE #

See inside front cover for required option codes

Example

GA2MLPW2445R-A5W.NC215.MPS.LY.RMS.OFC1

 GA2MLPW2445R-A5W
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

LAYERS PEDESTALS

Low height | right hand

	D	W	Н	model number	veneer 1	veneer 2
60" WIDTH						
BOX LATERAL FILE +	24 7/8	60	20 ³ / ₁₆	GA2MLPW2460R-BBW	7,293	8,023
BOX LATERAL FILE						
HINGED DOOR + HINGED DOOR	24 7/8	60	20 3/16	GA2MLPW2460R-55W	6,388	7,027


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MLPW2460R-BBW.NC215.MPS.LY.RMS.OFC1

 $\frac{\text{GA2MLPW2460R-BBW}}{\text{MODEL NUMBER}} \qquad \frac{\text{NC215}}{\text{Finish}} \qquad \frac{\text{MPS}}{\text{PULL}} \qquad \frac{\text{LY}}{\text{LOCKING}} \qquad \frac{\text{RMS}}{\text{EYING}} \qquad \frac{\text{OFC1}}{\text{OFFIce θ}}$

CREDENZA MODESTY PANELS

Full height

D	W	Н	model number	veneer 1	veneer 2
FINISHED BACK PANEL					
3/4	58 ¹ / ₂	27 15/16	GA2MCF60-W	1,545	1,700
3/4	64 ¹ / ₂	27 15/16	GA2MCF66-W	1,630	1,794
3/4	70 ¹ /2	27 15/16	GA2MCF72-W	1,717	1,890
3/4	76 ¹ /2	27 15/16	GA2MCF78-W	1,799	1,979
3/4	82 ¹ /2	27 15/16	GA2MCF84-W	1,891	2,081
3/4	88 1/2	27 15/16	GA2MCF90-W	1,986	2,186
3/4	94 1/2	27 15/16	GA2MCF96-W	2,089	2,299
3/4	100 ¹ /	¹ 2 27 ¹⁵ / ₁₆	GA2MCF102-W	2,230	2,454
3/4	106 ¹ /	¹ 2 27 ¹⁵ / ₁₆	GA2MCF108-W	2,387	2,626
3/4	112 ¹ /	¹ 2 27 ¹⁵ / ₁₆	GA2MCF114-W	2,559	2,816
3/4	118 ¹ /	¹ 2 27 ¹⁵ / ₁₆	GA2MCF120-W	2,735	3,009

- Specify width to match worksurface width
- Example: 90" worksurface = 90" finished back panel

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. OFFICE #

See inside front cover for required option codes

Example

GA2MCF60-W.NC215.OFC1

 GA2MCF60-W
 NC215
 OFC1

 MODEL NUMBER
 FINISH
 OFFICE #

LAYERS CREDENZA MODESTY PANELS

Low height

	D	W	Н	model number	veneer 1	veneer 2
FINISHED BACK PANEL						
	3/4	58 ¹ / ₂	20 ³ / ₁₆	GA2MLCF60-W	1,472	1,620
	3/4	64 ¹ / ₂	20 ³ / ₁₆	GA2MLCF66-W	1,545	1,700
	3/4	70 ¹ / ₂	20 ³ / ₁₆	GA2MLCF72-W	1,630	1,794
	3/4	76 ¹ / ₂	20 ³ / ₁₆	GA2MLCF78-W	1,713	1,886
	3/4	82 1/2	20 ³ / ₁₆	GA2MLCF84-W	1,797	1,977
	3/4	88 ¹ / ₂	20 ³ / ₁₆	GA2MLCF90-W	1,887	2,077
	3/4	94 1/2	20 ³ / ₁₆	GA2MLCF96-W	1,981	2,180
	3/4	100 ¹ / ₂	20 ³ / ₁₆	GA2MLCF102-W	2,117	2,330
	3/4	106 ¹ / ₂	20 ³ / ₁₆	GA2MLCF108-W	2,267	2,494
	3/4	112 ¹ / ₂	20 ³ / ₁₆	GA2MLCF114-W	2,427	2,671
	3/4	118 ¹ / ₂	20 ³ / ₁₆	GA2MLCF120-W	2,597	2,858

[•] Specify width to match worksurface width

TO ORDER PLEASE SPECIFY THE FOLLOWING: 1. MODEL NUMBER FINISH OFFICE # See inside front cover for required option codes Example GA2MLCF60-W.NC215.0FC1 GA2MLCF60-W.NC215.0FC1 MODEL NUMBER FINISH OFFICE

[•] Example: 90" worksurface = 90" finished back panel

CREDENZA WALL ACCESS PANELS

Full height

	D	W	Н	model number	veneer 1	veneer 2
WALL ACCESS PANEL						
	5 11/16	24	26 ¹ / ₂	GA2MCA24-W	1,910	2,102
:	5 11/16	27	26 ¹ / ₂	GA2MCA27-W	1,971	2,169
	5 11/16	30	26 ¹ / ₂	GA2MCA30-W	2,032	2,236
	5 11/16	33	26 ¹ / ₂	GA2MCA33-W	2,095	2,306
	5 11/16	36	26 ¹ / ₂	GA2MCA36-W	2,161	2,378
	5 11/16	39	26 ¹ / ₂	GA2MCA39-W	2,228	2,452
	5 11/16	42	26 ¹ / ₂	GA2MCA42-W	2,272	2,500
	5 11/16	45	26 ¹ / ₂	GA2MCA45-W	2,321	2,554
	5 11/16	48	26 ¹ / ₂	GA2MCA48-W	2,368	2,606
	5 11/16	51	26 ¹ / ₂	GA2MCA51-W	2,417	2,659
	5 11/16	54	26 ¹ / ₂	GA2MCA54-W	2,463	2,710
	5 11/16	57	26 ¹ / ₂	GA2MCA57-W	2,514	2,766
	5 11/16	60	26 ¹ / ₂	GA2MCA60-W	2,564	2,822
	5 11/16	63	26 ¹ / ₂	GA2MCA63-W	2,616	2,878
	5 11/16	66	26 ¹ / ₂	GA2MCA66-W	2,668	2,936
	5 11/16	69	26 ¹ / ₂	GA2MCA69-W	2,722	2,995
	5 11/16	72	26 ¹ / ₂	GA2MCA72-W	2,775	3,053

- Specify width to match kneewell space between pedestals
- Example: (90" worksurface) (15" LH pedestal) (15" RH pedestal) = 60" wall access panel

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. OFFICE #

See inside front cover for required option codes

Example

GA2MCA24-W.NC215.OFC1

 GA2MCA24-W
 NC215
 OFC1

 MODEL NUMBER
 FINISH
 OFFICE #

RETURN MODESTY PANELS

Full height


	D	W	Н	model number	veneer 1	veneer 2
FINISHED BACK PANEL						
	3/4	38 1/4	27 15/16	GA2MRF39-W	1,288	1,418
	3/4	41 ¹ / ₄	27 ¹⁵ / ₁₆	GA2MRF42-W	1,327	1,460
	3/4	44 1/4	27 15/16	GA2MRF45-W	1,366	1,504
	3/4	47 ¹ / ₄	27 15/16	GA2MRF48-W	1,399	1,540
	3/4	50 ¹ / ₄	27 15/16	GA2MRF51-W	1,435	1,579
	3/4	53 ¹ / ₄	27 15/16	GA2MRF54-W	1,472	1,620
	3/4	56 ¹ / ₄	27 15/16	GA2MRF57-W	1,510	1,662
	3/4	59 ¹ / ₄	27 15/16	GA2MRF60-W	1,545	1,700
	3/4	62 ¹ / ₄	27 15/16	GA2MRF63-W	1,588	1,748
	3/4	65 ¹ / ₄	27 15/16	GA2MRF66-W	1,630	1,794
	3/4	68 ¹ / ₄	27 15/16	GA2MRF69-W	1,674	1,842
	3/4	71 ¹ / ₄	27 15/16	GA2MRF72-W	1,717	1,890

[•] Specify width to match worksurface width

NOTE: A 3" shorter width modesty is required when used with a height adjustable desk.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MRF39-W.NC215.OFC

 GA2MRF39-W
 NC215
 OFC1

 MODEL NUMBER
 FINISH
 OFFICE #

[•] Example: 60" worksurface = 60" finished back panel

RETURN WALL ACCESS PANELS

Full height

	D	W	Н	model number	veneer 1	veneer 2
WALL ACCESS PANEL						
N	5 11/16	21	26 ¹ / ₂	GA2MRA21-W	1,855	2,042
	5 11/16	24	26 ¹ / ₂	GA2MRA24-W	1,910	2,102
	5 11/16	27	26 ¹ / ₂	GA2MRA27-W	1,971	2,169
	5 11/16	30	26 ¹ / ₂	GA2MRA30-W	2,032	2,236
	5 11/16	33	26 ¹ / ₂	GA2MRA33-W	2,095	2,306
	5 11/16	36	26 ¹ / ₂	GA2MRA36-W	2,161	2,378
	5 11/16	39	26 ¹ / ₂	GA2MRA39-W	2,228	2,452
	5 11/16	42	26 ¹ / ₂	GA2MRA42-W	2,272	2,500
	5 11/16	45	26 ¹ / ₂	GA2MRA45-W	2,321	2,554
	5 11/16	48	26 ¹ / ₂	GA2MRA48-W	2,368	2,606
	5 11/16	51	26 ¹ / ₂	GA2MRA51-W	2,417	2,659
	5 11/16	54	26 ¹ / ₂	GA2MRA54-W	2,463	2,710
	5 11/16	57	26 ¹ / ₂	GA2MRA57-W	2,514	2,766
	5 11/16	60	26 ¹ / ₂	GA2MRA60-W	2,564	2,822

- Specify width to match kneewell space between pedestals
- Example: (60" worksurface) (15" LH pedestal) = 45" wall access panel

NOTE: A 3" shorter width wall access panel is required when used with a height adjustable desk.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

2. FINISH
3. OFFICE #

See inside front cover for required option codes

Example

GA2MRA21-W.NC215.OFC1

GA2MRA21-W NC215 OFC1

MODEL NUMBER FINISH OFFICE #

INTERMEDIATE SUPPORT PANELS

	D	W	Н	model number	veneer 1	veneer 2
FULL HEIGHT INTERMEDIATE SUPPORT FOR USE WITH MODESTY PANEL	3/4	14	27 ½	GA2MSP12-W	851	937
T-SUPPORT FOR USE WITH NO MODESTY PANEL	8	12	27 1/2	GA2MSPT12-W	725	799
LAYERS LOW HEIGHT INTERMEDIATE SUPPORT FOR USE WITH MODESTY PANEL	3/4	5 ¹¹ ⁄ ₁₆	20 3/16	GA2MLSP12-W	379	418
T-SUPPORT FOR USE WITH NO MODESTY PANEL	8	5 11/16	20 ¾16	GA2MLSPT12-W	688	758
PRODUCT INFO	TO OF 1. 2. 3.	RDER				

See inside front cover for required option codes

Example

GA2MSP12-W.NC215.OFC1

 GA2MSP12-W
 NC215
 OFC1

 MODEL NUMBER
 FINISH
 OFFICE #


	D	W	Н	model number	list
WALL MOUNT BRACKET					
· ·	2 1/2	19	1 ¹ / ₄	MDWLBK24	130
	2 ¹ / ₂	25	1 ¹ / ₄	MDWLBK30	140

WALL MOUNT BRACKET



3 ¹ / ₈	20 ³ / ₁₆	7 1/8	ACWCB20	244
• For use	with 24" tops to	o provide sup	pport on an end condition	
3 1/8	15 3/16	7 1/8	ACWCR15	228

• For use with 24" tops to provide support on center as an alternative to a T-bracket



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

. MODEL NUMBER

NOTE: Office # option not required

See inside front cover for required option codes

Example

MDWLBK24

MDWLBK24 MODEL NUMBER

FULL BANK STORAGE CREDENZAS

Trough back

	D	W	Н	model number	veneer 1	veneer 2
60" WIDTH -44	24 7/8	60	27 ¹⁵ / ₁₆	GA2CFS2460T-44WW	9,730	10,704
-55	24 7/8	60	27 ¹⁵ / ₁₆	GA2CFS2460T-55WW	8,760	9,637
72" WIDTH -44	24 7/8	72	27 ¹⁵ /16	GA2CFS2472T-44WW	10,879	11,967
-55				GA2CFS2472T-55WW ired when a tackzone spans over the back of the worksur	9,787 face	10,766
	• Tro	ugh ur	nits include a meta	al pencil lip		


NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

 $Short\ grain\ veneer\ on \\ worksurface$

Doors do not lock

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

 GA2CFS2460T-44WW.NC215.FF.MPS.MY.LY.RMS.PLS.OFC1

 GA2CFS2460T-44WW
 NC215
 FF.
 MPS
 MY
 LY
 RMS
 PLS
 OFC1

 MODEL NUMBER
 FINISH
 TOP UV
 PULL
 MODESTY
 LOCKING
 KEYING
 PENCIL LIP COLOR

FULL BANK STORAGE CREDENZAS

Trough back

	D	W	Н	model number	veneer 1	veneer 2
90" WIDTH -444	24 7/8	90	27 ¹⁵ / ₁₆	GA2CFS2490T-444WW	14,197	15,618
-555	24 7/8	90	27 ¹⁵ / ₁₆	GA2CFS2490T-555WW	12,738	14,013
-454	24 7/8	90	27 ¹⁵ / ₁₆	GA2CFS2490T-454WW	13,708	15,080
108" WIDTH -444	24 7/8	108	27 ¹⁵ / ₁₆	GA2CFS24108T-444WW	16,151	17,767
-555	24 7/8	108	27 ¹⁵ / ₁₆	GA2CFS24108T-555WW	14,513	15,965
-454	24 ⁷ /8	108	27 ¹⁵ / ₁₆	GA2CFS24108T-454WW	15,599	17,160
				equired when a tackzone spans over the back of the wor metal pencil lip	ksurface	
	NOTE	: Plastion trough		t is REQUIRED and must be ordered separately across e	entire length of	
PRODUCT INFO		RDEF		SPECIFY THE FOLLOWING:		
Short grain veneer on	1.		MODE	L NUMBER		

Short grain veneer on worksurface

Doors do not lock

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	PULL
5.	MODESTY
6.	LOCKING
7.	KEYING
8.	PENCIL LIP COLOR (TROUGH ONLY)
9.	OFFICE #

See inside front cover for required option codes

Example

 GA2CFS2490T-444WW.NC215.FF.MPS.WY.LY.RMS.PLS.OFC1

 GA2CFS2490T-444WW
 NC125
 FF
 MPS
 MY
 LY
 RMS
 PLS
 OFC1

 MODEL NUMBER
 FINISH
 TOP UV FINISH
 PULL
 MODESTY
 LOCKING
 KEYING
 PENCIL LIP COLOR
 OFFICE AND COLOR

LAYERS FULL BANK STORAGE CREDENZAS

Trough back

	D	W	Н	model number	veneer 1	veneer 2
90" WIDTH -SHBB	24 7/8	90	20 ³ / ₁₆	GA2CLFS2490T-SHBBW	12,798	14,079
-BBSH	24 ⁷ / ₈	90	20 ³ / ₁₆	GA2CLFS2490T-BBSHW	12,798	14,079
-SH5B	24 7/8	90	20 ³ / ₁₆	GA2CLFS2490T-SH5BW	12,338	13,572
-B5SH	24 ⁷ /8	90	20 ³ / ₁₆	GA2CLFS2490T-B5SHW	12,338	13,572
108" WIDTH -SHBB	24 7/8	108	20 3/16	GA2CLFS24108T-SHBBW	14,586	16,046
-BBSH	24 7/8	108	20 ³ / ₁₆	GA2CLFS24108T-BBSHW	14,586	16,046
-SH5B	24 7/8	108	20 ³ / ₁₆	GA2CLFS24108T-SH5BW	14,066	15,474
-B5SH	24 7/8	108	20 ³ / ₁₆	GA2CLFS24108T-B5SHW	14,066	15,474
			ack units are <u>rec</u> nits include a m	<u>quired</u> when a tackzone spans over the back of the works etal pencil lip	urface	
	NOTE:	Plastic trough.		REQUIRED and must be ordered separately across entir	e length of	
PRODUCT INFO	TO OF	RDER	PLEASE SF	PECIFY THE FOLLOWING:		
Short grain veneer on worksurface	1.		MODEL N	NUMBER		
Doors do not lock	3.			FINISH TYPE		
	4. 5.		PULL MODEST	·Y		
	6.		LOCKING	G		
	7. 8.		KEYING PENCIL I	LIP COLOR (TROUGH ONLY)		
	9.		OFFICE #	,		
	See insi	de fron	t cover for requ	ired option codes		
	Example	е				
			NC215.FF.MPS.MY.LY.	RMS.PLS.OFC1		
	GA2CLFS2	490T-SHBI		MPS MY LY RMS PLS OFC1		
	ODLL NOME		FINISH	SH COLOR MODESTY LOCKING RETING PENCIL LIP OFFICE #		

LAYERS FULL BANK STORAGE CREDENZAS

Trough back

	D	W	Н	model number	veneer 1	veneer 2
120" WIDTH						
-BSHB	24 7/8	120	20 ³ / ₁₆	GA2CLFS24120T-BSHBW	16,818	18,500
-5SH5	24 ⁷ /8	120	20 ³ / ₁₆	GA2CLFS24120T-5SH5W	16,818	18,500
-SH55B	24 ⁷ /8	120	20 ³ / ₁₆	GA2CLFS24120T-SH55BW	16,696	18,366
-B55SH	24 ⁷ / ₈	120	20 ³ / ₁₆	GA2CLFS24120T-B55SHW	16,696	18,366
				required when a tackzone spans over the back of the metal pencil lip	ne worksurface	

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Short grain veneer on worksurface

Doors do not lock

TO ORDER PLEASE SPECIFY THE FOLLOWING:

2. FINISH 3. TOP UV FINISH TYPE 4. PULL 5. MODESTY 6. LOCKING
4. PULL 5. MODESTY
5. MODESTY
6. LOCKING
7. KEYING
8. PENCIL LIP COLOR (TROUGH ONLY
9. OFFICE #

See inside front cover for required option codes

Example

 GA2CLFS24120T-BSHBW.NC215.FF.MPS.MY.LY.RMS.PLS.OFC1
 MY
 LY
 RMS
 PLS
 OFC1

 MODEL NUMBER
 FINISH
 TOP US HINGH
 PULL
 MODESTY
 LOCKING
 KEYING
 PENCIL LIP
 OFFICE

MOBILE PEDESTALS

 D
 W
 H
 model number
 veneer 1
 veneer 2

 18" WIDTH

 BOX | FILE
 21 % 18 21 15/16
 GA2MPD1818-AW
 4,101 4,512




PRODUCT INFO

Includes 2 locking casters and 2 non-locking casters

Includes inset top panel

Includes hidden box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MPD1818-AW.NC215.MPS.LY.RMS.OFC1

 GA2MPD1818-AW
 NC215
 CPM
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

CUSHIONS

					fabric grad	es		
	D	W	Н	model number	1	2	3	COM/4
MOBILE PEDESTAL CUSHIONS								
	19 3/4	17 3/4	1 1/2	GAAMPD-CUSH1818	627	645	669	689
LAYERS CREDENZA CUSHIONS								
FOR STANDARD	23 3/4	30	1 1/2	GAACLPD-CUSH2430	706	733	760	789
WORKSURFACE	23 3/4	36	1 1/2	GAACLPD-CUSH2436	762	796	831	867
LAYERS CREDENZA CUSHIONS								
FOR TROUGH BACK	21	30	1 1/2	GAACLPD-CUSH2130T	706	733	760	789
WORKSURFACES	21	36	1 1/2	GAACLPD-CUSH2136T	762	796	831	867
	_							

PR	\cap	IIC.	T IN	IEO
PR	Uυ	UU	I II	1TU

COM Fabric

CUSH1818	0.75
CUSH2430	1.00
CUSH2436	1.25
CUSH2430T	1.00
CUSH2436T	1.25
COM Leather	(sq ft
COM Leather CUSH1818	(sq ft 12.75
	` '
CUSH1818	12.75
CUSH1818 CUSH2430	12.75 17.00

(yds)

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FABRIC
3.	FLAMMABILITY
4.	OFFICE #

For standard flammability rating, please specify CTB117, for California 133 and Boston fire-code treatment, please specify CTB113

Option Codes: U = CTB117


See inside front cover for required option codes


Example

GAAMPD-CUSH1818.FABRIC.U.OFC1

GAAMPD-CUSH1818 FABRIC U OFC1

MODEL NUMBER FABRIC FLAMMABILITY OFFICE #





Trough insert is required across the entire length of trough.

EXAMPLE A: 108" back edge of credenza = 108" Trough Insert

EXAMPLE B: (72" back edge of return) + (36" LH end of desk) - (6" Desk overhang) = 102" Trough Insert

NOTE: overhang only needs to be deducted from overall length for single pedestal desks

PRODUCT INFO

Trough insert is black plastic

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER
OFFICE #

See inside front cover for required option codes

Example


GAATROUGH30.OFC1

GAATROUGH30 OFC1


MODEL NUMBER OFFICE #

	for use with top sizes	D	W	Н	model number	list
BASES	24 x 42	21	42	26 ⁵ / ₈	BSHAT2142	3,078
	24 x 48	21	48	26 ⁵ /8	BSHAT2148	3,092
	24 x 54	21	54	26 ⁵ / ₈	BSHAT2154	3,110
	24 x 60	21	60	26 ⁵ /8	BSHAT2160	3,124
	24 x 66	21	66	26 ⁵ /8	BSHAT2166	3,142
	24 x 72	21	72	26 ⁵ / ₈	BSHAT2172	3,157
	-					

30/36 x 48	27	48	26 ⁵ / ₈	BSHAT2748	3,124
30/36 x 54	27	54	26 ⁵ /8	BSHAT2754	3,142
30/36 x 60	27	60	26 ⁵ /8	BSHAT2760	3,157
30/36 x 66	27	66	26 ⁵ /8	BSHAT2766	3,176
30/36 x 72	27	72	26 ⁵ /8	BSHAT2772	3,191







Base at tallest height setting

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER 2. BASE COLOR

BASE COLOR OPTIONS:

BK Black **Silver**

See inside front cover for required option codes

Example

BSHAT2760.BK

BSHAT2760 MODEL NUMBER

BASE COLOR

	D	W	Н	model number	veneer 1	veneer 2
24" TOPS	24	42	1 ¹ /2	GA2DWRA2442-W	1,710	1,882
	24	48	1 1/2	GA2DWRA2448-W	1,798	1,978
	24	54	1 ¹ / ₂	GA2DWRA2454-W	1,893	2,083
	24	60	1 ¹ / ₂	GA2DWRA2460-W	1,994	2,194
	24	66	1 ¹ / ₂	GA2DWRA2466-W	2,099	2,310
	24	72	1 ¹ / ₂	GA2DWRA2472-W	2,212	2,434

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:



Add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door

BV = black bezel, veneer door

WG = silver bezel, white glass door

BG = black bezel, black glass door

MG = silver bezel, muslin glass door

Example: GLSV = left grommet, silver bezel,

veneer door

Example

1.

2.

3.

4.

5.

6.

GA2DWRA2442-W.NC215.FF.VLG.GN.OFC1

See inside front cover for required option codes

NC215 FF TOP UV FINISH GA2DWRA2442-W GRAIN DIRECTION GROMMET OFFICE #

	D	W	Н	model number	veneer 1	veneer 2
30" TOPS	30	48	1 1/2	GA2DWRA3048-W	2,092	2,302
	30	54	1 ¹ / ₂	GA2DWRA3054-W	2,216	2,439
	30	60	1 ¹ / ₂	GA2DWRA3060-W	2,392	2,632
	30	66	1 ¹ / ₂	GA2DWRA3066-W	2,545	2,801
	30	72	1 ¹ / ₂	GA2DWRA3072-W	2,616	2,878
36" TOPS	36	48	1 1/2	GA2DWRA3648-W	2,445	2,691
	36	54	1 1/2	GA2DWRA3654-W	2,586	2,846
	36	60	1 1/2	GA2DWRA3660-W	2,736	3,010
	36	66	1 ¹ / ₂	GA2DWRA3666-W	2,945	3,241
	36	72	1 ¹ / ₂	GA2DWRA3672-W	3,010	3,312

PRODUCT INFO TO ORDER PLEASE SPECIFY THE FOLLOWING: **MODEL NUMBER** See set 1 below for grommet option codes 1. 2. No Grommet GN GL (Add +\$191) GR (Add +\$191) GB (Add +\$382) Left 3. **TOP UV FINISH TYPE** 4. **GRAIN DIRECTION** Both GROMMET 5. Add grommet bezel color and door finish to complete option pick. SV = silver bezel, veneer door BV = black bezel, veneer door WG = silver bezel, white glass door BG = black bezel, black glass door MG = silver bezel, muslin glass door 6. OFFICE # Example: GLSV = left grommet, silver bezel, See inside front cover for required option codes Example

104 Gunlocke sin# 33721

VLG

GN

GRAIN DIRECTION GROMMET OFFICE #

OFC1

NC215 FF TOP UV FINISH

GA2DWRA3048-W

MODEL NUMBER

HEIGHT ADJUSTABLE MODESTY PANEL

Optional | for use with 30" and 36" Tops

MODESTY PANELS



D	W	Н	model number	veneer 1	veneer 2
3/4	48	10	GA2DMHA48-W	952	1,048
3/4	54	10	GA2DMHA54-W	1,004	1,106
3/4	60	10	GA2DMHA60-W	1,059	1,166
3/4	66	10	GA2DMHA66-W	1,119	1,232
3/4	72	10	GA2DMHA72-W	1,164	1,281

[•] Optional 10" height modesty panel with 6" overhang

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. OFFICE #

See inside front cover for required option codes

Example

GA2DMHA48-W.NC215.OFC1

 GA2DMHA48-W
 NC215
 OFC1

 MODEL NUMBER
 FINISH
 OFFICE #

STORAGE

Storage
Lateral Files
Bookcases110
Hinged Door Cabinets11
Closets
Storage Box
Utility Cabinets
Overheads
Single Wall Mount Overheads
Double High Wall Mount Overheads
Tackboards
Back Painted Glass Whiteboards
Wood Magnetic Tackzone
Shelves for Segmented Tackzone
Miscellaneous
Round Tables & Bases
Accessories
Fabric Grade Pricing
Weights + Cubes 154-163

Gunlocke sin# 33721

LATERAL FILES

Layers & 2 high

	D	W	Н	model number	veneer 1	veneer 2
30" WIDTH LAYERS						
STANDARD	24 ⁷ / ₈	30	21 11/16	GA2LFSLH2430-WW	5,250	5,776
36" WIDTH LAYERS						
STANDARD	24 ⁷ / ₈	36	21 11/16	GA2LFSLH2436-WW	5,510	6,062
30" WIDTH 2 HIGH						
STANDARD	24 ⁷ / ₈	30	29 7/16	GA2LFS2H2430-WW	5,526	6,079
W/ TROUGH BACK	24 7/8	30	29 ⁷ /16	GA2LFS2H2430T-WW	5,526	6,079
36" WIDTH 2 HIGH STANDARD	24 7/8	36	29 ⁷ /16	GA2LFS2H2436-WW	5,800	6,381
W/ TROUGH BACK	24 7/8	36	29 ⁷ / ₁₆	GA2LFS2H2436T-WW	5,800	6,381
		_		required when a tackzone spans over the back of metal pencil lip	or the worksurface	

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately. Freestanding Lateral Files and Hinged Door Cabinets require their own trough insert.

PRODUCT INFO

All units have a finished back

All pedestals have optional face locks

Layers height includes hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP UV FINISH TYPE
4.	GRAIN DIRECTION
5.	PULL
6.	LOCKING
7.	KEYING
8.	PENCIL LIP COLOR (TROUGH ONLY)
9.	OFFICE #

See inside front cover for required option codes

Example

GA2LFSLH2430-WW.NC215.VLG.MPS.LY.RMS.PLS.OFC1

GA2LFSLH2430-WW NC215 FF VLG MPS LY RMS PLS OFC1

MODEL NUMBER FINISH TOP UV GRAIN PULL LOCKING KEYING PENGIL LIP OFFICE #
COLOR

Grain Direction: specify grain direction to match that of adjoining unit.

Example:
Specify "VST" short grain if next to:

-Unitized Full Bank Credenza, Desk,

Specify "VLG" long grain if next to: -Modular Single Pedestal Credenza, or Return

or Extension

3 High | 6 high

		D	W	Н	model number	veneer 1	veneer 2
30" WIDTH	3 HIGH	24 ⁷ /8	30	43 ⁷ / ₁₆	GA2LFS3H2430-WW	7,629	8,392
	4 HIGH	24 7/8	30	57 ⁷ /16	GA2LFS4H2430-WW	9,368	10,306
	5 HIGH	24 ⁷ /8	30	75 ¹⁵ / ₁₆	GA2LFS5H2430-WW	12,618	13,881
	6 HIGH	24 ⁷ /8	30	84 ⁷ /16	GA2LFS6H2430-WW	13,580	14,939
36" WIDTH	0.1.1101.1	0.4.7/	00	40.7/	0.401 500110400 1404	0.040	0.040
	3 HIGH	24 7/8	36	43 ⁷ / ₁₆	GA2LFS3H2436-WW	8,010	8,812
	4 HIGH	24 7/8	36	57 ⁷ / ₁₆	GA2LFS4H2436-WW	9,837	10,822
	5 HIGH	24 7/8	36	75 ¹⁵ / ₁₆	GA2LFS5H2436-WW	13,251	14,577
	6 HIGH	24 ⁷ /8	36 E. 5 Ui	84 ⁷ / ₁₆	GA2LFS6H2436-WW	14,260	15,687
					h Lateral Files do not have locks on top doors. The ee swing hinges.	se doors are equipped	


PRODUCT INFO

All units have a finished back

All pedestals have optional face locks

 $5\mathrm{H}$ and $6\mathrm{H}$ Lateral Files do not lock on top doors.

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

 GA2LFS3H2430-WW.NC215.MPS.LY.RM.oFC1

 GA2LFS3H2430-WW
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

BOOKCASES

2 High | 6 high

			D	W	Н	model number	veneer 1	veneer 2
30" WIDT	H	2 HIGH	16 ⁷ /8	30	29 7/16	GA2BKN2H1830-W	3,207	3,529
		3 HIGH	16 ⁷ /8	30	43 ⁷ / ₁₆	GA2BKN3H1830-W	3,850	4,236
		4 HIGH	16 ⁷ /8	30	57 ⁷ / ₁₆	GA2BKN4H1830-W	4,623	5,087
		5 HIGH	16 ⁷ /8	30	75 ¹⁵ / ₁₆	GA2BKN5H1830-W	5,544	6,099
		6 HIGH	16 ⁷ /8	30	84 ⁷ / ₁₆	GA2BKN6H1830-W	6,655	7,321
36" WIDT	Н	2 HIGH	16 ⁷ /8	36	29 ⁷ / ₁₆	GA2BKN2H1836-W	3,594	3,954
		3 HIGH	16 ⁷ /8	36	43 ⁷ / ₁₆	GA2BKN3H1836-W	4,316	4,748
		4 HIGH	16 ⁷ /8	36	57 ⁷ / ₁₆	GA2BKN4H1836-W	5,176	5,694
		5 HIGH	16 7/8	36	75 ¹⁵ / ₁₆	GA2BKN5H1836-W	6,213	6,835
		6 HIGH	16 7/8	36	84 7/16	GA2BKN6H1836-W	7,456	8,202

PRODUCT INFO

All units have a finished back

6-high bookcases must be attached to wall

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER 2. **FINISH**

3. OFFICE #

See inside front cover for required option codes

Example

GA2BKN2H1830-W.NC215.OFC1

MODEL NUMBER

GA2BKN2H1830-W NC215 OFC1

Layers & 2 high

	D	W	Н	model number	veneer 1	veneer 2
30" WIDTH LAYERS					70.100. 1	70.100. 2
STANDARD	24 ⁷ / ₈	30	21 11/16	GA2HDCLH2430-WW	3,990	4,389
						·
36" WIDTH LAYERS STANDARD	24 ⁷ /8	36	21 11/16	GA2HDCLH2436-WW	4,411	4,853
30" WIDTH 2 HIGH STANDARD	24 ⁷ / ₈	30	29 ⁷ / ₁₆	GA2HDC2H2430-WW	4,202	4,623
W/ TROUGH BACK	24 7/8	30	29 7/16	GA2HDC2H2430T-WW	4,202	4,623
36" WIDTH 2 HIGH STANDARD	24 7/8	36	29 ⁷ /16	GA2HDC2H2436-WW	4,641	5,106
W/ TROUGH BACK	24 ⁷ /8	36	29 ⁷ /16	GA2HDC2H2436T-WW	4,641	5,106
				required when a tackzone spans over the back of the metal pencil lip	worksurface	
				is REQUIRED and must be ordered separately. Free: ets require their own trough insert.	standing Lateral Files	s and

PRODUCT INFO

All units have a finished back

Units do not lock

TO ORDER PLEASE SPECIFY THE FOLLOWING:

2.	FINISH
3.	TOP UV FINISH
4.	GRAIN DIRECTION
5.	PULL
6.	PENCIL LIP COLOR(TROUGH ONLY)
7.	OFFICE #

MODEL NUMBER

Grain Direction: specify grain direction to match that of adjoining unit.

Example:Specify "VST" short grain if next to:
-Unitized Full Bank Credenza, Desk, or Extension

Specify "VLG" long grain if next to:
-Modular Single Pedestal Credenza,
or Return

See inside front cover for required option codes

Example


1.

GA2HDCLH2430-WW.NC215.OP.VLG.MPS.PLS.OFC1

GA2HDCLH2430-WW NC215 OP VLG MPS OFC1 GRAIN DIRECTION

CLOSETS - 18D

5 High



6 High

D W Н model number veneer 2 veneer 1 **18" WIDTH LEFT HAND** 17 3/4 84 7/16 GA2CLC6H1818L-WW 18 6,381 7,020 17³/₄ 84 7/16 GA2CLS6H1818L-WW 7,113 7,825 $17^{3}/_{4}$ GA2CLD6H1818L-WW 18 84 7/16 7,951 8,747 • CLC = Coat hook with (2) adjustable shelves • CLS = (5) adjustable shelves • CLD = Coat hook with (2) adjustable adjustable shelf | Divide | (5) adjustable shelves 18" WIDTH RIGHT HAND $17^{3}/_{4}$ 18 84 7/16 GA2CLC6H1818R-WW 6,381 7,020 17³/₄ 84 7/16 GA2CLS6H1818R-WW 7,113 7,825 18 17 ³/₄ 18 84 7/16 GA2CLD6H1818R-WW 7,951 8,747 • CLC = Coat hook with (2) adjustable shelves • CLS = (5) adjustable shelves • CLD = Coat hook with (2) adjustable adjustable shelf | Divide | (5) adjustable shelves 24" WIDTH LEFT HAND GA2CLD6H1824L-WW 17 3/4 84 7/16 24 9,146 10,061 • CLD = Coat hook with (2) adjustable shelves | Divider | (5) adjustable shelves 24" WIDTH RIGHT HAND $17^{3}/_{4}$ 24 84 7/16 GA2CLD6H1824R-WW 9,146 10,061 • CLD = Coat hook with (2) adjustable shelves | Divider | (5) adjustable shelves **PRODUCT INFO** TO ORDER PLEASE SPECIFY THE FOLLOWING: **MODEL NUMBER** All units have a finished back 1. 2. **FINISH** All units have optional 3. **PULL** face locks LOCKING 4. **KEYING** OFFICE # 6. See inside front cover for required option codes Example GA2CLC6H1818L-WW.NC215.MPS.LY.RMS.OFC1

GA2CLC6H1818L-WW

NC215

MPS


RMS

CLOSETS - 24D

5 High

D W Н model number veneer 2 veneer 1 **18" WIDTH LEFT HAND** 24 ⁷/₈ 75 ¹⁵/₁₆ 18 GA2CLC5H2418L-WW 5,999 6,600 24 7/8 18 75 15/16 GA2CLS5H2418L-WW 6,683 7,353 24 7/8 18 75 ¹⁵/₁₆ GA2CLD5H2418L-WW 7,471 8,219 • CLC = Closet rod with (1) adjustable shelf • CLS = (4) adjustable shelves • CLD = Closet rod with (1) adjustable shelf | Divider | (4) adjustable shelves 18" WIDTH RIGHT HAND $24^{7/8}$ 18 75 ¹⁵/₁₆ GA2CLC5H2418R-WW 5,999 6,600 24 ⁷/₈ 75 ¹⁵/₁₆ GA2CLS5H2418R-WW 6,683 7,353 18 $24^{7/8}$ 18 75 ¹⁵/₁₆ GA2CLD5H2418R-WW 7,471 8,219 • CLC = Closet rod with (1) adjustable shelf • CLD = Closet rod with (1) adjustable shelf | Divider | (4) adjustable shelves 24" WIDTH LEFT HAND 24 7/8 24 75 15/16 GA2CLD5H2424L-WW 8,596 9,457 • CLD = Closet rod with (1) adjustable shelf | Divider | (4) adjustable shelves 24" WIDTH RIGHT HAND $24^{7/8}$ 24 75 15/16 GA2CLD5H2424R-WW 8,596 9,457 • CLD = Closet rod with (1) adjustable shelf | Divider | (4) adjustable shelves 30" WIDTH 24 ⁷/₈ 75 15/16 GA2CLS5H2430-WW 9,692 30 10,663 10,462 $24^{7/8}$ 75 15/16 GA2CLD5H2430-WW 11,509 30 • CLS = (4) adjustable shelves • CLD = Closet rod with (1) adjustable shelf | Divider | (4) adjustable shelves **PRODUCT INFO** TO ORDER PLEASE SPECIFY THE FOLLOWING: **MODEL NUMBER** 1. All units have a finished back 2. **FINISH** All units have optional **PULL** 3. face locks LOCKING 4. **KEYING** 5. Metal pull height matches OFFICE # 6. 29H pedestal pulls See inside front cover for required option codes Example GA2CLC5H2418L-WW.NC215.MPS.LY.RMS.OFC1 GA2CLC5H2418L-WW NC215 MPS RMS MODEL NUMBER

6 High




PRODUCT INFO

All units have a finished back

All units have optional face locks

Metal pull height matches 29H pedestal pulls

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

 GA2CLC6H2418L-WW.NC215.MPS.LY.RMS.OFC1

 GA2CLC6H2418L-WW
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE

STORAGE BOX

5 High | 6 high

		D	W	Н	model number	veneer 1	veneer 2
5 HIGH							
	18" WIDTH LEFT HAND			75 ¹⁵ / ₁₆ 2) adjustable s	GA2SBH5H2418L-WW shelves behind doors door upper	7,420	8,163
	18" WIDTH	24 ⁷ /8	18	75 ¹⁵ / ₁₆	GA2SBH5H2418R-WW	7,420	8,163
	RIGHT HAND			2) adjustable s wers bottom, o	shelves behind doors door upper		· ·
1	30" WIDTH	24 7/8	30	75 ¹⁵ / ₁₆	GA2SBH5H2430-WW	11,053	12,159
6 HIGH				2) adjustable s wers bottom, o	shelves behind doors door upper		
	18" WIDTH	24 7/8	18	84 7/16	GA2SBH6H2418L-WW	8,831	9,715
	LEFT HAND			3) adjustable s wers bottom, o	shelves behind door door upper		
Ä	18" WIDTH	24 7/8	18	84 7/16	GA2SBH6H2418R-WW	8,831	9,715
	RIGHT HAND 30" WIDTH	• (2) 24 ⁷ /8 • Inc	file dra 30 ludes (84 ⁷ / ₁₆	GA2SBH6H2430-WW shelves behind door	12,738	14,013
All units	UCT INFO Thave a finished back Thave optional Is	TO OR 1. 2. 3. 4.	DER		SPECIFY THE FOLLOWING: NUMBER		
		Example	9 118L-WW.N 2418L-WV	IC215.MPS.LY.RMS.O V NC215 M	# Juired option codes		
	ı					0 1 1	

UTILITY CABINETS

5 High | 6 high

		D	W	Н	model number	veneer 1	veneer 2
5 HIGH							
\bigcap	LEFT HAND	24 ⁷ /8	24	75 ¹⁵ / ₁₆	GA2UTC5H2424L-WW	11,590	12,750
	RIGHT HAND	24 ⁷ /8	24	75 ¹⁵ / ₁₆	GA2UTC5H2424R-WW	11,590	12,750
				70 710		11,000	12,700
6 HIGH	LEFT HAND	24 ⁷ / ₈	24	84 ⁷ / ₁₆	GA2UTC6H2424L-WW	13,294	14.604
	LLITTIAND	24 /8	24	04 /16	GAZOTCONZ4Z4L*WW	10,234	14,624
\bigcap							
	RIGHT HAND	24 7/8	24	84 7/16	GA2UTC6H2424R-WW	13,294	14,624


Note: Tall door hinges off center divider on utility cabinets for side access to integral wood pulls.

PRODUCT INFO

All units have a finished back

All units have optional face locks

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2UTC5H2424L-WW.NC215.MPS.LY.RMS.OFC1

 $\frac{\text{GA2UTC5H2424L-WW}}{\text{MODEL NUMBER}} \qquad \frac{\text{NC215}}{\text{Finish}} \qquad \frac{\text{MPS}}{\text{PULL}} \qquad \frac{\text{LY}}{\text{LOCKING}} \qquad \frac{\text{RMS}}{\text{KEYING}} \qquad \frac{\text{OFC1}}{\text{OFFICE #}}$

Hinged | wood doors

	D	W	Н	model number	veneer 1	veneer 2
1 HIGH						
	18	30	19 ¹ / ₂	GA2WCH1H30-WW	4,531	4,985
	18	36	19 ¹ / ₂	GA2WCH1H36-WW	4,735	5,210
	18	60	19 ¹ / ₂	GA2WCH1H60-WW	7,941	8,736
	18	66	19 ¹ / ₂	GA2WCH1H66-WW	8,292	9,122
	18	72	19 ¹ / ₂	GA2WCH1H72-WW	8,664	9,531
	18	78	19 ¹ / ₂	GA2WCH1H78-WW	9,386	10,326
	18	84	19 ¹ / ₂	GA2WCH1H84-WW	9,800	10,780
	18	90	19 ¹ / ₂	GA2WCH1H90-WW	10,230	11,254
	18	96	19 ¹ / ₂	GA2WCH1H96-WW	10,666	11,734
	18	102	19 ¹ / ₂	GA2WCH1H102-WW	11,116	12,228
	18	108	19 ¹ / ₂	GA2WCH1H108-WW	11,593	12,753

- Units are available in wood integral pull only
- Recessed LED tasklights included

PRODUCT INFO

Doors do not lock

Door widths:

30" = (2) doors

36" = (2) doors

60" = (4) doors

66" = (4) doors

72" = (4) doors

78'' = (4) doors

84" = (6) doors

 $90" = (6) \; \mathrm{doors}$

 $96" = (6) \; doors$

102" = (6) doors

 $108" = (6) \; doors$

Hidden cubbies behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. PULL
4. OFFICE #

See inside front cover for required option codes

Example

GA2WCH1H30-WW.NC215.MPS.OFC1

 $\frac{\text{GA2WCH1H30-WW}}{\text{MODEL NUMBER}} \qquad \frac{\text{NC215}}{\text{Finish}} \qquad \frac{\text{MPS}}{\text{PULL}} \qquad \frac{\text{OFC1}}{\text{OFFICE \#}}$

Hinged | glass doors

	D	W	Н	model number	veneer 1	veneer 2
1 HIGH						
	18	30	19 ¹ / ₂	GA2WCH1H30-WG	5,115	5,628
11/11/11	18	36	19 ¹ / ₂	GA2WCH1H36-WG	5,352	5,888
	18	60	19 ¹ / ₂	GA2WCH1H60-WG	8,942	9,837
	18	72	19 ¹ / ₂	GA2WCH1H72-WG	9,775	10,753
	18	90	19 ¹ / ₂	GA2WCH1H90-WG	11,526	12,680
	18	108	19 ¹ / ₂	GA2WCH1H108-WG	13,090	14,400

[•] Recessed LED tasklights included

PRODUCT INFO

Doors do not lock

Door widths:

30" = (2) doors

36" = (2) doors

60" = (4) doors


72" = (4) doors

90" = (6) doors

108" = (6) doors

Hidden cubbies behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2WCH1H30-WG.NC215.WH.OFC1

GA2WCH1H30-WG NC215 FINISH GLASS COLOR OFFICE # MODEL NUMBER

Soft lift | wood doors

	D	W	Н	model number	veneer 1	veneer 2
1 HIGH						
	18	60	19 ¹ / ₂	GA2WCF1H60-WW	8,275	9,104
	18	72	19 ¹ / ₂	GA2WCF1H72-WW	9,033	9,937
	18	90	19 ¹ / ₂	GA2WCF1H90-WW	10,666	11,734
	18	108	19 ¹ / ₂	GA2WCF1H108-WW	12,093	13,303

- Units are available in wood integral pull only
- Recessed LED tasklights included

PRODUCT INFO

Doors do not lock

Door widths:

60" = (2) doors

 $72"=(2)\;\mathrm{doors}$

90" = (3) doors 108" = (3) doors

Hidden cubbies behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. PULL
4. OFFICE#

See inside front cover for required option codes

Example

GA2WCF1H60-WW.NC215.MPS.OFC1

 GA2WCF1H60-WW
 NC215
 MPS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 OFFICE #

Soft lift | glass doors

	D	W	Н	model number	veneer 1	veneer 2
1 HIGH						
	18	60	19 ¹ / ₂	GA2WCF1H60-WG	9,328	10,262
[// //	18	72	19 ¹ / ₂	GA2WCF1H72-WG	10,200	11,221
	18	90	19 ¹ / ₂	GA2WCF1H90-WG	12,023	13,226
	18	108	19 ¹ / ₂	GA2WCF1H108-WG	13,666	15,033

[•] Recessed LED tasklights included

PRODUCT INFO

Doors do not lock

Door widths:

60" = (2) doors

72" = (2) doors

90" = (3) doors

108" = (3) doors

Hidden cubbies behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER 1. 2. **FINISH GLASS COLOR** 3. OFFICE #

See inside front cover for required option codes

Example

GA2WCF1H60-WG NC215 WH OFC1 FINISH GLASS COLOR OFFICE # MODEL NUMBER

Sliding | wood doors

1 HIGH



D	W	Н	model number	veneer 1	veneer 2
18	60	19 ¹ / ₂	GA2WCS1H60-WW	8,275	9,104
18	72	19 ¹ / ₂	GA2WCS1H72-WW	9,033	9,937
18	90	19 ¹ / ₂	GA2WCS1H90-WW	10,666	11,734
18	108	19 ¹ / ₂	GA2WCS1H108-WW	12,093	13,303

- No pulls required
- Recessed LED tasklights included

PRODUCT INFO

Doors do not lock

Door widths: 60" = (1) doors

72" = (1) doors

90" = (2) doors

108" = (2) doors

Hidden cubbies behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. 2. 3.

MODEL NUMBER **FINISH**

OFFICE #

See inside front cover for required option codes

Example

GA2WCS1H60-WW NC215 OFC1

MODEL NUMBER

Sliding | glass doors

	D	W	Н	model number	veneer 1	veneer 2
1 HIGH						
	18	60	19 ¹ / ₂	GA2WCS1H60-WG	9,328	10,262
//	18	72	19 ¹ / ₂	GA2WCS1H72-WG	10,200	11,221
	18	90	19 ¹ / ₂	GA2WCS1H90-WG	12,023	13,226
	18	108	19 ¹ / ₂	GA2WCS1H108-WG	13.666	15.033

[•] Recessed LED tasklights included

PRODUCT INFO

Doors do not lock

Door widths:

60" = (1) doors

72" = (1) doors

90" = (2) doors108" = (2) doors

Hidden cubbies behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. **MODEL NUMBER** 2. **FINISH GLASS COLOR** 3. OFFICE#

See inside front cover for required option codes

Example

GA2WCS1H60-WG NC215 GLASS COLOR OFFICE # MODEL NUMBER

Hinged | wood doors

	D	W	Н	model number	veneer 1	veneer 2
2 HIGH						
	18	30	28	GA2WCH2H30-WW	6,481	7,130
	18	36	28	GA2WCH2H36-WW	6,789	7,469
	18	60	28	GA2WCH2H60-WW	9,650	10,616
	18	66	28	GA2WCH2H66-WW	10,095	11,106
	18	72	28	GA2WCH2H72-WW	10,558	11,615
	18	78	28	GA2WCH2H78-WW	11,383	12,523
	18	84	28	GA2WCH2H84-WW	11,901	13,092
	18	90	28	GA2WCH2H90-WW	12,442	13,687

- Units are available in wood integral pull only
- Recessed LED tasklights included

PRODUCT INFO

Doors do not lock

Door widths:

 $30"=(2)\;\mathrm{doors}$

36" = (2) doors

 $60"=(4)\ \mathrm{doors}$

 $66"=(4)\;\mathrm{doors}$

72" = (4) doors

 $78"=(4)\;\mathrm{doors}$

 $84"=(6)\ \mathrm{doors}$

90" = (6) doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. PULL
4. OFFICE #

See inside front cover for required option codes

Example

GA2WCH2H30-WW.NC215.MPS.OFC1

 GA2WCH2H30-WW
 NC215
 MPS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 OFFICE

Hinged | glass doors

2 HIGH



D	W	Н	model number	veneer 1 veneer 2
18	30	28	GA2WCH2H30-WG	7,361 8,098
18	36	28	GA2WCH2H36-WG	7,713 8,485
18	60	28	GA2WCH2H60-WG	10,910 12,002
18	72	28	GA2WCH2H72-WG	11,953 13,149
18	90	28	GA2WCH2H90-WG	14,067 15,475

[•] Recessed LED tasklights included

PRODUCT INFO

Doors do not lock

Door widths:

30" = (2) doors

36" = (2) doors

60" = (4) doors

72'' = (4) doors

90" = (6) doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER 1. 2. **FINISH GLASS COLOR** 3. OFFICE#

See inside front cover for required option codes

Example

GA2WCH2H30-WG.NC215.WH.OFC1

GA2WCH2H30-WG NC215 FINISH GLASS COLOR OFFICE # MODEL NUMBER

Sliding | wood doors

D W Н model number veneer 1 veneer 2 2 HIGH 18 60 28 GA2WCS2H60-WW 10,069 11,077 72 GA2WCS2H72-WW 18 28 11,021 12,125 GA2WCS2H90-WW 90 28 18 12,983 14,283

- No pulls required
- Recessed LED tasklights included

PRODUCT INFO

Doors do not lock

Door widths: 60" = (1) doors 72" = (1) doors 90" = (2) doors TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. OFFICE #

See inside front cover for required option codes

Example

GA2WCS2H60-WW.NC215.OFC1

GA2WCS2H60-WW MODEL NUMBER

NW NC215

OFFICE #

Sliding | glass doors

14,693

veneer 2

12,533

13,736

16,163

D W Н model number veneer 1 2 HIGH 18 60 28 GA2WCS2H60-WG 11,392 72 GA2WCS2H72-WG 18 12,486

GA2WCS2H90-WG

90

18


PRODUCT INFO

Doors do not lock

Door widths: 60" = (1) doors72" = (1) doors

90" = (2) doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2WCS2H60-WG NC215 OFC1 GLASS COLOR OFFICE # MODEL NUMBER FINISH

²⁸ • Recessed LED tasklights included

TACKBOARDS

Standard

							fabric gra	des		
		D	W	Н	yards	model number	1	2	3	COM/4
STANDARD										
		7/8	30	28 1/2	1.25	GAATKW30	998	1,024	1,051	1,078
		7/8	36	28 1/2	1.25	GAATKW36	1,046	1,078	1,114	1,148
		7/8	60	28 1/2	2.00	GAATKW60	1,215	1,267	1,320	1,376
FABRIC		7/8	66	28 1/2	2.25	GAATKW66	1,240	1,292	1,345	1,401
		7/8	72	28 1/2	2.50	GAATKW72	1,288	1,345	1,407	1,472
		7/8	78	28 1/2	2.50	GAATKW78	1,326	1,393	1,461	1,530
		7/8	84	28 1/2	2.75	GAATKW84	1,361	1,428	1,496	1,565
	-	7/8	90	28 1/2	3.00	GAATKW90	1,420	1,490	1,568	1,644
	-	7/8	96	28 1/2	3.00	GAATKW96	1,480	1,556	1,640	1,722
	2-PIECE	7/8	102	28 1/2	3.50	GAATKW102	2,042	2,126	2,216	2,305
	2-PIECE	7/8	108	28 1/2	4.00	GAATKW108	2,113	2,206	2,301	2,398
	2-PIECE	7/8	120	28 1/2	4.00	GAATKW120	2,432	2,530	2,632	2,736
	-									

- Dimensioned from full height trough worksurface to bottom of overhead.
- A trough worksurface is required for ALL tackzone.
- Tackboards listed on this page are all standard "railroad".

PRODUCT SPECIFICATIONS: STANDARD



The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL



Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

See yards listed above for COM fabric requirement

102, 108, and 120 wide tackboards are 2-piece

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FABRIC
3. FSC TACKBOARD
4. OFFICE #

FSC Tackboard Options:

FSC = FSC Required (+5% COM upcharge)
NR = FSC Not Required

COM FABRIC REQUIREMENT

All COM must be shipped prepaid to Gunlocke with package side marked with:

- Dealer Name
- Dealer Purchase Order Number
- Gunlocke Pattern Number

See inside front cover for required option codes

Example

GAATKW30.FABRIC.FSC.OFC1

Top of Overhead

					fabric gra	des		
D	W	Н	yards	model number	1	2	3	COM/4
7/8	30	48	1.25	GAATKW1H30	1,215	1,241	1,268	1,295
7/8	36	48	1.25	GAATKW1H36	1,240	1,272	1,308	1,342
7/8	42	48	1.50	GAATKW1H42	1,288	1,329	1,368	1,411
7/8	48	48	1.50	GAATKW1H48	1,326	1,367	1,406	1,449
	7/8 7/8 7/8	7/8 30 7/8 36 7/8 42	7/8 30 48 7/8 36 48 7/8 42 48	7/8 30 48 1.25 7/8 36 48 1.25 7/8 42 48 1.50	7/8 30 48 1.25 GAATKW1H30 7/8 36 48 1.25 GAATKW1H36 7/8 42 48 1.50 GAATKW1H42	D W H yards model number 1 7/8 30 48 1.25 GAATKW1H30 1,215 7/8 36 48 1.25 GAATKW1H36 1,240 7/8 42 48 1.50 GAATKW1H42 1,288	7/8 30 48 1.25 GAATKW1H30 1,215 1,241 7/8 36 48 1.25 GAATKW1H36 1,240 1,272 7/8 42 48 1.50 GAATKW1H42 1,288 1,329	D W H yards model number 1 2 3 7/8 30 48 1.25 GAATKW1H30 1,215 1,241 1,268 7/8 36 48 1.25 GAATKW1H36 1,240 1,272 1,308 7/8 42 48 1.50 GAATKW1H42 1,288 1,329 1,368

- Dimensioned from trough worksurface to top of 1 high overhead (or 5 high storage)
- · A trough worksurface is required for ALL tackzone.

TOP OF 2 HIGH OVERHEAD



	7/8	30	56 ¹ / ₂	1.75	GAATKW2H30	1,240	1,266	1,293	1,320
	7/8	36	56 ¹ / ₂	1.75	GAATKW2H36	1,288	1,320	1,356	1,390
	7/8	42	56 ¹ / ₂	1.75	GAATKW2H42	1,326	1,367	1,406	1,449
_	7/8	48	56 ¹ / ₂	1.75	GAATKW2H48	1,361	1,402	1,441	1,484

- Dimensioned from trough worksurface to top of 2 high overhead (or 6 high storage)
- · A trough worksurface is required for ALL tackzone.
- Tackboards to top of 1H overheads are standard "railroad". Tackboards to top of 2H overheads are "up the roll".

PRODUCT SPECIFICATIONS:

(a)

STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

(6)

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

See yards listed above for COM fabric requirement

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FABRIC
3. FSC TACKBOARD
4. OFFICE #

FSC Tackboard Options:

FSC = FSC Required (+5% COM upcharge)
NR = FSC Not Required

COM FABRIC REQUIREMENT

All COM must be shipped prepaid to Gunlocke with package side marked with:

- Dealer Name
- Dealer Purchase Order Number
- Gunlocke Pattern Number

See inside front cover for required option codes

Example

GAATKW1H30. FABRIC.FSC.OFC1

 GAATKW1H30
 FABRIC
 FSC
 OFC1

 MODEL NUMBER
 FABRIC
 FSC TACKBOARD
 OFFICE #

LAYERS TACKBOARDS

Standard

							fabric gra	ides		
		D	W	Н	yards	model number	1	2	3	COM/4
STANDARD										
		7/8	30	36 ¹ / ₄	1.25	GAATLKW30	1,046	1,072	1,099	1,126
		7/8	36	36 ¹ / ₄	1.25	GAATLKW36	1,215	1,247	1,283	1,317
	-	7/8	60	36 ¹ / ₄	2.00	GAATLKW60	1,240	1,292	1,345	1,401
FABRIC	-	7/8	66	36 ¹ / ₄	2.25	GAATLKW66	1,288	1,340	1,393	1,449
	-	7/8	72	36 ¹ / ₄	2.50	GAATLKW72	1,326	1,383	1,445	1,510
	-	7/8	78	36 ¹ / ₄	2.50	GAATLKW78	1,361	1,428	1,496	1,565
	-	7/8	84	36 ¹ / ₄	2.75	GAATLKW84	1,420	1,487	1,555	1,624
	•	7/8	90	36 ¹ / ₄	3.00	GAATLKW90	1,480	1,550	1,628	1,704
	•	7/8	96	36 ¹ / ₄	3.00	GAATLKW96	2,042	2,118	2,202	2,284
	2-PIECE	7/8	102	36 ¹ / ₄	3.50	GAATLKW102	2,113	2,197	2,287	2,376
	2-PIECE	7/8	108	36 ¹ / ₄	4.00	GAATLKW108	2,220	2,313	2,408	2,505
	2-PIECE	7/8	120	36 ¹ / ₄	4.00	GAATLKW120	2,477	2,575	2,677	2,781

- Dimensioned from full height trough worksurface to bottom of overhead.
- A trough worksurface is required for ALL tackzone.
- Tackboards listed on this page are all standard "railroad".

PRODUCT SPECIFICATIONS:



STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- \bullet Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.



SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

See yards listed above for COM fabric requirement

102, 108, and 120 wide tackboards are 2-piece

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FABRIC
3. FSC TACKBOARD
4. OFFICE #

FSC Tackboard Options:

FSC = FSC Required (+5% COM upcharge)
NR = FSC Not Required

COM FABRIC REQUIREMENT

All COM must be shipped prepaid to Gunlocke with package side marked with:

- Dealer Name
- Dealer Purchase Order Number
- Gunlocke Pattern Number

See inside front cover for required option codes

Example

GAATLKW30.FABRIC.FSC.OFC1

 GAATLKW30
 FABRIC
 FSC
 OFC1

 MODEL NUMBER
 FABRIC
 FSC TACKBOARD
 OFFICE #

Top of Overhead

TOP OF 1 HIGH OVERHEAD	yards	model number	1	2	3	COM/4
7/ 00 55.2/						
⁷ / ₈ 30 55 ³ / ₄	1.75	GAATLKW1H30	1,240	1,266	1,293	1,320
⁷ / ₈ 36 55 ³ / ₄	1.75	GAATLKW1H36	1,288	1,320	1,356	1,390
⁷ / ₈ 42 55 ³ / ₄	1.75	GAATLKW1H42	1,326	1,367	1,406	1,449
FABRIC 7/8 48 55 3/4	1.75	GAATLKW1H48	1,361	1,402	1,441	1,484

• A trough worksurface is required for ALL tackzone.

TOP OF 2 HIGH OVERHEAD



7/8	30	64 1/4	2.00	GAATLKW2H30	1,288	1,314	1,341	1,368
7/8	36	64 1/4	2.00	GAATLKW2H36	1,326	1,358	1,394	1,428
7/8	42	64 1/4	2.00	GAATLKW2H42	1,361	1,402	1,441	1,484
7/8	48	64 1/4	2.00	GAATLKW2H48	1,420	1,461	1,500	1,543

- Dimensioned from trough worksurface to top of 2 high overhead (or 6 high storage)
- A trough worksurface is required for ALL tackzone.
- Layers tackboards to top of 1H and 2H overheads are "up the roll".


PRODUCT SPECIFICATIONS:

STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric
 pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote
 for a special quote.

SPECIA



Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

See yards listed above for COM fabric requirement

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FABRIC
3. FSC TACKBOARD
4. OFFICE #

FSC Tackboard Options:

FSC = FSC Required (+5% COM upcharge)
NR = FSC Not Required

COM FABRIC REQUIREMENT

All COM must be shipped prepaid to Gunlocke with package side marked with:

- Dealer Name
- Dealer Purchase Order Number
- Gunlocke Pattern Number

See inside front cover for required option codes

Example

GAATLKW30.FABRIC.FSC.OFC1

WHITEBOARDS

Standard

		D	W	Н	model number	list
STANDARD						
		3/4	30	28 ¹ / ₂	GAATGW30-GSA	1,881
///		3/4	36	28 ¹ / ₂	GAATGW36-GSA	2,137
		3/4	60	28 ¹ / ₂	GAATGW60-GSA	3,503
MAGNETIC		3/4	66	28 ¹ / ₂	GAATGW66-GSA	4,008
		3/4	72	28 ¹ / ₂	GAATGW72-GSA	4,272
		3/4	78	28 1/2	GAATGW78-GSA	4,737
		3/4	84	28 ¹ / ₂	GAATGW84-GSA	5,381
	2-PIECE	3/4	90	28 ¹ / ₂	GAATGW90-GSA	5,629
	2-PIECE	3/4	96	28 ¹ / ₂	GAATGW96-GSA	5,900
	2-PIECE	3/4	102	28 ¹ / ₂	GAATGW102-GSA	6,149
		3/4	108	28 ¹ / ₂	GAATGW108-GSA	6,411

[•] **NOTE:** Quantity 6 magnets are included with each unit 72"W and less. Quantity 12 magnets are included with each unit 84"W and greater. Magnets can also be ordered separately.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. GLASS COLOR
3. OFFICE #

NOTE: Whiteboards are GSA (TAA) compliant standard.

See inside front cover for required option codes

Example

GAATGW30-GSA.WH.OFC1

 $\begin{array}{ccc} {\sf GAATGW30\text{-}GSA} & & {\sf WH} & & {\sf OFC1} \\ \hline {\sf MODEL NUMBER} & & {\sf GLASS\,COLOR} & & {\sf OFFICE\,\#} \\ \end{array}$

Top of Overhead

	D	W	Н	model number	select	
TOP OF 1 HIGH OVERHEAD						
	3/4	30	48	GAATGW1H30-GSA	3,503	
//	3/4	36	48	GAATGW1H36-GSA	4,008	
	3/4	42	48	GAATGW1H42-GSA	4,272	
MAGNETIC	3/4	48	48	GAATGW1H48-GSA	4,737	

- Dimensioned from trough worksurface to top of 1 high overhead (or 5 high storage)
- A trough worksurface is required for ALL tackzone.

TOP OF 2 HIGH OVERHEAD




MAGNETIC

3/4	30	56 ¹ / ₂	GAATGW2H30-GSA	4,008
3/4	36	56 ¹ / ₂	GAATGW2H36-GSA	4,272
3/4	42	56 ¹ / ₂	GAATGW2H42-GSA	4,737
3/4	48	56 ¹ / ₂	GAATGW2H48-GSA	5,381

- Dimensioned from trough worksurface to top of 2 high overhead (or 6 high storage)
- A trough worksurface is required for ALL tackzone.
- NOTE: Quantity 6 magnets are included with each unit 72"W and less. Quantity 12 magnets are included with each unit 84"W and greater. Magnets can also be ordered separately.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:



NOTE: Whiteboards are GSA (TAA) compliant standard.

See inside front cover for required option codes

Example

GAATGW1H30-GSA OFC1 MODEL NUMBER GLASS COLOR

	D	W	Н	model number	list
TOP OF 1 HIGH OVERHEAD					
	3/4	30	48	GAATGW1H30-XGSA	4,028
''	3/4	36	48	GAATGW1H36-XGSA	4,612
	3/4	42	48	GAATGW1H42-XGSA	4,916
MAGNETIC	3/4	48	48	GAATGW1H48-XGSA	5,454

- Dimensioned from trough worksurface to top of 1 high overhead (or 5 high storage)
- A trough worksurface is required for ALL tackzone.

TOP OF 2 HIGH OVERHEAD



MAGNETIC

3/4	30	56 ¹ / ₂	GAATGW2H30-XGSA	4,612
3/4	36	56 ¹ / ₂	GAATGW2H36-XGSA	4,916
3/4	42	56 ¹ / ₂	GAATGW2H42-XGSA	5,454
3/4	48	56 ¹ / ₂	GAATGW2H48-XGSA	6,187

- Dimensioned from trough worksurface to top of 2 high overhead (or 6 high storage)
- A trough worksurface is required for ALL tackzone.
- NOTE: Quantity 6 magnets are included with each unit 72"W and less. Quantity 12 magnets are included with each unit 84"W and greater. Magnets can also be ordered separately.
- Shelves must be ordered separately.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. GLASS COLOR
3. OFFICE #

NOTE: Whiteboards are GSA (TAA) compliant standard.

See inside front cover for required option codes

Example

GAATGW1H30-XGSA.WH.OFC1

GAATGW1H30-XGSA WH OFC1

MODEL NUMBER GLASS COLOR OFFICE #

134 Gunlocke sin# 33721

WOOD MAGNETIC TACKZONE

Standard

		D	W	Н	model number	veneer 1	veneer 2
STANDARD							
		7/8	30	28 ¹ / ₂	GAATWD30	1,887	2,064
		7/8	36	28 1/2	GAATWD36	2,003	2,191
		7/8	60	28 ¹ / ₂	GAATWD60	2,707	2,961
MAGNETIC	-	⁷ / ₈	66	28 ¹ / ₂	GAATWD66	2,865	3,134
	•	7/8	72	28 ¹ / ₂	GAATWD72	3,110	3,402
	•	7/8	78	28 ¹ / ₂	GAATWD78	3,207	3,508
	•	7/8	84	28 ¹ / ₂	GAATWD84	3,382	3,699
	-	7/8	90	28 ¹ / ₂	GAATWD90	3,830	4,189
	2-PIECE	7/8	96	28 ¹ / ₂	GAATWD96	3,943	4,312
	2-PIECE	7/8	102	28 ¹ / ₂	GAATWD102	4,059	4,440
	2-PIECE	7/8	108	28 ¹ / ₂	GAATWD108	4,281	4,683
	2-PIECE	7/8	120	28 1/2	GAATWD120	4,420	4,835
	-						

[•] **NOTE:** Quantity 6 magnets are included with each unit 72"W and less. Quantity 12 magnets are included with each unit 84"W and greater. Magnets can also be ordered separately.

1. MODEL NUMBER 2. FINISH 3. OFFICE # See inside front cover for required option codes Example

TO ORDER PLEASE SPECIFY THE FOLLOWING:

NC215 OFC1

GAATWD30

MODEL NUMBER

PRODUCT INFO

WOOD MAGNETIC TACKZONE

Top of Overhead

	D	W	Н	model number	veneer 1	veneer 2
TOP OF 1 HIGH OVERHEAD						
	7/8	30	48	GAATWD1H30	2,707	2,961
	7/8	36	48	GAATWD1H36	2,865	3,134
	7/8	42	48	GAATWD1H42	3,110	3,402
MAGNETIC	7/8	48	48	GAATWD1H48	3,207	3,508

- Dimensioned from trough worksurface to top of 1 high overhead (or 5 high storage)
- A trough worksurface is required for ALL tackzone.

TOP OF 2 HIGH OVERHEAD



7/8	30	56 ¹ / ₂	GAATWD2H30	2,865	3,134
7/8	36	56 ¹ / ₂	GAATWD2H36	3,110	3,402
7/8	42	56 ¹ / ₂	GAATWD2H42	3,207	3,508
7/8	48	56 ¹ / ₂	GAATWD2H48	3,382	3,699

- •Dimensioned from trough worksurface to top of 2 high overhead (or 6 high storage)
- •A trough worksurface is required for ALL tackzone.
 - **NOTE:** Quantity 6 magnets are included with each unit 72"W and less. Quantity 12 magnets are included with each unit 84"W and greater. Magnets can also be ordered separately.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. OFFICE #

See inside front cover for required option codes

Example

GAATWD1H30.NC215.OFC1

 GAATWD1H30
 NC215
 OFC1

 MODEL NUMBER
 FINISH
 OFFICE

SEGMENTED WOOD MAGNETIC TACKZONE

	D	W	Н	model number	veneer 1	veneer 2
TOP OF 1 HIGH OVERHEAD						
	7/8	30	48	GAATWD1H30-X	3,112	3,404
	7/8	36	48	GAATWD1H36-X	3,298	3,607
	7/8	42	48	GAATWD1H42-X	3,578	3,913
MAGNETIC	7/8	48	48	GAATWD1H48-X	3,689	4,035

- Dimensioned from trough worksurface to top of 1 high overhead (or 5 high storage)
- A trough worksurface is required for ALL tackzone

TOP OF 2 HIGH OVERHEAD



7/8	30	56 1/2	GAATWD2H30-X	3,298	3,607
7/8	36	56 1/2	GAATWD2H36-X	3,578	3,913
7/8	42	56 ½	GAATWD2H42-X	3,689	4,035
7/8	48	56 ½	GAATWD2H48-X	3,891	4,257

- Dimensioned from trough worksurface to top of 2 high overhead (or 6 high storage)
- A trough worksurface is required for ALL tackzone.
- **NOTE:** Quantity 6 magnets are included with each unit 72"W and less. Quantity 12 magnets are included with each unit 84"W and greater. Magnets can also be ordered separately.
- Shelves must be ordered separately.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. OFFICE #

See inside front cover for required option codes

Example

GAATWD1H30-X.NC215.OFC1

 GAATWD1H30-X
 NC215
 OFC1

 MODEL NUMBER
 FINISH
 OFFICE #

SHELVES

		D	W	Н	model number	veneer 1	veneer 2
WOOD							
	\Rightarrow	8	30	1	GA2ASF830-W	934	1,028
		8	36	1	GA2ASF836-W	1,005	1,107
		8	42	1	GA2ASF842-W	1,145	1,260
		8	48	1	GA2ASF848-W	1,278	1,407
		8	60	1	GA2ASF860-W	1,457	1,604
		8	66	1	GA2ASF866-W	1,557	1,713
		8	72	1	GA2ASF872-W	1,645	1,810
		8	78	1	GA2ASF878-W	1,726	1,900
		8	84	1	GA2ASF884-W	1,824	2,008
		8	90	1	GA2ASF890-W	2,041	2,246
	2-PIECE	8	96	1	GA2ASF896-W	2,112	2,324
	2-PIECE	8	102	1	GA2ASF8102-W	2,186	2,406
	2-PIECE	8	108	1	GA2ASF8108-W	2,256	2,482
	2-PIECE	8	120	1	GA2ASF8120-W	2,914	3,207
	2-PIECE	8	144	1	GA2ASF8144-W	3,294	3,625

- WHEN PLACING MULTIPLE SHELVES END TO END, PLEASE CONTACT GUNTS FOR A SPECIAL SET OF SHELVES WITH A DOWEL PIN FOR ALIGNMENT SHELF TO SHELF
- · STANDARD 2-PIECE SHELVES INCLUDE DOWEL PIN

PRODUCT INFO TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. OFFICE #

See inside front cover for required option codes

Example

GA2ASF830-W.NC215.OFC1

 GA2ASF830-W
 NC215
 OFC1

 MODEL NUMBER
 FINISH
 OFFICE #

ROUND TABLES

		D	W	Н	model number	veneer 1	veneer 2
		42 dia.		1 ¹ /2	GA2TRD42-W	4,858	5,345
		48 dia.		1 ¹ / ₂	GA2TRD48-W	5,727	6,301
	2-PIECE	54 dia.		1 ¹ /2	GA2TRD54-W	6,857	7,543
	2-PIECE	60 dia.		1 ¹ / ₂	GA2TRD60-W	7,156	7,873

PRODUCT INFO TO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. TOP UV FINISH TYPE
4. OFFICE #

See inside front cover for required option codes

Example

GA2TRD42-W.NC215.FF.OFC1

RECESSED LED TASKLIGHTS

Replacements

	D	W	Н	model number	list
RECESSED LED TASKLIGHTS					
	5/8	24	⁵ /8	ACLED24-R	787
	⁵ / ₈	54	⁵ /8	ACLED54-R	1,099
	⁵ / ₈	72	⁵ /8	ACLED72-R	1,663

Tasklights are INCLUDED with all overhead cabinets.

They do NOT need to be purchased separately.

- LED lighting provides high efficiency, low energy lighting with a long life.
- All LED light strips are encased in a silver aluminum extrusion and include a built-in microswitch to turn the light on/off.
- Lights are field installed.
- All units include a 10' cord with a standard plug.
- Tasklights are recessed into bottom panel of overhead cabinet.
- Light temperature 3200K

PRODUCT INFO	TO ORDER PLEASE SPECIFY THE FOLLOWING:								
See product specs above	1. MODEL NUMBER NOTE: Office # option not required								
	See inside front cover for required option codes								
	Example								
	ACLED24-R								
	ACLED24-R								
	MODEL NUMBER								

Credentials 05/22

	D	W	Н	model number	list
MAGNETS	³ / ₈ dia.		1/2	SAMAGNET	99
		•	ignets are inc	cluded with each unit 72"W and	less. Quantity 12 magnets are included

• Magnets are silver

PRODUCT INFO	TO ORDER PLEASE SPECIFY THE FOLLOWING:								
	1. MODEL NUMBER								
	See inside front cover for required option codes								
	Example								
	SAMAGNET								
	SAMAGNET								

WIRE MANAGER Credentials

	D	W	Н	model number	list
BENEATH WORKSURFACE					
WIRE MANAGER	3 1/4	30	1	ACWM	111




PRODUCT INFO	TO ORDER PLEASE SPECIFY THE FOLLOWING: 1. MODEL NUMBER
	NOTE: Office # option not required
	See inside front cover for required option codes
	Example
	ACWM
	ACWM
	MODEL NUMBER

05/22

PERSONAL CORNER & DESKPAD

	D	W	Н	model number	list
PERSONAL CORNER					
	12 1/2	36	1 ⁷ /8	GAACORNER	1,134





PRODUCT INFO

Designed for 1.5" thick worksurfaces.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER 1. 2. LEATHER/VINYL COLOR OFFICE #

Leather Color:

CBL = Black
CWH = White
CCH = Chocolate

Vinyl Color:

VBL = Black VWH = White VCH = Chocolate

See inside front cover for required option codes

Example

GAACORNER CWH OFC1 LEATHER COLOR OFFICE # MODEL NUMBER

ORGANIZATION TRAYS

Leather

	D	W	Н	model number	list				
15" BOX DRAWER INSERT									
	13 15/16	11 11/16	3	GAATRAYBOX15	889				
	• For use	in 15" wide box	drawers						
18" BOX DRAWER INSERT									
18 BUX DRAWER INSERT	13 ¹⁵ / ₁₆	14 ¹¹ / ₁₆	3	GAATRAYBOX18	976				
	• For use	in 18" wide box	drawers						
30" BOX DRAWER INSERT									
	13 15/16	26 11/16	3	GAATRAYBOX30	1,663				
	• For use	in 30" wide box	drawers						
OCH DOV DD AWED INCEDT									
36" BOX DRAWER INSERT	13 ¹⁵ / ₁₆	32 11/16	3	GAATRAYBOX36	1,820				
		e in 36" wide b	nov drawere		,				
	- 1 01 43	c iii 50 Wide b	ox drawers						
15" TRAY FOR OVERHEADS With Cubby	13 ¹⁵ / ₁₆	13 ¹ / ₄	3	GAATRAYLTR15	775				
(Sliding & soft lift	Letter tra	ay for use in 1 h	nigh overhe	ads with 15" wide cubbies.					
doors ONLY)	• For slidi	ng door and so		overhead, with width dimension	in 15" increments =				
)"w, 120"w use with hinged	I doors. Hin	ge location prevents leather tra	v from fitting in opening.				
				9	,g spsg.				
18" TRAY FOR OVERHEADS With Cubby	13 ¹⁵ / ₁₆	16 ¹ / ₄	3	GAATRAYLTR18	847				
(Sliding & soft lift doors ONLY)	Letter tray for use in 1 high overheads with 18" wide cubbies								
uoois ONLI)	 For sliding door and soft lift door overhead, with width dimension in 18" increments = 								
	72"w, 108"wNot for use with hinged doors. Hinge location prevents leather tray from fitting in opening.								
				· .					
PRODUCT INFO	TO ORDER	PLEASE S	SPECIFY	THE FOLLOWING:					
	1.	MODEL	. NUMBER						
	2.		ER COLOR		Leather Color:				
	3.	OFFICE	= <i>#</i>		CBL = Black CWH = White CCH = Chocolate				
					- 5110051410				
	See inside from	nt cover for red	quired option	on codes					
	Example								
	GAATRAYBOX15.CWH								
	GAATRAYBOX15 MODEL NUMBER	CWH LEATHER COL	OFC1 OFFICE#	-					

	D	W	Н	model number	list	
15" PENCIL TRAY	3	11 ⁵ / ₁₆	1 1/4	ACPT15-GAA	113	
18" PENCIL TRAY	3	14 ⁵ / ₁₆	1 ¹ / ₄	ACPT18-GAA	120	
	-					

W W veneer 1 veneer 2

CENTER DRAWER

17 ⁵/₈ 21 ³/₄ 2 ¹⁵/₁₆ **GS2CDWSD-** 795 878



INTERIOR DIMENSIONS

 $D = 15^{-1/2}$ $W = 18^{-1/4}$ $H = 1^{-3/8}$

PRODUCT INFO

Center drawer includes pencil tray

TO ORDER PLEASE SPECIFY THE FOLLOWING:

. MODEL NUMBER

FINISH

 Finish option not required for pencil trays

NOTE: Office # option not required

See inside front cover for required option codes

Example

ACCD19.NC215

ACCD19 NC215

MODEL NUMBER FINISH

		D	W	Н	model number	list
POWER UNIT						
	_	1 3/4	3	1 3/4	ACPWRT	735



- Includes 3 power outlets 2 power outlets on top surface and 1 power outlet on end of unit.
- Ships with 6 ft power cord with standard plug
- UL listed
- Mounting bracket included for use installation in the following applications:
 - To bottom of worksurface beneath grommets
 - To bottom of worksurface in trough opening of trough worksurfaces
 - As power strip inside wall access panels or beneath desks

PRODUCT INFO	TO ORDER PLEASE SPECIFY THE FOLLOWING: 1. MODEL NUMBER
	NOTE: Office # option not required
	See inside front cover for required option codes
	See maide none cover for required option codes
	Example
	ACPWRT
	ACPWRT MODEL NUMBER

	D	W	Н	model number	list
FOR USE WITH					
15" W FILE DRAWERS	1/8	15	1	ACFLR15-AA	41

FOR USE WITH					
18" W FILE DRAWERS	1/8	18	1	ACFLR18-AA	42
•					
FOR USE WITH					
30" W LATERAL FILES	1/8	30	1	ACFLR30-AA	46
FOR USE WITH					
36" W LATERAL FILES	1/8	36	1	ACFLR36-AA	51



PRODUCT INFO	TO ORDER PLEASE SPECIFY THE FOLLOWING: 1. MODEL NUMBER								
	NOTE: Office # option not required								
	See inside front cover for required option codes								
	Example								
	ACFLR15-AA								
	ACFLR15-AA MODEL NUMBER								

	D	W	Н	model number	list
TRASH CAN					
	9 3/4	9 3/4	12	ACTRASH	898
	Quantit	y 2 trash can	s are includ	ed with all (-T) pedestals.	
	They do	o not need to	be purchas	sed separately.	

• Satin brushed aluminum finish

PRODUCT INFO	TO ORDER PLEASE SPECIFY THE FOLLOWING: 1. MODEL NUMBER
	NOTE: Office # option not required
	See inside front cover for required option codes
	Example
	ACTRASH
	ACTRASH MODEL NUMBER

Credentials 05/22

	D	W	Н	model number	veneer 1	veneer 2
SAMPLE TOP						
	18	18	1 ¹ / ₂	GAATOP1818-W	1,368	1,495

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. TOP UV FINISH TYPE
4. OFFICE #

See inside front cover for required option codes

Example

GAATOP1818-W.NC215.FF.OFC1

GAATOP1818-W NC215 FF OFC1

MODEL NUMBER FINISH TOP UV FINISH

model number	1	2	3	COM/4	5	6	7	8	9	10	11	12	13	14	15	16
GAAMPD-CUSH1818	627	645	669	689	720	745	771	801	827	856	884	912	948	974	1,008	1,044
		=20	= 0.0													
GAACLPD-CUSH2430	706	733	760	789	829	865	897	935	969	1,008	1,048	1,083	1,131	1,164	1,208	1,255
GAACLPD-CUSH2436	762	796	831	867	914	961	1,002	1,050	1,094	1,140	1,188	1,232	1,292	1,337	1,393	1,451
GAACLPD-CUSH2130T	706	733	760	789	829	865	897	935	969	1,008	1,048	1,083	1,131	1,164	1,208	1,255
GAACLPD-CUSH2136T	762	796	831	867	914	961	1,002	1,050	1,094	1,140	1,188	1,232	1,292	1,337	1,393	1,451
GAATKW30	998	1,024	1,051	1,078	1,115	1,151	1,183	1,216	1,254	1,288	1,329	1,359	1,404	1,441	1,484	1,528
GAATKW36	1,046	1,078	1,114	1,148	1,194	1,236	1,279	1,324	1,364	1,409	1,456	1,499	1,557	1,599	1,653	1,709
GAATKW60	1,215	1,267	1,320	1,376	1,450	1,521	1,583	1,658	1,727	1,799	1,871	1,943	2,032	2,101	2,188	2,277
GAATKW66	1,240	1,292	1,345	1,401	1,475	1,546	1,608	1,683	1,752	1,824	1,896	1,968	2,057	2,126	2,213	2,302
GAATKW72	1,288	1,345	1,407	1,472	1,551	1,633	1,703	1,787	1,864	1,944	2,026	2,105	2,206	2,283	2,381	2,483
GAATKW78	1,326	1,393	1,461	1,530	1,621	1,713	1,790	1,882	1,970	2,061	2,153	2,241	2,351	2,436	2,546	2,660
GAATKW84	1,361	1,428	1,496	1,565	1,656	1,748	1,825	1,917	2,005	2,096	2,188	2,276	2,386	2,471	2,581	2,695
GAATKW90	1,420	1,490	1,568	1,644	1,744	1,845	1,931	2,029	2,125	2,226	2,326	2,420	2,545	2,640	2,759	2,884
GAATKW96	1,480	1,556	1,640	1,722	1,834	1,940	2,035	2,143	2,246	2,357	2,466	2,569	2,703	2,807	2,939	3,072
GAATKW102	2,042	2,126	2,216	2,305	2,425	2,542	2,642	2,761	2,873	2,991	3,111	3,221	3,368	3,480	3,620	3,767
GAATKW108	2,113	2,206	2,301	2,398	2,526	2,655	2,761	2,891	3,013	3,140	3,266	3,390	3,547	3,668	3,820	3,977
GAATKW120	2,432	2,530	2,632	2,736	2,874	3,009	3,127	3,263	3,394	3,529	3,665	3,797	3,967	4,096	4,257	4,427
GAATKW1H30	1,215	1,241	1,268	1,295	1,332	1,368	1,400	1,433	1,471	1,505	1,546	1,576	1,621	1,658	1,701	1,745
GAATKW1H36	1,240	1,272	1,308	1,342	1,388	1,430	1,473	1,518	1,558	1,603	1,650	1,693	1,751	1,793	1,847	1,903
GAATKW1H42	1,288	1,329	1,368	1,411	1,465	1,522	1,570	1,623	1,675	1,731	1,787	1,837	1,907	1,960	2,023	2,090
GAATKW1H48	1,326	1,367	1,406	1,449	1,503	1,560	1,608	1,661	1,713	1,769	1,825	1,875	1,945	1,998	2,061	2,128
GAATKW2H30	1,240	1,266	1,293	1,320	1,357	1,393	1,425	1,458	1,496	1,530	1,571	1,601	1,646	1,683	1,726	1,770
GAATKW2H36	1,288	1,320	1,356	1,390	1,436	1,478	1,521	1,566	1,606	1,651	1,698	1,741	1,799	1,841	1,895	1,951
GAATKW2H42	1,326	1,367	1,406	1,449	1,503	1,560	1,608	1,661	1,713	1,769	1,825	1,875	1,945	1,998	2,061	2,128
GAATKW2H48	1,361	1,402	1,441	1,484	1,538	1,595	1,643	1,696	1,748	1,804	1,860	1,910	1,980	2,033	2,096	2,163
GAATLKW30	1,046	1,072	1,099	1,126	1,163	1,199	1,231	1,264	1,302	1,336	1,377	1,407	1,452	1,489	1,532	1,576
GAATLKW36	1,215	1,247	1,283	1,317	1,363	1,405	1,448	1,493	1,533	1,578	1,625	1,668	1,726	1,768	1,822	1,878
GAATLKW60	1,240	1,292	1,345	1,401	1,475	1,546	1,608	1,683	1,752	1,824	1,896	1,968	2,057	2,126	2,213	2,302
GAATLKW66	1,288	1,340	1,393	1,449	1,523	1,594	1,656	1,731	1,800	1,872	1,944	2,016	2,105	2,174	2,261	2,350
GAATLKW72	1,326	1,383	1,445	1,510	1,589	1,671	1,741	1,825	1,902	1,982	2,064	2,143	2,244	2,321	2,419	2,521
GAATLKW78	1,361	1,428	1,496	1,565	1,656	1,748	1,825	1,917	2,005	2,096	2,188	2,276	2,386	2,471	2,581	2,695
GAATLKW84	1,420	1,487	1,555	1,624	1,715	1,807	1,884	1,976	2,064	2,155	2,247	2,335	2,445	2,530	2,640	2,754
GAATLKW90	1,480	1,550	1,628	1,704	1,804	1,905	1,991	2,089	2,185	2,286	2,386	2,480	2,605	2,700	2,819	2,944
GAATLKW96	2,042	2,118	2,202	2,284	2,396	2,502	2,597	2,705	2,808	2,919	3,028	3,131	3,265	3,369	3,501	3,634
GAATLKW102	2,113	2,197	2,287	2,376	2,496	2,613	2,713	2,832	2,944	3,062	3,182	3,292	3,439	3,551	3,691	3,838
GAATLKW108	2,220	2,313	2,408	2,505	2,633	2,762	2,868	2,998	3,120	3,247	3,373	3,497	3,654	3,775	3,927	4,084
GAATLKW120	2,477	2,575	2,677	2,781	2,919	3,054	3,172	3,308	3,439	3,574	3,710	3,842	4,012	4,141	4,302	4,472

model number	17	18	19	20	21	22	23	24	25	26	27	col	L1	L2	L3	L4	L5
GAAMPD-CUSH1818	1,080	1,104	1,140	1,170	1 205	1 239	1,305	1 379	1 444	1 509	1,576	689	901	1,129	1,358	1,589	1,795
	-,,,,,,	-,,			-,,,,,,,,,	-,,,,,,,,	1,000	-1,072	-,								
GAACLPD-CUSH2430	1,303	1,335	1,379	1,423	1,467	1,510	1,600	1,687	1,779	1,868	1,956	789	1,073	1,378	1,681	1,986	2,263
GAACLPD-CUSH2436	1,506	1,548	1,604	1,656	1,712	1,767	1,882	1,992	2,102	2,214	2,327	867	1,219	1,603	1,981	2,363	2,707
GAACLPD-CUSH2130T	1,303	1,335	1,379	1,423	1,467	1,510	1,600	1,687	1,779	1,868	1,956	789	1,073	1,378	1,681	1,986	2,263
GAACLPD-CUSH2136T	1,506	1,548	1,604	1,656	1,712	1,767	1,882	1,992	2,102	2,214	2,327	867	1,219	1,603	1,981	2,363	2,707
GAATKW30	1,573	1,603	1,645	1,687	1,731	1,773	1,860	1,942	2,033	2,118	2,202						
GAATKW36	1,763	1,803	1,855	1,908	1,963	2,017	2,126	2,229	2,338	2,447	2,555						
GAATKW60	2,363	2,425	2,512	2,595	2,680	2,768	2,940	3,110	3,282	3,455	3,627						
GAATKW66	2,388	2,450	2,537	2,620	2,705	2,793	2,965	3,135	3,307	3,480	3,652						
GAATKW72	2,579	2,651	2,748	2,841	2,939	3,034	3,229	3,419	3,615	3,811	4,002						
GAATKW78	2,767	2,846	2,953	3,059	3,166	3,278	3,493	3,705	3,921	4,139	4,349						
GAATKW84	2,802	2,881	2,988	3,094	3,201	3,313	3,528	3,740	3,956	4,174	4,384						
GAATKW90	3,002	3,090	3,209	3,325	3,441	3,561	3,800	4,034	4,274	4,513	4,745						
GAATKW96	3,203	3,296	3,424	3,549	3,679	3,808	4,068	4,324	4,584	4,841	5,096						
GAATKW102	3,907	4,009	4,152	4,285	4,423	4,565	4,846	5,120	5,403	5,686	5,960						
GAATKW108	4,129	4,239	4,392	4,537	4,686	4,838	5,143	5,440	5,744	6,045	6,342						
GAATKW120	4,591	4,706	4,870	5,026	5,188	5,352	5,675	5,995	6,321	6,643	6,963						
GAATKW1H30	1,790	1,820	1,862	1,904	1,948	1,990	2,077	2,159	2,250	2,335	2,419						
GAATKW1H36	1,957	1,997	2,049	2,102	2,157	2,211	2,320	2,423	2,532	2,641	2,749						
GAATKW1H42	2,155	2,204	2,269	2,329	2,394	2,461	2,591	2,721	2,850	2,978	3,109						
GAATKW1H48	2,193	2,242	2,307	2,367	2,432	2,499	2,629	2,759	2,888	3,016	3,147						
GAATKW2H30	1,815	1,845	1,887	1,929	1,973	2,015	2,102	2,184	2,275	2,360	2,444						
GAATKW2H36	2,005	2,045	2,097	2,150	2,205	2,259	2,368	2,471	2,580	2,689	2,797						
GAATKW2H42	2,193	2,242	2,307	2,367	2,432	2,499	2,629	2,759	2,888	3,016	3,147						
GAATKW2H48	2,228	2,277	2,342	2,402	2,467	2,534	2,664	2,794	2,923	3,051	3,182						
GAATLKW30	1,621	1,651	1,693	1,735	1,779	1,821	1,908	1,990	2,081	2,166	2,250						
GAATLKW36	1,932	1,972	2,024	2,077	2,132	2,186	2,295	2,398	2,507	2,616	2,724						
GAATLKW60	2,388	2,450	2,537	2,620	2,705	2,793	2,965	3,135	3,307	3,480	3,652						
GAATLKW66	2,436	2,498	2,585	2,668	2,753	2,841	3,013	3,183	3,355	3,528	3,700						
GAATLKW72	2,617	2,689	2,786	2,879	2,977	3,072	3,267	3,457	3,653	3,849	4,040						
GAATLKW78	2,802	2,881	2,988	3,094	3,201	3,313	3,528	3,740	3,956	4,174	4,384						
GAATLKW84	2,861	2,940	3,047	3,153	3,260	3,372	3,587	3,799	4,015	4,233	4,443						
GAATLKW90	3,062	3,150	3,269	3,385	3,501	3,621	3,860	4,094	4,334	4,573	4,805						
GAATLKW96	3,765	3,858	3,986	4,111	4,241	4,370	4,630	4,886	5,146	5,403	5,658						
GAATLKW102	3,978	4,080	4,223	4,356	4,494	4,636	4,917	5,191	5,474	5,757	6,031						
GAATLKW108	4,236	4,346	4,499	4,644	4,793	4,945	5,250	5,547	5,851	6,152	6,449						
GAATLKW120	4,636	4,751	4,915	5,071	5,233	5,397	5,720	6,040	6,366	6,688	7,008						
	_				_	_		_	_		_			_	_	_	

model number	1	2	3	COM/4	5	6	7	8	9	10	11	12	13	14	15	16
GAATLKW1H30	1,240	1,266	1,293	1,320	1,357	1,393	1,425	1,458	1,496	1,530	1,571	1,601	1,646	1,683	1,726	1,770
GAATLKW1H36	1,288	1,320	1,356	1,390	1,436	1,478	1,521	1,566	1,606	1,651	1,698	1,741	1,799	1,841	1,895	1,951
GAATLKW1H42	1,326	1,367	1,406	1,449	1,503	1,560	1,608	1,661	1,713	1,769	1,825	1,875	1,945	1,998	2,061	2,128
GAATLKW1H48	1,361	1,402	1,441	1,484	1,538	1,595	1,643	1,696	1,748	1,804	1,860	1,910	1,980	2,033	2,096	2,163
GAATLKW2H30	1,288	1,314	1,341	1,368	1,405	1,441	1,473	1,506	1,544	1,578	1,619	1,649	1,694	1,731	1,774	1,818
GAATLKW2H36	1,326	1,358	1,394	1,428	1,474	1,516	1,559	1,604	1,644	1,689	1,736	1,779	1,837	1,879	1,933	1,989
GAATLKW2H42	1,361	1,402	1,441	1,484	1,538	1,595	1,643	1,696	1,748	1,804	1,860	1,910	1,980	2,033	2,096	2,163
GAATLKW2H48	1,420	1,461	1,500	1,543	1,597	1,654	1,702	1,755	1,807	1,863	1,919	1,969	2,039	2,092	2,155	2,222

model number	17	18	19	20	21	22	23	24	25	26	27	col	L1	L2	L3	L4	L5
	1.015	1.045	1.005	1.000		0.015	0.100			2.200							

GAATLKW1H30	1,815	1,845	1,887	1,929	1,973	2,015	2,102	2,184	2,275	2,360	2,444
GAATLKW1H36	2,005	2,045	2,097	2,150	2,205	2,259	2,368	2,471	2,580	2,689	2,797
GAATLKW1H42	2,193	2,242	2,307	2,367	2,432	2,499	2,629	2,759	2,888	3,016	3,147
GAATLKW1H48	2,228	2,277	2,342	2,402	2,467	2,534	2,664	2,794	2,923	3,051	3,182
GAATLKW2H30	1,863	1,893	1,935	1,977	2,021	2,063	2,150	2,232	2,323	2,408	2,492
GAATLKW2H36	2,043	2,083	2,135	2,188	2,243	2,297	2,406	2,509	2,618	2,727	2,835
GAATLKW2H42	2,228	2,277	2,342	2,402	2,467	2,534	2,664	2,794	2,923	3,051	3,182
GAATLKW2H48	2,287	2,336	2,401	2,461	2,526	2,593	2,723	2,853	2,982	3,110	3,241

model number	weight	cubes	#locks	page
ACFLR15-AA	1 lbs.	0.1	_	147
ACFLR18-AA	1 lbs.	0.2	_	147
ACFLR30-AA	1 lbs.	0.2	_	147
ACFLR36-AA	1 lbs.	0.3	_	147
ACLED24-R	1 lbs.	0.2	_	140
ACLED54-R	4 lbs.	0.4	_	140
ACLED72-R	5 lbs.	0.6	_	140
ACPT15-GAA	2 lbs.	0.5	_	145
ACPT18-GAA	2 lbs.	0.5	_	145
ACPWRT	1 lbs.	0.1	_	146
ACTRASH	1 lbs.	1.4	_	148
ACWCB15	6 lbs.	0.7	_	94
ACWCB20	8 lbs.	0.8	_	94
ACWM	1 lbs.	0.6	_	142
BSHAT2142	53 lbs.	5.4	_	102
BSHAT2148	55 lbs.	6.3	_	102
BSHAT2154	57 lbs.	7.1	_	102
BSHAT2160	59 lbs.	7.9		102
BSHAT2166	61 lbs.	8.8	_	102
BSHAT2172	63 lbs.	9.6	_	102
BSHAT2748	59 lbs.	7.8	_	102
BSHAT2754	61 lbs.	8.9	_	102
BSHAT2760	63 lbs.	9.9	_	102
BSHAT2766	65 lbs.	10.9	_	102
BSHAT2772	67 lbs.	12.0	_	102
GA2ASF830-W	16 lbs.	0.8	_	138
GA2ASF836-W	17 lbs.	1.0	_	138
GA2ASF842-W	19 lbs.	1.1	_	138
GA2ASF848-W	20 lbs.	1.3	_	138
GA2ASF860-W	22 lbs.	1.6	_	138
GA2ASF866-W	24 lbs.	1.8	_	138
GA2ASF872-W	25 lbs.	1.9	_	138
GA2ASF878-W	26 lbs.	2.1	-	138
GA2ASF884-W	27 lbs.	2.2	_	138
GA2ASF890-W	29 lbs.	2.4	_	138
GA2ASF896-W	30 lbs.	2.5	_	138
GA2ASF8102-W	31 lbs.	2.7	_	138
GA2ASF8108-W	32 lbs.	2.8	_	138
GA2ASF8120-W	35 lbs.	3.1	_	138
GA2ASF8144-W	40 lbs.	3.7	_	138
GA2BKN2H1830-W	126 lbs.	12.3	_	110
GA2BKN2H1836-W	144 lbs.	14.6	-	110
GA2BKN3H1830-W	141 lbs.	17.6	_	110
-				

model number	weight	cubes	#locks	page
GA2BKN3H1836-W	159 lbs.	20.8	_	110
GA2BKN4H1830-W	178 lbs.	22.9	_	110
GA2BKN4H1836-W	201 lbs.	27.1	_	110
GA2BKN5H1830-W	223 lbs.	30.0	_	110
GA2BKN5H1836-W	251 lbs.	35.4	_	110
GA2BKN6H1830-W	251 lbs.	33.2	_	110
GA2BKN6H1836-W	283 lbs.	39.2	_	110
GA2BLRG2466-W	83 lbs.	35.0	_	58
GA2BLRG2472-W	90 lbs.	38.0	_	58
GA2BLRG2478-W	97 lbs.	41.1	_	58
GA2BRG2442A-WW	54 lbs.	22.8	_	58
GA2BRG2442TA-WW	49 lbs.	20.5	_	59
GA2BRG2442T-WW	49 lbs.	20.5	_	59
GA2BRG2442-WW	54 lbs.	22.8	_	58
GA2BRG2448A-WW	60 lbs.	25.8	_	58
GA2BRG2448TA-WW	55 lbs.	23.2	_	59
GA2BRG2448T-WW	55 lbs.	23.2	_	59
GA2BRG2448-WW	60 lbs.	25.8	_	58
GA2BRG2454A-WW	69 lbs.	28.9	_	58
GA2BRG2454TA-WW	61 lbs.	25.9	_	59
GA2BRG2454T-WW	61 lbs.	25.9	_	59
GA2BRG2454-WW	69 lbs.	28.9	_	58
GA2CFS2460T-44WW	335 lbs.	31.4	2	95
GA2CFS2460T-55WW	326 lbs.	31.4	-	95
GA2CFS2472T-44WW	388 lbs.	37.4	2	95
GA2CFS2472T-55WW	380 lbs.	37.4	_	95
GA2CFS2490T-444WW	510 lbs.	46.4	3	96
GA2CFS2490T-454WW	504 lbs.	46.4	2	96
GA2CFS2490T-555WW	492 lbs.	46.4	_	96
GA2CFS24108T-444WW	584 lbs.	55.4	3	96
GA2CFS24108T-454WW	580 lbs.	55.4	2	96
GA2CFS24108T-555WW	572 lbs.	55.4	_	96
GA2CLC5H1818L-WW	174 lbs.	19.9	1	112
GA2CLC5H1818R-WW	174 lbs.	19.9	1	112
GA2CLC5H2418L-WW	217 lbs.	26.7	1	114
GA2CLC5H2418R-WW	217 lbs.	26.7	1	114
GA2CLC6H1818L-WW	207 lbs.	22.0	1	113
GA2CLC6H1818R-WW	197 lbs.	22.0	1	113
GA2CLC6H2418L-WW	248 lbs.	29.6	1	115
GA2CLC6H2418R-WW	248 lbs.	29.6	1	115
GA2CLD5H1818L-WW	220 lbs.	19.9	1	112
GA2CLD5H1818R-WW	220 lbs.	19.9	1	112
GA2CLD5H1824L-WW	254 lbs.	25.6	1	112

model number	weight	cubes	#locks	page
GA2CLD5H1824R-WW	254 lbs.	25.6	1	112
GA2CLD5H1830-WW	299 lbs.	31.3	1	112
GA2CLD5H2418L-WW	294 lbs.	26.7	1	114
GA2CLD5H2418R-WW	294 lbs.	26.7	1	114
GA2CLD5H2424L-WW	335 lbs.	34.4	1	114
GA2CLD5H2424R-WW	335 lbs.	34.4	1	114
GA2CLD5H2430-WW	375 lbs.	42.0	1	114
GA2CLD6H1818L-WW	256 lbs.	22.0	1	113
GA2CLD6H1818R-WW	256 lbs.	22.0	1	113
GA2CLD6H1824L-WW	296 lbs.	28.3	1	113
GA2CLD6H1824R-WW	296 lbs.	28.3	1	113
GA2CLD6H2418L-WW	330 lbs.	29.6	1	115
GA2CLD6H2418R-WW	330 lbs.	29.6	1	115
GA2CLD6H2424L-WW	378 lbs.	38.1	1	115
GA2CLD6H2424R-WW	379 lbs.	38.1	1	115
GA2CLFS2490T-B5SHW	398 lbs.	34.8	1	97
GA2CLFS2490T-BBSHW	448 lbs.	34.8	2	97
GA2CLFS2490T-SH5BW	422 lbs.	34.8	1	97
GA2CLFS2490T-SHBBW	471 lbs.	34.8	2	97
GA2CLFS24108T-B5SHW	485 lbs.	41.5	1	97
GA2CLFS24108T-BBSHW	539 lbs.	41.5	2	97
GA2CLFS24108T-SH5BW	485 lbs.	41.5	1	97
GA2CLFS24108T-SHBBW	539 lbs.	41.5	2	97
GA2CLFS24120T-5SH5W	481 lbs.	46.0	_	98
GA2CLFS24120T-B55SHW	542 lbs.	46.0	1	98
GA2CLFS24120T-BSHBW	579 lbs.	46.0	2	98
GA2CLFS24120T-SH55BW	542 lbs.	46.0	1	98
GA2CLS5H1818L-WW	197 lbs.	19.9	1	112
GA2CLS5H1818R-WW	197 lbs.	19.9	1	112
GA2CLS5H1830-WW	285 lbs.	31.3	1	112
GA2CLS5H2418L-WW	251 lbs.	26.7	1	114
GA2CLS5H2418R-WW	251 lbs.	26.7	1	114
GA2CLS5H2430-WW	346 lbs.	42.0	1	114
GA2CLS6H1818L-WW	230 lbs.	22.0	1	113
GA2CLS6H1818R-WW	220 lbs.	22.0	1	113
GA2CLS6H2418L-WW	282 lbs.	29.6	1	115
GA2CLS6H2418R-WW	282 lbs.	29.6	1	115
GA2CWR2460TL-W	72 lbs.	4.4	_	61
GA2CWR2460TR-W	73 lbs.	4.4	_	61
GA2CWR2460T-W	68 lbs.	4.0	_	60
GA2CWR2460-W	76 lbs.	4.4	-	60
GA2CWR2466TL-W	80 lbs.	4.9	_	61
GA2CWR2466TR-W	80 lbs.	4.9	-	61

model number	weight	cubes	#locks	page
GA2CWR2466T-W	74 lbs.	4.4	_	60
GA2CWR2466-W	83 lbs.	4.9	_	60
GA2CWR2472TL-W	87 lbs.	5.3	_	61
GA2CWR2472TR-W	87 lbs.	5.3	_	61
GA2CWR2472T-W	81 lbs.	4.7	_	60
GA2CWR2472-W	90 lbs.	5.3	_	60
GA2CWR2478TL-W	94 lbs.	5.7	_	61
GA2CWR2478TR-W	94 lbs.	5.7	_	61
GA2CWR2478T-W	87 lbs.	5.1	_	60
GA2CWR2478-W	97 lbs.	5.7	_	60
GA2CWR2484TL-W	101 lbs.	6.1	_	61
GA2CWR2484TR-W	101 lbs.	6.1	_	61
GA2CWR2484T-W	93 lbs.	5.5	_	60
GA2CWR2484-W	104 lbs.	6.1	_	60
GA2CWR2490TL-W	108 lbs.	6.5	_	61
GA2CWR2490TR-W	108 lbs.	6.5	_	61
GA2CWR2490T-W	99 lbs.	5.9	_	60
GA2CWR2490-W	111 lbs.	6.5	_	60
GA2CWR2496TL-W	115 lbs.	7.0	_	61
GA2CWR2496TR-W	115 lbs.	7.0	_	61
GA2CWR2496T-W	107 lbs.	6.3	_	60
GA2CWR2496-W	118 lbs.	7.0	-	60
GA2CWR24102TL-W	122 lbs.	7.4	-	61
GA2CWR24102TR-W	122 lbs.	7.4	-	61
GA2CWR24102T-W	112 lbs.	6.6	-	60
GA2CWR24102-W	125 lbs.	7.4	-	60
GA2CWR24108TL-W	129 lbs.	7.8	-	61
GA2CWR24108TR-W	129 lbs.	7.8	-	61
GA2CWR24108T-W	118 lbs.	7.0	-	60
GA2CWR24108-W	132 lbs.	7.8	-	60
GA2CWR24114TL-W	136 lbs.	8.2	_	61
GA2CWR24114TR-W	136 lbs.	8.2	_	61
GA2CWR24114T-W	125 lbs.	7.4	_	60
GA2CWR24114-W	139 lbs.	8.2	_	60
GA2CWR24120TL-W	143 lbs.	8.6	-	61
GA2CWR24120TR-W	143 lbs.	8.6	_	61
GA2CWR24120T-W	131 lbs.	7.8	_	60
GA2CWR24120-W	146 lbs.	8.6	-	60
GA2DMHA48-W	8 lbs.	1.3	_	105
GA2DMHA54-W	9 lbs.	1.4		105
GA2DMHA60-W	11 lbs.	1.6	_	105
GA2DMHA66-W	12 lbs.	1.8		105
GA2DMHA72-W	13 lbs.	1.9	_	105

model number	weight	cubes	#locks	page
GA2DRO3072L-3WW	251 lbs.	46.5	1	42
GA2DRO3072R-3WW	251 lbs.	46.5	1	43
GA2DRO3072TL-3WW	247 lbs.	46.5	1	42
GA2DRO3072TR-3WW	247 lbs.	46.5	1	43
GA2DRO3672-32WW	355 lbs.	54.9	2	41
GA2DRO3672L-3WW	276 lbs.	54.9	1	42
GA2DRO3672R-3WW	276 lbs.	54.9	1	43
GA2DRO3672TL-3WW	267 lbs.	54.9	1	42
GA2DRO3672TR-3WW	267 lbs.	54.9	1	43
GA2DRO3678-32WW	380 lbs.	59.3	2	41
GA2DRO3678L-3WW	286 lbs.	59.3	1	42
GA2DRO3678R-3WW	286 lbs.	59.3	1	43
GA2DRO3678TL-3WW	276 lbs.	59.3	1	42
GA2DRO3678TR-3WW	276 lbs.	59.3	1	43
GA2DRO3684-32WW	405 lbs.	63.7	2	41
GA2DRO3684L-3WW	306 lbs.	63.7	1	42
GA2DRO3684R-3WW	306 lbs.	63.7	1	43
GA2DRO3684TL-3WW	301 lbs.	63.7	1	42
GA2DRO3684TR-3WW	301 lbs.	63.7	1	43
GA2DTRAK3672L-WW	500 lbs.	54.9	_	38
GA2DTRAK3672R-WW	500 lbs.	54.9	_	39
GA2DTRAK3678L-WW	525 lbs.	59.3	_	38
GA2DTRAK3678R-WW	525 lbs.	59.3	_	39
GA2DTRAK3684L-WW	550 lbs.	63.7	-	38
GA2DTRAK3684R-WW	550 lbs.	63.7	_	39
GA2DTRL3072-G	101 lbs.	46.5	-	35
GA2DTRL3072-S	75 lbs.	46.5	-	35
GA2DTRL3072-W	111 lbs.	46.5	_	34
GA2DTRL3672-G	125 lbs.	54.9	-	35
GA2DTRL3672-S	85 lbs.	54.9	-	35
GA2DTRL3672-W	131 lbs.	54.9	_	34
GA2DTRL3678-G	135 lbs.	59.3	-	35
GA2DTRL3678-S	95 lbs.	59.3	-	35
GA2DTRL3678-W	142 lbs.	59.3	-	34
GA2DTRL3684-G	145 lbs.	63.7	-	35
GA2DTRL3684-S	105 lbs.	63.7	-	35
GA2DTRL3684-W	152 lbs.	63.7	_	34
GA2DTRM3672L-3WW	350 lbs.	54.9	1	36
GA2DTRM3672R-3WW	350 lbs.	54.9	1	37
GA2DTRM3678L-3WW	375 lbs.	59.3	1	36
GA2DTRM3678R-3WW	375 lbs.	59.3	1	37
GA2DTRM3684L-3WW	400 lbs.	63.7	1	36
GA2DTRM3684R-3WW	400 lbs.	63.7	1	37
GA2DTRR3672-WW	239 lbs.	54.9	-	40
				_

model number	weight	cubes	#locks	page
GA2DTRR3678-WW	264 lbs.	59.3	_	40
GA2DTRR3684-WW	289 lbs.	63.7	_	40
GA2DWRA2442-W	39 lbs.	3.2	_	103
GA2DWRA2448-W	45 lbs.	3.6	_	103
GA2DWRA2454-W	51 lbs	4.0	_	103
GA2DWRA2460-W	56 lbs.	4.4	_	103
GA2DWRA2466-W	62 lbs.	4.9	_	103
GA2DWRA2472-W	67 lbs.	5.3	_	103
GA2DWRA3048-W	56 lbs.	4.4	_	104
GA2DWRA3054-W	63 lbs.	4.9	_	104
GA2DWRA3060-W	70 lbs.	5.4	_	104
GA2DWRA3066-W	77 lbs.	5.9	_	104
GA2DWRA3072-W	84 lbs.	6.4	_	104
GA2DWRA3648-W	67 lbs.	5.2	_	104
GA2DWRA3654-W	76 lbs.	5.8	_	104
GA2DWRA3660-W	84 lbs.	6.4	_	104
GA2DWRA3666-W	93 lbs.	7.0	_	104
GA2DWRA3672-W	101 lbs.	7.6	_	104
GA2HDC2H2430T-WW	169 lbs.	17.3	_	111
GA2HDC2H2430-WW	169 lbs.	17.3	_	111
GA2HDC2H2436T-WW	195 lbs.	20.4	_	111
GA2HDC2H2436-WW	195 lbs.	20.4	_	111
GA2HDCLH2430-WW	132 lbs.	13.1	_	111
GA2HDCLH2436-WW	152 lbs.	15.5	_	111
GA2LFS2H2430T-WW	177 lbs.	17.3	1	108
GA2LFS2H2430-WW	188 lbs.	17.3	1	108
GA2LFS2H2436T-WW	196 lbs.	20.4	1	108
GA2LFS2H2436-WW	212 lbs.	20.4	1	108
GA2LFS3H2430-WW	259 lbs.	24.7	1	109
GA2LFS3H2436-WW	297 lbs.	29.2	1	109
GA2LFS4H2430-WW	325 lbs.	32.2	1	109
GA2LFS4H2436-WW	364 lbs.	38.0	1	109
GA2LFS5H2430-WW	410 lbs.	42.0	1	109
GA2LFS5H2436-WW	461 lbs.	49.7	1	109
GA2LFS6H2430-WW	454 lbs.	46.5	1	109
GA2LFS6H2436-WW	512 lbs.	55.0	1	109
GA2LFSLH2430-WW	162 lbs.	13.1	1	108
GA2LFSLH2436-WW	172 lbs.	15.5	1	108
GA2MCA24-W	30 lbs.	4.0	_	90
GA2MCA27-W	32 lbs.	4.4	_	90
GA2MCA30-W	34 lbs.	4.9	_	90
GA2MCA33-W	35 lbs.	5.3	_	90
GA2MCA36-W	37 lbs.	5.8	_	90
GA2MCA39-W	39 lbs.	6.2	-	90

model number	weight	cubes	#locks	page	mode
GA2MCA42-W	41 lbs.	6.7	_	90	GA2N
GA2MCA45-W	43 lbs.	7.1		90	GA2N
GA2MCA48-W	45 lbs.	7.6	_	90	GA2N
GA2MCA51-W	46 lbs.	8.0	_	90	GA2N
GA2MCA54-W	48 lbs.	8.5		90	GA2N
GA2MCA57-W	53 lbs.	8.9	_	90	GA2N
GA2MCA60-W	54 lbs.	9.3	_	90	GA2N
GA2MCA63-W	56 lbs.	9.8		90	GA2N
GA2MCA66-W	58 lbs.	10.2	_	90	GA2N
GA2MCA69-W	60 lbs.	10.7	_	90	GA2N
GA2MCA72-W	62 lbs.	11.1		90	GA2N
GA2MCF60-W	41 lbs.	4.1	_	88	GA2N
GA2MCF66-W	45 lbs.	4.5	_	88	GA2N
GA2MCF72-W	48 lbs.	4.9		88	GA2N
GA2MCF78-W	51 lbs.	5.3	_	88	GA2N
GA2MCF84-W	54 lbs.	5.7	_	88	GA2N
GA2MCF90-W	58 lbs.	6.1		88	GA2N
GA2MCF96-W	61 lbs.	6.5	_	88	GA2N
GA2MCF102-W	64 lbs.	6.9	_	88	GA2N
GA2MCF108-W	67 lbs.	7.4	_	88	GA2N
GA2MCF114-W	70 lbs.	7.8		88	GA2N
GA2MCF120-W	73 lbs.	8.2	_	88	GA2N
GA2MLCF60-W	33 lbs.	3.1	_	89	GA2N
GA2MLCF66-W	35 lbs.	3.4	_	89	GA2N
GA2MLCF72-W	37 lbs.	3.7	_	89	GA2N
GA2MLCF78-W	40 lbs.	4.0	_	89	GA2N
GA2MLCF84-W	42 lbs.	4.3		89	GA2N
GA2MLCF90-W	44 lbs.	4.6	_	89	GA2N
GA2MLCF96-W	46 lbs.	4.9	_	89	GA2N
GA2MLCF102-W	49 lbs.	5.2	_	89	GA2N
GA2MLCF108-W	51 lbs.	5.5	_	89	GA2N
GA2MLCF114-W	53 lbs.	5.8	_	89	GA2N
GA2MLCF120-W	57 lbs.	6.1	_	89	GA2N
GA2MLPW2415L-AW	75 lbs.	6.7	1	77	GA2N
GA2MLPW2415L-LW	55 lbs.	6.5	_	76	GA2N
GA2MLPW2415L-XBW	65 lbs.	6.5	_	76	GA2N
GA2MLPW2415R-AW	75 lbs.	6.7	1	83	GA2N
GA2MLPW2415R-LW	55 lbs.	6.5		82	GA2N
GA2MLPW2415R-XBW	65 lbs.	6.5	_	82	GA2N
GA2MLPW2418L-AW	81 lbs.	7.9	1	77	GA2N
GA2MLPW2418R-AW	81 lbs.	7.9	1	83	GA2N
GA2MLPW2430L-5W	89 lbs.	12.3	_	78	GA2N
GA2MLPW2430L-BW	139 lbs.	12.3	1	78	GA2N
GA2MLPW2430L-PW	120 lbs.	12.3	1	78	GA2N

model number	weight	cubes	#locks	page
GA2MLPW2430L-SHW	77 lbs.	12.3	_	78
GA2MLPW2430L-TW	122 lbs.	12.3	1	78
GA2MLPW2430R-5W	89 lbs.	12.3	_	84
GA2MLPW2430R-BW	139 lbs.	12.3	1	84
GA2MLPW2430R-PW	120 lbs.	12.3	1	84
GA2MLPW2430R-SHW	77 lbs.	12.3	_	84
GA2MLPW2430R-TW	122 lbs.	12.3	1	84
GA2MLPW2436L-5W	98 lbs.	14.6	_	79
GA2MLPW2436L-BW	151 lbs.	14.6	1	79
GA2MLPW2436L-PW	130 lbs.	12.3	1	79
GA2MLPW2436L-SHW	87 lbs.	14.6	_	79
GA2MLPW2436L-TW	132 lbs.	12.3	1	79
GA2MLPW2436R-5W	98 lbs.	14.6	_	85
GA2MLPW2436R-BW	151 lbs.	14.6	1	85
GA2MLPW2436R-PW	130 lbs.	12.3	1	85
GA2MLPW2436R-SHW	87 lbs.	14.6	_	85
GA2MLPW2436R-TW	132 lbs.	12.3	1	85
GA2MLPW2445L-5AW	157 lbs.	18.0	1	80
GA2MLPW2445L-BAW	175 lbs.	18.0	2	80
GA2MLPW2445R-A5W	157 lbs.	18.0	1	86
GA2MLPW2445R-ABW	175 lbs.	18.0	2	86
GA2MLPW2454L-5AW	176 lbs.	21.3	1	80
GA2MLPW2454L-BAW	196 lbs.	21.3	2	80
GA2MLPW2454R-A5W	176 lbs.	21.3	1	86
GA2MLPW2454R-ABW	196 lbs.	21.3	2	86
GA2MLPW2460L-55W	173 lbs.	23.6	_	81
GA2MLPW2460L-BBW	209 lbs.	23.6	2	81
GA2MLPW2460R-55W	173 lbs.	23.6	_	87
GA2MLPW2460R-BBW	209 lbs.	23.6	2	87
GA2MLSP12-W	7 lbs.	0.4	-	93
GA2MLSPT12-W	11 lbs.	1.3	_	93
GA2MPD1818-AW	99 lbs.	7.2	1	99
GA2MPW2415L-2W	90 lbs.	9.0	1	65
GA2MPW2415L-3W	93 lbs.	9.0	1	65
GA2MPW2415L-LW	50 lbs.	8.7	_	64
GA2MPW2415L-XBW	71 lbs.	8.7	-	64
GA2MPW2415L-XEW	71 lbs.	8.7	_	64
GA2MPW2415R-2W	90 lbs.	9.0	1	71
GA2MPW2415R-3W	93 lbs.	9.0	1	71
GA2MPW2415R-LW	50 lbs.	8.7	_	70
GA2MPW2415R-XBW	71 lbs.	8.7	-	70
GA2MPW2415R-XEW	71 lbs.	8.7	-	70
GA2MPW2418L-2W	97 lbs.	10.5	1	65
GA2MPW2418L-3W	101 lbs.	10.5	1	65

model number	weight	cubes	#locks	page
GA2MPW2418R-2W	97 lbs.	10.5	1	71
GA2MPW2418R-3W	101 lbs.	10.5	1	71
GA2MPW2430L-4W	135 lbs.	16.5	1	66
GA2MPW2430L-5W	121 lbs.	16.5	_	66
GA2MPW2430L-7W	136 lbs.	16.5	1	66
GA2MPW2430L-23W	172 lbs.	16.5	2	66
GA2MPW2430L-BW	165 lbs.	16.5	1	66
GA2MPW2430L-PW	130 lbs.	16.5	1	66
GA2MPW2430L-SHW	105 lbs.	16.5		66
GA2MPW2430L-TW	132 lbs.	16.5	1	66
GA2MPW2430R-4W	135 lbs.	16.5	1	72
GA2MPW2430R-5W	121 lbs.	16.5		72
GA2MPW2430R-7W	136 lbs.	16.5	1	72
GA2MPW2430R-32W	172 lbs.	16.5	2	72
GA2MPW2430R-BW	165 lbs.	16.5	1	72
GA2MPW2430R-PW	130 lbs.	16.5	1	72
GA2MPW2430R-SHW	105 lbs.	16.5		72
GA2MPW2430R-TW	132 lbs.	16.5	1	72
GA2MPW2436L-4W	142 lbs.	19.5	1	67
GA2MPW2436L-5W	138 lbs.	19.5	_	67
GA2MPW2436L-7W	147 lbs.	19.5	1	67
GA2MPW2436L-23W	187 lbs.	19.5	2	67
GA2MPW2436L-BW	183 lbs.	19.5	1	67
GA2MPW2436L-PW	140 lbs.	19.5	1	67
GA2MPW2436L-SHW	118 lbs.	19.5	_	67
GA2MPW2436L-TW	142 lbs.	19.5	1	67
GA2MPW2436R-4W	142 lbs.	19.5	1	73
GA2MPW2436R-5W	138 lbs.	19.5	_	73
GA2MPW2436R-7W	147 lbs.	19.5	1	73
GA2MPW2436R-32W	187 lbs.	19.5	2	73
GA2MPW2436R-BW	183 lbs.	19.5	1	73
GA2MPW2436R-PW	140 lbs.	19.5	1	73
GA2MPW2436R-SHW	118 lbs.	19.5	_	73
GA2MPW2436R-TW	142 lbs.	19.5	1	73
GA2MPW2445L-43W	203 lbs.	24.0	2	68
GA2MPW2445L-52W	200 lbs.	24.0	1	68
GA2MPW2445L-72W	216 lbs.	24.0	2	68
GA2MPW2445R-25W	200 lbs.	24.0	1	74
GA2MPW2445R-27W	216 lbs.	24.0	2	74
GA2MPW2445R-34W	203 lbs.	24.0	2	74
GA2MPW2454L-43W	232 lbs.	28.4	2	68
GA2MPW2454L-52W	224 lbs.	28.4	1	68
GA2MPW2454L-72W	234 lbs.	28.4	2	68
GA2MPW2454R-25W	224 lbs.	28.4	1	74

model number	weight	cubes	#locks	page
GA2MPW2454R-27W	234 lbs.	28.4	2	74
GA2MPW2454R-34W	232 lbs.	28.4	2	74
GA2MPW2460L-44W	244 lbs.	31.4	2	69
GA2MPW2460L-55W	231 lbs.	31.4	_	69
GA2MPW2460L-BBW	322 lbs.	31.4	2	69
GA2MPW2460R-44W	244 lbs.	31.4	2	75
GA2MPW2460R-55W	231 lbs.	31.4	_	75
GA2MPW2460R-BBW	322 lbs.	31.4	2	75
GA2MRA21-W	28 lbs.	3.6	_	92
GA2MRA24-W	30 lbs.	4.0	_	92
GA2MRA27-W	32 lbs.	4.4	_	92
GA2MRA30-W	34 lbs.	4.9	_	92
GA2MRA33-W	36 lbs.	5.3	_	92
GA2MRA36-W	37 lbs.	5.8	_	92
GA2MRA39-W	39 lbs.	6.2	_	92
GA2MRA42-W	41 lbs.	6.7	_	92
GA2MRA45-W	43 lbs.	7.1	_	92
GA2MRA48-W	45 lbs.	7.6	_	92
GA2MRA51-W	47 lbs.	8.0	_	92
GA2MRA54-W	49 lbs.	8.5	_	92
GA2MRA57-W	51 lbs.	8.9	_	92
GA2MRA60-W	53 lbs.	9.3	_	92
GA2MRF39-W	20 lbs.	2.8	_	91
GA2MRF42-W	22 lbs.	3.0	_	91
GA2MRF45-W	23 lbs.	3.2	_	91
GA2MRF48-W	25 lbs.	3.4	_	91
GA2MRF51-W	26 lbs.	3.6	_	91
GA2MRF54-W	28 lbs.	3.8	_	91
GA2MRF57-W	30 lbs.	4.0	_	91
GA2MRF60-W	32 lbs.	4.2	_	91
GA2MRF63-W	33 lbs.	4.4	_	91
GA2MRF66-W	35 lbs.	4.6	_	91
GA2MRF69-W	36 lbs.	4.8	_	91
GA2MRF72-W	38 lbs.	5.0	_	91
GA2MSP12-W	7 lbs.	0.6	_	93
GA2MSPT12-W	11 lbs.	1.7	_	93
GA2RLRL3072L-W	126 lbs.	46.5	_	52
GA2RLRL3072R-W	126 lbs.	46.5	_	53
GA2RLRL3078L-W	135 lbs.	50.2	_	52
GA2RLRL3078R-W	135 lbs.	50.2	_	53
GA2RLRL3678L-W	160 lbs.	59.3	_	52
GA2RLRL3678R-W	160 lbs.	59.3	_	53
GA2RLRL3684L-W	170 lbs.	63.7	_	52
GA2RLRL3684R-W	170 lbs.	63.7	-	53

GA2RLRO3072R-3W 2 GA2RLRO3078L-3W 2 GA2RLRO3078R-3W 2 GA2RLRO3678L-3W 2 GA2RLRO3678R-3W 2	31 lbs. 31 lbs. 41 lbs. 41 lbs. 76 lbs. 76 lbs. 87 lbs. 87 lbs.	46.5 46.5 50.2 50.2 59.3 59.3 63.7 63.7	1 1 1 1 1 1	56 57 56 57 56 57
GA2RLRO3078L-3W 2 GA2RLRO3078R-3W 2 GA2RLRO3678L-3W 2 GA2RLRO3678R-3W 2	41 lbs. 41 lbs. 76 lbs. 76 lbs. 87 lbs.	50.2 50.2 59.3 59.3 63.7	1 1 1 1	56 57 56
GA2RLRO3078R-3W 2 GA2RLRO3678L-3W 2 GA2RLRO3678R-3W 2	41 lbs. 76 lbs. 76 lbs. 87 lbs.	50.2 59.3 59.3 63.7	1 1 1	57 56
GA2RLRO3678L-3W 2 GA2RLRO3678R-3W 2	76 lbs. 76 lbs. 87 lbs. 87 lbs.	59.3 59.3 63.7	1	56
GA2RLRO3678R-3W 2	76 lbs. 87 lbs. 87 lbs.	59.3 63.7	1	
	87 lbs. 87 lbs.	63.7		57
GA2RLRO3684L-3W 2	87 lbs.		1	
		63.7		56
GA2RLRO3684R-3W 2	26 lbs.		1	57
GA2RLRR3072L-W 1		46.5	_	54
GA2RLRR3072R-W 1	26 lbs.	46.5	_	55
GA2RLRR3078L-W 1	35 lbs.	50.2	_	54
GA2RLRR3078R-W 1	35 lbs.	50.2	_	55
GA2RLRR3678L-W 1	60 lbs.	59.3	_	54
GA2RLRR3678R-W 1	60 lbs.	59.3	_	55
GA2RLRR3684L-W 1	70 lbs.	63.7	_	54
GA2RLRR3684R-W 1	70 lbs.	63.7	_	55
GA2RRL3048L-W	76 lbs.	31.6	_	52
GA2RRL3048R-W	76 lbs.	31.6	_	53
GA2RRL3054L-W	85 lbs.	35.3	_	52
GA2RRL3054R-W	85 lbs.	35.3	_	53
GA2RRL3654L-W 1	01 lbs.	41.7	_	52
GA2RRL3654R-W 1	01 lbs.	41.7	_	53
GA2RRL3660L-W 1	10 lbs.	46.1	_	52
GA2RRL3660R-W 1	10 lbs.	46.1	-	53
GA2RRO3048L-3W 1	88 lbs.	31.6	1	56
GA2RRO3048R-3W 1	88 lbs.	31.6	1	57
GA2RRO3054L-3W 1	98 lbs.	35.3	1	56
GA2RRO3054R-3W 1	98 lbs.	35.3	1	57
GA2RRO3654L-3W 2	25 lbs.	41.7	1	56
GA2RRO3654R-3W 2	25 lbs.	41.7	1	57
GA2RRO3660L-3W 2	37 lbs.	46.1	1	56
GA2RRO3660R-3W 2	37 lbs.	46.1	1	57
GA2RRR3048L-W 1	33 lbs.	31.6	-	54
GA2RRR3048R-W 1	33 lbs.	31.6	-	55
GA2RRR3054L-W 1	43 lbs.	35.3	-	54
GA2RRR3054R-W 1	43 lbs.	35.3	-	55
GA2RRR3654L-W 1	67 lbs.	41.7	-	54
GA2RRR3654R-W 1	67 lbs.	41.7	-	55
GA2RR3660L-W 1	79 lbs.	46.1	-	54
GA2RR3660R-W 1	79 lbs.	46.1	_	55
GA2RWR2442T-W	49 lbs.	2.8	-	63
GA2RWR2442-W	55 lbs.	3.2	_	62
GA2RWR2448T-W	56 lbs.	3.2	_	63
GA2RWR2448-W	62 lbs.	3.6	_	62

model number	weight	cubes	#locks	page
GA2RWR2454T-W	62 lbs.	3.6	_	63
GA2RWR2454-W	69 lbs.	4.0	_	62
GA2RWR2460T-W	68 lbs.	4.0	_	63
GA2RWR2460-W	76 lbs.	4.4	_	62
GA2RWR2466T-W	75 lbs.	4.4	_	63
GA2RWR2466-W	83 lbs.	4.9	_	62
GA2RWR2472T-W	81 lbs.	4.7	_	63
GA2RWR2472-W	90 lbs.	5.3	_	62
GA2SBH5H2418L-WW	284 lbs.	26.7	2	116
GA2SBH5H2418R-WW	284 lbs.	26.7	2	116
GA2SBH5H2430-WW	384 lbs.	42.0	2	116
GA2SBH6H2418L-WW	315 lbs.	29.6	2	116
GA2SBH6H2418R-WW	315 lbs.	29.6	2	116
GA2SBH6H2430-WW	436 lbs.	46.5	2	116
GA2TRD42-W	79 lbs.	5.3	_	139
GA2TRD48-W	100 lbs.	6.8	_	139
GA2TRD54-W	124 lbs.	8.5	-	139
GA2TRD60-W	150 lbs.	10.3	-	139
GA2UTC5H2424L-WW	413 lbs.	34.4	3	117
GA2UTC5H2424R-WW	413 lbs.	34.4	3	117
GA2UTC6H2424L-WW	461 lbs.	38.1	3	117
GA2UTC6H2424R-WW	461 lbs.	38.1	3	117
GA2WCF1H60-WG	212 lbs.	17.2	_	121
GA2WCF1H60-WW	195 lbs.	17.2	-	120
GA2WCF1H72-WG	246 lbs.	20.5	_	121
GA2WCF1H72-WW	225 lbs.	20.5	_	120
GA2WCF1H90-WG	311 lbs.	25.4	_	121
GA2WCF1H90-WW	286 lbs.	25.4	_	120
GA2WCF1H108-WG	360 lbs.	30.4	_	121
GA2WCF1H108-WW	329 lbs.	30.4	_	120
GA2WCH1H30-WG	117 lbs.	9.0	_	119
GA2WCH1H30-WW	104 lbs.	9.0	_	118
GA2WCH1H36-WG	133 lbs.	10.7	-	119
GA2WCH1H36-WW	119 lbs.	10.7	_	118
GA2WCH1H60-WG	219 lbs.	17.2	_	119
GA2WCH1H60-WW	194 lbs.	17.2	_	118
GA2WCH1H66-WW	209 lbs.	18.9	_	118
GA2WCH1H72-WG	251 lbs.	20.5	_	119
GA2WCH1H72-WW	225 lbs.	20.5	_	118
GA2WCH1H78-WW	239 lbs.	22.1	-	118
GA2WCH1H84-WW	270 lbs.	23.8	-	118
GA2WCH1H90-WG	322 lbs.	25.4	-	119
GA2WCH1H90-WW	285 lbs.	25.4	-	118
GA2WCH1H96-WW	301 lbs.	27.1	-	118
-				

GA2WCH1H102-WW 315 lbs. 28.7 - 118 GA2WCH1H108-WG 371 lbs. 30.4 - 119 GA2WCH1H108-WW 330 lbs. 30.4 - 118 GA2WCH2H30-WW 123 lbs. 12.4 - 125 GA2WCH2H36-WG 156 lbs. 14.7 - 125 GA2WCH2H36-WW 141 lbs. 14.7 - 124 GA2WCH2H60-WG 261 lbs. 23.7 - 125 GA2WCH2H60-WW 231 lbs. 23.7 - 124 GA2WCH2H60-WW 248 lbs. 26.0 - 124 GA2WCH2H72-WG 297 lbs. 28.3 - 125 GA2WCH2H72-WW 266 lbs. 28.3 - 124 GA2WCH2H78-WW 328 lbs. 30.5 - 124 GA2WCH2H8-WW 322 lbs. 32.8 - 124 GA2WCH2H90-WG 385 lbs. 35.0 - 125 GA2WCS1H60-WG 159 lbs. 17.2 -	model number	weight	cubes	#locks	page
GA2WCH1H108-WW 330 lbs. 30.4 - 118 GA2WCH2H30-WG 138 lbs. 12.4 - 125 GA2WCH2H30-WW 123 lbs. 12.4 - 124 GA2WCH2H36-WG 156 lbs. 14.7 - 125 GA2WCH2H60-WG 261 lbs. 23.7 - 125 GA2WCH2H60-WW 231 lbs. 23.7 - 124 GA2WCH2H66-WW 248 lbs. 26.0 - 124 GA2WCH2H72-WG 297 lbs. 28.3 - 125 GA2WCH2H72-WW 266 lbs. 28.3 - 124 GA2WCH2H72-WW 266 lbs. 28.3 - 124 GA2WCH2H90-WW 385 lbs. 30.5 - 124 GA2WCH2H90-WG 385 lbs. 35.0 - 125 GA2WCS1H60-WW 159 lbs. 17.2 - 123 GA2WCS1H60-WW 164 lbs. 17.2 - 122 GA2WCS1H72-WW 181 lbs. 20.5 -	GA2WCH1H102-WW	315 lbs.	28.7	_	118
GA2WCH2H30-WG 138 lbs. 12.4 - 125 GA2WCH2H30-WW 123 lbs. 12.4 - 124 GA2WCH2H36-WG 156 lbs. 14.7 - 125 GA2WCH2H36-WW 141 lbs. 14.7 - 124 GA2WCH2H60-WW 261 lbs. 23.7 - 125 GA2WCH2H60-WW 231 lbs. 26.0 - 124 GA2WCH2H72-WG 297 lbs. 28.3 - 125 GA2WCH2H72-WW 266 lbs. 28.3 - 124 GA2WCH2H78-WW 283 lbs. 30.5 - 124 GA2WCH2H90-WW 335 lbs. 35.0 - 124 GA2WCCS1H60-WG 159 lbs. 17.2 - 123 GA2WCS1H60-WG 159 lbs. 17.2 - 123 GA2WCS1H72-WG 183 lbs. 20.5 - 122 GA2WCS1H90-WG 223 lbs. 25.4 - 123 GA2WCS1H90-WW 244 lbs. 25.4 -	GA2WCH1H108-WG	371 lbs.	30.4	_	119
GA2WCH2H30-WW 123 lbs. 12.4 - 124 GA2WCH2H36-WG 156 lbs. 14.7 - 125 GA2WCH2H36-WW 141 lbs. 14.7 - 124 GA2WCH2H60-WG 261 lbs. 23.7 - 125 GA2WCH2H66-WW 248 lbs. 26.0 - 124 GA2WCH2H72-WG 297 lbs. 28.3 - 125 GA2WCH2H72-WW 266 lbs. 28.3 - 124 GA2WCH2H78-WW 283 lbs. 30.5 - 124 GA2WCH2H90-WW 339 lbs. 35.0 - 125 GA2WCH2H90-WG 385 lbs. 35.0 - 125 GA2WCS1H60-WG 159 lbs. 17.2 - 123 GA2WCS1H60-WW 164 lbs. 17.2 - 122 GA2WCS1H72-WW 181 lbs. 20.5 - 122 GA2WCS1H90-WG 223 lbs. 25.4 - 122 GA2WCS1H108-WG 271 lbs. 30.4 -	GA2WCH1H108-WW	330 lbs.	30.4	_	118
GA2WCH2H36-WG 156 lbs. 14.7 - 125 GA2WCH2H36-WW 141 lbs. 14.7 - 124 GA2WCH2H60-WG 261 lbs. 23.7 - 125 GA2WCH2H60-WW 231 lbs. 23.7 - 124 GA2WCH2H66-WW 248 lbs. 26.0 - 124 GA2WCH2H72-WG 297 lbs. 28.3 - 125 GA2WCH2H72-WW 266 lbs. 28.3 - 124 GA2WCH2H78-WW 283 lbs. 30.5 - 124 GA2WCH2H78-WW 322 lbs. 32.8 - 124 GA2WCH2H90-WG 385 lbs. 35.0 - 125 GA2WCH2H90-WG 385 lbs. 35.0 - 125 GA2WCS1H60-WG 159 lbs. 17.2 - 123 GA2WCS1H60-WW 164 lbs. 17.2 - 122 GA2WCS1H72-WG 183 lbs. 20.5 - 123 GA2WCS1H72-WG 183 lbs. 20.5 - 123 GA2WCS1H90-WG 223 lbs. 25.4 - 122 GA2WCS1H90-WG 223 lbs. 25.4 - 122 GA2WCS1H90-WG 223 lbs. 25.4 - 122 GA2WCS1H00-WG 166 lbs. 23.7 - 127 GA2WCS1H00-WG 271 lbs. 30.4 - 123 GA2WCS1H00-WG 271 lbs. 30.4 - 122 GA2WCS1H00-WG 30.4 - 122 GA2WCS1H00-WG 30.4 - 122 GA2WCS2H00-WG 30.4 - 126	GA2WCH2H30-WG	138 lbs.	12.4	_	125
GA2WCH2H36-WW 141 lbs. 14.7 — 124 GA2WCH2H60-WG 261 lbs. 23.7 — 125 GA2WCH2H60-WW 231 lbs. 23.7 — 124 GA2WCH2H66-WW 248 lbs. 26.0 — 124 GA2WCH2H72-WG 297 lbs. 28.3 — 125 GA2WCH2H78-WW 266 lbs. 28.3 — 124 GA2WCH2H84-WW 322 lbs. 30.5 — 124 GA2WCH2H90-WG 385 lbs. 35.0 — 125 GA2WCH2H90-WW 339 lbs. 35.0 — 124 GA2WCS1H60-WG 159 lbs. 17.2 — 123 GA2WCS1H60-WW 164 lbs. 17.2 — 122 GA2WCS1H72-WG 183 lbs. 20.5 — 122 GA2WCS1H90-WG 223 lbs. 25.4 — 122 GA2WCS1H90-WG 244 lbs. 25.4 — 122 GA2WCS1H108-WW 275 lbs. 30.4 —	GA2WCH2H30-WW	123 lbs.	12.4	_	124
GA2WCH2H60-WG 261 lbs. 23.7 - 125 GA2WCH2H60-WW 231 lbs. 23.7 - 124 GA2WCH2H66-WW 248 lbs. 26.0 - 124 GA2WCH2H72-WG 297 lbs. 28.3 - 125 GA2WCH2H72-WW 266 lbs. 28.3 - 124 GA2WCH2H78-WW 283 lbs. 30.5 - 124 GA2WCH2H84-WW 322 lbs. 32.8 - 124 GA2WCH2H90-WG 385 lbs. 35.0 - 125 GA2WCH2H90-WW 339 lbs. 35.0 - 124 GA2WCS1H60-WG 159 lbs. 17.2 - 123 GA2WCS1H72-WG 183 lbs. 20.5 - 122 GA2WCS1H72-WW 181 lbs. 20.5 - 122 GA2WCS1H90-WG 223 lbs. 25.4 - 122 GA2WCS1H108-WG 271 lbs. 30.4 - 122 GA2WCS2H60-WG 166 lbs. 23.7 -	GA2WCH2H36-WG	156 lbs.	14.7	_	125
GA2WCH2H60-WW 231 lbs. 23.7 - 124 GA2WCH2H66-WW 248 lbs. 26.0 - 124 GA2WCH2H72-WG 297 lbs. 28.3 - 125 GA2WCH2H72-WW 266 lbs. 28.3 - 124 GA2WCH2H78-WW 283 lbs. 30.5 - 124 GA2WCH2H90-WG 385 lbs. 35.0 - 125 GA2WCH2H90-WW 339 lbs. 35.0 - 124 GA2WCS1H60-WG 159 lbs. 17.2 - 123 GA2WCS1H60-WW 164 lbs. 17.2 - 122 GA2WCS1H72-WG 183 lbs. 20.5 - 122 GA2WCS1H90-WG 223 lbs. 25.4 - 122 GA2WCS1H90-WW 244 lbs. 25.4 - 122 GA2WCS1H108-WG 271 lbs. 30.4 - 122 GA2WCS2H60-WG 166 lbs. 23.7 - 127 GA2WCS2H0-WG 164 lbs. 23.7 -	GA2WCH2H36-WW	141 lbs.	14.7	_	124
GA2WCH2H66-WW 248 lbs. 26.0 — 124 GA2WCH2H72-WG 297 lbs. 28.3 — 125 GA2WCH2H72-WW 266 lbs. 28.3 — 124 GA2WCH2H78-WW 283 lbs. 30.5 — 124 GA2WCH2H84-WW 322 lbs. 32.8 — 124 GA2WCH2H90-WG 385 lbs. 35.0 — 125 GA2WCS1H60-WG 159 lbs. 17.2 — 123 GA2WCS1H60-WW 164 lbs. 17.2 — 122 GA2WCS1H72-WG 183 lbs. 20.5 — 122 GA2WCS1H72-WW 181 lbs. 20.5 — 122 GA2WCS1H90-WG 223 lbs. 25.4 — 123 GA2WCS1H90-WW 244 lbs. 25.4 — 122 GA2WCS2H60-WG 166 lbs. 23.7 — 127 GA2WCS2H90-WG 164 lbs. 23.7 — 126 GA2WCS2H90-WG 243 lbs. 35.0 —	GA2WCH2H60-WG	261 lbs.	23.7	_	125
GA2WCH2H72-WG 297 lbs. 28.3 — 125 GA2WCH2H72-WW 266 lbs. 28.3 — 124 GA2WCH2H78-WW 283 lbs. 30.5 — 124 GA2WCH2H84-WW 322 lbs. 32.8 — 124 GA2WCH2H90-WG 385 lbs. 35.0 — 125 GA2WCS1H60-WW 159 lbs. 17.2 — 123 GA2WCS1H60-WW 164 lbs. 17.2 — 122 GA2WCS1H72-WG 183 lbs. 20.5 — 122 GA2WCS1H72-WW 181 lbs. 20.5 — 122 GA2WCS1H90-WG 223 lbs. 25.4 — 123 GA2WCS1H90-WW 244 lbs. 25.4 — 122 GA2WCS1H108-WW 275 lbs. 30.4 — 122 GA2WCS2H60-WG 166 lbs. 23.7 — 126 GA2WCS2H72-WG 190 lbs. 28.3 — 127 GA2WCS2H90-WG 243 lbs. 35.0 —	GA2WCH2H60-WW	231 lbs.	23.7	_	124
GA2WCH2H72-WW 266 lbs. 28.3 - 124 GA2WCH2H78-WW 283 lbs. 30.5 - 124 GA2WCH2H84-WW 322 lbs. 32.8 - 124 GA2WCH2H90-WG 385 lbs. 35.0 - 125 GA2WCH2H90-WW 339 lbs. 35.0 - 124 GA2WCS1H60-WG 159 lbs. 17.2 - 123 GA2WCS1H60-WW 164 lbs. 17.2 - 122 GA2WCS1H72-WG 183 lbs. 20.5 - 122 GA2WCS1H90-WW 223 lbs. 25.4 - 123 GA2WCS1H90-WW 244 lbs. 25.4 - 123 GA2WCS1H90-WW 244 lbs. 25.4 - 122 GA2WCS1H108-WG 271 lbs. 30.4 - 123 GA2WCS1H108-WG 275 lbs. 30.4 - 122 GA2WCS2H60-WG 166 lbs. 23.7 - 127 GA2WCS2H60-WG 166 lbs. 23.7 - 126 GA2WCS2H72-WG 190 lbs. 28.3 - 127 GA2WCS2H72-WG 190 lbs. 28.3 - 127 GA2WCS2H72-WG 190 lbs. 28.3 - 127 GA2WCS2H72-WG 291 lbs. 35.0 - 127 GA2WCS2H90-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WG 259 lbs. 35.0 - 126 GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072T-W 552 lbs. 46.5 - 49 GA2XRAK3072T-W 552 lbs. 46.5 - 49 GA2XRAK3072T-W 552 lbs. 54.9 - 48 GA2XRAK3672T-W 560 lbs. 54.9 - 48 GA2XRAK3672T-W 560 lbs. 54.9 - 48 GA2XRAK3678T-W 560 lbs. 54.9 - 49 GA2XRAK3678T-W 560 lbs. 54.9 - 49 GA2XRAK3678T-W 560 lbs. 54.9 - 49 GA2XRAK3678T-W 568 lbs. 59.3 - 48 GA2XRAK3678T-W 560 lbs. 59.3 - 48 GA2XRAK3678T-W 570 lbs. 59.3 - 48 GA2XRAK3678T-W 570 lbs. 59.3 - 48	GA2WCH2H66-WW	248 lbs.	26.0	_	124
GA2WCH2H78-WW 283 lbs. 30.5 - 124 GA2WCH2H84-WW 322 lbs. 32.8 - 124 GA2WCH2H90-WG 385 lbs. 35.0 - 125 GA2WCH2H90-WW 339 lbs. 35.0 - 124 GA2WCS1H60-WG 159 lbs. 17.2 - 123 GA2WCS1H60-WW 164 lbs. 17.2 - 122 GA2WCS1H72-WG 183 lbs. 20.5 - 123 GA2WCS1H72-WW 181 lbs. 20.5 - 122 GA2WCS1H90-WG 223 lbs. 25.4 - 123 GA2WCS1H90-WW 244 lbs. 25.4 - 123 GA2WCS1H108-WG 271 lbs. 30.4 - 123 GA2WCS1H108-WG 271 lbs. 30.4 - 122 GA2WCS2H60-WG 166 lbs. 23.7 - 127 GA2WCS2H60-WG 166 lbs. 23.7 - 127 GA2WCS2H60-WG 166 lbs. 23.7 - 126 GA2WCS2H72-WG 190 lbs. 28.3 - 127 GA2WCS2H72-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WG 259 lbs. 35.0 - 126 GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072T-W 550 lbs. 46.5 - 48 GA2XRAK3072T-W 550 lbs. 46.5 - 49 GA2XRAK3072T-W 550 lbs. 46.5 - 49 GA2XRAK3072T-W 550 lbs. 54.9 - 49 GA2XRAK3672T-W 560 lbs. 54.9 - 49 GA2XRAK3672T-W 560 lbs. 54.9 - 49 GA2XRAK3678T-W 568 lbs. 59.3 - 48 GA2XRAK3678T-W 560 lbs. 59.3 - 48 GA2XRAK3678T-W 560 lbs. 59.3 - 48 GA2XRAK3678T-W 568 lbs. 59.3 - 48 GA2XRAK3678T-W 568 lbs. 59.3 - 48	GA2WCH2H72-WG	297 lbs.	28.3	_	125
GA2WCH2H84-WW 322 lbs. 32.8 - 124 GA2WCH2H90-WG 385 lbs. 35.0 - 125 GA2WCH2H90-WW 339 lbs. 35.0 - 124 GA2WCS1H60-WG 159 lbs. 17.2 - 123 GA2WCS1H60-WW 164 lbs. 17.2 - 122 GA2WCS1H72-WG 183 lbs. 20.5 - 122 GA2WCS1H90-WG 223 lbs. 25.4 - 123 GA2WCS1H90-WG 223 lbs. 25.4 - 123 GA2WCS1H90-WW 244 lbs. 25.4 - 122 GA2WCS1H108-WG 271 lbs. 30.4 - 123 GA2WCS1H108-WW 275 lbs. 30.4 - 122 GA2WCS2H60-WG 166 lbs. 23.7 - 127 GA2WCS2H72-WG 190 lbs. 28.3 - 126 GA2WCS2H72-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WG 550 lbs. 46.5 - 48 GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3672TL-W 552 lbs. 54.9 - 48 GA2XRAK3672TL-W 560 lbs. 54.9 - 48 GA2XRAK3672TL-W 560 lbs. 54.9 - 48 GA2XRAK3672TL-W 560 lbs. 54.9 - 48 GA2XRAK3678TL-W 568 lbs. 59.3 - 48 GA2XRAK3678TL-W 570 lbs. 59.3 - 48 GA2XRAK3678TL-W 570 lbs. 59.3 - 48 GA2XRAK3678TL-W 570 lbs. 59.3 - 48	GA2WCH2H72-WW	266 lbs.	28.3	_	124
GA2WCH2H90-WG 385 lbs. 35.0 - 125 GA2WCH2H90-WW 339 lbs. 35.0 - 124 GA2WCS1H60-WG 159 lbs. 17.2 - 123 GA2WCS1H60-WW 164 lbs. 17.2 - 122 GA2WCS1H72-WG 183 lbs. 20.5 - 123 GA2WCS1H72-WW 181 lbs. 20.5 - 122 GA2WCS1H90-WG 223 lbs. 25.4 - 123 GA2WCS1H90-WW 244 lbs. 25.4 - 122 GA2WCS1H90-WW 275 lbs. 30.4 - 122 GA2WCS1H108-WW 275 lbs. 30.4 - 122 GA2WCS2H60-WG 166 lbs. 23.7 - 127 GA2WCS2H60-WG 166 lbs. 23.7 - 127 GA2WCS2H72-WG 190 lbs. 28.3 - 126 GA2WCS2H72-WG 190 lbs. 28.3 - 127 GA2WCS2H90-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WG 259 lbs. 35.0 - 126 GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072TL-W 550 lbs. 46.5 - 49 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3672TL-W 552 lbs. 54.9 - 48 GA2XRAK3672TL-W 550 lbs. 54.9 - 48 GA2XRAK3672TL-W 560 lbs. 54.9 - 48 GA2XRAK3672TL-W 560 lbs. 54.9 - 48 GA2XRAK3678TR-W 568 lbs. 59.3 - 48 GA2XRAK3678TR-W 568 lbs. 59.3 - 49 GA2XRAK3678TR-W 570 lbs. 59.3 - 48	GA2WCH2H78-WW	283 lbs.	30.5	_	124
GA2WCH2H90-WW 339 lbs. 35.0 - 124 GA2WCS1H60-WG 159 lbs. 17.2 - 123 GA2WCS1H60-WW 164 lbs. 17.2 - 122 GA2WCS1H72-WG 183 lbs. 20.5 - 123 GA2WCS1H72-WW 181 lbs. 20.5 - 122 GA2WCS1H90-WG 223 lbs. 25.4 - 123 GA2WCS1H90-WW 244 lbs. 25.4 - 122 GA2WCS1H108-WG 271 lbs. 30.4 - 123 GA2WCS1H108-WW 275 lbs. 30.4 - 122 GA2WCS2H60-WG 166 lbs. 23.7 - 127 GA2WCS2H60-WW 164 lbs. 23.7 - 126 GA2WCS2H72-WG 190 lbs. 28.3 - 127 GA2WCS2H72-WG 291 lbs. 35.0 - 127 GA2WCS2H90-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WW 259 lbs. 35.0 - 126 GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072TL-W 550 lbs. 46.5 - 48 GA2XRAK3072TL-W 550 lbs. 46.5 - 49 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3072TL-W 550 lbs. 54.9 - 48 GA2XRAK3672TL-W 550 lbs. 54.9 - 48 GA2XRAK3672TL-W 560 lbs. 54.9 - 48 GA2XRAK3672TL-W 560 lbs. 54.9 - 49 GA2XRAK3672TR-W 560 lbs. 54.9 - 49 GA2XRAK3672TR-W 568 lbs. 59.3 - 49 GA2XRAK3678TL-W 568 lbs. 59.3 - 48 GA2XRAK3678TL-W 568 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 48	GA2WCH2H84-WW	322 lbs.	32.8	_	124
GA2WCS1H60-WG 159 lbs. 17.2 - 123 GA2WCS1H60-WW 164 lbs. 17.2 - 122 GA2WCS1H72-WG 183 lbs. 20.5 - 123 GA2WCS1H72-WW 181 lbs. 20.5 - 122 GA2WCS1H90-WG 223 lbs. 25.4 - 123 GA2WCS1H90-WW 244 lbs. 25.4 - 122 GA2WCS1H108-WG 271 lbs. 30.4 - 123 GA2WCS1H108-WG 275 lbs. 30.4 - 122 GA2WCS1H108-WW 166 lbs. 23.7 - 127 GA2WCS2H60-WG 166 lbs. 23.7 - 127 GA2WCS2H72-WG 190 lbs. 28.3 - 127 GA2WCS2H72-WG 201 lbs. 28.3 - 126 GA2WCS2H72-WW 201 lbs. 28.3 - 126 GA2WCS2H90-WW 259 lbs. 35.0 - 127 GA2WCS2H90-WW 550 lbs. 46.5 - 48 GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3072TL-W 550 lbs. 54.9 - 48 GA2XRAK3672TL-W 560 lbs. 54.9 - 49 GA2XRAK3672TL-W 568 lbs. 59.3 - 48 GA2XRAK3678TL-W 568 lbs. 59.3 - 48 GA2XRAK3678TL-W 568 lbs. 59.3 - 48 GA2XRAK3678TL-W 560 lbs. 59.3 - 48 GA2XRAK3678TL-W 560 lbs. 59.3 - 48 GA2XRAK3678TL-W 568 lbs. 59.3 - 48 GA2XRAK3678TL-W 568 lbs. 59.3 - 48 GA2XRAK3678TL-W 570 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 48	GA2WCH2H90-WG	385 lbs.	35.0	_	125
GA2WCS1H60-WW 164 lbs. 17.2 - 122 GA2WCS1H72-WG 183 lbs. 20.5 - 123 GA2WCS1H72-WW 181 lbs. 20.5 - 122 GA2WCS1H90-WG 223 lbs. 25.4 - 123 GA2WCS1H90-WW 244 lbs. 25.4 - 122 GA2WCS1H108-WG 271 lbs. 30.4 - 123 GA2WCS1H108-WW 275 lbs. 30.4 - 122 GA2WCS2H60-WG 166 lbs. 23.7 - 127 GA2WCS2H60-WW 164 lbs. 23.7 - 126 GA2WCS2H72-WG 190 lbs. 28.3 - 127 GA2WCS2H90-WW 201 lbs. 28.3 - 127 GA2WCS2H90-WW 259 lbs. 35.0 - 126 GA2WCS2H90-WW 259 lbs. 35.0 - 127 GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072TL-W 552 lbs. 46.5 -	GA2WCH2H90-WW	339 lbs.	35.0	_	124
GA2WCS1H72-WG 183 lbs. 20.5 — 123 GA2WCS1H72-WW 181 lbs. 20.5 — 122 GA2WCS1H90-WG 223 lbs. 25.4 — 123 GA2WCS1H90-WW 244 lbs. 25.4 — 122 GA2WCS1H108-WG 271 lbs. 30.4 — 123 GA2WCS2H60-WG 166 lbs. 23.7 — 127 GA2WCS2H72-WG 190 lbs. 28.3 — 127 GA2WCS2H72-WG 190 lbs. 28.3 — 126 GA2WCS2H72-WW 201 lbs. 28.3 — 126 GA2WCS2H90-WG 243 lbs. 35.0 — 127 GA2WCS2H90-WW 259 lbs. 35.0 — 126 GA2XRAK3072L-W 550 lbs. 46.5 — 48 GA2XRAK3072TL-W 550 lbs. 46.5 — 49 GA2XRAK3672L-W 571 lbs. 54.9 — 48 GA2XRAK3672TL-W 560 lbs. 54.9 —	GA2WCS1H60-WG	159 lbs.	17.2	_	123
GA2WCS1H72-WW 181 lbs. 20.5 - 122 GA2WCS1H90-WG 223 lbs. 25.4 - 123 GA2WCS1H90-WW 244 lbs. 25.4 - 122 GA2WCS1H108-WG 271 lbs. 30.4 - 123 GA2WCS1H108-WW 275 lbs. 30.4 - 122 GA2WCS2H60-WG 166 lbs. 23.7 - 127 GA2WCS2H72-WG 190 lbs. 28.3 - 127 GA2WCS2H72-WG 190 lbs. 28.3 - 127 GA2WCS2H72-WW 201 lbs. 28.3 - 127 GA2WCS2H90-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WW 259 lbs. 35.0 - 127 GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3672L-W 571 lbs. 54.9 - 48 GA2XRAK3672TL-W 560 lbs. 54.9 -	GA2WCS1H60-WW	164 lbs.	17.2	-	122
GA2WCS1H90-WG 223 lbs. 25.4 - 123 GA2WCS1H90-WW 244 lbs. 25.4 - 122 GA2WCS1H108-WG 271 lbs. 30.4 - 123 GA2WCS1H108-WW 275 lbs. 30.4 - 122 GA2WCS2H60-WG 166 lbs. 23.7 - 127 GA2WCS2H60-WW 164 lbs. 23.7 - 126 GA2WCS2H72-WG 190 lbs. 28.3 - 127 GA2WCS2H72-WW 201 lbs. 28.3 - 126 GA2WCS2H90-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WW 259 lbs. 35.0 - 126 GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3072TL-W 551 lbs. 54.9 - 49 GA2XRAK3672R-W 571 lbs. 54.9 - 49 GA2XRAK3672TL-W 560 lbs. 54.9 - 49 GA2XRAK3672TL-W 560 lbs. 54.9 - 49 GA2XRAK3672TR-W 560 lbs. 54.9 - 49 GA2XRAK3672TR-W 568 lbs. 59.3 - 48 GA2XRAK3678R-W 568 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 49	GA2WCS1H72-WG	183 lbs.	20.5	_	123
GA2WCS1H90-WW 244 lbs. 25.4 - 122 GA2WCS1H108-WG 271 lbs. 30.4 - 123 GA2WCS1H108-WW 275 lbs. 30.4 - 122 GA2WCS2H60-WG 166 lbs. 23.7 - 127 GA2WCS2H60-WW 164 lbs. 23.7 - 126 GA2WCS2H72-WG 190 lbs. 28.3 - 127 GA2WCS2H72-WW 201 lbs. 28.3 - 126 GA2WCS2H90-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WW 259 lbs. 35.0 - 126 GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3072TR-W 551 lbs. 54.9 - 48 GA2XRAK3672TL-W 560 lbs. 54.9 - 49 GA2XRAK3672TL-W 560 lbs. 54.9 - 49 GA2XRAK3672TL-W 560 lbs. 54.9 - 49 GA2XRAK3672TR-W 560 lbs. 54.9 - 49 GA2XRAK3672TR-W 568 lbs. 59.3 - 48 GA2XRAK3678R-W 568 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 49	GA2WCS1H72-WW	181 lbs.	20.5	_	122
GA2WCS1H108-WG 271 lbs. 30.4 - 123 GA2WCS1H108-WW 275 lbs. 30.4 - 122 GA2WCS2H60-WG 166 lbs. 23.7 - 127 GA2WCS2H60-WW 164 lbs. 23.7 - 126 GA2WCS2H72-WG 190 lbs. 28.3 - 127 GA2WCS2H72-WW 201 lbs. 28.3 - 126 GA2WCS2H90-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WW 259 lbs. 35.0 - 126 GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072T-W 550 lbs. 46.5 - 49 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3672L-W 571 lbs. 54.9 - 48 GA2XRAK3672TL-W 560 lbs. 54.9 - 48 GA2XRAK3678L-W 568 lbs. 59.3 - 49 GA2XRAK3678TL-W 570 lbs. 59.3 -	GA2WCS1H90-WG	223 lbs.	25.4	-	123
GA2WCS1H108-WW 275 lbs. 30.4 - 122 GA2WCS2H60-WG 166 lbs. 23.7 - 127 GA2WCS2H60-WW 164 lbs. 23.7 - 126 GA2WCS2H72-WG 190 lbs. 28.3 - 127 GA2WCS2H72-WW 201 lbs. 28.3 - 126 GA2WCS2H90-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WW 259 lbs. 35.0 - 126 GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072L-W 550 lbs. 46.5 - 49 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3672L-W 571 lbs. 54.9 - 48 GA2XRAK3672TL-W 560 lbs. 54.9 - 48 GA2XRAK3678L-W 568 lbs. 59.3 - 49 GA2XRAK3678R-W 568 lbs. 59.3 - 49 GA2XRAK3678TL-W 570 lbs. 59.3 -	GA2WCS1H90-WW	244 lbs.	25.4	_	122
GA2WCS2H60-WG 166 lbs. 23.7 - 127 GA2WCS2H60-WW 164 lbs. 23.7 - 126 GA2WCS2H72-WG 190 lbs. 28.3 - 127 GA2WCS2H72-WW 201 lbs. 28.3 - 126 GA2WCS2H90-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WW 259 lbs. 35.0 - 126 GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072L-W 550 lbs. 46.5 - 49 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3672L-W 571 lbs. 54.9 - 48 GA2XRAK3672R-W 571 lbs. 54.9 - 48 GA2XRAK3672TL-W 560 lbs. 54.9 - 48 GA2XRAK3678L-W 568 lbs. 59.3 - 49 GA2XRAK3678R-W 568 lbs. 59.3 - 49 GA2XRAK3678TL-W 570 lbs. 59.3 -	GA2WCS1H108-WG	271 lbs.	30.4	-	123
GA2WCS2H60-WW 164 lbs. 23.7 - 126 GA2WCS2H72-WG 190 lbs. 28.3 - 127 GA2WCS2H72-WW 201 lbs. 28.3 - 126 GA2WCS2H90-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WW 259 lbs. 35.0 - 126 GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072R-W 550 lbs. 46.5 - 49 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3072TR-W 552 lbs. 46.5 - 49 GA2XRAK3672L-W 571 lbs. 54.9 - 48 GA2XRAK3672TL-W 560 lbs. 54.9 - 48 GA2XRAK3678L-W 568 lbs. 59.3 - 49 GA2XRAK3678R-W 568 lbs. 59.3 - 48 GA2XRAK3678TL-W 570 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 48 GA2XRAK36684L-W 578 lbs. 63.7 - <t< td=""><td>GA2WCS1H108-WW</td><td>275 lbs.</td><td>30.4</td><td>_</td><td>122</td></t<>	GA2WCS1H108-WW	275 lbs.	30.4	_	122
GA2WCS2H72-WG 190 lbs. 28.3 — 127 GA2WCS2H72-WW 201 lbs. 28.3 — 126 GA2WCS2H90-WG 243 lbs. 35.0 — 127 GA2WCS2H90-WW 259 lbs. 35.0 — 126 GA2XRAK3072L-W 550 lbs. 46.5 — 48 GA2XRAK3072R-W 550 lbs. 46.5 — 49 GA2XRAK3072TL-W 552 lbs. 46.5 — 49 GA2XRAK3072TR-W 552 lbs. 46.5 — 49 GA2XRAK3672L-W 571 lbs. 54.9 — 48 GA2XRAK3672TL-W 560 lbs. 54.9 — 48 GA2XRAK3672TR-W 560 lbs. 54.9 — 49 GA2XRAK3678L-W 568 lbs. 59.3 — 49 GA2XRAK3678R-W 568 lbs. 59.3 — 48 GA2XRAK3678TL-W 570 lbs. 59.3 — 48 GA2XRAK3678TR-W 570 lbs. 59.3 — 49 GA2XRAK36684L-W 578 lbs. 63.7 — <	GA2WCS2H60-WG	166 lbs.	23.7	_	127
GA2WCS2H72-WW 201 lbs. 28.3 - 126 GA2WCS2H90-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WW 259 lbs. 35.0 - 126 GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072R-W 550 lbs. 46.5 - 49 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3072TR-W 552 lbs. 46.5 - 49 GA2XRAK3672L-W 571 lbs. 54.9 - 48 GA2XRAK3672TL-W 560 lbs. 54.9 - 48 GA2XRAK3672TR-W 560 lbs. 54.9 - 49 GA2XRAK3678L-W 568 lbs. 59.3 - 49 GA2XRAK3678R-W 568 lbs. 59.3 - 49 GA2XRAK3678TL-W 570 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 48 GA2XRAK3684L-W 578 lbs. 63.7 - 48	GA2WCS2H60-WW	164 lbs.	23.7	_	126
GA2WCS2H90-WG 243 lbs. 35.0 - 127 GA2WCS2H90-WW 259 lbs. 35.0 - 126 GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072R-W 550 lbs. 46.5 - 49 GA2XRAK3072TL-W 552 lbs. 46.5 - 49 GA2XRAK3072TR-W 552 lbs. 46.5 - 49 GA2XRAK3672L-W 571 lbs. 54.9 - 48 GA2XRAK3672R-W 571 lbs. 54.9 - 48 GA2XRAK3672TL-W 560 lbs. 54.9 - 49 GA2XRAK3678L-W 568 lbs. 59.3 - 49 GA2XRAK3678R-W 568 lbs. 59.3 - 49 GA2XRAK3678TL-W 570 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 49 GA2XRAK3678TR-W 570 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 48	GA2WCS2H72-WG	190 lbs.	28.3	-	127
GA2WCS2H90-WW 259 lbs. 35.0 – 126 GA2XRAK3072L-W 550 lbs. 46.5 – 48 GA2XRAK3072R-W 550 lbs. 46.5 – 49 GA2XRAK3072TL-W 552 lbs. 46.5 – 48 GA2XRAK3072TR-W 552 lbs. 46.5 – 49 GA2XRAK3672L-W 571 lbs. 54.9 – 48 GA2XRAK3672R-W 571 lbs. 54.9 – 49 GA2XRAK3672TL-W 560 lbs. 54.9 – 48 GA2XRAK3672TR-W 560 lbs. 54.9 – 49 GA2XRAK3678L-W 568 lbs. 59.3 – 49 GA2XRAK3678R-W 568 lbs. 59.3 – 49 GA2XRAK3678TL-W 570 lbs. 59.3 – 48 GA2XRAK3678TR-W 570 lbs. 59.3 – 48 GA2XRAK3684L-W 578 lbs. 63.7 – 48	GA2WCS2H72-WW	201 lbs.	28.3	-	126
GA2XRAK3072L-W 550 lbs. 46.5 - 48 GA2XRAK3072R-W 550 lbs. 46.5 - 49 GA2XRAK3072TL-W 552 lbs. 46.5 - 48 GA2XRAK3072TR-W 552 lbs. 46.5 - 49 GA2XRAK3672L-W 571 lbs. 54.9 - 48 GA2XRAK3672R-W 571 lbs. 54.9 - 49 GA2XRAK3672TL-W 560 lbs. 54.9 - 49 GA2XRAK3672TR-W 560 lbs. 54.9 - 49 GA2XRAK3678L-W 568 lbs. 59.3 - 48 GA2XRAK3678R-W 568 lbs. 59.3 - 49 GA2XRAK3678TL-W 570 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 49 GA2XRAK3684L-W 578 lbs. 63.7 - 48	GA2WCS2H90-WG	243 lbs.	35.0	-	127
GA2XRAK3072R-W 550 lbs. 46.5 - 49 GA2XRAK3072TL-W 552 lbs. 46.5 - 48 GA2XRAK3072TR-W 552 lbs. 46.5 - 49 GA2XRAK3672L-W 571 lbs. 54.9 - 48 GA2XRAK3672R-W 571 lbs. 54.9 - 49 GA2XRAK3672TL-W 560 lbs. 54.9 - 49 GA2XRAK3672TR-W 560 lbs. 54.9 - 49 GA2XRAK3678L-W 568 lbs. 59.3 - 49 GA2XRAK3678R-W 568 lbs. 59.3 - 49 GA2XRAK3678TL-W 570 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 49 GA2XRAK3678TR-W 570 lbs. 59.3 - 49 GA2XRAK3684L-W 578 lbs. 63.7 - 48	GA2WCS2H90-WW	259 lbs.	35.0	-	126
GA2XRAK3072TL-W 552 lbs. 46.5 - 48 GA2XRAK3072TR-W 552 lbs. 46.5 - 49 GA2XRAK3672L-W 571 lbs. 54.9 - 48 GA2XRAK3672R-W 571 lbs. 54.9 - 49 GA2XRAK3672TL-W 560 lbs. 54.9 - 48 GA2XRAK3672TR-W 560 lbs. 54.9 - 49 GA2XRAK3678L-W 568 lbs. 59.3 - 48 GA2XRAK3678R-W 568 lbs. 59.3 - 49 GA2XRAK3678TL-W 570 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 49 GA2XRAK3684L-W 578 lbs. 63.7 - 48	GA2XRAK3072L-W	550 lbs.	46.5	-	48
GA2XRAK3072TR-W 552 lbs. 46.5 - 49 GA2XRAK3672L-W 571 lbs. 54.9 - 48 GA2XRAK3672R-W 571 lbs. 54.9 - 49 GA2XRAK3672TL-W 560 lbs. 54.9 - 48 GA2XRAK3672TR-W 560 lbs. 54.9 - 49 GA2XRAK3678L-W 568 lbs. 59.3 - 48 GA2XRAK3678R-W 568 lbs. 59.3 - 49 GA2XRAK3678TL-W 570 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 49 GA2XRAK3684L-W 578 lbs. 63.7 - 48	GA2XRAK3072R-W	550 lbs.	46.5	_	49
GA2XRAK3672L-W 571 lbs. 54.9 – 48 GA2XRAK3672R-W 571 lbs. 54.9 – 49 GA2XRAK3672TL-W 560 lbs. 54.9 – 48 GA2XRAK3672TR-W 560 lbs. 54.9 – 49 GA2XRAK3678L-W 568 lbs. 59.3 – 48 GA2XRAK3678R-W 568 lbs. 59.3 – 49 GA2XRAK3678TL-W 570 lbs. 59.3 – 48 GA2XRAK3678TR-W 570 lbs. 59.3 – 49 GA2XRAK3684L-W 578 lbs. 63.7 – 48	GA2XRAK3072TL-W	552 lbs.	46.5	_	48
GA2XRAK3672R-W 571 lbs. 54.9 - 49 GA2XRAK3672TL-W 560 lbs. 54.9 - 48 GA2XRAK3672TR-W 560 lbs. 54.9 - 49 GA2XRAK3672TR-W 568 lbs. 59.3 - 48 GA2XRAK3678R-W 568 lbs. 59.3 - 49 GA2XRAK3678TL-W 570 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 49 GA2XRAK3678TR-W 570 lbs. 59.3 - 49 GA2XRAK3684L-W 578 lbs. 63.7 - 48	GA2XRAK3072TR-W	552 lbs.	46.5	-	49
GA2XRAK3672TL-W 560 lbs. 54.9 - 48 GA2XRAK3672TR-W 560 lbs. 54.9 - 49 GA2XRAK3678L-W 568 lbs. 59.3 - 48 GA2XRAK3678R-W 568 lbs. 59.3 - 49 GA2XRAK3678TL-W 570 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 49 GA2XRAK3678TR-W 570 lbs. 59.3 - 49 GA2XRAK3684L-W 578 lbs. 63.7 - 48	GA2XRAK3672L-W	571 lbs.	54.9	_	48
GA2XRAK3672TR-W 560 lbs. 54.9 – 49 GA2XRAK3678L-W 568 lbs. 59.3 – 48 GA2XRAK3678R-W 568 lbs. 59.3 – 49 GA2XRAK3678TL-W 570 lbs. 59.3 – 48 GA2XRAK3678TR-W 570 lbs. 59.3 – 49 GA2XRAK3684L-W 578 lbs. 63.7 – 48	GA2XRAK3672R-W	571 lbs.	54.9	_	49
GA2XRAK3678L-W 568 lbs. 59.3 - 48 GA2XRAK3678R-W 568 lbs. 59.3 - 49 GA2XRAK3678TL-W 570 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 49 GA2XRAK3684L-W 578 lbs. 63.7 - 48	GA2XRAK3672TL-W	560 lbs.	54.9	_	48
GA2XRAK3678R-W 568 lbs. 59.3 - 49 GA2XRAK3678TL-W 570 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 49 GA2XRAK3684L-W 578 lbs. 63.7 - 48	GA2XRAK3672TR-W	560 lbs.	54.9	_	49
GA2XRAK3678TL-W 570 lbs. 59.3 - 48 GA2XRAK3678TR-W 570 lbs. 59.3 - 49 GA2XRAK3684L-W 578 lbs. 63.7 - 48	GA2XRAK3678L-W	568 lbs.	59.3	_	48
GA2XRAK3678TR-W 570 lbs. 59.3 - 49 GA2XRAK3684L-W 578 lbs. 63.7 - 48	GA2XRAK3678R-W	568 lbs.	59.3	_	49
GA2XRAK3684L-W 578 lbs. 63.7 – 48	GA2XRAK3678TL-W	570 lbs.	59.3	_	48
	GA2XRAK3678TR-W	570 lbs.	59.3		49
GA2XRAK3684R-W 578 lbs. 63.7 – 49	GA2XRAK3684L-W	578 lbs.	63.7		48
	GA2XRAK3684R-W	578 lbs.	63.7	_	49

model number	weight	cubes	#locks	page
GA2XRAK3684TL-W	578 lbs.	63.7	_	48
GA2XRAK3684TR-W	578 lbs.	63.7	_	49
GA2XRL3072L-W	152 lbs.	46.5	_	44
GA2XRL3072R-W	152 lbs.	46.5	_	45
GA2XRL3072TL-W	145 lbs.	46.5	_	44
GA2XRL3072TR-W	145 lbs.	46.5	_	45
GA2XRL3672L-W	181 lbs.	54.9	_	44
GA2XRL3672R-W	181 lbs.	54.9	_	45
GA2XRL3672TL-W	168 lbs.	54.9	_	44
GA2XRL3672TR-W	168 lbs.	54.9	_	45
GA2XRL3678L-W	191 lbs.	59.3	-	44
GA2XRL3678R-W	191 lbs.	59.3	-	45
GA2XRL3678TL-W	178 lbs.	59.3	_	44
GA2XRL3678TR-W	178 lbs.	59.3	-	45
GA2XRL3684L-W	200 lbs.	63.7	-	44
GA2XRL3684R-W	200 lbs.	63.7	_	45
GA2XRL3684TL-W	189 lbs.	63.7	-	44
GA2XRL3684TR-W	189 lbs.	63.7	-	45
GA2XRM3072L-W	220 lbs.	46.5	_	46
GA2XRM3072R-W	220 lbs.	46.5	_	47
GA2XRM3072TL-W	220 lbs.	46.5	_	46
GA2XRM3072TR-W	220 lbs.	46.5	_	47
GA2XRM3672L-W	245 lbs.	54.9	_	46
GA2XRM3672R-W	245 lbs.	54.9	_	47
GA2XRM3672TL-W	245 lbs.	54.9	_	46
GA2XRM3672TR-W	245 lbs.	54.9	_	47
GA2XRM3678L-W	265 lbs.	59.3	_	46
GA2XRM3678R-W	265 lbs.	59.3	_	47
GA2XRM3678TL-W	265 lbs.	59.3	_	46
GA2XRM3678TR-W	265 lbs.	59.3	_	47
GA2XRM3684L-W	285 lbs.	63.7	_	46
GA2XRM3684R-W	285 lbs.	63.7	_	47
GA2XRM3684TL-W	284 lbs.	63.7	_	46
GA2XRM3684TR-W	284 lbs.	63.7	-	47
GA2XRR3072L-W	190 lbs.	46.5	-	50
GA2XRR3072R-W	190 lbs.	46.5	_	51
GA2XRR3072TL-W	196 lbs.	46.5	_	50
GA2XRR3072TR-W	196 lbs.	46.5		51
GA2XRR3672L-W	215 lbs.	54.9	-	50
GA2XRR3672R-W	215 lbs.	54.9	-	51
GA2XRR3672TL-W	230 lbs.	54.9	-	50
GA2XRR3672TR-W	230 lbs.	54.9	_	51
GA2XRR3678L-W	235 lbs.	59.3	-	50
GA2XRR3678R-W	235 lbs.	59.3	_	51

model number	weight	cubes	#locks	page
GA2XRR3678TL-W	242 lbs.	59.3	_	50
GA2XRR3678TR-W	242 lbs.	59.3		51
GA2XRR3684L-W	255 lbs.	63.7		50
GA2XRR3684R-W	255 lbs.	63.7		51
GA2XRR3684TL-W	254 lbs.	63.7		50
GA2XRR3684TR-W	254 lbs.	63.7		51
GAACLPD-CUSH2130T	10 lbs.	2.1		100
GAACLPD-CUSH2136T	10 lbs.	2.4		100
GAACLPD-CUSH2430	9 lbs.	2.3		100
GAACLPD-CUSH2436	9 lbs.	2.7		100
GAACORNER	8 lbs.	1.7		143
GAADSKPAD	10 lbs.	2.3		143
GAAMPD-CUSH1818	6 lbs.	1.2		100
GAATGW1H30-GSA	43 lbs.	3.7		133
GAATGW1H30-XGSA	48 lbs.	3.7		134
GAATGW1H36-GSA	50 lbs.	4.3		133
GAATGW1H36-XGSA	55 lbs.	4.3		134
GAATGW1H42-GSA	58 lbs.	5.0		133
GAATGW1H42-XGSA	63 lbs.	5.0		134
GAATGW1H48-GSA	66 lbs.	5.6		133
GAATGW1H48-XGSA	71 lbs.	5.6	_	134
GAATGW2H30-GSA	50 lbs.	4.3		133
GAATGW2H30-XGSA	55 lbs.	4.3	_	134
GAATGW2H36-GSA	59 lbs.	5.0		133
GAATGW2H36-XGSA	64 lbs.	5.0		134
GAATGW2H42-GSA	67 lbs.	5.8		133
GAATGW2H42-XGSA	72 lbs.	5.8		134
GAATGW2H48-GSA	76 lbs.	6.6		133
GAATGW2H48-XGSA	81 lbs.	6.6		134
GAATGW30-GSA	28 lbs.	2.3		132
GAATGW36-GSA	32 lbs.	2.7		132
GAATGW60-GSA	50 lbs.	4.3		132
GAATGW66-GSA	55 lbs.	4.7		132
GAATGW72-GSA	59 lbs.	5.1		132
GAATGW78-GSA	64 lbs.	5.5	_	132
GAATGW84-GSA	68 lbs.	5.9		132
GAATGW90-GSA	73 lbs.	6.4		132
GAATGW96-GSA	77 lbs.	6.8		132
GAATGW102-GSA	82 lbs.	7.2		132
GAATGW108-GSA	86 lbs.	7.6		132
GAATKW1H30	24 lbs.	3.8		129
GAATKW1H36	27 lbs.	4.5		129
GAATKW1H42	29 lbs.	5.1	_	129
GAATKW1H48	32 lbs.	5.8		129

model number	weight	cubes	#locks	page
GAATKW2H30	26 lbs.	4.4	_	129
GAATKW2H36	29 lbs.	5.2	_	129
GAATKW2H42	33 lbs.	6.0	_	129
GAATKW2H48	36 lbs.	6.8	_	129
GAATKW30	18 lbs.	2.3	_	128
GAATKW36	20 lbs.	2.8	_	128
GAATKW60	26 lbs.	4.5	_	128
GAATKW66	28 lbs.	4.9	_	128
GAATKW72	29 lbs.	5.3	_	128
GAATKW78	31 lbs.	5.7	_	128
GAATKW84	33 lbs.	6.1	_	128
GAATKW90	34 lbs.	6.6	-	128
GAATKW96	36 lbs.	7.0	_	128
GAATKW102	37 lbs.	7.4	_	128
GAATKW108	39 lbs.	7.8		128
GAATKW120	42 lbs.	8.7	-	128
GAATLKW1H30	26 lbs.	4.3	—	131
GAATLKW1H36	29 lbs.	5.1	_	131
GAATLKW1H42	33 lbs.	5.9	_	131
GAATLKW1H48	36 lbs.	6.7	—	131
GAATLKW2H30	28 lbs.	5.0	-	131
GAATLKW2H36	32 lbs.	5.9	_	131
GAATLKW2H42	36 lbs.	6.8	_	131
GAATLKW2H48	40 lbs.	7.7	_	131
GAATLKW30	20 lbs.	2.9	_	130
GAATLKW36	22 lbs.	3.4	_	130
GAATLKW60	31 lbs.	5.5	_	130
GAATLKW66	33 lbs.	6.1	_	130
GAATLKW72	35 lbs.	6.6	_	130
GAATLKW78	37 lbs.	7.1	_	130
GAATLKW84	39 lbs.	7.7	_	130
GAATLKW90	41 lbs.	8.2	_	130
GAATLKW96	43 lbs.	8.7	_	130
GAATLKW102	45 lbs.	9.2	-	130
GAATLKW108	47 lbs.	9.8	-	130
GAATLKW120	52 lbs.	10.8	_	130
GAATOP1818-W	20 lbs.	1.0	-	149
GAATRAYBOX15	3 lbs.	0.9	-	144
GAATRAYBOX18	4 lbs.	1.0	_	144
GAATRAYBOX30	7 lbs.	1.7		144
GAATRAYBOX36	8 lbs.	2.1	_	144
GAATRAYLTR15	3 lbs.	1.0	_	144
GAATRAYLTR18	4 lbs.	1.1	_	144
GAATROUGH30	3 lbs.	0.6	_	101

model number	weight	cubes	#locks	page
GAATROUGH36	3 lbs.	0.7	_	101
GAATROUGH42	4 lbs.	0.9	_	101
GAATROUGH48	4 lbs.	1.0	_	101
GAATROUGH54	5 lbs.	1.1	_	101
GAATROUGH60	5 lbs.	1.2	_	101
GAATROUGH66	6 lbs.	1.4	_	101
GAATROUGH72	6 lbs.	1.5	_	101
GAATROUGH78	7 lbs.	1.6	_	101
GAATROUGH84	7 lbs.	1.7	_	101
GAATROUGH90	8 lbs.	1.9	_	101
GAATROUGH96	9 lbs.	2.0	_	101
GAATROUGH102	9 lbs.	2.1	_	101
GAATROUGH108	10 lbs.	2.2	_	101
GAATROUGH114	10 lbs.	2.4	_	101
GAATROUGH120	11 lbs.	2.5	_	101
GAATWD1H30	68 lbs.	3.8	_	136
GAATWD1H30-X	68 lbs.	3.8	_	137
GAATWD1H36	80 lbs.	4.5	_	136
GAATWD1H36-X	80 lbs.	4.5	_	137
GAATWD1H42	91 lbs.	5.1	_	136
GAATWD1H42-X	91 lbs.	5.1	_	137
GAATWD1H48	103 lbs.	5.8	-	136
GAATWD1H48-X	103 lbs.	5.8	_	137
GAATWD2H30	78 lbs.	4.4	_	136
GAATWD2H30-X	78 lbs.	4.4	-	137
GAATWD2H36	92 lbs.	5.2	-	136
GAATWD2H36-X	92 lbs.	5.2	-	137
GAATWD2H42	106 lbs.	6.0	_	136
GAATWD2H42-X	106 lbs.	6.0	_	137
GAATWD2H48	120 lbs.	6.8	_	136
GAATWD2H48-X	120 lbs.	6.8	-	137
GAATWD30	45 lbs.	2.3	_	135
GAATWD36	51 lbs.	2.8	_	135
GAATWD60	79 lbs.	4.5	-	135
GAATWD66	86 lbs.	4.9	_	135
GAATWD72	93 lbs.	5.3	-	135
GAATWD78	100 lbs.	5.7	-	135
GAATWD84	107 lbs.	6.1	-	135
GAATWD90	114 lbs.	6.6	-	135
GAATWD96	121 lbs.	7.0	-	135
GAATWD102	127 lbs.	7.4	_	135
GAATWD108	134 lbs.	7.8	_	135
GAATWD120	148 lbs.	8.7	-	135
GS2CDWSD-W	2 lbs.	13.0	_	145

model number	weight	cubes	#locks	page
MDWLBK24	2 lbs.	1.2	_	94
MDWLBK30	2 lbs.	1.2	_	94
SAMAGNET	1 lbs.	0.1	_	141

GUNLOCKE.COM FORM #G1052.A2 (04/23)

Gunlocke®

One Gunlocke Drive Wayland, NY 14572 800 828 6300