

PRICING EFFECTIVE MAY 2022

LETCHWORTH™

Price & Specification Guide


PDF updated April 15, 2022

Gunlocke®

VENEER 1 (SELECT)


NATURAL FC CHERRY

A. Cinnamon/Biltmore	NC260
B. Lowell Ash	NC394
C. Medium Red	NC512
D. Light	NC701
E. Shaker	NC774
F. Burnished	NC777



NATURAL FC MAPLE







G. Natural	NE800
H. Harvest	NE856



NATURAL FC WALNUT

I. Florence	NT579
J. Light	NT601
K. Skyline	NT625
L. Nutmeg	NT629
M. Pinnacle	NT679
N. Sumatra	NT693
O. Ebony	NT509




(Use OP TopFin Only)



VENEER 2 (PREMIUM)

NATURAL QC WALNUT

A. Florence	QT579
B. Light	QT601
C. Skyline	QT625
D. Nutmeg	QT629
E. Pinnacle	QT679
F. Sumatra	QT693
G. Ebony	QT509
(Use OP TopFin Only)	



K


NATURAL RIFT CUT OAK

H. Light	RF301
I. Dark	RF331
J. Phantom Ecrú	RF912
(Use OP TopFin Only)	
K. Fawn Cypress	RF108

VENEER 3 (PLANK UPCHARGE)


PLANK FC WALNUT*

A. Light	PNT601
B. Skyline	PNT625
C. Nutmeg	PNT629
D. Pinnacle	PNT679
E. Sumatra	PNT693



PLANK RIFT CUT OAK*

F. Light	PRF301
G. Dark	PRF331
H. Phantom Ecrú	PRF912
(Use OP TopFin Only)	



* A lighter veneer stain will accentuate
The random pattern of the plank layout.



General Information
 Conditions of Sale 2
 GSA Terms & Conditions 3-4
 Warranty 5
 Delivery Information 6
 Veneers + Finishes 7
Materials + Finishes 8
Reference Technical Specifications 9-12
Parsons Tables 13
Workbench Tables 14
Picnic Tables 15
Miter Tables 16-17
Technology 18

INTRODUCTION

The Gunlocke Company is dedicated to providing the finest products and service possible. This price list reflects that commitment. Included is a current listing of our casegood models.

Seating and Lounge are presented in a separate price list. Contact your Gunlocke Customer Services Representative for more information, (800) 828-6300.

Designed for easy use, each page of this price list, and the inside front cover fold out provide all information required to order a product correctly. Should additional information be needed, contact your Gunlocke customer service representative.

PRICING

Prices shown cover standard product specifications. Any changes or alterations, other than those listed, will be subject to an additional charge. Prices include cartoning and freight. Authorization and pricing must be secured in advance for orders or contracts calling for large quantities, indefinite quantities, or extended delivery dates. Prices are subject to change without notice; the most current prices are published on <http://www.gunlocke.com>.

ACKNOWLEDGMENT

Each order will be acknowledged by Gunlocke. Customers should check each acknowledgment for accuracy and immediately notify Gunlocke of any discrepancies. The printed acknowledgment is the final agreement between The Gunlocke Company and the customer, superseding all previous communications regarding the order.

SPECIFICATION CHANGES

Gunlocke reserves the right to change specifications for the improvement of products at any time, without notice.

ORDER CHANGES

Gunlocke is not required to accept changes in orders after confirmation. Reasonable changes are subject to additional charges for labor, material and administrative costs.

Order changes of acknowledgment may result in re-scheduling of product.

RETURNED MERCHANDISE

No merchandise may be returned without prior authorization.

SHOWROOMS

For all showroom locations and tour information, please reference the showrooms page online at: www.gunlocke.com/inspiration/showrooms

CANCELLATIONS

Cancellation of orders cannot be accepted since every order is manufactured according to customer specifications.

STORAGE

If delivery cannot be made and products are ready, Gunlocke will transfer products to a storage facility and products will be invoiced at that time. The customer is responsible for storage charges and assumes and bears all risks associated with the storage of that product.

TERMS

Net 30 days from date of invoice. A service charge of eighteen percent (18%) per year or .0004931% per day, compounded monthly, will be added to balance due beyond the thirtieth day. Products are shipped FOB factory, freight prepaid and allowed. Title passes to purchaser and Gunlocke's responsibility ceases when shipment is accepted for transportation by a carrier. A full explanation of all payment terms is found on order and invoice forms.

ORDERING

To expedite order entry and to assure proper service, email or fax all orders directly to:

The Gunlocke Company

Attn: Order Entry
One Gunlocke Drive
Wayland, New York 14572

585-728-5111
585-728-8350 FAX
800-828-6300
www.gunlocke.com

Gunlocke will not be responsible for duplicate orders if purchase orders are left unmarked.

ORDERING INFORMATION

1a. Intended use: The furniture on this schedule is intended for use by Government executives (or equivalent military rank) in the Executive, Judicial and Legislative Branches of the Federal Government. To help customers make a good purchasing decision based on their needs and budget, GSA has established four grades of furniture. Grade (1) includes furniture that tends to be the most expensive on this schedule, grade (2) furniture tends to be more moderately priced and grades (3) and (4) furniture tend to be affordably priced when compared to grades (1) and (2). Some pieces of furniture on this schedule may be significantly higher in price than GSA Traditional and Contemporary Executive Special Order Program furniture. The ordering agency or service is responsible for determining furniture appropriate for use in its offices which will fit within its budget and comply with applicable Federal or internal agency procurement regulations. Please see reverse for GSA terms and conditions.

Grade 1 All exposed solid parts such as top rims, base rails etc. (except decorative accents, inlays and painted parts) shall be the same species as the face veneer. Top and bottom edges of drawer fronts shall be solid wood in the same species as the face veneers. Drawer sides and backs shall be solid wood.

Grade 2 Exposed wood panel trim and trim on tops shall be the same wood species as the face veneer on the top. Some or all other exposed solid parts, such as base rails can be an alternative wood species (such as poplar or gum) different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Silea is grade 2.

Grade 3 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Medley, Kennsington, Credentials, and all tables are grade 3.

Grade 4 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be composite wood material construction such as MDF. Trio is grade 4.

1. **Maximum Order Threshold:**
SIN# 33721 \$250,000
2. **Minimum order:** \$2,000 list
3. **Geographic coverage:**
48 contiguous states and DC (CONUS)
4. **Points of production:**
Wayland, NY, Steuben County, USA
Muscatine, IA, Muscatine County, USA
5. **Discount Statement: Discount is applied to List Price.**
Structure in List \$:
\$2,000 – \$100,000 list 60.5%
\$100,001 – \$400,000 list 62.7%
\$400,001 – MOT (\$1,428,571 List). 65.0%
Over MOT (\$1,428,572 List). Negotiable
* These discounts apply to single purchase orders, shipping to the same place in the same time period
6. **Quantity Discount:** See above
7. **Payment terms:**
1% 23 days Net 30 days from date of shipment, for product only, for all electronic invoices processed through a Federal payment system (including, but not limited to, WAWF, IPP, etc.).

All other invoice sales are Net 30 days from date of shipment. Prompt payment terms are not applicable to credit card orders.
8. **Government Credit Cards** are accepted above and below the micro-purchase levels.

Written confirmation and authorized signatures are required. Activities may verbally provide card information, but products shall be confirmed in writing.

Use of credit cards shall be at the time of order placement with cards charged at the time of shipment, see GSAR 552-232-80 (C).

There are no additional discounts for using a credit card.
9. **Foreign items:** None
- 10a. **Time of delivery:** 60 days ARO
- 10b. **Expedited delivery:** Contact Gunlocke
- 10c. **Overnight and 2-day delivery:** Contact Gunlocke
- 10d. **Urgent requirements:** Contact Gunlocke
11. **FOB point(s):** F.O.B. Origin, with freight being paid by Gunlocke for all deliveries within CONUS.
12. **Ordering address(es):**
The Gunlocke Company
c/o Authorized Gunlocke GSA Dealer
One Gunlocke Drive
Wayland, NY 14572
Phone: (800) 828-6300
Fax: (585) 728-8350
13. **Payment address(es):**
The Gunlocke Company LLC
13367 Collections Center Drive
Chicago, IL 60693
14. **Warranty provision:** See warranty on page 5
15. **Export packing charges:**
Write for quotation on export packaging.
16. **Terms and conditions of Government commercial credit card acceptance:** Credit Cards are accepted.
17. **Terms and conditions of rental, maintenance, and repair:** Not applicable
18. **Terms and conditions of installation:**
Installation services shall be priced at a rate not to exceed 30% of the net product price, per project. The minimum order charge for installation shall be \$175.00. Projects involving extraordinary circumstances which require installation charges exceeding the proposed installation rates will be submitted to the GSA Contracting Officer for review and approval.
19. **Project Management:**
\$65 Per Hour, inclusive of IFF
20. **Reconfiguration and Relocation Services:**
\$65 Per Hour, inclusive of IFF
21. **Design/Layout Services:**
\$65 Per Hour, inclusive of IFF
22. **Terms and conditions of repair:**
Refer to Gunlocke Customer Support
23. **List of service and distribution:** Points: Not applicable
24. **Participating dealers:** A list of participating dealers will be supplied to any government agency upon request or is available on our website at www.gunlocke.com.
25. **Preventative maintenance:**
Not applicable. Instruction sheets available upon request.
26. **Environmental attributes:** Gunlocke has an active environmental program. Please call (800) 828-6300 for details.
27. **Data universal number system:**
(DUNS) number is 19-993-6550
28. **CCR registration/Cage Code:** The Gunlocke Company is registered in the DoD CCR. Cage Code - 26574
29. **Returns:**
No returns of goods will be accepted without written consent and shipping instructions from Gunlocke, and the Government customer will be required to pay all return freight charges. A restocking fee of 30% net will apply on all authorized returns provided Gunlocke receives goods in the condition in which they left the factory. No credit will be given if goods cannot be reused. Special order items are in no event subject to return. Goods must be returned within 70 days of shipment from factory.
30. **Cancellations:** No charge prior to production. After production has begun (5 days ARO), only the actual costs that the contractor can demonstrate will be billed to the customer if the merchandise cannot be resold within a reasonable period of time (90 days).
31. **Inside Delivery:** Gunlocke rates are for dock-to-dock delivery and do not include inside delivery, un-cartoning or set up. If desired, arrangements for inside delivery must be made and approved when the order is placed and will have a corresponding fee of 7% of list price of the order with a minimum charge of \$75. Requests for un-cartoning and set up will be coordinated with a Gunlocke Dealer with applicable charges applied to the order.
32. **Federal Tax ID # 22-3887942**

12 YEAR WARRANTY

Subject to the limitations set forth below. The Gunlocke Company warrants to the original purchaser all product in this price list to be free from defects in material and workmanship for a twelve year period from the date of shipment. This 12-year warranty applies to all products sold and installed by a Gunlocke authorized agent for normal commercial single shift service. Gunlocke will repair, or at its option, replace defective merchandise, free of charge. The following components not manufactured by Gunlocke have the following warranties:

- **High wear components** such as casters and glides are warranted for five years after date of shipment to original owner.
- **Electrical components** are warranted 10 years from date of manufacture with exception of lamps and ballasts which are not warranted. This includes Fluorescent Tasklights.
- **LED tasklights** are warranted for 3 years from date of shipment to original owner.
- **Drawer suspensions** are warranted for lifetime of product after shipment to original owner.
- **Personal corners** including covering (leather) are warranted for three years of single shift and normal use after shipment to original owner.
- **Height adjustable electrical components** are warranted for five years of single shift and normal use after shipment to original owner.

Any non-standard material selected by the customer is not warranted. Neither does this warranty apply to damage resulting from accident, alteration, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. That is, Gunlocke's warranty is only valid if products are given proper use and care. Gunlocke assumes no responsibility for product damages resulting from improper installation or user modification.

WOOD FURNITURE

Wood owes its inherent beauty to variations in color, grain, and texture, and therefore, these variations are not considered defects. There may be minor variations from one piece of furniture to the next even though they are finished at the same time. Exposure to light and the aging process will cause a darkening of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. The Gunlocke Company does not guarantee the exact matching of grain, pattern, and color.

These finishes do not cover any of the natural characteristics of the wood, including nature's colorations, pitch pockets, and the variations of steam-bent wood. Merchandise will not be replaced because of these natural variations.

It is expressly understood and agreed that the buyer's sole and exclusive remedy for any and all losses or damages resulting from nonconforming goods, or from any other cause, shall be repair or replacement of defective parts, and that Gunlocke shall not be liable for damages or injury to persons or property, nor for replacement of the entire commercial unit, if repair or replacement of defective parts can reasonably render the unit conforming.

All warranty claims must be made in writing by the original owner. Owner may be required to produce the invoice or other evidence to establish that a claim is within the warranty period. Warranty claims may be submitted on the Gunlocke website.

<https://apps.gunlockeadvantage.com/QualityFeedback/>

As stated and illustrated on the website, serial numbers are required to process a warranty claim. No person, firm or corporation is authorized to assume for Gunlocke any liability in connection with the sale or installation of Gunlocke products except as stated above.

All other warranties, expressed or implied, are excluded. Gunlocke shall not be liable for incidental or consequential damages of any sort.

Within the Continental USA, all orders above \$20,000 list are shipped FOB factory, freight prepaid and allowed. All orders less than \$20,000 list will be subject to a \$200 net freight charge. Products shipped to Alaska and Hawaii FOB factory, freight prepaid and allowed to port of embarkation. Customer is responsible for freight charges from port of embarkation to final destination.

An anticipated shipping date is indicated on the order acknowledgment. Gunlocke cannot accept responsibility for shipping delays caused by outside sources or unforeseen problems. Delay of shipments requested by customers must be approved by Gunlocke. Any resultant storage charges will be charged to the customer.

Gunlocke may await completion of the entire order and ship all at once or may make partial shipments from time to time at its sole discretion unless the customer requests in writing that partial shipments are needed and Gunlocke approves the specific shipping schedule. Additional charges may apply.

Gunlocke is not liable for any delay or failure to deliver or perform due to strikes, lock-outs, or other labor or transportation difficulties, delay of sources or supply, accidents, fires, acts of God, or any other causes of like or unlike nature beyond the control of Gunlocke.

LIABILITY

Gunlocke products and their packaging are tendered to a transportation company only after passing rigid quality control inspection. At that time, title to the product is passed to the purchaser. However the transportation company assumes all liability from acceptance of shipment through its delivery. That is, Gunlocke's liability ceases at the time of shipment.

FILING OF CLAIMS

All claims for damage or loss must be submitted via our website at: <https://apps.gunlockeadvantage.com/QualityFeedback/> within 15 days after receipt of merchandise. Do not return freight damaged merchandise to Gunlocke. Follow the steps below to expedite processing and resolution of claims.

For Visible Damage

1. Make damage notation on delivery receipt and have driver sign. Do not reject or refuse the shipment.
2. Immediately contact Gunlocke Traffic Department at 585-728-8268.
3. Hold damaged carton and all interior packing for carrier's inspection. These materials will be needed to substantiate the claim.

For Concealed Damage

1. Open cartons within 15 days of receipt and inspect.
2. Follow steps 2, and 3 as listed under Visible Damage.
3. Do not remove product from delivered destination.

For Loss

1. Be sure loss notation is made on delivery receipt and have driver sign.
2. Contact Gunlocke Distribution at 585-728-8268.

Should transportation company seek to limit its liability on concealed, loss, or damage claims, please contact Gunlocke's traffic department. After a thorough investigation of the claim, the traffic department will provide you with guidance in corresponding with the carrier.

Returned merchandise, regardless of delivery method, will not be accepted unless specifically authorized by Gunlocke.

For Damage or Loss of Parcel Post or UPS Shipment

Notify Gunlocke distribution immediately at 585-728-8268.

NORMAL DELIVERY

All normal ground transportation by Gunlocke will be made on a dock-to-dock basis. The Gunlocke traffic department will determine the recommended method of shipment according to the ship to destination. If the delivery on a shipment takes longer than 2 hours to be unloaded, an additional charge will be billed at \$60/hour at 15 minute increments. Gunlocke reserves the absolute right to determine the method of shipping unless special delivery instructions have been previously approved.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

If a guaranteed delivery time is needed please call Gunlocke Traffic Department at 585-728-8268 for a quote as additional charges will apply. Weekend or after hours deliveries are subject to additional charges.

WEEKEND DELIVERY

A \$500 charge will apply on weekend delivery after 3:00 PM Friday through Sunday evenings.

DROP SHIP / JOB SITE DELIVERY

Orders under \$50,000 list will incur a \$125 charge for ship to locations other than a designated dealer warehouse.

INSIDE DELIVERY

Inside delivery must be noted on order. A minimum \$100 charge will apply.

SPECIAL DELIVERY

Please contact the Gunlocke traffic department for special delivery services such as inside delivery, weekend or after hour deliveries, reconsignment or other special needs. These are billable services.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

DOCK RESTRICTIONS

Gunlocke trailers are 53' x 102"; when attached to truck cab the total length is 75'. If delivery dock will not accommodate trucks of this sizes, the Gunlocke traffic department must be contacted prior to shipping. Alternate arrangements can be made; additional charges may apply.

veneers

All exposed wood surfaces utilize select flat cut Cherry, Maple and Walnut veneers or premium quarter cut Walnut and Rift Cut Oak veneers. An optional plank veneer is also available in flat cut Walnut or Rift Cut Oak at veneer 3 pricing. All veneers except plank veneers are carefully selected and slip matched to assure balance and consistency throughout the product, while plank veneers are still carefully selected they are arranged in a deliberately random manner to achieve a unique look.

Specialty Finishes:

- Submit a color sample block (minimum size 3" x 3") to Gunlocke so that a finish formulation can be developed to match the special finish and color.
- Review the approval sample provided by Gunlocke.
- Written approval and sign off is required for Gunlocke customer service.
- Once written approval and sign off is received, the special finish order will be acknowledged.

Note: See Gunlocke Advantage website for special finish request forms.

All Casegoods & Tables Purchase Orders:

- 10% list upcharge per wood unit to base veneer option receiving special finish.
- \$250 net formulation fee for special finish.

Note: This procedure and related costs apply to new and previously formulated special finishes. Special finish orders may receive additional lead time.

UV TOP FINISH

Worksurfaces feature two low emitting UV finish options that enhance the beauty of natural wood and ensures the depth, clarity, color consistency and durability throughout the life of the product.

UV finish options

Full-fill Cleartech (upcharge)	FF
Open Pore Low Sheen	OP

NOTE: UV Finish not available on 29H, 36H, and 42H Miter Tables.

veneers

veneer 1 (select)

Plain Sliced Cherry

Plain Sliced Maple

Plain Sliced Walnut

veneer 2 (premium)

Quarter Cut Walnut

Rift Cut Oak

veneer 3 (plank)

Random Plank Flat Cut Walnut

Random Plank Rift Cut Oak

NOTE: For FSC Certified Product add "FSC" to beginning of finish option code.
Example: FSCNC260. A 5% list upcharge will be applied per unit ordered with FSC option.

VENEERS

All exposed wood surfaces utilize select flat cut Cherry, Maple, Walnut veneers, premium quarter cut Walnut, or Rift Cut Oak veneers. An optional plank veneer is also available in flat cut Walnut or Rift Cut Oak at veneer 3 pricing. All veneers except plank veneers are carefully selected and slip matched to assure balance and consistency throughout the product. While plank veneers are still carefully selected they are arranged in a deliberately random manner to achieve a unique look.

VENEER TOPS

Wood veneer tops feature a balanced 3-ply construction. Tops are available with a square-edge profile. Tops are faced with premium veneer and backed with a polymer resin-impregnated moisture resistant material. Parsons, Workbench, and Picnic are 1 1/2" thick and include a 3/32" solid wood edgeband. Miter tables are 3 1/2" thick and include a 1/4" solid wood edgeband. See the following pages for table style specific specifications.

TABLE LEGS AND APRON

Veneer tops pair with solid hardwood legs and aprons. Cherry Veneers use Cherry solids, Maple veneers use Maple solids, and Walnut and Rift Oak veneers use Ash solids. See the following pages for table style specific specifications.

PERIMETER POWER MODULE

Perimeter power modules are 5 1/2"W x 2"H and available in white or black. Unit includes a smooth single-piece cover with cutouts for (2) power and (2) charging USB ports. Each enclosure is rated for 15 amp, 125 volt. Units can be specified with 10' standard plug or 6' hardwire conduit option. Unit is field installed. UL Listed. USB charging ports are 2.1 amps per port.

GLIDES

Glides provide 1 1/8" of vertical leveling adjustment. Glide bottom is durable nonrust nylon.

FINISH

Natural veneer is subject to nature's quality control. Each species will exhibit differences in grain pattern and tone. This is to be expected and, in fact, contributes to the beauty and individuality of each product. Flat Cut veneers emphasize the variations of wood by exhibiting cathedrals in the grain pattern. Quarter Cut and Rift Cut veneers are a premium cut that maintains variations in the grain but without cathedral patterns. Stratawood is a natural, FSC®-certified reconstituted veneer that is designed to exhibit a straight-grain pattern, absent of cathedrals or other significant grain and tone variations.

Worksurfaces, desktops, and tabletops are protected by one of the world's most

advanced UV cured finish coatings, available in Full Fill ClearTech® or Open Pore low sheen finish, applied by state-of-the-art finishing equipment. Both finishes meet the EPA's stringent requirements for VOC emissions and air quality. Cured in a specially designed ultraviolet oven, the finish fuses to the wood, forming a durable shield that provides a high level of scratch, stain, chemical, and heat resistance, plus a high level of clarity.

Chassis, storage, overheads, and veneer bases are finished with a 30 sheen, conversion varnish finish.

All colors and species are not available on all products. Please refer to front cover of price lists for availability of finishes.

CLEANING FINISH

Dust with damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Note: Do not use furniture polishes containing oil, wax, or silicone, which can produce an oily film or haze.

TECHNICAL SPECIFICATIONS

Tops – 1 1/2" thick with 3/32" solidwood bands available in square edge

Solidwood Aprons – 3" high x 1 1/4" thick


Solidwood Legs – 4 1/2" wide x 4 1/2" thick

Occasional Table Legs – 3 1/2" wide x 3 1/2" thick


INSTALL

Ships knocked down. Top ships with aprons attached. Legs bolt on in field.


29 High Tables




36 High Tables



42 High Tables



Occasional




TECHNICAL SPECIFICATIONS

Tops – 1 1/2" thick with 3/32" solidwood bands available in square edge
Solidwood Aprons – 3" high x 1 1/4" thick
Solidwood Legs – 3 1/2" wide x 4 1/2" thick
Solidwood Leg Crossrail – 3 1/2" high x 1 1/4" thick
Solidwood Horizontal Stretcher – 3" high x 2 1/2" thick


INSTALL

Ships knocked down. Top ships with aprons attached. Leg assemblies and horizontal stretcher attach in field.


29 High Tables



36 High Tables



42 High Tables




TECHNICAL SPECIFICATIONS

Tops – 1 1/2" thick with 3/32" solidwood bands available in square edge
Solidwood Aprons – 3" high x 1 1/4" thick
Solidwood Legs – 3 1/2" wide x 3 1/2" thick
Solidwood Leg Crossrail – 3 1/2" high x 1 1/4" thick
Solidwood Horizontal Stretcher – 3" high x 2 1/2" thick


INSTALL

Ships knocked down. Top ships with aprons attached. Leg assemblies and horizontal stretcher attach in field.


29 High Tables



36 High Tables



42 High Tables




TECHNICAL SPECIFICATIONS


Tops – 3 1/2" thick with 1/4" solidwood bands available in square edge
 Top edge built up with 2" wide x 2 3/4" high solidwood rails
 Matched waterfall veneer from top to end panels
 Removable access panels on each end panel provide 2" wire management cavity
 Steel brackets reinforce miter connection.

**TABLES ARE SHIPPED IN ONE COMPLETE PIECE AND CANNOT BE DISASSEMBLED.
 CONFIRM ELEVATOR/DOORS/HALLWAYS FOR CLEARANCE.**


29 High Tables



36 High Tables



42 High Tables



TECHNICAL SPECIFICATIONS | OCCASIONAL AND CONSOLE TABLES

Tops – 1 1/2" thick with 3/32" solidwood bands available in square edge
 Matched waterfall veneer from top to end panels
 4" high horizontal veneer stretcher





INSTALL

Ships assembled.

Occasional Tables

Console Tables



	D	W	H	model number	veneer 1	veneer 2	veneer 3
29H STANDARD HEIGHT 	42	72	29 1/2	GABTRT29H4272-WW	6,713	7,185	7,501
	42	84	29 1/2	GABTRT29H4284-WW	7,464	7,989	8,340
	42	96	29 1/2	GABTRT29H4296-WW	8,174	8,750	9,133
	48	72	29 1/2	GABTRT29H4872-WW	6,966	7,455	7,781
	48	84	29 1/2	GABTRT29H4884-WW	7,779	8,325	8,691
	48	96	29 1/2	GABTRT29H4896-WW	8,610	9,217	9,618
36H COUNTER HEIGHT 	42	72	36	GABTRT36H4272-WW	7,051	7,548	7,879
	42	84	36	GABTRT36H4284-WW	7,838	8,388	8,758
	42	96	36	GABTRT36H4296-WW	8,583	9,186	9,589
	48	72	36	GABTRT36H4872-WW	7,316	7,832	8,174
	48	84	36	GABTRT36H4884-WW	8,169	8,745	9,128
	48	96	36	GABTRT36H4896-WW	9,041	9,677	10,102
42H BAR HEIGHT 	42	72	42	GABTRT42H4272-WW	7,384	7,904	8,250
	42	84	42	GABTRT42H4284-WW	8,210	8,788	9,175
	42	96	42	GABTRT42H4296-WW	8,992	9,623	10,046
	48	72	42	GABTRT42H4872-WW	7,664	8,203	8,563
	48	84	42	GABTRT42H4884-WW	8,559	9,162	9,564
	48	96	42	GABTRT42H4896-WW	9,470	10,137	10,581
OCCASIONAL 	24	24	21	GABTRT21H2424-WW	2,132	2,279	2,382
	36	36	17	GABTRT17H3636-WW	2,408	2,575	2,691
	42	42	17	GABTRT17H4242-WW	2,684	2,873	3,000
	24	54	17	GABTRT17H2454-WW	2,607	2,790	2,912

PRODUCT INFO

Ships knocked down.

TO ORDER PLEASE SPECIFY THE FOLLOWING:




1. MODEL NUMBER
2. FINISH
3. TOP UV FINISH

See inside front cover for required option codes

Example

GABTRT29H4272-WW.NT629.OP
 GABTRT29H4272-WW NT629 OP
 MODEL NUMBER FINISH TOP UV FINISH

WORKBENCH TABLES

	D	W	H	model number	veneer 1	veneer 2	veneer 3
29H STANDARD HEIGHT 	42	72	29 1/2	GBBTRT29H4272-WW	6,713	7,185	7,501
	42	84	29 1/2	GBBTRT29H4284-WW	7,464	7,989	8,340
	42	96	29 1/2	GBBTRT29H4296-WW	8,174	8,750	9,133
	42	108	29 1/2	GBBTRT29H42108-WW	9,297	9,949	10,389
	42	120	29 1/2	GBBTRT29H42120-WW	10,221	10,940	11,420
	48	72	29 1/2	GBBTRT29H4872-WW	6,966	7,455	7,781
	48	84	29 1/2	GBBTRT29H4884-WW	7,779	8,325	8,691
	48	96	29 1/2	GBBTRT29H4896-WW	8,610	9,217	9,618
	48	108	29 1/2	GBBTRT29H48108-WW	9,683	10,364	10,818
	48	120	29 1/2	GBBTRT29H48120-WW	10,906	11,675	12,185
36H COUNTER HEIGHT 	42	72	36	GBBTRT36H4272-WW	7,051	7,548	7,879
	42	84	36	GBBTRT36H4284-WW	7,838	8,388	8,758
	42	96	36	GBBTRT36H4296-WW	8,583	9,186	9,589
	48	72	36	GBBTRT36H4872-WW	7,316	7,832	8,174
	48	84	36	GBBTRT36H4884-WW	8,169	8,745	9,128
	48	96	36	GBBTRT36H4896-WW	9,041	9,677	10,102
42H BAR HEIGHT 	42	72	42	GBBTRT42H4272-WW	7,384	7,904	8,250
	42	84	42	GBBTRT42H4284-WW	8,210	8,788	9,175
	42	96	42	GBBTRT42H4296-WW	8,992	9,623	10,046
	48	72	42	GBBTRT42H4872-WW	7,664	8,203	8,563
	48	84	42	GBBTRT42H4884-WW	8,559	9,162	9,564
	48	96	42	GBBTRT42H4896-WW	9,470	10,137	10,581

PRODUCT INFO

Ships knocked down.




TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. TOP UV FINISH

See inside front cover for required option codes

Example

GBBTRT29H4272-WW.NT629.OP
 GBBTRT29H4272-WW NT629 OP
 MODEL NUMBER FINISH TOP UV FINISH

	D	W	H	model number	veneer 1	veneer 2	veneer 3
29H STANDARD HEIGHT 	42	72	29 1/2	GCBTRT29H4272-WW	6,713	7,185	7,501
	42	84	29 1/2	GCBTRT29H4284-WW	7,464	7,989	8,340
	42	96	29 1/2	GCBTRT29H4296-WW	8,174	8,750	9,133
	42	108	29 1/2	GCBTRT29H42108-WW	9,297	9,949	10,389
	42	120	29 1/2	GCBTRT29H42120-WW	10,221	10,940	11,420
	48	72	29 1/2	GCBTRT29H4872-WW	6,966	7,455	7,781
	48	84	29 1/2	GCBTRT29H4884-WW	7,779	8,325	8,691
	48	96	29 1/2	GCBTRT29H4896-WW	8,610	9,217	9,618
	48	108	29 1/2	GCBTRT29H48108-WW	9,683	10,364	10,818
	48	120	29 1/2	GCBTRT29H48120-WW	10,906	11,675	12,185
36H COUNTER HEIGHT 	42	72	36	GCBTRT36H4272-WW	7,051	7,548	7,879
	42	84	36	GCBTRT36H4284-WW	7,838	8,388	8,758
	42	96	36	GCBTRT36H4296-WW	8,583	9,186	9,589
	48	72	36	GCBTRT36H4872-WW	7,316	7,832	8,174
	48	84	36	GCBTRT36H4884-WW	8,169	8,745	9,128
	48	96	36	GCBTRT36H4896-WW	9,041	9,677	10,102
42H BAR HEIGHT 	42	72	42	GCBTRT42H4272-WW	7,384	7,904	8,250
	42	84	42	GCBTRT42H4284-WW	8,210	8,788	9,175
	42	96	42	GCBTRT42H4296-WW	8,992	9,623	10,046
	48	72	42	GCBTRT42H4872-WW	7,664	8,203	8,563
	48	84	42	GCBTRT42H4884-WW	8,559	9,162	9,564
	48	96	42	GCBTRT42H4896-WW	9,470	10,137	10,581

PRODUCT INFO

Ships knocked down.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. TOP UV FINISH

See inside front cover for required option codes

Example

GCBTRT29H4272-WW.NT629.OP
 GCBTRT29H4272-WW NT629 OP
 MODEL NUMBER FINISH TOP UV FINISH

	D	W	H	model number	veneer 1	veneer 2	veneer 3
29H STANDARD HEIGHT 	30	72	29 1/2	GMBTRT29H3072-WW	8,495	9,291	9,690
	30	84	29 1/2	GMBTRT29H3084-WW	9,132	9,988	10,420
	30	96	29 1/2	GMBTRT29H3096-WW	9,771	10,690	11,146
	36	72	29 1/2	GMBTRT29H3672-WW	8,969	9,811	10,232
	36	84	29 1/2	GMBTRT29H3684-WW	9,642	10,546	10,999
	36	96	29 1/2	GMBTRT29H3696-WW	10,314	11,283	11,765
	42	72	29 1/2	GMBTRT29H4272-WW	9,440	10,326	10,769
	42	84	29 1/2	GMBTRT29H4284-WW	10,148	11,099	11,575
	42	96	29 1/2	GMBTRT29H4296-WW	10,855	11,875	12,383
36H COUNTER HEIGHT 	30	72	36	GMBTRT36H3072-WW	8,969	9,811	10,232
	30	84	36	GMBTRT36H3084-WW	9,642	10,546	10,999
	30	96	36	GMBTRT36H3096-WW	10,314	11,283	11,765
	36	72	36	GMBTRT36H3672-WW	9,469	10,357	10,801
	36	84	36	GMBTRT36H3684-WW	10,177	11,130	11,610
	36	96	36	GMBTRT36H3696-WW	10,886	11,908	12,420
	42	72	36	GMBTRT36H4272-WW	9,967	10,902	11,371
	42	84	36	GMBTRT36H4284-WW	10,712	11,717	12,220
	42	96	36	GMBTRT36H4296-WW	11,460	12,534	13,073

PRODUCT INFO

29H and 36H Miter Tables receive 30 Sheen Conversion Varnish Finish on tops. UV Finish not available.

Tables are shipped in one complete piece and cannot be disassembled. Confirm elevator/doors/hallways for clearance.




TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH

See inside front cover for required option codes

Example

GMBTRT29H3072-WW.NT629
 GMBTRT29H3072-WW NT629
 MODEL NUMBER FINISH

	D	W	H	model number	veneer 1	veneer 2	veneer 3
42H BAR HEIGHT 	30	72	42	GMBTRT42H3072-WW	9,440	10,326	10,769
	30	84	42	GMBTRT42H3084-WW	10,148	11,099	11,575
	30	96	42	GMBTRT42H3096-WW	10,855	11,875	12,383
	36	72	42	GMBTRT42H3672-WW	9,967	10,902	11,371
	36	84	42	GMBTRT42H3684-WW	10,712	11,717	12,220
	36	96	42	GMBTRT42H3696-WW	11,460	12,534	13,073
	42	72	42	GMBTRT42H4272-WW	10,491	11,475	11,968
	42	84	42	GMBTRT42H4284-WW	11,277	12,333	12,863
	42	96	42	GMBTRT42H4296-WW	12,062	13,193	13,759
OCCASIONAL 	24	24	21	GMBTRT21H2424-WW	6,061	6,629	6,919
	36	36	17	GMBTRT17H3636-WW	2,408	2,635	2,747
	42	42	17	GMBTRT17H4242-WW	2,684	2,935	3,062
	24	54	17	GMBTRT17H2454-WW	2,607	2,852	2,973
CONSOLE 	20	60	36	GMBTRT36H2060-WW	3,002	3,282	3,426

PRODUCT INFO

42H Miter Tables receive 30 Sheen Conversion Varnish Finish on tops. UV Finish not available.

Tables are shipped in one complete piece and cannot be disassembled. Confirm elevator/doors/hallways for clearance.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. TOP UV FINISH (OCCASIONAL & CONSOLE ONLY)

See inside front cover for required option codes

Example

GMBTRT42H3072-WW.NT629.OP
 GMBTRT42H3072-WW NT629
 MODEL NUMBER FINISH

	D	W	H	model number	list
--	---	---	---	--------------	------

POWER UNITS




STANDARD
PLUG HARDWARE

3	5 1/2	2	GDAPPM-EEU	457
3	5 1/2	2	GDAPPM-EEU-HW	457

- For use with Workbench and Picnic Tables mounted in front of aprons.
- Includes 2 USB power and 2 power.

POWER UNITS WITH SPACER



STANDARD
PLUG
HARDWARE


3	5 1/2	2	GDAPMLW-EEU	464
3	5 1/2	2	GDAPMLW-EEU-HW	464

- For use with Parsons and Miter Tables mounted behind aprons.
- Includes 2 USB power and 2 power.

WIRE MANAGER CHANNEL

1	1	20	GD2HBS-WIREMGR	857
---	---	----	-----------------------	-----

- Polished stainless steel channel or optional powder coats.
- Used to manage wires to the floor.
- Requires field installation, and runs down the leg of the table.



PRODUCT INFO

Power units include 10-ft standard plug or 6-ft hardwire cord.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. PERIMETER PWR COLOR **WH** White
BK Black
3. HARDWARE COLOR
(WIRE MANAGER CHANNEL ONLY)

See inside front cover for required option codes

Example

GDAPPM-EEU.NT629.OP
 GDAPPM-EEU _____ WH _____
 MODEL NUMBER PERIMETER PWR COLOR

model number	weight	cubes	locks	page
GABTRT17H2454-WW				13
GABTRT17H3636-WW				13
GABTRT17H4242-WW				13
GABTRT21H2424-WW				13
GABTRT29H4272-WW				13
GABTRT29H4284-WW				13
GABTRT29H4296-WW				13
GABTRT29H4872-WW				13
GABTRT29H4884-WW				13
GABTRT29H4896-WW				13
GABTRT36H4272-WW				13
GABTRT36H4284-WW				13
GABTRT36H4296-WW				13
GABTRT36H4872-WW				13
GABTRT36H4884-WW				13
GABTRT36H4896-WW				13
GABTRT42H4272-WW				13
GABTRT42H4284-WW				13
GABTRT42H4296-WW				13
GABTRT42H4872-WW				13
GABTRT42H4884-WW				13
GABTRT42H4896-WW				13
GBBTRT29H4272-WW				14
GBBTRT29H4284-WW				14
GBBTRT29H4296-WW				14
GBBTRT29H4872-WW				14
GBBTRT29H4884-WW				14
GBBTRT29H4896-WW				14
GBBTRT29H42108-WW				14
GBBTRT29H42120-WW				14
GBBTRT29H48108-WW				14
GBBTRT29H48120-WW				14
GBBTRT36H4272-WW				14
GBBTRT36H4284-WW				14
GBBTRT36H4296-WW				14
GBBTRT36H4872-WW				14
GBBTRT36H4884-WW				14
GBBTRT36H4896-WW				14
GBBTRT42H4272-WW				14
GBBTRT42H4284-WW				14
GBBTRT42H4296-WW				14
GBBTRT42H4872-WW				14
GBBTRT42H4884-WW				14
GBBTRT42H4896-WW				14

model number	weight	cubes	locks	page
GCBTRT29H4272-WW				15
GCBTRT29H4284-WW				15
GCBTRT29H4296-WW				15
GCBTRT29H4872-WW				15
GCBTRT29H4884-WW				15
GCBTRT29H4896-WW				15
GCBTRT29H42108-WW				15
GCBTRT29H42120-WW				15
GCBTRT29H48108-WW				15
GCBTRT29H48120-WW				15
GCBTRT36H4272-WW				15
GCBTRT36H4284-WW				15
GCBTRT36H4296-WW				15
GCBTRT36H4872-WW				15
GCBTRT36H4884-WW				15
GCBTRT36H4896-WW				15
GCBTRT42H4272-WW				15
GCBTRT42H4284-WW				15
GCBTRT42H4296-WW				15
GCBTRT42H4872-WW				15
GCBTRT42H4884-WW				15
GCBTRT42H4896-WW				15
GD2HBS-WIREMGR				18
GDAPPM-EEU				18
GDAPPM-EEU-HW				18
GDAPPMLW-EEU				18
GDAPPMLW-EEU-HW				18
GMBTRT17H2454-WW				17
GMBTRT17H3636-WW				17
GMBTRT17H4242-WW				17
GMBTRT21H2424-WW				17
GMBTRT29H3072-WW				16
GMBTRT29H3084-WW				16
GMBTRT29H3096-WW				16
GMBTRT29H3672-WW				16
GMBTRT29H3684-WW				16
GMBTRT29H3696-WW				16
GMBTRT29H4272-WW				16
GMBTRT29H4284-WW				16
GMBTRT29H4296-WW				16
GMBTRT36H2060-WW				17
GMBTRT36H3072-WW				16
GMBTRT36H3084-WW				16
GMBTRT36H3096-WW				16

WEIGHTS + CUBES

model number	weight	cubes	locks	page
GMBTRT36H3672-WW				16
GMBTRT36H3684-WW				16
GMBTRT36H3696-WW				16
GMBTRT36H4272-WW				16
GMBTRT36H4284-WW				16
GMBTRT36H4296-WW				16
GMBTRT42H3072-WW				17
GMBTRT42H3084-WW				17
GMBTRT42H3096-WW				17
GMBTRT42H3672-WW				17
GMBTRT42H3684-WW				17
GMBTRT42H3696-WW				17
GMBTRT42H4272-WW				17
GMBTRT42H4284-WW				17
GMBTRT42H4296-WW				17

Gunlocke®

One Gunlocke Drive
Wayland, NY 14572
800 828 6300