

HON.

Whisper Vinyl




WP76 Breeze




WP72 Sand



WP73 Farro



WP29 Cashew




WP18 Camel




WP70 Powder



WP17 Bone



WP71 Pearl




WP74 Pavestone




WP100 Fog



WP83 Pewter



WP55 Wolf Grey



WP81 Coastal




WP89 Sassafras




WP78 Silver Leaf




WP34 Patina



WP79 Herbal




WP62 Cognac



WP21 Cappuccino



WP93 Mahogany



WP95 Truffle



WP98 Molten



WP75 Terracotta



WP42 Salsa



WP26 Bordeaux




WP23 Luggage



WP03 Saddle




WP25 Cinnamon




WP02 Auburn



WP91 Fawn



WP20 Antelope



WP38 Elephant



WP01 Fossil




WP77 Islet



WP04 Slate



WP86 Indigo



WP85 Paradise



WP80 Emerald



WP90 Mallard



WP36 Cerulean



WP37 Navy




WP49 Espresso



WP92 Storm



WP39 Charcoal



WP40 Black

NOTE: Fabrics and finishes subject to availability.

Whisper Vinyl

Application	Upholstery
Content	100% Vinyl
Width	54"
Weight	27 ounces per linear yard
Backing	Hi-Loft^{2TM} 100% Polyester
Abrasion	100,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant, compatible with California TB 133 (CAL 133) when ordered as an FC option.
Maintenance	Step 1: For light soiling, a solution of 10% household liquid dish soap in warm water, applied with a soft, damp cloth. Step 2: For heavy soiling, dampen a soft, white cloth with a one-to-one (1:1) solution of Fantastik spray cleaner/water or Formula 409 all-purpose spray/water. Step 3: For more difficult stains, dampen a soft, white cloth with a solution of household bleach (10% bleach/90% water). Rub gently. Rinse with a water-dampened cloth to remove bleach concentration. Do not use alcohol-based cleaning agents!
Manufacturer	HON

ACT® Registered Certification Marks

Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not bee shown to be a reliable indicator of increased fabric lifespan.

Declare

The HON Company
200 Oak Street
Muscatine, IA 52761
800.833.3964
hon.com

© 2026 The HON Company. Form No. H4762 (06/26)
Models, upholstery, and finishes are subject to change without notice.