

# Desking & Benching

## Price & Specification Guide 2023

Prices effective March 1, 2023

PDF updated December 14, 2023

All content marked in red signifies an update to the previous version of this price guide published on November 1, 2023.

# Limited Lifetime Warranty

Our unwavering commitment to our customers compels us to care, and our dedication to quality is just one of the ways we show our customers how much they mean to us.

We recognize that keeping up with the pace of change requires having products that work as hard as the people who use them. That's why each of our products is rigorously tested and certified to meet the highest industry standards.

In the unlikely event that any Allsteel product or component covered by the Allsteel Warranty should fail under normal workplace use because of defective material or workmanship, Allsteel promises to fix it. Because taking care of *people* is how Allsteel takes care of business.

For information on Allsteel's warranty coverage, visit [AllsteelOffice.com](http://AllsteelOffice.com).

Government Support – [GovernmentSupport@hniworkplacefurnishings.com](mailto:GovernmentSupport@hniworkplacefurnishings.com)  
Product, Parts, Non-Warranty Parts Orders – [ProductSupport@hniworkplacefurnishings.com](mailto:ProductSupport@hniworkplacefurnishings.com)  
Quick Ship Orders – [QuickShip@hniworkplacefurnishings.com](mailto:QuickShip@hniworkplacefurnishings.com)  
Order Status – [OrderStatus@hniworkplacefurnishings.com](mailto:OrderStatus@hniworkplacefurnishings.com)  
General Inquiries – [GeneralSupport@hniworkplacefurnishings.com](mailto:GeneralSupport@hniworkplacefurnishings.com)

- Software support packages furnished to the customer, either by Allsteel® or by another source, which support the sale of Allsteel products are superseded by printed price lists.
- Prices are subject to change without notice. All orders are subject to prices in effect at the time of order.
- Please refer to your Allsteel Dealer Sales and Discount Policies for order placement information, terms and conditions.

- Ordering information appears at the bottom of each product page complete with examples on how to specify. Fabric and finish pages are referenced at the bottom of product pages.

This publication is available as a downloadable PDF on Allsteel websites.

### Questions or Comments?

Please call us at: **888-ALLSTEEL**  
**888-255-7833**

Warranty .....	Inside Front Cover	
New, Revised, and Discontinued Products .....	4	
COM, Specials Policies, and Programs .....	5-8	
Upholstery and Finishes .....	9-14	
<b>MURAL</b>		
Finishes .....	16-17	
Introduction to Mural .....	18	
Statement of Line .....	19	
Overview .....	20	
Planning Guidelines .....	21-24	
Working with Electrical .....	25-29	
<b>Fence</b>		
Frame .....	30	
Tiles .....	31	
Connectors .....	32	
<b>Integrated Height-Adjustable Tables</b>		
Worksurfaces .....	33-34	
Bases .....	35	
Wire Management .....	36	
<b>Privacy</b>		
Screen Frames .....	37	
Screens .....	38-44	
No-Screen Kits .....	45	
Privacy Panel .....	47	
Bent Screen .....	47	
<b>Accessories</b>		
Accessories .....	46-50	
<b>FURTHER</b>		
Finishes .....	52	
Typicals .....	53-54	
Introduction to Further .....	55-56	
Statement of Line .....	57-58	
Planning Guidelines .....	59-67	
<b>Worksurfaces And Supports</b>		
Working with Worksurfaces and Supports .....	68-85	
<b>Electrical &amp; Data</b>		
Working with Electrical and Data .....	86-98	
Electrical Infeeds, Power Kits, and Components .....	99-100	
Beam Mounted Wire Manager .....	101	
Data Components .....	102	
<b>Collaborative Hub</b>		
Working with Collaborative Hub .....	103	
Collaborative Hub Components .....	104	
<b>Screens</b>		
Working with Screens .....	105-106	
Fabric Screens and Modesty Panels .....	107-108	
Glass Screens .....	109	
User Movable and Lateral Screens .....	110	
Stride Benching Screens .....	112	
Lateral Divider Screens .....	114	
Metal Screens .....	115	
Tackboard Accessories .....	115-116	
<b>STORAGE — Laminate with Metal</b>		
Working with Storage .....	117-120	
Pedestals and Credenzas .....	122	
Storage Towers .....	123	
<b>Adaptive</b>		
Adaptive Typicals .....	124	
Adaptive Statement of Line .....	125	
Working with Adaptive Worksurfaces and Supports .....	126-137	
Working with Adaptive Electrical and Data .....	138-140	
Controls and Electrical & Data Components .....	141-142	
Working with Screens, Storage, and Extensions .....	143-144	
<b>UNIVERSAL SCREENS</b>		
Finishes .....	146-147	
Partnership Program Upholstery .....	148	
Specification Details .....	149-152	
<b>Fabric Screens</b>		
Beam Mounted Screens .....	153	
Elevated Screens .....	154	
Above/Below Screens .....	155	
Lateral Screens .....	156-158	
Adjustable HAT Screens .....	159	
Modesty Screens .....	160	
Sit-on-Surface Screens .....	161	
<b>Glass Screens</b>		
Beam Mounted Screens .....	162	
Elevated Screens .....	163	
Above/Below Screens .....	164	
Lateral Screens .....	165-166	
Side Screens .....	167	
Modesty Screens .....	168	
<b>Acrylic Screens</b>		
Beam Mounted Screens .....	169	
Elevated Screens .....	170	
Above/Below Screens .....	171	
Lateral Screens .....	172-173	
Side Screens .....	174	
Modesty Screens .....	175	
Sit-on-Surface Screens .....	176	
<b>Laminate Screens</b>		
Beam Mounted Screens .....	177	
Elevated Screens .....	178	
Above/Below Screens .....	179	
Lateral Screens .....	180-181	
Side Screens .....	182	
Modesty Screens .....	183	
<b>Organizers</b> .....	184	
<b>GALLERY PANELS</b>		
Finishes .....	186	
Working with Gallery Panels .....	187-196	
Gallery Panels .....	197-202	
Gallery Panels for Use with Glass .....	203-207	
Further Connector Kits .....	208	
Connector Kits .....	209	
Panel Systems Gallery Glass .....	210-212	
<b>RADII</b>		
Finishes .....	214	
Pedestal Functionality with Work Tools .....	216	
Freestanding and Mobile Pedestals .....	218-221	
Pedestal Functionality with Work Tools .....	222-223	
Undermount, L-Cube, and Work Tools .....	224	
Undercabinet Pedestals and Caddy .....	225-226	
Digital Lock Keys and Accessories .....	227	
<b>ALTITUDE</b>		
Paint Finishes, Laminates, Eased Edge .....	230	
Fabrics .....	231	
Working with Height-Adjustable Tables .....	232-237	
Screens and Power Module .....	238	
Altitude - Metal Screens .....	239-240	
Power Rail Specifications .....	241-247	
Working with Electrical and Data .....	248-252	
Working with Organization Rail & Accessories & Screens .....	253	
Altitude Height-Adjustable Tops, Bases, & Accessories .....	254-259	
Altitude - A6 .....	254-255	
Worksurfaces for Height-Adjustable Bases .....	256-258	
Cable Management .....	259	
Power Rail - Electrical Components .....	260-262	
A8 Screen Kits .....	263	
Metal Screens and Tackboard Accessories .....	264-265	
Power Rails and Accessories .....	266-269	
Worksurface Mounted Rail and Accessories .....	270	
<b>EXTENSIONSTM</b>		
Introduction .....	274	
Working with Ergonomic Accessories .....	275-276	
Working with Organization Tools .....	277-282	
Working with Illumination .....	283-286	
Power/Data Modules .....	287	
<b>ACCESSORIES</b>		
Working with Pivot Monitor Arms .....	288-291	
<b>APPENDIX AND INDEX</b>		
Locking Specifications and Appendix .....	292-293	
Touch-Up Paint .....	294	
FSC and Storage Features & Dimensions .....	295-296	
Fabric Grades G-J and Upholstery Grades 9-23 .....	297	
Index .....	298-304	

# Desking & Benching

New, Revised, and Discontinued Products

## NEW

Further expansion with A- and H-Leg supports

## NEW FINISHES

### Studio Paints

- Ochre – P093
- Sienna – P092
- Cove – P096
- Harbor – P097
- Sage – P095
- Dune – P094

Stratawood Beigewood Maple SE878

Stratawood Field Elm Maple SE599

Stratawood Belair Maple SE934

Stratawood Florence Walnut ST579

Natural Florence Walnut NT579

Quarter Florence Walnut QT579

Fawn Cypress Rift Oak RF108

Belair LWBA

Field Elm LWFE

## NEW TEXTILES

Taylor

Livi with Supreen

Oxford with Supreen

Hamilton

Rush

## DE-EMPHASIZED FINISHES

Amethyst — P091

Cobalt Mica — P090

## DE-EMPHASIZED PRODUCTS

Lock Core Kits: 6, 7, and 8 cores — 12/31/2023

Cable Management Trays: 24" and 36" — 12/31/2023

Gripper Clip — 12/31/2023

## DISCONTINUED FINISHES

Charcoal Walnut laminate — LWCW Disco 6/30/2022

Columbian Walnut laminate — LWZ Disco 6/30/2022

Amber Cherry laminate — LWAC Disco 6/30/2022

Charcoal Walnut edge — DC Disco 6/30/2022

Columbian Walnut edge — DZ Disco 6/30/2022

Amber Cherry edge — DA Disco 6/30/2022

Canyon Zephyr laminate — LT5B Disco 6/30/2022

Desert Zephyr laminate — LT5A Disco 6/30/2022

Ebony laminate — LT3E Disco 6/30/2022

Grey Mesh laminate — LT8A Disco 6/30/2022

Parchment laminate — TM20 Disco 6/30/2022

Pewter Mesh laminate — LT8C Disco 6/30/2022

Sheer Mesh laminate — LT8B Disco 6/30/2022

White Tigris laminate — LT2A Disco 6/30/2022

## DISCONTINUED TEXTILES

In Season — 12/31/2022

Attire — 12/31/2022

Seed — 12/31/2022

Dapper — Azalea, Emerald, Peony, Pool, Rose, Spice — 12/31/2022

Analog — 12/31/2023

## DISCONTINUED PRODUCTS

Altitude Easy-to-Assemble Worksurfaces discontinued 6/30/2023

Altitude Basic 2-Stage 2-Leg Base and Altitude Basic Kaidi 3-Position

Memory Control discontinued 6/30/2023. Recommended replacement is A6 2-Stage 2-Leg Rectangle T-Foot

## COM Program

Allsteel understands that customers may at times want to specify fabrics outside of Allsteel’s standard fabric offering. Our COM program was designed to make specifying COMs on Allsteel products a simpler, friendlier, and hassle-free process. This process is simple and easy to use, and is described below under “Allsteel to Supply (ATS).” If a Dealer wishes to manage the COM process themselves, they can do so by following guidelines under “Dealer to Supply (DTS)”. **ATS is the preferred method for all COM fabrics.** With ATS, Company will provide acknowledgment based upon planned date of receipt of COM fabric and manage the entire process. DTS is allowed if it is not a partnership fabric or if Company does not have access to the supplier. **DTS may cause order delays and is strongly discouraged.** Find out more about Allsteel’s COM process by emailing our COM Department at [allsteelcomteam@allsteeloffice.com](mailto:allsteelcomteam@allsteeloffice.com).

### Allsteel to Supply (ATS):

1. Select the fabric you wish to use and check the COM Search on Synergy at: Allsteelsynergy/Design Resources/Textiles & Finishes/COM Search or COM Search quick link. You will need to have the COM supplier’s name, fabric pattern name, and color name to search for approved fabrics.
2. If your fabric is listed as an approved fabric, you may place your order directly with Allsteel Customer Support. Please use the fabric code (e.g., S216426XP) from the COM Test Request on your order in the place of the standard fabric code.  
  
If your fabric is not listed as approved, you will need to select the “Request COM Test” link on the COM Search website. If your fabric is not listed as approved, and it is not a Partnership fabric you may request a “Dealer to Supply” code. Select the “Request COM Test” link on the COM Search website. Your name, company name and email will be prepopulated fields. The secondary email, project name, and bid/contract number are optional information. The supplier, pattern, and color will show a list by clicking in the box and entering the first letter of the name and these are free form text boxes. Once that information is entered click add. (Multiple series can be added to the same request if they are the same supplier, pattern, and color.) Then click submit.
3. An email will be sent to the to the requestor stating the COM Request was successfully submitted. Up to four emails could be received: Testing materials requested, in testing, and final approval/denial with price grade and fabric code. It’s rare actual test yardage is required. Testing is mainly done by reviewing the attributes of the fabric. The testing process takes approximately 48 hours. Written COM price quotes hold pricing for 90 days after issue date.
4. Once the fabric has been approved by Allsteel, enter your order directly with Allsteel Customer Support. Allsteel will purchase all COM fabric directly from the COM suppliers and schedule for production.

In the event that the Dealer decides to cancel a COM fabric order, the Dealer is responsible for the cost of the fabric plus a handling charge that is equal to 10% of the fabric cost.

### Dealer to Supply (DTS):

1. Select the fabric you wish to use and check the COM Search on Synergy at: Allsteelsynergy/Design Resources/Textiles & Finishes/COM Search or COM Search quick link. Or call Allsteel Customer Support to see if the fabric you have chosen has already been tested and approved on the product you are interested in.  
  
You will need to have the COM supplier’s name, fabric pattern name, and color name for this inquiry.
2. If your fabric is not listed as approved, and it is not a Partnership fabric you may request a “Dealer to Supply” code. Select the “Request COM Test” link on the COM Search website. Your name, company name and email will be prepopulated fields. The secondary email, project name, and bid/contract number are optional information. The supplier, pattern, and color will show a list by clicking in the box and entering the first letter of the name and these are free form text boxes. Once that information is entered click add. (Multiple series can be added to the same request if they are the same supplier, pattern, and color.) Then click submit.
3. An email will be sent to the to the requestor stating the COM Request was successfully submitted. Up to four emails could be received: Testing materials requested, in testing, and final approval/denial with price grade and fabric code. It’s rare actual test yardage is required. Testing is mainly done by reviewing the attributes of the fabric. The testing process takes approximately 48 hours.
4. Make sure to use a “Dealer to Supply” COM code (e.g., S216426ZP) and place your order directly with Allsteel Customer Support.
5. All “Dealer to Supply” orders will be charged Grade 4 pricing for seating, Grade 3 for Gather, and Grade D pricing for panels. Dealers will pay for the COM fabric separately.
6. All “Dealer to Supply” fabric must be sent on a fabric roll. Estimate the yardage required by using the yardage requirements listed in the price list by model. For questions please contact Allsteel Customer Support.
7. Place your fabric order directly with the COM Supplier with instructions for the fabric to be sent on a fabric roll to:

**HNI Textile Distribution Center**  
**COM Production Yardage** — PO Number  
 Docks 20-22  
 301 Mulberry Avenue  
 Muscatine, IA 52761

Information that **MUST** be included in the packing slip attached to the DTS fabric:

1. Dealer's Purchase Order number to Allsteel
2. Allsteel's Tracking number for the COM fabric
3. Dealer Name
4. Yards of Fabric

If the fabric shipment does not match the correct fabric and yardage, Allsteel will notify the Dealer for resolution.

If Allsteel receives fabric with incorrect labeling or fabric yardage that cannot be linked to an Allsteel furniture order, Allsteel will hold the fabric for up to 4 weeks. After 4 weeks Allsteel will dispose of the fabric. There are no exceptions to this policy.

Specific to DTS orders - The customer should send only the amount needed for the order. Excess yardage, or yardage not attached to an order will be disposed of at Allsteel's discretion.

Any canceled orders are subject to cancellation charges up to the full value of the Allsteel product canceled. Allsteel will determine the actual cancellation charge at the time the cancellation is requested.

8. For additional details on "Dealer to Supply" fabric refer to your Allsteel terms and conditions.

#### Additional Policy Information:

The company assumes no responsibility for the overall appearance, flammability, normal durability, colorfastness, or any other quality standards. The company reserves the right to reject a COM if the quality of the COM is not satisfactory for the product. Should this occur, the customer will be notified with an explanation when the issue is found.

The company is not responsible for fabric that has become obsolete at the COM supplier, that is of poor quality, or that is delivered late to the manufacturer from the COM supplier.


All cancellations or changes to COM orders are subject to Company approval. Because of the nature of COM, special fabrics, finishes, and structural modifications, products ordered as specials and then canceled prior to shipment are subject to cancellation costs up to the full value of the product canceled. The company determines the actual cancellation charge at the time the cancellation is requested. Upon approval, a cancellation number is issued to the Customer.

Purchase orders will not be accepted or entered unless the testing process is complete with positive results.

If all testing has been previously completed, re-testing is only necessary if fabric is to be used on a different product, or pattern direction has changed from that previously approved.

Previous test results can be obtained by a customer on the COM Search on Synergy or by calling Allsteel Customer Support.

All COM fabric will be applied to seating and panel systems Pattern Cut unless Railroad Cut is requested and approved on the COM Test Request. Any fabrics approved as a width pass, the dealer is responsible for clarifying Railroad Cut on orders containing items that are too large to support the Pattern Cut of a fabric application (any items larger than 48" high or wide).



#### Fire Retardant

The Dealer is responsible for ensuring that the COM fabric is certified to meet all flame retardant requirements.

*For more information, please contact Allsteel Customer Support.*

#### YARDAGE REQUIREMENTS FOR FABRIC WITH REPEATS — FOR USE ON GATHER™ PRODUCTS

Fabric Width	Plain Fabric	2"– 14" Repeat	15"– 19" Repeat	20"– 27" Repeat	28"– 36" Repeat
54"	0	+15%	+20%	+25%	+30%
53"	+6%	+19%	+24%	+28%	+36%
52"	+13%	+23%	+28%	+33%	+38%
51"	+19%	+26%	+31%	+36%	+41%
50"	+25%	+30%	+35%	+40%	+45%
49"	+30%	+35%	+40%	+45%	+50%
48"	+35%	+40%	+45%	+50%	+55%
47"	+45%	+50%	+55%	+58%	+65%

Depending upon the pattern repeat, it may be necessary to pattern cut the fabric. This will require 10% additional fabric.

To calculate multiple repeats (vertical and horizontal), add each repeat for total yardage required. For example for a fabric width of 54": 7" vertical requires 15%, 15" horizontal requires 20% total additional yardage required equals 35% (15% + 20%). Therefore, if your chair requires 2 yards of fabric, multiply 2 by 35%. Then 2.7 yards will be yardage required.

### Special Paint & Stain Policy

Allsteel at its own discretion may modify its standard products with non-standard paint and stain colors to meet specific needs. Dealer is required to submit a special paint or stain request via the COM Search on Synergy. A sample of the non-standard paint or stain color desired will be required for matching. Pricing, lead time, and order information will be provided at the time of approval.

- For each new requested stain or paint, there will be a \$500 net fee to cover supplier costs to match the special item.
- For existing, previously-approved stains or paints, there is no \$500 matching fee, however, there is a sample chip fee of \$175 net for stains and \$100 net for paints.
- Samples, preferably at least 3" x 5" chips, of the exact color desired should be sent to the Allsteel Tailored Products Group. Paint matches require (3) sample chips and stain matches require (3) sample chips. Please mail these sample chips to the address below and reference the Special Item Request Number from Tailored Solutions.

#### Allsteel Inc.

Attn: COM Team  
200 Oak St.  
Muscatine, IA 52761

- Allsteel will color match the sample and send control samples to the address provided in the request. Dealer will review Allsteel's color match and approve by signing the back of the sample chip. Send the signed sample back to the Allsteel Tailored Products Group.
- Special paints will be assigned a paint price grade.
- Orders will not be accepted until Allsteel receives the Dealer's written approval on the color match.
- Extended lead times will apply on orders containing special paints or stains.
- Due to manufacturing techniques, materials, and quality issues, some exclusions will apply and some matches may be declined.

### Important Notes

- Natural veneer is subject to nature's quality control. Differences in grain and color are naturally occurring variations and cannot be controlled by the manufacturer and cannot be considered as product defects. Natural veneer has the characteristics and beauty of a living organism; with its own variations of grain, growth, and color patterns. For these reasons, Natural veneer is preferred by many for its warmth and personal characteristics.

- Color changes will occur over time when wood is exposed to light. For this reason, when new product is ordered as an addition to existing product, there will be color variances between the old and new product. Please remember when specifying new product that although the species of veneer will be the same, additional product is being manufactured from a different tree. It may take several months for the new furniture to mature to the color level of existing product. Even with this maturation process the additional product will not be an exact match.

### Special Laminate Policy

The Company at its own discretion may modify its standard products with non-standard laminates to meet specific needs. Contact the Allsteel Tailored Products Group for pre-approved Wilsonart, Formica, Nevamar and Pionite laminates and pricing for special laminates. When requesting a special laminate please supply manufacturer, along with name and pattern number of laminate.

- Extended lead times will apply on orders containing special laminates.
- Due to manufacturing techniques, materials, and quality issues, some product exclusions will apply and some requests may be declined.

### Allsteel Open Line Laminate Program

The Open Line Laminate (OLL) program makes it even easier for a customer to tailor their Allsteel product for a custom look. Select Allsteel furniture products accommodate hundreds of graded-in high-pressure laminates (HPL) from the leading laminate manufacturers' open lines.

Laminates that are currently available in the program can be viewed in specification tools.

Requests to add laminates to the standard specials program can be submitted through the CET Specials Integration tool as well as Community.

Matching edge options are not available offered for laminates in the OLL program. When selecting a laminate please select an edge option from the Allsteel standard offering. If a matching edge is required a modification request can be submitted through the CET Specials Integration tool as well as Community.

Due to manufacturing techniques, materials, quality issues of varying laminates, and minimum order quantities some product exclusions will apply, and some requests may be declined.

Extended lead times may apply on orders containing special laminates.

Contact the Tailored Products Group for questions or additional information regarding pre-approved laminates and pricing.

Allsteel

Phone: 888-255-7833 Option 4.2

Email: [ASITPG@allsteeloffice.com](mailto:ASITPG@allsteeloffice.com)

For edge band recommendations from the Allsteel standard offering, please email the HNI Workplace Colors, Materials and Finishes team at [allsteel finishes@allsteeloffice.com](mailto:allsteel finishes@allsteeloffice.com).

Allsteel edge samples can be ordered through the Allsteel Synergy literature site, <https://www.allsteelsynergy.com>.

For laminate samples, please contact the manufacturer directly:

Wilsonart

<https://www.wilsonart.com/>

1-800-433-3222

Formica

<https://www.formica.com/en-us/>

1-800-FORMICA (367-6422)

Nevamar and Pionite

<https://www.panolam.com>

877-726-6526



# Everyday Advantage<sup>®</sup>

## New terms and conditions for EDA:

1. Orders must clearly state “Everyday Advantage Order” and include the appropriate Everyday Advantage contract number:
  - Everyday Advantage Std-0125, Everyday Advantage Canada-0127
2. Everyday Advantage orders are not eligible for bid pricing.
3. Program discounting includes the complete Optimize, Further, and Terrace systems lines, private office solution, Approach and Involve storage. This program also includes Acuity, Access, Evo, Inspire, Lyric, Mimeo, Nimble, Quip, Relate, Seek, and Svelte, seating. Altitude, Aware, and Structure tables are also available, along with Align pedestals, lockers and metal storage and Essentials pedestals, and Radii storage lines. In addition, Extensions ergonomic accessories and lighting are part of the standard offering. All other product not called out is available for order on the contract but will receive standard discounting of 55%–65%.
4. All textiles and finishes except for veneer and some wood finishes are available, depending on quantity and selection, and may have extended lead times.
5. Everyday Advantage orders are not limited to a minimum or maximum.
6. All orders ship based on standard lead times. Large-quantity orders of like products may be subject to longer lead times.
7. Standard freight terms apply.
8. If driver assistance is needed, standard driver assist charges will be added at time of order entry.

*Allsteel Inc. reserves the right to amend or terminate this program at anytime with 30 days written notice. Allsteel is not liable for service delays caused by force majeure (circumstances beyond Allsteel's control).*

## GRADE A

<b>APPOINT PANEL</b>	
Artichoke.....	APN911
Blackberry.....	APN932
Bronze.....	APN922
Carbon.....	APN928
Chai.....	APN912
Cherry.....	APN930
Dark Pewter.....	APN917
Dune.....	APN915
Espresso.....	APN923
Frost.....	APN934
Framboise.....	APN931
Jet.....	APN927
Lawn.....	APN925
Mandarin.....	APN929
Morel.....	APN909
Nimbus.....	APN916
Platinum.....	APN924
Turquoise.....	APN926

### \*BINARY †

Blush.....	BNRY12
Coal.....	BNRY06
Cream.....	BNRY01
Denim.....	BNRY08
Diamond.....	BNRY03
Graphite.....	BNRY05
Juniper.....	BNRY10
Lagoon.....	BNRY07
Lavender.....	BNRY11
Mineral.....	BNRY04
Reef.....	BNRY09
Sand Dollar.....	BNRY02

### CENTURION<sup>w</sup>

Apricot.....	CU47
Bark.....	CU25
Black.....	CU10
Espresso.....	CU49
Fog.....	CU03
Frost.....	CU22
Goldenrod.....	CU27
Indigo.....	CU06
Iris.....	CU50
Iron Ore.....	CU19
Jade.....	CU83
Marsala.....	CU63
Morel.....	CU24
Navy.....	CU98
Peacock.....	CU97
Pear.....	CU84
Ruby.....	CU67
Sapphire.....	CU09

### CIRCUIT † ♣

Atlas.....	CIRC35
Dolphin.....	CIRC63
Island White.....	CIRC14
Moon.....	CIRC07
Night.....	CIRC49
Pacific.....	CIRC28
Quartz.....	CIRC01
Sienna.....	CIRC56
Silk.....	CIRC21
Snap Pea.....	CIRC42

### ETCH

Axis.....	ECH913
Blend.....	ECH914
Cast.....	ECH912
Highlight.....	ECH910
Midtone.....	ECH911
Outline.....	ECH908
Shade.....	ECH909
Tonal.....	ECH916
Vanish.....	ECH915

<sup>w</sup> Limited to 48" W or less

▼ Panel fabric is not available on Further.

♣ Panel fabric is not available on Optimize.

† Panel fabric is not available on Concensys.

\* Not available on 72" W

## GRADE A – continued

<b>LANDSCAPE</b>	
Cornsilk.....	LN15
Drift.....	LN05
Khaki.....	LN20
Sheen.....	LN10
Slate.....	LN35
Umber.....	LN25
Urban.....	LN30

### LUCY

Aspen.....	LC932
Cornsilk.....	LC930
Dusk.....	LC922
Fawn.....	LC933
Graphite.....	LC934
Mist.....	LC920
Neutra.....	LC924
Pewter.....	LC935
Snowdrop.....	LC928

### NOBLE

Aegean.....	NBLE18
Amethyst.....	NBLE19
Aspen.....	NBLE14
Aster.....	NBLE20
Blossom.....	NBLE21
Bluebell.....	NBLE22
Bordeaux.....	NBLE01
Brick.....	NBLE02
Chambray.....	NBLE10
Chamomile.....	NBLE23
Clementine.....	NBLE04
Conifer.....	NBLE24
Cottage.....	NBLE25
Darkness.....	NBLE26
Dawn.....	NBLE13
Denim.....	NBLE09
Desert Sand.....	NBLE27
Dewfall.....	NBLE28
Dusted Sage.....	NBLE29
Flax.....	NBLE30
Grass.....	NBLE07
Gunmetal.....	NBLE15
Harmony.....	NBLE31
Harvest.....	NBLE12
Ice Caves.....	NBLE32
Icicle.....	NBLE33
Inky.....	NBLE34
Iris.....	NBLE35
Jade.....	NBLE06
Knight.....	NBLE17
Mesa.....	NBLE03
Monarch.....	NBLE36
Pacific.....	NBLE08
Pitch.....	NBLE37
Queen Bee.....	NBLE38
Rainforest.....	NBLE05
Regal.....	NBLE11
Sandcastle.....	NBLE39
Sedona.....	NBLE40
Stormy.....	NBLE16
Sunbeam.....	NBLE41
Voyager.....	NBLE42
Windy Day.....	NBLE43

### REFLECTIONS

Galvanized.....	REF929
Ice.....	REF920
Loggia.....	REF921
Mistral.....	REF928
Moonstone.....	REF923
Pewter.....	REF922
Stainless.....	REF924
Vanilla.....	REF925
Winter.....	REF927

### REFUGE

Artesian.....	RFG996
Dune.....	RFG992
Eclipse.....	RFG990
Frost †.....	RFG993
Glacier †.....	RFG991
Mineral.....	RFG998
Tidal.....	RFG994

### TEMPEST

Dragonfly.....	TP930
Frost.....	TP915
Full Stream.....	TP980
Gold Rush.....	TP910
Slate.....	TP945
Tumbleweed.....	TP970
Wind Chill.....	TP940
Zebra.....	TP935

## GRADE A – continued

### VAST

Vineyard.....	VST01
Garden.....	VST02
Grasslands.....	VST03
Bay.....	VST04
Open Air.....	VST05
Atmosphere.....	VST06
Ocean.....	VST07
Mountain Range.....	VST08
Highway.....	VST09
Tundra.....	VST10
Beach.....	VST11
Desert.....	VST12
Country Side.....	VST13

## GRADE B

### \*ANALOG (De-emphasized)

Album.....	ANLG06
Cartridge.....	ANLG04
Cassette.....	ANLG09
Dial.....	ANLG02
Media.....	ANLG08
Reel.....	ANLG07
Signal.....	ANLG03
Stereo.....	ANLG01
Track.....	ANLG05

### COAST † ♣

Channel.....	COA914
Dune.....	COA903
Headlands.....	COA910
Marsh.....	COA902
Pebble.....	COA912
Pier.....	COA913
Shoal.....	COA901
Silt.....	COA906
Tide.....	COA908

### DISPERSE †

Autumn.....	DISP03
Branch.....	DISP10
Coffee Bean.....	DISP13
Dusk.....	DISP09
Emerald City.....	DISP08
Gold Rush.....	DISP02
Igloo.....	DISP11
Ink.....	DISP06
Mist.....	DISP12
Oatmeal.....	DISP15
Prince.....	DISP07
Reservoir.....	DISP01
Rose.....	DISP04
Spring.....	DISP05
Steel.....	DISP16
Taupe.....	DISP14

### MICA

Anthracite.....	MCA911
Breeze.....	MCA918
Bronze.....	MCA913
Buff.....	MCA914
Cremini.....	MCA917
Crystal †.....	MCAWIT
Dew.....	MCA920
Dove.....	MCA912
Fresh.....	MCA916
Mineral.....	MCA915
Nectar.....	MCA919
Shale.....	MCA910

### SPIN PANEL

Alabaster.....	SPIN02
Cavern.....	SPIN03
Cobblestone.....	SPIN04
Ember.....	SPIN06
Flame.....	SPIN07
Heron.....	SPIN13
Oat.....	SPIN01
Ocean.....	SPIN12
Plum.....	SPIN15
Pool.....	SPIN11
Raven.....	SPIN10
Rhubarb.....	SPIN14
Tropic.....	SPIN08
Willow.....	SPIN05

### TERRAIN

Bay.....	TRRN05
Bayou.....	TRRN35
Canyon.....	TRRN30
Cliff.....	TRRN45
Crest.....	TRRN25
Delta.....	TRRN10
Plateau.....	TRRN15
Ridge.....	TRRN20
Valley.....	TRRN40

# Finishes

FINISHES

Paint Name	Paint Code	Grade	Touch Ups	Pivot Monitor Arms	Pivot GSA Monitor Arms	Extensions	Metal Center Drawers
Black	P27	1	•			•	•
Black	P71	1	•				
Black	BLK	1		•			
Brownstone	P7D	1	•			•	•
Bungalow	P7C	1	•			•	•
Carbon	P4Q	1	•				
Charblack	CBK	1	•				
Charblack Metallic*	P80	1	•				
Cinder	P7Q	1	•			•	•
Designer White	WHT	1					
Designer White	PJW	1	•			•	•
Flint	P02	1	•			•	•
Fog	FOG	1					
Fossil	P28	1	•			•	•
Loft	P7B	1	•			•	•
Muslin	P4J	1	•			•	•
Nickel	P8L	1					
Parchment	P93	1	•			•	•
Pebble	P8R	1	•			•	•
Pewter	P8D	1	•			•	•
Platinum Metallic Texture	P6H	1					
Putty	PJS	1					
Salt	P8C	1	•			•	•
Shadow	P4K	1					
Textured Brownstone	P7J	1	•				
Textured Designer White	PK7	1	•				
Textured Flint	P7A	1	•				
Textured Loft	P7L	1	•				
Textured Muslin	P7M	1	•				
Textured Pebble	P8Y	1	•				
Textured Salt	P8Z	1	•				
Textured Titanium	P8V	1	•				
Titanium	P8T / T	1	•			•	•
Anodized Silver	PR0	2	•				
Champagne Metallic	PR5	2	•			•	•
Designer White High Gloss 65	P8W	2	•				
Graphite Metallic Texture	P85	2	•				
Gunmetal Metallic	PR3	2	•			•	•
Matte Gold	P8G	2					
Night Bronze	P8B	2	•			•	
Platinum Metallic	PR2	2	•			•	•
Pyrite	PJE	2	•			•	
Silver	PR6	2	•			•	
Silver Generic	SVR	2		•	•		
Silver Texture	PR8	2	•				
Solar Black	P8X	2	•			•	
Atom	P8S	3	•			•	
Blossom	P8K	3	•			•	
Bullseye	PJF	3	•			•	
Ember	P8P	3	•			•	
Ion	P8N	3	•			•	
Iris	P8J	3	•			•	
Krypton	P8F	3	•			•	
Regatta	P8M	3	•			•	
Succulent	P8A	3					
Markerboard White	MKP	6					

# Finishes

Paint Name	Paint Code	Grade	Power Pole	Further Collaborative Hub Electrical	Further Adaptive Height-Adjustable Columns	Further	Cable Management Tray	Altitude A6 Table Bases	Altitude Table Bases	Altitude Table Bases and Utility Bay	Altitude Grommets and Power Rails	Gallery Metal Screens	Hands Free Pulls	Universal Screens	Radii
Black	P27	1	•												
Black	P71	1													
Black	BLK	1		•											
Brownstone	P7D	1	•												
Bungalow	P7C	1	•												
Carbon	P4Q	1													
Charblack	CBK	1													
Charblack Metallic*	P80	1													
Cinder	P7Q	1													
Designer White	WHT	1		•											
Designer White	PJW	1	•												
Flint	P02	1	•												
Fog	FOG	1													
Fossil	P28	1													
Loft	P7B	1	•												
Muslin	P4J	1	•												
Nickel	P8L	1													
Parchment	P93	1													
Pebble	P8R	1													
Pewter	P8D	1													
Platinum Metallic Texture	P6H	1													
Putty	PJS	1													
Salt	P8C	1													
Shadow	P4K	1													
Textured Brownstone	P7J	1													
Textured Designer White	PK7	1													
Textured Flint	P7A	1													
Textured Loft	P7L	1													
Textured Muslin	P7M	1													
Textured Pebble	P8Y	1													
Textured Salt	P8Z	1													
Textured Titanium	P8V	1													
Titanium	P8T / T	1													
Anodized Silver	PR0	2													
Champagne Metallic	PR5	2													
Designer White High Gloss 65	P8W	2													
Graphite Metallic Texture	P85	2													
Gunmetal Metallic	PR3	2													
Matte Gold	P8G	2													
Night Bronze	P8B	2													
Platinum Metallic	PR2	2													
Pyrite	PJE	2													
Silver	PR6	2													
Silver Generic	SVR	2													
Silver Texture	PR8	2													
Solar Black	P8X	2													
Atom	P8S	3													
Blossom	P8K	3													
Bullseye	PJF	3													
Ember	P8P	3													
Ion	P8N	3													
Iris	P8J	3													
Krypton	P8F	3													
Regatta	P8M	3													
Succulent	P8A	3													
Markerboard White	MKP	6													

# Finishes

FINISHES

Pattern Name	Code	Grade	Altitude	Further Gallery End Panels	Further Storage	Gallery Panels	Systems Worksurfaces	Universal Screens	Universal Modesty Panels	Mural
Ash	LT3B	1	•	•			•	•		•
Silver Mesh	LT8D	1	•	•			•	•		•
Black	P	1	•	•	•	•	•	•	•	•
Brownstone	LM13	1	•	•	•	•	•	•		•
Bungalow	LM12	1	•	•	•	•	•	•		•
Designer White 15051	LDW1	1	•	•	•	•	•	•	•	•
Flint	LM16	1	•	•	•	•	•	•	•	•
Fossil Shale	LEH1	1	•	•	•	•	•	•		•
Loft	LM11	1	•	•	•	•	•	•	•	•
Muslin	LM15	1	•	•	•	•	•	•		•
Titanium	LT11	1	•	•	•	•	•	•		•
Belair	LWBA	1	•	•	•	•	•	•		•
Bourbon Cherry	H	1	•	•	•	•	•	•	•	•
Field Elm	LWFE	1	•	•	•	•	•	•	•	•
Florence Walnut	LFW1	1	•		•	•	•	•	•	•
Kingswood Walnut	LK11	1	•		•	•	•	•	•	•
Natural Maple	LWD	1	•		•	•	•	•	•	•
NeoWalnut	LNU1	1	•		•	•	•	•	•	•
Pinnacle	PINC	1	•	•	•	•	•	•	•	•
Shaker Cherry	LW7C	1	•		•	•	•	•	•	•
Beigewood	LWBE	2	•		•	•	•	•	•	•
Fawn Cypress	LFC1	2	•		•	•	•	•	•	•
Lowell Ash	LLA1	2	•		•	•	•	•	•	•
Mangalore Mango	LMM1	2	•		•	•	•	•	•	•
Natural Recon	LNR1	2	•		•	•	•	•	•	•
Phantom Charcoal	LPC1	2	•		•	•	•	•	•	•
Phantom Ecru	LPE1	2	•		•	•	•	•	•	•
Portico Teak	LPT1	2	•		•	•	•	•	•	•
Skyline Walnut	LSW1	2	•		•	•	•	•	•	•
Veranda Teak	LVT1	2	•		•	•	•	•	•	•
Natural Walnut	LWNW	3	•		•	•	•	•	•	•
Open Line Laminate Program	N/A	Varies	•		•	•	•	•	•	•

# Finishes

System Worksurfaces

Veneer Type	Stain Name	Code	Grade	
FSC Stratawood Cherry	Cinnamon Cherry	FSCSC260	1	•
FSC Stratawood Cherry	Lowell Ash	FSCSC394	1	•
FSC Stratawood Cherry	Clear Cherry	FSCSC700	1	•
FSC Stratawood Cherry	Light Cherry	FSCSC701	1	•
FSC Stratawood Cherry	Shaker Cherry	FSCSC774	1	•
FSC Stratawood Cherry	Burnished Cherry	FSCSC777	1	•
FSC Stratawood Maple	Field Elm	FSCSE599	1	•
FSC Stratawood Maple	Clear Maple	FSCSE800	1	•
FSC Stratawood Maple	Harvest Maple	FSCSE856	1	•
FSC Stratawood Maple	Beigewood	FSCSE878	1	•
FSC Stratawood Maple	Phantom Ecu	FSCSE912	1	•
FSC Stratawood Maple	Belair	FSCSE934	1	•
FSC Stratawood Rift Oak	Clear Oak	FSCSF300	1	•
FSC Stratawood Rift Oak	Dark Rift Oak	FSCSF331	1	•
FSC Stratawood Walnut	Florence Walnut	FSCST579	1	•
FSC Stratawood Walnut	Light Walnut	FSCST601	1	•
FSC Stratawood Walnut	Skyline Walnut	FSCST625	1	•
FSC Stratawood Walnut	Pinnacle Walnut	FSCST679	1	•
FSC Stratawood Walnut	Sumatra Walnut	FSCST693	1	•
FSC Natural Cherry	Cinnamon Cherry	FSCNC260	1	•
FSC Natural Cherry	Lowell Ash	FSCNC394	1	•
FSC Natural Cherry	Medium Red Cherry	FSCNC512	1	•
FSC Natural Cherry	Clear Cherry	FSCNC700	1	•
FSC Natural Cherry	Light Cherry	FSCNC701	1	•
FSC Natural Cherry	Shaker Cherry	FSCNC774	1	•
FSC Natural Cherry	Burnished Cherry	FSCNC777	1	•
FSC Natural Maple	Natural Maple-Clear	FSCNE800	1	•
FSC Natural Maple	Harvest Maple	FSCNE856	1	•
FSC Natural Walnut	Ebony Walnut	FSCNT509	1	•
FSC Natural Walnut	Florence Walnut	FSCNT579	1	•
FSC Natural Walnut	Light Walnut	FSCNT601	1	•
FSC Natural Walnut	Skyline Walnut	FSCNT625	1	•
FSC Natural Walnut	Nutmeg Walnut	FSCNT629	1	•
FSC Natural Walnut	Pinnacle Walnut	FSCNT679	1	•
FSC Natural Walnut	Sumatra Walnut	FSCNT693	1	•
FSC Natural Rift Oak	Fawn Cypress	FSCRF108	2	•
FSC Natural Rift Oak	Light Rift Oak	FSCRF301	2	•
FSC Natural Rift Oak	Dark Rift Oak	FSCRF331	2	•
FSC Natural Rift Oak	Phantom Ecu	FSCRF912	2	•
Natural Cherry	Cinnamon Cherry	NC260	1	•
Natural Cherry	Lowell Cherry	NC394	1	•
Natural Cherry	Medium Red Cherry	NC512	1	•
Natural Cherry	Light Cherry	NC701	1	•
Natural Cherry	Shaker Cherry	NC774	1	•
Natural Cherry	Burnished Cherry	NC777	1	•
Natural Maple	Natural Maple-Clear	NE800	1	•
Natural Maple	Harvest Maple	NE856	1	•
Natural Rift Cut Oak	Fawn Cypress	RF108	2	•
Natural Rift Cut Oak	Light Rift Oak	RF301	2	•
Natural Rift Cut Oak	Dark Rift Oak	RF331	2	•
Natural Rift Cut Oak	Phantom Ecu	RF912	2	•
Natural Walnut	Ebony Walnut	NT509	1	•
Natural Walnut	Florence Walnut	NT579	1	•
Natural Walnut	Light Walnut	NT601	1	•
Natural Walnut	Skyline Walnut	NT625	1	•
Natural Walnut	Nutmeg Walnut	NT629	1	•
Natural Walnut	Pinnacle Walnut	NT679	1	•
Natural Walnut	Sumatra Walnut	NT693	1	•

FINISHES

# Finishes

System Worksurfaces

Veneer Type	Stain Name	Code	Grade	
Stratawood Cherry	Stratawood Cherry	SC260	1	•
Stratawood Cherry	Lowell Ash	SC394	1	•
Stratawood Cherry	Clear Cherry	SC700	1	•
Stratawood Cherry	Light Cherry	SC701	1	•
Stratawood Cherry	Shaker Cherry	SC774	1	•
Stratawood Cherry	Burnished Cherry	SC777	1	•
Stratawood Maple	Field Elm	SE599	1	•
Stratawood Maple	Clear Maple	SE800	1	•
Stratawood Maple	Harvest Maple	SE856	1	•
Stratawood Maple	Beigewood	SE878	1	•
Stratawood Maple	Phantom Ecrú	SE912	1	•
Stratawood Maple	Belair	SE934	1	•
Stratawood Silver Oak	Clear	SB100	1	•
Stratawood Silver Oak	Portico Teak	SB150	1	•
Stratawood Rift Oak	Clear Oak	SF300	1	•
Stratawood Rift Oak	Dark Rift Oak	SF331	1	•
Stratawood Walnut	Florence Walnut	ST579	1	•
Stratawood Walnut	Light Walnut	ST601	1	•
Stratawood Walnut	Skyline Walnut	ST625	1	•
Stratawood Walnut	Pinnacle Walnut	ST679	1	•
Stratawood Walnut	Sumatra Walnut	ST693	1	•

Pattern Name	Code	Grade	Beam	H-Halo	Square	Bar	Arch
Designer White	PJW	1	•	•	•	•	
Silver	PR6	1	•	•		•	
Black	P27	1				•	
Flint	P02	1			•		
Loft	P7B	1			•		
Matte Silver	EL	1			•		
Anodized Silver	PR0	1					•
Pyrite	PJE	2	•	•	•		
Solar Black	P8X	2	•	•	•		

Finishes .....	16-17
Introduction to Mural.....	18
Statement of Line .....	19
Overview.....	20
Planning Guidelines.....	21-24
Working with Electrical.....	25-29
<i>Fence</i>	
Frame.....	30
Tiles.....	31
Connectors.....	32
<i>Integrated Height-Adjustable Tables</i>	
Worksurfaces.....	33-34
Bases .....	35
Wire Management.....	36
<i>Privacy</i>	
Screen Frames .....	37
Screens .....	38-44
No-Screen Kits .....	45
Privacy Panel.....	47
Bent Screen.....	47
<i>Accessories</i>	
Accessories .....	46-50



## PAINT FINISHES

FRAME, TILE, CONNECTORS, END TRIM, SHELVES, NO SCREEN FILLER KIT, WIRE MANAGER TROUGH, POWER POLE, PANEL FEET, STIFFENERS, MARKERBOARD TRAY

### GRADE P1

Black .....	P71
Brownstone .....	P7D
Bungalow .....	P7C
Cinder .....	P7Q
Designer White .....	PJW
Flint .....	P02
Fossil .....	P28
Harbor .....	P097
Loft .....	P7B
Muslin .....	P4J
Parchment .....	P93
Pebble .....	P8R
Pewter .....	P8D
Sage .....	P095
Salt .....	P8C
Titanium .....	P8T

### GRADE P2

Champagne Metallic .....	PR5
Gunmetal Metallic .....	PR3
Night Bronze .....	P8B
Platinum Metallic .....	PR2
Pyrite .....	PJE
Silver .....	PR6
Solar Black .....	P8X

### GRADE P3

Amethyst ( <i>De-emphasized</i> ) .....	P091
Atom .....	P8S
Blossom .....	P8K
Bullseye .....	PJF
Cobalt Mica ( <i>De-emphasized</i> ) .....	P090
Ember .....	P8P
Ion .....	P8N
Iris .....	P8J
Krypton .....	P8F
Ochre .....	P093
Regatta .....	P8M
Sienna .....	P092
Succulent .....	P8A

## INTEG. DESK

### GRADE P1

Black .....	P71
Brownstone .....	P7D
Cinder .....	P7Q
Designer White .....	PJW
Flint .....	P02
Fossil .....	P28
Loft .....	P7B
Muslin .....	P4J
Nickel .....	P8L
Parchment .....	P93
Pebble .....	P8R
Pewter .....	P8D
Salt .....	P8C
Titanium .....	P8T

### GRADE P2

Champagne Metallic .....	PR5
Gunmetal Metallic .....	PR3
Night Bronze .....	P8B
Platinum Metallic .....	PR2
Silver .....	PR6

### GRADE P3

Bullseye .....	PJF
Regatta .....	P8M

## PAINT FINISHES – cont'd

### COLLABORATIVE BOARD

#### GRADE P1

Black .....	P71
Brownstone .....	P7D
Bungalow .....	P7C
Cinder .....	P7Q
Designer White .....	PJW
Flint .....	P02
Fossil .....	P28
Loft .....	P7B
Muslin .....	P4J
Parchment .....	P93
Pebble .....	P8R
Pewter .....	P8D
Salt .....	P8C
Titanium .....	P8T

#### GRADE P2

Champagne Metallic .....	PR5
Gunmetal Metallic .....	PR3
Night Bronze .....	P8B
Platinum Metallic .....	PR2
Pyrite .....	PJE
Silver .....	PR6
Solar Black .....	P8X

#### GRADE P3

Amethyst ( <i>De-emphasized</i> ) .....	P091
Atom .....	P8S
Blossom .....	P8K
Bullseye .....	PJF
Cobalt Mica ( <i>De-emphasized</i> ) .....	P090
Ember .....	P8P
Ion .....	P8N
Iris .....	P8J
Krypton .....	P8F
Ochre .....	P093
Regatta .....	P8M
Sienna .....	P092
Succulent .....	P8A

#### GRADE P6

Markerboard White .....	MKP
-------------------------	-----

### PLANTER

#### GRADE P1

Textured Brownstone .....	P7J
Textured Designer White .....	PK7
Textured Flint .....	P7A
Textured Loft .....	P7L
Textured Muslin .....	P7M
Textured Pebble .....	P8Y
Textured Salt .....	P8Z
Textured Titanium .....	P8V

#### GRADE P2

Silver Texture .....	PR8
Solar Black .....	P8X

## SCREEN FINISHES

### FABRIC SCREENS

#### GRADE A - APPOINT PANEL

100% Polyester	
Artichoke .....	APN911
Blackberry .....	APN932
Bronze .....	APN922
Carbon .....	APN928
Chai .....	APN912
Cherry .....	APN930
Dark Pewter .....	APN917
Dune .....	APN915
Espresso .....	APN923
Frost .....	APN934
Framboise .....	APN931
Jet .....	APN927
Lawn .....	APN925
Mandarin .....	APN929
Morel .....	APN909
Nimbus .....	APN916
Platinum .....	APN924
Turquoise .....	APN926

#### GRADE A - BINARY

83% Polyester, 17% Post-Consumer Recycled Polyester	
Blush .....	BNRY12
Coal .....	BNRY06
Cream .....	BNRY01
Denim .....	BNRY08
Diamond .....	BNRY03
Graphite .....	BNRY05
Juniper .....	BNRY10
Lagoon .....	BNRY07
Lavender .....	BNRY11
Mineral .....	BNRY04
Reef .....	BNRY09
Sand Dollar .....	BNRY02

#### GRADE A - ETCH

100% Polyester	
Axis .....	ECH913
Blend .....	ECH914
Cast .....	ECH912
Highlight .....	ECH910
Midtone .....	ECH911
Outline .....	ECH908
Shade .....	ECH909
Tonal .....	ECH916
Vanish .....	ECH915

#### GRADE A - LANDSCAPE

48% Post-Consumer Recycled Polyester, 40% Pre-Consumer Recycled Polyester, 12% Polyester	
Corn silk .....	LN15
Drift .....	LN05
Khaki .....	LN20
Sheen .....	LN10
Slate .....	LN35
Umber .....	LN25
Urban .....	LN30

## SCREEN FINISHES – cont'd

### FABRIC SCREENS – cont'd

#### GRADE A - NOBLE

60% Post-Consumer Recycled Polyester	
Aegean .....	NBLE18
Amethyst .....	NBLE19
Aspen .....	NBLE14
Aster .....	NBLE20
Blossom .....	NBLE21
Bluebell .....	NBLE22
Bordeaux .....	NBLE01
Brick .....	NBLE02
Chambray .....	NBLE10
Chamomile .....	NBLE23
Clementine .....	NBLE04
Conifer .....	NBLE24
Cottage .....	NBLE25
Darkness .....	NBLE26
Dawn .....	NBLE13
Denim .....	NBLE09
Desert Sand .....	NBLE27
Dewfall .....	NBLE28
Dusted Sage .....	NBLE29
Flax .....	NBLE30
Grass .....	NBLE07
Gunmetal .....	NBLE15
Harmony .....	NBLE31
Harvest .....	NBLE12
Ice Caves .....	NBLE32
Icicle .....	NBLE33
Inky .....	NBLE34
Iris .....	NBLE35
Jade .....	NBLE06
Knight .....	NBLE17
Mesa .....	NBLE03
Monarch .....	NBLE36
Pacific .....	NBLE08
Pitch .....	NBLE37
Queen Bee .....	NBLE38
Rainforest .....	NBLE05
Regal .....	NBLE11
Sandcastle .....	NBLE39
Sedona .....	NBLE40
Stormy .....	NBLE16
Sunbeam .....	NBLE41
Voyager .....	NBLE42
Windy Day .....	NBLE43

#### GRADE A - REFLECTIONS

56% Pre-Consumer Recycled Polyester, 44% Post-Consumer Recycled Polyester	
Galvanized .....	REF929
Ice .....	REF920
Loggia .....	REF921
Mistral .....	REF928
Moonstone .....	REF923
Pewter .....	REF922
Stainless .....	REF924
Vanilla .....	REF925
Winter .....	REF927

#### GRADE A - REFUGE

46% Polyester, 35% Pre-Consumer Recycled Polyester, 19% Post-Consumer Recycled Polyester	
Artesian .....	RFG996
Dune .....	RFG992
Eclipse .....	RFG990
Frost † .....	RFG993
Glacier † .....	RFG991
Mineral .....	RFG998
Tidal .....	RFG994

#### GRADE A - TEMPEST

73% Pre-Consumer Recycled Polyester, 27% Post-Consumer Recycled Polyester	
Dragonfly .....	TP930
Frost .....	TP915
Full Stream .....	TP980
Gold Rush .....	TP910
Slate .....	TP945
Tumbleweed .....	TP970
Wind Chill .....	TP940
Zebra .....	TP935

**SCREEN FINISHES – cont'd**

**FABRIC SCREENS – cont'd**

**GRADE B - COAST**

100% Polyester

Channel.....	COA914
Dune.....	COA903
Headlands.....	COA910
Marsh.....	COA902
Pebble.....	COA912
Pier.....	COA913
Shoal.....	COA901
Silt.....	COA906
Tide.....	COA908

**GRADE B - DISPERSE**

100% Polyester

Autumn.....	DISP03
Branch.....	DISP10
Coffee Bean.....	DISP13
Dusk.....	DISP09
Emerald City.....	DISP08
Gold Rush.....	DISP02
Igloo.....	DISP11
Ink.....	DISP06
Mist.....	DISP12
Oatmeal.....	DISP15
Prince.....	DISP07
Reservoir.....	DISP01
Rose.....	DISP04
Spring.....	DISP05
Steel.....	DISP16
Taupe.....	DISP14

**GRADE B - SPIN PANEL**

54% Polyester, 30% Pre-Consumer  
Recycled Polyester, 16% Post-Consumer  
Recycled Polyester

Alabaster.....	SPIN02
Cavern.....	SPIN03
Cobblestone.....	SPIN04
Ember.....	SPIN06
Flame.....	SPIN07
Heron.....	SPIN13
Oat.....	SPIN01
Ocean.....	SPIN12
Plum.....	SPIN15
Pool.....	SPIN11
Raven.....	SPIN10
Rhubarb.....	SPIN14
Tropic.....	SPIN08
Willow.....	SPIN05

**GRADE B - TERRAIN**

48% Polyester, 34% Pre-Consumer  
Recycled Polyester, 18% Post-Consumer  
Recycled Polyester

Bay.....	TRRN05
Bayou.....	TRRN35
Canyon.....	TRRN30
Cliff.....	TRRN45
Crest.....	TRRN25
Delta.....	TRRN10
Plateau.....	TRRN15
Ridge.....	TRRN20
Valley.....	TRRN40

**SCREEN FINISHES – cont'd**

**SEATING**

**GRADE 1 - CENTURION™**

100% Polyester

Apricot.....	CU47
Bark.....	CU25
Black.....	CU10
Espresso.....	CU49
Fog.....	CU03
Frost.....	CU22
Goldenrod.....	CU27
Indigo.....	CU06
Iris.....	CU50
Iron Ore.....	CU19
Jade.....	CU83
Marsala.....	CU63
Morel.....	CU24
Navy.....	CU98
Peacock.....	CU97
Pear.....	CU84
Ruby.....	CU67
Sapphire.....	CU09

**GRADE 1 - DAPPER™**

100% Polyester

Ash.....	DAPR20
Breeze.....	DAPR06
Canvas.....	DAPR25
Charcoal.....	DAPR01
Clover.....	DAPR22
Currant.....	DAPR00
Fawn.....	DAPR35
Fern.....	DAPR85
Gerbera.....	DAPR16
Grape.....	DAPR33
Jewel.....	DAPR08
Marigold.....	DAPR65
Onyx.....	DAPR10
Orchid.....	DAPR90
Parrot.....	DAPR59
Poppy.....	DAPR19
Sapphire.....	DAPR07
Scarlet.....	DAPR45
Sepia.....	DAPR30
Sky.....	DAPR44
Slate.....	DAPR15
Sorbet.....	DAPR55
Spring.....	DAPR80
Terracotta.....	DAPR13
Titanium.....	DAPR17
Varsity.....	DAPR09
Zest.....	DAPR70

\*Limited to 48"W or less

**VENEER SCREENS**

**GRADE 1 - STRATAWOOD CHERRY**

Cinnamon Cherry.....	SC260
Lowell Ash.....	SC394
Clear Cherry.....	SC700
Shaker Cherry.....	SC774
Light Cherry.....	SC701
Burnished Cherry.....	SC777

**GRADE 1 - STRATAWOOD MAPLE**

Clear Maple.....	SE800
Harvest Maple.....	SE856
Phantom Ecu.....	SE912
Field Elm.....	SE599
Belair.....	SE934
Beigewood.....	SE878

**GRADE 1 - STRATAWOOD SILVER OAK**

Portico Teak.....	SB150
Clear.....	SB100

**GRADE 1 - STRATAWOOD RIFT OAK**

Clear Oak.....	SF300
Dark Rift Oak.....	SF331

**SCREEN FINISHES – cont'd**

**VENEER SCREENS – cont'd**

**GRADE 1 - STRATAWOOD WALNUT**

Light Walnut.....	ST601
Skyline Walnut.....	ST625
Pinnacle Walnut.....	ST679
Sumatra Walnut.....	ST693
Florence Walnut.....	ST579
Smoked Onyx.....	RE697
Nutmeg Walnut.....	RE629

**GRADE 1 - ROTARY CUT MAPLE**

Clear.....	RC800
------------	-------

**LAMINATE SCREENS**

**L1 ABSTRACT**

Handspun Pearl.....	LAHP
Handspun Dove.....	LAHD
Handspun Slate.....	LAHS
Handspun Chestnut.....	LAHC
Silver Mesh.....	LT8D

**L1 SOLID**

Black.....	P
Brownstone.....	LM13
Bungalow.....	LM12
Flint.....	LM16
Fossil Shale.....	LEH1
Loft.....	LM11
Muslin.....	LM15
Titanium.....	LT11
Designer White 15051.....	LDW1

**L1 WOODGRAIN**

Belair.....	LWBA
Bourbon Cherry.....	H
Field Elm.....	LWFE
Florence Walnut.....	LFW1
Kingswood Walnut.....	LK11
Natural Maple.....	LWD
NeoWalnut.....	LNU1
Pinnacle.....	PINC
Shaker Cherry.....	LW7C

**L2 WOODGRAIN**

Beigewood.....	LWBE
Lowell Ash.....	LLA1
Natural Recon.....	LNR1
Portico Teak.....	sLPT1
Skyline Walnut.....	LSW1
Veranda Teak.....	LVT1
Fawn Cypress.....	LFC1
Mangalore Mango.....	LMM1
Phantom Ecu.....	LPE1

**L3 WOODGRAIN**

Natural Walnut.....	LWNW
---------------------	------

**L4 MARKERBOARD**

White Markerboard.....	FMQ1
------------------------	------

**PET SCREENS**

Dark Grey.....	DGY4
Medium Grey.....	DGY3
Light Brown.....	DBR1
Light Blue.....	DLB1
Lightest Grey.....	DGY2
Black.....	DBK1

**MESH SCREENS**

Chalk.....	CHK
Greystone.....	GRS
Pewter.....	PEW

**GLASS SCREENS**

Markerboard.....	LM
------------------	----

**ACRYLIC SCREENS**

Clear.....	ASC
Frosted.....	ASF

**FREESTANDING SCREEN FINISHES**

**MURAL BENT SCREEN**

**GRADE 1 PAINT**

Textured Salt.....	P8Z
--------------------	-----

**GRADE 2 PAINT**

Solar Black.....	P8X
------------------	-----

**FABRIC**

Noble.....	NBLE
------------	------

**MURAL PRIVACY PANEL**

**GRADE 1 PAINT**

Black.....	P71
Brownstone.....	P7D
Bungalow.....	P7C
Cinder.....	P7Q
Designer White.....	PJW
Flint.....	P02
Fossil.....	P28
Loft.....	P7B
Muslin.....	P4J
Parchment.....	P93
Pebble.....	P8R
Pewter.....	P8D
Salt.....	P8C
Titanium.....	P8T

**GRADE 2 PAINT**

Champagne Metallic.....	PR5
Gunmetal Metallic.....	PR3
Night Bronze.....	P8B
Platinum Metallic.....	PR2
Pyrite.....	PJE
Silver.....	PR6
Solar Black.....	P8X

**GRADE 3 PAINT**

Amethyst ( <i>De-emphasized</i> ).....	P091
Atom.....	P8S
Blossom.....	P8K
Bullseye.....	PJF
Cobalt Mica ( <i>De-emphasized</i> ).....	P090
Ember.....	P8P
Ion.....	P8N
Iris.....	P8J
Krypton.....	P8F
Ochre.....	P093
Regatta.....	P8M
Sienna.....	P092
Succulent.....	P8A

**GRADE 6 PAINT**

Markerboard White.....	MKP
------------------------	-----

**MURAL PRIVACY PANEL**

**L1 ABSTRACT**

Handspun Pearl.....	LAHP
Handspun Dove.....	LAHD
Handspun Slate.....	LAHS
Handspun Chestnut.....	LAHC

**L1 SOLID**

Black.....	P
Brownstone.....	LM13
Bungalow.....	LM12
Flint.....	LM16
Fossil Shale.....	LEH1
Loft.....	LM11
Muslin.....	LM15
Titanium.....	LT11
Designer White 15051.....	LDW1

**L1 WOODGRAIN**

Belair.....	LWBA
Bourbon Cherry.....	H
Field Elm.....	LWFE
Florence Walnut.....	LFW1
Kingswood Walnut.....	LK11
Natural Maple.....	LWD
NeoWalnut.....	LNU1
Pinnacle.....	PINC
Shaker Cherry.....	LW7C

## FREESTANDING SCREEN FINISHES – cont'd

### L2 WOODGRAIN

Beigewood.....	LWBE
Lowell Ash .....	LLA1
Natural Recon.....	LNR1
Portico Teak .....	LPT1
Skyline Walnut .....	LSW1
Veranda Teak .....	LVT1
Fawn Cypress.....	LFC1
Mangalore Mango .....	LMM1
Phantom Ecu .....	LPE1

### L3 WOODGRAIN

Natural Walnut .....	LWNW
----------------------	------

### EDGE OPTIONS:

Beigewood.....	DE
Belair.....	BA
Black.....	E4
Bourbon Cherry.....	H
Brownstone.....	EY
Bungalow.....	EX
Designer White.....	DW
Fawn Cypress.....	FC
Field Elm.....	FE
Flint.....	E9
Florence Walnut.....	FW
Fossil.....	EH
Kingswood Walnut.....	KI
Loft.....	EV
Lowell Ash.....	DL
Mangalore Mango.....	MM
Muslin.....	EU
Natural Maple.....	DD
Natural Recon.....	NR
Natural Walnut.....	DN
NeoWalnut.....	NU
Phantom Ecu.....	PE
Pinnacle.....	PI
Portico Teak.....	DP
Shaker Cherry.....	DF
Skyline Walnut.....	SW
Titanium.....	TI
Veranda Teak.....	VT

## LAMINATE OPTIONS

### FLAT EDGE INTEG. DESK TOP

#### GRADE L1 ABSTRACT

Ash.....	LT3B
Silver Mesh.....	LT8D
Handspun Pearl.....	LAHP
Handspun Dove.....	LAHD
Handspun Slt.....	LAHS
Handspun Chestnut.....	LAHC

#### GRADE L1 SOLID

Black.....	P
Brownstone.....	LM13
Bungalow.....	LM12
Flint.....	LM16
Fossil Shale.....	LEH1
Loft.....	LM11
Muslin.....	LM15
Titanium.....	LTI1
Designer White 15051.....	LDW1

#### GRADE L1 WOODGRAIN

Belair.....	LWBA
Bourbon Cherry.....	H
Field Elm.....	LWFE
Florence Walnut.....	LFW1
Kingswood Walnut.....	LK11
Natural Maple.....	LWD
NeoWalnut.....	LNU1
Pinnacle.....	PINC
Shaker Cherry.....	LW7C

## LAMINATE OPTIONS – cont'd

### GRADE L2 WOODGRAIN

Beigewood.....	LWBE
Lowell Ash.....	LLA1
Natural Recon.....	LNR1
Portico Teak.....	LPT1
Skyline Walnut.....	LSW1
Veranda Teak.....	LVT1
Fawn Cypress.....	LFC1
Mangalore Mango.....	LMM1
Phantom Ecu.....	LPE1

### GRADE L3 WOODGRAIN

Natural Walnut.....	LWNW
---------------------	------

### FLAT EDGE OPTION

Beigewood.....	DE
Belair.....	BA
Black.....	E4
Bourbon Cherry.....	H
Brownstone.....	EY
Bungalow.....	EX
Designer White.....	dw
Fawn Cypress.....	FC
Field Elm.....	FE
Flint.....	E9
Florence Walnut.....	FW
Fossil.....	EH
Kingswood Walnut.....	KI
Loft.....	EV
Lowell Ash.....	DL
Mangalore Mango.....	MM
Muslin.....	EU
Natural Maple.....	DD
Natural Recon.....	NR
Natural Walnut.....	DN
NeoWalnut.....	NU
Parchment.....	EN
Phantom Ecu.....	PC
Pinnacle.....	PI
Platinum Metallic.....	EP
Plyband.....	PL
Portico Teak.....	DP
Shaker Cherry.....	DF
Skyline Walnut.....	SW
Titanium.....	TI
Veranda Teak.....	VT

### EASED EDGE INTEG. DESK TOP

#### GRADE L1 SOLID

Designer White.....	LDW1
Loft.....	LM11

#### GRADE L1 WOODGRAIN

Natural Maple.....	LWD
--------------------	-----

#### GRADE L2 WOODGRAIN

Natural Recon.....	LNR1
--------------------	------

### SHELF

#### GRADE L1 ABSTRACT

Handspun Pearl.....	LAHP
Handspun Dove.....	LAHD
Handspun Slate.....	LAHS
Handspun Chestnut.....	LAHC

#### GRADE L1 SOLID

Black.....	P
Brownstone.....	LM13
Bungalow.....	LM12
Flint.....	LM16
Fossil Shale.....	LEH1
Loft.....	LM11
Muslin.....	LM15
Titanium.....	LTI1
Designer White 15051.....	LDW1

## LAMINATE OPTIONS – cont'd

### GRADE L1 WOODGRAIN

Belair.....	LWBA
Bourbon Cherry.....	H
Field Elm.....	LWFE
Florence Walnut.....	LFW1
Kingswood Walnut.....	LK11
Natural Maple.....	LWD
NeoWalnut.....	LNU1
Pinnacle.....	PINC
Shaker Cherry.....	LW7C

### GRADE L2 WOODGRAIN

Beigewood.....	LWBE
Lowell Ash.....	LLA1
Natural Recon.....	LNR1
Portico Teak.....	LPT1
Skyline Walnut.....	LSW1
Veranda Teak.....	LVT1
Fawn Cypress.....	LFC1
Mangalore Mango.....	LMM1
Phantom Ecu.....	LPE1

### GRADE L3 WOODGRAIN

Natural Walnut.....	LWNW
---------------------	------

### EASED EDGE OPTION

#### GRADE L1 SOLID

Designer White.....	DW
Loft.....	EV

#### GRADE L1 WOODGRAIN

Natural Maple.....	DD
--------------------	----

#### GRADE L2 WOODGRAIN

Natural Recon.....	NR
--------------------	----

### SHELF EDGE OPTION

Beigewood.....	DE
Belair.....	BA
Black.....	E4
Bourbon Cherry.....	H
Brownstone.....	EY
Bungalow.....	EX
Designer White.....	DW
Fawn Cypress.....	FC
Field Elm.....	FE
Flint.....	E9
Florence Walnut.....	FW
Fossil.....	EH
Kingswood Walnut.....	KI
Loft.....	EV
Lowell Ash.....	DL
Mangalore Mango.....	MM
Muslin.....	EU
Natural Maple.....	DD
Natural Recon.....	NR
Natural Walnut.....	DN
NeoWalnut.....	NU
Phantom Ecu.....	PE
Pinnacle.....	PI
Portico Teak.....	DP
Shaker Cherry.....	DF
Skyline Walnut.....	SW
Titanium.....	TI
Veranda Teak.....	VT

## ENHANCED CONNECTOR OPTIONS

### FLEX SLEEVE OPTIONS

Light.....	LT
Medium.....	MD
Dark.....	DK

## ELECTRICAL AND DATA COMPONENTS

Black.....	E4
Brownstone.....	EY
Designer White.....	DW
Flint.....	E9
Loft.....	EV
Muslin.....	EU
Silver.....	ES

## FABRIC WIRE MANAGER

### GRADE 1

#### DAPPER

Ash.....	DAPR20
Breeze.....	DAPR06
Canvas.....	DAPR25
Charcoal.....	DAPR01
Chlover.....	DAPR22
Currant.....	DAPR00
Fawn.....	DAPR35
Fern.....	DAPR85
Gerbera.....	DAPR16
Grape.....	DAPR33
Jewel.....	DAPR08
Marigold.....	DAPR65
Onyx.....	DAPR10
Orchid.....	DAPR90
Parrot.....	DAPR59
Poppy.....	DAPR19
Sapphire.....	DAPR07
Scarlet.....	DAPR45
Sepia.....	DAPR30
Sky.....	DAPR44
Slate.....	DAPR15
Sorbet.....	DAPR55
Spring.....	DAPR80
Terracotta.....	DAPR13
Titanium.....	DAPR17
Varsity.....	DAPR09
Zest.....	DAPR70

#### HAMILTON

Biscotti.....	HAML11
Cabernet.....	HAML08
Carolina.....	HAML21
Charcoal.....	HAML17
Chocolate.....	HAML13
Cloud.....	HAML18
Dane.....	HAML16
Dusty Rose.....	HAML07
Esmeralda.....	HAML06
Fern.....	HAML04
Fresh.....	HAML03
Granola.....	HAML19
Lilac.....	HAML14
Lime.....	HAML05
Lipstick.....	HAML09
Oxford.....	HAML20
Passion Fruit.....	HAML02
Pepper.....	HAML15
Powder.....	HAML12
Sunrise.....	HAML01

# Mural

## FABRIC WIRE MANAGER cont'd

### GRADE 3

<b>MOXIE</b>	
Barnwood .....	SX09
Basalt .....	SX23
Bayou .....	SX02
Bermuda .....	SX52
Biscotti .....	SX08
Blackberry .....	SX48
Blarney .....	SX49
Blueberry .....	SX05
Bonsai .....	SX20
Brigade .....	SX53
Butterscotch .....	SX54
Carob .....	SX24
Chalk .....	SX50
Chartreuse .....	SX34
Cherry .....	SX38
Cinnamon .....	SX13
Cobalt .....	SX01
Coconut .....	SX06
Concrete .....	SX43
Cozumel .....	SX55
Cumin .....	SX32
Dragonfly .....	SX44
Dover .....	SX56
Earl Grey .....	SX40
Elysian .....	SX04
Evergreen .....	SX21
Fatigue .....	SX18
Fawn .....	SX30
Flint .....	SX39
Forsythia .....	SX57
Grenache .....	SX58
Hazel .....	SX31
Hemp .....	SX45
Hickory .....	SX25
Holly .....	SX51
Jam .....	SX16
Kelly .....	SX33
Lemongrass .....	SX19
Lime .....	SX41
Macintosh .....	SX12
Midnight .....	SX59
Mulberry .....	SX15
Muslin .....	SX60
Pacifica .....	SX61
Parchment .....	SX07
Peacock .....	SX03
Phantom .....	SX62
Pineapple .....	SX42
Plum .....	SX17
Punch .....	SX46
Riverstone .....	SX47
Russet .....	SX14
Smokestack .....	SX22
Tangerine .....	SX37
Terracotta .....	SX11
Thicket .....	SX35
Walnut .....	SX10
Whirlwind .....	SX63

### PURL

(80% Polyester, 20% Acrylic)

Alpaca .....	PURL08
Braid .....	PURL10
Deep .....	PURL12
Graze .....	PURL05
Loom .....	PURL06
Needle .....	PURL07
Pasture .....	PURL02
Ranch .....	PURL04
Shuttle .....	PURL09
Skein .....	PURL01
Thistle .....	PURL11
Yearling .....	PURL03

## FABRIC WIRE MANAGER cont'd


### GRADE 3 — cont'd

<b>QUILL</b>	
Aviary .....	QUL03
Feather .....	QUL02
Fountain .....	QUL06
Ink .....	QUL05
Metal .....	QUL04
Reed .....	QUL08
Scroll .....	QUL01
Well .....	QUL07

Mural offers a unique way to plan and divide space with a movable base structure that easily accommodates reconfiguration. A wide selection of inserts plus shelves, provide the desired privacy and functionality for each workspace; with movable and freestanding screens offering an additional level of privacy when needed. Integrated or freestanding height-adjustable surfaces allow users to change postures throughout the day for comfort and productivity. The result is a system that invites individuals to customize their workspace to fit their workstyle and reflect their personality.


### It's All in the "Flex"

Mural's flex connector transforms a static station into an adaptable station. Bringing new meaning to organic configurations, Mural's possibilities are limitless.




### Integrated Height-Adjustability

Mural stations can integrate 2-stage or 3-stage height-adjustable tables with ease. Freestanding height-adjustable tables can also be paired with Mural's fence.




### Privacy to Fit Your Organization's Need

Vertical screen frames support a variety of screening options that support user comfort and privacy.



## FENCE & CONNECTORS




Non-Ported

Ported

Ported HAT

Specialty Ported

Specialty Ported HAT




Flex Connector

Enhanced Connectors

Simple Connectors

## PRIVACY



Screen Frame

Fabric Screen

Mesh Screen

PET Screen

Laminate Screen


Veneer Screen

Glass Screen

Acrylic Screen

## INTEGRATED HEIGHT-ADJUSTABLE TABLES

### BASE




2-Stage


3-Stage

*\*Adjustable leg kits and crossbars sold separately.*

### WORKSURFACES



## ACCESSORIES



Shelf

Planter

Screen Frame Cap


Marker Holder

Collaborative Board

Mobile Privacy Panel

Bent Screen\*  
*\*RH and LH*

## POWER




User Access Trough Power

Wire Trough

Wire Manager


Power Pole



MURAL

**NOTE:** Mural Typicals can be found at <https://www.allsteeloffice.com/design-resources/idea-starters>.

Fence & Connectors




**Fence:**

- The fence is made up of a frame and tiles.
- Connectors attach to fence to create desired configurations.
- Screen Frames attach to top of fence for integrated vertical privacy solution.
- When screen frames are not specified, a No-Screen Frame Filler Kit (SAFILLERKITNF) should be specified.
- When screens are not used, a **No-Screen Filler Kit** should be specified to fill screen gap.
- In-line connections possible with and without connectors. Other connectors available, see connector section.
- Overall Depth: 2.6"
- Overall Height: 22"
- Overall Width: 30", 36", 42", 48", 54", 60", 66", 72", 84"


**Frames:**

- Pivoting foot included with frame.
- Pivoting foot dimensions: 17" L x 2" W.
- Pivoting foot allows for 3" of leveling adjustment.
- Pivoting foot can be turned in when adjacent to gallery panels, panel returns, and simple/enhanced connectors.
- Pivoting feet can be turned in when tethered to an integrated height-adjustable table.
- 30" W fence will only have room for one foot to be pivoted inwards.
- Frames > 60" W ship as two frames and are adjoined in the field.
- Pivoting feet must be turned out when using a 2-way Y connector on freestanding applications.
- Gallery panels must be at least 33" W x 42½" H and attached next to foot locations to turn feet in on single-sided applications.



**Tiles:**

- Painted steel tile.
- Specified as non-ported, ported, and integrated desk (always ported).
- 2 data knockouts per side for ported tiles.
- Specialty tiles available with data ports spaced 6" lower than power in both ported and HAT tiles.
- Tiles up to 54" come with 2 electrical knockouts per side.
- 60" and greater tiles have 4 electrical knockouts per side.
- Port cover model available for day 2 reconfigurations.
- Data ports are knock-outs and do not have to be used.



\*Tiles shown are 48" W



**Connectors:**

- Organic and linear planning made possible through variety of connector options.
- Flex connector featuring knit cover, available in 3 colors.
- Flex connector enables end panels to be user movable.
- Enhanced connectors featuring knit cover available in X, Y, and T configurations.
- Simple Connectors available in straight, L, X, T, Y (2-way), and 7 (3-way) configurations.
- Enhanced connector top trim and simple connectors available in Allsteel standard paints.
- Use of extended straight connectors allow for equal length of run when there isn't a return fence specified.

Flex Connection	T-Connection	Y-Connection (3-way)	X-Connection	L-Connection	Y-Connection (2-way)	Straight Connection
SC12SFF	SC12TF/SC12TS	SC12YF/SC12YS3	SC12XF/SC12XS	SC12LS	SC12YS2	SC12SS

## Screen Frames + Screens

### Screen Frames:

- Screen frame supports screens, shelves, and planters.
- Screen frame cap sold separately.
- Adds additional height to fence: 26"H (50"H), 34"H (57½"H), 41"H (65"H).
- Screen frame width only compatible with associated fence (30"W Screen Frame = 30"W fence).
- Screen frame aligner hardware must be used in linear application.
- When specifying in-line, fence connections screen frame heights must match.
- Available in Allsteel standard paints.
- Maximum of 10 lbs for decorative accents suspended from screen frame. Consider collaborative board within weight requirements.

### Screens:

- Available in fabric, PET, mesh, acrylic, glass, laminate, and veneer.
- Screen heights must match screen frame height. Refer to screen frame compatibility for width requirements.
- Screen clamps attach screens to screen frame.
- Screen clamps available in Allsteel standard paints.
- Screen clamps hardware always silver. Clamping pads will always be black.
- See screen frame compatibility chart.
- Mesh does not need screen clamps.
- Veneer screens larger than 60" wide are available with horizontal grain only.

### Screen Filler Kits:


- When two half screens are used within screen frame, SAFILLERKIT1 should be specified.
- When screens are not used, but a screen frame is specified, filler kits should be used to fill fence gaps. See screen filler compatibility chart.
- When no screens or screen frames are used, SAFILLERKITNF should be specified.

### Shelves:

- Pill shape laminate shelf available in Allsteel standard laminates.
- Maximum 2 shelves per screen frame.
- Do not specify monitor arms with integrated height-adjustable tables and screen frame shelves.
- All desktop mounted accessories could interfere with shelves on applications with integrated height adjustability. This should be considered when choosing location of shelves on screen frame.
- Shelves come with all screen frame mounting hardware. Hardware will always be black. Shelf screen clamp and stiffener are available in standard Allsteel paint finishes.
- Shelf hardware is only compatible with Mural Screen frames.
- Shelves can support decorative accents with a maximum weight capacity of 25 lbs.
- Shelf is ¾" thick
- For applications with integrated height adjustability, the following shelf limitations apply: (1) no shelves can be used with 26"H screen frames, (2) 1 shelf can be used with 34"H screen frames, (3) 2 shelves can be used with 41"H screen frames.

### Planters:

- Planters introduce biophilia and personality to the workstation.
- Mount directly to laminate shelves. Planter comes with pilot holes and hardware. Shelves do not have pilot holes to allow for flexibility in placement.
- One planter per shelf.
- Internal dimensions: 6"H, 6"D, 24"W.
- Does not come with liner.
- Available in 10 paint finishes.



### Screen Frame Compatibility


Screen Frame	Full Width	Half Width
30" W	25" W	—
36" W	31" W	—
42" W	37" W	—
48" W	43" W	—
54" W	49" W	—
60" W	55" W	27" W x2
66" W	61" W	30" W x2
72" W	67" W	33" W x2
84" W	79" W – Mesh Only	39" W x2

### Screen Filler Kit Compatibility


Screen Frame	Filler Kit	Half Screen
30" W	SAFILLERKIT25	—
36" W	SAFILLERKIT31	—
42" W	SAFILLERKIT37	—
48" W	SAFILLERKIT43	—
54" W	SAFILLERKIT49	—
60" W	SAFILLERKIT55	SAFILLERKIT27
66" W	SAFILLERKIT61	SAFILLERKIT30
72" W	SAFILLERKIT67	SAFILLERKIT33
84" W	SAFILLERKIT79	SAFILLERKIT39

### Collaborative Screens

Model Numbers	Screen	Size Volume	Weight
SS1724M	17x24	17.0 in <sup>3</sup>	4.8 lb
SS2724M	27x24	26.9 in <sup>3</sup>	7.6 lb



**Worksurface:**



**Mural Power Bay:**

- User Access grommet conveniently tucks power and cords away into under worksurface tray.
- User access power possible through specifying Mural Power Bay grommet option, power, and wire management trough.
- Mural Power Bay grommet option specified on the .option. Grommet color is determined by laminate edge band.
- Grommet is always an oval and centered on worksurface, see visual above for dimensions.
- Power (SEDMUP) must be specified with either SEDMW20 or SEDMW30 to provide user access to power.

**Collaborative Boards:**


- User Movable, magnetic collaborative boards.
- Specify marker board paint for a writable surface option.
- Available in two sizes: 17" H x 24" W and 27" H x 24" W.

**Bent Screens:**

- Upholstered freestanding bent screen provides user privacy in solo stations and collaborative areas.
- Available as left-handed and right-handed.
- Foot is available in textured salt or solar black.
- Screen dimensions: 52" H x 68" W.

**Wire Management:**

- Under worksurface tray conveniently stores power strip and unneeded cords throughout the day.
- Tray is available Allsteel standard paints.
- 20" W trough compatible with 46" W and 52" W worksurfaces.
- 30" W trough compatible with worksurfaces 58" W and greater.
- Trough will always be black.
- Fabric wire manager offers a softer approach to wire management and discreetly routes cords to fence receptacles.
- Reference visual above for wire manager trough dimensions.



**Integrated Height-Adjustable Bases:**

- 2-stage (26 1/2" to 45 3/4") and 3-stage (21 3/4" to 47 1/2").
- 250 lbs weight rating.
- Tables feature collision detection, a feature designed to stop table travel when the table detects an obstacle.
- Memory control, basic up/down control, and paddle control available as an option.
- Compatible with 48" – 72" fence configurations.
- Height-adjustable legs and crossbar kit specified separately. Unique crossbar kits to accommodate single and dual sided applications as well as 22/23" D and 28/29" D worksurfaces.
- Dual sided crossbar kits should ONLY be specified when two integrated height-adjustable bases are specified.
- Must specify with Integrated HAT tile option.
- Leg seamlessly integrates into fence.
- 2 1/2" of leveling adjustment.
- Radii hanging pedestals on single-sided integrated Mural height adjustable tables are not allowed from a stability perspective.
- On a double-sided application (integrated HATs on both sides of the fence) it is allowed, Radii hanging pedestals will need to sit inset of the height adjustable leg.

A3 (T-Leg) A6 (C-Leg)

24"D 30"D 24"D 30"D

		○	○	○	●
AUFD15N	Flush Undermount Pull-Out Drawer				
AUFH15N/AUFHL15N	Flush Undermount RH/LH Hinge Door				
AUFO15N	Flush Undermount Open Bin				
AUCL15N/AUCL15U	Console Undermount L-Cube				
AUCH15N/AUCH15U	Console Undermount RH Hinge Door				
AUCLH15N/AUCLH15U	Console Undermount LH Hinge Door				

**Legend**

●	Works, unit may sit flush to LH or RH edge of worksurface
○	Works, unit must sit inset of height-adjustable leg

**Mural Worksurfaces:**

- Rectangular, Rounded, and Eased Edge worksurfaces available.
- Primary worksurface depths are 22" D, 23" D, 28" D, and 29" D.
- Mural Power Bay and standard grommet options available.
- Worksurfaces compatible with all integrated height-adjustable bases.
- 23" D, 28" D, and 29" D worksurfaces compatible with freestanding A6 T-Leg, C-Leg bases. 22" D worksurfaces compatible with freestanding A6 T-leg bases ONLY.

**Marker Holder:**

- Can hold 4 markers and an eraser.
- Magnetic attachment makes accessory easy to move from steel surfaces.
- Available in Allsteel Standard Paints.

**Privacy Collaboration Panel:**

- Rolling collaboration panel with dual-sided bin.
- Specify markerboard laminate for writable surface option.
- Panel and bin laminate specified separately for design flexibility.
- Screen Dimensions: 50" H x 60" W.
- Bin Dimensions: 8" H x 24" W x 8.5" D.

**Marker Boards:**


- Thoroughly erase your marker board after every use.
- Marker boards should be cleaned weekly with marker board cleaner. Reminder: Completely erase the board before applying any cleaners.
- Leaving ink on the board for an extended period of time may lead to images remaining on the board, commonly known as "ghosting", after erasing.
- To avoid ghosting, clean your board weekly with marker board cleaner.
- Expo brand dry-erase markers are recommended for best erasing results.
- Avoid using red and orange markers for easier cleaning and to reduce the likelihood of ghosting.
- Do not use permanent or non-dry erase markers.
- To maintain eraser performance, follow manufacturer's instructions.

### Mural Electrical Systems

Power can come from a wall, floor or ceiling infeed.


#### Ceiling Infeed:

- Requires a power pole, either freestanding next to the system or integrated into an enhanced connector ( X, T, Y).
- When power pole is freestanding, the electrical infeed either:
  - Leaves the pole at the floor level, enters the system in the same way that a floor infeed would.
  - Leaves the pole part-way to the floor and enters through the side infeed trim (SC22ETE). This method requires installers cut a hole in the power pole at the correct height to line up with the hole in the infeed trim.
- When integrated, with power pole mounting kit, the infeed goes directly through the top of the enhanced connector.



#### Floor Infeed:

- Enters through the bottom of the system.
- Points of entry are accessible at the center of each section of panel.
- Enhanced connectors have access point underneath for floor infeed.
- Infeed cannot be routed through simple connectors.




#### Wall Infeed:

- Requires use of the side infeed trim.
- Infeed enters through side of fence.
- Recommend this configuration when fence is located up against a wall to prevent user visibility of side infeed access.




Mural features capabilities for cable management, including electrical, voice, and data. The 8-wire electrical system is integrated at the beltline. The open structure of the frame allows voice and data cables to be routed both vertically and horizontally.




### Square Power Pole for Fixed Supports (page 99)


- A870070 power pole is 10½' tall
- SE08PP1 Power Pole is 8' tall.
- Power Pole may be used over one of enhanced connectors.
- To extend the power pole for a taller ceiling, order quantity-2 with a splicer kit SE08PP2.



SE08TPP2



SE08YPP2



SE08XPP2

### Mural Electrical Systems

The electrical system for Mural offers two options: 3+1 or 2+2. Both systems utilize an 8-wire, four-circuit electrical system, rated at 20 amps (15 amps Canadian). Connect a maximum of 13 receptacles (12 in Canada, and fewer in certain U.S. locales) to one circuit. Consult your electrician to ensure the planned electrical load is within permissible limits. Follow the steps below to help specify your Mural electrical.

1. **Infeeds** — Determine the location, quantity, and type of power infeeds needed.
2. **Fence Power Kits** — Specify a Fence Power Kit for each ported fence. Power kits are determined by the size of fence ordered and are connected to one another with beam-to-beam jumpers - order separately.
3. **Connector Jumper Kits** — Ordered separately from fence power kits. Available in specific lengths for simple connectors, enhanced connectors, flex connector, and panel pass-through configurations.
4. **Duplex Receptacles** — Determine which electrical system will be used after consulting an electrician: 2+2 or 3+1. System is determined by which circuits are used. Specify circuit specific receptacles to fill all port locations where electrical is needed. Number of ports is determined by the fences and fence power kits specified. Port covers must be placed in port locations where duplex receptacles are not specified.

### Electrical Systems

Mural offers a choice of four electrical systems:


- Four-circuit, 3 + 1
- Four-circuit, 2 + 2
- Three-circuit, separate neutrals
- Eight circuits; two four-circuit systems provided back-to-back.
- See page 28 for a detailed explanation of each electrical system.
- All four systems utilize an 8-wire electrical system, rated at 20 amps per circuit (15 amps Canadian) - 16 amps plannable in U.S.
- Mural fence and electrical components are UL Listed. Electrical components are also CSA certified.
- Installation and use of the electrical system, the number of receptacles used on a given circuit and connections to the building power supply should be in compliance with all local and national electrical codes.

**Caution: Electrical equipment cords or extension cords MUST NOT BE ROUTED through cable openings in fence sides.**

**Note: No more than one conduit that is connected to a power kit mounted to horizontal can be routed through the same cut out in the same horizontal at beltline. Attempting to use more will cause binding of conduit and may affect reveals on receptacles.**

### Hardwire New York Code (page 49)

- Hardwire (New York Code) junction box (model A871400) is used when local electrical codes require hardwire entry.
- For use in panels 30" W to 84" W.
- New York box can connect to a pass-through kit or directly to a power block.
- New York box takes the place of a receptacle. If using a ported tile, purchase port covers for this location.
- Customer to furnish all cabling and wiring from power entry to power source.
- Junction box can be positioned at any duplex receptacle location.



### Hardwire Chicago Code (page 49)


- Wiring power kits and snap connectors are not allowed in Chicago — base pathways must be comprised of all-metallic components.
- Customer must furnish conduit, wiring, and designer-type receptacles for the base pathway and conduit, wiring, designer-type receptacles, and receptacle covers for the beltline.
- Power entry can be routed from the ceiling, via a power pole, or from the floor into a junction box.

### Electrical Infeeds

- Power infeed cables deliver power from building to fence's electrical system.
- Infeed cables are housed in conduit to separate electrical system from communications and data lines.
- Select quantity of base or ceiling infeed cables depending on individual power requirements.


#### Sealtight Electrical Infeed (page 48)

- Sealtight electrical infeed cable is used when routing power from floor with footed panels.
- If pre-wired as infeed, sealtight must be routed from inside of fence. Should not be ordered prior to installation.



#### Ceiling Power Infeed (page 48)

- Ceiling power infeed connects to a prewired electrical power kit in the beltline and terminates in the junction box at the top of the integrated power pole.
- Can also be used as infeed.
- Most codes allow flex conduit to be exposed after installation. Verify code requirements before ordering for exposed application.



### To Order:

- Determine which electrical system you will use after consulting your electrician and computer support personnel:
  - The Four-circuit system (4-Hot/2-Neutral/2-Ground)
    - 3 + 1 option
    - 2 + 2 option
  - The three-circuit system (3-Hot/3-Neutral/2-Ground)
  - The eight-circuit system (back-to-back four-circuit systems)
- Determine location, quantity, and circuit of duplexes.
- Determine the appropriate choice and use of isolated, isolated/dedicated, and separate neutrals circuits.
- Specify appropriate power kits and pass-through kits.
- Determine the location, quantity, and type of power infeed needed.


\* Select power kits (SE(30-84)EK(3C/4C)), panel-to-panel standard jumpers/enhanced jumpers (SES(S/F)EJ(3/4)C), and pass-through kits (SES(M/G)EJ(3/4)C) with the last two digits corresponding with the panel width into which the component is to be positioned. Pass-through kits only cover space within the panel. Designers should still specify panel-to-panel jumpers between a pass-through to a power kit. Jumper kits do not stretch.

### Flexconnect™ Electrical System Options


The four-circuit, eight-wire electrical system is widely specified and trusted by hundreds of thousands of end-users. This proven system delivers four circuits for every power infeed in either a 3 + 1 or 2 + 2 configuration. The isolated/dedicated circuits are ideal for sensitive computing equipment, while the common circuits are suitable for faxes, copiers, task lights and other peripherals. Both the 3 + 1 and 2 + 2 systems use the same pre-wired components, making it easy to adjust as electrical needs change.

Reference the Office Equipment Typical Load Values on page 29.


#### Four-circuit, 3 + 1 Receptacle Option




The 3 + 1 option is the electrical standard used on Allsteel systems for many years in most installations. This wiring option provides three utility circuits plus an isolated/dedicated circuit for more sensitive equipment. Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with single-phase building electrical supply.



#### Four-circuit, 2 + 2 Receptacle Option



The 2 + 2 option is a wiring option that provides two utility circuits and two isolated circuits for more extensive computer usage applications.



### Office Equipment Typical Load Values

Item	*Amps
Desktop/2 Monitors	4
Laptop Computer	1
Laptop/2 Monitors/Docking Station	3
Paper Shredder	1.22
Radio	0.05
Scanner	3
Space Heater (1500 watts)	12
Task Light (equiv. 60-watt bulb)	
Fluorescent	0.12
LED	0.08
USB Charger	0.17
LCD Television (42")	1
LCD Monitor (21")	0.5
Bluetooth Speaker	0.1
Desktop Printer	
Inkjet	0.15
Laser	4 to 10
Multimedia Projector	1.7
Sit-to-Stand Height-Adjustable Desk	Idle 0.01 / Max 4
<b>Office Kitchen</b>	
Coffee Maker	10
Microwave	10
Toaster	12.5
Compact Refrigerator	1.5

\*Chart is recommended for planning purposes. Check device specifications for exact amperage. Consult with your electrician regarding the applicable configurations.

### Examples of Component Usage based on the Office Equipment Typical Load Values Chart

#### Power Option 3+1


Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers  
Utility Circuits 1, 2, 3: Height-adjustable tables and ancillary items

#### Power Option 2+2

Dedicated Circuit 3: 4 desktop computers with 2 monitors each; or 10 laptop computers  
Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers  
Utility Circuits 1, 2: Height-adjustable tables and ancillary items

### Data Faceplates & Jacks (page 50)


- Faceplates fit into knockout ports on ported steel tiles.
- Faceplates do not work in fence electrical ports.
- Faceplate options available to install either 3 or 4 data jacks.
- Faceplates available in one color – black.
- Faceplates and Jacks sold separately.
- CAT 5E and CAT 6 data jacks available.





For specification information see pages 21-24.

GSA SIN 33721



Description	Model	List Price
<b>Mural Frame</b>		
Mural Frame with Feet, 30" W	SF30F	\$ 502
Mural Frame with Feet, 36" W	SF36F	\$ 557
Mural Frame with Feet, 42" W	SF42F	\$ 598
Mural Frame with Feet, 48" W	SF48F	\$ 628
Mural Frame with Feet, 54" W	SF54F	\$ 651
Mural Frame with Feet, 60" W	SF60F (shown)	\$ 661
Mural Frame with Feet, 66" W	SF66F	\$ 884
Mural Frame with Feet, 72" W	SF72F	\$ 939
Mural Frame with Feet, 84" W	SF84F	\$ 1021

MURAL

**How to specify —**  
Select the Model Number from above.

*1st Option:*

**Foot:**  
STD Standard

*2nd Option:*


**Paint:**  
P1 P2 P3  
See page 16 for finishes.

S | F | | | F | .

S | T | D | .

| | |

*Example: SF30F.STD.P02*



Description	Model	List Price
<b>Mural Tiles</b>		
Mural Tile 30"W, Painted	ST30MT	\$ 191
Mural Tile 36"W, Painted	ST36MT	\$ 203
Mural Tile 42"W, Painted	ST42MT	\$ 213
Mural Tile 48"W, Painted	ST48MT	\$ 224
Mural Tile 54"W, Painted	ST54MT	\$ 251
Mural Tile 60"W, Painted	ST60MT (shown)	\$ 263
Mural Tile 66"W, Painted	ST66MT	\$ 284
Mural Tile 72"W, Painted	ST72MT	\$ 316
Mural Tile 84"W, Painted	ST84MT	\$ 338

**NOTE:** 30"W-48"W, 84"W limited to non-ported, ported, and specialty ported tile styles.

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>S   T       M   T   .</p>	<p><b>1st Option:</b> <b>Tile Style:</b>                      NP Non-Ported Tile                      YP Ported Tile*                      HP Integrated Desk Tile*                      SYP Specialty Ported Tile*                      SHP Specialty Integrated Desk Tile*                      *\$82/tile upcharge</p> <p>      .</p>	<p><b>2nd Option:</b> <b>Paint:</b>                      P1 P2 P3                      See page 16 for finishes.</p> <p>     </p>
---	--	---

Example: ST30MT.NP.P02



SC22ETS



SC22ETE





Description	Model	List Price
<b>Mural End Trim</b>		
Mural End Trim	SC22ETS	\$ 86
Mural End Trim with Infeed Access	SC22ETE	\$ 115

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>S   C   2   2   E   T   .</p>	<p><b>1st Option:</b> <b>Paint:</b>                      P1 P2 P3                      See page 16 for finishes.</p> <p>     </p>
---	---

Example: SC22ETS.P02

For specification information see pages 21-24.

GSA SIN 33721

		Description	Model	List Price
		<b>Mural Enhanced Connectors</b>		
		Mural Flex Connector 12" W, Knit Mesh	SC12SFF	\$ 1363
SC12SFF	SC12TF	Mural T-Connector 12" W, Knit Mesh	SC12TF	\$ 1329
		Mural Y-Connector 12" W, Knit Mesh, 3-Way	SC12YF	\$ 2849
		Mural X-Connector 12" W, Knit Mesh	SC12XF	\$ 1431
				
SC12YF	SC12XF			







**How to specify —**  
Select the Model Number from above.

**1st Option:**  
Knit Mesh:

**2nd Option:**  
Paint (if applicable):  
P1 P2 P3  
See page 16 for finishes.

SC12 | | | | . | | | | .

*Example:*

		Description	Model	List Price
		<b>Mural Simple Connectors</b>		
		Mural Straight Connector, Painted	SC12SS	\$ 218
SC12SS	SC12TS	Mural T-Connector, Painted	SC12TS	\$ 192
		Mural L-Connector, Painted	SC12LS	\$ 192
		Mural Y-Connector, Painted, 2-Way	SC12YS2	\$ 438
		Mural Y-Connector, Painted, 3-Way	SC12YS3	\$ 393
		Mural X-Connector, Painted	SC12XS	\$ 151
				
SC12LS	SC12YS2			
				
SC12YS3	SC12XS			

**How to specify —**  
Select the Model Number from above.

**1st Option:**  
Paint:  
P1 P2 P3  
See page 16 for finishes.

SC12 | | | | . | | | | .

*Example: SC12SS.P02*

MURAL

# Integrated Height-Adjustable Tables

For specification information see pages 21-24.

GSA SIN 33721

Description	Model	List Price
<b>Mural Rectangular Worksurfaces</b>		
Mural Integ. Desk Top, 22"D x 46"W, Rectangular	SW2246NFS	\$ 607
Mural Integ. Desk Top, 22"D x 52"W, Rectangular	SW2252NFS	\$ 659
Mural Integ. Desk Top, 22"D x 58"W, Rectangular	SW2258DFS	\$ 820
Mural Integ. Desk Top, 22"D x 64"W, Rectangular	SW2264DFS	\$ 850
Mural Integ. Desk Top, 22"D x 70"W, Rectangular	SW2270DFS	\$ 874
<hr/>		
Mural Integ. Desk Top, 23"D x 46"W, Rectangular	SW2346NFS	\$ 607
Mural Integ. Desk Top, 23"D x 52"W, Rectangular	SW2352NFS	\$ 659
Mural Integ. Desk Top, 23"D x 58"W, Rectangular	SW2358DFS	\$ 820
Mural Integ. Desk Top, 23"D x 64"W, Rectangular	SW2364DFS	\$ 850
Mural Integ. Desk Top, 23"D x 70"W, Rectangular	SW2370DFS	\$ 874
<hr/>		
Mural Integ. Desk Top, 28"D x 46"W, Rectangular	SW2846NFS	\$ 683
Mural Integ. Desk Top, 28"D x 52"W, Rectangular	SW2852NFS	\$ 774
Mural Integ. Desk Top, 28"D x 58"W, Rectangular	SW2858DFS	\$ 917
Mural Integ. Desk Top, 28"D x 64"W, Rectangular	SW2864DFS	\$ 972
Mural Integ. Desk Top, 28"D x 70"W, Rectangular	SW2870DFS	\$ 997
<hr/>		
Mural Integ. Desk Top, 29"D x 46"W, Rectangular	SW2946NFS	\$ 683
Mural Integ. Desk Top, 29"D x 52"W, Rectangular	SW2952NFS	\$ 774
Mural Integ. Desk Top, 29"D x 58"W, Rectangular	SW2958DFS	\$ 917
Mural Integ. Desk Top, 29"D x 64"W, Rectangular	SW2964DFS	\$ 972
Mural Integ. Desk Top, 29"D x 70"W, Rectangular	SW2970DFS	\$ 997
<hr/>		
<b>Mural Rounded Corner Worksurfaces</b>		
Mural Integ. Desk Top, 22"D x 46"W, Rounded Corner	SW2246NFR	\$ 699
Mural Integ. Desk Top, 22"D x 52"W, Rounded Corner	SW2252NFR	\$ 758
Mural Integ. Desk Top, 22"D x 58"W, Rounded Corner	SW2258DFR	\$ 924
Mural Integ. Desk Top, 22"D x 64"W, Rounded Corner	SW2264DFR	\$ 973
Mural Integ. Desk Top, 22"D x 70"W, Rounded Corner	SW2270DFR	\$ 1004
<hr/>		
Mural Integ. Desk Top, 23"D x 46"W, Rounded Corner	SW2346NFR	\$ 699
Mural Integ. Desk Top, 23"D x 52"W, Rounded Corner	SW2352NFR	\$ 758
Mural Integ. Desk Top, 23"D x 58"W, Rounded Corner	SW2358DFR	\$ 924
Mural Integ. Desk Top, 23"D x 64"W, Rounded Corner	SW2364DFR	\$ 973
Mural Integ. Desk Top, 23"D x 70"W, Rounded Corner	SW2370DFR	\$ 1004
<hr/>		
Mural Integ. Desk Top, 28"D x 46"W, Rounded Corner	SW2846NFR	\$ 784
Mural Integ. Desk Top, 28"D x 52"W, Rounded Corner	SW2852NFR	\$ 889
Mural Integ. Desk Top, 28"D x 58"W, Rounded Corner	SW2858DFR	\$ 1039
Mural Integ. Desk Top, 28"D x 64"W, Rounded Corner	SW2864DFR	\$ 1117
Mural Integ. Desk Top, 28"D x 70"W, Rounded Corner	SW2870DFR	\$ 1146
<hr/>		
Mural Integ. Desk Top, 29"D x 46"W, Rounded Corner	SW2946NFR	\$ 784
Mural Integ. Desk Top, 29"D x 52"W, Rounded Corner	SW2952NFR	\$ 889
Mural Integ. Desk Top, 29"D x 58"W, Rounded Corner	SW2958DFR	\$ 1039
Mural Integ. Desk Top, 29"D x 64"W, Rounded Corner	SW2964DFR	\$ 1117
Mural Integ. Desk Top, 29"D x 70"W, Rounded Corner	SW2970DFR	\$ 1146

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>FSC:</b> X No FSC F FSC Certified Wood</p>	<p><b>2nd Option:</b> <b>Laminate:</b> See page 17 for finishes.</p>	<p><b>3rd Option:</b> <b>Edge:</b> See page 17 for finishes.</p>	<p><b>4th Option:</b> <b>Grommet Location:</b> G0 No Grommet GL Grommet Left GR Grommet Right GB Grommet Both GP1 Mural Power Bay (\$82) <i>Mural Power Bay only available as center mount in plastic. Plastic grommet finish determined by edge band.</i></p>	<p><b>5th Option:</b> <b>Grommet Type (if applicable):</b> P Oval Plastic M Oval Metal S Square Metal (\$12/grommet)</p>	<p><b>6th Option:</b> <b>Grommet Color (Metal only):</b> EL Matte Silver  Plastic grommet color determined by worksurface finish.</p>
	<p>SW2                 .     .</p>	<p>            .</p>	<p>        .</p>	<p>       </p>	<p>   </p>	<p>   </p>

Example:


MURAL

# Integrated Height-Adjustable Tables

For specification information see pages 21-24.

GSA SIN 33721

Description	Model	List Price
<b>Mural Worksurfaces</b>		
Mural Integ. Desk Top, 22"D x 46"W, Eased Edge	SW2246NE	\$ 804
Mural Integ. Desk Top, 22"D x 52"W, Eased Edge	SW2252NE	\$ 871
Mural Integ. Desk Top, 22"D x 58"W, Eased Edge	SW2258DE	\$ 1044
Mural Integ. Desk Top, 22"D x 64"W, Eased Edge	SW2264DE	\$ 1097
Mural Integ. Desk Top, 22"D x 70"W, Eased Edge	SW2270DE	\$ 1132
Mural Integ. Desk Top, 23"D x 46"W, Eased Edge	SW2346NE	\$ 804
Mural Integ. Desk Top, 23"D x 52"W, Eased Edge	SW2352NE	\$ 871
Mural Integ. Desk Top, 23"D x 58"W, Eased Edge	SW2358DE	\$ 1044
Mural Integ. Desk Top, 23"D x 64"W, Eased Edge	SW2364DE	\$ 1097
Mural Integ. Desk Top, 23"D x 70"W, Eased Edge	SW2370DE	\$ 1132
Mural Integ. Desk Top, 28"D x 46"W, Eased Edge	SW2846NE	\$ 902
Mural Integ. Desk Top, 28"D x 52"W, Eased Edge	SW2852NE	\$ 1022
Mural Integ. Desk Top, 28"D x 58"W, Eased Edge	SW2858DE	\$ 1177
Mural Integ. Desk Top, 28"D x 64"W, Eased Edge	SW2864DE	\$ 1263
Mural Integ. Desk Top, 28"D x 70"W, Eased Edge	SW2870DE	\$ 1294
Mural Integ. Desk Top, 29"D x 46"W, Eased Edge	SW2946NE	\$ 902
Mural Integ. Desk Top, 29"D x 52"W, Eased Edge	SW2952NE	\$ 1022
Mural Integ. Desk Top, 29"D x 58"W, Eased Edge	SW2958DE (shown)	\$ 1177
Mural Integ. Desk Top, 29"D x 64"W, Eased Edge	SW2964DE	\$ 1263
Mural Integ. Desk Top, 29"D x 70"W, Eased Edge	SW2970DE	\$ 1294



MURAL

How to specify — Select the Model Number from above.	1st Option: FSC: X No FSC F FSC Certified Wood	2nd Option: Laminate: See page 17 for finishes.	3rd Option: Edge: See page 17 for finishes.	4th Option: Grommet Location: G0 No Grommet GL Grommet Left GR Grommet Right GB Grommet Both GP1 Mural Power Bay (\$82) Mural Power Bay only available as center mount in plastic. Plastic grommet finish determined by edge band.	5th Option: Grommet Type (if applicable): P Oval Plastic M Oval Metal S Square Metal (\$12/ grommet)	6th Option: Grommet Color (Metal only): EL Matte Silver  Plastic grommet color determined by worksurface finish.
SW2                 .						




Example:

# Integrated Height-Adjustable Tables

Mural — HAT Base

For specification information see pages 21-24.

GSA SIN 33721

	Description	Model	List Price
	<b>Mural Integrated Height-Adjustable Bases</b>		
	Mural Integ. Desk, Std. Range	S2SD	\$ 2235
	Mural Integ. Desk, Ext. Range	S3SD	\$ 2453
	Mural Cross Bar, 22"D/24"D Desk, Single Sided	SCB24SS (shown)	\$ 191
	Mural Cross Bar, 22"D/24"D Desk, Dual Sided	SCB24DS (shown)	\$ 191
	Mural Cross Bar, 28"D/29½"D Desk, Single Sided	SCB30SS	\$ 191
	Mural Cross Bar, 28"D/29½"D Desk, Dual Sided	SCB30DS	\$ 191
	Mural Integ. Desk Mounting Kit	SKITD (shown)	\$ 401

MURAL





<p><b>How to specify —</b> Select the Model Number from above.</p> <p>S               .</p>	<p><b>1st Option:</b> Select the Base Paint Color (if applicable):</p> <p>P1 P2 P3</p> <p>See page 16 for paint finishes.</p> <p>        .</p>	<p><b>2nd Option:</b> Select the Keypad (if applicable):</p> <p>UD Basic Up/Down MEM Memory Preset PDL Paddle</p> <p>        .</p>
---	--	--

Example: S2SD24.P8L.PDL

# Integrated Height-Adjustable Tables

For specification information see pages 21-29.

GSA SIN 33721

	Description	Model	List Price
	<b>Wire Management</b> Under the Desk Power * Available in black only.	SEDMUP	\$ 518
	20" W Wire Manager Trough	SEDMWM20	\$ 120
	30" W Wire Manager Trough * Available in black only.	SEDMWM30	\$ 186
	Fabric Wire Manager (Pack of 2) * Metal Hook attachments available in black only.	FBRZPWM	\$ 350

MURAL

<p><i>How to specify —</i> Select the Model Number from above.</p> <p><b>S E D M W M</b>        </p>	<p><i>1st Option:</i> <b>Paint Color:</b> P Black</p> <p><b>P</b>  </p>	<p><i>1st Option:</i> <b>Fabric</b> (if applicable): See pages 17-17.1 for fabrics.</p> <p>         </p>
--	---	--


Example:

	Description	Model	List Price
	<b>Mural Screen Frames</b>		
	Mural Screen Frame 26"H x 30"W, Painted	SF2630P	\$ 481
	Mural Screen Frame 26"H x 36"W, Painted	SF2636P	\$ 490
	Mural Screen Frame 26"H x 42"W, Painted	SF2642P	\$ 498
	Mural Screen Frame 26"H x 48"W, Painted	SF2648P	\$ 506
	Mural Screen Frame 26"H x 54"W, Painted	SF2654P	\$ 515
	Mural Screen Frame 26"H x 60"W, Painted	SF2660P (shown)	\$ 524
	Mural Screen Frame 26"H x 66"W, Painted	SF2666P	\$ 535
	Mural Screen Frame 26"H x 72"W, Painted	SF2672P	\$ 544
Mural Screen Frame 26"H x 84"W, Painted	SF2684P	\$ 553	
	Mural Screen Frame 34"H x 30"W, Painted	SF3430P	\$ 506
	Mural Screen Frame 34"H x 36"W, Painted	SF3436P	\$ 515
	Mural Screen Frame 34"H x 42"W, Painted	SF3442P	\$ 524
	Mural Screen Frame 34"H x 48"W, Painted	SF3448P	\$ 532
	Mural Screen Frame 34"H x 54"W, Painted	SF3454P	\$ 541
	Mural Screen Frame 34"H x 60"W, Painted	SF3460P (shown)	\$ 552
	Mural Screen Frame 34"H x 66"W, Painted	SF3466P	\$ 562
	Mural Screen Frame 34"H x 72"W, Painted	SF3472P	\$ 573
	Mural Screen Frame 34"H x 84"W, Painted	SF3484P	\$ 583
	Mural Screen Frame 41"H x 30"W, Painted	SF4130P	\$ 531
	Mural Screen Frame 41"H x 36"W, Painted	SF4136P	\$ 541
	Mural Screen Frame 41"H x 42"W, Painted	SF4142P	\$ 550
	Mural Screen Frame 41"H x 48"W, Painted	SF4148P	\$ 560
	Mural Screen Frame 41"H x 54"W, Painted	SF4154P	\$ 568
	Mural Screen Frame 41"H x 60"W, Painted	SF4160P (shown)	\$ 579
	Mural Screen Frame 41"H x 66"W, Painted	SF4166P	\$ 590
	Mural Screen Frame 41"H x 72"W, Painted	SF4172P	\$ 600
	Mural Screen Frame 41"H x 84"W, Painted	SF4184P	\$ 612


<p><b>How to specify —</b> Select the Model Number from above.</p> <p>S   F                 .</p>	<p><b>1st Option:</b> <b>Frame Paint:</b> P1 P2 P3 See page 16 for finishes.</p> <p>        .</p>	<p><b>2nd Option:</b> <b>Connector Paint:</b> P1 P2 P3 See page 16 for finishes.</p> <p>        .</p>
---	---	---

Example:







Description	Model	List Price
<b>Mural Fabric Screens</b>		
Mural Screen 26"H x 25"W, Fabric	AFS2625USF (shown)	\$ 915
Mural Screen 26"H x 31"W, Fabric	AFS2631USF	\$ 978
Mural Screen 26"H x 37"W, Fabric	AFS2637USF	\$ 1024
Mural Screen 26"H x 43"W, Fabric	AFS2643USF	\$ 1097
Mural Screen 26"H x 49"W, Fabric	AFS2649USF	\$ 1151
Mural Screen 26"H x 55"W, Fabric	AFS2655USF	\$ 1218
Mural Screen 26"H x 61"W, Fabric	AFS2661USF	\$ 1260
Mural Screen 26"H x 67"W, Fabric	AFS2667USF	\$ 1363



<b>Mural Fabric Half Screens</b>		
Mural Screen 26"H x 27"W, Fabric	AFS2627USF (shown)	\$ 942
Mural Screen 26"H x 30"W, Fabric	AFS2630USF	\$ 957
Mural Screen 26"H x 33"W, Fabric	AFS2633USF	\$ 1013
Mural Screen 26"H x 39"W, Fabric	AFS2639USF	\$ 1075



<b>Mural Fabric Screens</b>		
Mural Screen 34"H x 25"W, Fabric	AFS3425USF (shown)	\$ 991
Mural Screen 34"H x 31"W, Fabric	AFS3431USF	\$ 1046
Mural Screen 34"H x 37"W, Fabric	AFS3437USF	\$ 1073
Mural Screen 34"H x 43"W, Fabric	AFS3443USF	\$ 1175
Mural Screen 34"H x 49"W, Fabric	AFS3449USF	\$ 1209
Mural Screen 34"H x 55"W, Fabric	AFS3455USF	\$ 1330
Mural Screen 34"H x 61"W, Fabric	AFS3461USF	\$ 1413
Mural Screen 34"H x 67"W, Fabric	AFS3467USF	\$ 1475



<b>Mural Fabric Half Screens</b>		
Mural Screen 34"H x 27"W, Fabric	AFS3427USF (shown)	\$ 1018
Mural Screen 34"H x 30"W, Fabric	AFS3430USF	\$ 1038
Mural Screen 34"H x 33"W, Fabric	AFS3433USF	\$ 1069
Mural Screen 34"H x 39"W, Fabric	AFS3439USF	\$ 1168

MURAL

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>AF S                     .</p> <p><i>Example:</i></p>	<p><i>1st Option:</i> <b>Fabric</b> (if applicable): See page 16 for fabrics.</p> <p>            .</p>	<p><i>2nd Option:</i> <b>Screen Clamp Paint:</b> P1 P2 P3 See page 16 for finishes.</p> <p>     </p>
---	--	--

	Description	Model	List Price
	<b>Mural PET Screens</b>		
	Mural Screen 26"H x 25"W, PET	APS2625USF	\$ 792
	Mural Screen 26"H x 31"W, PET	APS2631USF	\$ 887
	Mural Screen 26"H x 37"W, PET	APS2637USF	\$ 996
	Mural Screen 26"H x 43"W, PET	APS2643USF	\$ 1121
	Mural Screen 26"H x 49"W, PET	APS2649USF	\$ 1265
	Mural Screen 26"H x 55"W, PET	APS2655USF	\$ 1375
	Mural Screen 26"H x 61"W, PET	APS2661USF	\$ 1497
	Mural Screen 26"H x 67"W, PET	APS2667USF	\$ 1631
	<b>Mural PET Half Screens</b>		
	Mural Screen 26"H x 27"W, PET	APS2627USF (shown)	\$ 824
	Mural Screen 26"H x 30"W, PET	APS2630USF	\$ 891
	Mural Screen 26"H x 33"W, PET	APS2633USF	\$ 965
	Mural Screen 26"H x 39"W, PET	APS2639USF	\$ 1046
	<b>Mural PET Screens</b>		
	Mural Screen 34"H x 25"W, PET	APS3425USF (shown)	\$ 915
	Mural Screen 34"H x 31"W, PET	APS3431USF	\$ 1029
	Mural Screen 34"H x 37"W, PET	APS3437USF	\$ 1159
	Mural Screen 34"H x 43"W, PET	APS3443USF	\$ 1309
	Mural Screen 34"H x 49"W, PET	APS3449USF	\$ 1483
	Mural Screen 34"H x 55"W, PET	APS3455USF	\$ 1681
	Mural Screen 34"H x 61"W, PET	APS3461USF	\$ 1910
	Mural Screen 34"H x 67"W, PET	APS3467USF	\$ 2173
	<b>Mural PET Half Screens</b>		
	Mural Screen 34"H x 27"W, PET	APS3427USF (shown)	\$ 945
	Mural Screen 34"H x 30"W, PET	APS3430USF	\$ 1024
	Mural Screen 34"H x 33"W, PET	APS3433USF	\$ 1111
	Mural Screen 34"H x 39"W, PET	APS3439USF	\$ 1207
	<b>Mural PET Screens</b>		
	Mural Screen 41"H x 25"W, PET	APS4125USF (shown)	\$ 1066
	Mural Screen 41"H x 31"W, PET	APS4131USF	\$ 1203
	Mural Screen 41"H x 37"W, PET	APS4137USF	\$ 1360
	Mural Screen 41"H x 43"W, PET	APS4143USF	\$ 1539
	Mural Screen 41"H x 49"W, PET	APS4149USF	\$ 1747
	Mural Screen 41"H x 55"W, PET	APS4155USF	\$ 1984
	Mural Screen 41"H x 61"W, PET	APS4161USF	\$ 2258
	Mural Screen 41"H x 67"W, PET	APS4167USF	\$ 2337
	<b>Mural PET Half Screens</b>		
	Mural Screen 41"H x 27"W, PET	APS4127USF	\$ 1097
	Mural Screen 41"H x 30"W, PET	APS4130USF	\$ 1191
	Mural Screen 41"H x 33"W, PET	APS4133USF	\$ 1294
	Mural Screen 41"H x 39"W, PET	APS4139USF	\$ 1408

<p><b>How to specify —</b> Select the Model Number from above.</p> <p><b>APIS</b>                     .</p>	<p><i>1st Option:</i> <b>PET:</b> DGY4 Dark Grey DGY3 Medium Grey DBR1 Light Brown DBL1 Light Blue DGY2 Lightest Grey DBK1 Black</p> <p>        .</p>	<p><i>2nd Option:</i> <b>Screen Clamp Paint:</b> P1 P2 P3 See page 16 for finishes.</p> <p>        .</p>
---	---	--

Example:

	Description	Model	List Price
	<b>Mural Acrylic Screens</b>		
	Mural Screen 26"H x 25"W, Acrylic	AAS2625USF (shown)	\$ 881
	Mural Screen 26"H x 31"W, Acrylic	AAS2631USF	\$ 945
	Mural Screen 26"H x 37"W, Acrylic	AAS2637USF	\$ 1021
	Mural Screen 26"H x 43"W, Acrylic	AAS2643USF	\$ 1089
	Mural Screen 26"H x 49"W, Acrylic	AAS2649USF	\$ 1142
	Mural Screen 26"H x 55"W, Acrylic	AAS2655USF	\$ 1194
	Mural Screen 26"H x 61"W, Acrylic	AAS2661USF	\$ 1328
	Mural Screen 26"H x 67"W, Acrylic	AAS2667USF	\$ 1385
	<b>Mural Acrylic Half Screens</b>		
	Mural Screen 26"H x 27"W, Acrylic	AAS2627USF (shown)	\$ 895
	Mural Screen 26"H x 30"W, Acrylic	AAS2630USF	\$ 930
	Mural Screen 26"H x 33"W, Acrylic	AAS2633USF	\$ 979
	Mural Screen 26"H x 39"W, Acrylic	AAS2639USF	\$ 1072
	<b>Mural Acrylic Screens</b>		
	Mural Screen 34"H x 25"W, Acrylic	AAS3425USF (shown)	\$ 953
	Mural Screen 34"H x 31"W, Acrylic	AAS3431USF	\$ 1066
	Mural Screen 34"H x 37"W, Acrylic	AAS3437USF	\$ 1124
	Mural Screen 34"H x 43"W, Acrylic	AAS3443USF	\$ 1182
	Mural Screen 34"H x 49"W, Acrylic	AAS3449USF	\$ 1422
	Mural Screen 34"H x 55"W, Acrylic	AAS3455USF	\$ 1489
	Mural Screen 34"H x 61"W, Acrylic	AAS3461USF	\$ 1829
	Mural Screen 34"H x 67"W, Acrylic	AAS3467USF	\$ 1902
	<b>Mural Acrylic Half Screens</b>		
	Mural Screen 34"H x 27"W, Acrylic	AAS3427USF (shown)	\$ 992
	Mural Screen 34"H x 30"W, Acrylic	AAS3430USF	\$ 1050
	Mural Screen 34"H x 33"W, Acrylic	AAS3433USF	\$ 1106
	Mural Screen 34"H x 39"W, Acrylic	AAS3439USF	\$ 1163
	<b>Mural Acrylic Half Screens</b>		
	Mural Screen 41"H x 27"W, Acrylic	AAS4127USF (shown)	\$ 1072
	Mural Screen 41"H x 30"W, Acrylic	AAS4130USF	\$ 1135
	Mural Screen 41"H x 33"W, Acrylic	AAS4133USF	\$ 1196
	Mural Screen 41"H x 39"W, Acrylic	AAS4139USF	\$ 1369

MURAL

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>Acrylic:</b> ASC Clear ASF Frosted</p>	<p><b>2nd Option:</b> <b>Screen Clamp Paint:</b> P1 P2 P3 See page 16 for finishes.</p>
<p>AAS                         .</p>	<p>        .</p>	<p>        .</p>



Example:

	Description	Model	List Price
	<b>Mural Glass Markerboard Screens</b>		
	Mural Screen 26"H x 25"W, Glass	AGS2625USF (shown)	\$ 2865
	Mural Screen 26"H x 31"W, Glass	AGS2631USF	\$ 3049
	Mural Screen 26"H x 37"W, Glass	AGS2637USF	\$ 3233
	Mural Screen 26"H x 43"W, Glass	AGS2643USF	\$ 3416
	Mural Screen 26"H x 49"W, Glass	AGS2649USF	\$ 3979
	Mural Screen 26"H x 55"W, Glass	AGS2655USF	\$ 4184
	<b>Mural Glass Markerboard Half Screens</b>		
	Mural Screen 26"H x 27"W, Glass	AGS2627USF (shown)	\$ 2865
	Mural Screen 26"H x 30"W, Glass	AGS2630USF	\$ 3049
	Mural Screen 26"H x 33"W, Glass	AGS2633USF	\$ 3233
	Mural Screen 26"H x 39"W, Glass	AGS2639USF	\$ 3416
	<b>Mural Glass Markerboard Screens</b>		
	Mural Screen 34"H x 25"W, Glass	AGS3425USF (shown)	\$ 3135
	Mural Screen 34"H x 31"W, Glass	AGS3431USF	\$ 3339
	Mural Screen 34"H x 37"W, Glass	AGS3437USF	\$ 3540
	Mural Screen 34"H x 43"W, Glass	AGS3443USF	\$ 3743
	Mural Screen 34"H x 49"W, Glass	AGS3449USF	\$ 3944
	Mural Screen 34"H x 55"W, Glass	AGS3455USF	\$ 4149
	<b>Mural Glass Markerboard Half Screens</b>		
	Mural Screen 34"H x 27"W, Glass	AGS3427USF (shown)	\$ 3135
	Mural Screen 34"H x 30"W, Glass	AGS3430USF	\$ 3339
	Mural Screen 34"H x 33"W, Glass	AGS3433USF	\$ 3540
	Mural Screen 34"H x 39"W, Glass	AGS3439USF	\$ 3743

MURAL

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>AGS                                       .</p> <p><i>Example:</i></p>	<p><b>1st Option:</b> Glass: GMB1 Markerboard</p> <p>          .</p>	<p><b>2nd Option:</b> Screen Clamp Paint: P1 P2 P3 See page 16 for finishes.</p> <p>        .</p>
--	--	---

Description	Model	List Price
<b>Mural Mesh Screens</b>		
Mural Screen 26"H x 25"W, Mesh	ASH2625USF (shown)	\$ 338
Mural Screen 26"H x 31"W, Mesh	ASH2631USF	\$ 417
Mural Screen 26"H x 37"W, Mesh	ASH2637USF	\$ 496
Mural Screen 26"H x 43"W, Mesh	ASH2643USF	\$ 556
Mural Screen 26"H x 49"W, Mesh	ASH2649USF	\$ 641
Mural Screen 26"H x 55"W, Mesh	ASH2655USF	\$ 720
Mural Screen 26"H x 61"W, Mesh	ASH2661USF	\$ 798
Mural Screen 26"H x 67"W, Mesh	ASH2667USF	\$ 871
Mural Screen 26"H x 79"W, Mesh	ASH2679USF	\$ 1087
Mural Screen 34"H x 25"W, Mesh	ASH3425USF (shown)	\$ 393
Mural Screen 34"H x 31"W, Mesh	ASH3431USF	\$ 490
Mural Screen 34"H x 37"W, Mesh	ASH3437USF	\$ 556
Mural Screen 34"H x 43"W, Mesh	ASH3443USF	\$ 635
Mural Screen 34"H x 49"W, Mesh	ASH3449USF	\$ 732
Mural Screen 34"H x 55"W, Mesh	ASH3455USF	\$ 822
Mural Screen 34"H x 61"W, Mesh	ASH3461USF	\$ 907
Mural Screen 34"H x 67"W, Mesh	ASH3467USF	\$ 980
Mural Screen 34"H x 79"W, Mesh	ASH3479USF	\$ 1222
Mural Screen 41"H x 25"W, Mesh	ASH4125USF (shown)	\$ 423
Mural Screen 41"H x 31"W, Mesh	ASH4131USF	\$ 520
Mural Screen 41"H x 37"W, Mesh	ASH4137USF	\$ 617
Mural Screen 41"H x 43"W, Mesh	ASH4143USF	\$ 713
Mural Screen 41"H x 49"W, Mesh	ASH4149USF	\$ 810
Mural Screen 41"H x 55"W, Mesh	ASH4155USF	\$ 907
Mural Screen 41"H x 61"W, Mesh	ASH4161USF	\$ 1004
Mural Screen 41"H x 67"W, Mesh	ASH4167USF	\$ 1113
Mural Screen 41"H x 79"W, Mesh	ASH4179USF	\$ 1331



How to specify —  
Select the Model Number from above.

1st Option:






**Mesh:**

- CHK Chalk
- GRS Greystone
- PEW Pewter

ASH | | | | | | | | | | .

| | | |

Example:

	Description	Model	List Price
	<b>Mural Laminate Screens</b>		
	Mural Screen 26"H x 25"W, Laminate	ALS2625USF (shown)	\$ 515
	Mural Screen 26"H x 31"W, Laminate	ALS2631USF	\$ 542
	Mural Screen 26"H x 37"W, Laminate	ALS2637USF	\$ 600
	Mural Screen 26"H x 43"W, Laminate	ALS2643USF	\$ 674
	Mural Screen 26"H x 49"W, Laminate	ALS2649USF	\$ 925
	Mural Screen 26"H x 55"W, Laminate	ALS2655USF	\$ 957
	Mural Screen 26"H x 61"W, Laminate	ALS2661USF	\$ 988
	Mural Screen 26"H x 67"W, Laminate	ALS2667USF	\$ 1021
	<b>Mural Laminate Half Screens</b>		
	Mural Screen 26"H x 27"W, Laminate	ALS2627USF (shown)	\$ 518
	Mural Screen 26"H x 30"W, Laminate	ALS2630USF	\$ 539
	Mural Screen 26"H x 33"W, Laminate	ALS2633USF	\$ 564
	Mural Screen 26"H x 39"W, Laminate	ALS2639USF	\$ 618
	<b>Mural Laminate Screens</b>		
	Mural Screen 34"H x 25"W, Laminate	ALS3425USF (shown)	\$ 598
	Mural Screen 34"H x 31"W, Laminate	ALS3431USF	\$ 628
	Mural Screen 34"H x 37"W, Laminate	ALS3437USF	\$ 693
	Mural Screen 34"H x 43"W, Laminate	ALS3443USF	\$ 779
	Mural Screen 34"H x 49"W, Laminate	ALS3449USF	\$ 1075
	Mural Screen 34"H x 55"W, Laminate	ALS3455USF	\$ 1108
	Mural Screen 34"H x 61"W, Laminate	ALS3461USF	\$ 1138
	Mural Screen 34"H x 67"W, Laminate	ALS3467USF	\$ 1169
	<b>Mural Laminate Half Screens</b>		
	Mural Screen 34"H x 27"W, Laminate	ALS3427USF (shown)	\$ 601
	Mural Screen 34"H x 30"W, Laminate	ALS3430USF	\$ 624
	Mural Screen 34"H x 33"W, Laminate	ALS3433USF	\$ 650
	Mural Screen 34"H x 39"W, Laminate	ALS3439USF	\$ 713
	<b>Mural Laminate Half Screens</b>		
	Mural Screen 41"H x 27"W, Laminate	ALS4127USF (shown)	\$ 701
	Mural Screen 41"H x 30"W, Laminate	ALS4130USF	\$ 723
	Mural Screen 41"H x 33"W, Laminate	ALS4133USF	\$ 747
	Mural Screen 41"H x 39"W, Laminate	ALS4139USF	\$ 770

MURAL

<p>How to specify — Select the Model Number from above.</p>	<p>1st Option: <b>FSC:</b> X No FSC F FSC Certified Wood</p>	<p>2nd Option: <b>Laminate:</b> See page 16 for finishes.</p>	<p>3rd Option: <b>Edge:</b> See page 17 for finishes.</p>	<p>4th Option: <b>Grain:</b> VLG Horizontal grain or Solid only. VST Vertical Grain (up to 60"W only).</p>	<p>5th Option: <b>Paint:</b> <b>P1 P2 P3</b> See page 16 for finishes.</p>
<p>ALS _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ .</p>	<p> _ _ _ _ _ .</p>	<p> _ _ _ _ _ _ .</p>	<p> _ _ _ _ _ _ .</p>	<p> _ _ _ _ _ .</p>	<p> _ _ _ _ _ .</p>

Example:

	Description	Model	List Price
	<b>Mural Veneer Screens</b>		
	Mural Screen 26"H x 25"W, Veneer	AWS2625USF (shown)	\$ 944
	Mural Screen 26"H x 31"W, Veneer	AWS2631USF	\$ 972
	Mural Screen 26"H x 37"W, Veneer	AWS2637USF	\$ 1000
	Mural Screen 26"H x 43"W, Veneer	AWS2643USF	\$ 1027
	Mural Screen 26"H x 49"W, Veneer	AWS2649USF	\$ 1054
	Mural Screen 26"H x 55"W, Veneer	AWS2655USF	\$ 1082
	Mural Screen 26"H x 61"W, Veneer	AWS2661USF	\$ 1110
	Mural Screen 26"H x 67"W, Veneer	AWS2667USF	\$ 1137
	<b>Mural Veneer Half Screens</b>		
	Mural Screen 26"H x 27"W, Veneer	AWS2627USF (shown)	\$ 944
	Mural Screen 26"H x 30"W, Veneer	AWS2630USF	\$ 972
	Mural Screen 26"H x 33"W, Veneer	AWS2633USF	\$ 1000
	Mural Screen 26"H x 39"W, Veneer	AWS2639USF	\$ 1027
	<b>Mural Veneer Screens</b>		
	Mural Screen 34"H x 25"W, Veneer	AWS3425USF (shown)	\$ 1076
	Mural Screen 34"H x 31"W, Veneer	AWS3431USF	\$ 1103
	Mural Screen 34"H x 37"W, Veneer	AWS3437USF	\$ 1131
	Mural Screen 34"H x 43"W, Veneer	AWS3443USF	\$ 1158
	Mural Screen 34"H x 49"W, Veneer	AWS3449USF	\$ 1186
	Mural Screen 34"H x 55"W, Veneer	AWS3455USF	\$ 1214
	Mural Screen 34"H x 61"W, Veneer	AWS3461USF	\$ 1241
	Mural Screen 34"H x 67"W, Veneer	AWS3467USF	\$ 1268
	<b>Mural Veneer Half Screens</b>		
	Mural Screen 34"H x 27"W, Veneer	AWS3427USF (shown)	\$ 1076
	Mural Screen 34"H x 30"W, Veneer	AWS3430USF	\$ 1103
	Mural Screen 34"H x 33"W, Veneer	AWS3433USF	\$ 1131
	Mural Screen 34"H x 39"W, Veneer	AWS3439USF	\$ 1158
	<b>Mural Veneer Half Screens</b>		
	Mural Screen 41"H x 27"W, Veneer	AWS4127USF (shown)	\$ 1240
	Mural Screen 41"H x 30"W, Veneer	AWS4130USF	\$ 1266
	Mural Screen 41"H x 33"W, Veneer	AWS4133USF	\$ 1294
	Mural Screen 41"H x 39"W, Veneer	AWS4139USF	\$ 1321


MURAL

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>AWS                     .</p>	<p><b>1st Option:</b> <b>FSC:</b> X No FSC F FSC Certified Wood</p> <p>  .</p>	<p><b>2nd Option:</b> <b>Veneer:</b> See page 16 for finishes.</p> <p>        .</p>	<p><b>3rd Option:</b> <b>Grain:</b> VLG Horizontal grain VST Vertical Grain (up to 60"W only).</p> <p>      .</p>	<p><b>4th Option:</b> <b>Paint:</b> P1 P2 P3 See page 16 for finishes.</p> <p>      .</p>
---	--	---	---	---

Example:









Description	Model	List Price
<b>Mural Collaborative Board</b>		
17"H x 24"W	SS1724M	\$ 452
27"H x 24"W	SS2724M	\$ 542


**NOTE:** Magnetic collaborative board. Specify markerboard paint to make it a writable surface.



<b>Mural Shelf</b>		
6"W x 30"W	SAS0630W	\$ 682
6"W x 36"W	SAS0636W	\$ 716
6"W x 42"W	SAS0642W	\$ 762
6"W x 48"W	SAS0648W	\$ 806
6"W x 54"W	SAS0654W	\$ 862
6"W x 60"W	SAS0660W	\$ 913
6"W x 66"W	SAS0666W	\$ 968
6"W x 72"W	SAS0672W	\$ 1032
6"W x 84"W	SAS0684W	\$ 1091



<b>Mural Planter</b>		
6½"D x 24"W	SAPLANTER24	\$ 544




<b>Mural Marker Holder</b>		
¾"H x 8"W	SATRAY	\$ 131

MURAL

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Paint:</b> P1 P2 P3 See page 16 for finishes.</p>
<p><b>S</b>   .</p>	<p>       </p>

Example:




Description	Model	List Price
<b>Mural Privacy Panel</b>		
Privacy Panel w/ Bin, 50"H x 60"W	SS5060MS	\$ 1657

\*Specify markerboard laminate to make it a writable surface.

How to specify — Select the Model Number from above.	1st Option: FSC: X No FSC F FSC Certified Wood	2nd Option: Privacy Panel Laminate:	3rd Option: Bin Laminate:	4th Option: Edge:	5th Option: Grain: VLG Horizontal grain or solid VST Vertical grain	6th Option: Paint: P1 P2 P3 See pages 16-17 for finishes.
SS5060MS . . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .





Example:





Description	Model	List Price
<b>Mural Bent Screen</b>		
Bent Privacy Panel, 52"H x 68" W, LH	SS5268BLH	\$ 4006
Bent Privacy Panel, 52"H x 68" W, RH	SS5268BRH	\$ 4006

How to specify — Select the Model Number from above.	1st Option: Paint: P1 P2 P3 See page 16 for finishes.	2nd Option: Fabric (if applicable): See page 9 for fabrics.
SS5268B . . . . .	. . . . .	. . . . .

Example:

	Description	Model	List Price
 SE30EK4C   SE36EK4C   SE60EK4C    SESSEJ4C	<b>Electrical Kits</b>		
	Mural Electrical Kit for 30" W Frame, 4-cir	SE30EK4C (shown)	\$ 320
	Mural Electrical Kit for 36" W Frame, 4-cir	SE36EK4C (shown)	\$ 320
	Mural Electrical Kit for 42" W Frame, 4-cir	SE42EK4C	\$ 341
	Mural Electrical Kit for 48" W Frame, 4-cir	SE48EK4C	\$ 341
	Mural Electrical Kit for 54" W Frame, 4-cir	SE54EK4C	\$ 341
	Mural Electrical Kit for 60" W Frame, 4-cir	SE60EK4C (shown)	\$ 341
	Mural Electrical Kit for 66" W Frame, 4-cir	SE66EK4C	\$ 409
	Mural Electrical Kit for 72" W Frame, 4-cir	SE72EK4C	\$ 477
	Mural Electrical Kit for 84" W Frame, 4-cir	SE84EK4C	\$ 477
	Mural Electrical Kit for 30" W Frame, 3-cir	SE30EK3C	\$ 320
	Mural Electrical Kit for 36" W Frame, 3-cir	SE36EK3C	\$ 320
	Mural Electrical Kit for 42" W Frame, 3-cir	SE42EK3C	\$ 341
	Mural Electrical Kit for 48" W Frame, 3-cir	SE48EK3C	\$ 341
	Mural Electrical Kit for 54" W Frame, 3-cir	SE54EK3C	\$ 341
	Mural Electrical Kit for 60" W Frame, 3-cir	SE60EK3C	\$ 341
Mural Electrical Kit for 66" W Frame, 3-cir	SE66EK3C	\$ 409	
Mural Electrical Kit for 72" W Frame, 3-cir	SE72EK3C	\$ 477	
Mural Electrical Kit for 84" W Frame, 3-cir	SE84EK3C	\$ 477	
<b>Jumpers</b>			
Mural Panel to Panel Jumper, 4-Cir for Std Connector	SESSEJ4C (shown)	\$ 179	
Mural Panel to Panel Jumper, 4-Cir for Enhanced/Flex Connector	SESFEJ4C	\$ 179	
Mural Panel to Panel Jumper, 3-Cir for Std Connector	SESSEJ3C	\$ 179	
Mural Panel to Panel Jumper, 3-Cir for Enhanced/Flex Connector	SESFEJ3C	\$ 179	
<b>Pass Throughs</b>			
Mural Jumper for 30"W-54"W Panels, 4-Cir	SESMEJ4C	\$ 273	
Mural Jumper for 60"W-84"W Panels, 4-Cir	SELGEJ4C	\$ 273	
Mural Jumper for 30"W-54"W Panels, 3-Cir	SESMEJ3C	\$ 273	
Mural Jumper for 60"W-84"W Panels, 3-Cir	SELGEJ3C	\$ 273	

	Description	Four-circuit 3 + 1 2 + 2	List Price
   A871912	<b>Duplex Receptacles for Beltline or Base Pathway — Mural (specify color)</b>		
	Circuit 1	A873501 <input type="checkbox"/>	\$ 69
	Circuit 2	A873502 <input type="checkbox"/>	\$ 69
	Circuit 3 (3+1)	A873503 <input type="checkbox"/>	\$ 69
	Circuit 3 (2+2)	A873506 <input type="checkbox"/>	\$ 69
	Circuit 4 — iso/dedicated	A873504 <input type="checkbox"/>	\$ 69
Circuit 1, 20 AMP	A871601 <input type="checkbox"/>	\$ 69	
<b>Electrical Infeed Cables</b>			
6' Flex Cable	A871972 <input type="checkbox"/>	\$ 321	
12' Flex Cable	A871912 <input type="checkbox"/>	\$ 435	
18' Flex Cable	A871918 <input type="checkbox"/>	\$ 548	
12' Sealtight Cable Power Infeed	A877012 <input type="checkbox"/>	\$ 531	


**How to specify —**  
Select the Model Number from above.


**1st Option:**  
**Paint (if applicable):**  
 P1  P2  P3  
See page 16 for finishes.


--	--	--	--	--	--	--	--	--	--	--	--

Example: SE30EK4C.P71


Shippable by small-package carrier.

	Description	Model	List Price
 <p>SE08PP1 SE08PP2</p> <p>SE08TPP2</p> <p>SE08YPP2 SE08XPP2</p>	<b>Power Pole</b>		
	Mural System 8' Power Pole	SE08PP1	\$ 934
	10'5" H Power Connector Pole	A870070	\$ 775
	Mural System Power Pole Splicer Kit	SE08PP2	\$ 103
	Mural System T-Power Pole Mounting Kit	SE08TPP2	\$ 103
	Mural System Y-Power Pole Mounting Kit	SE08YPP2	\$ 103
	Mural System X-Power Pole Mounting Kit	SE08XPP2	\$ 103



Description	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals	List Price
 <p>Hardwire Power Infeed</p>	<b>Hardwire Power Infeed (New York Code)</b>		
	A871400	A871400A <span>S</span>	\$ 418



**Note:** Four-circuit components and Three-circuit components (with an "A" suffix) cannot be connected together.


Description	Chicago Code Model	List Price
	<b>Hardwire (Chicago Code) (Black only)</b>	
Terrace Base Pathway Junction Box (Pack of 6)	873600 <span>S</span>	\$ 1111

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>Paint (if applicable):</b> <span>P1</span> <span>P2</span> <span>P3</span> See page 16 for finishes.</p>
--	---

*Example:*

S Shippable by small-package carrier.

	Description	Model	List Price
	<b>Data Faceplates (will not work in beams)</b>		
	Three-Port Flex-Mode Faceplate, Black (E4)	ATADF3 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 40
	Four-Port Flex-Mode Faceplate, Black (E4)	ATADF4 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 40
	<b>Notes:</b> ATADF3 can install up to 3 jacks (CAT 3, 5E or 6). ATADF4 can install 4 jacks (CAT 3, 5E or 6).		
	<b>Jacks</b>		
	RJ45 CAT 5E Jack — Black only Toolless	ATADJ5 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 71
	RJ45 CAT 6 Jack — Black only Requires Tool	ATADJ6 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 95

	Description	Model	P1 List Price	P2 List Price	P3 List Price
	<b>Tile Port Cover</b>				
	Tile Port Cover (Pack of 2)	GSYSRPC2 (shown)	\$ 59	\$ 62	\$ 65
	Tile Port Cover (Pack of 12)	GSYSRPC12 (shown)	\$ 219	\$ 228	\$ 238

MURAL

**How to specify —**  
Select the  
Model Number  
from above.

*1st Option:*  
**Electrical Receptacle**  
**Color (if applicable):**  
See page 16 for  
finishes.

\_\_\_\_\_ . **E** |

Example: ATADF3.E4

S Shippable by small-package carrier.

Finishes ..... 52  
 Typicals ..... 53-54  
 Introduction to Further ..... 55-56  
 Statement of Line ..... 57-58  
 Planning Guidelines..... 59-67  
***Worksurfaces And Supports***  
 Working with Worksurfaces and Supports..... 68-75  
 Worksurface Brackets and Support Channel..... 76  
 Rectangular Worksurfaces..... 77  
 120° and Corner Cove Worksurfaces..... 78-79  
 Worksurface Supports — Beams, Hubs, and Supports..... 80-85  
***Electrical & Data***  
 Working with Electrical and Data ..... 86-98  
 Electrical Infeeds, Power Kits, and Components ..... 99-100  
 Beam Mounted Wire Manager ..... 101  
 Data Components ..... 102  
***Collaborative Hub***  
 Working with Collaborative Hub ..... 103  
 Collaborative Hub Components ..... 104  
***Screens***  
 Working with Screens..... 105-106  
 Fabric Screens and Modesty Panels..... 107-108  
 Glass Screens..... 109  
 User Movable and Lateral Screens ..... 110  
 Stride Benching Screens ..... 112  
 Lateral Divider Screens ..... 114  
 Metal Screens ..... 115  
 Tackboard Accessories ..... 115-116  
***STORAGE — Laminate with Metal***  
**Working with Storage** ..... 117-120  
 Pedestals and Credenzas..... 122  
 Storage Towers..... 123  
***Adaptive***  
 Adaptive Typicals ..... 124  
 Adaptive Statement of Line ..... 125  
 Working with Adaptive Worksurfaces and Supports..... 126-137  
 Working with Adaptive Electrical and Data ..... 138-140  
 Controls and Electrical & Data Components ..... 141-142  
 Working with Screens, Storage, and Extensions..... 143-144

**PAINT FINISHES**

**GRADE P1**

Black.....	P27
Brownstone.....	P7D
Bungalow.....	P7C
Cinder.....	P7Q
Designer White.....	PJW
Flint.....	P02
Fossil.....	P28
Loft.....	P7B
Muslin.....	P4J
Parchment.....	P93
Pebble.....	P8R
Pewter.....	P8D
Salt.....	P8C
Titanium.....	P8T

**GRADE P2**

Champagne Metallic.....	PR5
Gunmetal Metallic.....	PR3
Night Bronze.....	P8B
Platinum Metallic.....	PR2
Pyrite.....	PJE
Silver.....	PR6
Solar Black.....	P8X

**GRADE P3**

Amethyst ( <i>De-emphasized</i> ).....	P091
Atom.....	P8S
Blossom***.....	P8K
Bullseye.....	PJF
Cobalt Mica ( <i>De-emphasized</i> ).....	P090
Ember.....	P8P
Ion.....	P8N
Iris.....	P8J
Krypton.....	P8F
Ochre.....	P093
Regatta.....	P8M
Sienna.....	P092
Succulent***.....	P8A

\*\*\*These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

*Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)*

**ELECTRICAL AND DATA COMPONENTS**

Black.....	E4
Brownstone.....	EY
Designer White.....	DW
Flint.....	E9
Loft.....	EV
Muslin.....	EU
Silver.....	ES

Recommended Coordinate Colors:  
 Bungalow use Muslin EU  
 Carob use Black E4  
 Champagne Metallic use Muslin EU  
 Cinder use Brownstone EY  
 Fossil use Flint E9  
 Gunmetal Metallic use Brownstone EY  
 Parchment use Muslin EU  
 Pebble use Loft EV  
 Pewter use Flint E9  
 Platinum Metallic use Silver ES  
 Salt use Silver ES  
 Titanium use Silver ES

**LAMINATES**

**GRADE L1**

<b>SOLID COLORS</b>	
Black*.....	P
Brownstone*.....	LM13
Bungalow*.....	LM12
Designer White*.....	LDW1
Flint*.....	LM16
Fossil Shale*.....	LEH1
Loft*.....	LM11
Muslin*.....	LM15
Titanium*.....	LTI1

**ABSTRACT COLORS**

Ash.....	LT3B
Handspun Pearl.....	LAHP
Handspun Dove.....	LAHD
Handspun Slate.....	LAHS
Handspun Chestnut.....	LAHC
Silver Mesh.....	LT8D

**WOODGRAIN**

Belair*.....	LWBA
Bourbon Cherry*.....	H
Field Elm*.....	LWFE
Florence Walnut*.....	LFW1
Kingswood Walnut*.....	LK11
Natural Maple*.....	LWD
NeoWalnut*.....	LNU1
Pinnacle*.....	PINC
Shaker Cherry*.....	LW7C

**GRADE L2**

Beigewood*.....	LWBE
Fawn Cypress*.....	LFC1
Lowell Ash*.....	LLA1
Mangalore Mango*.....	LMM1
Natural Recon*.....	LNR1
Phantom Charcoal*.....	LPC1
Phantom Ecu*.....	LPE1
Portico Teak*.....	LPT1
Skyline Walnut*.....	LSW1
Veranda Teak.....	LVT1

**GRADE L3**

Natural Walnut*.....	LWNW
----------------------	------

\*Storage available in these 30 laminates.

All laminate surfaces are also offered with the FSC wood option. Add FSC in front of each laminate option. Refer to specification tools.

**LAMINATE EDGE COLORS**

Beigewood.....	DE
Belair.....	BA
Black.....	E4
Bourbon Cherry.....	H
Brownstone.....	EY
Bungalow.....	EX
Designer White.....	DW
Fawn Cypress.....	FC
Field Elm.....	FE
Flint.....	E9
Florence Walnut.....	FW
Fossil.....	EH
Kingswood Walnut.....	KI
Loft.....	EV
Lowell Ash.....	DL
Mangalore Mango.....	MM
Muslin.....	EU
Natural Maple.....	DD
Natural Recon.....	NR
Natural Walnut.....	DN
NeoWalnut.....	NU
Parchment.....	EN
Phantom Charcoal.....	PC
Phantom Ecu.....	PE
Pinnacle.....	PI
Platinum Metallic.....	EP
Plyband ♦.....	PL
Portico Teak.....	DP
Shaker Cherry.....	DF
Skyline Walnut.....	SW
Veranda Teak.....	VT

♦ Edge is limited to flat edge surfaces: rectangle, square, trapezoid, polygon, or round. No curvilinear or combination curve and straight.

**NOTE:** Refer to individual product pages for upcharges.

**FSC Certified Wood at Allsteel**  
 See page 295 for more information.


A full gallery of typicals from each Allsteel system can be found on our website:

<https://www.allsteeloffice.com/design-resources/idea-starters>.

Each typical includes a complete BOM with current pricing, downloadable CAD files and PDFs of each drawing.

**Linear Shapes**


Use the Allsteel Typicals Gallery to find the components used in a Further Station.



**Further Beams Connected Bench 2'-6" x 5'**


*Bench configuration encourages collaboration.*

**Organic Shapes**




**Further Beam Connected Dog Bone 7'-6" x 7'-6"**

*Trapezoid worksurfaces provide an open feeling.*



**Further Bench w/Freestanding 2'-6" x 5'**

*Freestanding tables provide the ability to reconfigure as needed.*



**Further Pinwheel w/Freestanding 5'-6" x 6'**

*Mobile carts provide ability to reconfigure.*

NOTE: Further Typicals can be found at <https://www.allsteeloffice.com/design-resources/idea-starters>.




A full gallery of typicals from each Allsteel system can be found on our website:

<https://www.allsteeloffice.com/design-resources/idea-starters>.

Each typical includes a complete BOM with current pricing, downloadable CAD files and PDFs of each drawing.


Single Sided



**Further Touchdown 5' x 2'-9"**

*Storage and screens provide privacy.*


90° Planning



**Further Short Bench 7' x 5'-6"**


*Gallery panels provide touch down privacy.*

Dual Sided



**Further Small Beehive 5'-6" x 5'-6"**

*Mobile credenzas double as guest seating.*



**Further with Involve® 7' x 6'-2½"**

*Wardrobe towers provide storage for personal items and create space division.*




NOTE: Further Typicals can be found at <https://www.allsteeloffice.com/design-resources/idea-starters>.


### Choice is yours.

Further is an agile furniture solution that embraces the ever-changing workplace and frees people to adapt their environment — simply, elegantly and efficiently — at their own pace.

At the heart of Further is the hub. Ultimately flexible, the hub provides power and data support for a variety of applications, whether beam supported or freestanding.











Whether the planning approach is organic or linear, individual or team-based, Further can bring your design to life.









FURTHER





HUBS, BEAMS, and SUPPORTS




WORKSURFACES — Laminate



ELECTRICAL & DATA




SCREENS



STORAGE


Floor Based — Laminate with Metal



## Dual Sided Bench — Tethered

**TIP:**

Benches look cleaner when specified using built up supports as shown here: less legs, fewer kit-of-parts



**Dual-Sided Bench (Non-Sit-to-Stand):**

- Maximum run length is 60'.
- Available in two styles: H-Leg and A-Leg for both End and Mid-Supports.
- Use infeed cover for H-Leg and A-Leg supports.
- Beam mounted storage shelf is allowed.

When specifying with Kit-of-Parts (Beam End Leg, In-Line Leg, Worksurface Legs and Hubs), adhere to the following rules:


- A support to the edge of the worksurfaces is required every 18' of run. This may be any of the following:
  - a) return beam
  - b) support storage
  - c) bench end
  - d) worksurface support leg at front edge of worksurface.
- When two worksurfaces are side by side parallel to the beam, a worksurface support leg in a shared application or worksurface support storage is required.
- A minimum of four worksurfaces are required when using a beam and beam end leg kits on both ends of a run.
- Cannot not use two in-line support legs in a row.



A-Leg Bench




Kit-of-Parts Bench



## Single Sided Bench — Tethered

**TIP:**

Benches look cleaner when specified using built up supports as shown here: less legs, fewer kit-of-parts




### Single-Sided Bench


- Available in two styles: H-Leg and A-Leg for both End and Mid-Supports.
- Infeed can be routed through the H- or A-Frame supports.
- Use gusset bracket with every mid-support for stability. Adhere to this rule even when specifying In-Line legs or Hubs. Gusset bracket ordered separately - model UN6GBSS
- Beam mounted modesty screens recommended to provide privacy and conceal single-sided wire or data managers.
- Beam mounted storage shelf is allowed.

When specifying Kit-of-Parts bench (Beam End Leg, In-Line Leg, Worksurface Legs and/or Hubs), adhere to the following rules:

- Maximum run length is 26'.
- Maximum beam length allowed is 72".
- Worksurface support leg in a shared application or worksurface support storage is required.
- Gusset bracket is required at every mid-support leg or hub.
- Note: End-of-run worksurfaces overlay return beams halfway.




UN6GBSS Gusset Bracket



Kit-of-Parts Bench

FURTHER


## Perpendicular to Beam



### Perpendicular Workstations


- Maximum setup length is 60'. Maximum of two 96" beams can be used in a run.
- Worksurfaces mounted perpendicularly to beam require 2 worksurface mounting brackets U6WBTF. Brackets cannot be placed more than 6" from edge of worksurface.
- Perpendicular workstations may be used with return worksurfaces. A flat bracket must be used between the two surfaces in place of a shared support leg.
- Specifying a setup with only perpendicular worksurfaces requires either support storage on the non-beam side or all beam support to be hubs.
- In-line support leg cannot be used.
- Horizontal storage is allowed. Worksurface stanchions must have a surface to rest on.

Perpendicular workstations with return worksurfaces






## 120° Pinwheel — Organic Tethered




### 120° Organic Workstations

- Beam lengths match on module to short side of trapezoid surfaces only.
- Flexible hub required for 120° beam connections.
- When specified, runoff worksurface “hand” must be the opposite of the parent worksurface “hand” to match beam lengths.
- Horizontal storage is allowed. Worksurface stanchions must have a surface to rest on.
- When back-to-back worksurfaces are of equal depths (24" D or 27" D), Bench End and Mid-Supports can be specified.




**Freestanding Beams**



**Freestanding Beams**

- No restrictions on maximum setup length.
- Hubs must be used for support. Gallery Panels can be used at ends in lieu of hubs.
- Low hubs recommended when using height-adjustable worksurfaces to avoid height-adjustable desk to beam collision.
- Hub feet or floor anchor brackets required, except at L-, T-, or X-connections.
- Minimum 54" beam in a one beam with two hubs application.
- Minimum return run length using a beam end support leg is 36", use of hub is recommended for return beams.
- Glass screens are allowed when supported using Gallery Panels at both ends or L-, T- or X-connections.
- Beam mounted fabric screens are allowed.
- 13"H fabric screens can be used as Modesty with low beams.
- Beam mounted horizontal storage not allowed.
- Flexible and Fixed Hubs are interchangeable.
- Flexible and Fixed Hubs may be used in conjunction to create the desired applications.
- 1-shelf per freestanding beam allowed. Must have hub feet.



Low fence: Pinwheel with center Flexible Hub and outer End-of-Run Fixed Hubs



**2- and 3-Stage Height-Adjustable Tables**

Allsteel's Altitude electric height-adjustable tables provide the perfect combination of functionality and user control.


The sit-to-stand adjustment encourages posture changes throughout the day and has been shown to increase workplace satisfaction and overall comfort. These easy-to-operate tables can accommodate different workstyles, making it an ideal solution for any work environment.

FURTHER

## Freestanding Beams




## Adaptive Linear Benching — Height-Adjustable



### Adaptive Benching


- Mid-supports are required.
- A maximum of two mid-supports in a row may be used.
- Two end supports may be used in succession to extend 6-pack – requires 9" in-line beam connector.
- Single-sided setups require gallery panels to be mounted along spine of beam, or floor anchor brackets on all beam supports.
- Minimum of two single-sided stations allowed.
- Single-sided gallery panels must match the length of worksurfaces specified. Minimum height of the Gallery Panel must be 42"H.
- Adding power to a dual-sided two station application requires a hub at one end.
- Dual-sided two-station requires leg infill on each end support for stability. Contact Allsteel Tailored Products Group.
- Corner cove worksurfaces require a 3-leg control box kit and perpendicular outer support.

## Adaptive Perpendicular — Height-Adjustable




### Adaptive Perpendicular Workstations

- No restriction on number of perpendicular mid supports used in a row.
- Worksurfaces are centered over perpendicular mid supports, but may be mounted up to 4 7/8" forward from mid support to reduce footprint.
- Minimum of 4 stations for dual-sided applications, 2 stations for single-sided applications.
- Perpendicular mid support does not complete height-adjustable station – must order perpendicular outer support.
- Fixed height stations require two worksurface support legs on non-beam side in place of a perpendicular outer support.
- A minimum beam length of 30" must be used between perpendicular mid supports for 27"D surfaces, and a minimum length of 24" for 24"D surfaces.
- Trapezoid worksurfaces not allowed.





## Adaptive Organic — Height-Adjustable




### Adaptive 120° Workstations

- Requires a 120° mid support at all 3-way beam connections.
- End supports required on beams also connected to a 120° mid support.
- 7" in-line connector required to attach multiple 120° workstations.
- Single-sided end supports not allowed.





Flat Edge Detail



External Worksurface Support Channel (Side View)

The beam attaches to the shaded worksurface edge.

Rectangular Worksurfaces (Top View)



### All Worksurfaces (pages 76-79)

- All worksurfaces for Further are 1 1/4" thick particleboard core with top surfaces finished in laminate, bottom surfaces covered with a backer sheet, and with a flat edge.
- Edge band is 2mm thick ABS plastic on all edges.
- All worksurfaces exclude grommets.
- 24" D worksurfaces support the use of storage from other Allsteel product lines.
- The gap from the back edge of the worksurface to the beam is 1 1/8".
- Back edge of the worksurface to the beam centerline distance is 3".
- Maximum worksurface overhang of a parent run is 12".  
Worksurfaces that overhang the parent run by more than 12" require system legs or supporting storage to support the overhanging edge.
- Maximum 12" overhang when worksurfaces are used in freestanding or adjustable-height applications.
- Distance from floor to top of worksurface is 29 1/2" with glides fully retracted.
- External worksurface support channels are required for unsupported spans at 60" W or greater — see description below.
- Legs and supports from other product lines (Involve open legs, etc.) can be used but there are no pilot holes to support ease of installation and reconfiguration.

### Rectangular Worksurfaces (page 77)

- Primary worksurface depths are 21", 24", and 27" (allows for gap and 24", 27", or 30" dimension to center of beam).
- Actual width and depth are equal to the nominal width and depth.


### External Worksurface Support Channel (page 76)

- Must be added to unsupported spans at 60" W or greater. Pilot holes are included on worksurface to ensure accurate placement to avoid interference with screens, mounting plates etc.
- Extends 1 1/2" below the worksurface. Stiffener is 6 1/4" from back edge of the worksurface to the vertical wall of the stiffener.
- May interfere with storage or mounting of accessories.
- When using tethered surfaces order to match the size of worksurface.  
*Example:* Z5SC72 goes with an 72" W worksurface. Stiffener is 12" shorter than worksurface. For worksurfaces over 84", add a worksurface support leg or support storage centered along the width of the surface.
- If floor support storage is used, subtract width of storage from size of stiffener.
- For freestanding tables order one size down. Stiffener is 18" shorter than worksurface. *Example:* Z5SC66 is used with a 72" W worksurface.




Flat Edge Detail

Shaded edge is side to attach to beam to be on module.



### 120° Worksurfaces (page 78)

- 120° worksurface depths are 21", 24", and 27".
- Can be configured with Altitude™ height-adjustable bases.
- Can be configured with support storage on either side of the worksurface.
- Requires 4 worksurface brackets U6WBTF when primary sides of surface are parallel with beams.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.




### Corner Coves (page 79)


- Corner cove worksurface depths are 24" and 27"; widths are 60"W, 66"W, and 72"W; and return side is always 60"W and 24"D.
- Worksurfaces come with required external support channel.
- Can be configured in standard Further or Further Adaptive.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.




### Beam Configurations




Beams —  
Non-Ported  
18"–96"



Beams — Ported  
Short 36" and 42"




Beams — Ported  
Long 48"–96"




Cantilevered  
Beam  
6"–12"

### Top Trim



Flat — 6"–96"



Rail — 6"–96"

### Beams (page 80)

- Supplies power to user and supports worksurfaces, storage, and screens.
- Ported and non-ported options available in 6" increments. Ported beams require electrical receptacles or blank covers ordered separately.
- Flat or mounting top trim required to finish off beams – order separately.
- Beams do not connect directly in-line with one another, use in conjunction with beam support.
- Height of assembled beam with top trim is  $4\frac{1}{4}"H \times 2\frac{1}{8}"D$ .
- Order worksurface support brackets U6WBTF separately – quantity varies, see page 74.
- Electrical port locations are back-to-back, symmetric about beam center, and a standard distance away from beam ends on all lengths.
- 36" and 42" ported beams have 2 duplex receptacle locations on each side (4 total), 48"-96" ported beams have 4 on each side (8 total).
- Ported beams do not carry data cables internally. Data cables are routed externally through beam mounted wire-managers. See pages 91 and 101.
- Non-ported beams can be used in conjunction with beam end legs and benching end connector to create a benching end condition.


### Cantilevered Beam (page 80)

- Cantilevered beams can extend the length of a run by 6", 9", or 12".
- Must mount to a flexible hub or adaptive mid support.
- Must order flat or mounting top trim separately.
- Model includes a finished end cap.
- Worksurfaces can be mounted on a cantilevered beam when used in conjunction with a worksurface support bracket.
- Horizontal storage cannot be mounted to a cantilevered beam.


### Beam Top Trim (page 81)

- Available in 6"-96" lengths in flat or mounting rail and is required to finish off a beam. Must match beam length, no exceptions.
- Mounting top trim contains a reveal for mounting screens and storage.
- Mounting top trim is recommended for projects specified under Chicago electrical Codes.
- Flat top trim is recommended on beams used in a bench end kit.


## Flexible Hubs




## Hub Dimensions







## Flexible Hub to Beam Connectors




## Fixed Hubs



## Fixed Hubs Dimensions



## Floor Anchor Brackets



## Carpet Grippers



U3CG12

## All Beam Supports (pages 82-85)

- Usage rules vary depending on configuration, see specification rules and examples, pages 59-67.
- Include leveling glides with 2 3/4" adjustment.

## Flexible Hub (page 82)

- Supports up to four beams attached in 30° increments; order hubs based on the number of beams that will be connected.
- Carries power and data to the beam structure; infeed can be routed through the side or bottom of hub.
- Hub has one removable cover for installation of power and data.
- Standard, ported, and high-capacity options available.
- Ported flexible hub requires a power kit and duplex receptacles – each ordered separately.
- Flexible high-capacity hub increases system data capacity. (see pages 90-91)
- Flexible high-capacity hub comes with 2 grommet covers as standard.
- Required when using power pole U2HPP.
- Includes flat trim; may be used to span a screen over the trim.
- Freestanding applications require flexible hub feet. (see page 63)
- No foot is needed on a Flexible Hub when connecting to 2 or more beams in a non-linear application.

## Flexible Hub Base Kit (page 82)

- Attaches to flexible hub.
- Options available for two and three feet. Two feet used at the end of a run, three feet used in the center.
- Provide standard leveling of 2 3/4".

## Fixed Hubs (page 82)

- Carries power and data to the beam structure; infeed can be routed through the side or bottom of hub.
- Hub has one removable cover for installation of power and data.
- In-line and end-of-run options available.
- In-line fixed hub supports two beams in a 180° condition and adds 6" to run.
- End-of-run fixed hub supports one beam and adds 3" to run.
- End-of-run fixed hubs can be turned 180° to remove the cover and access leveling glides and cables inside.
- Freestanding option available – See additional details below.
- For a free-standing application, it is ideal to specify the low hubs. See below.
- Specify UN6HFCAU for In-Line foot or UN6HFEAU for end-of-run foot separately.
- Required when using square power pole.

## Low Hubs (page 83)


- From floor to top of the low Hub is 20 1/2".
- Fixed Hubs
  - include feet with standard leveling of 2 3/4".
  - are recommended for straight or linear applications.
- Flexible Hubs
  - feet are not required when used in L-, T-, or X-connection.
  - feet are required when using in linear application (feet ordered separately - see page 82).
  - may be used in conjunction with Fixed Hubs to create the desired applications.
  - are available in both standard- and high-capacity options.
  - include Hub-to-Beam connectors.
- Required when using square power pole.

## Floor Anchor Brackets (page 82)


- Used to anchor beam and worksurface supports to the floor.
- Attach to standard leveling glides provided with all beam supports.
- May be required with hard-wired electrical depending on local code.
- May be used in place of flexible hub feet in freestanding applications.
- Hardware for mounting to floor is not included.
- Internal (hidden) option available for flexible hub. U3HAI
- External kit U3HAE contains 3 anchor brackets.

## Carpet Grippers (page 82)


- Attach to leveling glides for added system rigidity when placed on carpeted surface.
- Kit U3CG12 contains 12 carpet grippers.




Worksurface Support Legs




Square A-Leg, Worksurface Support




Beam End Leg (Adds 3")



Square Straight Leg, Worksurface Support



In-Line Square Leg (Adds 6")



Wall Mount (Adds 3")

### Beam End Leg (page 84)

- Supports a beam at the end of a run.
- Model includes vertical support leg, beam connector, and trim.
- Extends beam run by 3".

### Worksurface Support Legs (page 84)

- Support worksurfaces that are tethered to the beam structure.
- Triangular Leg and Square Leg options available.
- Triangular Leg can be used to support free-standing tables.
- Can be used as a shared support leg centered between two worksurfaces. Includes tie-bracket for shared applications.
- When used as a shared support leg, must not be more than 15" back from front edge of worksurface on 24"D and 27"D worksurfaces; no more than 12" back on 15"D, 18"D and 21"D worksurfaces.

### In-Line Legs (page 84)


- Supports between two beams.
- Dual sided applications may not use two in a row.
- Single sided applications must be used in conjunction with the gusset bracket UN6GBSS. Ordered separately.
- Includes flat trim.
- Screens may span over in-line leg flat trim.

### Wall Mount (page 84)


- Attaches end of beam run to wall.
- Power infeed and data accessible.
- Mounts directly over or adjacent to a wall core.
- Mounting hardware for attaching to wall is to be supplied by installer. Requires hitting wall stud.
- Starts beam 3" from wall. On module worksurfaces sit flush to wall.
- Can be used in freestanding beam applications.

### Bench End Triangular Supports with Built-up Components (pages 80, 81, and 84)


- Supports a beam and two worksurfaces at the end of a run.
- Bench end support cannot be used to make a freestanding table.
- Comprised of the following items, all ordered separately:
  - Non-ported beam
  - Flat top trim
  - Beam end support leg (Qty 2)
  - Bench end connector kit
  - Worksurface mounting bracket (Qty 2)
- Beam and top trim length to be 2X the worksurface depth.
- Beam mounted modesty may be used on bench end beam.
- Power cannot be routed from parent run into bench end support beam.



Beam and Beam End Leg End Support




A-Leg - Bench End Support




H-Leg Bench End Support

**Bench End Support** (Square leg page 85)

- Used in dual sided applications only.
- Supports a beam and two worksurfaces at the end of a run.
- Available in two styles: A-Leg and H-Leg.
- Power infeed accessible; infeed covers ordered separately.
- Bench end support cannot be used to make a freestanding table.
- Works with 24" and 27" deep worksurfaces.
- Beam mounted modesty cannot be used on bench end supports.
- Features "square" leg profile.



A-Leg Mid-Support



H-Leg Frame Mid-Support

**Mid-Support** (page 85)

- Used in dual sided applications only.
- Available in two styles: A-Leg and H-Leg.
- Power infeed accessible; infeed covers ordered separately.
- Includes flat trim; may be used to span a screen over the trim.
- Features "square" leg profile.
- Not compatible with Chicago or NYC J-boxes.






Table Leg w/Caster

**Table Leg with Caster** (page 84)

- Support worksurfaces in freestanding table applications.
- Unsupported spans over 60" require external support channel.
- Tables 78"W or greater require 2 additional legs in the center of the table (6 legs total) to resist bowing.
- Can be used with surfaces from other product lines, but pilot hole locations will not be available for installation or reconfiguration.




A-Leg, Single Sided End Support



H-Leg, Single Sided End Support

**Single Sided End Supports** (page 85)

- Used in single sided applications, end of run.
- Available in two styles: A-Leg and H-Leg.
- Comes in Left and Right Hand configurations.
- Works with 24" and 27" deep worksurfaces.
- Infeed accessible.
- Bench end supports cannot be used to make a freestanding table.
- Features "square" leg profile.



Gusset Bracket

**Gusset Bracket** (page 84)

- Must be used in single sided applications to provide stability to In-Line leg or Hubs.
- Specify one bracket per support.

## Worksurface Brackets Required for Attaching to Beams (Additional Supports Required)



WORKSURFACE SHAPE:	QTY OF WORKSURFACE SUPPORT BRACKETS (Model U6WBTF)			
	1	2	3	4
Rectangular* Perpendicular		21"W-60"W**	Wider than 60"	
Runoff***	15"W-39"W	Wider than 39"		
120°				46"W-52"W
Corner Cove (supported on one side)		60"W	Wider than 60"	


\*Rectangular ends in return applications require an additional bracket.

\*\*Dimensions are taken from the short width side of surface.



\*\*\*Runoff worksurface dimension is taken from short side of worksurface.

## Worksurface Support Bracket (pages 76 or 84)


- Used to tether worksurfaces to the beam structure. All worksurfaces come with pilot holes for standard bracket locations along the back edge of worksurface.
- Brackets mount into the continuous reveal on each side of the beam.
- Worksurfaces cannot overhang worksurface support bracket by more than 12".
- Perpendicular worksurfaces require two worksurface support brackets no more than 6" from each edge.
- Quantity of brackets required varies by shape and size of worksurface – see chart and images to left.
- At least two brackets are required per worksurface. Support storage may replace one bracket on worksurfaces requiring three or more.



Rectangular with System Legs



Rectangular with Bench End



A **Flat Bracket** is required between the two surfaces when one worksurface is parallel to the beam and another is perpendicular.



### Flat Bracket (page 84)

- Used to tether two worksurfaces together when floor support is not necessary.
- Required when one worksurface is parallel to the beam and another is perpendicular.
- 12" bracket used for 15" and 18" deep runoff surfaces.
- 24" bracket used for 21" and 24" deep worksurfaces.
- 30" bracket used for 27" worksurface.

For specification information see pages 59-75.

Laminate

GSA SIN 33721

	Description	Model	List Price
 <p>U6WBTF</p>	<b>Worksurface Support Brackets</b>		
	Worksurface Support Bracket — Tethered fixed height	U6WBTF <input type="checkbox"/>	\$ 93
	<b>External Worksurface Support Channel (no color option) — 1½"H</b>		
	30"W External Support Channel for 42"W Worksurface	Z5SC42 <input type="checkbox"/>	\$ 83
	36"W External Support Channel for 48"W Worksurface	Z5SC48 <input type="checkbox"/>	\$ 86
	42"W External Support Channel for 54"W Worksurface	Z5SC54 <input type="checkbox"/>	\$ 99
	48"W External Support Channel for 60"W Worksurface or 66" Table	Z5SC60	\$ 106
	54"W External Support Channel for 66"W Worksurface or 72" Table	Z5SC66	\$ 124
	60"W External Support Channel for 72"W Worksurface or 78" Table	Z5SC72	\$ 133
	66"W External Support Channel for 78"W Worksurface	Z5SC78	\$ 145
72"W External Support Channel for 84"W Worksurface	Z5SC84	\$ 160	

FURTHER

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>_____ .</p>	<p><i>1st Option:</i> <b>Paint</b> (if applicable):</p> <p>_____</p>
---	--

Examples: U6WBTF.P02 U6WBTF.P7G Z5SC60

Shippable by small-package carrier.

# Worksurfaces

Further™ — Rectangular

For specification information see pages 59-75.

Laminate

GSA SIN 33721

Description	Laminate w/Flat Edge Model	Beam Size	Laminate w/Flat Edge		
			L1	L2	L3
<b>21" D Rectangular Worksurfaces</b>					
U5F2160S	U5F2130S	24" W	\$ 456	\$ 475	\$ 490
	U5F2136S	30" W	\$ 514	\$ 535	\$ 552
	U5F2142S	36" W	\$ 571	\$ 593	\$ 612
	U5F2148S	42" W	\$ 619	\$ 645	\$ 663
	U5F2154S	48" W	\$ 668	\$ 695	\$ 714
	U5F2160S	54" W	\$ 724	\$ 753	\$ 774
	U5F2166S	60" W	\$ 802	\$ 833	\$ 856
	U5F2172S	66" W	\$ 875	\$ 908	\$ 934
	U5F2178S	72" W	\$ 1119	\$ 1159	\$ 1194
	U5F2184S	78" W	\$ 1166	\$ 1207	\$ 1245
	U5F2190S	84" W	\$ 1378	\$ 1425	\$ 1471
	U5F2196S	90" W	\$ 1435	\$ 1485	\$ 1533
<b>24" D Rectangular Worksurfaces (27" to center of beam)</b>					
U5F2466S	U5F2430S	24" Beam	\$ 502	\$ 523	\$ 538
	U5F2436S	30" Beam	\$ 548	\$ 570	\$ 588
	U5F2442S	36" Beam	\$ 599	\$ 623	\$ 641
	U5F2448S	42" Beam	\$ 639	\$ 665	\$ 684
	U5F2454S	48" Beam	\$ 702	\$ 730	\$ 750
	U5F2460S	54" Beam	\$ 774	\$ 804	\$ 827
	U5F2466S	60" Beam	\$ 847	\$ 879	\$ 904
	U5F2472S	66" Beam	\$ 920	\$ 954	\$ 983
	U5F2478S	72" Beam	\$ 1185	\$ 1227	\$ 1267
	U5F2484S	76" Beam	\$ 1239	\$ 1282	\$ 1325
	U5F2490S	84" Beam	\$ 1468	\$ 1519	\$ 1568
	U5F2496S	90" Beam	\$ 1524	\$ 1576	\$ 1628
<b>27" D Rectangular Worksurfaces</b>					
U5F2760S	U5F2730S	24" W	\$ 548	\$ 570	\$ 588
	U5F2736S	30" W	\$ 588	\$ 612	\$ 630
	U5F2742S	36" W	\$ 624	\$ 650	\$ 668
	U5F2748S	42" W	\$ 665	\$ 692	\$ 711
	U5F2754S	48" W	\$ 743	\$ 772	\$ 794
	U5F2760S	54" W	\$ 826	\$ 857	\$ 882
	U5F2766S	60" W	\$ 895	\$ 928	\$ 955
	U5F2772S	66" W	\$ 970	\$ 1005	\$ 1036
	U5F2778S	72" W	\$ 1256	\$ 1300	\$ 1343
	U5F2784S	78" W	\$ 1315	\$ 1361	\$ 1405
	U5F2790S	84" W	\$ 1561	\$ 1614	\$ 1668
	U5F2796S	90" W	\$ 1628	\$ 1683	\$ 1740

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> Laminate (if applicable):</p>	<p><i>2nd Option:</i> Edge (if applicable):</p>
<p>U   5   F                 S   .                 .        </p>		

Examples: U5F2130S.LM11.EV U5F2730S.LWBR.DB Z5SC60.P02

 Shippable by small-package carrier.






For specification information see pages 59-75.

Laminate

GSA SIN 33721



Description	Beam Size	Laminate w/Flat Edge Model	Laminate w/Flat Edge		
			L1	L2	L3
<b>Corner Cove Worksurfaces — Left Handed (66" and 72" extend left)</b>					
60" x 60" - 24"L / 24"R	54" / 54"	U5CC6024LS	\$ 1768	\$ 1825	\$ 1884
60" x 60" - 27"L / 24"R	54" / 54"	U5CC6027LS	\$ 1821	\$ 1879	\$ 1940
66" x 60" - 24"L / 24"R	60" / 54"	U5CC6624LS	\$ 1857	\$ 1916	\$ 1978
66" x 60" - 27"L / 24"R	60" / 54"	U5CC6627LS	\$ 1887	\$ 1947	\$ 2012
72" x 60" - 24"L / 24"R	66" / 54"	U5CC7224LS	\$ 1898	\$ 1958	\$ 2023
72" x 60" - 27"L / 24"R	66" / 54"	U5CC7227LS	\$ 2022	\$ 2087	\$ 2154

<b>Corner Cove Worksurfaces — Right Handed (66" and 72" extend right)</b>					
60" x 60" - 24"L / 24"R	54" / 54"	U5CC6024RS	\$ 1768	\$ 1825	\$ 1884
60" x 60" - 24"L / 27"R	54" / 54"	U5CC6027RS	\$ 1821	\$ 1879	\$ 1940
60" x 66" - 24"L / 24"R	54" / 60"	U5CC6624RS	\$ 1857	\$ 1916	\$ 1978
60" x 66" - 24"L / 27"R	54" / 60"	U5CC6627RS	\$ 1887	\$ 1947	\$ 2012
60" x 72" - 24"L / 24"R	54" / 66"	U5CC7224RS	\$ 1898	\$ 1958	\$ 2023
60" x 72" - 24"L / 27"R	54" / 66"	U5CC7227RS	\$ 2022	\$ 2087	\$ 2154

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>Laminate:</b> See page 52 for finishes.</p>	<p><b>2nd Option:</b> <b>Edge:</b></p>
<p>U   5   C   C                     .                 .</p>		

Examples: U5CC7224LS.LM11.EV U5CC6624RS.LWBR.DB





# Worksurface Supports


Further™ — Beams

For specification information see pages 59-75.


Painted Metal  
GSA SIN 33721


	Description	Model	Applicable Beam Power Kit Model	List Price			
				P1	P2	P3	
  UN6B36P  UN6B48P	<b>Beams with Back-to-Back Power Ports*</b>						
	36" W with 2 Ports Per Side	UN6B36P	<input type="checkbox"/>	UN8K36	\$ 589	\$ 603	\$ 616
	42" W with 2 Ports Per Side	UN6B42P	<input type="checkbox"/>	UN8K42	\$ 647	\$ 661	\$ 674
	48" W with 4 Ports Per Side	UN6B48P	<input type="checkbox"/>	UN8K48	\$ 700	\$ 717	\$ 734
	54" W with 4 Ports Per Side	UN6B54P	<input type="checkbox"/>	UN8K54	\$ 774	\$ 791	\$ 808
	60" W with 4 Ports Per Side	UN6B60P	<input type="checkbox"/>	UN8K60	\$ 849	\$ 868	\$ 889
	66" W with 4 Ports Per Side	UN6B66P	<input type="checkbox"/>	UN8K66	\$ 922	\$ 941	\$ 962
	72" W with 4 Ports Per Side	UN6B72P	<input type="checkbox"/>	UN8K72	\$ 1014	\$ 1035	\$ 1060
	78" W with 4 Ports Per Side	UN6B78P	<input type="checkbox"/>	UN8K78	\$ 1245	\$ 1266	\$ 1291
	84" W with 4 Ports Per Side	UN6B84P	<input type="checkbox"/>	UN8K84	\$ 1387	\$ 1411	\$ 1439
	90" W with 4 Ports Per Side	UN6B90P	<input type="checkbox"/>	UN8K90	\$ 1479	\$ 1503	\$ 1531
	96" W with 4 Ports Per Side	UN6B96P	<input type="checkbox"/>	UN8K96	\$ 1571	\$ 1598	\$ 1628

\*Order applicable Beam Power Kit separately on page 100. Beam electrical covers to be ordered separately if duplex receptacles are not specified (see below).

	Description	Model	Chicago Code Model	List Price			
				P1	P2	P3	
 USBEC2	<b>Beam Electrical Covers</b>						
	2 Pack	UNSBEC2	<input type="checkbox"/>	UNSBEC2CH*	\$ 63	\$ 63	\$ 63
	12 Pack	UNSBEC12	<input type="checkbox"/>	UNSBEC12CH*	\$ 227	\$ 227	\$ 227

\*Requires electrical mounting kit UN8EBKCH.

	Description	Model	Chicago Code Model	List Price			
				P1	P2	P3	
 UN6B09CN	<b>Beams (Non-Ported)</b>						
	18" W	UN6B18N	<input type="checkbox"/>	\$ 331	\$ 342	\$ 351	
	21" W	UN6B21N	<input type="checkbox"/>	\$ 378	\$ 389	\$ 398	
	24" W	UN6B24N	<input type="checkbox"/>	\$ 414	\$ 425	\$ 434	
	30" W	UN6B30N	<input type="checkbox"/>	\$ 488	\$ 499	\$ 508	
	36" W	UN6B36N	<input type="checkbox"/>	\$ 559	\$ 573	\$ 586	
	42" W	UN6B42N	<input type="checkbox"/>	\$ 616	\$ 630	\$ 643	
	48" W	UN6B48N	<input type="checkbox"/>	\$ 670	\$ 687	\$ 704	
	54" W	UN6B54N	<input type="checkbox"/>	\$ 745	\$ 762	\$ 779	
	60" W	UN6B60N	<input type="checkbox"/>	\$ 819	\$ 838	\$ 859	
	66" W	UN6B66N	<input type="checkbox"/>	\$ 895	\$ 914	\$ 935	
	72" W	UN6B72N	<input type="checkbox"/>	\$ 970	\$ 991	\$ 1016	
	78" W	UN6B78N	<input type="checkbox"/>	\$ 1062	\$ 1083	\$ 1108	
	84" W	UN6B84N	<input type="checkbox"/>	\$ 1203	\$ 1227	\$ 1255	
90" W	UN6B90N	<input type="checkbox"/>	\$ 1338	\$ 1362	\$ 1390		
96" W	UN6B96N	<input type="checkbox"/>	\$ 1479	\$ 1506	\$ 1536		

	Description	Model	Chicago Code Model	List Price			
				P1	P2	P3	
 UN6B09CN	<b>Cantilevered Beams</b>						
	6" W	UN6B06CN	<input type="checkbox"/>	\$ 201	\$ 212	\$ 221	
	9" W	UN6B09CN	<input type="checkbox"/>	\$ 205	\$ 216	\$ 225	
	12" W	UN6B12CN	<input type="checkbox"/>	\$ 240	\$ 251	\$ 260	

FURTHER

**How to specify —**  
Select the Model Number from above.

U | | | | | | | | | | | | | | | . | | | | | | | | | | | | | | |

*1st Option:*  
**Paint**  
(if applicable):

P1  P2  P3

Examples: UN6B36P.P02 UNSBEC2.P7B UN6B18N.P02

Shippable by small-package carrier.

# Worksurface Supports


Further™ — Beam Trim

For specification information see pages 59-75.

Painted Metal  
GSA SIN 33721



Description	Model	List Price		
		P1	P2	P3
<b>Beam Trim — Flat</b>				
6" Cantilevered Beams Only	UN6B06F <input type="checkbox"/>	\$ 107	\$ 115	\$ 118
9" Cantilevered Beams Only	UN6B09F <input type="checkbox"/>	\$ 118	\$ 128	\$ 137
12" Cantilevered Beams Only	UN6B12F <input type="checkbox"/>	\$ 121	\$ 131	\$ 140
18"	UN6B18F <input type="checkbox"/>	\$ 147	\$ 157	\$ 166
21"	UN6B21F <input type="checkbox"/>	\$ 154	\$ 164	\$ 173
24"	UN6B24F <input type="checkbox"/>	\$ 155	\$ 165	\$ 174
30"	UN6B30F <input type="checkbox"/>	\$ 163	\$ 173	\$ 182
36"	UN6B36F <input type="checkbox"/>	\$ 175	\$ 187	\$ 197
42"	UN6B42F <input type="checkbox"/>	\$ 187	\$ 199	\$ 209
48"	UN6B48F <input type="checkbox"/>	\$ 193	\$ 208	\$ 222
54"	UN6B54F <input type="checkbox"/>	\$ 202	\$ 217	\$ 231
60"	UN6B60F <input type="checkbox"/>	\$ 210	\$ 227	\$ 244
66"	UN6B66F <input type="checkbox"/>	\$ 353	\$ 370	\$ 387
72"	UN6B72F <input type="checkbox"/>	\$ 373	\$ 392	\$ 413
78"	UN6B78F <input type="checkbox"/>	\$ 420	\$ 439	\$ 460
84"	UN6B84F <input type="checkbox"/>	\$ 429	\$ 450	\$ 475
90"	UN6B90F <input type="checkbox"/>	\$ 438	\$ 459	\$ 484
96"	UN6B96F <input type="checkbox"/>	\$ 444	\$ 468	\$ 496



Description	Model	List Price		
		P1	P2	P3
<b>Beam Trim for Mounting Screens or Storage</b>				
6" Cantilevered Beams Only	UN6B06M <input type="checkbox"/>	\$ 145	\$ 153	\$ 156
9" Cantilevered Beams Only	UN6B09M <input type="checkbox"/>	\$ 151	\$ 161	\$ 170
12" Cantilevered Beams Only	UN6B12M <input type="checkbox"/>	\$ 157	\$ 167	\$ 176
18"	UN6B18M <input type="checkbox"/>	\$ 192	\$ 202	\$ 211
21"	UN6B21M <input type="checkbox"/>	\$ 195	\$ 205	\$ 214
24"	UN6B24M <input type="checkbox"/>	\$ 199	\$ 209	\$ 218
30"	UN6B30M <input type="checkbox"/>	\$ 205	\$ 215	\$ 224
36"	UN6B36M <input type="checkbox"/>	\$ 226	\$ 238	\$ 248
42"	UN6B42M <input type="checkbox"/>	\$ 238	\$ 250	\$ 260
48"	UN6B48M <input type="checkbox"/>	\$ 249	\$ 264	\$ 278
54"	UN6B54M <input type="checkbox"/>	\$ 257	\$ 272	\$ 286
60"	UN6B60M <input type="checkbox"/>	\$ 263	\$ 280	\$ 297
66"	UN6B66M <input type="checkbox"/>	\$ 421	\$ 438	\$ 455
72"	UN6B72M <input type="checkbox"/>	\$ 470	\$ 489	\$ 510
78"	UN6B78M <input type="checkbox"/>	\$ 505	\$ 524	\$ 545
84"	UN6B84M <input type="checkbox"/>	\$ 514	\$ 535	\$ 560
90"	UN6B90M <input type="checkbox"/>	\$ 525	\$ 546	\$ 571
96"	UN6B96M <input type="checkbox"/>	\$ 535	\$ 559	\$ 587

**How to specify —**  
Select the Model Number from above.

**1st Option:**  
**Paint**  
(if applicable):  
 P1  P2  P3

Examples: UN6B06F.P02 UN6B06M.P7B

Shippable by small-package carrier.


# Worksurface Supports

Further™ — Hub and Components

For specification information see pages 59-75.

Painted Metal  
GSA SIN 33721


## FLEXIBLE STANDARD-HEIGHT HUBS (Organic & Linear Applications)



U6HK1S



U6HK1P



U6HK1HC

UN3CHBC

U3CHBG



U6HB2L



U6HB3L



U3HAI



U3HAE



U3CG12

Description	Model	List Price		
		P1	P2	P3
<b>Flexible Non-Ported Connector Hubs — 28"H</b>				
1 Beam to Hub (shown)	U6HK1S <input type="checkbox"/>	\$ 1292	\$ 1331	\$ 1390
2 Beams to Hub	U6HK2S <input type="checkbox"/>	\$ 1359	\$ 1398	\$ 1457
3 Beams to Hub	U6HK3S <input type="checkbox"/>	\$ 1416	\$ 1455	\$ 1514
4 Beams to Hub	U6HK4S <input type="checkbox"/>	\$ 1445	\$ 1484	\$ 1543

**Note:** Order hub base kit and anchors below for freestanding applications.

Description	Model	List Price		
		P1	P2	P3
<b>Flexible Ported Connector Hubs — 28"H</b>				
1 Beam to Hub (shown)	U6HK1P <input type="checkbox"/>	\$ 1416	\$ 1451	\$ 1508
2 Beams to Hub	U6HK2P <input type="checkbox"/>	\$ 1483	\$ 1518	\$ 1575
3 Beams to Hub	U6HK3P <input type="checkbox"/>	\$ 1540	\$ 1575	\$ 1632
4 Beams to Hub	U6HK4P <input type="checkbox"/>	\$ 1569	\$ 1604	\$ 1661

**Note:** Order hub base kit and anchors below for freestanding applications. Order electrical components separately on pages 99-100.

Description	Model	List Price		
		P1	P2	P3
<b>Flexible High Capacity Connector Hubs — 28"H</b>				
1 Beam to Hub (shown)	U6HK1HC <input type="checkbox"/>	\$ 1341	\$ 1380	\$ 1439
2 Beams to Hub	U6HK2HC <input type="checkbox"/>	\$ 1408	\$ 1447	\$ 1506
3 Beams to Hub	U6HK3HC <input type="checkbox"/>	\$ 1465	\$ 1504	\$ 1563
4 Beams to Hub	U6HK4HC <input type="checkbox"/>	\$ 1494	\$ 1533	\$ 1592

**Note:** Order hub base kit and anchors below for freestanding applications.

Description	Model	List Price		
		P1	P2	P3
<b>Flexible Hub Components</b>				
Connector Block — fills 90° of new U™ Beam Hub Connector*	UN3CHBC <input type="checkbox"/>	\$ 121	\$ 130	\$ 136
Connector Gap Filler (3 pack) — fills 90° of original Hub Connector*	U3CHBG <input type="checkbox"/>	\$ 95	\$ 104	\$ 110
Hub Base Kit — 2 Feet with leveling	U6HB2L <input type="checkbox"/>	\$ 474	\$ 491	\$ 508
Hub Base Kit — 3 Feet with leveling	U6HB3L <input type="checkbox"/>	\$ 503	\$ 520	\$ 537
Anchor — Internal (Black only)	U3HAI <input type="checkbox"/>	\$ 75	N/A	N/A
Anchor — External (P1 or P2)	U3HAE <input type="checkbox"/>	\$ 75	\$ 78	80
Carpet Grippers — 12 pack	U3CG12 <input type="checkbox"/>	\$ 32	N/A	N/A


\*Order ala carte to aid in reconfiguration of hub connector kit.

## FIXED STANDARD-HEIGHT HUBS (Only Linear Applications)


UN6HE2SQ



UN6HC2SQ



UN6HFCAU



UN6HFEAU

Description	Model	List Price		
		P1	P2	P3
<b>Fixed Standard-Height Hubs — 28"H</b>				
1 Beam — End of Run	UN6HE2SQ <input type="checkbox"/>	\$ 821	\$ 878	\$ 964
2 Beams — In Line (2 Beams only at 180°)	UN6HC2SQ <input type="checkbox"/>	\$ 821	\$ 878	\$ 964
Fixed In-Line Hub Foot	UN6HFCAU	\$ 511	\$ 546	\$ 600
Fixed End-of-Run Hub Foot	UN6HFEAU	\$ 511	\$ 546	\$ 600

**How to specify —**  
Select the Model Number from above.

**1st Option:**  
**Paint**  
(if applicable):

P1  P2  P3

U | | | | | . | | | | |

Examples: U6HK1S.P02 U6HK4SHC.P7B U3CG12

Shippable by small-package carrier.

FURTHER

# Worksurface Supports



Further™ — Hub and Components

For specification information see pages 59-75.

Painted Metal  
GSA SIN 33721

## FIXED HUBS (Only Linear Applications)



UN6HLE2SQ



UN6HLC2SQ

Description	Model	List Price		
		P1	P2	P3
<b>Fixed Low Height Freestanding Hubs — 20½"H (for freestanding power rail/fence applications)</b>				
1 Beam — End of Run	UN6HLE2SQ <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 1060	\$ 1134	\$ 1246
2 Beams — In Line (2 Beams only at 180°)	UN6HLC2SQ <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 1060	\$ 1134	\$ 1246

UN6LHK2S



UN6LHK2HC

Description	Model	List Price		
		P1	P2	P3
<b>Flexible Low-Height Freestanding Hubs — 20½"H</b>				
Further Flex Low Hub with Hub to 2 Beam Connector	UN6LHK2S	\$ 1232	\$ 1306	\$ 1427
Further Flex Low Hub with Hub to 3 Beam Connector	UN6LHK3S	\$ 1289	\$ 1363	\$ 1484
Further Flex Low Hub with Hub to 4 Beam Connector	UN6LHK4S	\$ 1318	\$ 1392	\$ 1513
Further Flex Hi Cap Low Hub with Hub to 2 Beam Connector	UN6LHK2HC	\$ 1272	\$ 1348	\$ 1473
Further Flex Hi Cap Low Hub with Hub to 3 Beam Connector	UN6LHK3HC	\$ 1329	\$ 1405	\$ 1530
Further Flex Hi Cap Low Hub with Hub to 4 Beam Connector	UN6LHK4HC	\$ 1358	\$ 1434	\$ 1559

**How to specify —**  
Select the Model Number from above.

**1st Option:**  
**Paint**  
(if applicable):  
P1 P2 P3

UN6 | | | | | | | | | | . | | | | |

Example: UN6LHK2S.P7B

S Shippable by small-package carrier.


# Worksurface Supports

Further™ — Legs and Supports

For specification information see pages 59-75.

Painted Metal  
GSA SIN 33721

## FLEXIBLE LEGS




Description	Model	List Price		
		P1	P2	P3
<b>Beam Legs (Triangular) — Seated Height</b>				
Beam End Support Leg — Adds 3" to run	UN6E2F <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 482	\$ 501	\$ 516
Beam Wall Mount — attaches beam run to wall (requires stud)	UN6BMTW <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 553	\$ 575	\$ 599
Bench End Beam Connector Kit	UN3CBBE	\$ 154	\$ 163	\$ 169

### Worksurface and Table Legs — Seated Height


Triangular Worksurface and Table Support Leg w/Glide	U6L2FG <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 355	\$ 374	\$ 389
Triangular Table Support Leg w/Caster	U6T2FC <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 385	\$ 404	\$ 419

### Worksurface Legs (Square) — Seated Height

Square Straight Leg Worksurfaces Support w/ Glide	UN6L2FGSQ	\$ 253	\$ 272	\$ 298
Square A-Leg Worksurface Support w/ Glide	UN6ALSQ	\$ 266	\$ 285	\$ 311



## BRACKETS



Description	Model	List Price		
		P1	P2	P3
<b>Brackets</b>				
Worksurface Support Bracket — Tethered fixed height	U6WBTF <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 93	\$ 97	\$ 100
Flat Bracket for 12"D (no color option)	T612FB <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 67	N/A	N/A
Flat Bracket for 24"D (no color option)	T624FB <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 77	N/A	N/A
Flat Bracket for 30"D (no color option)	T630FB <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 88	N/A	N/A
2 Ganging Bracket Links with Screws (no color option)	AW4GANG <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 98	N/A	N/A
Gusset Bracket for Single Sided Applications	UN6GBSS	\$ 145	\$ 151	\$ 156

**How to specify —**  
Select the  
Model Number  
from above.

**1st Option:**  
**Paint**  
(if applicable):  
P1 P2 P3

Examples: UN6E2F.P02 UN6BMTW.P7B T612FB

S Shippable by small-package carrier.


# Worksurface Supports

Further™ — Legs and Supports



For specification information see pages 59-75.

Painted Metal  
GSA SIN 33721


## FIXED LEGS




UN6L2FLSQ



UN6AEDS54SQ



UN6AESS24RH



UN6SESS24RH

Description	Model	List Price		
		P1	P2	P3
<b>Beam Supports (Square) — Seated Height</b>				
54" W H-Leg - Bench End Support (for 2-24" W) — Adds 3" to run	UN6BE54SQ	\$ 1045	\$ 1119	\$ 1228
60" W H-Leg - Bench End Support (for 2-27" W) — Adds 3" to run	UN6BE60SQ	\$ 1063	\$ 1138	\$ 1249
In-Line Beam Support Leg with Flat Top Trim — Adds 6" to run	UN6L2FLSQ	\$ 402	\$ 432	\$ 477
H-Leg Mid-Support with Flat Top Trim	UN6HS2SQ	\$ 891	\$ 953	\$ 1047

## Beam Supports (Square) — Seated Height

A-Leg Mid-Support with Flat Top Trim	UN6AMDS2SQ	\$ 936	\$ 998	\$ 1092
54" W A-Leg Bench End Support (for 2-24" W) - Adds 3" to run	UN6AEDS54SQ (shown)	\$ 1096	\$ 1170	\$ 1279
60" W A-Leg Bench End Support (for 2-30" W) - Adds 3" to run	UN6AEDS60SQ	\$ 1118	\$ 1193	\$ 1304
A-Leg Single Sided End Support, 24" D, Right Hand	UN6AESS24RH (shown)	\$ 1143	\$ 1186	\$ 1230
A-Leg Single Sided End Support, 24" D, Left Hand	UN6AESS24LH	\$ 1143	\$ 1186	\$ 1230
A-Leg Single Sided End Support, 30" D, Right Hand	UN6AESS27RH	\$ 1181	\$ 1226	\$ 1271
A-Leg Single Sided End Support, 30" D, Left Hand	UN6AESS27LH	\$ 1181	\$ 1226	\$ 1271
H-Leg Single Sided End Support, 24" D, Right Hand	UN6SESS24RH (shown)	\$ 1109	\$ 1151	\$ 1193
H-Leg Single Sided End Support, 24" D, Left Hand	UN6SESS24LH	\$ 1109	\$ 1151	\$ 1193
H-Leg Single Sided End Support, 30" D, Right Hand	UN6SESS27RH	\$ 1145	\$ 1189	\$ 1232
H-Leg Single Sided End Support, 30" D, Left Hand	UN6SESS27LH	\$ 1145	\$ 1189	\$ 1232

**How to specify —**  
Select the Model Number from above.

**1st Option:**  
**Paint**  
(if applicable):

P1 P2 P3


Example: UN6BE54SQ.P7B

Shippable by small-package carrier.



Further features cable management capabilities for electrical, voice, and data. The 8-wire electrical system can be integrated within beams. Voice and data cables are routed externally using beam mounted wire managers.


Electrical power harnesses in beam have capacity for 2 or 4 duplex receptacles per side depending on length.



## Further Electrical Systems

The electrical system for Further offers two options: 3+1 or 2+2. Both systems utilize an 8-wire, four-circuit electrical system, rated at 20 amps (15 amps Canadian). Connect a maximum of 13 receptacles (12 in Canada, and fewer in certain U.S. locales) to one circuit. Consult your electrician to ensure the planned electrical load is within permissible limits. Follow the steps below to help specify your Further electrical.


1. **Infeeds** — Determine the location, quantity, and type of power infeeds needed.
2. **Hub-to-Beam Power Kits** — Specify a Hub-to-Beam Power Kit with each Infeed. Order Kit based on the number of beams being powered at the infeed location. Ex: A Flexible Hub in the center of a 120° Pinwheel needs a Hub-to-3 Beam Power Kit. These kits connect to Beam Power Kits.
3. **Beam Power Kits & Jumpers** — Specify a Beam Power Kit for each ported beam. Power kits are determined by the size of beam ordered and are connected to one another with beam-to-beam jumpers - order separately.
4. **Duplex Receptacles** — Determine which electrical system will be used after consulting an electrician: 2+2 or 3+1. System is determined by which circuits are used. Specify circuit specific receptacles to fill all port locations where electrical is needed. Number of ports is determined by the beams and beam power kits specified. Port covers must be placed in port locations where duplex receptacles are not specified.



A871912


**Electrical Infeed** (page 99)

- Used to route power from a floor, wall, or ceiling core into the Further beam structure.
- Two infeeds can be routed into any hub, power pole, or H-leg. One infeed can be routed into the square leg bench end or wall mount.
- Available as sealtight cable in 12', or as flex cable in 12' or 18' lengths.
- Infeed cables cannot connect directly to beam power kits. Require a hub-to-beam power kit for all infeed locations.
- Consult your electrician to ensure the planned electrical load and cabling is within permissible national and local code limits.
- Infeed ordered separately for all hardwired applications. (see page 99)




**Beam-to-Beam Jumper** (page 100)

- Used to pass power from one beam to another over beam support.
- Quantity varies on the number of beams being passed to. See illustration.
- Beam-to-beam jumpers do not need to be ordered for locations where hub-to-beam power kits are specified.




**Hub-to-Beam Power Kits** (page 100)

- Used to connect power from infeed cable to beam power kits.
- Order power kits based on the number of beams being connected to each infeed cable. If two infeed cables are entering the system in the same location, two hub-to-beam power kits should be ordered.
- Power can be routed into 1-4 beams from one infeed.



**Ported Hub Power Kit** (page 100)

- Installed within the ported flexible hub and delivers power to user.
- Requires two duplex receptacles – ordered separately.
- Can be used in conjunction with all hub-to-beam power kits.
- Must order an additional beam-to-beam jumper when placed in a location without an infeed cable.



**Beam Power Kits** (page 100)

- Beam power kits are installed within the ported beam and deliver power to the user.
- Kits correlate to specific ported beam lengths; only one kit per beam.
- Quantity of duplex receptacles that can be used varies by length of beam specified. 36" and 42" ported beams have 2 ports on each side (4 total), 48"- 96" ported beams have 4 ports on each side (8 total). – duplex receptacles ordered separately.

**Receptacle Color Recommended to Coordinate with Paint Color**



Paint Color	Receptacle Color
Carob — P52.....	Black — E4
Champagne Metallic — PR5 .....	Muslin — EU
Cinder — P7Q.....	Brownstone — BW
Designer White — PJW .....	Designer White — DW
Fossil — P28.....	Flint — E9
Gunmetal Metallic— PR3 .....	Brownstone — EY
Parchment — P93.....	Muslin — EU
Pebble — P8R.....	Loft — EV
Pewter — P8D.....	Flint — E9
Platinum Metallic — PR2.....	Silver — ES
Salt — P8C.....	Silver — ES
Titanium — P8T.....	Silver — ES



**Duplex Receptacles** (page 100)

- Receptacles snap into power blocks of power kits.
- Quantity depends on the length of beams specified.
- Four circuits available.
- Circuit 3 must be specified as a utility (3+1) or isolated (2+2) circuit depending on the electrical system desired.
- Available in 8 colors and labeled with circuit number on receptacle face.
- May be replaced with electrical port covers in locations where power is not desired – ordered separately.



**Electrical Port Cover** (page 100)

- Fits into Further beam port locations in place of duplex receptacles.
- Does not fit into port sizes of other product lines.
- Requires electrical mounting kit UN8EBKCH.
- Chicago Code models available for hardwired applications.

## Flexconnect™ Electrical System Options

The four-circuit, eight-wire electrical system is widely specified and trusted by hundreds of thousands of end-users. This proven system delivers four circuits for every power infeed in either a 3 + 1 or 2 + 2 configuration. The isolated/dedicated circuits are ideal for sensitive computing equipment, while the common circuits are suitable for faxes, copiers, task lights and other peripherals. Both the 3 + 1 and 2 + 2 systems use the same pre-wired components, making it easy to adjust as electrical needs change.

Reference the Office Equipment Typical Load Values on page 89.



FURTHER

### Office Equipment Typical Load Values

Item	*Amps
Desktop/2 Monitors	4
Laptop Computer	1
Laptop/2 Monitors/Docking Station	3
Paper Shredder	1.22
Radio	0.05
Scanner	3
Space Heater (1500 watts)	12
Task Light (equiv. 60-watt bulb)	
Fluorescent	0.12
LED	0.08
USB Charger	0.17
LCD Television (42")	1
LCD Monitor (21")	0.5
Bluetooth Speaker	0.1
Desktop Printer	
Inkjet	0.15
Laser	4 to 10
Multimedia Projector	1.7
Sit-to-Stand Height-Adjustable Desk	Idle 0.01 / Max 4
<b>Office Kitchen</b>	
Coffee Maker	10
Microwave	10
Toaster	12.5
Compact Refrigerator	1.5

\*Chart is recommended for planning purposes. Check device specifications for exact amperage. Consult with your electrician regarding the applicable configurations.



### Examples of Component Usage based on the *Office Equipment Typical Load Values Chart*

#### Power Option 3+1


Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers  
Utility Circuits 1, 2, 3: Height-adjustable tables and ancillary items

#### Power Option 2+2


Dedicated Circuit 3: 4 desktop computers with 2 monitors each; or 10 laptop computers  
Dedicated Circuit 4: 4 desktop computers with 2 monitors each; or 10 laptop computers  
Utility Circuits 1, 2: Height-adjustable tables and ancillary items




Space for 72 data cables without power infeed cables




Space for 54 data cables with three power infeed cables



UN2CSQPP



UN2ESQPP



### Square Power Pole for Fixed Supports (page 99)

- UN2HPSQ Power Pole is 8' tall.
- Power Pole may be used over one of fixed supports: In-Line or End-of-Run Hub, H-Leg and In-Line Leg Supports.
- Specify power pole kit UN2CSQPP for In-Line Leg, In-Line Fixed Hub or H-Leg Supports.
- Specify power pole kit UN2ESQPP for End-of-Run Fixed Hub.
- To extend the power pole for a taller ceiling, order quantity-2 with a splicer kit UN2HPSQSK.


### Power Pole (page 99)

- Used to shroud infeed and data cables that are routed to the beam structure from a ceiling.
- Requires a flexible hub or any adaptive mid support to mount over.
- Cannot be used in freestanding applications.
- Power pole stands 124¼" high with hub glides fully retracted. Extension available through Allsteel Tailored Products.
- Kit includes all necessary mounting hardware and ceiling trim.
- Mounts over 1-4 beams. Aesthetic trim cover included for end condition applications.

### Infeed Cover (page 99)


- Shrouds single infeed or up to 24 data cables.
- Specify UN6WC for H-Leg or UN6AWC A-Leg supports.
- Attaches to the legs with VHB tape - included in hardware.
- Not compatible with Chicago or NYC junction boxes. Refer to hubs if needed.

## Top Views of Hub








The top of the hub allows for a maximum of 30 (3.45 sq. in.) data cables (.300" dia.) to pass through the 1/2" gap around the perimeter of the hub


All quantities listed at 60% fill ratio



Cable capacities for routing voice and data cables through hub are provided at left for top, side, and bottom of hub.



ATADF4



## Data (page 101)

- Data is routed internally through any hub, power pole, wall-mount, or infeed cover; but is external to beam.
- Cabling is routed to users through beam-mounted wire managers. See illustrations at left.

## Maximum Support Capacities

Support	Data*	Infeeds	Beams
Standard Flexible Hub	30	3	4
High Capacity Flexible Hub	84	3	4
Power Pole U2HPP	72	3	4
Power Pole UH2HPSQ	34	2	NA
In-Line Fixed Hub	24	1	2
End of Run Fixed Hub	24	1	1
H-Leg**	NA	2	2
Bench End**	NA	1	1
Infeed Cover	24	1	NA

\*Reduce capacity of data cables by 6 for each infeed specified

\*Data cable size is based on 0.25-diameter cable.

\*\*Data capacity is determined by wire managers and infeed cover.

## Single-Sided Wire Manager (page 101)

- Can be used with any single-sided, dual-sided, Further Adaptive, freestanding post and beam, and fixed-height applications.
- Holds user wires and up to 30 system data cables on one side of a beam.
- Mounts into the continuous reveal on either side of a beam – mounting clips included.
- Single-sided version is recommended when nesting storage.
- The data manager without the 2 1/2" D tray can be ordered separately to maximize space, or the tray may be removed in the field.
- Available from 36" to 78" widths in 6" increments.
- Includes mounting locations for Cord Management Chain when used with Adaptive supports or freestanding height-adjustable workstations.
- Specify 6" shorter than beam length when used with Adaptive supports.
- Two single-sided wire managers can be used on either side of beam to increase data capacity. (60 total)
- May be used in conjunction with beam mounted modesty screens.
- Includes 4 knockout port locations for data faceplates (2.7" W x 1.375" H) on all widths. Data faceplates ordered separately.


## Dual-Sided Wire Manager (page 101)

- Holds user wires and up to 20 system data cables each side of a beam. (40 total)
- Mounts to underside of beam; does not use continuous side reveal.
- Available from 36" to 78" widths in 6" increments.
- Includes 8 knockout port locations for data faceplates on all widths. Data faceplates ordered separately.
- Ideal for use in a fixed-height dual sided application.
- Does not support wire chain.
- Cannot be used in conjunction with beam mounted modesty screens.
- Cannot be used on Further Adaptive. Must use single-sided wire manager.

## Data Faceplates & Jacks (page 102)


- Faceplates fit into knockout ports on both available wire managers.
- Faceplates do not work in beam electrical ports.
- Faceplate options available to install either 3 or 4 data jacks.
- Faceplates available in one color – black.
- Faceplates and Jacks sold separately.
- CAT 5E and CAT 6 data jacks available.

Chicago code junction box **U8IKCH** is compatible with both 28"H and 20½"H flexible hubs. The box is 9½"H x 3½"W.




**U8IKCH**

Chicago code junction box **U8SBKCH** is compatible with both 28"H and 20½"H fixed hubs. The box is 11"H x 5.7"W x 2.3"D.





**U8SBKCH**

**UN8BBKCH**



**UN8EBKCH**




## Hardwire – Chicago Code (page 99)



- Mounting rail top trim required for all hardwired powered beams.
- Cannot wire two receptacles back-to-back. Receptacles must be staggered.
- Junction box U8IKCH or U8SBKCH are required for all infeed locations.
- A ¾" diameter conduit fitting must be used at the knockout locations on the junction box and brackets to fit within enclosures.
- One beam kit UN8BBKCH required per beam. Kit includes two brackets to enclose beam to meet NEC and UL requirements.
- Electrical mounting kit UN8EBKCH is required for mounting duplex receptacles and/or electrical port covers. Kit includes two brackets.
- Electrical port covers can be installed in place of a duplex receptacle on the electrical mounting bracket. Cannot be installed without the electrical mounting kit UN8EBKCH.
- Ported flexible hubs cannot be used in hardwired applications.
- All wiring, conduit, and receptacles to be supplied by electrician.
- Use U8IKCH for flexible hubs and U8SBKCH for fixed hubs.

## Hardwire – New York Code (page 99)

- Required for New York electrical.
- For flexible hubs and Further Adaptive, choose one of the 3 configurations:
  - U8IKNY1 for Hub to 1 Beam
  - U8IKNY2 for Hub to 2 Beam
  - U8IKNY3 for Hub to 3 Beam
- For fixed hubs (not for use with Further Adaptive), choose one of the 2 configurations:
  - U8SBKNY1 for Hub to 1 Beam
  - U8SBKNY2 for Hub to 2 Beam
- Ported flexible hubs cannot be used in hardwired applications.
- All wiring and conduit to be supplied by electrician.





## Further Electrical Example 1 — Dual-Sided Bench 4-Pack









### Further Electrical Example 2 — Dual-Sided Bench 6-Pack





## Further Electrical Example 3— Single-Sided Bench 2-Pack





Further Electrical Example 4 — 120° Pinwheel with Power Pole



## Further Electrical Example 5 — 120° Dogbone




Further Electrical Example 6 — Freestanding



FURTHER


For specification information see pages 86-98.

GSA SIN 33721




A871912

Description	Four-circuit		List Price
	3 + 1	2 + 2	
<b>Electrical Infeed Cables</b>			
6' Flex Cable	A871972		\$ 321
12' Flex Cable	A871912	[S]	\$ 435
18' Flex Cable	A871918	[S]	\$ 548
12' Sealtight Cable Power Infeed	A877012	[S]	\$ 531




Description	Model	List Price		
		P1	P2	P3
<b>Integrated Power/Communication Poles</b>				
8'H Power/Communication Pole (mounts on top of hub)	U2HPP	\$ 2280	\$ 2337	\$ 2417
10'5"H Power Connector Pole (mounts to side of fixed hub)	A870070	\$ 775	N/A	N/A
8'H Square Power Pole	UN2HPSQ	\$ 1104	\$ 1121	\$ 1134
Square Power Pole Splicer Kit	UN2HPSQSK	\$ 121	\$ 124	\$ 125
Power Pole Kit for In-Line Fixed Hub, and H-Leg	UN2CSQPP	\$ 232	\$ 249	\$ 274
Power Pole Kit for End-of-Run Fixed Hub	UN2ESQPP	\$ 232	\$ 249	\$ 274

<b>Infeed Cover</b>				
Use with H-Leg Supports	UN6WC [S]	\$ 193	\$ 209	\$ 227
Use with A-Leg Supports	UN6AWC	\$ 193	\$ 209	\$ 227



Description	Chicago Code Model	List Price
<b>Chicago Code Electrical</b>		
Flexible Hub Chicago Box	U8IKCH [S]	\$ 259
Fixed Hub Chicago Box	U8SBKCH**	\$ 326
Infeed to Beam Bracket	UN8BBKCH [S]	\$ 54
Beam Electrical Mounting Kit (to mount 4 duplexes or covers)	UN8EBKCH [S]	\$ 121
Beam Electrical Covers — 2 Pack	UNSBEC2CH* [S]	\$ 63
Beam Electrical Covers — 12 Pack	UNSBEC12CH* [S]	\$ 227

\*Requires electrical mounting kit UN8EBKCH.  
\*\*GSA SIN Pending



Description	New York Code Model	List Price
<b>New York Code Electrical</b>		
Flexible Hub to 1 Beam Kit	U8IKNY1 [S]	\$ 572
Flexible Hub to 2 Beam Kit	U8IKNY2 [S]	\$ 1052
Flexible Hub to 3 Beam Kit	U8IKNY3 [S]	\$ 1247
Fixed Hub to 1 Beam Kit	U8SBKNY1	\$ 724
Fixed Hub to 2 Beam Kit	U8SBKNY2	\$ 942

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>_____ . _____</p>	<p><i>1st Option:</i> <b>Electrical Infeed Color</b> (if applicable): P Black</p> <p><b>P</b></p>	<p><i>1st Option:</i> <b>Paint</b> (if applicable):</p> <p>[P1] [P2] [P3]</p>
---	---	---


Examples: A871912.P U2HPP.P7G U8IKCH

[S] Shippable by small-package carrier.


FURTHER

For specification information see pages 86-98.


GSA SIN 33721



Description	Max. Receptacles Per Side	Model	List Price
<b>Jumpers</b>			
Beam-to-Beam Jumper		UN87J16 [S]	\$ 147
Hub to 1 Beam Power Kit		UN87JH1 [S]	\$ 229
Hub to 2 Beams Power Kit		UN87JH2 [S]	\$ 446
Hub to 3 Beams Power Kit		UN87JH3 [S]	\$ 659
Hub to 4 Beams Power Kit		UN87JH4 [S]	\$ 689



<b>Hub Power Block</b>			
Ported Hub Power Pack	2	UN8HP [S]	\$ 530




Beam Dual-Sided Power Kits	Max. Receptacles Per Side	Model	Applicable Beam(s)	List Price
36" Dual-Sided	2	UN8K36 [S]	UN6B36P	\$ 392
42" Dual-Sided	2	UN8K42 [S]	UN6B42P	\$ 450
48" Dual-Sided	4	UN8K48 [S]	UN6B48P	\$ 525
54" Dual-Sided	4	UN8K54 [S]	UN6B54P	\$ 545
60" Dual-Sided	4	UN8K60 [S]	UN6B60P	\$ 560
66" Dual-Sided	4	UN8K66 [S]	UN6B66P	\$ 798
72" Dual-Sided	4	UN8K72 [S]	UN6B72P	\$ 815
78" Dual-Sided	4	UN8K78 [S]	UN6B78P	\$ 830
84" Dual-Sided	4	UN8K84 [S]	UN6B84P	\$ 853
90" Dual-Sided	4	UN8K90 [S]	UN6B90P	\$ 1060
96" Dual-Sided	4	UN8K96 [S]	UN6B96P	\$ 1081

Beam Power Kits include jumpers and blocks for specific beam models. Order receptacles separately below.



Duplex Receptacles for Further Dual-Sided Power Kits	Model	List Price
Circuit 1	UN87U501 [S]	\$ 66
Circuit 2	UN87U502 [S]	\$ 66
Circuit 3 (3 + 1)	UN87U503 [S]	\$ 66
Circuit 3 (2 + 2)	UN87U506 [S]	\$ 66
Circuit 4 — isolated/dedicated	UN87U504 [S]	\$ 66



Description	Model	Chicago Code Model	List Price		
			P1	P2	P3
<b>Electrical Accessories</b>					
Beam Electrical Covers — 2 Pack	UNSBEC2 [S]	UNSBEC2CH*	\$ 63	\$ 63	\$ 63
Beam Electrical Covers — 12 Pack	UNSBEC12 [S]	UNSBEC12CH*	\$ 227	\$ 227	\$ 227

\*Requires electrical mounting kit UN8EBKCH.

FURTHER


<b>How to specify —</b> Select the Model Number from above.	<b>1st Option:</b> Color for Jumpers and Power Kits (if applicable): P Black	<b>1st Option:</b> Electrical Receptacle Color (if applicable): See page 52 for finishes.	<b>1st Option:</b> Paint Color for Electrical Covers (if applicable): See page 52 for finishes. P1 P2 P3
U	P	E	P

Examples: UN8K36.P UN87U501.EV UNSBEC2.P7B


[S] Shippable by small-package carrier.

For specification information see pages 86-98.

GSA SIN 33721




Description	Model	List Price		
		P1	P2	P3
<b>Beam-Mounted Wire Manager — Double-Sided Painted Metal</b>				
36" W Beam Mounted	UN6BWMC36	\$ 397	\$ 420	\$ 453
42" W Beam Mounted	UN6BWMC42	\$ 406	\$ 432	\$ 468
48" W Beam Mounted	UN6BWMC48	\$ 427	\$ 455	\$ 496
54" W Beam Mounted	UN6BWMC54	\$ 458	\$ 489	\$ 534
60" W Beam Mounted	UN6BWMC60	\$ 534	\$ 568	\$ 618
66" W Beam Mounted	UN6BWMC66	\$ 705	\$ 746	\$ 809
72" W Beam Mounted	UN6BWMC72	\$ 806	\$ 852	\$ 921
78" W Beam Mounted	UN6BWMC78	\$ 936	\$ 987	\$ 1061



<b>Beam-Mounted Wire Manager — Single-Sided Painted Metal</b>				
36" W Beam Mounted	UN6SWMC36	\$ 420	\$ 461	\$ 523
42" W Beam Mounted	UN6SWMC42	\$ 462	\$ 508	\$ 576
48" W Beam Mounted	UN6SWMC48	\$ 511	\$ 562	\$ 636
54" W Beam Mounted	UN6SWMC54	\$ 561	\$ 614	\$ 694
60" W Beam Mounted	UN6SWMC60	\$ 616	\$ 676	\$ 768
66" W Beam Mounted	UN6SWMC66	\$ 677	\$ 742	\$ 839
72" W Beam Mounted	UN6SWMC72	\$ 745	\$ 813	\$ 914
78" W Beam Mounted	UN6SWMC78	\$ 821	\$ 892	\$ 1001



<b>Beam-Mounted Shelf — 5"D Painted Metal</b>				
24" W	UN924BMS	\$ 168	\$ 183	\$ 199
30" W	UN930BMS	\$ 190	\$ 206	\$ 223
36" W	UN936BMS	\$ 205	\$ 222	\$ 241
42" W	UN942BMS	\$ 225	\$ 243	\$ 265
48" W	UN948BMS	\$ 244	\$ 263	\$ 288
54" W	UN954BMS	\$ 273	\$ 294	\$ 321
60" W	UN960BMS	\$ 311	\$ 334	\$ 365



<b>Beam-Mounted Data Manager without Tray — Single-Sided Painted Metal</b>				
36" W	UN6SDMC36	\$ 336	\$ 360	\$ 395
42" W	UN6SDMC42	\$ 369	\$ 396	\$ 435
48" W	UN6SDMC48	\$ 407	\$ 436	\$ 479
54" W	UN6SDMC54	\$ 450	\$ 482	\$ 529
60" W	UN6SDMC60	\$ 493	\$ 528	\$ 580
66" W	UN6SDMC66	\$ 543	\$ 582	\$ 638
72" W	UN6SDMC72	\$ 596	\$ 638	\$ 701
78" W	UN6SDMC78	\$ 656	\$ 702	\$ 772

**How to specify —**  
Select the Model Number from above.

**1st Option:**  
**Paint**  
(if applicable):

UN | | | | | | | | | | . | | | | |



Examples: UN6BWMC36.P7B UN924BMS.P7G

Shippable by small-package carrier.



For specification information see pages 86-98.

GSA SIN 33721



Description	Model	List Price
<b>Data Faceplates (will not work in beams)</b>		
Three-Port Flex-Mode Faceplate, Black (E4)	ATADF3 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 40
Four-Port Flex-Mode Faceplate, Black (E4)	ATADF4 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 40

**Notes:** ATADF3 can install up to 3 jacks (CAT 3, 5E or 6). ATADF4 can install 4 jacks (CAT 3, 5E or 6).

ATADF4

<b>Jacks</b>		
RJ45 CAT 5E Jack — Black only Toolless	ATADJ5 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 71
RJ45 CAT 6 Jack — Black only Requires Tool	ATADJ6 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 95


FURTHER

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Data Faceplate Color</b> (if applicable): E4 Black</p>
<div style="display: flex; align-items: center; justify-content: center;"> <div style="border-bottom: 1px solid black; width: 150px; height: 15px; margin-right: 5px;"></div> <span style="font-size: 24px; margin-right: 5px;">.</span> <span style="border: 1px solid black; padding: 2px 5px; font-weight: bold; font-size: 18px;">E4</span> </div>	

Examples: ATADF3.E4 ATADJ5

S Shippable by small-package carrier.

A Collaborative Standalone Hub provides access to power and data in teaming spaces in areas outside of the primary work area.





**Collaborative Hub** (page 104)

- Provides access to power in teaming spaces outside of the individual workspace.
- Used as a standalone unit, does not support or run power into beams.
- Three feet base kit or floor anchor brackets required – order separately.
- Options available with a standard power cord, whip, or for use with an electrical infeed cable.
- 6' power cord or whip included, infeed cable ordered separate.
- When powered through infeed cable, two duplex receptacles are required – sold separately.


**Collaborative Hub Foot Kit** (page 104)

- Attaches to the bottom of a Collaborative Hub.
- Nonleveling hub feet kit required for Collaborative Hub if no floor anchors are specified.



For specification information see page 103.

GSA SIN 33721



Description	Model	List Price		
		P1	P2	P3
<b>Collaborative Hub Kits — 28" H (must order feet below)</b>				
Infeed Hub (order 2 duplexes and infeed separately)	UN6H2PCK [S]	\$ 1582	\$ 1601	\$ 1623
Hardwire Hub (1 USB, 4 Simplex)	U6H2SCU1P4H [S]	\$ 2894	\$ 2916	\$ 2940
Corded Hub (1 USB, 4 Simplex)	U6H2SCU1P4C [S]	\$ 2786	\$ 2808	\$ 2832
<b>Collaborative Hub Components</b>				
Hub Base Kit — 3 Feet non-leveling	U6HB3 [S]	\$ 281	\$ 298	\$ 315
Anchor — Internal (Black only)	U3HAI [S]	\$ 75	N/A	N/A
Anchor — External (P1 or P2)	U3HAE [S]	\$ 75	\$ 78	80
Carpet Grippers – 12 pack	U3CG12 [S]	\$ 32	N/A	N/A

FURTHER


<p><i>How to specify —</i> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Electrical Color for Single Sided Hub Kit</b> (if applicable): BLK Black WHT White</p>	<p><i>2nd Option:</i> <b>Trim Faceplate for Single Sided Hub Kit</b> (if applicable):</p>	<p><i>3rd Option:</i> <b>Paint</b> (if applicable):</p>
U                 .		N   A	

Examples: UN6H2PCK.P02 U6HB3.P7B U3HAI U3CG12 U6H2SCU1PH.WHT.NA.PR6


[S] Shippable by small-package carrier.

20½"H x 48"W Beam Center Screen — Fabric  
U6BC2048F


13"H x 54"W Table Mounted Screen — Glass  
U6TS1354G



54"W Table Mounted Modesty — Fabric  
U6TM54F




Beam Mounted Screen




### Beam Mounted Screens (pages 107 and 109)

- Attach to the top or bottom of a beam, available in 6" increments at 13"H and 20½"H.
- Options available for tackable fabric up to 60"W, and glass up to 96"W.
- Fabric required when mounting screen to the bottom of a beam.
- Mounting top trim required to use screens on the top of a beam.
- May pass over a hub, h-leg, or in-line support without the use of split top trim.
- Beam mounted storage may be used on the same beam as a screen. Subtract the width of the storage unit from the screen.
- Worksurface mounted modesty screens are possible, but will interfere with cord management.
- Beam mounted modesty panels must be specified 6" shorter than beams when with Further Adaptive.




Elevated Version



Flush Mount


### Table Mounted Screens (pages 108 and 109)

- Attach to the edge of a worksurface, available in 6" increments at 13" and 20½"H from 30" - 60"W.
- Flush-mounted option available in tackable fabric and glass.
- Glass screens only allowed on 27" deep worksurfaces.
- Elevated option available in fabric only.
- Elevated screens provide 1¼" clearance for routing cords and attachment of monitor arms.
- Flush-mounted screens should be specified 12" shorter than width of worksurface when used between Table legs – see example left.




### Table Mounted Modesty (page 108)


- Attaches to the underside of a worksurface, available in 6" increments at 13"H from 18" - 60"W.
- Specify 13" shorter than width of worksurface when used between Table legs – see example left.
- Must be inset at least 3" from back edge of worksurface if used with table mounted or user movable screens.



U6BL1221ML




U6BL1221MR



### User Movable Screen (page 110)

- Mounts to the edge of a worksurface and may be transferred to other locations with ease. Available in 6" increments at 13"H from 18" - 60"W.
- Specify 12" shorter than worksurface edge when used between Table legs – see example left.
- Cannot be placed on mid support edge of worksurface when used with Further Adaptive.



Side View of Lateral Screen Attached to a Worksurface

Close-up of Attachment —  
Without Accessories Rail and With Accessories Rail

### Lateral Screen (page 110)

- Clamps to back edge of worksurface at 12"H.
- 20" or 26"D models available. Screen is designed to sit back from front edge of worksurface.
- Space for folders is 1½" and holds approximately 340 sheets of paper.
- Folder storage is one-sided – LH and RH options available.
- Cannot be located right above run off support beams on Adaptive workspaces.




# Screens

## Further™ — Fabric Screens and Modesty Panels


For specification information see pages 105-106.

GSA SIN 33721




U6TS1336F

Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>13"H Table Mounted Screens — Fabric</b>							
30"W Table Mounted	U6TS1330F <input type="checkbox"/>	\$ 831	\$ 857	\$ 881	\$ 922	\$ 962	\$ 1004
36"W Table Mounted	U6TS1336F <input type="checkbox"/>	\$ 867	\$ 897	\$ 926	\$ 975	\$ 1024	\$ 1074
42"W Table Mounted	U6TS1342F <input type="checkbox"/>	\$ 907	\$ 942	\$ 976	\$ 1034	\$ 1091	\$ 1148
48"W Table Mounted	U6TS1348F <input type="checkbox"/>	\$ 938	\$ 978	\$ 1017	\$ 1082	\$ 1148	\$ 1213
54"W Table Mounted	U6TS1354F <input type="checkbox"/>	\$ 985	\$ 1030	\$ 1074	\$ 1148	\$ 1221	\$ 1295
60"W Table Mounted	U6TS1360F <input type="checkbox"/>	\$ 1052	\$ 1102	\$ 1151	\$ 1232	\$ 1314	\$ 1396




U6TS2036F


<b>20½"H Table Mounted Screens — Fabric</b>							
30"W Table Mounted	U6TS2030F <input type="checkbox"/>	\$ 943	\$ 982	\$ 1020	\$ 1084	\$ 1147	\$ 1212
36"W Table Mounted	U6TS2036F <input type="checkbox"/>	\$ 979	\$ 1025	\$ 1072	\$ 1148	\$ 1226	\$ 1302
42"W Table Mounted	U6TS2042F <input type="checkbox"/>	\$ 1015	\$ 1069	\$ 1122	\$ 1212	\$ 1301	\$ 1389
48"W Table Mounted	U6TS2048F <input type="checkbox"/>	\$ 1086	\$ 1148	\$ 1210	\$ 1311	\$ 1413	\$ 1516
54"W Table Mounted	U6TS2054F <input type="checkbox"/>	\$ 1170	\$ 1239	\$ 1309	\$ 1424	\$ 1540	\$ 1654
60"W Table Mounted	U6TS2060F <input type="checkbox"/>	\$ 1229	\$ 1306	\$ 1382	\$ 1511	\$ 1638	\$ 1766



<b>13"H Elevated Table Mounted Screen — ¾" Thick Tackable Fabric</b>							
30"W	U6TTS1330F	\$ 893	\$ 919	\$ 944	\$ 986	\$ 1029	\$ 1070
36"W	U6TTS1336F	\$ 929	\$ 957	\$ 983	\$ 1028	\$ 1072	\$ 1117
42"W	U6TTS1342F	\$ 971	\$ 1003	\$ 1034	\$ 1086	\$ 1137	\$ 1189
48"W	U6TTS1348F	\$ 1012	\$ 1048	\$ 1084	\$ 1144	\$ 1204	\$ 1264
54"W	U6TTS1354F	\$ 1061	\$ 1102	\$ 1142	\$ 1210	\$ 1276	\$ 1344
60"W	U6TTS1360F	\$ 1125	\$ 1170	\$ 1215	\$ 1289	\$ 1364	\$ 1438



<b>20½"H Elevated Table Mounted Screen — ¾" Thick Tackable Fabric</b>							
30"W	U6TTS2030F	\$ 1012	\$ 1047	\$ 1083	\$ 1141	\$ 1200	\$ 1259
36"W	U6TTS2036F	\$ 1046	\$ 1089	\$ 1132	\$ 1202	\$ 1273	\$ 1344
42"W	U6TTS2042F	\$ 1087	\$ 1137	\$ 1187	\$ 1268	\$ 1351	\$ 1434
48"W	U6TTS2048F	\$ 1166	\$ 1223	\$ 1280	\$ 1374	\$ 1467	\$ 1561
54"W	U6TTS2054F	\$ 1256	\$ 1320	\$ 1383	\$ 1489	\$ 1594	\$ 1700
60"W	U6TTS2060F	\$ 1314	\$ 1385	\$ 1456	\$ 1574	\$ 1692	\$ 1809



U6TM36F

<b>13"H Table Mounted Modesty — Fabric</b>							
18"W Table Mounted	U6TM18F <input type="checkbox"/>	\$ 615	\$ 633	\$ 650	\$ 680	\$ 708	\$ 738
24"W Table Mounted	U6TM24F <input type="checkbox"/>	\$ 653	\$ 675	\$ 697	\$ 734	\$ 770	\$ 807
30"W Table Mounted	U6TM30F <input type="checkbox"/>	\$ 677	\$ 705	\$ 733	\$ 779	\$ 825	\$ 870
36"W Table Mounted	U6TM36F <input type="checkbox"/>	\$ 735	\$ 768	\$ 802	\$ 858	\$ 912	\$ 968
42"W Table Mounted	U6TM42F <input type="checkbox"/>	\$ 772	\$ 812	\$ 850	\$ 915	\$ 980	\$ 1044
48"W Table Mounted	U6TM48F <input type="checkbox"/>	\$ 828	\$ 872	\$ 917	\$ 990	\$ 1063	\$ 1136
54"W Table Mounted	U6TM54F <input type="checkbox"/>	\$ 887	\$ 937	\$ 987	\$ 1070	\$ 1151	\$ 1234
60"W Table Mounted	U6TM60F <input type="checkbox"/>	\$ 964	\$ 1017	\$ 1069	\$ 1156	\$ 1244	\$ 1331

**How to specify —**  
Select the Model Number from above.

1st Option:  
Fabric:

2nd Option:  
Mounted Screens  
End Cap  
Paint Color  
(if applicable):

P1  P2  P3

See page 52  
for finishes.

3rd Option:  
Paint Color:  
See page 52  
for finishes.


U6T | | | | | | | | F . | | | | | | . | | | | | | . | | | | | |

Examples: U6TS1330F.APN911.PR6.PR6 U6TM18F.APN911.PR6

Shippable by small-package carrier.


For specification information see page 105.

GSA SIN 33721




U6BC1336G

Description	Model	P1 Paint				P2 Paint			
		Clear	Frosted	Writable	Smoked	Clear	Frosted	Writable	Smoked
<b>13"H Beam Center Screens — Glass</b>									
24"W Beam Mounted	U6BC1324G	\$ 977	\$ 1029	\$ 1073	\$ 1077	\$ 994	\$ 1046	\$ 1090	\$ 1094
30"W Beam Mounted	U6BC1330G	\$ 1008	\$ 1063	\$ 1112	\$ 1110	\$ 1025	\$ 1080	\$ 1129	\$ 1127
36"W Beam Mounted	U6BC1336G	\$ 1060	\$ 1120	\$ 1175	\$ 1167	\$ 1077	\$ 1137	\$ 1192	\$ 1184
42"W Beam Mounted	U6BC1342G	\$ 1143	\$ 1209	\$ 1272	\$ 1259	\$ 1160	\$ 1226	\$ 1289	\$ 1276
48"W Beam Mounted	U6BC1348G	\$ 1175	\$ 1249	\$ 1318	\$ 1294	\$ 1192	\$ 1266	\$ 1335	\$ 1311
54"W Beam Mounted	U6BC1354G	\$ 1263	\$ 1342	\$ 1412	\$ 1394	\$ 1280	\$ 1359	\$ 1429	\$ 1411
60"W Beam Mounted	U6BC1360G	\$ 1333	\$ 1420	\$ 1493	\$ 1470	\$ 1350	\$ 1437	\$ 1510	\$ 1487
66"W Beam Mounted	U6BC1366G	\$ 1493	\$ 1585	\$ 1669	\$ 1648	\$ 1515	\$ 1607	\$ 1691	\$ 1670
72"W Beam Mounted	U6BC1372G	\$ 1641	\$ 1741	\$ 1831	\$ 1802	\$ 1663	\$ 1763	\$ 1853	\$ 1824
78"W Beam Mounted	U6BC1378G	\$ 1874	\$ 1980	\$ 2074	\$ 2063	\$ 1896	\$ 2002	\$ 2096	\$ 2085
84"W Beam Mounted	U6BC1384G	\$ 1942	\$ 2057	\$ 2164	\$ 2135	\$ 1964	\$ 2079	\$ 2186	\$ 2157
90"W Beam Mounted	U6BC1390G	\$ 2019	\$ 2148	\$ 2258	\$ 2221	\$ 2041	\$ 2170	\$ 2280	\$ 2243
96"W Beam Mounted	U6BC1396G	\$ 2126	\$ 2261	\$ 2389	\$ 2340	\$ 2148	\$ 2283	\$ 2411	\$ 2362




U6BC2036G

<b>20½"H Beam Center Screens — Glass</b>									
24"W Beam Mounted	U6BC2024G	\$ 1054	\$ 1120	\$ 1183	\$ 1163	\$ 1071	\$ 1137	\$ 1200	\$ 1180
30"W Beam Mounted	U6BC2030G	\$ 1085	\$ 1160	\$ 1229	\$ 1197	\$ 1102	\$ 1177	\$ 1246	\$ 1214
36"W Beam Mounted	U6BC2036G	\$ 1138	\$ 1218	\$ 1293	\$ 1256	\$ 1155	\$ 1235	\$ 1310	\$ 1273
42"W Beam Mounted	U6BC2042G	\$ 1263	\$ 1350	\$ 1432	\$ 1396	\$ 1280	\$ 1367	\$ 1449	\$ 1413
48"W Beam Mounted	U6BC2048G	\$ 1347	\$ 1439	\$ 1531	\$ 1490	\$ 1364	\$ 1456	\$ 1548	\$ 1507
54"W Beam Mounted	U6BC2054G	\$ 1446	\$ 1546	\$ 1642	\$ 1601	\$ 1463	\$ 1563	\$ 1659	\$ 1618
60"W Beam Mounted	U6BC2060G	\$ 1542	\$ 1649	\$ 1751	\$ 1707	\$ 1559	\$ 1666	\$ 1768	\$ 1724
66"W Beam Mounted	U6BC2066G	\$ 1696	\$ 1809	\$ 1919	\$ 1879	\$ 1718	\$ 1831	\$ 1941	\$ 1901
72"W Beam Mounted	U6BC2072G	\$ 1836	\$ 1954	\$ 2069	\$ 2023	\$ 1858	\$ 1976	\$ 2091	\$ 2045
78"W Beam Mounted	U6BC2078G	\$ 2308	\$ 2443	\$ 2570	\$ 2556	\$ 2330	\$ 2465	\$ 2592	\$ 2578
84"W Beam Mounted	U6BC2084G	\$ 2419	\$ 2568	\$ 2706	\$ 2678	\$ 2441	\$ 2590	\$ 2728	\$ 2700
90"W Beam Mounted	U6BC2090G	\$ 2562	\$ 2716	\$ 2861	\$ 2837	\$ 2584	\$ 2738	\$ 2883	\$ 2859
96"W Beam Mounted	U6BC2096G	\$ 2892	\$ 3052	\$ 3205	\$ 3209	\$ 2914	\$ 3074	\$ 3227	\$ 3231



U6TS1336G

<b>13"H Table Mounted Screens — Glass</b>									
30"W Table Mounted	U6TS1330G	\$ 1008	\$ 1063	\$ 1112	\$ 1110	\$ 1025	\$ 1080	\$ 1129	\$ 1127
36"W Table Mounted	U6TS1336G	\$ 1062	\$ 1122	\$ 1177	\$ 1169	\$ 1079	\$ 1139	\$ 1194	\$ 1186
42"W Table Mounted	U6TS1342G	\$ 1141	\$ 1207	\$ 1270	\$ 1257	\$ 1158	\$ 1224	\$ 1287	\$ 1274
48"W Table Mounted	U6TS1348G	\$ 1175	\$ 1249	\$ 1318	\$ 1294	\$ 1192	\$ 1266	\$ 1335	\$ 1311
54"W Table Mounted	U6TS1354G	\$ 1263	\$ 1342	\$ 1412	\$ 1394	\$ 1280	\$ 1359	\$ 1429	\$ 1411
60"W Table Mounted	U6TS1360G	\$ 1333	\$ 1420	\$ 1493	\$ 1470	\$ 1350	\$ 1437	\$ 1510	\$ 1487



U6TS2036G

<b>20½"H Table Mounted Screens — Glass</b>									
30"W Table Mounted	U6TS2030G	\$ 1085	\$ 1160	\$ 1229	\$ 1197	\$ 1102	\$ 1177	\$ 1246	\$ 1214
36"W Table Mounted	U6TS2036G	\$ 1140	\$ 1220	\$ 1295	\$ 1258	\$ 1157	\$ 1237	\$ 1312	\$ 1275
42"W Table Mounted	U6TS2042G	\$ 1261	\$ 1348	\$ 1430	\$ 1394	\$ 1278	\$ 1365	\$ 1447	\$ 1411
48"W Table Mounted	U6TS2048G	\$ 1347	\$ 1439	\$ 1531	\$ 1490	\$ 1364	\$ 1456	\$ 1548	\$ 1507
54"W Table Mounted	U6TS2054G	\$ 1446	\$ 1546	\$ 1642	\$ 1601	\$ 1463	\$ 1563	\$ 1659	\$ 1618
60"W Table Mounted	U6TS2060G	\$ 1542	\$ 1649	\$ 1751	\$ 1707	\$ 1559	\$ 1666	\$ 1768	\$ 1724

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>Glass:</b> LC Clear LF Frosted LM Writable GSM1 Smoked</p>	<p><b>2nd Option:</b> <b>Paint Color:</b> P1 P2 P3</p>	<p>U   6                     .   L                     .                    </p>
--	---	--	--

Examples: U6BC1324G.LF.PR6 U6TS1330G.LC.PR6

Shippable by small-package carrier.




# Screens

## Further™ — User Movable Screens


For specification information see page 106.

GSA SIN 33721




U6TU1336F

Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>13"H User Movable Screens — Fabric</b>							
18"W Movable	U6TU1318F <input type="checkbox"/>	\$ 737	\$ 754	\$ 770	\$ 799	\$ 826	\$ 853
24"W Movable	U6TU1324F <input type="checkbox"/>	\$ 775	\$ 796	\$ 817	\$ 851	\$ 886	\$ 920
30"W Movable	U6TU1330F <input type="checkbox"/>	\$ 831	\$ 858	\$ 884	\$ 926	\$ 970	\$ 1014
36"W Movable	U6TU1336F <input type="checkbox"/>	\$ 871	\$ 903	\$ 934	\$ 986	\$ 1038	\$ 1091
42"W Movable	U6TU1342F <input type="checkbox"/>	\$ 908	\$ 946	\$ 982	\$ 1043	\$ 1104	\$ 1165
48"W Movable	U6TU1348F <input type="checkbox"/>	\$ 942	\$ 984	\$ 1026	\$ 1096	\$ 1166	\$ 1236
54"W Movable	U6TU1354F <input type="checkbox"/>	\$ 993	\$ 1040	\$ 1088	\$ 1167	\$ 1245	\$ 1324
60"W Movable	U6TU1360F <input type="checkbox"/>	\$ 1057	\$ 1107	\$ 1157	\$ 1240	\$ 1321	\$ 1404



U6BL1221ML

Description	Model	List Price		
		P1	P2	P3
<b>12"H Lateral Screens — Metal</b>				
20"D Left	U6BL1221ML <input type="checkbox"/>	\$ 539	\$ 559	\$ 578
26"D Left	U6BL1227ML <input type="checkbox"/>	\$ 574	\$ 594	\$ 613
20"D Right	U6BL1221MR <input type="checkbox"/>	\$ 539	\$ 559	\$ 578
26"D Right	U6BL1227MR <input type="checkbox"/>	\$ 574	\$ 594	\$ 613




U6BL1221MR

FURTHER

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Fabric</b> <i>(if applicable):</i></p>	<p><i>2nd Option:</i> <b>Movable Screen End Cap or Lateral Screen</b> <b>Paint Color</b> <i>(if applicable):</i> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P1</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P2</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P3</span> See page 52 for finishes.</p>	<p><i>3rd Option:</i> <b>Movable Screen Mounting Bracket</b> <b>Paint Color:</b> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P1</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P2</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P3</span> See page 52 for finishes.</p>
<p>U 6                     .                     .                     .                     .</p>			

Examples: U6TU1324F.APN911.PR6.PR6 U6BL1221ML.PR6

Shippable by small-package carrier.




### Size Reference Matrix

Models	A	B	C1	C2	D	E	F	G1	G2	H	I	J1	J2	K
	Under Desk Height	Wing to Front	Wing Width STD	Wing Width EXT	Left Leg to Edge	Right Leg to Edge	Left Side Panel to Support	Distance Between Supports	Distance Between Center/Right Support	Right Side Panel to Support	Overall Width	Desktop to Base of Panel	Desktop to Top of Panel	Cable Drop Space
AFAMS2048LH	26.8	6.8	21.1	24.3	4.1	-	6.9	29.7	-	6.4	48.1	-	22.9	0.7
AFAMS2054LH	26.8	6.8	21.1	24.3	4.1	-	6.9	35.7	-	6.4	54.1	-	22.9	0.7
AFAMS2060LH	26.8	6.8	21.1	24.3	4.1	-	6.9	41.7	-	6.4	60.1	-	22.9	0.7
AFAMS2066LH	26.8	6.8	21.1	24.3	4.1	-	6.9	22.8	22.8	6.4	66.1	-	22.9	0.7
AFAMS2072LH	26.8	6.8	21.1	24.3	4.1	-	6.9	25.8	25.8	6.4	72.1	-	22.9	0.7
AFAMS2048RH	26.8	6.8	21.1	24.3	4.0	-	6.4	29.7	-	6.9	48.1	-	22.9	0.7
AFAMS2054RH	26.8	6.8	21.1	24.3	4.0	-	6.4	35.7	-	6.9	54.1	-	22.9	0.7
AFAMS2060RH	26.8	6.8	21.1	24.3	4.0	-	6.4	41.7	-	6.9	60.1	-	22.9	0.7
AFAMS2066RH	26.8	6.8	21.1	24.3	4.0	-	6.4	22.8	22.8	6.9	66.1	-	22.9	0.7
AFAMS2072RH	26.8	6.8	21.1	24.3	4.0	-	6.4	25.8	25.8	6.9	72.1	-	22.9	0.7
AFAMS2048US	26.8	6.8	21.1	24.3	4.1	-	6.9	30.3	-	6.9	48.1	-	22.9	0.7
AFAMS2054US	26.8	6.8	21.1	24.3	4.1	-	6.9	36.3	-	6.9	54.1	-	22.9	0.7
AFAMS2060US	26.8	6.8	21.1	24.3	4.1	-	6.9	42.3	-	6.9	60.1	-	22.9	0.7
AFAMS2066US	26.8	6.8	21.1	24.3	4.1	-	6.9	23.1	23.1	6.9	66.1	-	22.9	0.7
AFAMS2072US	26.8	6.8	21.1	24.3	4.1	-	6.9	26.1	26.1	6.9	72.1	-	22.9	0.7
AFAMS2048SS	26.8	-	-	-	4.0	-	5.0	32.0	-	5.0	48.0	-	22.9	0.7
AFAMS2054SS	26.8	-	-	-	4.0	-	5.0	38.0	-	5.0	54.0	-	22.9	0.7
AFAMS2060SS	26.8	-	-	-	4.0	-	5.0	44.0	-	5.0	60.0	-	22.9	0.7
AFAMS2066SS	26.8	-	-	-	4.0	-	5.0	24.0	24.0	5.0	66.0	-	22.9	0.7
AFAMS2072SS	26.8	-	-C1	-	4.0	-	5.0	27.0	27.0	5.0	72.0	-	22.9	0.7

**Lateral Divider Screens** (page 114)

- Optional addition to the bench that provides space division and privacy. Lateral divider screens run perpendicular to the center trough.
- Lateral divider screens are sized to match worksurface depth, however it is not required that they are used on worksurface of the same depth.
- Standard depth screens will overhang worksurface  $\frac{1}{2}$ ".
- There are three types of lateral divider screens: tackable fabric, Frosted or Clear glass, and writable glass.
- Lateral divider screens attach to the underside on the back of the worksurface anywhere along the length of the bench within  $7\frac{1}{2}$ " of each end.
- Lateral divider screens do not have to be mounted at the worksurface seam.
- Lateral divider screens may be used on standard systems worksurfaces, however, the screen mounts and aligns with the back edge of the worksurface. Not to be used on standard rabbet edge worksurfaces.
- Specify a shorter depth screen if using a lateral screen on a Stride Sit-to-Stand surface.
- Screens that match surface depths are available through Allsteel Tailored Products.

**Tackable Fabric Lateral Divider Screens** (page 114)

- $\frac{3}{4}$ " thick tackable fabric
- Available 8"H and 13"H.
- Nominal depths are 27", 30", and 36".
- Actual depths are  $22\frac{3}{4}$ "D,  $25\frac{3}{4}$ "D, and  $31\frac{3}{4}$ "D.

**Glass Lateral Divider Screens** (page 114)


- $\frac{3}{8}$ " thick laminated clear or frosted glass.
- Available 8"H and 13"H.
- Nominal depths are 27", 30", and 36".
- Actual depths are  $22\frac{3}{4}$ "D,  $25\frac{3}{4}$ "D, and  $31\frac{3}{4}$ "D.

### Further Adaptive — Metal Screens (page 115)

- Powder coated magnetic metal privacy screen.
- Metal surfaces can be easily disinfected with cleaners. See cleaning guide for more details at AllsteelOffice.com.
- Available in all standard paint colors.
- Provides ½" gap along the back for accessory mount and cord drop.
- Available in 48"W, 54"W, 60"W, 66"W and 72"W.
- 66"W and 72"W screens include 3rd center bracket.
- Available in Straight, L- and U-shape configurations. Above the desk only.
- L- and U-Shape screens are compatible with shrouded Further Adaptive Desk legs.
- Optional tackable accessories specified separately.
- 66"W tackable accessory comes as a set of (2) 24"W.
- 72"W tackable accessory comes as a set of (2) 20"W.
- Available in standard and extended wings.
- Wings mount flush to the edge of the surface with a VHB tape (included in hardware).
- 20"W tackable accessory must only be applied to both standard and extended wings without accessory slots.
- Wings are available with accessory slots that accept Raddii Hot File, Side Saddle and Coat hook.
- Top slot can accept one Raddii accessory.
- Bottom slot can accept a Coat hook and one other accessory.
- Accessories can hang on either side of the wing.
- TIP: If the Hot File is used in the top slot, it will block access for accessories in the bottom slot.
- Do not hang more than 5lbs of weight on wings.
- Screens are compatible with Raddii undermount storage.
- Not compatible with standard 120-worksurfaces. Contact Allsteel TPG for custom sizes.


### Size Reference Matrix

Tackboards	Wing	48"W	54"W	60"W	66"W	72"W
Actual Dimensions	20"W	30"W	36"W	42"W	20"W	24"W
Set of Tackboards	1	1	1	1	2	2



### Accessories — Tackboard (page 115)

- Tackable accessories come with metal frame available in standard paint colors and fabric options.
- Attach to the screen using a dual lock tape (included in hardware).



### Accessories — Raddii (page 116)

- Wings are available with accessory slots that accept Raddii Hot File, Side Saddle and Coat hook.
- Top slot can accept one Raddii accessory.
- Bottom slot can accept a Coat hook and one other accessory.
- Accessories can hang on either side of the wing.
- TIP: If the Hot File is used in the top slot, it will block access for accessories in the bottom slot.

### Accessories — Further Worksurface Rail Mount (page 270)


- Accessory rail must be field cut to fit between the screen brackets.
- The following accessories are not compatible with screens: U9WTC and U9TM.

# Benching


## Stride® — Lateral Divider Screens

GSA SIN 33721

For specification information see page 112.  
(See page 297 for COM pricing on fabric Grades G-J for Fabric Screens.)



Description	Model	Clear List Price	Frosted List Price	Smoked List Price
<b>8"H Lateral Divider Screen — 3/8" Thick Glass</b>				
27"D	Z6BL0827G <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 875	\$ 919	\$ 989
30"D	Z6BL0830G <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 918	\$ 969	\$ 1037
36"D	Z6BL0836G <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 964	\$ 1021	\$ 1090



Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>8"H Lateral Divider Screen — 3/4" Thick Tackable Fabric</b>							
27"D	Z6BL0827F <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 785	\$ 794	\$ 804	\$ 819	\$ 835	\$ 850
30"D	Z6BL0830F <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 808	\$ 818	\$ 829	\$ 846	\$ 863	\$ 879
36"D	Z6BL0836F <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 893	\$ 905	\$ 917	\$ 938	\$ 958	\$ 979

FURTHER

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Paint</b> (if applicable): <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P1</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P2</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P3</span> See page 52 for finishes.</p>	<p><i>1st Option:</i> <b>Fabric</b> (if applicable): See page 9 for fabrics.</p>	<p><i>1st Option:</i> <b>Glass</b> (if applicable): LC Clear LF Frosted GSM1 Smoked</p>	<p><i>2nd Option:</i> <b>Paint</b> (if applicable): <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P1</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P2</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P3</span> See page 52 for finishes.</p>
<p>_____ . <b>P</b> _____</p>		<p>_____ . <b>L</b> _____</p>		<p><b>P</b> _____</p>

Examples: Z6BL0836F.IMP905.P02    Z6BL0827G.LC.P28











S Shippable by small-package carrier.

# Screens

## Further™ Adaptive — Metal Screens / Tackboard Accessories

For specification information see pages 111-113.

GSA SIN 33721

		Description	Model	P1 Paint List Price	P2 Paint Upcharge	P3 Paint Upcharge
		<b>22"H Metal L-Screen</b>				
		48" W	AFAMS2048LH (shown)	\$ 833	\$ 865	\$ 897
		54" W	AFAMS2054LH	\$ 906	\$ 940	\$ 975
		60" W	AFAMS2060LH	\$ 1014	\$ 1053	\$ 1091
		66" W	AFAMS2066LH	\$ 1109	\$ 1151	\$ 1193
		72" W	AFAMS2072LH	\$ 1160	\$ 1204	\$ 1248
		<b>22"H Metal L-Screen</b>				
		48" W	AFAMS2048RH	\$ 833	\$ 865	\$ 897
		54" W	AFAMS2054RH	\$ 906	\$ 940	\$ 975
		60" W	AFAMS2060RH	\$ 1014	\$ 1053	\$ 1091
		66" W	AFAMS2066RH	\$ 1109	\$ 1151	\$ 1193
		72" W	AFAMS2072RH	\$ 1160	\$ 1204	\$ 1248
		<b>22"H Metal U-Screen</b>				
		48" W	AFAMS2048US (shown)	\$ 1086	\$ 1128	\$ 1168
		54" W	AFAMS2054US	\$ 1145	\$ 1189	\$ 1232
		60" W	AFAMS2060US	\$ 1196	\$ 1241	\$ 1287
		66" W	AFAMS2066US	\$ 1312	\$ 1362	\$ 1412
		72" W	AFAMS2072US	\$ 1377	\$ 1430	\$ 1481
		<b>22"H Metal U-Screen</b>				
		48" W	AFAMS2048SS (shown)	\$ 710	\$ 738	\$ 764
		54" W	AFAMS2054SS	\$ 746	\$ 775	\$ 803
		60" W	AFAMS2060SS	\$ 796	\$ 827	\$ 856
		66" W	AFAMS2066SS	\$ 906	\$ 940	\$ 975
		72" W	AFAMS2072SS	\$ 978	\$ 1016	\$ 1053
		<b>22"H Metal Straight Screen</b>				
		48" W	AFAMS2048SS (shown)	\$ 710	\$ 738	\$ 764
		54" W	AFAMS2054SS	\$ 746	\$ 775	\$ 803
		60" W	AFAMS2060SS	\$ 796	\$ 827	\$ 856
		66" W	AFAMS2066SS	\$ 906	\$ 940	\$ 975
		72" W	AFAMS2072SS	\$ 978	\$ 1016	\$ 1053
		<b>15"H Tackboard Accessories</b>				
		20" W	AAS1520 <input type="checkbox"/>	\$ 309	\$ 321	\$ 332
		48" W	AAS1548 <input type="checkbox"/> (shown)	\$ 367	\$ 382	\$ 395
		54" W	AAS1554 <input type="checkbox"/>	\$ 406	\$ 422	\$ 437
		60" W	AAS1560 <input type="checkbox"/>	\$ 423	\$ 440	\$ 455
		66" W	AAS1566 <input type="checkbox"/>	\$ 617	\$ 640	\$ 664
		72" W	AAS1572 <input type="checkbox"/>	\$ 675	\$ 701	\$ 727

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> Wing Type :</p> <p>STD Standard EXT Extended</p>	<p><b>2nd Option:</b> Accessories Slots:</p> <p>X No Accessory Cut Out SLT Accessory Cut Out</p>	<p><b>3rd Option:</b> Paint Option:</p> <p><input type="radio"/> P1 <input type="radio"/> P2 <input type="radio"/> P3 See page 52 for finishes.</p>	<p><b>4th Option:</b> Paint Option:</p> <p>NA Screen</p>	<p><b>5th Option:</b> Accessories Color (if applicable):</p> <p>DW Designer White E9 Flint</p>
	<p>_____ . _____ . _____ . P ____ . NA . _____</p>				

Examples: AAS1548.PR6.APN911 AFAMS2048LH.STD.SLT.PR6.NA

Shippable by small-package carrier.

For specification information see pages 111-113.

GSA SIN Pending


### Work Tools



Description	Model	List Price
<b>Hot File</b> (Designer White Only) 9½"H x 12¼"W x 3¾"D	AEHF	\$ 62
<b>Side Saddle</b> (Designer White Only) 4"H x 12¼"W x 2½"D	AESS	\$ 51
<b>Bag or Coat Hook</b> (Designer White Only) 3¼"H x 1⅝"W x 2¼"D	AECH	\$ 39

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>_____ .</p>	<p><i>1st Option:</i> <b>Paint Option</b> (if applicable):</p> <p><b>P1 P2 P3</b> See page 52 for finishes.</p> <p><b>P</b> _____ .</p>	<p><i>2nd Option:</i> <b>Fabric Option</b> (if applicable):</p> <p>See page 9 for fabric options.</p> <p>_____ .</p>	<p><i>3rd Option:</i> <b>Accessories Color</b> (if applicable):</p> <p><b>DW</b> Designer White <b>E9</b> Flint</p> <p>_____ .</p>
---	---	--	--

Examples: AEHF.PJW



10"W x 27"D Support Pedestal Open  
w/ Personal Bin — Right U7P1027PBR

### All Storage

- All storage is made from ¾" thick with particleboard core with top and bottom surfaces finished in laminate. Horizontal storage sides and back are painted steel.
- Edge band is made of 1mm thick ABS plastic — flat edge trim only.
- Cam and pin construction. Storage is plinth base only unless unit is mobile.
- Available in solid and woodgrain laminates, models with doors or drawers are available with a two-tone option.
- Pull options: arch, square, linear, straight. All standard in PR6 Silver.
- Locks have a silver finish.




FURTHER


# Notes

---


FURTHER




U7P1027PBR



U7P1521PD



U7MC203615HL



U7T501221ADR

### Open Support Pedestals (page 122)

- Constructed of laminate, shelves are painted steel.
- Open Support Pedestals may be used to add additional stability — see Further Stability Requirements on page 74.
- Support pedestals may be used to create freestanding desks, storage depth must match worksurface depth.
- 27" D models have a coat/bag hook located in back of unit.

### Pull-Out Drawer Support Pedestal (page 122)

- Case is constructed of laminate and painted steel.
- Box and file drawers are miter fold, ½" thick particle board, polypropylene wrapped.
- Configuration is box/box/file and one shelf at top of unit.
- Shelf is not adjustable but can be removed.
- All drawers hidden behind single laminate front.
- Straight, linear, arch and square pulls available as options.
- 1/8" leveling.
- Cannot be used as a freestanding, standalone unit.
- Outside overall dimensions: 15½" W and 21" or 27" D
- Box drawers extend 16" for both model depths.
- File drawers extend 16" on 21" D models and 20" on 27" D models.
- Front to back filing, standard letter size
- One lock, located in upper right hand corner of drawer front.
- Two-tone laminate option for drawer fronts
- Can be used to make a freestanding desk.

### Mobile Credenza (page 122)


- Constructed of laminate, shelf is painted steel.
- Mobile credenza has a hinged door with lock, no pull.
- Front casters are locking, back casters are non-locking.

### Side Access Towers (page 123)

- Top and sides are laminate, shelves are painted steel.
- Side Access Towers may be used to add additional stability — see Further Stability Requirements on page 74.
- 12" wide towers must be attached to a worksurface.
- Z6LB tower "L" bracket required when supporting a worksurface with a tower — storage depth must match worksurface depth.
- Tower drawers do not extend fully — 27" D towers have a 25" D drawer with 20" travel slides; 21" D towers have a 19" D drawer with 16" travel slides.
- 27" D models have a coat/bag hook located in back of drawer.

### "L" Tower Bracket (page 123)

- Z6LB tower "L" bracket required when supporting a worksurface with a tower.
- Storage depth must match worksurface depth.




# Storage


## Further™ — Horizontal and Beam-Mounted Storage Stanchion

For specification information see pages 117-120.

GSA SIN 33721



Description	Model	List Price		
		P1	P2	P3
<b>Worksurface Storage Stanchion</b>				
Horizontal Storage Single Sided Stanchion Kit	U7HSK1	\$ 479	\$ 491	\$ 501



Description	Model	List Price		
		P1	P2	P3
<b>Beam Mounted Storage Stanchions</b>				
Shelf Stanchion Kit 2-Pack	U7HSB2 <input type="checkbox"/>	\$ 286	\$ 298	\$ 308
Horizontal Storage Stanchion Kit 4-Pack	U7HSK2 <input type="checkbox"/>	\$ 578	\$ 593	\$ 607

*How to specify —*  
Select the Model Number from above.

*1st Option:*  
**Paint**  
(if applicable):  
 P1  P2  P3

U7H | | | | .

| | | |

Examples U7HSK1.PR6

Shippable by small-package carrier.

# Storage


## Further™ — Pedestals and Credenzas

For specification information see pages 117-120.


Laminate

GSA SIN 33721



Description	Model	List Price		
		L1	L2	L3
<b>Open Support Pedestal — 10"W x 28"H</b>				
27"D w/Personal Bin Left	U7P1027PBL <input type="checkbox"/>	\$ 2275	\$ 2354	\$ 2431
27"D w/Personal Bin Right	U7P1027PBR	\$ 2275	\$ 2354	\$ 2431



Description	Model	L1	L2	L3
<b>Pull-Out Drawer Support Pedestal — 15"W x 28"H</b>				
21"D — Shelf/Box/Box/File	U7P1521PD <input type="checkbox"/>	\$ 2773	\$ 2868	\$ 2965



Description	Model	L1	L2	L3
<b>Mobile Credenza — 15"D x 20"H</b>				
36"W — Hinged Door Left	U7MC203615HL <input type="checkbox"/>	\$ 3434	\$ 3551	\$ 3671
36"W — Hinged Door Right	U7MC203615HR <input type="checkbox"/>	\$ 3434	\$ 3551	\$ 3671



Description	Model	List Price											
		Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
<b>Seat Cushion — For Further Mobile Credenza only (Specify seating fabric — no leathers)</b>													
36"W x 15"D	K5CT1536SC	\$ 421	\$ 459	\$ 496	\$ 533	\$ 582	\$ 631	\$ 680	\$ 729	\$ 778	\$ 828	\$ 877	\$ 926

FURTHER

<b>How to specify —</b> Select the Model Number from above.  U   7                     .	<b>1st Option:</b> Pull Type (if applicable): AP Arch HP Straight (Involve) LP Linear SP Square	<b>2nd Option:</b> Pull Color (if applicable): PRO Anodized Silver	<b>3rd Option:</b> Metal Shelves Paint Color (if applicable): <input type="checkbox"/> P1 <input type="checkbox"/> P2 <input type="checkbox"/> P3 Upcharge: <table border="1" style="width: 100%;"> <tr> <td></td> <td style="text-align: center;">P2</td> <td style="text-align: center;">P3</td> </tr> <tr> <td>Open/21"D Pull-Out</td> <td style="text-align: center;">\$ 19</td> <td style="text-align: center;">\$ 40</td> </tr> <tr> <td>Open w/Bin/27"D Pull-Out</td> <td style="text-align: center;">\$ 22</td> <td style="text-align: center;">\$ 48</td> </tr> <tr> <td>Credenza</td> <td style="text-align: center;">\$ 22</td> <td style="text-align: center;">\$ 50</td> </tr> </table>		P2	P3	Open/21"D Pull-Out	\$ 19	\$ 40	Open w/Bin/27"D Pull-Out	\$ 22	\$ 48	Credenza	\$ 22	\$ 50	<b>4th Option:</b> FSC Certified Wood (if applicable): FSC Select for FSC Certified Wood X No FSC
		P2	P3													
	Open/21"D Pull-Out	\$ 19	\$ 40													
	Open w/Bin/27"D Pull-Out	\$ 22	\$ 48													
Credenza	\$ 22	\$ 50														

Continued below ▼

<b>5th Option:</b> Laminate (if applicable):	<b>6th Option:</b> Matching Edge (if applicable):	<b>7th Option:</b> Door Laminate (if applicable):	<b>8th Option:</b> Matching Edge (if applicable):	<b>9th Option:</b> Lock Option (if applicable): STD Standard OMT Omit Lock Core (deduct \$20)	<b>10th Option:</b> Lock Color (if applicable): EL Silver	Only Option for Seat Cushion: Specify Seating Upholstery
---	--	--	--	--	---	---

Examples: U7P1027PBL.PR6.FSC.LM11EV.LM11EV.STDEL K5CT1536SC.PNS012

Shippable by small-package carrier.



# Storage

## Further™ — Side Access Towers



For specification information see pages 117-120.

Laminate

GSA SIN 33721

U7T421227ADL 	Description	Model	List Price		
			L1	L2	L3
	<b>42½"H Side Access Towers — 12"W</b>				
	27"D w/Left Hand Side Access	U7T421227ADL <input type="checkbox"/>	\$ 4096	\$ 4237	\$ 4380
	27"D w/Right Hand Side Access	U7T421227ADR <input type="checkbox"/>	\$ 4096	\$ 4237	\$ 4380

U7T421227ADR

U7T501221ADL 	Description	Model	List Price		
			L1	L2	L3
	<b>50"H Side Access Towers — 12"W</b>				
	21"D w/Left Hand Side Access (shown)	U7T501221ADL <input type="checkbox"/>	\$ 4164	\$ 4307	\$ 4453
	27"D w/Left Hand Side Access	U7T501227ADL <input type="checkbox"/>	\$ 4342	\$ 4492	\$ 4644
	21"D w/Right Hand Side Access (shown)	U7T501221ADR <input type="checkbox"/>	\$ 4164	\$ 4307	\$ 4453
	27"D w/Right Hand Side Access	U7T501227ADR <input type="checkbox"/>	\$ 4342	\$ 4492	\$ 4644

U7T501221ADR

	Description	Model	P1 Paint	P2 Paint
			List Price	List Price
	<b>"L" Tower Bracket — for Towers</b>			
	"L" Tower Bracket for 21"D or 27"D	Z6LB	\$ 79	\$ 98

<b>How to specify —</b> Select the Model Number from above.	<b>1st Option:</b> <b>Pull Type</b> (if applicable): AP Arch Pull LP Linear Pull SP Square Pull HP Straight Pull (Involve)	<b>2nd Option:</b> <b>Paint Color:</b> <b>Arch Pull</b> E4 Black EL Silver <b>Linear and Straight Pull</b> PRO Anodized Silver <b>Square Pull</b> EL Silver	<b>3rd Option:</b> <b>Metal Shelves</b> <b>Paint Color</b> (if applicable): <input type="checkbox"/> P1 <input type="checkbox"/> P2 <input type="checkbox"/> P3 Upcharge: P2 \$34 P3 \$80	<b>4th Option:</b> <b>FSC Certified Wood</b> (if applicable): FSC Select for FSC Certified Wood X No FSC
	_____ . _____	_____ . _____	_____ . _____	_____ . _____

Continued below ▼


<b>5th Option:</b> <b>Laminate</b> (if applicable): _____ . _____	<b>6th Option:</b> <b>Matching Edge</b> (if applicable): _____ . _____	<b>7th Option:</b> <b>Door Laminate</b> (if applicable): _____ . _____	<b>8th Option:</b> <b>Matching Edge</b> (if applicable): _____ . _____	<b>9th Option:</b> <b>Lock Option</b> (if applicable): STD Standard OMT Omit Lock Core (deduct \$20) _____ . _____	<b>10th Option:</b> <b>Lock Color</b> (if applicable): EL Silver _____ . _____
_____ . _____	_____ . _____	_____ . _____	_____ . _____	_____ . _____	_____ . _____

Examples: U7T421227ADL.SPEL.FSC.LM11EV.LM11EV.STDEL Z6LB.PR6  Shippable by small-package carrier.

A full gallery of typicals from each Allsteel system can be found on our website:

<https://www.allsteeloffice.com/design-resources/idea-starters>.


Each typical includes a complete BOM with current pricing, downloadable CAD files and PDFs of each drawing.



#### Further Height-Adjustable Bench 2'-6" x 5'

All 4 stations are height-adjustable.

Bench configuration encourages collaboration.



#### Further Height-Adjustable Bench w/Towers 7' x 5'-6"


All 4 stations are height-adjustable.

Wardrobe and credenzas provide personal storage.

NOTE: Further Typicals can be found at <https://www.allsteeloffice.com/design-resources/idea-starters>.

Further Adaptive configurations use many of the standard Further components to create height-adjustable workstations. This Further Adaptive section contains just 40 models. For a complete Statement of Line of Further components see pages 57-58.


### WORKSURFACES — LAMINATE



**Rectangular**  
Standard 24" or 27"D x 48"-72"W




**120°**  
Standard 24" or 27"D x 46¼"-52¼"W




**Corner Covs**  
Standard 24" or 24"/27"D x 60"-72"W

### SUPPORTS


#### Fixed Leg Kits



#### Height-Adjustable Leg Kits




#### Mid-Supports




Dual-Sided    Single-Sided    120 Degree

#### Perpendicular Mid Supports




Dual-Sided    Single-Sided

#### End Supports




Dual-Sided    Single-Sided




Single-Sided


#### Perpendicular Outer Support




#### Beam



7" and 9" Beam-to-Beam Extension



Beam End Cap 2-Pack



Mid Support to Beam Connectors


#### Electrical



17" and 19" Jumpers









**Further Adaptive (Integrated Height-Adjustable)**

- Many standard Further components are utilized to create height-adjustable workstations, and may be restated here for easy reference.
- Height-adjustable stations can be mixed and matched with fixed height stations in any combination.
- Height-adjustable stations come with required control box kit.
- Fixed height and HAT leg kits can be used interchangeably with Further Adaptive supports ordered after 1/1/23.
- Mid-supports are required.
- A maximum of two mid-supports in a row may be used.
- Two end supports may be used in succession to extend 6-pack – requires 9" in-line beam connector.
- Single-sided setups require gallery panels to be mounted along spine of beam, or floor anchor brackets on all beam supports.
- Minimum of two single-sided stations allowed.
- Single-sided gallery panels must match the length of worksurfaces specified. Minimum height of the Gallery Panel must be 42" H.
- Adding power to a dual-sided two station application requires a hub at one end.
- Corner cove worksurfaces require a 3-leg HAT kit and perpendicular outer support.



FURTHER




### Worksurfaces (page 135)

- Standard 48"-72"W Further worksurfaces are used for height-adjustable workstations.
- 21"D worksurfaces cannot be used.
- A 1" gap exists between surfaces to eliminate pinch points.
- Worksurfaces cannot overhang supports on ends by more than 12".
- Distance from floor to top of height-adjustable worksurfaces ranges from 28" to 47 $\frac{7}{8}$ " with glides fully retracted. See illustration left.
- Distance from floor to top of worksurface for fixed height remains at 29 $\frac{1}{2}$ " with glides fully retracted. See illustrations below.
- Load maximum: 300 lbs, including weight of worksurface.

### External Worksurface Support Channel (page 135)


- External stiffeners to be used on 60"W worksurfaces and greater.
- Specify stiffener 12" shorter than standard. (ex. 60"W worksurface uses stiffener Z5SC48)
- Extends 1 $\frac{1}{2}$ " below the worksurface. Stiffener is 6 $\frac{1}{4}$ " from back edge of the worksurface.
- May interfere with storage or mounting of accessories.

## Adaptive Perpendicular — Height-Adjustable




### Adaptive Perpendicular Workstations

- No restriction on number of perpendicular mid supports used in a row.
- Worksurfaces are centered over perpendicular mid supports, but may be mounted up to 4 7/8" forward from mid support to reduce footprint.
- Minimum of 4 stations for dual-sided applications, 2 stations for single-sided applications.
- Perpendicular mid support does not complete height-adjustable station – must order perpendicular outer support and HAT kit.
- Fixed height stations require two worksurface support legs on non-beam side in place of a perpendicular outer support.
- A minimum beam length of 30" must be used between perpendicular mid supports for 27"D surfaces, and a minimum length of 24" for 24"D surfaces.





## Adaptive Organic — Height-Adjustable



### Adaptive 120° Workstations


- Requires a 120° mid support at all 3-way beam connections.
- End supports required on beams also connected to a 120° mid support.
- 7" in-line connector required to attach multiple 120° workstations.
- Single-sided end supports not allowed.
- One (1) 3-Leg HAT or fixed kit will be used per worksurface.






### Beams (page 80)

- Supply power to users and support screens, but do not support workspaces or storage in adaptive applications.
- Ported and non-ported options available in 6" increments.
- Flat or mounting top trim required to finish off beams – order separately.
- Beams do not connect directly in-line with one another, use in conjunction with adaptive supports.
- Height of assembled beam with top trim is 4¼".
- Electrical port locations are back-to-back, symmetric about beam center, and a standard distance away from beam ends on all lengths.
- 36" and 42" ported beams have 2 receptacle locations on each side (4 total), 48"-96" ported beams have 4 on each side (8 total).
- Ported beams do not carry data cables internally. Routed externally through beam mounted wire-managers. See page 91.




### Beam Top Trim (page 81)

- Available in 6"-96" lengths in flat or mounting rail and is required to finish off a beam. Must match beam length, no exceptions.
- Mounting top trim contains a reveal for mounting screens.
- Mounting top trim must be used for projects specified under Chicago electrical Codes.






### Beam End Cap (page 137)


- Caps off a beam at the end of a parent run.
- Used in conjunction with adaptive end support.
- Model ships with 2 end caps.



**In-Line Beam Connector** (page 137)

- Connects two end supports used in succession to extend a parent run.
- 7" connector used between 120° workstations, 9" connector used in linear benching applications.
- When routing power through an in-line beam connector, special length beam-to-beam jumpers are required; 7" – 17" (UN87J17), 9" – 19" (UN87J19).
- Needed every third beam for larger linear parent runs. Can be used after two beams in an 8-station typical to keep symmetry (gap will be 1"). See examples at left and below. For 120° applications use 7" beam length.
- Includes Flat trim; may be used to span a screen over the trim.






**All Adaptive Supports** (pages 136-137)

- Used in place of standard Further beam and worksurface supports.
- Specify a mid support to beam connector when specifying the Adaptive mid supports.
- Height-adjustable columns available in 20 Allsteel paint finishes.
- Load maximum: 250 lbs. per surface, including weight of worksurface.
- Include leveling glides with 2¼" adjustment.
- Columns are ordered separately from supports.




**End Supports** (page 136)

- Supports a beam and worksurface(s) at the end of a run. Cannot be used throughout the run.
- Available in dual- and single-sided models.
- 24" and 27" deep models to be used with corresponding worksurfaces.
- Two end supports may be used in succession to extend parent run. This application requires an in-line beam connector – ordered separately.




**Mid Supports** (page 136)

- Supports a beam and worksurface(s) in the middle of a run.
- Available in dual- and single-sided models.
- Same model used for both 24" and 27" deep worksurfaces.
- Hub to two beam connector kit UN3CHB2 required.
- Carries power and data to the beam structure; infeed can be routed through the side or bottom of support.





**Perpendicular Mid Support** (page 136)

- Used to support beam side of worksurface in perpendicular applications.
- Available in dual- and single-sided models.
- Same model used for both 24" and 27" deep worksurfaces.
- Hub to one or two beam connector kit required.
- Carries power and data to the beam structure; infeed can be routed through the side or bottom of support.





**Perpendicular Outer Support** (page 136)

- Used to support non-beam side of worksurface in perpendicular applications.
- Supports only one worksurface (not a shared support). 24"D and 27"D height-adjustable models available.
- In fixed height applications, two worksurface support legs are used – see illustration at upper left.




**Maximum Support Capacities**

Support	Data*	Infeeds	Beams
Linear Mid Support	88	2	2
Perpendicular Mid Support	88	2	2
120° Mid Support	132	3	3



### 120° Mid Support (page 136)

- Used to support center of 120° worksurfaces in organic applications. Requires three dual-sided end supports – see example left.
- Same model used for 24" and 27" deep worksurfaces.
- Carries power and data to the beam structure; infeed can be routed through the side or bottom of support.




### Fixed Leg Kits (page 136)

- 2-leg and 3-leg kits available.
- Includes required mounting hardware for fixed height stations.
- Ordered in addition to necessary supports.

### Height-Adjustable Kits (page 136)

- 2-leg and 3-leg kit available.
- Columns, gussets, and control boxes are all included with the height-adjustable kits.
- Ordered in addition to necessary supports.
- Kits can be used to retrofit workstations.
- 2-stage models can range from 26½" H to 45¾" H.
- Basic up/down, memory preset, and paddle.
- Available in 20 Allsteel paint finishes.
- Anti-collision feature.
- 250 lbs. weight capacity.




### Adaptive Floor Anchor Brackets (page 137)

- Used to mount single-sided Adaptive supports to floor if gallery panels are not desired.
- Kit includes brackets for 2 end supports and 2 mid supports.
- Hardware for mounting to floor is not included.


### Mid Support to Beam Connectors

#### 1 Beam to Mid Support Model UN3CHB1




Single


#### 2 Beams to Mid Support — Model UN3CHB2



2-Way 90°




2-Way 120°




2-Way 180°

#### 3 Beams to Mid Support — Model UN3CHB3



3-Way 90°



3-Way 120°

### Mid Support to Beam Connector Kits (page 136)

- Reconfigurable connector kits used in conjunction with mid support to support beams.
- Ordered by quantity of beams joined to hub — 1, 2, or 3 beams; or connector gap filler and connector blocks can be ordered ala carte to aid in reconfiguration.
- Kits include top casting mounting bracket, top casting, hub to beam connector(s), gap fillers, connector gap fillers, and full top trim.
- Beams can be mounted in 30 degree increments using the same hub and beam connector kit. *Example:* 3 beam connector kit can make a 120 degree or a “T” arrangement. See beam connector kit illustration at left.
- When connector kit is mounted, a gap is created to pass data cords out.




	Old Model	New Model
Mid Supports – Dual Sided 4 Packs for 24"D or 27"D	U6MSD4HA	UNMD
	U6MSD3HA1F	
	U6MSD2HA2F	
	U6MSD1HA3F	
	U6MSD4F	
Mid Supports – Single Sided 4 Packs for 24"D or 27"D	U6MSDL2HA	UNMS
	U6MSD1HA1F	
	U6MSDL2F	
120 Mid Supports for 24"D or 27"D	U6MS1203HA	UNM120
	U6MS1202HA1F	
	U6MS1201HA2F	
	U6MS1203F	
Perpendicular Mid Support Dual Sided 2 Pack	U6MSS2HA	UNMPED
	U6MSS1HA1F	
	U6MSS2F	
Perpendicular Mid Support Single Sided	U6MSEP1HA	UNMPES
	U6MSEP1F	
End Supports – Dual Sided (depth specific)	UN6E24D2HA	UNE24D
	UN6E24D1HA1F	
	UN6E24D2F	
	UN6E27D2HA	UNE27D
	UN6E27D1HA1F	
End Supports – Single Sided (depth specific)	UN6E27D2F	UNE24S
	U6E24SS1HA	
	U6E24SS1F	
	U6E27SS1HA	
Perpendicular Outer Support	U6E27SS1F	UNE27S
	U6PE241HA	
Retrofit Kit for Linear Adaptive Applications	U6PE271HA	UN6PE24
	U6LHAKIT	
		UNHAT2LEG

Leg kits are ordered separately from supports.




For Adaptive specification information see pages 124-134.  
Models listed below are a subset from pages 124-134 that are used for Adaptive applications.


Laminate  
GSA SIN 33721



Description	Model	List Price
<b>External Worksurface Support Channel (no color option) — 1½"H</b>		
36"W External Support Channel for 48"W Worksurface	Z5SC48 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 86
42"W External Support Channel for 54"W Worksurface	Z5SC54 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 99
48"W External Support Channel for 60"W Worksurface or 66" Table	Z5SC60	\$ 106




Description	Beam Size	Laminate w/Flat Edge Model	Laminate w/Flat Edge		
			L1	L2	L3
<b>24"D Rectangular Worksurfaces for Adaptive (27" to center of beam)</b>					
48"W	42" Beam	U5F2448S	\$ 639	\$ 665	\$ 684
54"W	48" Beam	U5F2454S	\$ 702	\$ 730	\$ 750
60"W	54" Beam	U5F2460S	\$ 774	\$ 804	\$ 827
66"W	60" Beam	U5F2466S	\$ 847	\$ 879	\$ 904
72"W	66" Beam	U5F2472S	\$ 920	\$ 954	\$ 983



<b>27"D Rectangular Worksurfaces for Adaptive (30" to center of beam)</b>					
48"W	42"W	U5F2748S	\$ 665	\$ 692	\$ 711
54"W	48"W	U5F2754S	\$ 743	\$ 772	\$ 794
60"W	54"W	U5F2760S	\$ 826	\$ 857	\$ 882
66"W	60"W	U5F2766S	\$ 895	\$ 928	\$ 955
72"W	66"W	U5F2772S	\$ 970	\$ 1005	\$ 1036




<b>24"D 120° Worksurfaces for Adaptive (27"D to center of beam)</b>					
46¼"W Back Left and Right	42" Beam	U5F244646C	\$ 1125	\$ 1165	\$ 1202
52¼"W Back Left and Right	48" Beam	U5F245252C	\$ 1225	\$ 1268	\$ 1309



<b>27"D 120° Worksurfaces for Adaptive (30"D to center of beam)</b>					
46¼"W Back Left and Right	42" Beam	U5F274646C	\$ 1153	\$ 1194	\$ 1231
52¼"W Back Left and Right	48" Beam	U5F275252C	\$ 1264	\$ 1308	\$ 1351



<b>Corner Cove Worksurfaces — Left Handed (66" and 72" extend left)</b>					
60" x 60" - 24"L / 24"R	54" / 54"	U5CC6024LS	\$ 1768	\$ 1825	\$ 1884
60" x 60" - 27"L / 24"R	54" / 54"	U5CC6027LS	\$ 1821	\$ 1879	\$ 1940
66" x 60" - 24"L / 24"R	60" / 54"	U5CC6624LS	\$ 1857	\$ 1916	\$ 1978
66" x 60" - 27"L / 24"R	60" / 54"	U5CC6627LS	\$ 1887	\$ 1947	\$ 2012
72" x 60" - 24"L / 24"R	66" / 54"	U5CC7224LS	\$ 1898	\$ 1958	\$ 2023
72" x 60" - 27"L / 24"R	66" / 54"	U5CC7227LS	\$ 2022	\$ 2087	\$ 2154



<b>Corner Cove Worksurfaces — Right Handed (66" and 72" extend right)</b>					
60" x 60" - 24"L / 24"R	54" / 54"	U5CC6024RS	\$ 1768	\$ 1825	\$ 1884
60" x 60" - 24"L / 27"R	54" / 54"	U5CC6027RS	\$ 1821	\$ 1879	\$ 1940
60" x 66" - 24"L / 24"R	54" / 60"	U5CC6624RS	\$ 1857	\$ 1916	\$ 1978
60" x 66" - 24"L / 27"R	54" / 60"	U5CC6627RS	\$ 1887	\$ 1947	\$ 2012
60" x 72" - 24"L / 24"R	54" / 66"	U5CC7224RS	\$ 1898	\$ 1958	\$ 2023
60" x 72" - 24"L / 27"R	54" / 66"	U5CC7227RS	\$ 2022	\$ 2087	\$ 2154



<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> Laminate (if applicable):</p>	<p><i>2nd Option:</i> Edge (if applicable):</p>	
<div style="display: flex; justify-content: space-between; width: 100%;"> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> </div>	<div style="display: flex; justify-content: space-between; width: 100%;"> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> </div>	<div style="display: flex; justify-content: space-between; width: 100%;"> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> <div style="border-bottom: 1px solid black; width: 15%;"></div> </div>	

Examples: Z5SC60 U5F2448S.LM11.EV U5F2760S.LWBR.DB



S Shippable by small-package carrier.

For specification information see pages 124-134.

GSA SIN 33721




Description	Model	List Price		
		P1	P2	P3
<b>Mid Supports</b>				
Dual-Sided Mid Support	UNMD	\$ 2620	\$ 2889	\$ 3023
Single-Sided Mid Support	UNMS	\$ 2189	\$ 2414	\$ 2525
120 Degree Mid Support	UNM120	\$ 2885	\$ 3181	\$ 3328
Dual-Sided Perpendicular Mid Support	UNMPED	\$ 1243	\$ 1371	\$ 1434
Single-Sided Perpendicular Mid Support	UNMPES	\$ 2189	\$ 2414	\$ 2525



<b>End Supports</b>				
Dual-Sided End Support, 24"D	UNE24D	\$ 1078	\$ 1189	\$ 1244
Dual-Sided End Support, 27"D	UNE27D	\$ 1690	\$ 1864	\$ 1950
Single-Sided End Support, 24"D	UNE24S	\$ 1569	\$ 1730	\$ 1810
Single-Sided End Support, 27"D	UNE27S	\$ 1824	\$ 2011	\$ 2105



<b>Outer Supports</b>				
Perpendicular Outer Support, 24"D	UN6PE24	\$ 1089	\$ 1201	\$ 1256
Perpendicular Outer Support, 27"D	UN6PE27	\$ 1237	\$ 1364	\$ 1427



<b>2- and 3-Leg Kits</b>				
2-Leg Fixed Height Kit	UNFIX2LEG	\$ 970	\$ 1070	\$ 1120
2-Leg Height Adjustable Kit	UNHAT2LEG	\$ 3016	\$ 3325	\$ 3480
3-Leg Fixed Height Kit	UNFIX3LEG	\$ 1454	\$ 1604	\$ 1678
3-Leg Height Adjustable Kit	UNHAT3LEG	\$ 4522	\$ 4986	\$ 5217



<b>Mid Support to Beam Connectors — configure as needed, see page 133</b>					
1 Beam to Mid Support Connector w/Top Trim and Gap Filler	UN3CHB1	<input type="checkbox"/>	\$ 346	\$ 363	\$ 398
2 Beams to Mid Support Connector w/Top Trim and Gap Filler	UN3CHB2	<input type="checkbox"/>	\$ 413	\$ 430	\$ 465
3 Beams to Mid Support Connector w/Top Trim and Gap Filler	UN3CHB3	<input type="checkbox"/>	\$ 470	\$ 487	\$ 522


<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>Paint color:</b> <input type="radio"/> P1 <input type="radio"/> P2 <input type="radio"/> P3</p>	<p><b>2nd Option:</b> <b>Select the Keypad (if applicable):</b> UD Basic Up/Down MEM Memory Preset PDL Paddle</p>
--	--	---

Example: UN3CHB1.PR6

Shippable by small-package carrier.

For Adaptive specification information see pages [124-134](#).

GSA SIN 33721




Description	Model	List Price		
		P1	P2	P3
<b>Beam Components for Adaptive</b>				
Beam End Cap — 2 Caps	UN3TBE <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 142	\$ 151	\$ 157
7"W Beam-to-Beam Connector for in-line 120° to 120°	UN6S7L <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 249	\$ 261	\$ 270
9"W Beam-to-Beam Connector for in-line connection	UN6S9L <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 260	\$ 272	\$ 281
<b>Floor Anchor Brackets</b>				
For Single Sided applications without Gallery Panels	U3SSHFA	\$ 72	\$ 79	\$ 86



<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Paint Color for Mid or End Support, or Component:</b>  <span style="border: 1px solid black; border-radius: 50%; padding: 2px 5px;">P1</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px 5px;">P2</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px 5px;">P3</span> </p>	<p><i>2nd Option:</i> <b>Paint Color for Adaptive Columns (if applicable):</b>  <b>P27</b> Black  <b>PR6</b> Silver  <b>PJW</b> Designer White                 </p>
<p>U   .          </p>	<p>.                </p>	<p>         </p>

Example: UN3TBE.PR5


S Shippable by small-package carrier.  
[allsteeloffice.com](http://allsteeloffice.com) | 137




### Adaptive Electrical (pages 141-142)

- Most electrical rules and options remain the same for Adaptive applications.
- Power infeeds cannot enter system through end supports.

Application	Beam Size	Bench Connector	Jumper Model
Linear	48-72"	UN6S9L	UN87J19
120°	42"	UN6S7L	UN87J19
120°	48"	UN6S7L	UN87J17






Upper knock-out opening (5.30 sq. in.) on access panel on mid support (both 2 & 4-column, 4-column shown) accepts up to 44 voice/data cables (.300" dia.)  
All quantities listed at 60% fill ratio.






Lower knock-out opening (5.72 sq. in.) on access panel on mid support (both 2 & 4-column, 4-column shown) accepts up to 39 voice/data cables (.300" dia.) when electrical shares opening with one infeed.  
All quantities listed at 60% fill ratio.

Lower knock-out opening (5.72 sq. in.) on access panel on mid support (both 2 & 4-column, 4-column shown) accepts up to 44 voice/data cables (.300" dia.) without power. Maximum of 72 cables in wire management.  
All quantities listed at 60% fill ratio.






Bottom 6" x 3/4" opening (19.50 sq. in.) of mid support (both 2 & 4-column, 4-column shown) accepts up to 88 voice/data cables (.300" dia.) when electrical shares opening with two infeeds.

88 cables shown = 44 per access panel upper knock-out.




Bottom 6" dia. opening (28.27 sq. in.) of 120 mid support accepts up to 132 voice/data cables (.300" dia.) when electrical shares opening with two infeeds. 132 cables shown = 44 per access panel upper knock-out.





**Beam-to-Beam Jumper** (page 141)


- Standard 16" jumpers are used over mid supports.
- 17" jumper used over 7" connector.
- 19" jumper used over 9" connector.
- Special length jumpers are required when routing power over two end supports through an in-line beam connector.



**Hardwire – New York Code** (page 99)


- Required for New York electrical.
- For flexible hubs and Further Adaptive, choose one of the 3 configurations:
  - U8IKNY1 for Hub to 1 Beam
  - U8IKNY2 for Hub to 2 Beam
  - U8IKNY3 for Hub to 3 Beam





**Single-Sided Wire Manager** (page 101)


- Can be used with any single-sided, dual-sided, Further Adaptive, freestanding post and beam, and fixed-height applications.
- Holds user wires and up to 30 system data cables on one side of a beam.
- Mounts into the continuous reveal on either side of a beam – mounting clips included.
- Single-sided version is recommended when nesting storage.
- The data manager without the 2½" D tray can be ordered separately to maximize space, or the tray can be removed in the field.
- Available from 36" to 78" widths in 6" increments.
- Includes mounting locations for Cord Management Chain when used with Adaptive supports or freestanding height-adjustable workstations.
- Specify 6" shorter than beam length when used with Adaptive supports.
- Two single-sided wire managers can be used on either side of beam to increase data capacity. (60 total)
- May be used in conjunction with beam mounted modesty screens.
- Includes 4 knockout port locations for data faceplates (2.7"W x 1.375"H) on all widths. Data faceplates ordered separately.



6 cables (.300" dia.)


**Cord Management Chain** (page 142)

- Used to route and conceal power/data cables from worksurface to beam power receptacles.
- Houses 6 cables at .300" diameter – see illustration left.
- Chain is 36" and must be used in conjunction with a single-sided wire manager. Specify wire manager to be 6" shorter than beam length.
- Chain can be mounted in two orientations – see illustrations left.
- Chain is plastic and comes in one color – Black.
- Recommended cord length for electrical accessories is 60".
- Maximum of two chains can be mounted to a wire manager tray that is 48" or greater.




**Hinged Trough** (page 142)

- Mounts beneath a worksurface. Used to conceal control box kit and extra cord slack.
- May be used in conjunction with quad tap unit UNQTMP to reduce the number of cords routed from a worksurface to a beam.
- Must specify at least 24" shorter than worksurface.
- Trough is user accessible, but may be fastened to worksurface if desired.



**Quad Tap** (page 259)


- Under surface mounting, used on any worksurface.
- 10' Power cord. UL Listed
- 4 Simplex receptacles.
- May be used in conjunction with hinged trough to reduce the number of cords routed from a worksurface to a beam.
- Comes standard with circuit-breaker feature.
- Chicago code compliant.
- Under surface mounting — 5" x 4¾" x 1¾".



FURTHER

For Adaptive specification information see pages 138-140.

GSA SIN 33721



Description	Model	List Price
<b>Electrical &amp; Data</b> (See pages 138-139 for specification and balance of electrical models.)		
17" Jumper for Adaptive	UN87J17 <input type="checkbox"/>	\$ 148
19" Jumper for Adaptive	UN87J19 <input type="checkbox"/>	\$ 152
Wireway Grommet — pack of 6	TAWG <input type="checkbox"/>	\$ 181

*How to specify —*  
Select the Model Number from above.

*1st Option:*  
**Jumper Color**  
(if applicable):  
P Black

\_\_\_\_\_ .  P


Example: UN87J17.P

Shippable by small-package carrier.




For Adaptive specification information see pages 138-140.


GSA SIN 33721




Description	Model	List Price
<b>Cord Management Chain</b>		
Bench Height with Mounting Brackets	A9CLWMC <input type="checkbox"/>	\$ 346



Description	Model	List Price		
		P1	P2	P3
<b>Hinged Wire Management Troughs for under Worksurfaces</b>				
24"W	UN924HT	\$ 338	\$ 357	\$ 385
36"W	UN936HT	\$ 354	\$ 374	\$ 404
48"W	UN948HT	\$ 373	\$ 394	\$ 426



<b>Beam Mounted Wire Manager — Single Sided Stationary Painted Metal</b>				
36"W Beam Mounted	UN6SWMC36	\$ 420	\$ 461	\$ 523
42"W Beam Mounted	UN6SWMC42	\$ 462	\$ 508	\$ 576
48"W Beam Mounted	UN6SWMC48	\$ 511	\$ 562	\$ 636
54"W Beam Mounted	UN6SWMC54	\$ 561	\$ 614	\$ 694
60"W Beam Mounted	UN6SWMC60	\$ 616	\$ 676	\$ 768
66"W Beam Mounted	UN6SWMC66	\$ 677	\$ 742	\$ 839
72"W Beam Mounted	UN6SWMC72	\$ 745	\$ 813	\$ 914
78"W Beam Mounted	UN6SWMC78	\$ 821	\$ 892	\$ 1001



<b>Beam-Mounted Data Manager without Tray — Single-Sided Painted Metal</b>				
36"W	UN6SDMC36 <input type="checkbox"/>	\$ 336	\$ 360	\$ 395
42"W	UN6SDMC42 <input type="checkbox"/>	\$ 369	\$ 396	\$ 435
48"W	UN6SDMC48 <input type="checkbox"/>	\$ 407	\$ 436	\$ 479
54"W	UN6SDMC54 <input type="checkbox"/>	\$ 450	\$ 482	\$ 529
60"W	UN6SDMC60 <input type="checkbox"/>	\$ 493	\$ 528	\$ 580
66"W	UN6SDMC66 <input type="checkbox"/>	\$ 543	\$ 582	\$ 638
72"W	UN6SDMC72 <input type="checkbox"/>	\$ 596	\$ 638	\$ 701
78"W	UN6SDMC78	\$ 656	\$ 702	\$ 772

FURTHER


**How to specify —**  
Select the Model Number from above.

**1st Option:**  
**Paint Color**  
(if applicable):  
 P1  P2  P3

\_\_\_\_\_ . \_\_\_\_\_


Examples: A9CLWMC UN6SWMC36.PR6


Shippable by small-package carrier.



### Storage (pages 117-123)


- Laminate shelves (24" & 30" W) can be mounted on Adaptive surfaces using worksurface mounted stanchion kits (U7HSK1).
- Storage below 26"H can be used underneath Adaptive surfaces when not directly underneath height-adjustable leg, otherwise storage must be below 23<sup>7</sup>/<sub>8</sub>"H. Taller storage units can be used if keypad with preset height capabilities (ATBCMC) is specified.
- Storage below 26"H can be used underneath fixed supports. Normal Further storage units may be used if positioned to not interfere with plates. See below.






**Laptop Drawer** (pages 279 and 282)

- Laptop Drawers (U7WDA) must clear worksurface gussets.
- Drawer must be inset 11¼" from the side edge and 9" on mid support side. See illustration at left.
- Laptop drawer cannot be used on 24" x 60", 24" x 66", or 24" x 72" due to external stiffener placement.
- Clearance below drawer is 22⅝" when worksurface is fully lowered. See illustration at left.



Front View



# Universal Screens

---

Finishes .....	146-147
Partnership Program Upholstery .....	148
Specification Details .....	149-152
<b><i>Fabric Screens</i></b>	
Beam Mounted Screens .....	153
Elevated Screens .....	154
Above/Below Screens .....	155
Lateral Screens .....	156-158
Adjustable HAT Screens.....	159
Modesty Screens.....	160
Sit-on-Surface Screens .....	161
<b><i>Glass Screens</i></b>	
Beam Mounted Screens .....	162
Elevated Screens .....	163
Above/Below Screens .....	164
Lateral Screens .....	165-166
Side Screens.....	167
Modesty Screens.....	168
<b><i>Acrylic Screens</i></b>	
Beam Mounted Screens .....	169
Elevated Screens .....	170
Above/Below Screens .....	171
Lateral Screens .....	172-173
Side Screens.....	174
Modesty Screens.....	175
Sit-on-Surface Screens .....	176
<b><i>Laminate Screens</i></b>	
Beam Mounted Screens .....	177
Elevated Screens .....	178
Above/Below Screens .....	179
Lateral Screens .....	180-181
Side Screens.....	182
Modesty Screens.....	183
<b><i>Organizers</i></b> .....	184

### PAINT FINISHES

#### GRADE P1

Black	P71
Brownstone	P7D
Bungalow	P7C
Cinder	P7Q
Cove	P096
Designer White	PJW
Dune	P094
Flint	P02
Fossil	P28
Harbor	P097
Loft	P7B
Muslin	P4J
Parchment	P93
Pebble	P8R
Pewter	P8D
Sage	P095
Salt	P8C
Titanium	P8T

#### GRADE P2

Champagne Metallic	PR5
Gunmetal Metallic	PR3
Matte Gold	P8G
Night Bronze	P8B
Platinum Metallic	PR2
Pyrite	PJE
Silver	PR6
Solar Black	P8X

#### GRADE P3

Amethyst ( <i>De-emphasized</i> )	P091
Atom	P8S
Blossom	P8K
Bullseye	PJF
Cobalt Mica ( <i>De-emphasized</i> )	P090
Ember	P8P
Ion	P8N
Iris	P8J
Krypton	P8F
Ochre	P093
Regatta	P8M
Sienna	P092
Succulent	P8A

#### GRADE P6

Markerboard	MKP
-------------	-----

### LAMINATE FINISHES

#### GRADE L1

Black	P
Bourbon Cherry	H
Charcoal	S
Cognac	COGN
Designer White	LDW1
Field Elm	LWFE
Florence Walnut	LFW1
Handspun Chestnut	LAHC
Handspun Dove	LAHD
Handspun Pearl	LAHP
Handspun Slate	LAHS
Harvest	C
Kingswood Walnut	LK1
Loft	LOFT
Mahogany	N
Mocha	MOCH
Natural Maple	D
Pinnacle	PINC
Shaker Cherry	F
Silver Mesh	B9
Sterling Ash	LSA1

#### GRADE L2

Beigewood	LWBE
Fawn Cypress	LFC1
Lowell Ash	LLA1
Natural Recon	LNR1
Phantom Ecrú	LPE1
Portico Teak	LPT1
Skyline Walnut	LSW1

### EDGE FINISHES

Beigewood	DE
Belair	BA
Black	E4
Bourbon Cherry	H
Brownstone	EY
Bungalow	EX
Designer White	DW
Fawn Cypress	FC
Field Elm	FE
Flint	E9
Florence Walnut	FW
Fossil	EH
Kingswood Walnut	KI
Loft	EV
Lowell Ash	DL
Mangalore Mango	MM
Muslin	EU
Natural Maple	DD
Natural Recon	DR
Natural Walnut	DN
Neo Walnut	NU
Parchment	EN
Phantom Charcoal	PC
Phantom Ecrú	PE
Pinnacle	PI
Platinum Metallic	EP
Portico Teak	DP
Shaker Cherry	DF
Skyline Walnut	SW
Titanium	TI
Veranda Teak	VT

### GRADE A

#### APPOINT PANEL

100% Polyester

Artichoke	APN911
Blackberry	APN932
Bronze	APN922
Carbon	APN928
Chai	APN912
Cherry	APN930
Dark Pewter	APN917
Dune	APN915
Espresso	APN923
Frost	APN934
Framboise	APN931
Jet	APN927
Lawn	APN925
Mandarin	APN929
Morel	APN909
Nimbus	APN916
Platinum	APN924
Turquoise	APN926

#### BINARY

83% Polyester, 17% Post-Consumer

Recycled Polyester

Blush	BNRY12
Coal	BNRY06
Cream	BNRY01
Denim	BNRY08
Diamond	BNRY03
Graphite	BNRY05
Juniper	BNRY10
Lagoon	BNRY07
Lavender	BNRY11
Mineral	BNRY04
Reef	BNRY09
Sand Dollar	BNRY02

#### ETCH

100% Polyester

Axis	ECH913
Blend	ECH914
Cast	ECH912
Highlight	ECH910
Midtone	ECH911
Outline	ECH908
Shade	ECH909
Tonal	ECH916
Vanish	ECH915

#### LANDSCAPE

48% Post-Consumer Recycled Polyester,

40% Pre-Consumer Recycled Polyester,

12% Polyester

Corn silk	LN15
Drift	LN05
Khaki	LN20
Sheen	LN10
Slate	LN35
Umber	LN25
Urban	LN30

### GRADE A – continued

#### NOBLE

60% Post-Consumer Recycled Polyester

Agean	NBLE18
Amethyst	NBLE19
Aspen	NBLE14
Aster	NBLE20
Blossom	NBLE21
Bluebell	NBLE22
Bordeaux	NBLE01
Brick	NBLE02
Chambray	NBLE10
Chamomile	NBLE23
Clementine	NBLE04
Conifer	NBLE24
Cottage	NBLE25
Darkness	NBLE26
Dawn	NBLE13
Denim	NBLE09
Desert Sand	NBLE27
Dewfall	NBLE28
Dusted Sage	NBLE29
Flax	NBLE30
Grass	NBLE07
Gunmetal	NBLE15
Harmony	NBLE31
Harvest	NBLE12
Ice Caves	NBLE32
Icicle	NBLE33
Inky	NBLE34
Iris	NBLE35
Jade	NBLE06
Knight	NBLE17
Mesa	NBLE03
Monarch	NBLE36
Pacific	NBLE08
Pitch	NBLE37
Queen Bee	NBLE38
Rainforest	NBLE05
Regal	NBLE11
Sandcastle	NBLE39
Sedona	NBLE40
Stormy	NBLE16
Sunbeam	NBLE41
Voyager	NBLE42
Windy Day	NBLE43

#### REFLECTIONS

56% Pre-Consumer Recycled Polyester,

44% Post-Consumer Recycled Polyester

Galvanized	REF929
Ice	REF920
Loggia	REF921
Mistral	REF928
Moonstone	REF923
Pewter	REF922
Stainless	REF924
Vanilla	REF925
Winter	REF927

#### REFUGES

46% Polyester, 35% Pre-Consumer

Recycled Polyester, 19% Post-Consumer

Recycled Polyester	
Artesian	RFG996
Dune	RFG992
Eclipse	RFG990
Frost †	RFG993
Glacier †	RFG991
Mineral	RFG998
Tidal	RFG994

#### TEMPEST

73% Pre-Consumer Recycled Polyester,

27% Post-Consumer Recycled Polyester

Dragonfly	TP930
Frost	TP915
Full Stream	TP980
Gold Rush	TP910
Slate	TP945
Tumbleweed	TP970
Wind Chill	TP940
Zebra	TP935

\* Limited to 48" W or less

## GRADE B

### DISPERSE

100% Polyester

Autumn.....	DISP03
Branch.....	DISP10
Coffee Bean.....	DISP13
Dusk.....	DISP09
Emerald City.....	DISP08
Gold Rush.....	DISP02
Igloo.....	DISP11
Ink.....	DISP06
Mist.....	DISP12
Oatmeal.....	DISP15
Prince.....	DISP07
Reservoir.....	DISP01
Rose.....	DISP04
Spring.....	DISP05
Steel.....	DISP16
Taupe.....	DISP14

### SPIN PANEL

54% Polyester, 30% Pre-Consumer

Recycled Polyester, 16% Post-Consumer

Recycled Polyester

Alabaster.....	SPIN02
Cavern.....	SPIN03
Cobblestone.....	SPIN04
Ember.....	SPIN06
Flame.....	SPIN07
Heron.....	SPIN13
Oat.....	SPIN01
Ocean.....	SPIN12
Plum.....	SPIN15
Pool.....	SPIN11
Raven.....	SPIN10
Rhubarb.....	SPIN14
Tropic.....	SPIN08
Willow.....	SPIN05

### TERRAIN

48% Polyester, 34% Pre-Consumer

Recycled Polyester, 18% Post-Consumer

Recycled Polyester

Bay.....	TRRN05
Bayou.....	TRRN35
Canyon.....	TRRN30
Cliff.....	TRRN45
Crest.....	TRRN25
Delta.....	TRRN10
Plateau.....	TRRN15
Ridge.....	TRRN20
Valley.....	TRRN40

## SEATING – GRADE 1

### CENTURION<sup>W</sup>

100% Polyester

Apricot.....	CU47
Bark.....	CU25
Black.....	CU10
Espresso.....	CU49
Fog.....	CU03
Frost.....	CU22
Goldenrod.....	CU27
Indigo.....	CU06
Iris.....	CU50
Iron Ore.....	CU19
Jade.....	CU83
Marsala.....	CU63
Morel.....	CU24
Navy.....	CU98
Peacock.....	CU97
Pear.....	CU84
Ruby.....	CU67
Sapphire.....	CU09

### DAPPER<sup>W</sup>

100% Polyester

Ash.....	DAPR20
Breeze.....	DAPR06
Canvas.....	DAPR25
Charcoal.....	DAPR01
Clover.....	DAPR22
Currant.....	DAPR00
Fawn.....	DAPR35
Fern.....	DAPR85
Gerbera.....	DAPR16
Grape.....	DAPR33
Jewel.....	DAPR08
Marigold.....	DAPR65
Onyx.....	DAPR10
Orchid.....	DAPR90
Parrot.....	DAPR59
Poppy.....	DAPR19
Sapphire.....	DAPR07
Scarlet.....	DAPR45
Sepia.....	DAPR30
Sky.....	DAPR44
Slate.....	DAPR15
Sorbet.....	DAPR55
Spring.....	DAPR80
Terracotta.....	DAPR13
Titanium.....	DAPR17
Varsity.....	DAPR09
Zest.....	DAPR70

<sup>W</sup> Limited to 48"W or less

ALLSTEEL MATERIALS PARTNERSHIP PROGRAM — See program explanation at bottom of page.

### GRADE 2

**Maharam MELD**  
68% Recycled Polyester,  
32% Polyester

Amethyst.....SMHMMLD18  
Antler.....SMHMMLD13  
Bare.....SMHMMLD26  
Blonde.....SMHMMLD27  
Bride.....SMHMMLD10  
Bulb.....SMHMMLD09  
Clementine.....SMHMMLD23  
Comet.....SMHMMLD29  
Crater.....SMHMMLD14  
Creek.....SMHMMLD40  
Fox.....SMHMMLD24  
Fuchsia.....SMHMMLD17  
Globe.....SMHMMLD42  
Gloss.....SMHMMLD08  
Grate.....SMHMMLD07  
Heat.....SMHMMLD22  
Honeydew.....SMHMMLD30  
Isle.....SMHMMLD39  
Kale.....SMHMMLD34  
Kiss.....SMHMMLD25  
Knight.....SMHMMLD04  
Magma.....SMHMMLD20  
Mariner.....SMHMMLD41  
Merlot.....SMHMMLD19  
Mimosas.....SMHMMLD28  
Mulberry.....SMHMMLD16  
Nordic.....SMHMMLD36  
Panda.....SMHMMLD02  
Perennial.....SMHMMLD15  
Pipe.....SMHMMLD06  
Quill.....SMHMMLD05  
Reef.....SMHMMLD37  
Rooster.....SMHMMLD21  
Seashell.....SMHMMLD12  
Seed.....SMHMMLD33  
Skyline.....SMHMMLD03  
Spa.....SMHMMLD43  
Stark.....SMHMMLD11  
Vast.....SMHMMLD01  
Vine.....SMHMMLD32  
Waterfall.....SMHMMLD35  
Wave.....SMHMMLD38  
Wild.....SMHMMLD31

### GRADE 4

**HBF Textiles BLINK**

Bright Blue..... 1048-59  
Dark Violet..... 1048-77  
Dove Grey..... 1048-83  
Lemon Yellow..... 1048-22  
Ocean Blue..... 1048-56  
Peppery..... 1048-90  
Red Orange..... 1048-44  
Sea Green..... 1048-67  
Silvery..... 1048-80

### GRADE 4 – continued

**Maharam MESSENGER**  
78% Recycled

Apple.....SMHMGRM96  
Ash.....SMHMGRM77  
Aster\*.....SMHMGRM67  
Azure.....SMHMGRM41  
Balsa\*.....SMHMGRM01  
Bayou.....SMHMGRM08  
Beyond\*.....SMHMGRM85  
Blanch.....SMHMGRM89  
Cactus\*.....SMHMGRM45  
Capri.....SMHMGRM61  
Cassis.....SMHMGRM66  
Catalyst\*.....SMHMGRM98  
Cherry.....SMHMGRM69  
Chestnut\*.....SMHMGRM52  
Chili\*.....SMHMGRM83  
Cloud.....SMHMGRM31  
Depth.....SMHMGRM38  
Dipper.....SMHMGRM92  
Electric\*.....SMHMGRM88  
Everglade.....SMHMGRM87  
Fennel\*.....SMHMGRM59  
Fireside\*.....SMHMGRM82  
Fossil\*.....SMHMGRM76  
Gale\*.....SMHMGRM93  
Hunter.....SMHMGRM94  
Husk\*.....SMHMGRM81  
Hydrangea\*.....SMHMGRM50  
Ice.....SMHMGRM46  
Krill\*.....SMHMGRM97  
Lilac\*.....SMHMGRM51  
Lime.....SMHMGRM95  
Longspur.....SMHMGRM90  
Lumine.....SMHMGRM54  
Maize\*.....SMHMGRM72  
Mao.....SMHMGRM25  
Neon\*.....SMHMGRM48  
Nile.....SMHMGRM40  
Onyx.....SMHMGRM29  
Oyster\*.....SMHMGRM79  
Pensive\*.....SMHMGRM80  
Peridot\*.....SMHMGRM60  
Poppy\*.....SMHMGRM24  
Robust\*.....SMHMGRM84  
Satsuma.....SMHMGRM71  
Shadow\*.....SMHMGRM07  
Snow.....SMHMGRM58  
Spice\*.....SMHMGRM68  
Squall\*.....SMHMGRM63  
Tangelo.....SMHMGRM53  
Tobacco\*.....SMHMGRM06  
Tusk\*.....SMHMGRM78  
Ultramarine\*.....SMHMGRM62  
Vibrant\*.....SMHMGRM70  
Vireo.....SMHMGRM91  
Voyage.....SMHMGRM86  
Zinc\*.....SMHMGRM10

### GRADE 9

**Maharam MEDIUM**  
100% Polyester

Alloy.....SMHMMDM03  
Cosmic.....SMHMMDM50  
Delight.....SMHMMDM36  
Espresso.....SMHMMDM07  
Flax.....SMHMMDM04  
Hike.....SMHMMDM47  
Laser.....SMHMMDM14  
Marina.....SMHMMDM22  
Nasturtium.....SMHMMDM53  
Nautical.....SMHMMDM39  
Pacific.....SMHMMDM49  
Pecan.....SMHMMDM08  
Pistachio.....SMHMMDM29  
Pool.....SMHMMDM40  
Port.....SMHMMDM16  
Prospect.....SMHMMDM32  
Pumpkin.....SMHMMDM12  
Raven.....SMHMMDM01  
Sculpture.....SMHMMDM45  
Smoke.....SMHMMDM02  
Tangle.....SMHMMDM48  
Thatched.....SMHMMDM46  
Washed.....SMHMMDM44

Multi-use fabrics are noted with the following designators: **B** – Tackboards, **C** – Concensys®, **O** – Optimize™, **T** – Terrace®, **F** – Further™.

\* Colorway not shown on Textiles card; all Partnership Program memo samples are available from supplier. See contact information below.

### ALLSTEEL PARTNERSHIP PROGRAM

Allsteel understands that customers may want to specify panel and seating textiles outside of Allsteel's standard offering. Allsteel's Partnership Program consists of on-trend and design-forward patterns that have been tested and approved by Allsteel for use on Allsteel products. A subset of these approved patterns is available on cards in the textile binder, while numerous others are available on our website, [allsteeloffice.com](http://allsteeloffice.com).

For memo samples, please contact our partners:

- Camira, [memos@camirafabrics.com](mailto:memos@camirafabrics.com) 1.616.288.0655
- CF Stinson, [cfstinson.com](http://cfstinson.com) 1.800.841.6279
- HBF Textiles, [hbftextiles.com](http://hbftextiles.com) 1.877.494.5727
- Maharam, [maharam.com](http://maharam.com) 1.800.645.3943
- Ultrafabrics, [ultrafabricsinc.com](http://ultrafabricsinc.com), 1.877.309.6648

The intent of the **Partnership Program** is to offer a wide variety of on-trend textiles to meet your varied needs, but since these textiles are not part of our standard offering they may be subject to extended lead times. Because new materials will be introduced regularly, Allsteel reserves the right to change the offering at any time.

### AVAILABLE SCREEN MATERIALS, MOUNTING METHODS, AND SIZES

#### Desktop Mounted Screens

		Elevated	Top Mount	Side Mount	F-2-B	S.O.S.	Lat Org	Modesty
Acrylic	H	13, 20	12, 20, 27	13, 20, 27	13, 20, 27	13, 20		13
	W	34, 36, 40, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72	21, 22, 24, 27, 28, 30, 36	21, 22, 24, 27, 28, 30, 36	21, 22, 24, 27, 28, 30, 36	36, 42, 48, 54, 60, 66, 72		30, 36, 42, 48, 54, 60, 66, 72
Fabric	H	13, 20, 27	13, 20	13, 20	13, 20, 27	13, 20		13
	W	34, 36, 40, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72	21, 22, 24, 27, 28, 30, 36	21, 22, 24, 27, 28, 30, 36	21, 22, 24, 27, 28, 30, 36	36, 42, 48, 54, 60, 66, 72		30, 36, 42, 48, 54, 60, 66, 72
Laminate	H	13, 20	13, 20, 27	13, 20, 27	13, 20, 27			13
	W	34, 36, 40, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72	21, 22, 24, 27, 28, 30, 36	21, 22, 24, 27, 28, 30, 36	21, 22, 24, 27, 28, 30, 36			30, 36, 42, 48, 54, 60, 66, 72
Glass	H	13, 20	13, 20	13, 20	13, 20			11
	W	34, 36, 40, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72	21, 22, 24, 27, 28, 30, 36	21, 22, 24, 27, 28, 30, 36	21, 22, 24, 27, 28, 30, 36			36, 42, 48, 54, 60
Metal	H						20	
	W						21, 27	

#### Above/Below Screens

		Movable A/B	Fixed A/B
Acrylic	H		27
	W		34, 36, 40, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72
Fabric	H	27, 34	27, 34
	W	34, 36, 40, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72	34, 36, 40, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72
Laminate	H		27
	W		34, 36, 40, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72
Glass	H		25
	W		36, 42, 48, 54, 60

#### Series-Specific Screens

		Further	Further Modesty
Acrylic	H	13, 20, 28	
	W	24, 30, 36, 42, 48, 54, 60, 66, 72	
Fabric	H	13, 20, 28	13, 20
	W	24, 30, 36, 42, 48, 54, 60, 66, 72	24, 30, 36, 42, 48, 54, 60, 66, 72
Laminate	H	13, 20, 28	
	W	24, 30, 36, 42, 48, 54, 60, 66, 72	
Glass	H	13, 20	
	W	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	




### SUPPORT CLEARANCE RULES

	Above/ Below Movable	Above/Below Fixed	Elevated Mount	Top Mount	Side Mount	Front-to-Back	Sit-on- Surface	Modesty*
Recommended Inset from Edge of Worksurface								
<b>Approach O-Leg</b>	>9"	No Inset	No Inset	No Inset	Not Compatible	2"	No Inset	6"
<b>Approach Splay Leg</b>	>9"	No Inset	No Inset	No Inset	Not Compatible	Not Compatible	No Inset	6"
<b>End Panel Leg</b>	18"	6"	12"	No Inset	Not Compatible	Not Compatible	No Inset	6"
<b>Huddle Post Leg</b>	9"	No Inset	No Inset	No Inset	No Inset	No Inset	No Inset	6"
<b>Altitude Base</b>	No Inset	No Inset	No Inset	No Inset	No Inset	No Inset	No Inset	No Inset
<b>Altitude Shroud</b>	6"	No Inset	No Inset	No Inset	No Inset	No Inset	No Inset	6"
<b>Pedestal</b>	>Ped Width	Ped Width -12"	Ped Width - 6"	No Inset	Not Compatible	Not Compatible	No Inset	Ped Width

\* Recommended mounting location for modesty screens is inset 3-6" from approach edge of worksurface. Screens can be mounted flush to the edge if desired. When using modesty panels, please check for interference with worksurface supports based on inset location.


### SCREEN MOUNTING TECH AND SPEC INFORMATION

#### Movable Above/Below




- Available in Fabric only.
- Screen is offset from edge of worksurface by 1" for cord management and to allow the use of worksurface-mounted accessories.
- Mounting brackets attach to underside of worksurface.
- Screen is secured to brackets with thumb screws, allowing users to adjust height up/down.
- Min. height above or below worksurface is 6".
- Brackets are secured on the outside edge of the screen.
- Brackets are available in standard paint options and ship uninstalled.

#### Sit-on-Surface Screen




- Available in Fabric or Acrylic.
- Screen is slightly offset from top of worksurface.
- Brackets come with anti-slip neoprene foam pads and do not physically attach to worksurface.
- Brackets are designed to be rotated 90 degrees when needed.
- Screen is secured to brackets by tightening two set screws in bracket against screen material.
- Brackets are available in standard paint options and ship uninstalled.

#### Top Mount Screen




- Available in Fabric or Acrylic.
- Screen is slightly offset from top of worksurface.
- Mounting brackets attach to the top of the worksurface with either double-sided tape or wood screws.
- Screen is secured to brackets by tightening two set screws in bracket against screen material.
- Bracket location flexible and can be adjusted as needed. Recommended inset location is ~6-12" from edge of screen.
- Brackets are available in standard paint options and ship uninstalled.

#### Fixed Above/Below




- Available in Fabric, Acrylic, or Laminate.
- Screen is offset from edge of worksurface by 1" for cord management and to allow the use of worksurface-mounted accessories.
- Mounting brackets attach to underside of worksurface.
- Fabric Screens are secured to brackets via metal fasteners to threaded inserts embedded in screen. Brackets are inset 10" (30-40"W) or 12" (42"W+) from edge of screen depending on size. Brackets are available in black paint only and ship installed.
- Acrylic Screens are secured to brackets via a metal fastener. Brackets are located on edge of screen. Brackets are available in standard paint options and ship uninstalled.
- Laminate Screens are secured to brackets via wood screws. Brackets are inset 10" (30-42"W) or 12" (48"W+). Brackets are available in black paint only and ship uninstalled.

#### Side Mount Screen



- Available in Fabric or Acrylic.
- Screen is slightly offset from top of worksurface.
- Mounting brackets wrap around the side edge of the worksurface.
- Screen is secured to brackets by tightening two set screws in bracket against screen material.
- Bracket location flexible and can be adjusted as needed. Recommended inset location is ~6-12" from edge of screen.
- Can only be used with flat-edged worksurfaces/tables.
- Brackets are available in standard paint options and ship uninstalled.


#### Elevated Screen



- Available in Fabric, Acrylic, or Glass.
- Screen is offset from top of worksurface by 1" for cord management and to allow the use of worksurface-mounted accessories.
- Mounting brackets attach to the underside of the worksurface.
- Screen is secured to brackets by tightening two set screws in bracket against screen material.
- Bracket location flexible and can be adjusted as needed. Recommended inset location is ~6-12" from edge of screen.
- Can only be used with flat-edged worksurfaces/tables.
- Brackets are available in standard paint options and ship uninstalled.


### SCREEN MOUNTING TECH AND SPEC INFORMATION

#### Front-to-Back Screen




- Available in Fabric, Acrylic, or Glass.
- Screen is slightly offset from top of worksurface.
- Mounting brackets wrap around front and rear edge of the worksurface.
- Screen is secured to brackets by tightening two set screws in bracket against screen material.
- Bracket location is fixed on either side of the screen.
- Can only be used with flat-edged worksurfaces/tables.
- Brackets are available in standard paint options and ship uninstalled.

#### Further Beam Mount




- Available in Fabric, Glass, Acrylic, or Laminate.
- Mounting brackets secure to slot in center of beam.
- Screens will provide access between screen and rear edge of worksurface for access to power rail or for mounting worksurface accessories.
- Screen is secured to brackets by tightening two set screws in bracket against screen material.
- Bracket location flexible and can be adjusted as needed. Recommended inset location is ~6-12" from edge of screen.
- For Further Adaptive applications select a desktop-mounted screen.
- Brackets are available in standard paint options and ship uninstalled.

#### Modesty Panel



- Available in Fabric, Acrylic, or Laminate.
- Mounting brackets attach to the underside of the worksurface.
- Fabric modesty is secured to brackets via metal fasteners to threaded inserts embedded in screen. Brackets are inset 10" (30-40"W) or 12" (42"W+) from edge of screen depending on size. Brackets are available in black paint only and ship installed.
- Acrylic modesty is secured to brackets via metal fasteners through predrilled holes in modesty panel. Brackets are inset 10" (36"W) or 12" (42"W+) from edge of screen depending on size. Brackets are available in standard paint options and ship uninstalled.
- Laminate modesty is secured to brackets via wood screws. Brackets are inset 10" (30-42"W) or 12" (48"W+). Brackets are available in black paint only and ship uninstalled.

For specification information see pages 149-152.




Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>13"H Beam Mounted Center Screen — Fabric</b>							
24"W	AFS1324BSF	\$ 647	\$ 676	\$ 703	\$ 731	\$ 770	\$ 807
30"W	AFS1330BSF	\$ 695	\$ 727	\$ 758	\$ 789	\$ 832	\$ 873
36"W	AFS1336BSF	\$ 729	\$ 763	\$ 797	\$ 830	\$ 876	\$ 920
42"W	AFS1342BSF	\$ 766	\$ 802	\$ 838	\$ 874	\$ 923	\$ 970
48"W	AFS1348BSF	\$ 806	\$ 846	\$ 884	\$ 923	\$ 974	\$ 1027
54"W	AFS1354BSF	\$ 848	\$ 890	\$ 931	\$ 973	\$ 1029	\$ 1084
60"W	AFS1360BSF	\$ 885	\$ 929	\$ 974	\$ 1017	\$ 1076	\$ 1135
66"W	AFS1366BSF	\$ 930	\$ 977	\$ 1024	\$ 1072	\$ 1135	\$ 1198
72"W	AFS1372BSF	\$ 981	\$ 1032	\$ 1083	\$ 1133	\$ 1201	\$ 1267

**20"H Beam Mounted Center Screen — Fabric**

24"W	AFS2024BSF	\$ 743	\$ 778	\$ 812	\$ 847	\$ 894	\$ 940
30"W	AFS2030BSF	\$ 792	\$ 831	\$ 868	\$ 906	\$ 957	\$ 1007
36"W	AFS2036BSF	\$ 828	\$ 869	\$ 909	\$ 949	\$ 1003	\$ 1056
42"W	AFS2042BSF	\$ 865	\$ 908	\$ 951	\$ 993	\$ 1051	\$ 1107
48"W	AFS2048BSF	\$ 905	\$ 951	\$ 996	\$ 1042	\$ 1103	\$ 1163
54"W	AFS2054BSF	\$ 948	\$ 996	\$ 1044	\$ 1093	\$ 1158	\$ 1222
60"W	AFS2060BSF	\$ 993	\$ 1045	\$ 1096	\$ 1147	\$ 1216	\$ 1285
66"W	AFS2066BSF	\$ 1047	\$ 1102	\$ 1158	\$ 1212	\$ 1286	\$ 1359
72"W	AFS2072BSF	\$ 1106	\$ 1165	\$ 1224	\$ 1283	\$ 1363	\$ 1440

**28"H Beam Mounted Center Screen — Fabric**

24"W	AFS2824BSF	\$ 837	\$ 878	\$ 919	\$ 960	\$ 1015	\$ 1069
30"W	AFS2830BSF	\$ 894	\$ 939	\$ 984	\$ 1029	\$ 1089	\$ 1147
36"W	AFS2836BSF	\$ 936	\$ 984	\$ 1031	\$ 1079	\$ 1143	\$ 1206
42"W	AFS2842BSF	\$ 981	\$ 1032	\$ 1083	\$ 1133	\$ 1201	\$ 1267
48"W	AFS2848BSF	\$ 1027	\$ 1081	\$ 1134	\$ 1188	\$ 1261	\$ 1332
54"W	AFS2854BSF	\$ 1078	\$ 1135	\$ 1192	\$ 1250	\$ 1326	\$ 1401
60"W	AFS2860BSF	\$ 1131	\$ 1193	\$ 1252	\$ 1314	\$ 1394	\$ 1475
66"W	AFS2866BSF	\$ 1136	\$ 1198	\$ 1259	\$ 1320	\$ 1401	\$ 1482
72"W	AFS2872BSF	\$ 1201	\$ 1267	\$ 1332	\$ 1397	\$ 1485	\$ 1571



Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>13"H Beam Mounted Modesty Screen — Fabric</b>							
24"W	AFS1324BMF	\$ 523	\$ 552	\$ 579	\$ 607	\$ 646	\$ 683
30"W	AFS1330BMF	\$ 571	\$ 603	\$ 634	\$ 665	\$ 708	\$ 749
36"W	AFS1336BMF	\$ 605	\$ 639	\$ 673	\$ 706	\$ 752	\$ 796
42"W	AFS1342BMF	\$ 642	\$ 678	\$ 714	\$ 750	\$ 799	\$ 846
48"W	AFS1348BMF	\$ 682	\$ 722	\$ 760	\$ 799	\$ 850	\$ 903
54"W	AFS1354BMF	\$ 724	\$ 766	\$ 807	\$ 849	\$ 905	\$ 960
60"W	AFS1360BMF	\$ 761	\$ 805	\$ 850	\$ 893	\$ 952	\$ 1011
66"W	AFS1366BMF	\$ 806	\$ 853	\$ 900	\$ 948	\$ 1011	\$ 1074
72"W	AFS1372BMF	\$ 857	\$ 908	\$ 959	\$ 1009	\$ 1077	\$ 1143

**20"H Beam Mounted Modesty Screen — Fabric**

24"W	AFS2024BMF	\$ 619	\$ 654	\$ 688	\$ 723	\$ 770	\$ 816
30"W	AFS2030BMF	\$ 668	\$ 707	\$ 744	\$ 782	\$ 833	\$ 883
36"W	AFS2036BMF	\$ 704	\$ 745	\$ 785	\$ 825	\$ 879	\$ 932
42"W	AFS2042BMF	\$ 741	\$ 784	\$ 827	\$ 869	\$ 927	\$ 983
48"W	AFS2048BMF	\$ 781	\$ 827	\$ 872	\$ 918	\$ 979	\$ 1039
54"W	AFS2054BMF	\$ 824	\$ 872	\$ 920	\$ 969	\$ 1034	\$ 1098
60"W	AFS2060BMF	\$ 869	\$ 921	\$ 972	\$ 1023	\$ 1092	\$ 1161
66"W	AFS2066BMF	\$ 923	\$ 978	\$ 1034	\$ 1088	\$ 1162	\$ 1235
72"W	AFS2072BMF	\$ 982	\$ 1041	\$ 1100	\$ 1159	\$ 1239	\$ 1316

**How to specify —**  
Select the Model Number from above.


**1st Option:**  
**Fabric:**  
See pages 146-147 for fabrics.

**2nd Option:**  
**Paint Color:**  
P1 P2 P3  
See page 146 for finishes.

A | F | S | | | | | | | | | | .

*Example:*

For specification information see pages 149-152.



Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>13"H Elevated Screen — Fabric</b>							
36"W	AFS1336DFS	\$ 694	\$ 723	\$ 752	\$ 781	\$ 820	\$ 858
42"W	AFS1342DFS	\$ 725	\$ 756	\$ 788	\$ 818	\$ 860	\$ 901
48"W	AFS1348DFS	\$ 757	\$ 790	\$ 824	\$ 857	\$ 901	\$ 945
54"W	AFS1354DFS	\$ 792	\$ 828	\$ 863	\$ 899	\$ 946	\$ 993
60"W	AFS1360DFS	\$ 830	\$ 869	\$ 907	\$ 945	\$ 996	\$ 1046
66"W	AFS1366DFS	\$ 871	\$ 912	\$ 953	\$ 994	\$ 1048	\$ 1103
72"W	AFS1372DFS	\$ 913	\$ 957	\$ 1001	\$ 1044	\$ 1103	\$ 1161

**20"H Elevated Screen — Fabric**

36"W	AFS2036DFS	\$ 814	\$ 852	\$ 889	\$ 926	\$ 975	\$ 1024
42"W	AFS2042DFS	\$ 854	\$ 894	\$ 934	\$ 973	\$ 1027	\$ 1079
48"W	AFS2048DFS	\$ 899	\$ 942	\$ 985	\$ 1027	\$ 1085	\$ 1141
54"W	AFS2054DFS	\$ 944	\$ 990	\$ 1036	\$ 1081	\$ 1143	\$ 1203
60"W	AFS2060DFS	\$ 997	\$ 1047	\$ 1096	\$ 1145	\$ 1211	\$ 1277
66"W	AFS2066DFS	\$ 1042	\$ 1095	\$ 1147	\$ 1199	\$ 1269	\$ 1339
72"W	AFS2072DFS	\$ 1078	\$ 1133	\$ 1187	\$ 1242	\$ 1316	\$ 1388

**27"H Elevated Screen — Fabric**

36"W	AFS2736DFS	\$ 884	\$ 926	\$ 967	\$ 1009	\$ 1065	\$ 1120
42"W	AFS2742DFS	\$ 923	\$ 968	\$ 1012	\$ 1056	\$ 1115	\$ 1174
48"W	AFS2748DFS	\$ 964	\$ 1011	\$ 1058	\$ 1105	\$ 1168	\$ 1232
54"W	AFS2754DFS	\$ 1008	\$ 1059	\$ 1109	\$ 1158	\$ 1225	\$ 1292
60"W	AFS2760DFS	\$ 1055	\$ 1109	\$ 1161	\$ 1215	\$ 1287	\$ 1356
66"W	AFS2766DFS	\$ 1110	\$ 1167	\$ 1224	\$ 1281	\$ 1357	\$ 1432
72"W	AFS2772DFS	\$ 1171	\$ 1233	\$ 1294	\$ 1355	\$ 1436	\$ 1517

Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>13"H Elevated HAT Screen — Fabric</b>							
34"W	AFS1334DFS	\$ 679	\$ 708	\$ 735	\$ 763	\$ 800	\$ 838
40"W	AFS1340DFS	\$ 708	\$ 738	\$ 768	\$ 798	\$ 838	\$ 877
46"W	AFS1346DFS	\$ 741	\$ 773	\$ 806	\$ 837	\$ 881	\$ 924
52"W	AFS1352DFS	\$ 775	\$ 809	\$ 844	\$ 878	\$ 925	\$ 970
58"W	AFS1358DFS	\$ 811	\$ 849	\$ 885	\$ 922	\$ 971	\$ 1020
64"W	AFS1364DFS	\$ 850	\$ 890	\$ 929	\$ 968	\$ 1022	\$ 1074
70"W	AFS1370DFS	\$ 891	\$ 934	\$ 975	\$ 1018	\$ 1075	\$ 1130

**20"H Elevated HAT Screen — Fabric**

34"W	AFS2034DFS	\$ 794	\$ 830	\$ 865	\$ 901	\$ 949	\$ 996
40"W	AFS2040DFS	\$ 834	\$ 873	\$ 911	\$ 949	\$ 1000	\$ 1051
46"W	AFS2046DFS	\$ 876	\$ 918	\$ 958	\$ 1000	\$ 1055	\$ 1110
52"W	AFS2052DFS	\$ 921	\$ 965	\$ 1010	\$ 1053	\$ 1113	\$ 1171
58"W	AFS2058DFS	\$ 975	\$ 1023	\$ 1071	\$ 1118	\$ 1183	\$ 1246
64"W	AFS2064DFS	\$ 1019	\$ 1070	\$ 1121	\$ 1171	\$ 1240	\$ 1307
70"W	AFS2070DFS	\$ 1069	\$ 1124	\$ 1177	\$ 1232	\$ 1304	\$ 1376

**27"H Elevated HAT Screen — Fabric**

34"W	AFS2734DFS	\$ 865	\$ 906	\$ 946	\$ 986	\$ 1041	\$ 1094
40"W	AFS2740DFS	\$ 902	\$ 945	\$ 989	\$ 1031	\$ 1089	\$ 1146
46"W	AFS2746DFS	\$ 943	\$ 989	\$ 1035	\$ 1080	\$ 1142	\$ 1202
52"W	AFS2752DFS	\$ 985	\$ 1033	\$ 1083	\$ 1130	\$ 1196	\$ 1260
58"W	AFS2758DFS	\$ 1031	\$ 1083	\$ 1134	\$ 1186	\$ 1255	\$ 1324
64"W	AFS2764DFS	\$ 1082	\$ 1137	\$ 1193	\$ 1247	\$ 1321	\$ 1394
70"W	AFS2770DFS	\$ 1141	\$ 1200	\$ 1259	\$ 1318	\$ 1398	\$ 1475

**How to specify —**  
Select the  
Model Number  
from above.

**1st Option:**


**Fabric:**  
See pages 146-147  
for fabrics.

**2nd Option:**

**Paint Color:**  
P1 P2 P3  
See page 146 for finishes.

AFS | | | | | | | | | | .   
*Example:*

For specification information see pages 149-152.



Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>27"H Above/Below Screen — Fabric</b>							
36"W	AFS2736DTS	\$ 938	\$ 981	\$ 1025	\$ 1067	\$ 1126	\$ 1183
42"W	AFS2742DTS	\$ 978	\$ 1024	\$ 1070	\$ 1116	\$ 1177	\$ 1238
48"W	AFS2748DTS	\$ 1021	\$ 1071	\$ 1119	\$ 1168	\$ 1233	\$ 1297
54"W	AFS2754DTS	\$ 1067	\$ 1119	\$ 1171	\$ 1222	\$ 1292	\$ 1361
60"W	AFS2760DTS	\$ 1114	\$ 1169	\$ 1225	\$ 1279	\$ 1353	\$ 1426
66"W	AFS2766DTS	\$ 1173	\$ 1232	\$ 1291	\$ 1350	\$ 1430	\$ 1507
72"W	AFS2772DTS	\$ 1235	\$ 1299	\$ 1362	\$ 1424	\$ 1509	\$ 1593

<b>34"H Above/Below Screen — Fabric</b>							
36"W	AFS3436DTS	\$ 902	\$ 943	\$ 984	\$ 1025	\$ 1079	\$ 1132
42"W	AFS3442DTS	\$ 939	\$ 983	\$ 1026	\$ 1069	\$ 1127	\$ 1184
48"W	AFS3448DTS	\$ 979	\$ 1025	\$ 1071	\$ 1117	\$ 1179	\$ 1239
54"W	AFS3454DTS	\$ 1285	\$ 1352	\$ 1418	\$ 1484	\$ 1573	\$ 1662
60"W	AFS3460DTS	\$ 1343	\$ 1413	\$ 1484	\$ 1554	\$ 1649	\$ 1741
66"W	AFS3466DTS	\$ 1419	\$ 1495	\$ 1570	\$ 1645	\$ 1746	\$ 1847
72"W	AFS3472DTS	\$ 1462	\$ 1541	\$ 1618	\$ 1697	\$ 1803	\$ 1906

Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>27"H Above/Below HAT Screen — Fabric</b>							
34"W	AFS2734DTS	\$ 918	\$ 960	\$ 1002	\$ 1044	\$ 1099	\$ 1155
40"W	AFS2740DTS	\$ 958	\$ 1003	\$ 1047	\$ 1091	\$ 1151	\$ 1210
46"W	AFS2746DTS	\$ 999	\$ 1046	\$ 1093	\$ 1141	\$ 1204	\$ 1267
52"W	AFS2752DTS	\$ 1044	\$ 1095	\$ 1145	\$ 1195	\$ 1262	\$ 1329
58"W	AFS2758DTS	\$ 1090	\$ 1144	\$ 1197	\$ 1251	\$ 1322	\$ 1392
64"W	AFS2764DTS	\$ 1143	\$ 1200	\$ 1257	\$ 1314	\$ 1390	\$ 1465
70"W	AFS2770DTS	\$ 1204	\$ 1266	\$ 1327	\$ 1388	\$ 1469	\$ 1550

<b>34"H Above/Below HAT Screen — Fabric</b>							
34"W	AFS3434DTS	\$ 883	\$ 923	\$ 962	\$ 1001	\$ 1055	\$ 1107
40"W	AFS3440DTS	\$ 920	\$ 962	\$ 1004	\$ 1046	\$ 1103	\$ 1158
46"W	AFS3446DTS	\$ 960	\$ 1005	\$ 1050	\$ 1093	\$ 1153	\$ 1213
52"W	AFS3452DTS	\$ 1255	\$ 1320	\$ 1384	\$ 1448	\$ 1535	\$ 1621
58"W	AFS3458DTS	\$ 1315	\$ 1384	\$ 1452	\$ 1520	\$ 1612	\$ 1704
64"W	AFS3464DTS	\$ 1380	\$ 1454	\$ 1525	\$ 1598	\$ 1697	\$ 1793
70"W	AFS3470DTS	\$ 1423	\$ 1499	\$ 1575	\$ 1650	\$ 1752	\$ 1852


<p><b>How to specify —</b> Select the Model Number from above.</p> <p><b>A F S</b>                     .</p>	<p><b>1st Option:</b> <b>Fabric:</b> See pages 146-147 for fabrics.</p> <p>              .</p>	<p><b>2nd Option:</b> <b>Paint Color:</b> P1 P2 P3 See page 146 for finishes.</p> <p>        .</p>
--	--	--

Example:

Fabric

Open Market

For specification information see pages 149-152.



Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>13"H Front-to-Back — Fabric</b>							
21"W	AFS1321LDF	\$ 643	\$ 666	\$ 690	\$ 713	\$ 745	\$ 775
24"W	AFS1324LDF	\$ 668	\$ 694	\$ 719	\$ 744	\$ 776	\$ 810
27"W	AFS1327LDF	\$ 682	\$ 709	\$ 734	\$ 760	\$ 795	\$ 830
30"W	AFS1330LDF	\$ 711	\$ 739	\$ 767	\$ 794	\$ 832	\$ 870
36"W	AFS1336LDF	\$ 740	\$ 770	\$ 800	\$ 830	\$ 870	\$ 909
<b>20"H Front-to-Back — Fabric</b>							
21"W	AFS2021LDF	\$ 740	\$ 770	\$ 800	\$ 830	\$ 870	\$ 909
24"W	AFS2024LDF	\$ 767	\$ 799	\$ 831	\$ 862	\$ 905	\$ 946
27"W	AFS2027LDF	\$ 783	\$ 816	\$ 849	\$ 882	\$ 925	\$ 969
30"W	AFS2030LDF	\$ 808	\$ 842	\$ 877	\$ 911	\$ 958	\$ 1003
36"W	AFS2036LDF	\$ 844	\$ 882	\$ 918	\$ 955	\$ 1004	\$ 1053
<b>27"H Front-to-Back — Fabric</b>							
21"W	AFS2721LDF	\$ 815	\$ 850	\$ 885	\$ 920	\$ 967	\$ 1013
24"W	AFS2724LDF	\$ 848	\$ 886	\$ 923	\$ 960	\$ 1009	\$ 1058
27"W	AFS2727LDF	\$ 864	\$ 903	\$ 941	\$ 979	\$ 1030	\$ 1080
30"W	AFS2730LDF	\$ 900	\$ 941	\$ 981	\$ 1021	\$ 1076	\$ 1130
36"W	AFS2736LDF	\$ 939	\$ 982	\$ 1026	\$ 1068	\$ 1127	\$ 1184


Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>13"H Front-to-Back HAT Screen — Fabric</b>							
22"W	AFS1322LHF	\$ 655	\$ 679	\$ 703	\$ 727	\$ 760	\$ 792
28"W	AFS1328LHF	\$ 697	\$ 725	\$ 751	\$ 778	\$ 814	\$ 850
<b>20"H Front-to-Back HAT Screen — Fabric</b>							
22"W	AFS2022LHF	\$ 753	\$ 784	\$ 815	\$ 845	\$ 886	\$ 927
28"W	AFS2028LHF	\$ 790	\$ 823	\$ 857	\$ 890	\$ 934	\$ 978
<b>27"H Front-to-Back HAT Screen — Fabric</b>							
22"W	AFS2722LHF	\$ 831	\$ 867	\$ 903	\$ 939	\$ 987	\$ 1034
28"W	AFS2728LHF	\$ 882	\$ 922	\$ 961	\$ 1000	\$ 1053	\$ 1105

<p><i>How to specify —</i> Select the Model Number from above.</p> <p><b>AFIS</b>   .</p> <p style="text-align: center;"><i>Example:</i></p>	<p><i>1st Option:</i> <b>Fabric:</b> See pages 146-147 for fabrics.</p> <p>  .</p>	<p><i>2nd Option:</i> <b>Paint Color:</b> <b>P1 P2 P3</b> See page 146 for finishes.</p> <p>  .</p>
--	--	---

Fabric

Open Market

For specification information see pages 149-152.



Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>13"H Top Mount Screen — Fabric</b>							
21"W	AFS1321LDT	\$ 643	\$ 666	\$ 690	\$ 713	\$ 745	\$ 775
24"W	AFS1324LDT	\$ 668	\$ 694	\$ 719	\$ 744	\$ 776	\$ 810
27"W	AFS1327LDT	\$ 682	\$ 709	\$ 734	\$ 760	\$ 795	\$ 830
30"W	AFS1330LDT	\$ 711	\$ 739	\$ 767	\$ 794	\$ 832	\$ 870
36"W	AFS1336LDT	\$ 740	\$ 770	\$ 800	\$ 830	\$ 870	\$ 909
<b>20"H Top Mount Screen — Fabric</b>							
21"W	AFS2021LDT	\$ 740	\$ 770	\$ 800	\$ 830	\$ 870	\$ 909
24"W	AFS2024LDT	\$ 767	\$ 799	\$ 831	\$ 862	\$ 905	\$ 946
27"W	AFS2027LDT	\$ 783	\$ 816	\$ 849	\$ 882	\$ 925	\$ 969
30"W	AFS2030LDT	\$ 808	\$ 842	\$ 877	\$ 911	\$ 958	\$ 1003
36"W	AFS2036LDT	\$ 844	\$ 882	\$ 918	\$ 955	\$ 1004	\$ 1053


Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>13"H Top Mount HAT Screen — Fabric</b>							
22"W	AFS1322LHT	\$ 655	\$ 679	\$ 703	\$ 727	\$ 760	\$ 792
28"W	AFS1328LHT	\$ 697	\$ 725	\$ 751	\$ 778	\$ 814	\$ 850
<b>20"H Top Mount HAT Screen — Fabric</b>							
22"W	AFS2022LHT	\$ 753	\$ 784	\$ 815	\$ 845	\$ 886	\$ 927
28"W	AFS2028LHT	\$ 790	\$ 823	\$ 857	\$ 890	\$ 934	\$ 978
<b>27"H Top Mount HAT Screen — Fabric</b>							
22"W	AFS2722LHT	\$ 831	\$ 867	\$ 903	\$ 939	\$ 987	\$ 1034
28"W	AFS2728LHT	\$ 882	\$ 922	\$ 961	\$ 1000	\$ 1053	\$ 1105

<p><b>How to specify —</b> Select the Model Number from above.</p> <p><b>A   F   S</b>                     .</p>	<p><b>1st Option:</b></p> <p><b>Fabric:</b> See pages 146-147 for fabrics.</p> <p>                .</p>	<p><b>2nd Option:</b></p> <p><b>Paint Color:</b> P1 P2 P3 See page 146 for finishes.</p> <p>        .</p>
--	---	---

Example:



For specification information see pages 149-152.



Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>13"H Side Mount Screen — Fabric</b>							
21"W	AFS1321LDS	\$ 643	\$ 666	\$ 690	\$ 713	\$ 745	\$ 775
24"W	AFS1324LDS	\$ 668	\$ 694	\$ 719	\$ 744	\$ 776	\$ 810
27"W	AFS1327LDS	\$ 682	\$ 709	\$ 734	\$ 760	\$ 795	\$ 830
30"W	AFS1330LDS	\$ 711	\$ 739	\$ 767	\$ 794	\$ 832	\$ 870
36"W	AFS1336LDS	\$ 740	\$ 770	\$ 800	\$ 830	\$ 870	\$ 909

<b>20"H Side Mount Screen — Fabric</b>							
21"W	AFS2021LDS	\$ 740	\$ 770	\$ 800	\$ 830	\$ 870	\$ 909
24"W	AFS2024LDS	\$ 767	\$ 799	\$ 831	\$ 862	\$ 905	\$ 946
27"W	AFS2027LDS	\$ 783	\$ 816	\$ 849	\$ 882	\$ 925	\$ 969
30"W	AFS2030LDS	\$ 808	\$ 842	\$ 877	\$ 911	\$ 958	\$ 1003
36"W	AFS2036LDS	\$ 844	\$ 882	\$ 918	\$ 955	\$ 1004	\$ 1053

Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>13"H Side Mount HAT Screen — Fabric</b>							
22"W	AFS1322LHS	\$ 655	\$ 679	\$ 703	\$ 727	\$ 760	\$ 792
28"W	AFS1328LHS	\$ 697	\$ 725	\$ 751	\$ 778	\$ 814	\$ 850

<b>20"H Side Mount HAT Screen — Fabric</b>							
22"W	AFS2022LHS	\$ 753	\$ 784	\$ 815	\$ 845	\$ 886	\$ 927
28"W	AFS2028LHS	\$ 790	\$ 823	\$ 857	\$ 890	\$ 934	\$ 978

<b>27"H Side Mount HAT Screen — Fabric</b>							
22"W	AFS2722LHS	\$ 831	\$ 867	\$ 903	\$ 939	\$ 987	\$ 1034
28"W	AFS2728LHS	\$ 882	\$ 922	\$ 961	\$ 1000	\$ 1053	\$ 1105


<p><b>How to specify —</b> Select the Model Number from above.</p> <p><b>AFS</b>   .</p>	<p><b>1st Option:</b> <b>Fabric:</b> See pages 146-147 for fabrics.</p> <p>                .</p>	<p><b>2nd Option:</b> <b>Paint Color:</b> P1 P2 P3 See page 146 for finishes.</p> <p>        .</p>
--	--	--

*Example:*

Fabric

Open Market


For specification information see pages 149-152.



Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>27"H Above/Below Screen — Fabric</b>							
36"W	AFS2736DAS	\$ 892	\$ 935	\$ 979	\$ 1021	\$ 1080	\$ 1137
42"W	AFS2742DAS	\$ 932	\$ 978	\$ 1024	\$ 1070	\$ 1131	\$ 1192
48"W	AFS2748DAS	\$ 974	\$ 1024	\$ 1072	\$ 1121	\$ 1186	\$ 1250
54"W	AFS2754DAS	\$ 1020	\$ 1072	\$ 1124	\$ 1175	\$ 1245	\$ 1314
60"W	AFS2760DAS	\$ 1068	\$ 1123	\$ 1179	\$ 1233	\$ 1307	\$ 1380
66"W	AFS2766DAS	\$ 1127	\$ 1186	\$ 1245	\$ 1304	\$ 1384	\$ 1461
72"W	AFS2772DAS	\$ 1189	\$ 1253	\$ 1316	\$ 1378	\$ 1463	\$ 1547

**34"H Above/Below Screen - Fabric**

Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
36"W	AFS3436DAS	\$ 856	\$ 897	\$ 938	\$ 979	\$ 1033	\$ 1086
42"W	AFS3442DAS	\$ 893	\$ 937	\$ 980	\$ 1023	\$ 1081	\$ 1138
48"W	AFS3448DAS	\$ 933	\$ 979	\$ 1025	\$ 1071	\$ 1133	\$ 1193
54"W	AFS3454DAS	\$ 1238	\$ 1305	\$ 1371	\$ 1437	\$ 1526	\$ 1615
60"W	AFS3460DAS	\$ 1297	\$ 1367	\$ 1438	\$ 1508	\$ 1603	\$ 1695
66"W	AFS3466DAS	\$ 1372	\$ 1448	\$ 1523	\$ 1598	\$ 1699	\$ 1800
72"W	AFS3472DAS	\$ 1416	\$ 1495	\$ 1572	\$ 1651	\$ 1757	\$ 1860



Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>27"H Above/Below Adjustable HAT Screen — Fabric</b>							
34"W	AFS2734DAS	\$ 872	\$ 914	\$ 956	\$ 998	\$ 1053	\$ 1109
40"W	AFS2740DAS	\$ 911	\$ 956	\$ 1000	\$ 1044	\$ 1104	\$ 1163
46"W	AFS2746DAS	\$ 953	\$ 1000	\$ 1047	\$ 1095	\$ 1158	\$ 1221
52"W	AFS2752DAS	\$ 997	\$ 1048	\$ 1098	\$ 1148	\$ 1215	\$ 1282
58"W	AFS2758DAS	\$ 1044	\$ 1098	\$ 1151	\$ 1205	\$ 1276	\$ 1346
64"W	AFS2764DAS	\$ 1096	\$ 1153	\$ 1210	\$ 1267	\$ 1343	\$ 1418
70"W	AFS2770DAS	\$ 1157	\$ 1219	\$ 1280	\$ 1341	\$ 1422	\$ 1503

**34"H Above/Below Adjustable HAT Screen — Fabric**

Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
34"W	AFS3434DAS	\$ 837	\$ 877	\$ 916	\$ 955	\$ 1009	\$ 1061
40"W	AFS3440DAS	\$ 874	\$ 916	\$ 958	\$ 1000	\$ 1057	\$ 1112
46"W	AFS3446DAS	\$ 913	\$ 958	\$ 1003	\$ 1046	\$ 1106	\$ 1166
52"W	AFS3452DAS	\$ 1209	\$ 1274	\$ 1338	\$ 1402	\$ 1489	\$ 1575
58"W	AFS3458DAS	\$ 1269	\$ 1338	\$ 1406	\$ 1474	\$ 1566	\$ 1658
64"W	AFS3464DAS	\$ 1334	\$ 1408	\$ 1479	\$ 1552	\$ 1651	\$ 1747
70"W	AFS3470DAS	\$ 1377	\$ 1453	\$ 1529	\$ 1604	\$ 1706	\$ 1806

**How to specify —**  
Select the Model Number from above.


**1st Option:**  
**Fabric:**  
See pages 146-147 for fabrics.

**2nd Option:**  
**Paint Color:**  
P1 P2 P3  
See page 146 for finishes.

AFIS | | | | | | | | | | .

Example:

For specification information see pages [149-152](#).




Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>13"H Modesty Screen — Fabric</b>							
30"W	AFS1330MPD	\$ 762	\$ 794	\$ 825	\$ 856	\$ 899	\$ 940
36"W	AFS1336MPD	\$ 796	\$ 830	\$ 864	\$ 897	\$ 943	\$ 987
42"W	AFS1342MPD	\$ 833	\$ 869	\$ 905	\$ 941	\$ 990	\$ 1037
48"W	AFS1348MPD	\$ 874	\$ 914	\$ 952	\$ 991	\$ 1042	\$ 1095
54"W	AFS1354MPD	\$ 915	\$ 957	\$ 998	\$ 1040	\$ 1096	\$ 1151
60"W	AFS1360MPD	\$ 952	\$ 996	\$ 1041	\$ 1084	\$ 1143	\$ 1202
66"W	AFS1366MPD	\$ 998	\$ 1045	\$ 1092	\$ 1140	\$ 1203	\$ 1266
72"W	AFS1372MPD	\$ 1048	\$ 1099	\$ 1150	\$ 1200	\$ 1268	\$ 1334

UNIVERSAL SCREENS

<p><b>How to specify —</b> Select the Model Number from above.</p> <p><b>AFS</b>   .</p> <p><i>Example:</i></p>	<p><b>1st Option:</b> <b>Fabric:</b> See pages <a href="#">146-147</a> for fabrics.</p> <p>              .</p>	<p><b>2nd Option:</b> <b>Paint Color:</b> <b>P1 P2 P3</b> See page <a href="#">146</a> for finishes.</p> <p>          .</p>
---	--	---


For specification information see pages [149-152](#).



Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>13"H Sit-on-Surface Screen — Fabric</b>							
36"W	AFS1336SFS	\$ 630	\$ 660	\$ 690	\$ 720	\$ 760	\$ 799
42"W	AFS1342SFS	\$ 662	\$ 694	\$ 726	\$ 758	\$ 801	\$ 843
48"W	AFS1348SFS	\$ 696	\$ 730	\$ 765	\$ 799	\$ 845	\$ 891
54"W	AFS1354SFS	\$ 731	\$ 769	\$ 805	\$ 842	\$ 891	\$ 939
60"W	AFS1360SFS	\$ 771	\$ 811	\$ 850	\$ 889	\$ 942	\$ 994
66"W	AFS1366SFS	\$ 812	\$ 854	\$ 896	\$ 938	\$ 995	\$ 1050
72"W	AFS1372SFS	\$ 857	\$ 902	\$ 947	\$ 993	\$ 1053	\$ 1113
<b>20"H Sit-on-Surface Screen — Fabric</b>							
36"W	AFS2036SFS	\$ 734	\$ 772	\$ 808	\$ 845	\$ 894	\$ 943
42"W	AFS2042SFS	\$ 773	\$ 813	\$ 852	\$ 891	\$ 945	\$ 997
48"W	AFS2048SFS	\$ 814	\$ 857	\$ 898	\$ 941	\$ 998	\$ 1053
54"W	AFS2054SFS	\$ 859	\$ 904	\$ 950	\$ 995	\$ 1056	\$ 1116
60"W	AFS2060SFS	\$ 907	\$ 955	\$ 1005	\$ 1052	\$ 1118	\$ 1181
66"W	AFS2066SFS	\$ 958	\$ 1010	\$ 1062	\$ 1113	\$ 1183	\$ 1252
72"W	AFS2072SFS	\$ 1014	\$ 1070	\$ 1126	\$ 1181	\$ 1255	\$ 1330

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>AFS                     .</p> <p style="text-align: center;"><i>Example:</i></p>	<p><b>1st Option:</b></p> <p><b>Fabric:</b> See pages <a href="#">146-147</a> for fabrics.</p> <p>            .</p>	<p><b>2nd Option:</b></p> <p><b>Paint Color:</b> <b>P1</b> <b>P2</b> <b>P3</b> See page <a href="#">146</a> for finishes.</p> <p>       </p>
--	---	--

For specification information see pages 149-152.



Description	Model	P1 Paint				P2 Paint			
		Clear	Frosted	Writable	Smoked	Clear	Frosted	Writable	Smoked
<b>13"H Beam Mounted Center Screen — Glass</b>									
24"W	AGS1324BSF	\$ 900	\$ 1001	\$ 1001	\$ 984	\$ 911	\$ 1012	\$ 1012	\$ 995
30"W	AGS1330BSF	\$ 914	\$ 1017	\$ 1017	\$ 1001	\$ 925	\$ 1028	\$ 1028	\$ 1012
36"W	AGS1336BSF	\$ 958	\$ 1067	\$ 1067	\$ 1050	\$ 969	\$ 1078	\$ 1078	\$ 1061
42"W	AGS1342BSF	\$ 1019	\$ 1138	\$ 1138	\$ 1119	\$ 1030	\$ 1149	\$ 1149	\$ 1130
48"W	AGS1348BSF	\$ 1041	\$ 1164	\$ 1164	\$ 1143	\$ 1052	\$ 1175	\$ 1175	\$ 1154
54"W	AGS1354BSF	\$ 1112	\$ 1245	\$ 1245	\$ 1223	\$ 1123	\$ 1256	\$ 1256	\$ 1234
60"W	AGS1360BSF	\$ 1154	\$ 1293	\$ 1293	\$ 1270	\$ 1165	\$ 1304	\$ 1304	\$ 1281
66"W	AGS1366BSF	\$ 1281	\$ 1440	\$ 1440	\$ 1413	\$ 1292	\$ 1451	\$ 1451	\$ 1424
72"W	AGS1372BSF	\$ 1317	\$ 1481	\$ 1481	\$ 1454	\$ 1328	\$ 1492	\$ 1492	\$ 1465
78"W	AGS1378BSF	\$ 1427	\$ 1607	\$ 1607	\$ 1578	\$ 1438	\$ 1618	\$ 1618	\$ 1589
84"W	AGS1384BSF	\$ 1543	\$ 1741	\$ 1741	\$ 1708	\$ 1554	\$ 1752	\$ 1752	\$ 1719
90"W	AGS1390BSF	\$ 1598	\$ 1803	\$ 1803	\$ 1770	\$ 1609	\$ 1814	\$ 1814	\$ 1781
96"W	AGS1396BSF	\$ 1676	\$ 1893	\$ 1893	\$ 1857	\$ 1687	\$ 1904	\$ 1904	\$ 1868
<b>20"H Beam Mounted Center Screen — Glass</b>									
24"W	AGS2024BSF	\$ 971	\$ 1083	\$ 1083	\$ 1064	\$ 982	\$ 1094	\$ 1094	\$ 1075
30"W	AGS2030BSF	\$ 984	\$ 1098	\$ 1098	\$ 1079	\$ 995	\$ 1109	\$ 1109	\$ 1090
36"W	AGS2036BSF	\$ 1029	\$ 1149	\$ 1149	\$ 1130	\$ 1040	\$ 1160	\$ 1160	\$ 1141
42"W	AGS2042BSF	\$ 1129	\$ 1265	\$ 1265	\$ 1242	\$ 1140	\$ 1276	\$ 1276	\$ 1253
48"W	AGS2048BSF	\$ 1199	\$ 1346	\$ 1346	\$ 1320	\$ 1210	\$ 1357	\$ 1357	\$ 1331
54"W	AGS2054BSF	\$ 1280	\$ 1439	\$ 1439	\$ 1412	\$ 1291	\$ 1450	\$ 1450	\$ 1423
60"W	AGS2060BSF	\$ 1346	\$ 1514	\$ 1514	\$ 1486	\$ 1357	\$ 1525	\$ 1525	\$ 1497
66"W	AGS2066BSF	\$ 1467	\$ 1653	\$ 1653	\$ 1622	\$ 1478	\$ 1664	\$ 1664	\$ 1633
72"W	AGS2072BSF	\$ 1496	\$ 1686	\$ 1686	\$ 1655	\$ 1507	\$ 1697	\$ 1697	\$ 1666
78"W	AGS2078BSF	\$ 1907	\$ 2159	\$ 2159	\$ 2118	\$ 1918	\$ 2170	\$ 2170	\$ 2129
84"W	AGS2084BSF	\$ 1981	\$ 2244	\$ 2244	\$ 2201	\$ 1992	\$ 2255	\$ 2255	\$ 2212
90"W	AGS2090BSF	\$ 2096	\$ 2377	\$ 2377	\$ 2330	\$ 2107	\$ 2388	\$ 2388	\$ 2341
96"W	AGS2096BSF	\$ 2379	\$ 2702	\$ 2702	\$ 2649	\$ 2390	\$ 2713	\$ 2713	\$ 2660

How to specify —  
Select the Model Number from above.

1st Option:

**Glass:**

- LC Clear
- LF Frosted
- LM Writable
- GSM1 Smoked

2nd Option:


**Paint Color:**



See page 146 for finishes.

AGS | | | | | | | | | | | | | | | | | | | | .  
Example:

For specification information see pages 149-152.



Description	Model	P1 Paint				P2 Paint				
		Clear	Frosted	Writable	Smoked	Clear	Frosted	Writable	Smoked	
<b>13"H Elevated Mount Screen — Glass</b>										
36"W	AGS1336DFS	\$ 997	\$ 1105	\$ 1105	\$ 1088	\$ 1012	\$ 1120	\$ 1120	\$ 1103	
42"W	AGS1342DFS	\$ 1057	\$ 1174	\$ 1174	\$ 1156	\$ 1072	\$ 1189	\$ 1189	\$ 1171	
48"W	AGS1348DFS	\$ 1079	\$ 1199	\$ 1199	\$ 1180	\$ 1094	\$ 1214	\$ 1214	\$ 1195	
54"W	AGS1354DFS	\$ 1150	\$ 1281	\$ 1281	\$ 1259	\$ 1165	\$ 1296	\$ 1296	\$ 1274	
60"W	AGS1360DFS	\$ 1191	\$ 1329	\$ 1329	\$ 1306	\$ 1206	\$ 1344	\$ 1344	\$ 1321	
66"W	AGS1366DFS	\$ 1316	\$ 1472	\$ 1472	\$ 1446	\$ 1331	\$ 1487	\$ 1487	\$ 1461	
72"W	AGS1372DFS	\$ 1352	\$ 1514	\$ 1514	\$ 1487	\$ 1367	\$ 1529	\$ 1529	\$ 1502	
<b>20"H Elevated Mount Screen — Glass</b>										
36"W	AGS2036DFS	\$ 1042	\$ 1157	\$ 1157	\$ 1138	\$ 1057	\$ 1172	\$ 1172	\$ 1153	
42"W	AGS2042DFS	\$ 1122	\$ 1249	\$ 1249	\$ 1228	\$ 1137	\$ 1264	\$ 1264	\$ 1243	
48"W	AGS2048DFS	\$ 1168	\$ 1303	\$ 1303	\$ 1280	\$ 1183	\$ 1318	\$ 1318	\$ 1295	
54"W	AGS2054DFS	\$ 1244	\$ 1389	\$ 1389	\$ 1365	\$ 1259	\$ 1404	\$ 1404	\$ 1380	
60"W	AGS2060DFS	\$ 1298	\$ 1452	\$ 1452	\$ 1426	\$ 1313	\$ 1467	\$ 1467	\$ 1441	
66"W	AGS2066DFS	\$ 1422	\$ 1595	\$ 1595	\$ 1565	\$ 1437	\$ 1610	\$ 1610	\$ 1580	
72"W	AGS2072DFS	\$ 1455	\$ 1632	\$ 1632	\$ 1603	\$ 1470	\$ 1647	\$ 1647	\$ 1618	

Description	Model	P1 Paint				P2 Paint				
		Clear	Frosted	Writable	Smoked	Clear	Frosted	Writable	Smoked	
<b>13"H Elevated HAT Screen — Glass</b>										
34"W	AGS1334DFS	\$ 997	\$ 1105	\$ 1105	\$ 1088	\$ 1012	\$ 1120	\$ 1120	\$ 1103	
40"W	AGS1340DFS	\$ 1057	\$ 1174	\$ 1174	\$ 1156	\$ 1072	\$ 1189	\$ 1189	\$ 1171	
46"W	AGS1346DFS	\$ 1079	\$ 1199	\$ 1199	\$ 1180	\$ 1094	\$ 1214	\$ 1214	\$ 1195	
52"W	AGS1352DFS	\$ 1150	\$ 1281	\$ 1281	\$ 1259	\$ 1165	\$ 1296	\$ 1296	\$ 1274	
58"W	AGS1358DFS	\$ 1191	\$ 1329	\$ 1329	\$ 1306	\$ 1206	\$ 1344	\$ 1344	\$ 1321	
64"W	AGS1364DFS	\$ 1316	\$ 1472	\$ 1472	\$ 1446	\$ 1331	\$ 1487	\$ 1487	\$ 1461	
70"W	AGS1370DFS	\$ 1352	\$ 1514	\$ 1514	\$ 1487	\$ 1367	\$ 1529	\$ 1529	\$ 1502	
<b>20"H Elevated HAT Screen — Glass</b>										
34"W	AGS2034DFS	\$ 1042	\$ 1157	\$ 1157	\$ 1138	\$ 1057	\$ 1172	\$ 1172	\$ 1153	
40"W	AGS2040DFS	\$ 1122	\$ 1249	\$ 1249	\$ 1228	\$ 1137	\$ 1264	\$ 1264	\$ 1243	
46"W	AGS2046DFS	\$ 1168	\$ 1303	\$ 1303	\$ 1280	\$ 1183	\$ 1318	\$ 1318	\$ 1295	
52"W	AGS2052DFS	\$ 1244	\$ 1389	\$ 1389	\$ 1365	\$ 1259	\$ 1404	\$ 1404	\$ 1380	
58"W	AGS2058DFS	\$ 1298	\$ 1452	\$ 1452	\$ 1426	\$ 1313	\$ 1467	\$ 1467	\$ 1441	
64"W	AGS2064DFS	\$ 1422	\$ 1595	\$ 1595	\$ 1565	\$ 1437	\$ 1610	\$ 1610	\$ 1580	
70"W	AGS2070DFS	\$ 1455	\$ 1632	\$ 1632	\$ 1603	\$ 1470	\$ 1647	\$ 1647	\$ 1618	


**NOTE:** Glass screens cannot be used with height adjustable tables.

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Glass:</b> LC Clear LF Frosted LM Writable GSM1 Smoked</p>	<p><i>2nd Option:</i> <b>Paint Color:</b> P1 P2 P3 See page 146 for finishes.</p>
AGS		

Example:



For specification information see pages 149-152.



Description	Model	P1 Paint				P2 Paint			
		Clear	Frosted	Writable	Smoked	Clear	Frosted	Writable	Smoked
<b>13"H Front-to-Back Screen — Glass</b>									
21"W	AGS1321LDF	\$ 940	\$ 1038	\$ 1038	\$ 1021	\$ 956	\$ 1054	\$ 1054	\$ 1037
24"W	AGS1324LDF	\$ 965	\$ 1066	\$ 1066	\$ 1049	\$ 981	\$ 1082	\$ 1082	\$ 1065
27"W	AGS1327LDF	\$ 971	\$ 1073	\$ 1073	\$ 1055	\$ 987	\$ 1089	\$ 1089	\$ 1071
30"W	AGS1330LDF	\$ 977	\$ 1080	\$ 1080	\$ 1063	\$ 993	\$ 1096	\$ 1096	\$ 1079
36"W	AGS1336LDF	\$ 1017	\$ 1125	\$ 1125	\$ 1108	\$ 1033	\$ 1141	\$ 1141	\$ 1124
<b>20"H Front-to-Back Screen — Glass</b>									
21"W	AGS2021LDF	\$ 1010	\$ 1117	\$ 1117	\$ 1100	\$ 1026	\$ 1133	\$ 1133	\$ 1116
24"W	AGS2024LDF	\$ 1039	\$ 1151	\$ 1151	\$ 1132	\$ 1055	\$ 1167	\$ 1167	\$ 1148
27"W	AGS2027LDF	\$ 1046	\$ 1159	\$ 1159	\$ 1140	\$ 1062	\$ 1175	\$ 1175	\$ 1156
30"W	AGS2030LDF	\$ 1052	\$ 1166	\$ 1166	\$ 1147	\$ 1068	\$ 1182	\$ 1182	\$ 1163
36"W	AGS2036LDF	\$ 1097	\$ 1217	\$ 1217	\$ 1198	\$ 1113	\$ 1233	\$ 1233	\$ 1214


Description	Model	P1 Paint				P2 Paint			
		Clear	Frosted	Writable	Smoked	Clear	Frosted	Writable	Smoked
<b>13"H Front-to-Back HAT Screen — Glass</b>									
22"W	AGS1322LHF	\$ 940	\$ 1038	\$ 1038	\$ 1021	\$ 956	\$ 1054	\$ 1054	\$ 1037
28"W	AGS1328LHF	\$ 971	\$ 1073	\$ 1073	\$ 1055	\$ 987	\$ 1089	\$ 1089	\$ 1071
<b>20"H Front-to-Back HAT Screen — Glass</b>									
22"W	AGS2022LHF	\$ 1010	\$ 1117	\$ 1117	\$ 1100	\$ 1026	\$ 1133	\$ 1133	\$ 1116
28"W	AGS2028LHF	\$ 1046	\$ 1159	\$ 1159	\$ 1140	\$ 1062	\$ 1175	\$ 1175	\$ 1156

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i></p> <p><b>Glass:</b></p> <p>LC Clear                  LF Frosted                  LM Writable                  GSM1 Smoked</p>	<p><i>2nd Option:</i></p> <p><b>Paint Color:</b></p> <p>P1 P2 P3</p> <p>See page 146 for finishes.</p>
<p>AGS                             .</p>	<p>          .</p>	<p>        .</p>

Example:



For specification information see pages 149-152.



Description	Model	P1 Paint				P2 Paint			
		Clear	Frosted	Writable	Smoked	Clear	Frosted	Writable	Smoked
<b>13"H Top Mount Screen — Glass</b>									
21"W	AGS1321LDT	\$ 940	\$ 1038	\$ 1038	\$ 1021	\$ 956	\$ 1054	\$ 1054	\$ 1037
24"W	AGS1324LDT	\$ 965	\$ 1066	\$ 1066	\$ 1049	\$ 981	\$ 1082	\$ 1082	\$ 1065
27"W	AGS1327LDT	\$ 971	\$ 1073	\$ 1073	\$ 1055	\$ 987	\$ 1089	\$ 1089	\$ 1071
30"W	AGS1330LDT	\$ 977	\$ 1080	\$ 1080	\$ 1063	\$ 993	\$ 1096	\$ 1096	\$ 1079
36"W	AGS1336LDT	\$ 1017	\$ 1125	\$ 1125	\$ 1108	\$ 1033	\$ 1141	\$ 1141	\$ 1124
<b>20"H Top Mount Screen — Glass</b>									
21"W	AGS2021LDT	\$ 1010	\$ 1117	\$ 1117	\$ 1100	\$ 1026	\$ 1133	\$ 1133	\$ 1116
24"W	AGS2024LDT	\$ 1039	\$ 1151	\$ 1151	\$ 1132	\$ 1055	\$ 1167	\$ 1167	\$ 1148
27"W	AGS2027LDT	\$ 1046	\$ 1159	\$ 1159	\$ 1140	\$ 1062	\$ 1175	\$ 1175	\$ 1156
30"W	AGS2030LDT	\$ 1052	\$ 1166	\$ 1166	\$ 1147	\$ 1068	\$ 1182	\$ 1182	\$ 1163
36"W	AGS2036LDT	\$ 1097	\$ 1217	\$ 1217	\$ 1198	\$ 1113	\$ 1233	\$ 1233	\$ 1214

Description	Model	P1 Paint				P2 Paint			
		Clear	Frosted	Writable	Smoked	Clear	Frosted	Writable	Smoked
<b>13"H Top Mount HAT Screen — Glass</b>									
22"W	AGS1322LHT	\$ 940	\$ 1038	\$ 1038	\$ 1021	\$ 956	\$ 1054	\$ 1054	\$ 1037
28"W	AGS1328LHT	\$ 971	\$ 1073	\$ 1073	\$ 1055	\$ 987	\$ 1089	\$ 1089	\$ 1071
<b>20"H Top Mount HAT Screen — Glass</b>									
22"W	AGS2022LHT	\$ 1010	\$ 1117	\$ 1117	\$ 1100	\$ 1026	\$ 1133	\$ 1133	\$ 1116
28"W	AGS2028LHT	\$ 1046	\$ 1159	\$ 1159	\$ 1140	\$ 1062	\$ 1175	\$ 1175	\$ 1156

**How to specify —**  
Select the Model Number from above.

*1st Option:*

**Glass:**

- LC Clear
- LF Frosted
- LM Writable
- GSM1 Smoked

*2nd Option:*

**Paint Color:**


P1 P2 P3

See page 146 for finishes.

AGS | | | | | | | | | | | | | | | | | | | | | | .

*Example:*

For specification information see pages 149-152.




Description	Model	P1 Paint				P2 Paint			
		Clear	Frosted	Writable	Smoked	Clear	Frosted	Writable	Smoked
<b>13"H Side Mount Screen — Glass</b>									
21"W	AGS1321LDS	\$ 940	\$ 1038	\$ 1038	\$ 1021	\$ 956	\$ 1054	\$ 1054	\$ 1037
24"W	AGS1324LDS	\$ 965	\$ 1066	\$ 1066	\$ 1049	\$ 981	\$ 1082	\$ 1082	\$ 1065
27"W	AGS1327LDS	\$ 971	\$ 1073	\$ 1073	\$ 1055	\$ 987	\$ 1089	\$ 1089	\$ 1071
30"W	AGS1330LDS	\$ 977	\$ 1080	\$ 1080	\$ 1063	\$ 993	\$ 1096	\$ 1096	\$ 1079
36"W	AGS1336LDS	\$ 1017	\$ 1125	\$ 1125	\$ 1108	\$ 1033	\$ 1141	\$ 1141	\$ 1124
<b>20"H Side Mount Screen — Glass</b>									
21"W	AGS2021LDS	\$ 1010	\$ 1117	\$ 1117	\$ 1100	\$ 1026	\$ 1133	\$ 1133	\$ 1116
24"W	AGS2024LDS	\$ 1039	\$ 1151	\$ 1151	\$ 1132	\$ 1055	\$ 1167	\$ 1167	\$ 1148
27"W	AGS2027LDS	\$ 1046	\$ 1159	\$ 1159	\$ 1140	\$ 1062	\$ 1175	\$ 1175	\$ 1156
30"W	AGS2030LDS	\$ 1052	\$ 1166	\$ 1166	\$ 1147	\$ 1068	\$ 1182	\$ 1182	\$ 1163
36"W	AGS2036LDS	\$ 1097	\$ 1217	\$ 1217	\$ 1198	\$ 1113	\$ 1233	\$ 1233	\$ 1214

Description	Model	P1 Paint				P2 Paint			
		Clear	Frosted	Writable	Smoked	Clear	Frosted	Writable	Smoked
<b>13"H Side Mount HAT Screen — Glass</b>									
22"W	AGS1322LHS	\$ 940	\$ 1038	\$ 1038	\$ 1021	\$ 956	\$ 1054	\$ 1054	\$ 1037
28"W	AGS1328LHS	\$ 971	\$ 1073	\$ 1073	\$ 1055	\$ 987	\$ 1089	\$ 1089	\$ 1071
<b>20"H Side Mount HAT Screen — Glass</b>									
22"W	AGS2022LHS	\$ 1010	\$ 1117	\$ 1117	\$ 1100	\$ 1026	\$ 1133	\$ 1133	\$ 1116
28"W	AGS2028LHS	\$ 1046	\$ 1159	\$ 1159	\$ 1140	\$ 1062	\$ 1175	\$ 1175	\$ 1156

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>Glass:</b> LC Clear LF Frosted LM Writable GSM1 Smoked</p>	<p><b>2nd Option:</b> <b>Paint Color:</b> P1 P2 P3 See page 146 for finishes.</p>
<p>AGS                     .</p>	<p>          .</p>	<p>      .</p>

Example:

For specification information see pages 149-152.



Description	Model	P1 Paint				P2 Paint			
		Clear	Frosted	Writable	Smoked	Clear	Frosted	Writable	Smoked
<b>11"H Modesty Screen — Glass</b>									
36"W	AGS1136MPD	\$ 970	\$ 1078	\$ 1078	\$ 1061	\$ 982	\$ 1090	\$ 1090	\$ 1073
42"W	AGS1142MPD	\$ 1030	\$ 1147	\$ 1147	\$ 1129	\$ 1042	\$ 1159	\$ 1159	\$ 1141
48"W	AGS1148MPD	\$ 1052	\$ 1172	\$ 1172	\$ 1153	\$ 1064	\$ 1184	\$ 1184	\$ 1165
54"W	AGS1154MPD	\$ 1123	\$ 1254	\$ 1254	\$ 1232	\$ 1135	\$ 1266	\$ 1266	\$ 1244
60"W	AGS1160MPD	\$ 1164	\$ 1302	\$ 1302	\$ 1279	\$ 1176	\$ 1314	\$ 1314	\$ 1291

**NOTE:** Glass screens cannot be used with height adjustable tables.

**How to specify —**  
Select the Model Number from above.

*1st Option:*

**Glass:**

- LC Clear
- LF Frosted
- LM Writable
- GSM1 Smoked

*2nd Option:*

**Paint Color:**



See page 146 for finishes.


**AGS** | | | | | | | | | | | | | | | | | | | | .

*Example:*

| | | | | | | | | | .

| | | | | .

For specification information see pages 149-152.



Description	Model	List Price by Acrylic Type	
		Clear	Frosted
<b>13"H Beam Mounted Center Screen — Acrylic</b>			
24"W	AAS1324BSF	\$ 449	\$ 630
30"W	AAS1330BSF	\$ 491	\$ 733
36"W	AAS1336BSF	\$ 499	\$ 747
42"W	AAS1342BSF	\$ 589	\$ 923
48"W	AAS1348BSF	\$ 612	\$ 946
54"W	AAS1354BSF	\$ 679	\$ 1094
60"W	AAS1360BSF	\$ 702	\$ 1106
66"W	AAS1366BSF	\$ 769	\$ 1251
72"W	AAS1372BSF	\$ 792	\$ 1274
<b>20"H Beam Mounted Center Screen — Acrylic</b>			
24"W	AAS2024BSF	\$ 620	\$ 985
30"W	AAS2030BSF	\$ 687	\$ 985
36"W	AAS2036BSF	\$ 702	\$ 1134
42"W	AAS2042BSF	\$ 859	\$ 1445
48"W	AAS2048BSF	\$ 882	\$ 1455
54"W	AAS2054BSF	\$ 1017	\$ 1741
60"W	AAS2060BSF	\$ 1027	\$ 1763
66"W	AAS2066BSF	\$ 1174	\$ 2039
72"W	AAS2072BSF	\$ 1196	\$ 2050
<b>28"H Beam Mounted Center Screen — Acrylic</b>			
24"W	AAS2824BSF	\$ 649	\$ 1039
30"W	AAS2830BSF	\$ 777	\$ 1237
36"W	AAS2836BSF	\$ 859	\$ 1436
42"W	AAS2842BSF	\$ 1070	\$ 1849
48"W	AAS2848BSF	\$ 1092	\$ 1872
54"W	AAS2854BSF	\$ 1279	\$ 2084
60"W	AAS2860BSF	\$ 1302	\$ 2107
66"W	AAS2866BSF	\$ 1490	\$ 2450
72"W	AAS2872BSF	\$ 1513	\$ 2473

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>Acrylic:</b> ASC Clear ASF Frosted</p>	<p><b>2nd Option:</b> <b>Paint Color:</b> P1 P2 P3 See page 146 for finishes.</p>	<p><b>3rd Option:</b> <b>Corner:</b> SQ Square RD Round</p>
<p>AAS                                 .</p>	<p>          .</p>	<p>          .</p>	<p>      .</p>

Example:


# Universal Screens

## Elevated Screens

Acrylic

Open Market

For specification information see pages 149-152.




Description	Model	List Price by Acrylic Type	
		Clear	Frosted
<b>13"H Elevated Screen — Acrylic</b>			
11"H x 36"W	AAS1336DFS	\$ 524	\$ 741
11"H x 42"W	AAS1342DFS	\$ 592	\$ 885
11"H x 48"W	AAS1348DFS	\$ 626	\$ 907
11"H x 54"W	AAS1354DFS	\$ 682	\$ 1044
11"H x 60"W	AAS1360DFS	\$ 717	\$ 1067
11"H x 66"W	AAS1366DFS	\$ 760	\$ 1193
11"H x 72"W	AAS1372DFS	\$ 795	\$ 1216
<b>20"H Elevated Screen — Acrylic</b>			
18"H x 36"W	AAS2036DFS	\$ 678	\$ 1013
18"H x 42"W	AAS2042DFS	\$ 813	\$ 1249
18"H x 48"W	AAS2048DFS	\$ 848	\$ 1273
18"H x 54"W	AAS2054DFS	\$ 919	\$ 1499
18"H x 60"W	AAS2060DFS	\$ 941	\$ 1521
18"H x 66"W	AAS2066DFS	\$ 1045	\$ 1737
18"H x 72"W	AAS2072DFS	\$ 1068	\$ 1770

Description	Model	List Price by Acrylic Type	
		Clear	Frosted
<b>13"H Elevated HAT Screen — Acrylic</b>			
11"H x 34"W	AAS1334DFS	\$ 513	\$ 729
11"H x 40"W	AAS1340DFS	\$ 557	\$ 817
11"H x 46"W	AAS1346DFS	\$ 603	\$ 896
11"H x 52"W	AAS1352DFS	\$ 671	\$ 1033
11"H x 58"W	AAS1358DFS	\$ 694	\$ 1056
11"H x 64"W	AAS1364DFS	\$ 750	\$ 1182
11"H x 70"W	AAS1370DFS	\$ 783	\$ 1204
<b>20"H Elevated HAT Screen — Acrylic</b>			
18"H x 34"W	AAS2034DFS	\$ 655	\$ 1001
18"H x 40"W	AAS2040DFS	\$ 802	\$ 1217
18"H x 46"W	AAS2046DFS	\$ 825	\$ 1260
18"H x 52"W	AAS2052DFS	\$ 907	\$ 1487
18"H x 58"W	AAS2058DFS	\$ 929	\$ 1509
18"H x 64"W	AAS2064DFS	\$ 1033	\$ 1725
18"H x 70"W	AAS2070DFS	\$ 1056	\$ 1760

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>AAS                                     .</p> <p><i>Example:</i></p>	<p><b>1st Option:</b> <b>Acrylic:</b> ASC Clear ASF Frosted</p> <p>        .</p>	<p><b>2nd Option:</b> <b>Paint Color:</b> P1 P2 P3 See page 146 for finishes.</p> <p>        .</p>	<p><b>3rd Option:</b> <b>Corner:</b> SQ Square RD Round</p> <p>        .</p>
--	--	--	--

UNIVERSAL SCREENS

For specification information see pages 149-152.



Description	Model	List Price
<b>27"H Above/Below Screen — Acrylic</b>		
27"H x 36" W	AAS2736DFS	\$ 1021
27"H x 42" W	AAS2742DFS	\$ 1137
27"H x 48" W	AAS2748DFS	\$ 1159
27"H x 54" W	AAS2754DFS	\$ 1347
27"H x 60" W	AAS2760DFS	\$ 1370
27"H x 66" W	AAS2766DFS	\$ 1557
27"H x 72" W	AAS2772DFS	\$ 1580


Description	Model	List Price
<b>27"H Above/Below HAT Screen — Acrylic</b>		
27"H x 34" W	AAS2734DFS	\$ 991
27"H x 40" W	AAS2740DFS	\$ 1080
27"H x 46" W	AAS2746DFS	\$ 1148
27"H x 52" W	AAS2752DFS	\$ 1253
27"H x 58" W	AAS2758DFS	\$ 1359
27"H x 64" W	AAS2764DFS	\$ 1463
27"H x 70" W	AAS2770DFS	\$ 1568

<p><i>How to specify —</i> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Acrylic:</b> ASF Frosted</p>	<p><i>2nd Option:</i> <b>Paint Color:</b> P1 P2 P3 See page 146 for finishes.</p>	<p><i>3rd Option:</i> <b>Corner:</b> SQ Square RD Round</p>
<p>AAS   .</p>	<p>        .</p>	<p>        .</p>	<p>   </p>

*Example:*



For specification information see pages [149-152](#).



Description	Model	List Price by Acrylic Type	
		Clear	Frosted
<b>13"H Top Mount Screen — Acrylic</b>			
21"W	AAS1321LDT	\$ 494	\$ 675
24"W	AAS1324LDT	\$ 517	\$ 698
27"W	AAS1327LDT	\$ 526	\$ 729
30"W	AAS1330LDT	\$ 559	\$ 801
36"W	AAS1336LDT	\$ 567	\$ 815
<b>20"H Top Mount Screen — Acrylic</b>			
21"W	AAS2021LDT	\$ 633	\$ 939
24"W	AAS2024LDT	\$ 688	\$ 1053
27"W	AAS2027LDT	\$ 732	\$ 1137
30"W	AAS2030LDT	\$ 755	\$ 1053
36"W	AAS2036LDT	\$ 770	\$ 1202
<b>27"H Top Mount Screen — Acrylic</b>			
21"W	AAS2721LDT	\$ 697	\$ 1065
24"W	AAS2724LDT	\$ 717	\$ 1107
27"W	AAS2727LDT	\$ 822	\$ 1305
30"W	AAS2730LDT	\$ 845	\$ 1328
36"W	AAS2736LDT	\$ 1021	\$ 1164

Description	Model	List Price by Acrylic Type	
		Clear	Frosted
<b>13"H Top Mount HAT Screen — Acrylic</b>			
13"H x 22"W	AAS1322LHT	\$ 505	\$ 686
13"H x 28"W	AAS1328LHT	\$ 537	\$ 740
<b>20"H Top Mount HAT Screen — Acrylic</b>			
20"H x 22"W	AAS2022LHT	\$ 642	\$ 967
20"H x 28"W	AAS2028LHT	\$ 744	\$ 1346
<b>27"H Top Mount HAT Screen — Acrylic</b>			
27"H x 22"W	AAS2722LHT	\$ 702	\$ 1076
27"H x 28"W	AAS2728LHT	\$ 834	\$ 1317


<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Acrylic:</b> ASC Clear ASF Frosted</p>	<p><i>2nd Option:</i> <b>Paint Color:</b> P1 P2 P3 See page <a href="#">146</a> for finishes.</p>	<p><i>3rd Option:</i> <b>Corner:</b> SQ Square RD Round</p>
<p>A A S                           .</p>	<p>          .</p>	<p>          .</p>	<p>      .</p>

Example:





For specification information see pages 149-152.



Description	Model	List Price by Acrylic Type	
		Clear	Frosted
<b>13"H Modesty Screen — Acrylic</b>			
13"H x 30"W	AAS1330MPD	\$ 412	\$ 412
13"H x 36"W	AAS1336MPD	\$ 420	\$ 420
13"H x 42"W	AAS1342MPD	\$ 510	\$ 510
13"H x 48"W	AAS1348MPD	\$ 533	\$ 533
13"H x 54"W	AAS1354MPD	\$ 600	\$ 600
13"H x 60"W	AAS1360MPD	\$ 623	\$ 623
13"H x 66"W	AAS1366MPD	\$ 690	\$ 690
13"H x 72"W	AAS1372MPD	\$ 713	\$ 713

**How to specify —**  
Select the Model Number from above.

AAS | | | | | | | | | | | | | | | | | .

Example:

**1st Option:**

**Acrylic:**

ASC Clear  
ASF Frosted

| | | | .

**2nd Option:**

**Paint Color:**

P1 P2 P3  
See page 146 for finishes.

| | | | .

**3rd Option:**

**Corner:**

SQ Square  
RD Round

| | | |


# Universal Screens

## Sit-on-Surface Screens

Acrylic

Open Market

For specification information see pages 149-152.



Description	Model	List Price by Acrylic Type	
		Clear	Frosted
<b>13"H Sit-on-Surface Screen — Acrylic</b>			
13"H x 36"W	AAS1336SFS	\$ 545	\$ 793
13"H x 42"W	AAS1342SFS	\$ 635	\$ 969
13"H x 48"W	AAS1348SFS	\$ 646	\$ 992
13"H x 54"W	AAS1354SFS	\$ 725	\$ 1140
13"H x 60"W	AAS1360SFS	\$ 748	\$ 1152
13"H x 66"W	AAS1366SFS	\$ 815	\$ 1297
13"H x 72"W	AAS1372SFS	\$ 838	\$ 1320
<b>20"H Sit-on-Surface Screen — Acrylic</b>			
20"H x 36"W	AAS2036SFS	\$ 668	\$ 1180
20"H x 42"W	AAS2042SFS	\$ 905	\$ 1491
20"H x 48"W	AAS2048SFS	\$ 917	\$ 1502
20"H x 54"W	AAS2054SFS	\$ 1063	\$ 1787
20"H x 60"W	AAS2060SFS	\$ 1073	\$ 1809
20"H x 66"W	AAS2066SFS	\$ 1220	\$ 2085
20"H x 72"W	AAS2072SFS	\$ 1242	\$ 2096

**How to specify —**  
Select the Model Number from above.

**1st Option:**  
**Acrylic:**  
ASC Clear  
ASF Frosted

**2nd Option:**  
**Paint Color:**  
P1 P2 P3  
See page 146 for finishes.

**3rd Option:**  
**Corner:**  
SQ Square  
RD Round

AAS | | | | | | | | | | | | | | | | | .


*Example:*

| | | | .

| | | | .

| | .

For specification information see pages 149-152.



Description	Model	List Price		
		L1	L2	L3
<b>13"H Beam Mounted Center Screen — Laminate</b>				
24"W	ALS1324BSF	\$ 396	\$ 405	\$ 410
30"W	ALS1330BSF	\$ 415	\$ 425	\$ 431
36"W	ALS1336BSF	\$ 414	\$ 424	\$ 430
42"W	ALS1342BSF	\$ 423	\$ 434	\$ 439
48"W	ALS1348BSF	\$ 431	\$ 442	\$ 448
54"W	ALS1354BSF	\$ 508	\$ 524	\$ 531
60"W	ALS1360BSF	\$ 518	\$ 535	\$ 542
66"W	ALS1366BSF	\$ 605	\$ 626	\$ 636
72"W	ALS1372BSF	\$ 624	\$ 646	\$ 656


<b>20"H Beam Mounted Center Screen — Laminate</b>				
24"W	ALS2024BSF	\$ 491	\$ 506	\$ 513
30"W	ALS2030BSF	\$ 502	\$ 518	\$ 524
36"W	ALS2036BSF	\$ 512	\$ 528	\$ 535
42"W	ALS2042BSF	\$ 522	\$ 539	\$ 546
48"W	ALS2048BSF	\$ 533	\$ 550	\$ 559
54"W	ALS2054BSF	\$ 619	\$ 641	\$ 651
60"W	ALS2060BSF	\$ 630	\$ 652	\$ 663
66"W	ALS2066BSF	\$ 753	\$ 782	\$ 796
72"W	ALS2072BSF	\$ 764	\$ 794	\$ 808

<b>28"H Beam Mounted Center Screen — Laminate</b>				
24"W	ALS2824BSF	\$ 570	\$ 589	\$ 598
30"W	ALS2830BSF	\$ 581	\$ 601	\$ 610
36"W	ALS2836BSF	\$ 593	\$ 613	\$ 623
42"W	ALS2842BSF	\$ 603	\$ 624	\$ 634
48"W	ALS2848BSF	\$ 615	\$ 637	\$ 647
54"W	ALS2854BSF	\$ 908	\$ 946	\$ 963
60"W	ALS2860BSF	\$ 920	\$ 959	\$ 976
66"W	ALS2866BSF	\$ 1163	\$ 1215	\$ 1239
72"W	ALS2872BSF	\$ 1184	\$ 1237	\$ 1262

<p><i>How to specify —</i></p> <p>Select the Model Number from above.</p>	<p><i>1st Option:</i></p> <p><b>FSC:</b></p> <p>F FSC Wood</p> <p>X Non-FSC Wood</p>	<p><i>2nd Option:</i></p> <p><b>Laminate:</b></p> <p>See page 146 for finishes.</p>	<p><i>3rd Option:</i></p> <p><b>Edge:</b></p> <p>See page 146 for finishes.</p>	<p><i>4th Option:</i></p> <p><b>Grain Direction:</b></p> <p>VLG Horizontal</p> <p>VST Vertical</p>	<p><i>5th Option:</i></p> <p><b>Paint Color:</b></p> <p>P1 P2 P3</p> <p>See page 146 for finishes.</p>	<p><i>6th Option:</i></p> <p><b>Corner:</b></p> <p>SQ Square</p> <p>RD Round</p>
	<p>ALS                     .</p>	<p>  .</p>	<p>          .</p>	<p>      .</p>	<p>V       .</p>	<p>  .</p>

Example:

For specification information see pages 149-152.



Description	Model	List Price		
		L1	L2	L3
<b>13"H Elevated Screen — Laminate</b>				
36"W	ALS1336DFS	\$ 443	\$ 452	\$ 457
42"W	ALS1342DFS	\$ 452	\$ 462	\$ 467
48"W	ALS1348DFS	\$ 461	\$ 471	\$ 477
54"W	ALS1354DFS	\$ 506	\$ 520	\$ 525
60"W	ALS1360DFS	\$ 515	\$ 529	\$ 535
66"W	ALS1366DFS	\$ 582	\$ 599	\$ 608
72"W	ALS1372DFS	\$ 601	\$ 619	\$ 628

**20"H Elevated Screen — Laminate**

Description	Model	List Price		
		L1	L2	L3
36"W	ALS2036DFS	\$ 517	\$ 531	\$ 537
42"W	ALS2042DFS	\$ 527	\$ 542	\$ 548
48"W	ALS2048DFS	\$ 537	\$ 552	\$ 558
54"W	ALS2054DFS	\$ 661	\$ 682	\$ 693
60"W	ALS2060DFS	\$ 671	\$ 693	\$ 703
66"W	ALS2066DFS	\$ 796	\$ 825	\$ 839
72"W	ALS2072DFS	\$ 817	\$ 847	\$ 861

Description	Model	List Price		
		L1	L2	L3
<b>13"H Elevated HAT Screen — Laminate</b>				
34"W	ALS1334DFS	\$ 454	\$ 464	\$ 469
40"W	ALS1340DFS	\$ 449	\$ 459	\$ 464
46"W	ALS1346DFS	\$ 457	\$ 467	\$ 472
52"W	ALS1352DFS	\$ 504	\$ 516	\$ 523
58"W	ALS1358DFS	\$ 513	\$ 527	\$ 533
64"W	ALS1364DFS	\$ 578	\$ 595	\$ 602
70"W	ALS1370DFS	\$ 598	\$ 616	\$ 625

**20"H Elevated HAT Screen — Laminate**


Description	Model	List Price		
		L1	L2	L3
34"W	ALS2034DFS	\$ 514	\$ 528	\$ 534
40"W	ALS2040DFS	\$ 524	\$ 538	\$ 544
46"W	ALS2046DFS	\$ 534	\$ 549	\$ 555
52"W	ALS2052DFS	\$ 691	\$ 714	\$ 725
58"W	ALS2058DFS	\$ 668	\$ 690	\$ 700
64"W	ALS2064DFS	\$ 793	\$ 822	\$ 835
70"W	ALS2070DFS	\$ 814	\$ 844	\$ 858

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>FSC:</b> F FSC Wood X Non-FSC Wood</p>	<p><b>2nd Option:</b> <b>Laminate:</b> See page 146 for finishes.</p>	<p><b>3rd Option:</b> <b>Edge:</b> See page 146 for finishes.</p>	<p><b>4th Option:</b> <b>Grain Direction:</b> VLG Horizontal VST Vertical</p>	<p><b>5th Option:</b> <b>Paint Color:</b> See page 146 for finishes. P1 P2 P3</p>	<p><b>6th Option:</b> <b>Corner:</b> SQ Square RD Round</p>
<p>Example: ALS                     .   .</p>				<p>V       .</p>		

Laminate

Open Market

For specification information see pages 149-152.



Description	Model	List Price		
		L1	L2	L3
<b>27"H Above/Below Screen — Laminate</b>				
36"W	ALS2736DFS	\$ 658	\$ 678	\$ 688
42"W	ALS2742DFS	\$ 675	\$ 696	\$ 706
48"W	ALS2748DFS	\$ 695	\$ 717	\$ 728
54"W	ALS2754DFS	\$ 714	\$ 737	\$ 748
60"W	ALS2760DFS	\$ 735	\$ 759	\$ 771
66"W	ALS2766DFS	\$ 757	\$ 783	\$ 795
72"W	ALS2772DFS	\$ 780	\$ 807	\$ 820


Description	Model	List Price		
		L1	L2	L3
<b>27"H Above/Below HAT Screen — Laminate</b>				
34"W	ALS2734DFS	\$ 654	\$ 674	\$ 684
40"W	ALS2740DFS	\$ 666	\$ 687	\$ 697
46"W	ALS2746DFS	\$ 685	\$ 707	\$ 717
52"W	ALS2752DFS	\$ 705	\$ 728	\$ 738
58"W	ALS2758DFS	\$ 724	\$ 748	\$ 759
64"W	ALS2764DFS	\$ 746	\$ 772	\$ 782
70"W	ALS2770DFS	\$ 769	\$ 796	\$ 808

**NOTE:** Laminate Above/Below screens cannot be used with height adjustable tables unless paired with a Radii undermount pedestal.

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>FSC:</b> F FSC Wood X Non-FSC Wood</p>	<p><b>2nd Option:</b> <b>Laminate:</b> See page 146 for finishes.</p>	<p><b>3rd Option:</b> <b>Edge:</b> See page 146 for finishes.</p>	<p><b>4th Option:</b> <b>Grain Direction:</b> VLG Horizontal VST Vertical</p>	<p><b>5th Option:</b> <b>Paint Color:</b> See page 146 for finishes. P1 P2 P3</p>	<p><b>6th Option:</b> <b>Corner:</b> SQ Square RD Round</p>
<p>ALS                     .</p>	<p>  .</p>	<p>        .</p>	<p>      .</p>	<p>V       .</p>	<p>  .</p>	<p>    .</p>

Example:

For specification information see pages 149-152.



Description	Model	List Price		
		L1	L2	L3
<b>13"H Front-to-Back Screen — Laminate</b>				
21"W	ALS1321LDF	\$ 402	\$ 408	\$ 411
24"W	ALS1324LDF	\$ 462	\$ 471	\$ 476
27"W	ALS1327LDF	\$ 467	\$ 477	\$ 482
30"W	ALS1330LDF	\$ 471	\$ 481	\$ 486
36"W	ALS1336LDF	\$ 480	\$ 490	\$ 496
<b>20"H Front-to-Back Screen — Laminate</b>				
21"W	ALS2021LDF	\$ 470	\$ 480	\$ 485
24"W	ALS2024LDF	\$ 557	\$ 572	\$ 578
27"W	ALS2027LDF	\$ 562	\$ 577	\$ 584
30"W	ALS2030LDF	\$ 568	\$ 584	\$ 590
36"W	ALS2036LDF	\$ 578	\$ 594	\$ 601
<b>27"H Front-to-Back Screen — Laminate</b>				
21"W	ALS2721LDF	\$ 501	\$ 512	\$ 518
24"W	ALS2724LDF	\$ 635	\$ 654	\$ 663
27"W	ALS2727LDF	\$ 641	\$ 660	\$ 670
30"W	ALS2730LDF	\$ 646	\$ 666	\$ 675
36"W	ALS2736LDF	\$ 658	\$ 678	\$ 688

Description	Model	List Price		
		L1	L2	L3
<b>13"H Front-to-Back HAT Screen — Laminate</b>				
22"W	ALS1322LHF	\$ 404	\$ 410	\$ 413
28"W	ALS1328LHF	\$ 468	\$ 478	\$ 483
<b>20"H Front-to-Back HAT Screen — Laminate</b>				
22"W	ALS2022LHF	\$ 458	\$ 467	\$ 472
28"W	ALS2028LHF	\$ 565	\$ 581	\$ 587
<b>27"H Front-to-Back HAT Screen — Laminate</b>				
22"W	ALS2722LHF	\$ 516	\$ 528	\$ 534
28"W	ALS2728LHF	\$ 643	\$ 662	\$ 672


<p><b>How to specify —</b> Select the Model Number from above.</p> <p>ALS                                 .</p> <p><i>Example:</i></p>	<p><b>1st Option:</b> FSC: F FSC Wood X Non-FSC Wood</p> <p>  .</p>	<p><b>2nd Option:</b> Laminate: See page 146 for finishes.</p> <p>          .</p>	<p><b>3rd Option:</b> Edge: See page 146 for finishes.</p> <p>      .</p>	<p><b>4th Option:</b> Grain Direction: VLG Horizontal VST Vertical</p> <p>V       .</p>	<p><b>5th Option:</b> Paint Color: P1 P2 P3 See page 146 for finishes.</p> <p>  .</p>	<p><b>6th Option:</b> Corner: SQ Square RD Round</p> <p>    .</p>
--	---	---	---	---	---	---







For specification information see pages 149-152.



Description	Model	List Price		
		L1	L2	L3
<b>13"H Modesty Screen — Laminate</b>				
30"W	ALS1330MPD	\$ 482	\$ 492	\$ 498
36"W	ALS1336MPD	\$ 481	\$ 491	\$ 497
42"W	ALS1342MPD	\$ 490	\$ 501	\$ 506
48"W	ALS1348MPD	\$ 499	\$ 510	\$ 516
54"W	ALS1354MPD	\$ 575	\$ 591	\$ 598
60"W	ALS1360MPD	\$ 586	\$ 603	\$ 610
66"W	ALS1366MPD	\$ 672	\$ 693	\$ 703
72"W	ALS1372MPD	\$ 692	\$ 714	\$ 724

*How to specify —*  
Select the Model Number from above.

*1st Option:*  
**FSC:**  
F FSC Wood  
X Non-FSC Wood

*2nd Option:*  
**Laminate:**  
See page 146 for finishes.

*3rd Option:*  
**Edge:**  
See page 146 for finishes.

*4th Option:*  
**Grain Direction:**  
VLG Horizontal  
VST Vertical

*5th Option:*  
**Paint Color:**  
P1 P2 P3  
See page 146 for finishes.


*6th Option:*  
**Corner:**  
SQ Square  
RD Round

ALS | | | | | | | | | | | | | | | | .


*Example:*

**Metal**

Open Market



Left shown



Right shown

Description	Model	List Price		
		P1	P2	P3
<b>Metal Lateral Organizers</b>				
20"H x 20"W, Left Handed	U6BL2021ML	\$ 566	\$ 595	\$ 623
20"H x 20"W, Right Handed	U6BL2021MR	\$ 566	\$ 595	\$ 623
27"H x 20"W, Left Handed	U6BL2027ML	\$ 602	\$ 631	\$ 659
27"H x 20"W, Right Handed	U6BL2027MR	\$ 602	\$ 631	\$ 659

**Notes:** Clamps to back edge of worksurface at 20"H and 27"H.

Screen is designed to sit back from front edge of worksurface.

Space for folders is 1½" and holds approximately 340 sheets of paper.

Folder storage is one-sided — LH and RH options available.

- Finishes ..... 186
- Gallery Panels ..... 187
- Basic Characteristics..... 188
- Dimensions ..... 189
- Working with Integrated Glass ..... 190
- Further - End Panel (Dual-Sided) ..... 191
- Further - End Panel (Single-Sided)..... 192
- Benching..... 193
- Mural — Planning Guidelines ..... 194
- Storage and Worksurface Connectors..... 195
- Accessories - Tackboards ..... 196
- 22"H Application ..... 197-198
- 30"H Application ..... 199
- 35"H Application ..... 200
- 42"H Application ..... 201
- 50"H Application ..... 202
- 22"H Application for Use with Glass ..... 203-204
- 30"H Application for Use with Glass ..... 205
- 35"H Application for Use with Glass ..... 206
- 42"H Application for Use with Glass ..... 207
- Further Connector Kits ..... 208
- Benching Connector Kits..... 209
- Panel Systems Gallery Glass ..... 210-212

### PAINT FINISHES

#### GRADE P1

Black .....	P71
Brownstone .....	P7D
Bungalow .....	P7C
Cinder .....	P7Q
Designer White .....	PJW
Flint .....	P02
Fossil .....	P28
Loft .....	P7B
Muslin .....	P4J
Parchment .....	P93
Pebble .....	P8R
Pewter .....	P8D
Salt .....	P8C
Titanium .....	P8T

#### GRADE P2

Champagne Metallic .....	PR5
Gunmetal Metallic .....	PR3
Night Bronze .....	P8B
Platinum Metallic .....	PR2
Pyrite .....	PJE
Silver .....	PR6
Solar Black .....	P8X

*Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)*

#### GRADE P3

Amethyst ( <i>De-emphasized</i> ) .....	P091
Atom .....	P8S
Blossom*** .....	P8K
Bullseye .....	PJF
Cobalt Mica ( <i>De-emphasized</i> ) .....	P090
Ember .....	P8P
Ion .....	P8N
Iris .....	P8J
Krypton .....	P8F
Ochre .....	P093
Regatta .....	P8M
Sienna .....	P092
Succulent*** .....	P8A

\*\*\*These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

### LAMINATES

#### GRADE L1

##### SOLID COLOR

Black .....	P
Brownstone .....	LM13
Bungalow .....	LM12
Designer White .....	LDW1
Flint .....	LM16
Fossil Shale .....	LEH1
Loft .....	LM11
Muslin .....	LM15
Titanium .....	LTI1

##### WOODGRAIN

Belair .....	LWBA
Bourbon Cherry .....	H
Field Elm .....	LWFE
Florence Walnut .....	LFW1
Kingswood Walnut .....	LK11
Natural Maple .....	LWD
NeoWalnut .....	LNU1
Pinnacle .....	PINC
Shaker Cherry .....	LW7C

#### GRADE L2

Beigewood .....	LWBE
Fawn Cypress .....	LFC1
Lowell Ash .....	LLA1
Mangalore Mango .....	LMM1
Natural Recon .....	LNR1
Phantom Charcoal .....	LPC1
Phantom Ecu .....	LPE1
Portico Teak .....	LPT1
Skyline Walnut .....	LSW1
Veranda Teak .....	LVT1

#### GRADE L3

Natural Walnut .....	LWNW
----------------------	------


### LAMINATE EDGE COLORS

Beigewood .....	DE
Belair .....	BA
Black .....	E4
Bourbon Cherry .....	H
Brownstone .....	EY
Bungalow .....	EX
Designer White .....	DW
Fawn Cypress .....	FC
Field Elm .....	FE
Flint .....	E9
Florence Walnut .....	FW
Fossil .....	EH
Kingswood Walnut .....	KI
Loft .....	EV
Lowell Ash .....	DL
Mangalore Mango .....	MM
Muslin .....	EU
Natural Maple .....	DD
Natural Recon .....	NR
Natural Walnut .....	DN
NeoWalnut .....	NU
Parchment .....	EN
Phantom Charcoal .....	PC
Phantom Ecu .....	PE
Pinnacle .....	PI
Plyband .....	PL
Portico Teak .....	DP
Shaker Cherry .....	DF
Skyline Walnut .....	SW
Titanium .....	TI
Veranda Teak .....	VT


Forest Stewardship Council (FSC) is a non-profit organization devoted to encouraging the responsible management of the world's forests. FSC sets high standards that ensure forestry is practiced in an environmentally responsible, socially beneficial, and economically viable way. Allsteel received its FSC Chain of Custody certification in 2010 and can offer FSC Certified products. Select wood-based products can be ordered as FSC certified, either by choosing the FSC option or selecting an FSC laminate or veneer finish at the time of order. For more information, please contact Customer Support at 888-255-7833. (FSC Trademark license code: FSC-CO14704.)

**NOTE:** Refer to individual product pages for upcharges.


Gallery Panels are ideal for bringing natural wood elements to workstations and providing privacy. Allsteel Gallery Panels are designed to work universally across 4 product platforms. Please follow the product guidelines for proper specification.



End Panel (Dual-Sided)



Gallery Bench



Gallery Panels  
with Further Adaptive



- Available in End configuration.
- Made of 1 1/8" board with HPL laminate.
- Use 1 1/8" thickness for space planning.
- Can be specified with matching or contrasting edge.
- Edge band is 2mm ABS.
- Available in woodgrain and solid laminates.
- Horizontal laminate available on all sizes. Vertical laminate is available on widths 18"W to 60"W, and 87"W to 117"W.
- Widths are available in 3" increments from 33"W to 87"W.
- Sizes up to 84"W come as a single piece. Sizes 87"W though 147"W are split panels and come in two-pieces.
- Standard benching Gallery Panels are specified in single-piece panels. Contact Allsteel Tailored Products Group for split panels.
- Grain matching is not available on split panels.
- Gallery Panels offer 2 1/2" leveling capability.
- Overall heights line up with adjacent panel or benching systems.
- Gallery Panel widths are true to size.
- Available with and without the integrated glass option.
- Glass is specified separately.
- Gallery Panels for use with glass have separate model numbers.
- Can be used with Single Sided Further adaptive for privacy and stability along the beam.
- All configurations are non-handed and secured using hidden fasteners.
- Please adhere to all standard systems specification guidelines.
- Gallery Panels are constructed of laminated particle board. Because of their nature, such components have a tendency to bow due to humidity and changes in climate.

# Gallery Panels


## Dimensions

GSA SIN 33721

### Gallery Panel Widths




Gallery Panel Heights





# Gallery Panels

- Gallery Panels for use with glass offer a routed top edge.
- Glass mounts directly into the Gallery Panel route via a gasket.
- The routing is inset 1½" from each end of the panel.
- Single-piece Gallery Panels for use with integrated glass require glass 3" shorter than the panel width.
- Glass is available in 3 colors: Clear, Frosted, Smoked.
- Glass height is available in 7½"H, 13"H, 15"H.
- Glass is available on all Gallery Panel widths.
- For benching systems, maximum allowable benching height cannot exceed 50"H with or without glass. Overall Gallery Panel height includes the glass.
- Specify glass models separate from Gallery Panel models.
- Glass Panels at 30"W and under are not UL listed.




Single Panel with Glass


Find the Gallery Glass width appropriate for your Gallery Panel width.

Shaded example:  
For the 18"W Gallery Panel, Gallery Glass should be ordered with width of 15".

Gallery Panel Width \ Gallery Glass Height	7.5"H
	Gallery Glass Order Width
18"W Gallery Panel	15"W
21"W Gallery Panel	18"W
24"W Gallery Panel	21"W
27"W Gallery Panel	24"W
30"W Gallery Panel	27"W
33"W Gallery Panel	30"W
36"W Gallery Panel	33"W
39"W Gallery Panel	36"W
42"W Gallery Panel	39"W
45"W Gallery Panel	42"W
48"W Gallery Panel	45"W
51"W Gallery Panel	48"W
54"W Gallery Panel	51"W
57"W Gallery Panel	54"W
60"W Gallery Panel	57"W
63"W Gallery Panel	60"W
66"W Gallery Panel	63"W
69"W Gallery Panel	66"W
72"W Gallery Panel	69"W
75"W Gallery Panel	72"W
78"W Gallery Panel	75"W
81"W Gallery Panel	78"W
84"W Gallery Panel	81"W





Split Panel with Glass




- Gallery Panels provide support for beam and worksurfaces.
- Provides privacy to one or both ends of the system in a dual-sided application.
- End Panel sizes are available from 48" W to 84" W.
- Maximum overall height is 50" H. Integrated glass is included in overall height.
- All T-configurations connect using one of the following connector kits:
  - GFCKSH - standard-height tethered applications
  - GFCKA - Adaptive or standard-height freestanding beam applications.
  - GFCKLH - low freestanding beam applications
- Connector kits are infeed and data accessible.
- Chicago and NY electrical junction boxes are not compatible with the kits.
- Connector kits do not accept power poles.
- End Panel can be used for off-modular planning, connector kit location must be field-measured.
- In standard height tethered applications, use Z6LB bracket to tie worksurface to Gallery Panel.
- Gallery Panels line up with the edge of the worksurface.
- In tethered applications, the gallery panel must meet or exceed the depth of the worksurfaces.
- In a freestanding application, minimum beam run must total 98" W. This includes connector kit.

Front edge of worksurface is flush to Gallery Panel in End Panel configuration




Standard Height (GFCKSH)



Standard Height (GFCKSH)

Adaptive and freestanding standard height (GFCKA)

Low Fence (GFCKLH)




# Gallery Panels

## Further™ - End Panel (Single-Sided)

GSA SIN 33721


- Gallery Panels provide support for beam and worksurface.
- Provides privacy to one or both ends of the system in a single-sided application.
- Single-Sided End Panel sizes are available from 33"W to 84"W.
- Maximum overall height is 50"H. Integrated glass is included in overall height.
- All Single-Sided End Panels connect using one of the following connector kits:
  - GFCKSH - standard-height tethered applications
  - GFCKA - Adaptive or standard-height freestanding beam applications.
  - GFCKLH - low freestanding beam applications
- Connector kits are infed and data accessible. Connector kits do not accept power poles.
- Chicago and NY electrical junction boxes are not compatible with the kits.
- In standard height tethered applications, use Z6LB bracket to tie worksurface to Gallery Panel.
- Gallery Panels extend 1½" past front edge of the worksurface. Specify gallery panel 6" longer than the depth of worksurface.
- In tethered applications, the gallery panel must meet or exceed the depth of the worksurfaces.
- In a freestanding application, minimum beam run must total 98"W. This includes connector kit.
- Single-Sided End Panels may not utilize a single beam between two gallery panels.
- Gallery Panel sizes 66"W or greater require storage or worksurface tie in. Please reference storage and worksurface support sections for more details.
- Single-sided Adaptive requires a minimum of 42"H Gallery Panels along the beam run. Panel widths must match worksurface widths.
- One connector kit (U6GPSS) required for each gallery panel – ordered separately.
- Standard specification creates 1" gap between all gallery panels.
- End Gallery Panels may be specified to align with back panels.
- U3SSHAFa used to mount single-sided Adaptive supports to floor if Gallery panels are not desired.
- Kit includes brackets for 2 end supports and 2 mid-supports.
- Hardware for mounting to floor is not included.

Front edge of Gallery Panel sits 1½" proud of front edge of worksurface in L-configuration




Standard


1" gap between end panel and spine panels




Single-Sided Adaptive



Freestanding




Standard Height Single-Sided End Panel




Single-Sided Adaptive

- Provides privacy to one or both ends of the system.
- End Panel (Dual-Sided) sizes are available from 54"W to 84"W.
- End Panel (Single-Sided) sizes are available from 33"W to 84"W.
- Maximum overall height is 50"H. Integrated glass is included in overall height.




Front edge of panel sits 1¼" proud of worksurface in Single-Sided configuration



Single-Sided

Front edge of worksurface is flush to Gallery Panel in Dual-Sided configuration




Dual-Sided

# Gallery Panels


## Overview:

- Gallery Panels provide support for fence and worksurfaces.
- Provides privacy to one or both ends of the system in a dual-sided application.
- Gallery Panels line up with the edge of the worksurface.
- Freestanding Mural to Gallery Panels (no integrated tables) requires a minimum 98" of Mural system spine length OR gallery panels on both ends of spine.
- Maximum overall height is 50" H. Integrated glass is included in overall height.
- In tethered applications, the gallery panel must meet or exceed the depth of the worksurfaces.




## End Panel:

- Dual-sided applications end of run available in all single and split gallery panel sizes.
- Single-sided applications available in all single gallery panel sizes.
- Mural end panels connect using GSCKP connector kit.
- When split gallery panels are specified, hardware kit must also be specified GSHW.
- Single End Panel sizes are available from 48" W to 84" W.
- Split End Panel seams must align with parent run.
- Gallery Panel sizes 129" W or greater require storage or worksurface tie in on both sides of panel. Please reference storage and worksurface support sections for more details.



## Mid-Panel:

- Dual-sided applications with mid-placement available in all single gallery panel sizes.
- Single-sided applications available in all single gallery panel sizes.
- Mid-connector kit required per gallery panel to attach to fence.
- For dual-sided applications, specify GSCKPMD.
- For single-sided applications, specify GSCKPMS.
- Mid Panels are available in 18"-84" widths in 3" increments.
- Gallery panels 66" W and greater require worksurface or storage tie-in. Please reference storage and worksurface support section for details.




## Connector Kits:


- Connector kits are infed and data accessible.
- Connector kits do not accept power poles.
- End Panel can be used for off-modular planning, connector kit location must be field-measured.

- To connect to laminate storage use GSGKL or GSGKM for metal storage.
- To connect to worksurface use Z6LB bracket when used in perpendicular to parent run or use standard systems cantilever brackets when used in parallel to parent run in panel systems.
- Perpendicular surfaces connected to a Gallery Panel over 60"W require (2) Z6LB Brackets.

### Panel Systems



Perpendicular panel system with L-bracket (Z6LB) and post leg.




Perpendicular panel system with storage support.




Panel system with cantilever support.


### Further System



Further perpendicular with L-bracket (Z6LB), worksurface brackets, and post leg.




Further perpendicular with storage support and worksurface brackets.




Further perpendicular with L-bracket (Z6LB) and worksurface brackets.

# Gallery Panels

- Provides tackable surface
- Comes with steel-painted trim
- Available in 36" W and in two heights: 11" H and 18½" H
- For use with a minimum 39" W Gallery Panel
- Mounts directly to Gallery Panel. Mounting hardware included.




Tackboard Accessory on Mid and End Gallery Panels. Example of the typical is illustrated using a Panel System.



Tackboard Accessory dimensions

## Gallery Panel Stiffeners

- Required for single-piece panels 75" W and greater that are used in a wing or single-sided end condition and do not have a horizontally-mounted credenza.
- For panels 75" W and 78" W, order model (GSTFN7578). Stiffener width is 72".
- For panels 81" W and 84" W, order model (GSTFN8184). Stiffener width is 78".
- Attaches directly to one side of the Gallery Panel with a painted metal cover, attachment hardware included.
- Placement on panel face must be at least 18" above the floor but is not restricted to a specific location on the panel.
- Stiffener is 1½" x 1½".
- Available in any Allsteel standard paint color




# Gallery Panels

22"H Application

For Gallery Panel connectors see page 208-209.

GSA SIN 33721



GALLERY PANELS

Description	Model	List Price		
		L1	L2	L3
<b>22"H Gallery Panels</b>				
18"W	G2218	\$ 418	\$ 436	\$ 453
21"W	G2221	\$ 436	\$ 455	\$ 474
24"W	G2224	\$ 462	\$ 482	\$ 502
27"W	G2227	\$ 495	\$ 516	\$ 537
30"W	G2230	\$ 565	\$ 589	\$ 612
33"W	G2233	\$ 599	\$ 625	\$ 650
36"W	G2236	\$ 629	\$ 656	\$ 682
39"W	G2239	\$ 682	\$ 711	\$ 740
42"W	G2242	\$ 739	\$ 770	\$ 802
45"W	G2245	\$ 807	\$ 841	\$ 875
48"W	G2248	\$ 844	\$ 879	\$ 915
51"W	G2251	\$ 860	\$ 896	\$ 932
54"W	G2254	\$ 900	\$ 939	\$ 976
57"W	G2257	\$ 941	\$ 981	\$ 1020
60"W	G2260	\$ 986	\$ 1028	\$ 1069
63"W	G2263	\$ 1001	\$ 1044	\$ 1085
66"W	G2266	\$ 1023	\$ 1066	\$ 1110
69"W	G2269	\$ 1096	\$ 1142	\$ 1188
72"W	G2272	\$ 1129	\$ 1176	\$ 1224
75"W	G2275	\$ 1280	\$ 1334	\$ 1387
78"W	G2278	\$ 1329	\$ 1385	\$ 1441
81"W	G2281	\$ 1377	\$ 1435	\$ 1493
87"W	G2287	\$ 1404	\$ 1471	\$ 1537
93"W	G2293	\$ 1452	\$ 1521	\$ 1589
99"W	G2299	\$ 1473	\$ 1542	\$ 1612
105"W	G22105	\$ 1505	\$ 1576	\$ 1646
84"W	G2284	\$ 1511	\$ 1575	\$ 1638
111"W	G22111	\$ 1588	\$ 1663	\$ 1737
117"W	G22117	\$ 1634	\$ 1711	\$ 1786
123"W	G22123	\$ 1648	\$ 1725	\$ 1801
129"W	G22129	\$ 1692	\$ 1771	\$ 1849
135"W	G22135	\$ 1769	\$ 1851	\$ 1933
141"W	G22141	\$ 1858	\$ 1944	\$ 2029
147"W	G22147	\$ 1957	\$ 2047	\$ 2136

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>FSC:</b> F FSC Wood X Non-FSC Wood</p>	<p><b>2nd Option:</b> <b>Laminate:</b> See page 186 for finishes.</p>	<p><b>3rd Option:</b> <b>Edge:</b> See page 186 for finishes.</p>	<p><b>4th Option:</b> <b>Grain:</b> VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less.</p>	<p><b>5th Option:</b> <b>Glide:</b></p>
G   2   2         .	.	.	.	V       .	G

Example: G2218.X.LT11.TI.VLG.G




# Gallery Panels

22"H Application

For Gallery Panel connectors see page [208-209](#).

GSA SIN 33721



Description	Model	List Price		
		L1	L2	L3
<b>22"H Gallery Split Panels</b>				
81"W	GS2281	\$ 1306	\$ 1361	\$ 1417
87"W	GS2287	\$ 1579	\$ 1646	\$ 1712
93"W	GS2293	\$ 1627	\$ 1696	\$ 1764
99"W	GS2299	\$ 1648	\$ 1717	\$ 1787
105"W	GS22105	\$ 1680	\$ 1751	\$ 1821
111"W	GS22111	\$ 1763	\$ 1838	\$ 1912
117"W	GS22117	\$ 1809	\$ 1886	\$ 1961
123"W	GS22123	\$ 1823	\$ 1900	\$ 1976
129"W	GS22129	\$ 1867	\$ 1946	\$ 2024
135"W	GS22135	\$ 1944	\$ 2026	\$ 2108
141"W	GS22141	\$ 2033	\$ 2119	\$ 2204
147"W	GS22147	\$ 2132	\$ 2222	\$ 2311

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>FSC:</b> F FSC Wood X Non-FSC Wood</p>	<p><b>2nd Option:</b> <b>Laminate:</b> See page <a href="#">186</a> for finishes.</p>	<p><b>3rd Option:</b> <b>Edge:</b> See page <a href="#">186</a> for finishes.</p>	<p><b>4th Option:</b> <b>Grain:</b> VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less.</p>	<p><b>5th Option:</b> <b>Glide:</b></p>
<p>GS22           .     .</p>				<p>V       .</p>	<p>G  </p>


Example: GS2281.X.LT11.TI.VLG.G

# Gallery Panels

30"H Application

For Gallery Panel connectors see page 208-209.

GSA SIN 33721



Description	Model	Configuration	List Price		
			L1	L2	L3
<b>30"H Gallery Panels</b>					
33"W	G3033	S	\$ 665	\$ 689	\$ 712
36"W	G3036	S	\$ 699	\$ 725	\$ 749
39"W	G3039	S	\$ 759	\$ 787	\$ 813
42"W	G3042	S	\$ 821	\$ 850	\$ 879
45"W	G3045	S	\$ 896	\$ 928	\$ 960
48"W	G3048	D, S	\$ 938	\$ 971	\$ 1005
51"W	G3051	D, S	\$ 954	\$ 988	\$ 1022
54"W	G3054	D, S	\$ 1000	\$ 1035	\$ 1071
57"W	G3057	D, S	\$ 1044	\$ 1082	\$ 1118
60"W	G3060	D, S	\$ 1095	\$ 1134	\$ 1173
63"W	G3063	D, S	\$ 1114	\$ 1154	\$ 1193
66"W	G3066	D, S	\$ 1138	\$ 1179	\$ 1218
69"W	G3069	D, S	\$ 1219	\$ 1262	\$ 1306
72"W	G3072	D, S	\$ 1254	\$ 1298	\$ 1343
75"W	G3075	D, S	\$ 1422	\$ 1473	\$ 1523
78"W	G3078	D, S	\$ 1477	\$ 1530	\$ 1581
81"W	G3081	D, S	\$ 1529	\$ 1583	\$ 1637
84"W	G3084	D, S	\$ 1680	\$ 1739	\$ 1798

**Note:** Configuration is not included in model number

- S End Single Sided
- D End Dual Sided

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>FSC:</b> F FSC Wood X Non-FSC Wood</p>	<p><b>2nd Option:</b> <b>Laminate:</b> See page 186 for finishes.</p>	<p><b>3rd Option:</b> <b>Edge:</b> See page 186 for finishes.</p>	<p><b>4th Option:</b> <b>Grain:</b> VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less.</p>	<p><b>5th Option:</b> <b>Glide:</b></p>
G   3   0       .	.	.	.	V       .	G


Example: G3033.X.LT11.TI.VLG.G

# Gallery Panels

35"H Application

For Gallery Panel connectors see page 208-209.

GSA PENDING



Description	Model	Configuration	List Price		
			L1	L2	L3
<b>35"H Gallery Panels</b>					
33"W	G3533	S	\$ 787	\$ 816	\$ 844
36"W	G3536	S	\$ 834	\$ 865	\$ 894
39"W	G3539	S	\$ 891	\$ 924	\$ 956
42"W	G3542	S	\$ 931	\$ 965	\$ 999
45"W	G3545	S	\$ 988	\$ 1024	\$ 1059
48"W	G3548	D, S	\$ 1031	\$ 1069	\$ 1106
51"W	G3551	D, S	\$ 1066	\$ 1105	\$ 1143
54"W	G3554	D, S	\$ 1104	\$ 1145	\$ 1184
57"W	G3557	D, S	\$ 1149	\$ 1191	\$ 1232
60"W	G3560	D, S	\$ 1186	\$ 1229	\$ 1272
63"W	G3563	D, S	\$ 1213	\$ 1257	\$ 1301
66"W	G3566	D, S	\$ 1248	\$ 1293	\$ 1338
69"W	G3569	D, S	\$ 1308	\$ 1355	\$ 1402
72"W	G3572	D, S	\$ 1369	\$ 1419	\$ 1468
75"W	G3575	D, S	\$ 1476	\$ 1530	\$ 1582
78"W	G3578	D, S	\$ 1553	\$ 1609	\$ 1665
81"W	G3581	D, S	\$ 1669	\$ 1729	\$ 1789
84"W	G3584	D, S	\$ 1828	\$ 1894	\$ 1959

**Note:** Configuration is not included in model number

- S End Single Sided
- D End Dual Sided

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>FSC:</b> F FSC Wood X Non-FSC Wood</p>	<p><b>2nd Option:</b> <b>Laminate:</b> See page 186 for finishes.</p>	<p><b>3rd Option:</b> <b>Edge:</b> See page 186 for finishes.</p>	<p><b>4th Option:</b> <b>Grain:</b> VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less.</p>	<p><b>5th Option:</b> <b>Glide:</b></p>
G 3 5       .	.	.	.	V       .	G


Example: G3533.X.LT11.TI.VLG.G

# Gallery Panels

42"H Application

For Gallery Panel connectors see page 208-209.

GSA SIN 33721



Description	Model	Configuration	List Price		
			L1	L2	L3
<b>42"H Gallery Panels</b>					
33"W	G4233	S	\$ 879	\$ 910	\$ 942
36"W	G4236	S	\$ 931	\$ 964	\$ 997
39"W	G4239	S	\$ 997	\$ 1032	\$ 1067
42"W	G4242	S	\$ 1039	\$ 1077	\$ 1113
45"W	G4245	S	\$ 1077	\$ 1116	\$ 1154
48"W	G4248	D, S	\$ 1121	\$ 1161	\$ 1200
51"W	G4251	D, S	\$ 1192	\$ 1234	\$ 1276
54"W	G4254	D, S	\$ 1229	\$ 1273	\$ 1316
57"W	G4257	D, S	\$ 1259	\$ 1304	\$ 1348
60"W	G4260	D, S	\$ 1306	\$ 1352	\$ 1398
63"W	G4263	D, S	\$ 1341	\$ 1388	\$ 1436
66"W	G4266	D, S	\$ 1385	\$ 1435	\$ 1483
69"W	G4269	D, S	\$ 1412	\$ 1463	\$ 1512
72"W	G4272	D, S	\$ 1493	\$ 1546	\$ 1598
75"W	G4275	D, S	\$ 1546	\$ 1601	\$ 1655
78"W	G4278	D, S	\$ 1643	\$ 1701	\$ 1759
81"W	G4281	D, S	\$ 1835	\$ 1900	\$ 1964
84"W	G4284	D, S	\$ 1976	\$ 2046	\$ 2115

**Note:** Configuration is not included in model number

- S End Single Sided
- D End Dual Sided

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>FSC:</b> F FSC Wood X Non-FSC Wood</p>	<p><b>2nd Option:</b> <b>Laminate:</b> See page 186 for finishes.</p>	<p><b>3rd Option:</b> <b>Edge:</b> See page 186 for finishes.</p>	<p><b>4th Option:</b> <b>Grain:</b> VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less.</p>	<p><b>5th Option:</b> <b>Glide:</b></p>
<p>G   4   2       .</p>	<p>    .</p>	<p>          .</p>	<p>      .</p>	<p>V       .</p>	<p>G  </p>


Example: G4233.X.LT11.TI.VLG.G

# Gallery Panels

50"H Application

For Gallery Panel connectors see page 208-209.

GSA SIN 33721



Description	Model	Configuration	List Price		
			L1	L2	L3
<b>50"H Gallery Panels</b>					
33"W	G5033	S	\$ 975	\$ 1009	\$ 1044
36"W	G5036	S	\$ 1023	\$ 1059	\$ 1095
39"W	G5039	S	\$ 1086	\$ 1125	\$ 1163
42"W	G5042	S	\$ 1144	\$ 1185	\$ 1225
45"W	G5045	S	\$ 1229	\$ 1273	\$ 1316
48"W	G5048	D, S	\$ 1259	\$ 1304	\$ 1348
51"W	G5051	D, S	\$ 1293	\$ 1339	\$ 1384
54"W	G5054	D, S	\$ 1347	\$ 1394	\$ 1442
57"W	G5057	D, S	\$ 1382	\$ 1432	\$ 1480
60"W	G5060	D, S	\$ 1423	\$ 1474	\$ 1524
63"W	G5063	D, S	\$ 1454	\$ 1506	\$ 1557
66"W	G5066	D, S	\$ 1494	\$ 1547	\$ 1599
69"W	G5069	D, S	\$ 1538	\$ 1593	\$ 1646
72"W	G5072	D, S	\$ 1580	\$ 1636	\$ 1692
75"W	G5075	D, S	\$ 1686	\$ 1745	\$ 1805
78"W	G5078	D, S	\$ 1851	\$ 1917	\$ 1981
81"W	G5081	D, S	\$ 2008	\$ 2079	\$ 2150
84"W	G5084	D, S	\$ 2147	\$ 2223	\$ 2298

**Note:** Configuration is not included in model number

- S End Single Sided
- D End Dual Sided

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>FSC:</b> F FSC Wood X Non-FSC Wood</p>	<p><b>2nd Option:</b> <b>Laminate:</b> See page 186 for finishes.</p>	<p><b>3rd Option:</b> <b>Edge:</b> See page 186 for finishes.</p>	<p><b>4th Option:</b> <b>Grain:</b> VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less.</p>	<p><b>5th Option:</b> <b>Glide:</b></p>
<p>G   5   0         .</p>	<p>    .</p>	<p>          .</p>	<p>      .</p>	<p>V       .</p>	<p>G  </p>


Example: G5033.X.LT11.TI.VLG.G

# Gallery Panels

## 22"H Application for Use with Glass

For Gallery Panel Glass see page 210.  
For Gallery Panel connectors see page 208-209.

GSA SIN 33721



Description	Model	List Price			Accepts Glass Models
		L1	L2	L3	7½"H, 13"H, 15"H
<b>22"H Gallery Panels with Glass</b>					
18"W	G2218G	\$ 656	\$ 684	\$ 711	G4 □□ 18GS
21"W	G2221G	\$ 674	\$ 703	\$ 731	G4 □□ 21GS
24"W	G2224G	\$ 700	\$ 730	\$ 759	G4 □□ 24GS
27"W	G2227G	\$ 734	\$ 765	\$ 796	G4 □□ 27GS
30"W	G2230G	\$ 802	\$ 836	\$ 870	G4 □□ 30GS
33"W	G2233G	\$ 836	\$ 871	\$ 906	G4 □□ 33GS
36"W	G2236G	\$ 867	\$ 903	\$ 941	G4 □□ 36GS
39"W	G2239G	\$ 921	\$ 960	\$ 999	G4 □□ 39GS
42"W	G2242G	\$ 977	\$ 1019	\$ 1059	G4 □□ 42GS
45"W	G2245G	\$ 1044	\$ 1088	\$ 1132	G4 □□ 45GS
48"W	G2248G	\$ 1082	\$ 1128	\$ 1173	G4 □□ 48GS
51"W	G2251G	\$ 1097	\$ 1143	\$ 1189	G4 □□ 51GS
54"W	G2254G	\$ 1139	\$ 1187	\$ 1235	G4 □□ 54GS
57"W	G2257G	\$ 1179	\$ 1229	\$ 1279	G4 □□ 57GS
60"W	G2260G	\$ 1224	\$ 1276	\$ 1327	G4 □□ 60GS
63"W	G2263G	\$ 1239	\$ 1292	\$ 1343	G4 □□ 63GS
66"W	G2266G	\$ 1261	\$ 1315	\$ 1367	G4 □□ 66GS
69"W	G2269G	\$ 1334	\$ 1390	\$ 1447	G4 □□ 69GS
72"W	G2272G	\$ 1367	\$ 1425	\$ 1482	G4 □□ 72GS
75"W	G2275G	\$ 1518	\$ 1582	\$ 1646	G4 □□ 75GS
78"W	G2278G	\$ 1567	\$ 1633	\$ 1699	G4 □□ 78GS
81"W	G2281G	\$ 1614	\$ 1682	\$ 1750	G4 □□ 81GS
87"W	G2287G	\$ 1643	\$ 1720	\$ 1796	G4 □□ 87GS
93"W	G2293G	\$ 1691	\$ 1770	\$ 1848	G4 □□ 93GS
99"W	G2299G	\$ 1711	\$ 1791	\$ 1870	G4 □□ 99GS
105"W	G22105G	\$ 1743	\$ 1824	\$ 1905	G4 □□ 105GS
84"W	G2284G	\$ 1748	\$ 1822	\$ 1896	G4 □□ 84GS
111"W	G22111G	\$ 1825	\$ 1909	\$ 1993	G4 □□ 111GS
117"W	G22117G	\$ 1872	\$ 1959	\$ 2044	G4 □□ 117GS
123"W	G22123G	\$ 1886	\$ 1973	\$ 2060	G4 □□ 123GS
129"W	G22129G	\$ 1931	\$ 2020	\$ 2108	G4 □□ 129GS
135"W	G22135G	\$ 2007	\$ 2099	\$ 2191	G4 □□ 135GS
141"W	G22141G	\$ 2096	\$ 2191	\$ 2287	G4 □□ 141GS
147"W	G22147G	\$ 2195	\$ 2295	\$ 2394	G4 □□ 147GS

**Note:** Fill in model number blanks with one of the following options to determine glass height.

- 07 7.5"H glass
- 13 13"H glass
- 15 15"H glass

<b>How to specify —</b> Select the Model Number from above.	1st Option: <b>FSC:</b> F FSC Wood X Non-FSC Wood	2nd Option: <b>Laminate:</b> See page 186 for finishes.	3rd Option: <b>Edge:</b> See page 186 for finishes.	4th Option: <b>Grain:</b> VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less.	5th Option: <b>Glide:</b>
G   S   2   2           .     .	.	.	.	V       .	G


Example: G2218G.X.LT11.TI.VLG.G

# Gallery Panels

## 22"H Application for Use with Glass

For Gallery Panel Glass see page 210.  
 For Gallery Panel connectors see page 208-209.

GSA SIN 33721



Description	Model	List Price			Accepts Glass Models
		L1	L2	L3	7½"H, 13"H, 15"H
<b>22"H Gallery Split Panels with Glass</b>					
81"W	GS2281G	\$ 1544	\$ 1609	\$ 1674	G4 □ □ 81GS
87"W	GS2287G	\$ 1818	\$ 1895	\$ 1971	G4 □ □ 89GS
93"W	GS2293G	\$ 1866	\$ 1945	\$ 2023	G4 □ □ 93GS
99"W	GS2299G	\$ 1886	\$ 1966	\$ 2045	G4 □ □ 99GS
105"W	GS22105G	\$ 1918	\$ 1999	\$ 2080	G4 □ □ 105GS
111"W	GS22111G	\$ 2000	\$ 2084	\$ 2168	G4 □ □ 111GS
117"W	GS22117G	\$ 2047	\$ 2134	\$ 2219	G4 □ □ 117GS
123"W	GS22123G	\$ 2061	\$ 2148	\$ 2235	G4 □ □ 123GS
129"W	GS22129G	\$ 2106	\$ 2195	\$ 2283	G4 □ □ 129GS
135"W	GS22135G	\$ 2182	\$ 2274	\$ 2366	G4 □ □ 135GS
141"W	GS22141G	\$ 2271	\$ 2366	\$ 2462	G4 □ □ 141GS
147"W	GS22147G	\$ 2370	\$ 2470	\$ 2569	G4 □ □ 147GS

**Note:** Fill in model number blanks with one of the following options to determine glass height.

- 07 7.5"H glass
- 13 13"H glass
- 15 15"H glass

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>FSC:</b> F FSC Wood X Non-FSC Wood</p>	<p><b>2nd Option:</b> <b>Laminate:</b> See page 186 for finishes.</p>	<p><b>3rd Option:</b> <b>Edge:</b> See page 186 for finishes.</p>	<p><b>4th Option:</b> <b>Grain:</b> VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less.</p>	<p><b>5th Option:</b> <b>Glide:</b></p>
<p>GS22                 .     .</p>				<p>V       .</p>	<p>G  </p>


Example: GS2281G.X.LT11.TI.VLG.G

# Gallery Panels

## 30"H Application for Use with Glass

For Gallery Panel Glass see page 210.  
For Gallery Panel connectors see page 208-209.

GSA SIN 33721



Description	Model	Configuration	List Price			Accepts Glass Models
			L1	L2	L3	7½"H, 13"H, 15"H
<b>30"H Gallery Panels with Glass</b>						
33"W	G3033G	S	\$ 905	\$ 937	\$ 969	G4 □□ 30GS
36"W	G3036G	S	\$ 938	\$ 971	\$ 1005	G4 □□ 33GS
39"W	G3039G	S	\$ 997	\$ 1032	\$ 1067	G4 □□ 36GS
42"W	G3042G	S	\$ 1058	\$ 1096	\$ 1133	G4 □□ 39GS
45"W	G3045G	S	\$ 1132	\$ 1173	\$ 1212	G4 □□ 42GS
48"W	G3048G	D, S	\$ 1175	\$ 1217	\$ 1258	G4 □□ 45GS
51"W	G3051G	D, S	\$ 1192	\$ 1234	\$ 1276	G4 □□ 48GS
54"W	G3054G	D, S	\$ 1238	\$ 1282	\$ 1326	G4 □□ 51GS
57"W	G3057G	D, S	\$ 1282	\$ 1327	\$ 1373	G4 □□ 54GS
60"W	G3060G	D, S	\$ 1331	\$ 1378	\$ 1425	G4 □□ 57GS
63"W	G3063G	D, S	\$ 1350	\$ 1398	\$ 1445	G4 □□ 60GS
66"W	G3066G	D, S	\$ 1374	\$ 1422	\$ 1472	G4 □□ 63GS
69"W	G3069G	D, S	\$ 1457	\$ 1509	\$ 1560	G4 □□ 66GS
72"W	G3072G	D, S	\$ 1492	\$ 1545	\$ 1597	G4 □□ 69GS
75"W	G3075G	D, S	\$ 1658	\$ 1717	\$ 1775	G4 □□ 72GS
78"W	G3078G	D, S	\$ 1716	\$ 1776	\$ 1837	G4 □□ 75GS
81"W	G3081G	D, S	\$ 1768	\$ 1831	\$ 1893	G4 □□ 78GS
84"W	G3084G	D, S	\$ 1917	\$ 1985	\$ 2053	G4 □□ 81GS

**Note:** Configuration is not included in model number

- S End Single Sided
- D End Dual Sided

**Note:** Fill in model number blanks with one of the following options to determine glass height.

- 07 7.5"H glass
- 13 13"H glass
- 15 15"H glass

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>FSC:</b> F FSC Wood X Non-FSC Wood</p>	<p><b>2nd Option:</b> <b>Laminate:</b> See page 186 for finishes.</p>	<p><b>3rd Option:</b> <b>Edge:</b> See page 186 for finishes.</p>	<p><b>4th Option:</b> <b>Grain:</b> VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less.</p>	<p><b>5th Option:</b> <b>Glide:</b></p>
<p>G   3   0         .</p>	<p>  .</p>	<p>          .</p>	<p>    .</p>	<p>V       .</p>	<p>G  </p>

Example: G3033G.X.LT11.TI.VLG.G






# Gallery Panels

## 42"H Application for Use with Glass

For Gallery Panel Glass see page 210.  
For Gallery Panel connectors see page 208-209.

GSA SIN 33721



Description	Model	Configuration	List Price			Accepts Glass Models
			L1	L2	L3	7½"H
<b>42"H Gallery Panels with Glass</b>						
33"W	G4233G	S	\$ 1117	\$ 1157	\$ 1196	G40730GS
36"W	G4236G	S	\$ 1168	\$ 1210	\$ 1250	G40733GS
39"W	G4239G	S	\$ 1235	\$ 1279	\$ 1323	G40736GS
42"W	G4242G	S	\$ 1279	\$ 1324	\$ 1369	G40739GS
45"W	G4245G	S	\$ 1315	\$ 1361	\$ 1408	G40742GS
48"W	G4248G	D, S	\$ 1359	\$ 1407	\$ 1455	G40745GS
51"W	G4251G	D, S	\$ 1429	\$ 1480	\$ 1530	G40748GS
54"W	G4254G	D, S	\$ 1466	\$ 1518	\$ 1570	G40751GS
57"W	G4257G	D, S	\$ 1499	\$ 1552	\$ 1605	G40754GS
60"W	G4260G	D, S	\$ 1543	\$ 1598	\$ 1652	G40757GS
63"W	G4263G	D, S	\$ 1578	\$ 1634	\$ 1690	G40760GS
66"W	G4266G	D, S	\$ 1622	\$ 1679	\$ 1737	G40763GS
69"W	G4269G	D, S	\$ 1650	\$ 1708	\$ 1766	G40766GS
72"W	G4272G	D, S	\$ 1730	\$ 1792	\$ 1853	G40769GS
75"W	G4275G	D, S	\$ 1782	\$ 1846	\$ 1908	G40772GS
78"W	G4278G	D, S	\$ 1879	\$ 1946	\$ 2011	G40775GS
81"W	G4281G	D, S	\$ 2073	\$ 2147	\$ 2220	G40778GS
84"W	G4284G	D, S	\$ 2214	\$ 2292	\$ 2370	G40781GS

**Note:** Configuration is not included in model number

- S End Single Sided
- D End Dual Sided


<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>FSC:</b> F FSC Wood X Non-FSC Wood</p>	<p><b>2nd Option:</b> <b>Laminate:</b> See page 186 for finishes.</p>	<p><b>3rd Option:</b> <b>Edge:</b> See page 186 for finishes.</p>	<p><b>4th Option:</b> <b>Grain:</b> VLG Horizontal grain or Solid only. VST Vertical Grain (available only for single panels 60"W or less.</p>	<p><b>5th Option:</b> <b>Glide:</b></p>
<p>G   4   2         .</p>	<p>  .</p>	<p>          .</p>	<p>      .</p>	<p>V       .</p>	<p>G  </p>

Example: G4233G.X.LT11.TI.VLG.G


# Gallery Panel Connectors

Further™ Connector Kits


GSA SIN 33721




Description	Model	List Price		
		P1	P2	P3
<b>Further Benching Connector Kit</b>				
Further Tethered Standard Height Connector	GFCKSH	\$ 500	\$ 535	\$ 589
Further Adaptive and Freestanding Standard Height Connector	GFCKA	\$ 493	\$ 528	\$ 581
Further Low Height Connector (Freestanding)	GFCKLH	\$ 565	\$ 605	\$ 665



Description	Model	P1	P2	P3
For Adaptive Gallery Panel in Single Sided Applications	U6GPSS	\$ 153	\$ 165	\$ 181
For Single Sided applications without Gallery Panels	U3SSHAF A	\$ 72	\$ 79	\$ 86




<b>Storage Mounting Brackets</b>				
Description	Model	P1	P2	P3
Gallery Laminate Storage Ganging Kit	GSGKL	\$ 77	N/A	N/A
Gallery Metal Storage Ganging Kit	GSGKM	\$ 18	N/A	N/A



<b>Gallery Panel Stiffener</b>				
Description	Model	P1	P2	P3
Stiffener for 75"W/78"W Panels	GSTFN7578	\$ 175	\$ 189	\$ 208
Stiffener for 81"W/84"W Panels	GSTFN8184	\$ 196	\$ 212	\$ 234

<b>Mural Connector Kits</b>				
Description	Model	P1	P2	P3
Gallery Panel End Connector	GSCKP	\$ 140	\$ 146	\$ 152
Gallery Panel Mid Connector Dual Sided	GSCKPM D	\$ 164	\$ 171	\$ 179
Gallery Panel Mid Connector Single Sided	GSCKPMS	\$ 195	\$ 204	\$ 212
Split Gallery Panel Hardware Kit Dowel	GSHW	\$ 175	N/A	N/A



Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>Tackable Accessory</b>							
11"H x 36"W	ZS42SF <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 488	\$ 517	\$ 545	\$ 591	\$ 638	\$ 685
18½"H x 36"W	ZS50SF	\$ 579	\$ 623	\$ 666	\$ 738	\$ 809	\$ 881

S Shippable by small-package carrier.


<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Paint for Connector Kits and Brackets</b> (if available): <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P1</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P2</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P3</span> See page 186 for finishes.</p>	<p><i>1st Option:</i> <b>Fabric for Cantilevered Storage Accessory:</b> See page 9 for fabrics.</p>	<p><i>2nd Option:</i> <b>Trim Paint for Cantilevered Storage Accessory:</b> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P1</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P2</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P3</span> See page 186 for finishes.</p>
<p>_____ .</p>	<p>_____</p>	<p>_____ .</p>	<p><b>P</b> _____</p>

Examples: GZCKP.P71 GCKPM.P71 GZ3CON30.P71 GSGKL GSGKM ZS50SF.EXG903.P27


# Gallery Panel Connectors

Connector Kits


GSA SIN 33721



Description	Model	List Price		
		P1	P2	P3
<b>Storage Mounting Brackets</b>				
Gallery Laminate Storage Ganging Kit	GSGKL	\$ 77	N/A	N/A
Gallery Metal Storage Ganging Kit	GSGKM	\$ 18	N/A	N/A



<b>Gallery Panel Stiffener</b>				
Stiffener for 75"W/78"W Panels	GSTFN7578	\$ 175	\$ 189	\$ 208
Stiffener for 81"W/84"W Panels	GSTFN8184	\$ 196	\$ 212	\$ 234



Description	Model	List Price					
		Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
<b>Tackable Accessory</b>							
11"H x 36"W	ZS425F <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 488	\$ 517	\$ 545	\$ 591	\$ 638	\$ 685
18½"H x 36"W	ZS50SF	\$ 579	\$ 623	\$ 666	\$ 738	\$ 809	\$ 881

S Shippable by small-package carrier.


<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Paint for Connector Kits and Brackets</b> (if available): <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P1</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P2</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P3</span> See page 186 for finishes.</p>	<p><i>1st Option:</i> <b>Fabric for Cantilevered Storage Accessory:</b> See page 9 for fabrics.</p>	<p><i>2nd Option:</i> <b>Trim Paint for Cantilevered Storage Accessory:</b> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P1</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P2</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P3</span> See page 186 for finishes.</p>
<p>_____ .</p>	<p>_____</p>	<p>_____ .</p>	<p><b>P</b> _____</p>

Examples: GZCKP.P71 GCKPM.P71 GZ3CON30.P71 GSGKL GSGKM ZS50SF.EXG903.P27


# Gallery Glass

## Panel Systems Gallery Glass

GSA SIN 33721




Description	Model	List Price		
		Clear Glass	Frosted Glass	Smoked Glass
<b>7½"H Gallery Glass — Single Panel</b>				
15"W	G40715GS	\$ 205	\$ 225	\$ 232
18"W	G40718GS	\$ 211	\$ 232	\$ 239
21"W	G40721GS	\$ 215	\$ 236	\$ 244
24"W	G40724GS	\$ 219	\$ 241	\$ 248
27"W	G40727GS	\$ 238	\$ 261	\$ 269
30"W	G40730GS	\$ 255	\$ 281	\$ 288
33"W	G40733GS	\$ 280	\$ 308	\$ 316
36"W	G40736GS	\$ 315	\$ 346	\$ 356
39"W	G40739GS	\$ 341	\$ 374	\$ 386
42"W	G40742GS	\$ 382	\$ 420	\$ 432
45"W	G40745GS	\$ 415	\$ 456	\$ 469
48"W	G40748GS	\$ 451	\$ 495	\$ 509
51"W	G40751GS	\$ 461	\$ 506	\$ 521
54"W	G40754GS	\$ 499	\$ 547	\$ 564
57"W	G40757GS	\$ 552	\$ 606	\$ 623
60"W	G40760GS	\$ 647	\$ 710	\$ 731
63"W	G40763GS	\$ 753	\$ 827	\$ 851
66"W	G40766GS	\$ 814	\$ 893	\$ 919
69"W	G40769GS	\$ 891	\$ 978	\$ 1006
72"W	G40772GS	\$ 953	\$ 1046	\$ 1077
75"W	G40775GS	\$ 1019	\$ 1118	\$ 1151
78"W	G40778GS	\$ 1122	\$ 1230	\$ 1267
81"W	G40781GS	\$ 1179	\$ 1294	\$ 1331



<b>7½"H Gallery Glass — Split Panels (order quantity must be in multiples of 2)</b>				
39"W	G40739GS	\$ 341	\$ 374	\$ 386
42"W	G40742GS	\$ 382	\$ 420	\$ 432
45"W	G40745GS	\$ 415	\$ 456	\$ 469
48"W	G40748GS	\$ 451	\$ 495	\$ 509
51"W	G40751GS	\$ 461	\$ 506	\$ 521
54"W	G40754GS	\$ 499	\$ 547	\$ 564
57"W	G40757GS	\$ 552	\$ 606	\$ 623
60"W	G40760GS	\$ 647	\$ 710	\$ 731
63"W	G40763GS	\$ 753	\$ 827	\$ 851
66"W	G40766GS	\$ 814	\$ 893	\$ 919
69"W	G40769GS	\$ 891	\$ 978	\$ 1006

<p><i>How to specify —</i> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Glass:</b>                      LC Clear Glass                      LF Frosted Glass                      GSM1 Smoked Glass (Available for order September 2019)</p>
<p>G 4 0 7           .</p>	<p>          .</p>

Examples: G40715GS.LC G40739GS.GSM1




Description	Model	List Price		
		Clear Glass	Frosted Glass	Smoked Glass
<b>13"H Gallery Glass — Single Panel</b>				
24"W	G41324GS	\$ 500	\$ 555	\$ 572
27"W	G41327GS	\$ 545	\$ 604	\$ 624
30"W	G41330GS	\$ 586	\$ 650	\$ 670
33"W	G41333GS	\$ 616	\$ 683	\$ 706
36"W	G41336GS	\$ 653	\$ 724	\$ 747
39"W	G41339GS	\$ 704	\$ 781	\$ 806
42"W	G41342GS	\$ 728	\$ 807	\$ 833
45"W	G41345GS	\$ 743	\$ 824	\$ 850
48"W	G41348GS	\$ 767	\$ 850	\$ 878
51"W	G41351GS	\$ 780	\$ 864	\$ 893
54"W	G41354GS	\$ 835	\$ 926	\$ 955
57"W	G41357GS	\$ 854	\$ 947	\$ 978
60"W	G41360GS	\$ 878	\$ 973	\$ 1005
63"W	G41363GS	\$ 941	\$ 1043	\$ 1077
66"W	G41366GS	\$ 1021	\$ 1132	\$ 1169
69"W	G41369GS	\$ 1080	\$ 1197	\$ 1236
72"W	G41372GS	\$ 1158	\$ 1284	\$ 1325
75"W	G41375GS	\$ 1243	\$ 1378	\$ 1422
78"W	G41378GS	\$ 1323	\$ 1466	\$ 1514
81"W	G41381GS	\$ 1396	\$ 1547	\$ 1597

**13"H Gallery Glass — Split Panels** *(order quantity must be in multiples of 2)*

39" W	G41339GS	\$ 704	\$ 781	\$ 806
42" W	G41342GS	\$ 728	\$ 807	\$ 833
45" W	G41345GS	\$ 743	\$ 824	\$ 850
48" W	G41348GS	\$ 767	\$ 850	\$ 878
51" W	G41351GS	\$ 780	\$ 864	\$ 893
54" W	G41354GS	\$ 835	\$ 926	\$ 955
57" W	G41357GS	\$ 854	\$ 947	\$ 978
60" W	G41360GS	\$ 878	\$ 973	\$ 1005
63" W	G41363GS	\$ 941	\$ 1043	\$ 1077
66" W	G41366GS	\$ 1021	\$ 1132	\$ 1169
69" W	G41369GS	\$ 1080	\$ 1197	\$ 1236

<p><i>How to specify —</i> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Glass:</b> LC Clear Glass LF Frosted Glass GSM1 Smoked Glass</p>
<p>G 4   1   3           .</p>	<p>          .</p>

Examples: G41324GS.LC G41339GS.GSM1



Description	Model	List Price		
		Clear Glass	Frosted Glass	Smoked Glass
<b>15"H Gallery Glass — Single Panel</b>				
15" W	G41515GS	\$ 522	\$ 579	\$ 598
18" W	G41518GS	\$ 545	\$ 604	\$ 624
21" W	G41521GS	\$ 570	\$ 633	\$ 652
24" W	G41524GS	\$ 600	\$ 665	\$ 687
27" W	G41527GS	\$ 619	\$ 686	\$ 709
30" W	G41530GS	\$ 644	\$ 714	\$ 737
33" W	G41533GS	\$ 676	\$ 750	\$ 774
36" W	G41536GS	\$ 736	\$ 816	\$ 842
39" W	G41539GS	\$ 770	\$ 853	\$ 882
42" W	G41542GS	\$ 790	\$ 876	\$ 904
45" W	G41545GS	\$ 803	\$ 891	\$ 919
48" W	G41548GS	\$ 823	\$ 913	\$ 942
51" W	G41551GS	\$ 841	\$ 932	\$ 962
54" W	G41554GS	\$ 895	\$ 993	\$ 1024
57" W	G41557GS	\$ 907	\$ 1006	\$ 1038
60" W	G41560GS	\$ 915	\$ 1015	\$ 1047
63" W	G41563GS	\$ 970	\$ 1075	\$ 1110
66" W	G41566GS	\$ 1051	\$ 1165	\$ 1203
69" W	G41569GS	\$ 1105	\$ 1225	\$ 1265
72" W	G41572GS	\$ 1182	\$ 1310	\$ 1353
75" W	G41575GS	\$ 1276	\$ 1414	\$ 1461
78" W	G41578GS	\$ 1345	\$ 1490	\$ 1538
81" W	G41581GS	\$ 1424	\$ 1578	\$ 1629

<b>15"H Gallery Glass — Split Panels</b> <i>(order quantity must be in multiples of 2)</i>				
39" W	G41539GS	\$ 770	\$ 853	\$ 882
42" W	G41542GS	\$ 790	\$ 876	\$ 904
45" W	G41545GS	\$ 803	\$ 891	\$ 919
48" W	G41548GS	\$ 823	\$ 913	\$ 942
51" W	G41551GS	\$ 841	\$ 932	\$ 962
54" W	G41554GS	\$ 895	\$ 993	\$ 1024
57" W	G41557GS	\$ 907	\$ 1006	\$ 1038
60" W	G41560GS	\$ 915	\$ 1015	\$ 1047
63" W	G41563GS	\$ 970	\$ 1075	\$ 1110
66" W	G41566GS	\$ 1051	\$ 1165	\$ 1203
69" W	G41569GS	\$ 1105	\$ 1225	\$ 1265

<p><i>How to specify —</i> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Glass:</b> LC Clear Glass LF Frosted Glass GSM1 Smoked Glass</p>
<p>G 4   1   5           .</p>	<p>          .</p>

Examples: G41515GS.LC G41539GS.GSM1

- Finishes ..... 214
- Digital Lock Specifications ..... 215
- Pedestal Functionality with Work Tools ..... 216
- Digital Locking Guide ..... 217
- Freestanding and Mobile Pedestals ..... 218-221
- Pedestal Functionality with Work Tools ..... 222-223
- Undermount, L-Cube, and Work Tools ..... 224
- Undercabinet Pedestals ..... 225
- Caddy ..... 226
- Digital Lock Keys and Accessories ..... 227



**PAINTED METAL FINISHES**

**GRADE P1**

Black.....	P71
Brownstone.....	P7D
Bungalow.....	P7C
Cinder.....	P7Q
Designer White.....	PJW
Flint.....	P02
Fossil.....	P28
Loft.....	P7B
Muslin.....	P4J
Parchment.....	P93
Pebble.....	P8R
Pewter.....	P8D
Salt.....	P8C
Titanium.....	P8T

**GRADE P2**

Champagne Metallic.....	PR5
Gunmetal Metallic.....	PR3
Silver**.....	PR6
Solar Black.....	P8X

\*\*PR6 no upcharge on Involve; available as a Grade P2 color on stanchions. PR6 & P8X are not available on Concensus, Essentials bookcase, and vertical files.

**GRADE P3**

Amethyst*** (De-emphasized).....	P091
Atom.....	P8S
Blossom***.....	P8K
Bullseye.....	PJF
Cobalt Mica*** (De-emphasized).....	P090
Ember.....	P8P
Ion.....	P8N
Iris.....	P8J
Krypton.....	P8F
Ochre***.....	P093
Regatta.....	P8M
Sienna***.....	P092
Succulent***.....	P8A

*Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)*

*\*\*\*These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.*

**METAL STORAGE PULLS**

**BEAM**

Designer White.....	PJW
Silver.....	PR6
Pyrite.....	PJE
Solar Black.....	P8X

**HALO**

Designer White.....	PJW
Silver.....	PR6
Pyrite.....	PJE
Solar Black.....	P8X

**BAR**

Designer White.....	PJW
Black.....	P27
Silver.....	PR6

**SQUARE**

Designer White.....	PJW
Flint.....	P02
Loft.....	P7B
Matte Silver.....	EL
Pyrite.....	PJE
Solar Black.....	P8X

**RADII CONSOLE—POLY LINER**

Cool Grey.....	CGR
----------------	-----

**RADII USB**

Designer White.....	DW
Flint.....	E9
Storm.....	STRM

**LOCKS**

Black.....	E4
Chrome.....	ordered by base model
Matte Silver.....	EL

**NOTE:** Refer to individual product pages for upcharges.

**RADII WORKTOOLS COLOR OPTIONS**

DW- Designer White
E9- Flint

**FABRICS**

**GRADE 1**

<b>APEX.....</b>	<b>APX</b>
Basalt.....	APX25
Beet.....	APX12
Blackberry.....	APX20
Chive.....	APX05
Iris.....	APX03
Kiwi.....	APX06
Lemonade.....	APX08
Navy.....	APX13
Papaya.....	APX09
Pumice.....	APX23
Rain.....	APX19
Resort.....	APX15
Royal.....	APX14
Tiki.....	APX29
Tomato.....	APX11

<b>CENTURION.....</b>	<b>CU</b>
Apricot.....	CU47
Bark.....	CU25
Black.....	CU10
Espresso.....	CU49
Fog.....	CU03
Frost.....	CU22
Goldenrod.....	CU27
Indigo.....	CU06
Iris.....	CU50
Iron Ore.....	CU19
Jade.....	CU83
Marsala.....	CU63
Morel.....	CU24
Navy.....	CU98
Peacock.....	CU97
Pear.....	CU84
Ruby.....	CU67
Sapphire.....	CU09

**FABRICS – CONTINUED**

**GRADE 1 – CONTINUED**

<b>CONTOURETT.....</b>	<b>CU</b>
Baltic.....	UR94
Beach.....	UR23
Black.....	UR10
Bordeaux.....	UR63
Buff.....	UR22
Cloud.....	UR18
Coffee Bean.....	UR49
Crater.....	UR51
Flame.....	UR62
Graphite.....	UR19
Iron.....	UR20
Luggage.....	UR26
Marine.....	UR92
Navy.....	UR95
Nimbus.....	UR93
Ocean.....	UR96
Pumpkin.....	UR42
Quarry.....	UR24
Red.....	UR64
Safari.....	UR27
Sage.....	UR82
Steel.....	UR21
Storm.....	UR17
Taupe.....	UR28
Trunk.....	UR50

<b>DAPPER.....</b>	<b>DAPR</b>
Ash.....	DAPR20
Breeze.....	DAPR06
Canvas.....	DAPR25
Charcoal.....	DAPR01
Clover.....	DAPR22
Currant.....	DAPR00
Fawn.....	DAPR35
Fern.....	DAPR85
Gerbera.....	DAPR16
Grape.....	DAPR33
Jewel.....	DAPR08
Marigold.....	DAPR65
Onyx.....	DAPR10
Orchid.....	DAPR90
Parrot.....	DAPR59
Poppy.....	DAPR19
Sapphire.....	DAPR07
Scarlet.....	DAPR45
Sepia.....	DAPR30
Sky.....	DAPR44
Slate.....	DAPR15
Sorbet.....	DAPR55
Spring.....	DAPR80
Terracotta.....	DAPR13
Titanium.....	DAPR17
Varsity.....	DAPR09
Zest.....	DAPR70

<b>ENSEMBLE.....</b>	<b>ENSB</b>
Aquamarine.....	ENSB30
Ash.....	ENSB39
Greige.....	ENSB36
Harbor.....	ENSB34
Navy.....	ENSB35
Oat.....	ENSB37
Pear.....	ENSB33
Sand.....	ENSB38
Scarlet.....	ENSB32
Slate.....	ENSB31
Stone.....	ENSB40


**FABRICS – CONTINUED**

**GRADE 1 – CONTINUED**

<b>HAMILTON.....</b>	<b>HAML</b>
Agave.....	HAML28
Azure.....	HAML10
Biscotti.....	HAML11
Cabernet.....	HAML08
Caribbean.....	HAML29
Carolina.....	HAML21
Charcoal.....	HAML17
Chocolate.....	HAML13
Cloud.....	HAML18
Dane.....	HAML16
Deep.....	HAML27
Dove Grey.....	HAML33
Dusty Rose.....	HAML07
Esmeralda.....	HAML06
Fern.....	HAML04
Fresh.....	HAML03
Garnet.....	HAML22
Granola.....	HAML19
Hearth.....	HAML34
Lilac.....	HAML14
Lime.....	HAML05
Lipstick.....	HAML09
Mellow.....	HAML25
Mossy Green.....	HAML26
Oxford.....	HAML20
Passion Fruit.....	HAML02
Pepper.....	HAML15
Powder.....	HAML12
Royalty.....	HAML31
Serene.....	HAML30
Sunny Day.....	HAML24
Sunrise.....	HAML01
Terracotta.....	HAML23
Winter Sky.....	HAML32

<b>OPTIC.....</b>	<b>OP</b>
Aurora.....	OP72
Bark.....	OP24
Canopy.....	OP84
Char.....	OP49
Ruby.....	OP42
Sand.....	OP17
Sky.....	OP83
Slate.....	OP19
Sprout.....	OP74
Starry Night.....	OP11
Storm.....	OP56

Digital Keypad Lock Specification Information (page 227)



The digital keypad lock options support applications where workstations or storage banks are shared by multiple users. This is an alternative to a standard key lock. This feature facilitates the use of storage by multiple users through eliminating the need to keep and hand-off physical keys. These locks ship in “shared mode” by default; shared mode indicates that the lock will “forget” the paired 4-digit code, allowing the unit to be used by multiple users.

### Digital keypad locks:

- Ship factory installed
- Offered in a polished silver finish
- Digital keypad lock requires input of a user-selected 4-digit code
- Digital keypad powered using 2 premium lithium CR2450 batteries
- Battery life is dependent on the frequency of operation but can last up to 5-7 years

### Programming Key

- A Programming Key is a device used to initialize locks out of factory default mode and register Manager Keys to the locks.
- Only one Programming Key should be specified per installation site because multiple Programming Keys are not compatible with each other.
- Once a programming key is used with a unit, it is tied to that lock. Another programming key can not be used.
- Add-on digital lock orders should be programmed with the original programming key.

### Manager Key


- A Manager Key is used to bypass a locked unit; this operates as the “master” key and it is recommended that building facilitators have at least one Manager Key.
- Up to 6 Manager Keys may be registered to each lock.
- Manager Keys provide external power to locks in case of battery failure.

Description	Model	List Price
<b>Digital Lock Keys and Accessories</b>		
Programming Key	YPLDIGPRG	\$ 330
Manager Key	YPLDIGMGR	\$ 255


Radii is a new generation of metal storage pedestals, undermounts, and Work Tools designed to accommodate more personal items and less paper. In the evolving digital age, the need to store paper files dwindles, people archive fewer documents, while the need to stow personal belongings grows. Conventional storage options that were designed for lateral paper filing don't adequately accommodate items employees stow, such as a backpack, purse, gym shoes, office supplies, or other everyday essentials workers want to keep within reach.

The desire for products to do more with less is quickly becoming a necessity. Radii delivers efficiency that is obvious in a solution that succinctly stows today's objects in a user-customizable way.

RADII STORAGE



**Pedestals**



- Available with casters or glides
- Casters allow clearance for pedestal to straddle Altitude foot.
- Rear casters swivel, front casters are fixed, casters do not lock.
- Freestanding pedestals are not meant to support worksurfaces.
- Drawer slides are not full extension.
- Counterweight installed when required. No additional counterweight is required.
- Case wrapper creates a utility lip at top of case from which Work Tools can hang.
- 15"W pedestals can fit a Hot File Bin sideways in drawer to serve as a space divider.
- Hot File and Side Saddle can hang on inside file drawer lip.
- Alcove unit has a single drawer with open enclosure at top to stow backpack or other personal items.
- Drawers are labeled as "Box"/"Box +" and "File"/"File +"; see dimension table below.
- Drawers labeled as "+" have a taller drawer front and added space above the drawer body that can either accept the hidden Radii accessory tray or allow for the drawer to stow larger items, such as a backpack.
- All pedestals with a drawer marked "+" ship with one accessory tray, additional trays may be purchased separately (20<sup>3</sup>/<sub>8</sub>" H unit does not ship with or accept hidden tray).
- Radii pedestals offered with an electronic locking option
- Slim peds (10"W) with electronic locking only accept Square Pull.
- Manager and programming key purchased separately, see page 22 of Casegoods and Storage pricebook.

Pedestal Functionality Represented by  
 Freestanding Pedestal 21½"H  
 15"W x 23"D Box with Tray/File.  
 Additional Work Tools ordered separately.


Drawer Type	Exterior Drawer Height	Accepts Tray	Filing	
			15"W Pedestal	10"W Pedestal
Box	6"	No	No	No
Box +	9"	Yes	No	No
File	12"	No	Front-to-Back Only, Letter Only	Side-to-Side Only, Letter or Legal
File +	15"	Yes	Front-to-Back Only, Letter Only	Side-to-Side Only, Letter or Legal

Drawer Type	Drawer Capacity*	
	15"W Pedestal	10"W Pedestal
Box	4¼"H x 12½"W x 17¾"D (19"D Pedestals) or 21¾"D (23"D Pedestals)	4¼"H x 7½"W x 21¾"D
Box +	7¼"H x 12½"W x 17¾"D (19"D Pedestals) or 21¾"D (23"D Pedestals)	7¼"H x 7½"W x 21¾"D
File	10¾"H x 12½"W x 17¾"D (19"D Pedestals) or 21¾"D (23"D Pedestals)	10¾"H x 7½"W x 21¾"D
File +	13⅝"H x 12½"W x 17¾"D (19"D Pedestals) or 21¾"D (23"D Pedestals)	13⅝"H x 7½"W x 21¾"D


\*If using hidden tray in + drawer, subtract approximately 3" from usable height

Digital Lock Programming


Locks are shipped with factory default settings (only operates by pressing **C** **0π**). Each lock must be set up to operate with a Programming Key and Manager Keys.




1  
Insert the Programming Key.  
A two-tone beep will be heard and the LED will flash.



2  
While the LED is flashing, insert one Manager Key at a time.  
A beep will be heard for each Manager Key programmed.



3  
Insert the Programming Key.  
A two-tone beep will be heard and the LED will turn off.




4  
Repeat above steps for each lock or follow instructions to Express Register Manager Keys to setup all locks.

RADI STORAGE


Programming Instructions

Express Register Manager Credentials


Express Register Manager Keys The Programming Key can quickly program multiple locks to operate with the same Manager Keys.




1  
Go to a lock already programmed to operate with the Manager Keys. Press: **C** **0π** **6** **1** **0π**. The LED will flash.



2  
While the LED is flashing, insert the Programming Key.  
A two-tone beep will be heard and the LED will turn off.



3  
Insert the Programming Key to program each lock to operate with the same Manager Keys.  
Two sets of two-tone beeps will be heard and the LED will flash twice to indicate successful programming.



4a  
End Express Registration mode.\*  
Go to any programmed lock.  
Press: **C** **0π** then insert the Programming Key.

\*The Programming Key will continue to function in Express Registration mode until it is used to operate a lock.

NOTE: For more information on digital lock use, please reference digital lock user guide(s) available on [hnproductinstall.com](http://hnproductinstall.com).

See page 227 for manager key and programming key.



For specification information see page 216.

GSA SIN 33721

Description	Model	P1 List Price
<b>Mobile Box and File + Pedestal 23½"H</b>		
15"W x 19"D with Tray	APMBP186NPT	\$ 1013
15"W x 23"D with Tray	APMBP246NPT	\$ 1078
<b>Mobile Box + and File + Pedestal 26½"H</b>		
10"W x 23"D with Tray	APMCS249TPN	\$ 1080
15"W x 19"D with Tray	APMCP189TPN	\$ 1053
15"W x 23"D with Tray	APMCP249TPN	\$ 1097

RADI STORAGE

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>Pull Type</b> (if applicable):</p> <p>M Beam O Halo B Bar S Square</p> <p>See matrix on page 13.</p>	<p><b>2nd Option:</b> <b>Pull Color</b> (if applicable):</p> <p>M Beam / O Halo P2 upcharge +\$17/pull</p> <p>PJW Designer White PR6 Silver PJE Pyrite P8X Solar Black</p>	<p><b>3rd Option:</b> <b>Paint:</b></p> <p>P1 P2 P3</p> <p>See page 214 for finishes.</p> <p>P2 add \$44 P3 add \$88</p>
	<p>B Bar P27 Black P27 Designer White PR6 Silver S Square P27 Designer White EL Matte Silver P02 Flint P7B Loft PJE Pyrite P8X Solar Black P2 upcharge +\$17/pull</p>	<p>A                     .</p>	<p>P         .</p>

Continued below ▼

<p><b>4th Option:</b> <b>Front Paint:</b></p> <p>P1 P2 P3</p> <p>See page 214 for finishes.</p> <p>NA Match Case P1 add \$11 P2 add \$33 P3 add \$55</p> <p>P         .</p>	<p><b>5th Option:</b> <b>Tray Color:</b></p> <p>DW Designer White E9 Flint</p> <p>DW   .</p>	<p><b>6th Option:</b> <b>Lock Option:</b></p> <p>STD Standard OMT Omit Lock Core (deduct \$20 per lock)</p> <p>       </p>
---	--	--

Examples: APGCS249TPN.BP27.PR6.PR6.DW.STD APMCP189TPN.BP27.PJW.PJW.DW.OMT

Description	Model	Base List Price							
		2	3	4	5	6	7	8	
<b>Seat Cushion</b>									
15"W x 19"D	AESC18	\$ 247	\$ 262	\$ 276	\$ 290	\$ 310	\$ 328	\$ 347	\$ 366
15"W x 23"D	AESC24	\$ 291	\$ 306	\$ 320	\$ 334	\$ 354	\$ 372	\$ 391	\$ 410






<p><b>How to specify —</b> Select the Seat Cushion Model Number from above.</p>	<p><b>1st Option:</b> <b>Upholstery:</b></p> <p>See page 214 for fabrics.</p>
<p>A   E   S   C           .</p>	<p>               </p>

Example: AESC18.CU10



For specification information see page 216.

GSA SIN 33721

		Description	Model	P1 List Price
		<b>Mobile Alcove/File + Pedestal 23<sup>3</sup>/<sub>8</sub>"H with Electronic Lock</b>		
		10"W x 23"D Alcove/File with Tray	APMBS245NPTE	\$ 923
		15"W x 19"D Alcove/Tray-File	APMBP185NPTE	\$ 955
		<b>Mobile Box + and File Pedestal 23<sup>3</sup>/<sub>8</sub>"H with Electronic Lock</b>		
		10"W x 23"D with Tray	APMBS249TFNE	\$ 985
		15"W x 19"D with Tray	APMBP189TFNE	\$ 1013
		15"W x 23"D with Tray	APMBP249TFNE	\$ 1078
		<b>Mobile Box and File + Pedestal 23<sup>3</sup>/<sub>8</sub>"H with Electronic Lock</b>		
		15"W x 19"D with Tray	APMBP186NPTE	\$ 1013
		15"W x 23"D with Tray	APMBP246NPTE	\$ 1078
		<b>Mobile Box + and File + Pedestal 26<sup>3</sup>/<sub>8</sub>"H with Electronic Lock</b>		
		10"W x 23"D with Tray	APMCS249TPNE	\$ 1080
		15"W x 19"D with Tray	APMCP189TPNE	\$ 1053
		15"W x 23"D with Tray	APMCP249TPNE	\$ 1097
				

RADI STORAGE

<p><b>How to specify —</b> Select the Model Number from above.</p> <p><b>A</b>   <b>P</b>   _____ .</p>	<p><b>1st Option:</b> <b>Pull Type</b> (if applicable):</p> <p><b>M</b> Beam <b>O</b> Halo <b>B</b> Bar <b>S</b> Square</p> <p>See matrix on page 13.</p>	<p><b>2nd Option:</b> <b>Pull Color</b> (if applicable):</p> <p><b>M</b> Beam / <b>O</b> Halo <b>PJW</b> Designer White <b>PR6</b> Silver <b>PJE</b> Pyrite <b>P8X</b> Solar Black P2 upcharge +\$17/pull</p>	<p><b>3rd Option:</b> <b>Paint:</b> <b>P1 P2 P3</b></p> <p>See page 214 for finishes.</p> <p><b>P2</b> add \$44 <b>P3</b> add \$88</p> <p><b>P</b>   _____ .</p>
	Continued below ▼		


<p><b>4th Option:</b> <b>Front Paint:</b> <b>P1 P2 P3</b></p> <p>See page 214 for finishes.</p> <p><b>NA</b> Match Case <b>P1</b> add \$11 <b>P2</b> add \$33 <b>P3</b> add \$55</p> <p><b>P</b>   _____ .</p>	<p><b>5th Option:</b> <b>Tray Color:</b></p> <p><b>DW</b> Designer White <b>E9</b> Flint</p> <p>_____ .</p>	<p><b>6th Option:</b> <b>Lock Option:</b> <b>EBNL</b> Digital Lock add \$409</p> <p>See page 227 for required manager key and programming key.</p> <p>_____ .</p>
--	---	---

Example: APGBS24NPTE.SPR6.PDW.PDW.E9.EBNL




Representative Image


Space Claim




AUFD




Flush Undermount  
Pull-Out Drawer




AUFH  
FH HD-Flush




Flush Undermount  
RH Hinged Door




AUFO  
Open-Flush




Flush Undermount  
Open Bin




AUCL  
L Shelf-Console



Console Undermount  
Open L-Cube



AUCH  
RH HD-Console



Console Undermount  
RH Hinged Door Bin

**Undermounts**

- Undermount units are mounted inset from the left or right edge of the worksurface dependent on table supports.
- Compatible with all Allsteel benching and desking applications, except where noted.
- Can accommodate 2 Hot File units within interior sitting side-by-side.
- Slim tray fits in the Drawer and Open L units only.
- Ensure weight limit of height adjustable table system is considered before adding undermount storage (see table for unit weight and storage capacity).
- Standard BIFMA loading standards based on open volume of storage area.
- For undermount applications with Altitude tables, see the matrix on page 223.
- Manager and programming key purchased separately, see page 22 of Casegoods and Storage price book.
- Radii pedestals offered with an electronic locking option.
- Slim peds (10" W) with electronic locking only accept Square Pull.

**Flush Undermounts**

- Unit to be mounted under worksurface using hardware supplied with unit.
- Unit mounts flush to front edge of worksurface.
- Open and hinged door units contain side slot which can be used to hang Work Tools.
- Open and hinged door units do not fit Work Tool Trays.
- Drawer unit ships with hangrail to accommodate side-to-side filing.

**Console Undermounts**

- Open L unit comes with Work Tool Tray, console soft touch pad, and bottom soft touch liner.
- Hinged Door Console Unit comes with console soft touch pad ONLY.
- Unit available with or without USB. Either version ships with soft touch pad for console and contains a perforation for easy cord routing.
- Slots built into upper portion of case for Work Tools Hook to hang from.
- Unit mounts under worksurface with easy locating interface bracket. Bracket screws to worksurface, unit snaps onto bracket.
- Unit protrudes 6" from front of worksurface.

**Work Tools**

- Side Saddle and Hot File work on Terrace Tool Tiles and Tool Rails.
- Bag Hook weight limit 20 lbs.

Model Number	Unit Weight		Storage Capacity (lb.)	Internal		
				Weight + Capacity (Added weight to table)	Height	Width
AUFD15N	25	29	54	10"	7 <sup>1</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "
AUFH15N	22	42	64	16 <sup>3</sup> / <sub>4</sub> "	9 <sup>7</sup> / <sub>8</sub> "	13 <sup>3</sup> / <sub>8</sub> "
AUFHL15H	22	42	64	16 <sup>3</sup> / <sub>4</sub> "	9 <sup>7</sup> / <sub>8</sub> "	13 <sup>3</sup> / <sub>8</sub> "
AUFO15N	17	42	59	16 <sup>3</sup> / <sub>4</sub> "	9 <sup>7</sup> / <sub>8</sub> "	13 <sup>3</sup> / <sub>8</sub> "
AUCL15N	22	43	65	11 <sup>1</sup> / <sub>8</sub> "	9 <sup>7</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>4</sub> "
AUCL15U	22	43	65	11 <sup>1</sup> / <sub>8</sub> "	9 <sup>7</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>4</sub> "
AUCH15U	25	48	73	17"	9 <sup>7</sup> / <sub>8</sub> "	14"
AUCH15N	25	48	73	17"	9 <sup>7</sup> / <sub>8</sub> "	14"
AUCL15U	25	48	73	17"	9 <sup>7</sup> / <sub>8</sub> "	14"
AUCL15N	25	48	73	17"	9 <sup>7</sup> / <sub>8</sub> "	14"

		A6 (T-Leg)		A6 (C-Leg)	
		24"D	30"D	24"D	30"D
AUFD15N	Flush Undermount Pull-Out Drawer	○	○	○	●
AUFH15N/AUFHL15N	Flush Undermount RH/LH Hinge Door	○	○	○	●
AUFO15N	Flush Undermount Open Bin	○	○	○	●
AUCL15N/AUCL15U	Console Undermount L-Cube	○	○	○	○
AUCH15N/AUCH15U	Console Undermount RH Hinge Door	○	○	○	○
AUCL15N/AUCL15U	Console Undermount LH Hinge Door	○	○	○	○








Legend






●	Works, unit may sit flush to LH or RH edge of work surface
○	Works, unit must sit inset of height-adjustable leg
X	Does not work

For specification information see page 216.

GSA SIN 33721

RADI STORAGE

	Description	Model	P1 List Price
	<b>Flush Undermount Pull-Out Drawer 18"H</b> (Ships with Work Tool Tray)		
	10"W x 16½"D	AUFD15N	\$ 719
	<b>Flush Undermount Right-Hinged Door 20"H</b>		
	10"W x 14½"D	AUFH15N	\$ 687
	<b>Flush Undermount Left-Hinged Door 20"H</b>		
	10"W x 14½"D	AUFHL15N	\$ 676
	<b>Flush Undermount Open Bin 20"H</b>		
	10"W x 14½"D	AUFO15N	\$ 571
	<b>Console Undermount Open L-Cube 16"H</b> (Ships with Work Tool Tray)		
	13"W x 15"D with Non-USB Console	AUCL15N	\$ 769
	13"W x 15"D with USB Console	AUCL15U	\$ 918
	<b>Console Undermount Right Hinged Door Bin 20"H</b>		
	10"W x 15"D with Non-USB Console	AUCH15N	\$ 787
	10"W x 15"D with USB Console	AUCH15U	\$ 936
	<b>Console Undermount Left Hinged Door Bin 20"H</b>		
	10"W x 15"D with Non-USB Console	AUCHL15N	\$ 787
	10"W x 15"D with USB Console	AUCHL15U	\$ 936

Work Tools	Description	Model	List Price
	<b>Large Tray</b> for 15"W models		
	1½"H x 13½"W x 14½"D	AELT	\$ 81
	<b>Small Tray</b> for 10"W models		
	1½"H x 8½"W x 14½"D	AEST	\$ 62
	<b>Hot File</b>		
	9½"H x 12¼"W x 3½"D	AEHF	\$ 62
	<b>Side Saddle</b>		
	4"H x 12¼"W x 2½"D	AESS	\$ 51
	<b>Bag or Coat Hook</b>		
	3¼"H x 1½"W x 2¼"D	AECH	\$ 39

<b>How to specify —</b> Select the Model Number from above.	<b>1st Option:</b> <b>Pull Type</b> (if applicable): M Beam O Halo B Bar S Square See matrix on page 13.	<b>2nd Option:</b> <b>Pull Color</b> (if applicable): M Beam / O Halo P JW Designer White P R6 Silver P JE Pyrite P 8X Solar Black P2 upcharge +\$17/pull	<b>3rd Option:</b> <b>Paint:</b> P1 P2 P3 See page 214 for finishes. P2 add \$33 P3 add \$66	<b>4th Option:</b> <b>Front Paint:</b> P1 P2 P3 See page 214 for finishes. NA Match Case P1 add \$11 P2 add \$28 P3 add \$44
	A               .	.	B Bar P 27 Black P JW Designer White P R6 Silver S Square P JW Designer White EL Matte Silver P 02 Flint P 7B Loft P JE Pyrite P 8X Solar Black P2 upcharge +\$17/pull	P         .








Continued below ▼

<b>5th Option:</b> <b>Tray and Accessories Color</b> (if applicable): DW Designer White E9 Flint	<b>6th Option:</b> <b>Console Poly Liner:</b> PL (if applicable)	<b>7th Option:</b> <b>Console Color</b> (if applicable): CGR Cool Grey	<b>8th Option:</b> <b>Lock Option:</b> STD Standard OMT Omit Lock Core (deduct \$20)	<b>9th Option:</b> <b>USB Color</b> (if applicable): STRM Storm
.	P   L	C   G R   .		S   T R M

Examples: AUFH15N.OPR6.PJW.STD AUCL15U.PR6.DW.PLCGR.STRM AELT.DW

For specification information see page 216.

GSA SIN 33721

		Description	Model	P1 List Price
		<b>Flush Undermount Pull-Out Drawer 18"H (Ships with Work Tool Tray) with Electronic Lock</b> 10"W x 16½"D	AUFD15NE	\$ 719
		<b>Flush Undermount Right-Hinged Door 20"H with Electronic Lock</b> 10"W x 14½"D	AUFH15NE	\$ 676
		<b>Flush Undermount Left-Hinged Door 20"H with Electronic Lock</b> 10"W x 14½"D	AUFHL15NE	\$ 676
		<b>Console Undermount Right Hinged Door Bin 20"H with Electronic Lock</b> 10"W x 15"D, Non-USB Console	AUCH15NE	\$ 787
		10"W x 15"D, USB Console	AUCH15UE	\$ 936
		<b>Console Undermount Left Hinged Door Bin 20"H with Electronic Lock</b> 10"W x 15"D, Non-USB Console	AUCL15NE	\$ 787
		10"W x 15"D, USB Console	AUCL15UE	\$ 936

RADII STORAGE

<b>How to specify —</b> Select the Model Number from above.	<b>1st Option:</b> <b>Pull Type</b> (if applicable): M Beam O Halo B Bar S Square Slim Peds (10"W) only accept Square Pull. See matrix on page 13.	<b>2nd Option:</b> <b>Pull Color</b> (if applicable): M Beam / O Halo PJW Designer White PR6 Silver PJE Pyrite P8X Solar Black P2 upcharge +\$17/pull	B Bar P27 Black PJW Designer White PR6 Silver S Square PJW Designer White EL Matte Silver P02 Flint P7B Loft PJE Pyrite P8X Solar Black P2 upcharge +\$17/pull	<b>3rd Option:</b> <b>Paint:</b> P1 P2 P3 See page 214 for finishes. P2 add \$33 P3 add \$66	<b>4th Option:</b> <b>Front Paint:</b> P1 P2 P3 See page 214 for finishes. NA Match Case P1 add \$11 P2 add \$28 P3 add \$44
	A                     .		.	P           .	P           .

Continued below ▼


<b>5th Option:</b> <b>Tray and Accessories Color</b> (if applicable): DW Designer White E9 Flint	<b>6th Option:</b> <b>Console Poly Liner:</b> PL (if applicable)	<b>7th Option:</b> <b>Console Color</b> (if applicable): CGR Cool Grey	<b>8th Option:</b> <b>Lock Option:</b> EBNL Digital Lock add \$409 See page 227 for required manager key and programming key.	<b>9th Option:</b> <b>USB Color</b> (if applicable): STRM Storm
.	P   L	C   G   R           .		S   T   R   M

Example: AUCLH15NE.SPR6.PDW.PDW.E9.PLCGR.EBNL


For specification information see page 216.

GSA SIN 33721

Description	Model	List Price
<b>Radii Caddy No Shelf</b> 22 $\frac{3}{4}$ "H x 12 $\frac{1}{2}$ "W x 21"D	ACMCM21O	\$ 740



<b>Radii Caddy with Shelf</b> 22 $\frac{3}{4}$ "H x 12 $\frac{1}{2}$ "W x 21"D	ACMCM21T	\$ 887
---	----------	--------



**Notes:** Paint 1 for case color and Paint 2 for top and bottom shelf color  
 Handle options: YHDL for handle cutout and NHDL for no handle cutout  
 Radii work tools available in Designer White-DW or Flint-E9  
 Casters only  
 Accepts Radii work tools

RADII STORAGE

How to specify — Select the Model Number from above.	1st Option: Handle: YHDL Handle Cutout NHDL No Handle Cutout	2nd Option: Case Color (if applicable): P1 P2 See page 214 for finishes.	3rd Option: Top and Bottom Shelf Paint: P1 P2 See page 214 for finishes.	4th Option: Tray and Accessories Color (if applicable): DW Designer White E9 Flint
A C M C M 2 1      .	.	.	.	.

Examples: ACMCM21O.YHDL.PJW.P02 ACMCM21T.NHDL.PR6.PR6.DW

For specification information see page 215.

GSA SIN PENDING



Description	Model	List Price
<b>Digital Lock Keys and Accessories</b>		
Programming Key	YPLDIGPRG	\$ 330
Manager Key	YPLDIGMGR	\$ 255

RADI STORAGE

*How to specify —*

Select the Model Number from above.

Y | P | L | | | | | | | |

*Example:* YPLDIGPRG

# Notes

---

RADII STORAGE

- Software support packages furnished to the customer, either by Allsteel® or by another source, which support the sale of Allsteel products are superseded by printed price lists.
- Prices are subject to change without notice. All orders are subject to prices in effect at the time of order.
- Please refer to your Allsteel Dealer Sales and Discount Policies for order placement information, terms and conditions.
- Additional copies of this Specification and Price List are available upon request from Allsteel Literature at 1-866-255-7833.

- Ordering information appears at the bottom of each product page complete with examples on how to specify. Fabric and finish pages are referenced at the bottom of product pages.

This publication is available as an interactive or downloadable PDF at [www.allsteeloffice.com](http://www.allsteeloffice.com).

**Questions or Comments?**

Please call us at: **888-ALLSTEEL**  
**888-255-7833**

Paint Finishes, Laminates, Eased Edge .....	230
Fabrics.....	231
Working with Height-Adjustable Tables .....	232-237
Screens and Power Module .....	238
Altitude - Metal Screens.....	239-240
Power Rail Specifications.....	241-247
General Overview .....	241
Power Rail Typical.....	242
Working with Altitude Power Rails .....	243
Low Rail with Floor Legs .....	243
Raised Rail.....	243
Screens .....	243
Working with Cable Management .....	244
Working with Power Rail Electricals .....	245
General Notes about Electrical and Circuitry .....	245
Electrical Infeeds.....	245
Routing Power.....	246-247
Working with Electrical and Data .....	248-252
Working with Organization Rail & Accessories & Screens.....	253
Altitude Height-Adjustable Tops, Bases, & Accessories.....	254-259
Altitude – A6.....	254-255
Worksurfaces for Height-Adjustable Bases .....	256-258
Cable Management.....	259
Power Rail – Electrical Components .....	260-262
A8 Screen Kits.....	263
Metal Screens and Tackboard Accessories.....	264-265
Power Rails and Accessories .....	266-269
Worksurface Mounted Rail and Accessories .....	270





### BASE COLORS

#### GRADE P1

Black.....	P71
Brownstone.....	P7D
Cinder.....	P7Q
Cove.....	P096
Designer White.....	PJW
Dune.....	P094
Flint.....	P02
Fossil.....	P28
Harbor.....	P097
Loft.....	P7B
Muslin.....	P4J
Nickel.....	P8L
Parchment.....	P93
Pebble.....	P8R
Pewter.....	P8D
Sage.....	P095
Salt.....	P8C
Titanium.....	P8T

#### GRADE P2

Champagne Metallic.....	PR5
Gunmetal Metallic.....	PR3
Night Bronze.....	P8B
Platinum Metallic.....	PR2
Silver.....	PR6

#### GRADE P3

Bullseye*.....	PJF
Regatta*.....	P8M

\*\*\*Altitude Basic is only offered in one finish, Silver (SVR)

### POWER RAIL PAINT COLORS

#### GRADE P1

Black.....	P71
Brownstone.....	P7D
Bungalow.....	P7C
Cinder.....	P7Q
Designer White.....	PJW
Flint.....	P02
Fossil.....	P28
Loft.....	P7B
Muslin.....	P4J
Pebble.....	P8R
Pewter.....	P8D
Salt.....	P8C
Titanium.....	P8T

#### GRADE P2

Champagne Metallic.....	PR5
Gunmetal Metallic.....	PR3
Night Bronze.....	P8B
Pyrite.....	PJE
Silver.....	PR6
Solar Black.....	P8X

#### GRADE P3

Amethyst ( <i>De-emphasized</i> ).....	P091
Atom.....	P8S
Blossom***.....	P8K
Cobalt Mica ( <i>De-emphasized</i> ).....	P090
Ember.....	P8P
Ion.....	P8N
Iris.....	P8J
Krypton.....	P8F
Ochre.....	P093
Regatta.....	P8M
Sienna.....	P092
Succulent***.....	P8A

\*\*\*These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

### A8 SCREEN BRACKET PAINT COLORS

#### GRADE P1

Black.....	P71
Designer White.....	PJW

#### GRADE P2

Silver.....	PR6
-------------	-----

### LAMINATES

#### GRADE L1

Black.....	P
Brownstone.....	LM13
Bungalow.....	LM12
Designer White.....	LDW1
Flint.....	LM16
Fossil Shale.....	LEH1
Loft.....	LM11
Muslin.....	LM15
Titanium.....	LTI1

#### ABSTRACT

Ash.....	LT3B
Handspun Pearl.....	LAHP
Handspun Dove.....	LAHD
Handspun Slate.....	LAHS
Handspun Chestnut.....	LAHC
Silver Mesh.....	LT8D

#### WOODGRAIN

Belair.....	LWBA
Bourbon Cherry.....	H
Field Elm.....	LWFE
Florence Walnut.....	LFW1
Kingswood Walnut.....	LK11
Natural Maple.....	LWD
NeoWalnut.....	LNU1
Pinnacle.....	PINC
Shaker Cherry.....	LW7C

#### GRADE L2

Beigewood.....	LWBE
Fawn Cypress.....	LFC1
Lowell Ash.....	LLA1
Mangalore Mango.....	LMM1
Natural Recon.....	LNR1
Phantom Charcoal.....	LPC1
Phantom Ecru.....	LPE1
Portico Teak.....	LPT1
Skyline Walnut.....	LSW1
Veranda Teak.....	LVT1

#### GRADE L3

Natural Walnut.....	LWNW
---------------------	------

### EASED EDGE LAMINATES

#### GRADE L1

Designer White.....	LDW1
Loft.....	LM11
Natural Maple.....	LWD

#### GRADE L2

Natural Recon.....	LNR1
--------------------	------

### STRAIGHT/ROUNDED EDGE COLORS

Beigewood.....	DE
Belair.....	BA
Black.....	E4
Bourbon Cherry.....	H
Brownstone.....	EY
Bungalow.....	EX
Designer White.....	DW
Fawn Cypress.....	FC
Field Elm.....	FE
Flint.....	E9
Florence Walnut.....	FW
Fossil.....	EH
Kingswood Walnut.....	KI
Loft.....	EV
Lowell Ash.....	DL
Mangalore Mango.....	MM
Muslin.....	EU
Natural Maple.....	DD
Natural Recon.....	NR
Natural Walnut.....	DN
NeoWalnut.....	NU
Parchment.....	EN
Phantom Charcoal.....	PC
Phantom Ecru.....	PE
Pinnacle.....	PI
Platinum Metallic.....	EP
Plyband.....	PL
Portico Teak.....	DP
Shaker Cherry.....	DF
Skyline Walnut.....	SW
Titanium.....	TI
Veranda Teak.....	VT

### ELECTRICAL & DATA COMPONENTS

Black.....	E4
Brownstone.....	EY
Designer White.....	DW
Flint.....	E9
Loft.....	EV
Muslin.....	EU
Silver.....	ES

All of Allsteel's tables are level® - 2 certified to the ANSI/BIFMA e3 Furniture Sustainability Standard. See [www.levelcertified.org](http://www.levelcertified.org) for more information.

**NOTE:** Refer to individual product pages for upcharges.

# Fabrics

For use with Screen Kits.

## GRADE A

<b>NOBLE</b>	
Aegean .....	NBLE18
Amethyst.....	NBLE19
Aspen .....	NBLE14
Aster .....	NBLE20
Blossom.....	NBLE21
Bluebell .....	NBLE22
Bordeaux.....	NBLE01
Brick .....	NBLE02
Chambray .....	NBLE10
Chamomile.....	NBLE23
Clementine .....	NBLE04
Conifer.....	NBLE24
Cottage .....	NBLE25
Darkness .....	NBLE26
Dawn .....	NBLE13
Denim .....	NBLE09
Desert Sand.....	NBLE27
Dewfall .....	NBLE28
Dusted Sage.....	NBLE29
Flax.....	NBLE30
Grass.....	NBLE07
Gunmetal .....	NBLE15
Harmony.....	NBLE31
Harvest .....	NBLE12
Ice Caves .....	NBLE32
Icicle.....	NBLE33
Inky.....	NBLE34
Iris.....	NBLE35
Jade.....	NBLE06
Knight .....	NBLE17
Mesa .....	NBLE03
Monarch .....	NBLE36
Pacific .....	NBLE08
Pitch.....	NBLE37
Queen Bee .....	NBLE38
Rainforest .....	NBLE05
Regal.....	NBLE11
Sandcastle .....	NBLE39
Sedona .....	NBLE40
Stormy .....	NBLE16
Sunbeam .....	NBLE41
Voyager.....	NBLE42
Windy Day.....	NBLE43


## GRADE D

<b>BLAZER LITE</b>	
<i>(100% Pure New Wool)</i>	
Haven .....	PCAMBLT40
Retreat .....	PCAMBLT39
Solace.....	PCAMBLT70


ALTITUDE

Altitude height-adjustable bases are available in five styles:


A6




T-leg with  
Rectangular Worksurface




T-leg with  
Corner Cove Worksurface




C-leg with  
Rectangular Worksurface




C-leg with  
Corner Cove Worksurface




Altitude HAT  
with Undermount  
Radii Console




Altitude HAT  
with Flush Undermount  
Radii



Altitude HAT  
with Freestanding Mobile  
Alcove Radii




Altitude HAT  
with Freestanding Mobile  
Alcove Radii




Altitude HAT with  
Freestanding Mobile  
Radii Caddy


A8 Screens




U Screen Kit



L Screen Kit (Left)



L Screen Kit (Right)



Rectangular Screen Kit

Metal Screens




L Screen (Left)




L Screen (Right)



U Screen




Straight




Tackboard Accessory

Altitude Power Rail




Altitude Power Rail



Altitude Rail Screen


A6 Clearance Dimensions

Rectangle



Base Style:	A6-T Base				A6-C Base			
Dimension Location:	E1	W1	W2	E2	E1	W1	W2	E2
<b>Altitude Top:</b> (Surface dimensions are nominal. Actual widths are reduced by 2")	Edge of table to outside of leg	Between legs	Between legs	Edge of table to the outside of leg	Edge of table to outside of leg	Between legs	Between legs	Edge of table to the outside of leg
24" x 48" Rectangle*	2½"	35¼"	—	10%"	2½"	35¼"	—	14%"
24" x 54" Rectangle	2½"	41¼"	—	10%"	2½"	41¼"	—	14%"
24" x 60" Rectangle	2½"	47¼"	—	10%"	2½"	47¼"	—	14%"
24" x 66" Rectangle	2½"	53¼"	—	10%"	2½"	53¼"	—	14%"
24" x 72" Rectangle	2½"	59¼"	—	10%"	2½"	59¼"	—	14%"
30" x 48" Rectangle	2½"	35¼"	—	13%"	2½"	35¼"	—	17%"
30" x 54" Rectangle	2½"	41¼"	—	13%"	2½"	41¼"	—	17%"
30" x 60" Rectangle	2½"	47¼"	—	13%"	2½"	47¼"	—	17%"
30" x 66" Rectangle	2½"	53¼"	—	13%"	2½"	53¼"	—	17%"
30" x 72" Rectangle	2½"	59¼"	—	13%"	2½"	59¼"	—	17%"
60" x 36" Corner Cove	2½"	43"	26"	10%"	2½"	43"	29½"	14%"
60" x 48" Corner Cove	2½"	43"	32"	10%"	2½"	43"	35½"	14%"
72" x 36" Corner Cove	2½"	55"	26"	10%"	2½"	55"	29½"	14%"
72" x 48" Corner Cove	2½"	55"	32"	10%"	2½"	55"	35½"	14%"

Bottom Views



ALTITUDE

Feature	Altitude Basic	A6
<b>Range Adjustment</b>	26¼" – 43½"H + Adjustable Glide	2-Stage 26½" to 45¼" + ½" Adjustable Glide
<b>Base Only, Without Work Surface</b>		3-Stage 21¼" to 47½" + ½" Adjustable Glide
<b>Range Adjustment</b>	27¾" to 44"H + Adjustable Glide	2-Stage 27¾" to 46¾" + ½" Adjustable Glide
<b>Includes Standard Allsteel 1½" Work Surface</b>		3-Stage 22¾" to 48¾" + ½" Adjustable Glide
<b>Foot Configuration</b>	<ul style="list-style-type: none"> <li>• T Foot</li> <li>• Standard leveling glide</li> </ul>	<ul style="list-style-type: none"> <li>• T Foot or C Foot</li> <li>• Standard options include leveling glide, slide glides, and casters</li> </ul>
<b>Leg Options</b>	2 leg	2 and 3 leg
<b>UL Certified Weight Rating</b>	180 lbs	<ul style="list-style-type: none"> <li>• 250 lbs for 2-leg</li> <li>• 350 lbs for 2-leg Max</li> <li>• 375 lbs for 3-leg</li> <li>• 500 lbs for 3-leg Max</li> </ul>
<b>Cross Bar Design</b>	Yes	A6 models ordered prior to 4/5/2021 have cross bar understructure, A6 models ordered after 4/5/2021 do not
<b>Colors</b>	Silver Only	20 Allsteel Paint Finishes offered, see Altitude Tables Finishes page
<b>Control Pad</b>	Up/down only	Basic up/down, memory preset, paddle, foot pedal
<b>Wire Management</b>	Allsteel standard options available Hinged trough not recommended	Allsteel standard options available
<b>Power Access</b>	Desktop power modules available	Desktop power modules available
<b>Warranty</b>	5 years	If Purchased Before 3/1/2021: 10 Years Metal Base, 7 Years Electronics If Purchased After 3/1/2021: 10 Years for Entire Product

Height-Adjustable Worksurfaces, Bases, and Controls

Height-Adjustable Worksurfaces (page 256)

- Height-adjustable worksurfaces are available in laminate with flat edge and rectangular veneer with matching square edge.
- Matrix with actual worksurface sizes can be found on page 235.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.
- Worksurface dimensions are nominal. Actual widths are reduced by 2" (1" each side) and worksurface depths are reduced by ¼". Corner cove depth is nominal, actual is 1" less.
- Rectangular undersized worksurface models' (model number ending in -U) actual widths and depths are reduced by 2".
- Corner Cove undersized worksurface models' (model number ending in -LD) actual dimensions are reduced by 2".
- Altitude worksurfaces are pre-drilled with mounting location for bases.
- Rectangular worksurface grommet location is limited to center location due to mounting of worksurface supports at each end of the worksurface.
- Certain two-piece top configurations may require two stiffeners depending on the footprint of your station.
- 2-leg standard bases can accommodate worksurface configurations from 24"D x 24"W to 30"D x 72"W.
- 2-leg Max bases can accommodate worksurface configurations from 24"D x 24"W to 30"D x 96"W.
- 3-Leg standard bases can accommodate worksurface configurations from 24"D x 48"W x 36"W to 30"D x 72"W x 48"W.
- 3-Leg Max bases can accommodate worksurface configurations from 24"D x 48"W x 36"W to 30"D x 72"W x 72"W.
- Altitude A6 bases specified with a work surface 60"W and greater require the use of an external stiffener. An external stiffener is included in Altitude work surface models 60"W and greater (all models ending with letter -D). If a non-Altitude work surface is being used, an external stiffener may need to be specified separately.




Height-Adjustable Bases (pages 254-255)

- Electronic height-adjustable base units are available in six styles: A6-T Base with 2 legs, A6-C Base with 2 legs, A6-T Base with 3 legs, A6-C Base with 3 legs, A6-T Max Base with 2 legs, A6-C Max Base with 2 legs, A6-T Max Base with 3 legs, and A6-C Max Base with 3 legs.
- A6 2-stage 1.2"/sec, A6 3-stage 1.4"/sec, A6 Max .8"/sec. Motor devices have a continuous cycle time of 2 minutes with an 18 minute rest period before it can be cycled again.
- Control box is powered by 110-120V/60Hz/4A. Standby power is < 0.1 Watts. Power cords on A6-T models are 10'.
- Pedestals taller than 24½" for 2-stage models and 19½" for 3-stage models when placed under table will limit range in lowest position.
- Mobile box/file pedestals will clear feet on height adjustable base but will extend past edge of worksurface in that position. See chart on page 233.
- Moving worksurfaces can collide with other components. It is important to ensure free range of motion prior to operating the table.
- All tables have adjustable glides providing ½" adjustment on A6.
- Slide glides offered as a .option and model level. Only available on 2-leg bases.
- Casters available on model level for retrofitting on 2-Leg Bases ONLY.
- Altitude A6 tables feature collision detection, a feature designed to stop table travel when the table detects an obstacle.
- A6 load capacity is 250 lbs for 2-leg models, 375 lbs for 3-leg models, 350 lbs for 2-leg Max models, and 500 lbs for 3-leg Max models. This includes the weight of the worksurface.
- G1 Glide enables the A63-stage height adjustable bases to reach the BIFMA G1 height requirements. Glides come in a pack of 4. Glide is always black.

A6 Control Options

- Memory Controls are now a .option.
- Up/Down: Basic Up/Down control.
- Memory Control: 4 memory pre-set options allow the user to adjust their height to their preferred heights.
- Paddle: Simple, aesthetic control with 1 memory pre-set option and reminder mode.
- Bluetooth Capability: A6 optional Bluetooth capability is sold as accessory model A6BLUETOOTH. Bluetooth is enabled through smartphone app AiDesk. Bluetooth control will only work with 2-leg A6 tables. Bluetooth control will **not** work with 3-leg A6 tables. No additional controls are required for use, but they can be used in addition to the bluetooth control (bluetooth plug in uses different port than other controls).

Note: HAT-to-Panel bracket does not work with the Max Base.



For specification information see page 234.

**Rectangular Laminate Tops – 24"D**

Base Model(s)	Actual Dimensions
AF5RS4824, AVF5RS4824	46"W x 23¼"D
AF5RS5424, AVF5RS5424	52"W x 23¼"D
AF5RS6024D, AVF5RS6024D	58"W x 23¼"D
AF5RS6624D, AVF5RS6624D	64"W x 23¼"D
AF5RS7224D, AVF5RS7224D	70"W x 23¼"D
AF5RS7824D	76"W x 23¼"D
AF5RS8424D	82"W x 23¼"D
AF5RS9024D	88"W x 23¼"D
AF5RS9624D	94"W x 23¼"D

**Rounded Corner Laminate Tops – 24"D**

Base Model(s)	Actual Dimensions
AF5RND4824	46"W x 23¼"D
AF5RND5424	52"W x 23¼"D
AF5RND6024D	58"W x 23¼"D
AF5RND6624D	64"W x 23¼"D
AF5RND7224D	70"W x 23¼"D
AF5RND7824D	76"W x 23¼"D
AF5RND8424D	82"W x 23¼"D
AF5RND9024D	88"W x 23¼"D
AF5RND9624D	94"W x 23¼"D

**Rectangular Laminate Tops – 30"D**

Base Model(s)	Actual Dimensions
AF5RS4830, AVF5RS4830	46"W x 29¼"D
AF5RS5430, AVF5RS5430	52"W x 29¼"D
AF5RS6030D, AVF5RS6030D	58"W x 29¼"D
AF5RS6630D, AVF5RS6630D	64"W x 29¼"D
AF5RS7230D, AVF5RS7230D	70"W x 29¼"D
AF5RS7830D	76"W x 29¼"D
AF5RS8430D	82"W x 29¼"D
AF5RS9030D	88"W x 29¼"D
AF5RS9630D	94"W x 29¼"D

**Rounded Corner Laminate Tops – 30"D**

Base Model(s)	Actual Dimensions
AF5RND4830	46"W x 29¼"D
AF5RND5430	52"W x 29¼"D
AF5RND6030D	58"W x 29¼"D
AF5RND6630D	64"W x 29¼"D
AF5RND7230D	70"W x 29¼"D
AF5RND7830D	76"W x 29¼"D
AF5RND8430D	82"W x 29¼"D
AF5RND9030D	88"W x 29¼"D
AF5RND9630D	94"W x 29¼"D

**Undersized Rectangular Worksurface – 24"D**

Base Model(s)	Actual Dimensions
AF5RS3624U	34"W x 22"D
AF5RS4224U	40"W x 22"D
AF5RS4824U	46"W x 22"D
AF5RS5424U	52"W x 22"D
AF5RS6024UD	58"W x 22"D
AF5RS6624UD	64"W x 22"D
AF5RS7224UD	70"W x 22"D
AF5RS7824UD	76"W x 22"D
AF5RS8424UD	82"W x 22"D
AF5RS9024UD	88"W x 22"D
AF5RS9624UD	94"W x 22"D

**Undersized Rectangular Worksurface – 30"D**

Base Model(s)	Actual Dimensions
AF5RS3630U	34"W x 28"D
AF5RS4230U	40"W x 28"D
AF5RS4830U	46"W x 28"D
AF5RS5430U	52"W x 28"D
AF5RS6030UD	58"W x 28"D
AF5RS6630UD	64"W x 28"D
AF5RS7230UD	70"W x 28"D
AF5RS7830UD	76"W x 28"D
AF5RS8430UD	82"W x 28"D
AF5RS9030UD	88"W x 28"D
AF5RS9630UD	94"W x 28"D

**120 Degree Corner Worksurface – 24"D**

Base Model(s)	Actual Dimensions
AF5120S4224D	22"A x 40"B x 40"C x 22"D
AF5120S4824D	22"A x 46"B x 46"C x 22"D
AF5120S5424D	22"A x 52"B x 52"C x 22"D

**120 Degree Corner Worksurface – 30"D**

Base Model(s)	Actual Dimensions
AF5120S4224D	28"A x 40"B x 40"C x 28"D
AF5120S4824D	28"A x 46"B x 46"C x 28"D
AF5120S5424D	28"A x 52"B x 52"C x 28"D

ALTITUDE

For specification information see page 234.

**Corner Cove Laminate Tops – 24"D Extended Left**

Base Model(s)	Actual Dimensions
A5822ELS	23¼"A x 58¼"B x 34½"C x 23¼"D
A5622ELS	23¼"A x 58¼"B x 46¼"C x 23¼"D
A5922ELS	23¼"A x 70¼"B x 34½"C x 23¼"D
A7222ELS	23¼"A x 70¼"B x 46¼"C x 23¼"D

**Corner Cove Laminate Tops – 24"D Extended Right**

Base Model(s)	Actual Dimensions
A5822ERS	23¼"A x 58¼"B x 34½"C x 23¼"D
A5622ERS	23¼"A x 58¼"B x 46¼"C x 23¼"D
A5922ERS	23¼"A x 70¼"B x 34½"C x 23¼"D
A7222ERS	23¼"A x 70¼"B x 46¼"C x 23¼"D

**Undersized Corner Cove Worksurface, Left Hand – 24"D**

Base Model(s)	Actual Dimensions
AF5CCS603624LD	22"A x 58"B x 34"C x 22"D
AF5CCS604824LD	22"A x 58"B x 46"C x 22"D
AF5CCS723624LD	22"A x 70"B x 34"C x 22"D
AF6CCS724824LD	22"A x 70"B x 46"C x 22"D

**Undersized Corner Cove Worksurface, Right Hand – 24"D**

Base Model(s)	Actual Dimensions
AF5CCS603624RD	22"A x 58"B x 34"C x 22"D
AF5CCS604824RD	22"A x 58"B x 46"C x 22"D
AF5CCS723624RD	22"A x 70"B x 34"C x 22"D
AF6CCS724824RD	22"A x 70"B x 46"C x 22"D


**Undersized Corner Cove Worksurface, Left Hand – 30"D**

Base Model(s)	Actual Dimensions
AF5CCS604830LD	28"A x 58"B x 46"C x 28"D
AF5CCS724830LD	28"A x 70"B x 46"C x 28"D


**Undersized Corner Cove Worksurface, Right Hand – 30"D**

Base Model(s)	Actual Dimensions
AF5CCS604830RD	28"A x 58"B x 46"C x 28"D
AF5CCS724830RD	28"A x 70"B x 46"C x 28"D

## Cable & Wire Management



Cable Management Tray



Wire Management Channel

### Cable Management Tray (page 259)

- Attaches under the worksurface to contain cables.
- Metal tray shelf is 4" deep. Can hold electrical power strip and/or surge protector.
- 24" and 36" lengths, use multiple units for larger worksurfaces.
- Attachment hardware included, paint option is black only.
- Zip tie attachment points located in base of tray. Zip ties not included.

### Wire Management Channel (page 259)

- Self adhesive backing to attach to panels and underside of worksurfaces.
- Flexible strips allow cabling to enter/exit and can be contained inside the 2-cavity profile.
- Each cavity provides space for a maximum of six .22" dia. cables. Total capacity = 1 sq. in.

### Cord Management Chain (page 259)

- Works with Approach and Altitude A6-units.
- Used to route and conceal power/data cables from control box and other devices. Includes all mounting hardware and a plate to secure to a leveling glide.
- Houses 6 cables @ 0.300" diameter.
- Made of plastic chain with plastic attachment brackets at each end. Only comes in Black finish.


### Under Worksurface Trough (page 259)

- Used to conceal wires and control box below worksurfaces. Trough can be configured at various height/width combinations to meet capacity needs — see illustrations below.
- On 48"W and 54"W worksurfaces use one 17"W trough. 54"W has space to use 2 – 17"W, if necessary.
- On 60"W, 66"W, and 72"W worksurfaces use the 36" trough.
- On 84"W worksurface use 2 – 17"W troughs.

### Quad Tap (page 259)

- Under surface mounting, used on any worksurface.
- 10' Power cord. UL Listed
- 4 Simplex receptacles.
- May be used in conjunction with hinged trough to reduce the number of cords routed from a worksurface to a beam.


### Power Module




- Contains 5 simplex outlets and 1 dual USB.
- Available in plastic or metal. Metal power module is required for Chicago code.
- Cord options include straight and curly.
  - Straight cord is 144"
  - Curly cord is 120"
- MUST be specified with SPLA-ALT-BEAMA (see Standard Specials pricer for more information).
- Cannot be attached directly to the bottom of the worksurface.



### Screens



- See Table 1 for overall table width and depth for each screen shape.
- Adding a screen adds 3" to depth of the table.
- Adding a screen adds 1" to the width of the table per return wing.
- RH L-screens have return wing on user's right; LH opposite.
- When using a 24"D worksurface with Altitude screens, you must specify a T-foot.



Size Reference Matrix

Models	A	B	C1	C2	D	E	F	G1	G2	H	I	J1	J2	K
	Under Desk Height	Wing to Front	Wing Width STD	Wing Width EXT	Left Leg to Edge	Right Leg to Edge	Left Side Panel to Support	Distance Between Supports	Distance Between Center/ Right Support	Right Side Panel to Support	Overall Width	Desktop To Base of Panel	Desktop To Top of Panel	Cable Drop Space
AMS2048LH	24.7	3.3	21.1	24.3	2.0	2.0	5.9	29.7	-	6.4	46.1	2.9	20.0	1.0
AMS2054LH	24.7	3.3	21.1	24.3	2.0	2.0	5.9	35.7	-	6.4	52.1	2.9	20.0	1.0
AMS2060LH	24.7	3.3	21.1	24.3	2.0	2.0	5.9	41.7	-	6.4	58.1	2.9	20.0	1.0
AMS2066LH	24.7	3.3	21.1	24.3	2.0	2.0	5.9	22.8	22.8	6.4	64.1	2.9	20.0	1.0
AMS2072LH	24.7	3.3	21.1	24.3	2.0	2.0	5.9	25.8	25.8	6.4	70.1	2.9	20.0	1.0
AMS2048RH	24.7	3.3	21.1	24.3	2.0	2.0	6.4	29.7	-	5.9	46.1	2.9	20.0	1.0
AMS2054RH	24.7	3.3	21.1	24.3	2.0	2.0	6.4	35.7	-	5.9	52.1	2.9	20.0	1.0
AMS2060RH	24.7	3.3	21.1	24.3	2.0	2.0	6.4	41.7	-	5.9	58.1	2.9	20.0	1.0
AMS2066RH	24.7	3.3	21.1	24.3	2.0	2.0	6.4	22.8	22.8	5.9	64.1	2.9	20.0	1.0
AMS2072RH	24.7	3.3	21.1	24.3	2.0	2.0	6.4	25.8	25.8	5.9	70.1	2.9	20.0	1.0
AMS3248LH	17.5	3.3	21.1	24.3	2.0	2.0	5.9	29.7	-	6.4	46.1	10.0	20.0	1.0
AMS3254LH	17.5	3.3	21.1	24.3	2.0	2.0	5.9	35.7	-	6.4	52.1	10.0	20.0	1.0
AMS3260LH	17.5	3.3	21.1	24.3	2.0	2.0	5.9	41.7	-	6.4	58.1	10.0	20.0	1.0
AMS3266LH	17.5	3.3	21.1	24.3	2.0	2.0	5.9	22.8	22.8	6.4	64.1	10.0	20.0	1.0
AMS3272LH	17.5	3.3	21.1	24.3	2.0	2.0	5.9	25.8	25.8	6.4	70.1	10.0	20.0	1.0
AMS3248RH	17.5	3.3	21.1	24.3	2.0	2.0	6.4	29.7	-	5.9	46.1	10.0	20.0	1.0
AMS3254RH	17.5	3.3	21.1	24.3	2.0	2.0	6.4	35.7	-	5.9	52.1	10.0	20.0	1.0
AMS3260RH	17.5	3.3	21.1	24.3	2.0	2.0	6.4	41.7	-	5.9	58.1	10.0	20.0	1.0
AMS3266RH	17.5	3.3	21.1	24.3	2.0	2.0	6.4	22.8	22.8	5.9	64.1	10.0	20.0	1.0
AMS3272RH	17.5	3.3	21.1	24.3	2.0	2.0	6.4	25.8	25.8	5.9	70.1	10.0	20.0	1.0
AMS2048US	24.7	3.3	21.1	24.3	2.0	2.0	5.9	30.3	-	5.9	46.1	2.9	20.0	1.0
AMS2054US	24.7	3.3	21.1	24.3	2.0	2.0	5.9	36.3	-	5.9	52.1	2.9	20.0	1.0
AMS2060US	24.7	3.3	21.1	24.3	2.0	2.0	5.9	42.3	-	5.9	58.1	2.9	20.0	1.0
AMS2066US	24.7	3.3	21.1	24.3	2.0	2.0	5.9	23.1	23.1	5.9	64.1	2.9	20.0	1.0
AMS2072US	24.7	3.3	21.1	24.3	2.0	2.0	5.9	26.1	26.1	5.9	70.1	2.9	20.0	1.0
AMS3248US	17.5	3.3	21.1	24.3	2.0	2.0	5.9	30.3	-	5.9	46.1	10.0	20.0	1.0
AMS3254US	17.5	3.3	21.1	24.3	2.0	2.0	5.9	36.3	-	5.9	52.1	10.0	20.0	1.0
AMS3260US	17.5	3.3	21.1	24.3	2.0	2.0	5.9	42.3	-	5.9	58.1	10.0	20.0	1.0
AMS3266US	17.5	3.3	21.1	24.3	2.0	2.0	5.9	23.1	23.1	5.9	64.1	10.0	20.0	1.0
AMS3272US	17.5	3.3	21.1	24.3	2.0	2.0	5.9	26.1	26.1	5.9	70.1	10.0	20.0	1.0
AMS2048SS	24.7	-	-	-	2.0	2.0	5.0	32.0	-	5.0	46.0	2.9	20.0	1.0
AMS2054SS	24.7	-	-	-	2.0	2.0	5.0	38.0	-	5.0	52.0	2.9	20.0	1.0
AMS2060SS	24.7	-	-	-	2.0	2.0	5.0	44.0	-	5.0	58.0	2.9	20.0	1.0
AMS2066SS	24.7	-	-	-	2.0	2.0	5.0	24.0	24.0	5.0	64.0	2.9	20.0	1.0
AMS2072SS	24.7	-	-	-	2.0	2.0	5.0	27.0	27.0	5.0	70.0	2.9	20.0	1.0
AMS3248SS	17.5	-	-	-	2.0	2.0	5.0	32.0	-	5.0	46.0	10.0	20.0	1.0
AMS3254SS	17.5	-	-	-	2.0	2.0	5.0	38.0	-	5.0	52.0	10.0	20.0	1.0
AMS3260SS	17.5	-	-	-	2.0	2.0	5.0	44.0	-	5.0	58.0	10.0	20.0	1.0
AMS3266SS	17.5	-	-	-	2.0	2.0	5.0	24.0	24.0	5.0	64.0	10.0	20.0	1.0
AMS3272SS	17.5	-	-	-	2.0	2.0	5.0	27.0	27.0	5.0	70.0	10.0	20.0	1.0


ALTITUDE

**Altitude — Metal Screens** (page 264)

- Powder coated magnetic metal privacy screen.
- Metal surfaces can be easily disinfected with cleaners. See cleaning guide for more details at AllsteelOffice.com.
- Available in all standard paint colors.
- Provides 1" gap along the back for accessory mount and cord drop.
- Available in 48"W, 54"W, 60"W, 66"W and 72"W.
- 66"W and 72"W screens include 3rd center bracket.
- Available in Straight, L- and U-shape configurations. Above and Above/Below desk applications.
- L- and U-Shape screens are not compatible with shrouded Height Adjustable Table legs.
- Optional tackable accessories specified separately.
- 66"W tackable accessory comes as a set of (2) 24"W.
- 72"W tackable accessory comes as a set of (2) 20"W.
- Available in standard and extended wings.
- Wings mount flush to the edge of the surface with an L-Bracket.
- 20"W tackable accessory must only be applied to both standard and extended wings without accessory slots.
- Wings are available with accessory slots that accept Radii Hot File, Side Saddle and Coat hook.
- Top slot can accept one Radii accessory.
- Bottom slot can accept a Coat hook and one other accessory.
- Accessories can hang on either side of the wing.
- TIP: If the Hot File is used in the top slot, it will block access for accessories in the bottom slot.
- Do not hang more than 5lbs of weight on wings.
- Screens are compatible with Radii undermount storage.
- Not compatible with standard 120-worksurfaces. Contact Allsteel TPG for custom sizes.
- When using a 24"D worksurface with Altitude screens, you must specify a T-foot.


**Size Reference Matrix**

Tackboards	Wing	48"W	54"W	60"W	66"W	72"W
Actual Dimensions	20"W	30"W	36"W	42"W	20"W	24"W
Set of Tackboards	1	1	1	1	2	2



**Accessories — Tackboard** (page 265)

- Tackable accessories come with metal frame available in standard paint colors and fabric options.
- Attach to the screen using a dual lock tape (included in hardware).




**Accessories — Radii** (page 265)

- Wings are available with accessory slots that accept Radii Hot File, Side Saddle and Coat hook.
- Top slot can accept one Radii accessory.
- Bottom slot can accept a Coat hook and one other accessory.
- Accessories can hang on either side of the wing.
- TIP: If the Hot File is used in the top slot, it will block access for accessories in the bottom slot.


**Accessories — Further Worksurface Rail Mount** (page 270)

- Accessory rail must be field cut to fit between the screen brackets.
- The following accessories are not compatible with screens: U9WTC and U9TM.




**GENERAL OVERVIEW**

- Accommodates power and lay-in capacity for data cables.
- Available in 48", 54", 60", 66", and 72" lengths.
- Maximum of 2 duplexes and 2 data ports per side of rail.
- Models come equipped with hardware for in-line connections.
- Fiber optic cables can follow 90 degree turns at the intersection of the power rails.
- Power harnesses snap into electrical brackets within the power rail and accept duplex receptacles.
- Electrical power harness accepts up to 2 duplex receptacles per side of rail.
- End caps are required at an end-of-run, unless connected to an end-of-run power pole or a hub.
- Power rail can be set low to the floor using the floor legs or raised off the floor at 20½" H with elevated legs.




ALTITUDE


Power Rail Typicals




Low Rail, (2) 60"W Rail  
Linear Configuration




Raised Rail, (2) 60"W Rail  
Linear Configuration



Low Rail, (3) 60"W Rail  
T-Configuration



Raised Rail, (3) 60"W Rail  
T-Configuration



Raised Rail, (4) 60"W Rail  
X-Configuration with Screens

ALTITUDE


**WORKING WITH ALTITUDE POWER RAILS**

**Low Rail with Floor Legs:**

- Each power rail is supported by (2) floor legs.
- Floor legs have a leveling mechanism that can adjust up to 1¼"H.
- Legs are specified separately and come in qty of 1. Each leg is 7¼"D x 2¼"W.
- Leg is inset 2.8" from end of the power rail.
- Universal connector allows "L", "T" and "X" configurations.
- Can connect directly to another power rail in linear applications without use of the universal connector.
- Cannot mount screens on the low rail.
- Power infeed can access the power rail in multiple ways:
  - through a receptacle position on the power rail (side infeed).
  - through the end cap on to the first power block.
  - through power pole using a power pole connector kit.

**Raised Rail**


- Power rails can be raised up to 20½"H using Elevated Legs and/or Hubs.
- Elevated Legs and Hubs can be used in conjunction to create the desired capability and aesthetic.
- Can be in Linear, L-, T- or X-configurations using Elevated Legs, Hubs or Universal Connector.
- Supports screens. See screens section for more details.
- Elevated Legs
  - Inset 2.8" from end of the power rail.
  - Can be shared in between the two rails in linear configuration.
  - Cannot route power and/or data.
  - Specified separately and come in qty of 1. Foot is included.
  - Leg is 15¼"D x 2¼"W x 17¾"H.
  - Order RFDRAWAB separately to anchor to floor. Appropriate fasteners per floor type sourced locally.
- Support Hubs
  - Connect directly to the power rail.
  - Can be shared in between the two rails.
  - L-, T- and X-hubs can be shared in between power rails.
  - End of Run hub is only specified at end condition.
  - Can route power and/or data.
  - Can integrate power pole. Power Pole connector kit is specified separately and come in qty of 1. Foot is included.




**Screens**

- Constructed of painted steel material.
- Standard Allsteel paint options can be applied.
- Screen height is 20"H, provides overall height of 42"H above fixed floor.
- Painted steel is magnetic and cleanable. Refer to cleaning solutions page at Allsteel Office website.
- Attachment hardware included.

ALTITUDE




Altitude Desk + 60" W Low Rail + WKSWMC



Altitude Desk + 60" W Raised Rail + A9CLWMC

### WORKING WITH CABLE MANAGEMENT

- Used to route and conceal power/data cables from control box and other devices. Includes all mounting hardware.
- Houses 6 cables @ 0.300" diameter.
- Specify WKSWMC for 58" chain. Only comes in Black Finish. Recommended for use with Low Rail.
- Specify A9CLWMC for 36" chain. Comes in Black, White and Silver. Recommended for use with Raised Rail.
- Links the power rail to a height adjustable desk.
- Has two connecting points: Top section connects underneath the Height Adjustable Desk and the bottom section connects underneath the power rail using a double-sided tape. Hardware included.
- When mounting the chain to underneath the rail, an adapter link is required. Included in the hardware.



## WORKING WITH POWER RAIL ELECTRICALS

### General Notes about Electrical and Circuitry:

- Power Rail offers a choice of four electrical systems:
  - Four-circuit, 3 + 1
  - Four-circuit, 2 + 2
  - Three-circuit, separate neutrals
  - Eight circuits; two four-circuit systems provided back to back.
  - See Altitude Pricer section “Working with Electrical” for a detailed explanation of each electrical system.
  - All four systems utilize an 8-wire electrical system, rated at 20 amps.
- Per circuit (15 amps Canadian) — 16 amps plannable in U.S.
  - Power Rail and electrical components are UL Listed. Electrical
- Components are also CSA certified.
  - Installation and use of the electrical system, the number of receptacles.
- Used on a given circuit and connections to the building power supply.
- Should follow all local and national electrical codes.



### Electrical Infeeds

- Power infeed cables deliver power from building to panel's electrical system.
- Infeed cables are housed in conduit to separate electrical system from communications and data lines.
- Select quantity of base or ceiling infeed cables depending on individual power requirements.
- Refer to rail supports for infeed access points.




**Routing Power**


- Power infeed can access the raised power rail in multiple ways:
  - Through power pole using a power pole connector kit.
  - Through Support Hubs.
  - Through the infeed vertebrae.




ALTITUDE




RFDRWCNPPE + UN2HPSQ  
Connected to 60" W Rail




RFDRWHUBEND + RFDRWCNPP  
UN2HPSQ connected to 60" W Rail




UN2HPSQ + RFDRWCNPPM  
Connected to 60" W Rail



RFDRWWM  
Connected to 60" W Rail



A876072 Infeed  
Connected to 60" W Rail through End Cap



A877012 Infeed  
Connected to 60" W Rail through End Cap

**Electrical Systems**


**General Notes about Electric, Circuitry, and Chicago Code:**

- Power Rail offers a choice of four electrical systems:
  - Four-circuit, 3 + 1
  - Four-circuit, 2 + 2
  - Three-circuit, separate neutrals
  - Eight circuits; two four-circuit systems provided back to back.
- See pages 248-249 for a detailed explanation of each electrical system.
- All four systems utilize an 8-wire electrical system, rated at 20 amps per circuit (15 amps Canadian) — 16 amps plannable in U.S.
- Power Rail and electrical components are UL Listed. Electrical components are also CSA certified.
- Installation and use of the electrical system, the number of receptacles used on a given circuit and connections to the building power supply should be in compliance with all local and national electrical codes.


**Caution: Electrical equipment cords or extension cords MUST NOT BE ROUTED through cable openings in frame sides.**

**Note: No more than one conduit that is connected to a harness mounted to horizontal can be routed through the same cut out in the same horizontal at beltline. Attempting to use more will cause binding of conduit and may affect reveals on receptacles.**

**Hardwire New York Code (page 261)**

- Hardwire (New York Code) junction box (model A871400) is used when local electrical codes require hardwire entry. 
- For use in panels 48" W to 72" W.
- Unit must connect to a power harness.
- Customer to furnish all cabling and wiring from power entry to power source.
- Junction box can be positioned at any duplex receptacle location.
- For NY infeed through the end cap:
  - Order 24" pass-thru harness with power block A871124.
  - Will not have power at first cut-out from infeed.
- For NY infeed through a power rail cut-out:
  - Order 48"-72" pass-thru harness with power block. *Harness width must match power rail width.*
  - Will not have power at cut-out location used for infeed.
- For any power rail not used for infeed, order standard electrical power harness.

**Hardwire Chicago Code (page 262)**


- Wiring harnesses and snap connectors are not allowed in Chicago — base pathways must be comprised of all-metallic components.
- The base pathway, junction box (model 873600) clips directly into receptacle locations and can be used both single- and double-sided.
- Customer must furnish conduit, wiring, and designer-type receptacles for the base pathway and conduit, wiring, designer-type receptacles, and receptacle covers for the beltline.
- Power entry can be routed from the floor into a junction box (model 873600). 

**Electrical Infeeds**

- Power infeed cables deliver power from building to panel's electrical system.
- Infeed cables are housed in conduit to separate electrical system from communications and data lines.
- Select quantity of base or ceiling infeed cables depending on individual power requirements.


**Base Infeed (page 261)**

- Sealtight base pathway power infeed mounts into any receptacle position in the base pathway area.
- A heavy rubber sheathing shields conduit, allowing infeed to be exposed.
- A jumper is required to connect base pathway power to beltline.




**Sealtight Electrical Infeed (page 261)**

- Sealtight electrical infeed cable is used with footed panels.
- Should not be ordered prior to installation to have pre-wired as infeed must be routed from inside of panel out to be connected to power.
- Cannot be connected to power harness in panel frame that infeed is brought into unless additional pass-thru harness without power block is used to feed from below beltline to above beltline.



**Power Infeed (page 261)**

- Power infeed connects to a prewired electrical harness in the power rail.
- Most codes allow flex conduit to be exposed after installation. Verify code requirements before ordering for exposed application.



### To Order:

- Determine which electrical system you will use after consulting your electrician and computer support personnel:
  - The Four-circuit system (4-Hot/2-Neutral/2-Ground)
    - 3 + 1 option
    - 2 + 2 option
  - The three-circuit system (3-Hot/3-Neutral/2-Ground)
  - The eight-circuit system (back-to-back four-circuit systems)
- Determine location, quantity, and circuit of duplexes.
- Determine the appropriate choice and use of isolated, isolated/dedicated, and separate neutrals circuits.
- Specify appropriate power harnesses\* and pass-thru cables.\*
- Determine the location, quantity, and type of power infeed needed.

\* Select power harness models (A8712XX), with the last two digits corresponding with the panel width into which the component is to be positioned.  
The initial cable length can be stretched approximately 3" to transverse "T", "X", "L", and extended straight connectors.


### Flexconnect™ Electrical System Options

The four-circuit, eight-wire electrical system is widely specified and trusted by hundreds of thousands of end-users. This proven system delivers four circuits for every power infeed in either a 3 + 1 or 2 + 2 configuration. The isolated/dedicated circuits are ideal for sensitive computing equipment, while the common circuits are suitable for faxes, copiers, task lights and other peripherals. Both the 3 + 1 and 2 + 2 systems use the same pre-wired components, making it easy to adjust as electrical needs change.


You can also choose a three-circuit, eight-wire system that has a dedicated neutral for every hot circuit. The three-circuit components have model numbers with an "A" suffix and appear in a gray box in this price.

All three systems utilize an eight-wire electrical system rated at 20 amps per circuit (15 amps Canadian). Concensys panels and electrical components are UL listed and CSA certified.


### Four-circuit, 3 + 1 Receptacle Option




The 3 + 1 option is the electrical standard used on Allsteel systems for many years in most installations. This wiring option provides three utility circuits plus an isolated/dedicated circuit for more sensitive equipment. Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with single-phase building electrical supply.




### Four-circuit, 2 + 2 Receptacle Option



The 2 + 2 option is a wiring option that provides two utility circuits and two isolated circuits for more extensive computer usage applications.





Altitude System Receptacle Usage					
Two 8-wire, 20 amp (15 amp Canadian) electrical systems are offered					
Electrical System	Circuitry	Receptacle Capacity			
Four-circuit 4-Hot/2-Neutral/2-Ground	3 + 1	Common Circuit-1 A873501	Common Circuit-2 <sup>(1)</sup> A873502	Common Circuit-3 A873503	Iso/Dedicated Circuit-4 A873504
	2 + 2	Common Circuit-1 A873501	Common Circuit-2 A873502	Isolated Circuit-3 A873506	Isolated Circuit-4 A873504
Three-circuit 3-Hot/3-Neutral/2-Ground	w/separate neutrals	Common Circuit-1 A871501A	Common Circuit-2 A871502A	Iso/Dedicated Circuit-3 A871503A	N/A

(1) Circuit 2 (one of the 3 common circuits sharing a neutral wire) cannot be used with a single-phase building electrical supply.

**Notes:**

- Four-circuit components and three-circuit components (with suffix "A") cannot be used together.
- Components of the two systems are keyed differently to prevent components of one system being connected to components of another system.
- Allsteel model numbers are printed on the UL labels, and components are color-coded to provide visual identification of the different components.
- Four-circuit components have black plastic parts.
- Three-circuit components have rust-colored terminal ends and receptacle backs are rust-colored.

**Duplex Receptacle**




15 amp receptacle

ALTITUDE


### Infeeds

- Power infeed cables deliver power from building to Power Rail's electrical system.
- Infeed cables are housed in conduit to separate electrical system from communications and data lines.
- Select quantity of infeed cables depending on individual power requirements.



### Base Infeed:


- Sealtight base pathway power infeed mounts into any receptacle position in the power rail housing.
- A heavy rubber sheathing shields conduit, allowing infeed to be exposed.



### Sealtight Electrical Infeed:

- Sealtight electrical infeed is used for power entering through the end cap.
- Should not be ordered prior to installation to have pre-wired as infeed must be routed from inside of the power rail out to be connected to power.

### Power Harness




**Electrical power harnesses** are used to distribute power in the power rail. **Power blocks** on electrical power harness accept duplex receptacles.

- Electrical power harnesses are used to distribute power in Power Rails. Harnesses must be installed in each power rail housing.
- Specify harness length to match rail housing length. Each power harness accepts four duplex receptacles (two on each side of power rail housing).
- Connectors at both ends of power harnesses allow power distribution in either direction.
- Harness power blocks snap directly onto brackets in power rail housing.

### Power Blocks

- Power blocks snap directly onto brackets in the power rail and accept receptacles (sold separately) on each side of harness.

### Duplexes




Duplex Receptacles

### Receptacle Color Recommended to Coordinate with Paint Color

Paint Color	Receptacle Color
Bungalow — P7C .....	Muslin — EU
Champagne Metallic — PR5 .....	Muslin — EU
Cinder — P7Q .....	Brownstone — EY
Fossil — P28 .....	Flint — E9
Gunmetal Metallic — PR3 .....	Brownstone — EY
Parchment — P93 .....	Muslin — EU
Pebble — P8R .....	Loft — EV
Pewter — P8D .....	Flint — E9
Platinum — PR2 .....	Loft — EV
Platinum Metallic — P42 .....	Silver — E5
Salt — P8C .....	Silver — E5
Titanium — P8T .....	Silver — E5

- Duplex receptacles snap into power blocks of power harnesses.
- Duplexes are available in multiple colors. See inside front cover for finishes.
- Each receptacle is labeled to indicate which circuit it will be connected to: 1, 2, 3 or 4.
- Duplexes are model specific to support either 3 + 1 and 2 + 2 electrical infeed; or have an "A" suffix and are designed to support a three-circuit separate neutral electrical infeed.
- At least one duplex must be installed in upper housing side of rail housing assembly (see page 252, "Working with Electrical and Data").


### Data



Voice/Data Receptacle


#### Data Faceplates:

- Fit into data port openings in Power Rail Housing.
- Due to rail housing depth, data modules should not be used back-to-back.




- Ports 1 and 4 accept duplexes, port covers and base infeeds.
- Ports 2 and 3 accept data and port covers.
- Either U1 or U4 must always contain a duplex.
- Data cannot be back-to-back (data in L2 + U2 or L3 + U3 combinations are not permitted).

### Port Cover








- Port covers must be used where no duplex or data faceplate is present.
- Fits into Power Rail port locations in place of duplex receptacles and data faceplates.
- Does not fit into port sizes of other product lines.

### Cable Capacity



- The power rail housing allows continuous voice and data lines to run without interruption.
- Lay-in is provided for environments where systems furniture or cabling are subject to frequent change.
- Lower cavity allows 6 voice/data cables (1/4" dia).
- Upper cavity lay-in allows 6 voice/data cables (1/4" dia).


## Power Rail Receptacle Locations



- For example, in a four-circuit system:
  - Circuit 1 — calculators, fans, etc.
  - Circuit 2 — task lights (could be wired to wall switch)
  - Circuit 3 — CRT or flat screen monitors
  - Circuit 4 — CPUs
- Use circuit 4 for power-sensitive electronic equipment.

**Placement of pedestals and lateral files** may render some duplex locations inaccessible. Pedestal placement may also affect compatibility with pull-up receptacles.


### Rail Accessories




Side View



Top View



Phone/  
Tablet  
Stand      Pencil  
Holder      Rail  
Mounted  
Shelf      Vertical  
Paper Tray



Front View

### Worksurface Mounted Rail (page 270)

- Aluminum extrusion designed to mount to flat edge worksurfaces. Comes with rail and hardware for mounting.
- Mounted rail extends  $\frac{3}{4}$ " on underside of worksurface which may interfere with the mounting of storage and screens.
- Widths available for Altitude tables 12" through 66" in 6" increments. Can pass across seams of ganged worksurfaces in tethered applications.
- Passes behind worksurface bracket on tethered applications.
- For freestanding applications rail should be 6" shorter than worksurface (i.e. 54" rail for 60" worksurface).

### Rail Mounted Accessories

Not recommended for use on panel systems with attached worksurfaces due to fit up issues created with worksurface and panel. Adding accessory rail shifts worksurface —  $\frac{3}{8}$ " away from panel along that edge. Forcing worksurface into place crushes fabric tile and with tiles of other material (steel, marker board, etc) is likely to scratch, dent, or otherwise damage tile during installation.

### U9TM Phone/Tablet Stand (page 270)

- $6\frac{1}{2}$ "H x  $4\frac{3}{4}$ "W and angles back  $1\frac{1}{4}$ ".
- Has a  $\frac{1}{4}$ " x 1" slot in bottom flange to allow for routing cables. Requires  $1\frac{1}{4}$ " space behind worksurface edge in order to be used.




### U9TP Pencil Holder (page 270)

- $2\frac{3}{8}$ "H x 6"W x 3"D.
- Holds approximately twenty #2 pencils.




### U9TS Rail Mounted Shelf (page 270)

- 8"W x  $4\frac{1}{2}$ "D and sits  $2\frac{3}{8}$ " higher than top of worksurface.
- Holds up to 8 pounds.



### U9TF Vertical Paper Tray (page 270)

- Sits 12"H x  $1\frac{1}{2}$ "W x 12"D from back of worksurface.
- Folder front stands 9" high from worksurface top,  $1\frac{1}{4}$ " space holds about 280 sheets of copy paper.



### U9WTC Cord Organizer (page 270)

- Can attach to both bottom of worksurface or slides into rail.
- 4"W x  $\frac{7}{8}$ "D, made from sheet metal.
- Top sits flush with worksurface if mounted to worksurface.
- 4 cable cut outs: 2 — .250" diameter and 2 — 0.147" diameter; .250" diameter cut outs are centered between the .147" diameter cut outs.




### Universal Hook (page 270)

- Mounts to underside of worksurface and provides storage for bags, coats and purses. Can be used as a horizontal wire manager.







Description	Model	List Price		
		P1	P2	P3
<b>2-Stage</b>				
2 Stage, 2 Leg Rectangle T Foot	A6REC2S2LTF	\$ 2088	\$ 2255	\$ 2506
*Bases purchased in April 2021 or later accommodate 24"D-30"D Rectangular Worksurfaces 24"W-72"W, bases purchased prior to this date accommodate 24"D-30"D Rectangular Worksurfaces 48"W-72"W				
2 Stage, 2 Leg Rectangle C Foot	A6REC2S2LCF	\$ 2088	\$ 2255	\$ 2506
*Bases purchased in April 2021 or later accommodate 24"D-30"D Rectangular Worksurfaces 24"W-72"W, bases purchased prior to this date accommodate 24"D-30"D Rectangular Worksurfaces 48"W-72"W				
<b>3-Stage</b>				
A6 3 Stage, 2 Leg Rectangle T Foot	A6REC3S2LTF	\$ 2342	\$ 2530	\$ 2811
*Bases purchased in April 2021 or later accommodate 24"D-30"D Rectangular Worksurfaces 24"W-72"W, bases purchased prior to this date accommodate 24"D-30"D Rectangular Worksurfaces 48"W-72"W				
A6 3 Stage, 2 Leg Rectangle C Foot	A6REC3S2LCF	\$ 2342	\$ 2530	\$ 2811
*Bases purchased in April 2021 or later accommodate 24"D-30"D Rectangular Worksurfaces 24"W-72"W, bases purchased prior to this date accommodate 24"D-30"D Rectangular Worksurfaces 48"W-72"W				
A6 Max 3 Stage, 2 Leg T Foot	A6MREC3S2LTF	\$ 3251	\$ 3511	\$ 3902
*Bases purchased in April 2021 or later accommodate 24"D-30"D Rectangular Worksurfaces 24"W-96"W, bases purchased prior to this date accommodate 24"D-30"D Rectangular Worksurfaces 48"W-96"W				
*350 LB Max Lift Capacity				
A6 Max 3 Stage, 2 Leg C Foot	A6MREC3S2LCF	\$ 3251	\$ 3511	\$ 3902
*Bases purchased in April 2021 or later accommodate 24"D-30"D Rectangular Worksurfaces 24"W-96"W, bases purchased prior to this date accommodate 24"D-30"D Rectangular Worksurfaces 48"W-96"W				
*350 LB Max Lift Capacity				





ALTITUDE

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> Select the Base Paint Color (if applicable): P1 P2 P3 See page 230 for paint finishes.</p>	<p><b>2nd Option:</b> Select Feet Options (if applicable): X Standard Glides S Slide Glides (\$148 extra)</p>	<p><b>3rd Option:</b> Select the Keypad (if applicable): UD Basic Up/Down MEM Memory Preset PDL Paddle</p>
--	--	---	--

Example: A6RND3S2LCF.P8L.X.PDL

For specification information see pages 233-234.

GSA SIN 33721




Description	Model	List Price		
		P1	P2	P3
<b>2-Stage</b>				
A6 2 Stage, 3 Leg Rectangle T Foot	A6REC2S3LTF	\$ 3378	\$ 3716	\$ 4223
A6 2 Stage, 3 Leg Rectangle C Foot	A6REC2S3LCF	\$ 3378	\$ 3716	\$ 4223
<b>3-Stage</b>				
A6 3 Stage, 3 Leg Rectangle T Foot	A6REC3S3LTF	\$ 3681	\$ 3976	\$ 4418
*3-leg standard bases can accommodate worksurface configurations from 24"D x 48"W x 36"W to 30"D x 72"W x 48"W.				
A6 3 Stage, 3 Leg Rectangle C Foot	A6REC3S3LCF	\$ 3681	\$ 3976	\$ 4418
*3-leg standard bases can accommodate worksurface configurations from 24"D x 48"W x 36"W to 30"D x 72"W x 48"W.				
A6 Max 3 Stage, 3 Leg Rectangle T Foot	A6MREC3S3LTF	\$ 4250	\$ 4676	\$ 5313
*3-Leg Max bases can accommodate worksurface configurations from 24"D x 48"W x 36"W to 30"D x 72"W x 72"W. *500 lb Max Lift Capacity				
A6 Max 3 Stage, 3 Leg Rectangle C Foot	A6MREC3S3LCF	\$ 4250	\$ 4676	\$ 5313
*3-Leg Max bases can accommodate worksurface configurations from 24"D x 48"W x 36"W to 30"D x 72"W x 72"W. *500 lb Max Lift Capacity				
<b>Foot Retrofit Options</b>				
Casters (Use on 2-leg bases ONLY)	A6CASTER*	\$ 268	N/A	N/A
* A6 casters are intended for use with Allsteel A6 height-adjustable tables. When purchased separately and used without Allsteel furniture, the A6 casters marked by (*) are considered Open Market.				
Slide Glides (Use on 2-leg bases ONLY)	A6SLDGLIDE	\$ 195	N/A	N/A
G1 Glide (4-Pack)	A6G1GLIDE	\$ 210	N/A	N/A
*Glide enables 3-stage base to reach G1 requirement heights.				
<b>Bluetooth Control</b>				
A6 Bluetooth Accessory	A6BLUETOOTH	\$ 137	N/A	N/A
* Bluetooth control will only work with 2-leg A6 tables. Bluetooth control will not work with 3-leg A6 tables.				

ALTITUDE

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> Select the Base Paint Color (if applicable): P1 P2 P3 See page 230 for paint finishes.</p>	<p><b>2nd Option:</b> Select Feet Options (if applicable): X Standard Glides</p>	<p><b>3rd Option:</b> Select the Keypad (if applicable): UD Basic Up/Down MEM Memory Preset PDL Paddle</p>
<p>Example: A6RND3S3LCF.P8L.X.PDL</p>			

For specification information see page 234.

GSA SIN 33721



Description	Laminate w/Flat Edge Model	Veneer w/Square Edge Model	Ship Weight	List Price Laminate w/Flat Edge			List Price Veneer w/Square Edge		
				L1	L2	L3	V1	V3	V5
<b>Rectangular Laminate Tops — 24"D (60" to 96" ships with stiffener)</b>									
78"W – 96"W Tops can ONLY be used with Altitude MAX Base									
48"W	AF5RS4824	AVF5RS4824	46	\$ 607	\$ 631	\$ 650	\$ 2024	\$ 2244	\$ 2390
54"W	AF5RS5424	AVF5RS5424	48	\$ 659	\$ 685	\$ 705	\$ 2121	\$ 2351	\$ 2504
60"W	AF5RS6024D	AVF5RS6024D	53	\$ 820	\$ 847	\$ 868	\$ 2346	\$ 2587	\$ 2748
66"W	AF5RS6624D	AVF5RS6624D	74	\$ 850	\$ 878	\$ 900	\$ 2352	\$ 2594	\$ 2755
72"W	AF5RS7224D	AVF5RS7224D	82	\$ 874	\$ 902	\$ 924	\$ 2462	\$ 2713	\$ 2881
78"W	AF5RS7824D		76	\$ 905	\$ 922	\$ 938	—	—	—
84"W	AF5RS8424D		81	\$ 813	\$ 830	\$ 846	—	—	—
90"W	AF5RS9024D		86	\$ 947	\$ 964	\$ 980	—	—	—
96"W	AF5RS9624D		91	\$ 969	\$ 986	\$ 1002	—	—	—

**Rounded Corner Laminate Tops — 24"D (60" to 96" ships with stiffener)**

78"W – 96"W Tops can ONLY be used with Altitude MAX Base

48"W	AF5RND4824		46	\$ 699	\$ 716	\$ 732	—	—	—
54"W	AF5RND5424		48	\$ 758	\$ 775	\$ 791	—	—	—
60"W	AF5RND6024D		53	\$ 924	\$ 941	\$ 957	—	—	—
66"W	AF5RND6624D		78	\$ 973	\$ 990	\$ 1006	—	—	—
72"W	AF5RND7224D		85	\$ 1004	\$ 1021	\$ 1037	—	—	—
78"W	AF5RND7824D		76	\$ 1038	\$ 1055	\$ 1071	—	—	—
84"W	AF5RND8424D		81	\$ 950	\$ 967	\$ 983	—	—	—
90"W	AF5RND9024D		86	\$ 1088	\$ 1105	\$ 1121	—	—	—
96"W	AF5RND9624D		91	\$ 1112	\$ 1129	\$ 1145	—	—	—

**Rectangular Laminate Tops — 30"D (60" to 96" ships with stiffener)**

78"W – 96"W Tops can ONLY be used with Altitude MAX Base

48"W	AF5RS4830	AVF5RS4830	52	\$ 683	\$ 709	\$ 730	\$ 2225	\$ 2466	\$ 2627
54"W	AF5RS5430	AVF5RS5430	59	\$ 774	\$ 802	\$ 827	\$ 2324	\$ 2576	\$ 2744
60"W	AF5RS6030D	AVF5RS6030D	63	\$ 917	\$ 947	\$ 970	\$ 2546	\$ 2809	\$ 2985
66"W	AF5RS6630D	AVF5RS6630D	78	\$ 972	\$ 1003	\$ 1028	\$ 2554	\$ 2818	\$ 2994
72"W	AF5RS7230D	AVF5RS7230D	87	\$ 997	\$ 1028	\$ 1054	\$ 2660	\$ 2933	\$ 3115
78"W	AF5RS7830D		92	\$ 1030	\$ 1047	\$ 1063	—	—	—
84"W	AF5RS8430D		98	\$ 943	\$ 960	\$ 976	—	—	—
90"W	AF5RS9030D		105	\$ 1081	\$ 1098	\$ 1114	—	—	—
96"W	AF5RS9630D		111	\$ 1108	\$ 1125	\$ 1141	—	—	—

**Rounded Corner Laminate Tops — 30"D (60" to 96" ships with stiffener)**

78"W – 96"W Tops can ONLY be used with Altitude MAX Base

48"W	AF5RND4830		52	\$ 784	\$ 801	\$ 817	—	—	—
54"W	AF5RND5430		59	\$ 889	\$ 906	\$ 922	—	—	—
60"W	AF5RND6030D		63	\$ 1039	\$ 1056	\$ 1072	—	—	—
66"W	AF5RND6630D		82	\$ 1096	\$ 1113	\$ 1129	—	—	—
72"W	AF5RND7230D		90	\$ 1146	\$ 1163	\$ 1179	—	—	—
78"W	AF5RND7830D		92	\$ 1182	\$ 1199	\$ 1215	—	—	—
84"W	AF5RND8430D		98	\$ 1102	\$ 1119	\$ 1135	—	—	—
90"W	AF5RND9030D		105	\$ 1243	\$ 1260	\$ 1276	—	—	—
96"W	AF5RND9630D		111	\$ 1274	\$ 1291	\$ 1307	—	—	—


**Note:** Height-adjustable worksurface dimensions are nominal. Actual widths are reduced by 2" (1" on each side, and worksurface depths are reduced by 3/4". Corner cove depth is nominal, actual is 1" less. This is to allow for pinch-points and unobstructed table movement.

How to specify — Select the Model Number from above.	1st Option: Laminate or Veneer Type and Finish (if applicable): See page 230 for finishes.	2nd Option: Paint (if applicable): See page 230 for finishes.	3rd Option: Laminate Edge Color (if applicable): See page 230 for finishes.	4th Option: Grommet Location (if applicable): GC Grommet Center, GO No Grommet	5th Option: Grommet Type (if applicable): P Oval Plastic, M Oval Metal, S Square Metal (Add \$12 per grommet for metal.)	6th Option: Grommet Color (Metal only): EL Matte Silver, Plastic grommet color determined by worksurface finish.
_____ . _____	_____ . _____	_____	_____ . _____	_____	_____	_____

Examples: AF5RS4824.LM14EW.GO AVF5RS4824.SC777.GC.SEL


For specification information see page 234.

GSA SIN PENDING




Description	Laminate w/Flat Edge Model	Ship Weight	List Price		
			L1	L2	L3
<b>Undersized Rectangular Worksurface - 24"D (60" to 96" ships with stiffener)</b>					
<b>78"W - 96"W Tops can ONLY be used with Altitude MAX base.</b>					
36"W	AF5RS3624U	23	\$ 496	\$ 520	\$ 543
42"W	AF5RS4224U	27	\$ 541	\$ 568	\$ 593
48"W	AF5RS4824U	31	\$ 607	\$ 637	\$ 665
54"W	AF5RS5424U	35	\$ 659	\$ 691	\$ 722
60"W	AF5RS6024UD	49	\$ 869	\$ 909	\$ 947
66"W	AF5RS6624UD	53	\$ 908	\$ 949	\$ 989
72"W	AF5RS7224UD	57	\$ 937	\$ 979	\$ 1020
78"W	AF5RS7824UD	62	\$ 978	\$ 1021	\$ 1064
84"W	AF5RS8424UD	66	\$ 890	\$ 929	\$ 967
90"W	AF5RS9024UD	70	\$ 1034	\$ 1079	\$ 1124
96"W	AF5RS9624UD	74	\$ 1066	\$ 1112	\$ 1158

<b>Undersized Rectangular Worksurface - 30"D (60" to 96" ships with stiffener)</b>					
<b>78"W - 96"W Tops can ONLY be used with Altitude MAX base.</b>					
36"W	AF5RS3630U	29	\$ 551	\$ 578	\$ 604
42"W	AF5RS4230U	35	\$ 586	\$ 615	\$ 642
48"W	AF5RS4830U	40	\$ 683	\$ 716	\$ 748
54"W	AF5RS5430U	45	\$ 774	\$ 812	\$ 848
60"W	AF5RS6030UD	60	\$ 967	\$ 1011	\$ 1054
66"W	AF5RS6630UD	65	\$ 1030	\$ 1076	\$ 1122
72"W	AF5RS7230UD	70	\$ 1062	\$ 1109	\$ 1156
78"W	AF5RS7830UD	76	\$ 1103	\$ 1153	\$ 1201
84"W	AF5RS8430UD	81	\$ 1020	\$ 1065	\$ 1110
90"W	AF5RS9030UD	86	\$ 1169	\$ 1221	\$ 1272
96"W	AF5RS9630UD	91	\$ 1204	\$ 1257	\$ 1309



<b>120 Degree Corner Worksurface - 24"D</b>					
24" A x 42" B x 42" C x 24" D	AF5120S4224D	59	\$ 1041	\$ 1088	\$ 1135
24" A x 48" B x 48" C x 24" D	AF5120S4824D	69	\$ 1150	\$ 1202	\$ 1253
24" A x 54" B x 54" C x 24" D	AF5120S5424D	79	\$ 1358	\$ 1420	\$ 1479

<b>120 Degree Corner Worksurface - 30"D</b>					
30" A x 42" B x 42" C x 30" D	AF5120S4230D	68	\$ 1041	\$ 1088	\$ 1135
30" A x 48" B x 48" C x 30" D	AF5120S4830D	79	\$ 1464	\$ 1531	\$ 1596
30" A x 54" B x 54" C x 30" D	AF5120S5430D	92	\$ 1672	\$ 1748	\$ 1823



<b>Symmetrical Corner Cove Worksurface — 24"D</b>					
24" A x 54" B x 54" C x 24" D	AF5CCS5424	56	\$ 1155	\$ 1210	\$ 1264





<b>Symmetrical Corner Cove Worksurface — 30"D</b>					
30" A x 54" B x 54" C x 30" D	AF5CCS5430	66	\$ 1262	\$ 1322	\$ 1381

How to specify — Select the Model Number from above.	1st Option: FSC Certified Wood: FSC FSC Mixed Credit X Standard Wood	2nd Option: Laminate: See page 230 for finishes.	3rd Option: Laminate Edge Color: See page 230 for finishes.	4th Option: Grommet Location (if applicable): GC Grommet Center GO No Grommet	5th Option: Grommet Type (if applicable): P Oval Plastic M Oval Metal S Square Metal (Add \$12 per grommet for metal.)	6th Option: Grommet Color (Metal only): EL Matte Silver  Plastic grommet color determined by worksurface finish.
_____ .	_____ .	_____ .	_____ .	_____ .	_____ .	_____ .

Example:

For specification information see page 234.

GSA SIN 33721



Description	Laminate w/Flat Edge Model	Ship Weight	List Price		
			L1	L2	L3

Corner Cove Laminate Tops — 24"D Extended Left					
24" A x 60" B x 36" C x 24" D	A5822ELS	54	\$ 1017	\$ 1051	\$ 1084
24" A x 60" B x 48" C x 24" D	A5622ELS	75	\$ 1114	\$ 1152	\$ 1188
24" A x 72" B x 36" C x 24" D	A5922ELS	63	\$ 1134	\$ 1172	\$ 1208
24" A x 72" B x 48" C x 24" D	A5722ELS	86	\$ 1418	\$ 1465	\$ 1510

Corner Cove Laminate Tops — 24"D Extended Right					
24" A x 60" B x 36" C x 24" D	A5822ERS	54	\$ 1017	\$ 1051	\$ 1084
24" A x 60" B x 48" C x 24" D	A5622ERS	75	\$ 1114	\$ 1152	\$ 1188
24" A x 72" B x 36" C x 24" D	A5922ERS	63	\$ 1134	\$ 1172	\$ 1208
24" A x 72" B x 48" C x 24" D	A5722ERS	86	\$ 1418	\$ 1465	\$ 1510

**Note:** Height-adjustable worksurface dimensions are nominal. Actual widths are reduced by 2" (1" on each side" and worksurface depths are reduced by 3/4". Corner cove depth is nominal, actual is 1" less. This is to allow for pinch-points and unobstructed table movement.

Undersized Corner Cove Worksurface, Left Hand — 24"D					
24" A x 60" B x 36" C x 24" D	AF5CCS603624LD	58	\$ 1065	\$ 1113	\$ 1161
24" A x 60" B x 48" C x 24" D	AF5CCS604824LD	67	\$ 1163	\$ 1216	\$ 1268
24" A x 72" B x 36" C x 24" D	AF5CCS723624LD	66	\$ 1199	\$ 1253	\$ 1306
24" A x 72" B x 48" C x 24" D	AF5CCS724824LD	75	\$ 1482	\$ 1549	\$ 1615

Undersized Corner Cove Worksurface, Right Hand — 24"D					
24" A x 60" B x 36" C x 24" D	AF5CCS603624RD	58	\$ 1065	\$ 1113	\$ 1161
24" A x 60" B x 48" C x 24" D	AF5CCS604824RD	67	\$ 1163	\$ 1216	\$ 1268
24" A x 72" B x 36" C x 24" D	AF5CCS723624RD	66	\$ 1199	\$ 1253	\$ 1306
24" A x 72" B x 48" C x 24" D	AF5CCS724824RD	75	\$ 1482	\$ 1549	\$ 1615

Undersized Corner Cove Worksurface, Left Hand — 30"D					
30" A x 60" B x 48" C x 30" D	AF5CCS604830LD	77	\$ 1244	\$ 1301	\$ 1357
30" A x 72" B x 48" C x 30" D	AF5CCS724830LD	88	\$ 1569	\$ 1640	\$ 1711


Undersized Corner Cove Worksurface, Right Hand — 30"D					
30" A x 60" B x 48" C x 30" D	AF5CCS604830RD	77	\$ 1244	\$ 1301	\$ 1357
30" A x 72" B x 48" C x 30" D	AF5CCS724830RD	88	\$ 1569	\$ 1640	\$ 1711

ALTITUDE

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> Laminate or Veneer Type and Finish (if applicable): See page 230 for finishes.</p>	<p><b>2nd Option:</b> Paint (if applicable): See page 230 for finishes.</p>	<p><b>3rd Option:</b> Laminate Edge Color (if applicable): See page 230 for finishes.</p>	<p><b>4th Option:</b> Grommet Location and Type:</p> <p><b>GC</b> Center P Oval Plastic M Oval Metal</p> <p><b>GB</b> Grommet LH/RH P Oval Plastic M Oval Metal S Square Metal</p> <p><b>GO</b> No Grommet</p>
<p>Examples:</p>				


For specification information see page 237.

GSA SIN 33721




Description	Model	List Price
<b>Cable Management Tray</b>		
24" Tray	AJTRGH24 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 123
36" Tray	AJTRGH36 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 147


**Note:** Black only.




<b>Wire Management Channel (Black only)</b>		
92" Long	AEV920 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 227




<b>Under Worksurface Trough (Black only)</b>		
17"W — Single Pack	Z617UWTRGH	\$ 104
17"W — Ten Pack	Z61710UWTRGH	\$ 1053
36"W — Single Pack	Z636UWTRGH	\$ 183
36"W — Ten Pack	Z63610UWTRGH	\$ 1785




<b>Cord Management Chain (Black Only)</b>		
58"	WKSWMC	\$ 415



<b>Power/Data Modules — Under Worksurface Mount</b>		
4 Power Quad Tap	UNQTMP	\$ 442



Description	Model	Ship Weight	Cubes	List Price		
				P1	P2	P3
<b>Hinged Wire Management Troughs for under Worksurfaces (Black only)</b>						
24"W	UN924HT			\$ 338	\$ 357	\$ 385
36"W	UN936HT			\$ 354	\$ 374	\$ 404
48"W	UN948HT			\$ 373	\$ 394	\$ 426



<b>Concealed Power Module</b>						
Corded	FDPWRC	5	0.3	\$ 743	N/A	N/A
Corded Chicago Code	CFDPWRC	6	0.3	\$ 1267	N/A	N/A
Spiral Cord	FDPWRSC	5	0.3	\$ 782	N/A	N/A
Spiral Cord Chicago Code	CFDPWRSC	6	0.3	\$ 1299	N/A	N/A

ALTITUDE

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>2nd Option:</b> <b>Paint</b> (if applicable): See page 230 for finishes.</p>
--	--



Examples: Z617UWTRGH AJTRGH24.P27 AEV920

UNQTMP.P71 UN924HT.PR6

S Shippable by small-package carrier.

For specification information see page 250.

GSA SIN 33721



Description	Max. Recept. Cap. per Panel Side	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals		List Price
<b>Electrical Power Harnesses</b>					
For 48" W Frames	2	A871248*	A871248A	<input type="checkbox"/>	\$ 403
For 54" W Frames	2	A871254*	A871254A	<input type="checkbox"/>	\$ 401
For 60" W Frames	2	A871260*	A871260A	<input type="checkbox"/>	\$ 403
For 66" W Frames	2	A871266*	A871266A	<input type="checkbox"/>	\$ 401
For 72" W Frames	2	A871272*	A871272A	<input type="checkbox"/>	\$ 404

**Note:** Four-circuit components and Three-circuit components (with an "A" suffix) cannot be connected together.

**Electrical Pass-Thru Harnesses with Power Block**

For 24" W Frames**	1	A871124	A871124A	<input type="checkbox"/>	\$ 232
For 48" W Frames†	1	A871148*	A871148A	<input type="checkbox"/>	\$ 247
For 60" W Frames†	1	A871160*	A871160A	<input type="checkbox"/>	\$ 247
For 72" W Frames†	1	A871172	A871172A	<input type="checkbox"/>	\$ 331

\*Electrical harnesses are intended for use with Allsteel systems furniture and are approved under GSA SIN 33721. When purchased separately and used without Allsteel systems furniture, those electrical harnesses marked by (\*) are considered Open Market.

\*\*Only used with NY Infeed through End Cap.

†48"-72" are only used with NY infeed through power rail cut-out.

ALTITUDE


<p><b>How to specify —</b> Select the Model Number from above.</p> <p>_____ .</p>	<p><i>1st Option:</i> <b>Color:</b> P Black</p>
---	---

Examples: A871248.P A871224.P A871224A.P A871124.P A8710144A.P

Shippable by small-package carrier.


For specification information see page 250.

GSA SIN 33721




Duplex Receptacle

Description	Four-circuit 3 + 1 2 + 2	Three-circuit Separate Neutrals		List Price
<b>Duplex Receptacles for Beltline or Base Pathway — Altitude (specify color)</b>				
Circuit 1	A873501	A871501A	S	\$ 69
Circuit 2	A873502	A871502A	S	\$ 69
Circuit 3 (3+1)	A873503	A871503A	S	\$ 69
Circuit 3 (2+2)	A873506	N/A	S	\$ 69
Circuit 4 — iso/dedicated	A873504	N/A	S	\$ 69
Circuit 1, 20 AMP	A871601	A871601A	S	\$ 69




Electrical Infeed Cables

<b>Electrical Infeed Cables</b>				
6' Sealtight Cable for Terrace Receptacle	A876072	A8716072A	S	\$ 426
6' Flex Cable	A871972	A871972A	S	\$ 321




Ceiling Electrical Infeed

<b>Ceiling Electrical Infeed Cables</b>				
12' Flex Cable	A871912	A871912A	S	\$ 435
18' Flex Cable	A871918	A871918A	S	\$ 548



Electrical Infeed Cable

<b>Electrical Infeed Cables (for use with footed panels)</b>				
12' Sealtight Cable Power Infeed	A877012	N/A	S	\$ 531



Hardwire Power Infeed

<b>Hardwire Power Infeed (New York Code)</b>				
For 48"-72" W rails	A871400	A871400A	S	\$ 418

**Note:** Four-circuit components and Three-circuit components (with an "A" suffix) cannot be connected together.

ALTITUDE


<p><b>How to specify —</b> Select the Model Number from above.</p> <p>_____ .</p>	<p><i>1st Option:</i> <b>Electrical Receptacle</b> <b>Color (if applicable):</b> See page 230 for finishes.</p> <p><b>E   S</b></p>
---	---

Example: A873501.E4







For specification information see page 238.  
 (See page 297 for COM pricing on fabric grades G-J.)



Description	Model	Ship Weight	Cubes	List Price	
				A	D
<b>U Screen Kit</b>					
48"	FDSC48U	30.0	16.6	\$ 1972	\$ 2093
54"	FDSC54U	31.0	18.6	\$ 2040	\$ 2166
60"	FDSC60U (shown)	32.0	20.6	\$ 2100	\$ 2230
66"	FDSC66U	33.0	22.6	\$ 2223	\$ 2362
72"	FDSC72U	34.0	24.6	\$ 2391	\$ 2541



<b>L Screen Kit</b>					
Left Hand 48"	FDSC48LL	26.5	16.6	\$ 1283	\$ 1353
Right Hand 48"	FDSC48LR	26.5	16.6	\$ 1283	\$ 1353
Left Hand 54"	FDSC54LL	27.5	18.6	\$ 1503	\$ 1587
Right Hand 54"	FDSC54LR	27.5	18.6	\$ 1503	\$ 1587
Left Hand 60"	FDSC60LL (shown)	28.5	20.6	\$ 1571	\$ 1661
Right Hand 60"	FDSC60LR (shown)	28.5	20.6	\$ 1571	\$ 1661
Left Hand 66"	FDSC66LL	29.5	22.6	\$ 1871	\$ 1986
Right Hand 66"	FDSC66LR	29.5	22.6	\$ 1871	\$ 1986
Left Hand 72"	FDSC72LL	30.5	24.6	\$ 1970	\$ 2091
Right Hand 72"	FDSC72LR	30.5	24.6	\$ 1970	\$ 2091



<b>Rectangular Screen Kit</b>					
48"	FDSC48R	23.0	3.7	\$ 1241	\$ 1309
54"	FDSC54R	24.0	4.1	\$ 1271	\$ 1341
60"	FDSC60R (shown)	25.0	4.6	\$ 1366	\$ 1442
66"	FDSC66R	26.0	5.0	\$ 1569	\$ 1663
72"	FDSC72R	27.0	5.6	\$ 1670	\$ 1771

Note: Installation brackets are now attached to the screen from the factory.

<p><b>How to specify —</b>                  Select the Model Number from above.</p>	<p><b>1st Option:</b>                  Select the Screen Fabric:                  See page 231 for selections and color codes.</p>	<p><b>2nd Option:</b>                  Select the Screen Bracket Paint:                  P1 P2                  See page 230 for selections and color codes.*                  P2 (\$15 extra)</p>
---	--	--

Examples: FDSC48U.PCAMBLT40.P71    FDSC48LL.PCAMBLT70.P71    FDSC48R.PCAMBLT39.P71






For specification information see pages 239-240.

GSA SIN 33721

Description	Model	P1 Paint List Price	P2 Paint Upcharge	P3 Paint Upcharge
<b>20"H Metal Rectangular Screen</b>				
48"W	AMS2048SS (shown)	\$ 710	\$ 738	\$ 764
54"W	AMS2054SS	\$ 746	\$ 775	\$ 803
60"W	AMS2060SS	\$ 796	\$ 827	\$ 856
66"W	AMS2066SS	\$ 906	\$ 940	\$ 975
72"W	AMS2072SS	\$ 978	\$ 1016	\$ 1053
<b>30"H Metal Rectangular Screen</b>				
48"W	AMS3248SS (shown)	\$ 870	\$ 903	\$ 936
54"W	AMS3254SS	\$ 906	\$ 940	\$ 975
60"W	AMS3260SS	\$ 964	\$ 1000	\$ 1038
66"W	AMS3266SS	\$ 1086	\$ 1128	\$ 1168
72"W	AMS3272SS	\$ 1145	\$ 1189	\$ 1232
<b>15"H Tackboard Accessories</b>				
20"W	AAS1520 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 309	\$ 321	\$ 332
48"W	AAS1548 <span style="border: 1px solid black; padding: 0 2px;">S</span> (shown)	\$ 367	\$ 382	\$ 395
54"W	AAS1554 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 406	\$ 422	\$ 437
60"W	AAS1560 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 423	\$ 440	\$ 455
66"W	AAS1566 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 617	\$ 640	\$ 664
72"W	AAS1572 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 675	\$ 701	\$ 727

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>Wing Type :</b> STD Standard EXT Extended</p>	<p><b>2nd Option:</b> <b>Accessories Slots:</b> X No Accessory Cut Out SLT Accessory Cut Out</p>	<p><b>3rd Option:</b> <b>Paint Option:</b> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P1</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P2</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P3</span> See page 52 for finishes.</p>	<p><b>4th Option:</b> <b>Paint Option:</b> NA Screen</p>	<p><b>5th Option:</b> <b>Accessories Color (if applicable):</b> DW Designer White E9 Flint</p>
<p>Examples: AAS1548.PR6.APN911 AFAMS2048LH.STD.SLT.PR6.NA AFAMS2048SS.PR6.NA</p>					


Work Tools	Description	Model	List Price
	<b>Hot File</b> (Designer White Only) 9½"H x 12¼"W x 3¾"D	AEHF	\$ 62
	<b>Side Saddle</b> (Designer White Only) 4"H x 12¼"W x 2½"D	AESS	\$ 51
	<b>Bag or Coat Hook</b> (Designer White Only) 3¼"H x 1½"W x 2¼"D	AECH	\$ 39

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>Paint Option (if applicable):</b> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P1</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P2</span> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">P3</span> See page 230 for finishes.</p>	<p><b>2nd Option:</b> <b>Fabric Option (if applicable):</b> See page 9 for fabric options.</p>	<p><b>3rd Option:</b> <b>Paint Option:</b> NA Screen</p>	<p><b>4th Option:</b> <b>Accessories Color (if applicable):</b> DW Designer White E9 Flint</p>
<p>Example: AEHF.PJW</p>				


S Shippable by small-package carrier.

For specification information see pages 241-246.


GSA SIN 33721




Description	Model	Ship Weight	Cubes	List Price		
				P1	P2	P3
<b>Power Rail</b>						
48"	RFDRW48	7	0.6	\$ 613	\$ 659	\$ 727
54"	RFDRW54	8	0.6	\$ 647	\$ 695	\$ 766
60"	RFDRW60 (shown)	9	0.7	\$ 745	\$ 799	\$ 881
66"	RFDRW66	10	0.8	\$ 795	\$ 853	\$ 938
72"	RFDRW72	11	0.9	\$ 897	\$ 962	\$ 1058




Power Rail End Cap	FDRWEC	1.5	0.1	\$ 228	\$ 245	\$ 269
--------------------	--------	-----	-----	--------	--------	--------




Power Rail Universal Connector	FDRWUC	3	0.1	\$ 415	\$ 444	\$ 487
--------------------------------	--------	---	-----	--------	--------	--------



<b>Electrical Port Cover</b>						
2 Pack	FDEPC2	1	0.1	\$ 62	\$ 67	\$ 73
12 Pack	FDEPC12	2	0.1	\$ 213	\$ 229	\$ 251



Elevated Power Rail Legs 20.5"H	RFDRWLEG	5	0.1	\$ 373	\$ 375	\$ 375
---------------------------------	----------	---	-----	--------	--------	--------



Floor Mount Legs	FDRWLEG	5	0.1	\$ 81	\$ 83	\$ 85
------------------	---------	---	-----	-------	-------	-------



Altitude Power Rail Floor Anchor Bracket	RFDRWAB	2	0.1	\$ 53	\$ 70	\$ 77
--	---------	---	-----	-------	-------	-------

ALTITUDE

**How to specify —**

Select the Model Number from above.

\_\_\_\_\_ .

**1st Option:**

**Paint:**



See page 230 for selections and color codes.\*

\_\_\_\_\_

*Examples:*

For specification information see pages 241-246.

GSA SIN 33721

Description	Model	Ship Weight	Cubes	List Price		
				P1	P2	P3
<b>Hubs</b>						
End of Run Linear Configuration	RFDRWHUBEND	10	4	\$ 1065	\$ 1071	\$ 1077
End of Run T-Configuration	RFDRWHUBENDT	10	4	\$ 1065	\$ 1071	\$ 1077
Inline Linear Configuration	RFDRWHUBLIN	14	4	\$ 1065	\$ 1071	\$ 1077
Inline X-Configuration	RFDRWHUBX	14	4	\$ 1065	\$ 1071	\$ 1077
Inline T-Configuration	RFDRWHUBT	13	4	\$ 1065	\$ 1071	\$ 1077
L-Configuration Hub	RFDRWHUBL	13	4	\$ 1065	\$ 1071	\$ 1077

ALTITUDE





<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><b>1st Option:</b> <b>Paint:</b> P1 P2 P3 See page 230 for selections and color codes.*</p>
--	--

Examples:

For specification information see pages 241-246.

GSA SIN 33721

UN2HPSQ	Description	Model	Ship Weight	Cubes	List Price		
					P1	P2	P3
<b>Power Pole</b>							
	8' H Square Power Pole	UN2HPSQ	17	1	\$ 1104	\$ 1121	\$ 1134
	Square Power Pole Splicer Kit	UN2HPSQSK	0.5	0.1	\$ 121	\$ 124	\$ 125
	Power Pole Connector	RFDRWCNPP	1	0.1	\$ 229	\$ 231	\$ 233
	Power Pole Connector - End Condition	RFDRWCNPPE	1	0.1	\$ 229	\$ 231	\$ 233
	Power Pole Connector - Mid Condition	RFDRWCNPPM	1	0.1	\$ 229	\$ 231	\$ 233



### Wire Management


Vertebrae Wire Manager	RFDRWWM	3	0.1	\$ 714	\$ 731	\$ 738
------------------------	---------	---	-----	--------	--------	--------

\*Includes connector for Power Rail attachment


\*Vertebrae available in clear only, connector available in 32 standard paints.



Cord Management Snake (Black only) 58"	WKSWMC	2	0.3	\$ 415		
--	--------	---	-----	--------	--	--



Cord Management Chain 36"	A9CLWMC	2	0.3	\$ 346		
---------------------------	---------	---	-----	--------	--	--



#### How to specify —

Select the Model Number from above.

Examples: \_\_\_\_\_ .

#### 1st Option:

##### Paint:


**P1 P2 P3**

See page 230 for selections and color codes.\*

\_\_\_\_\_

For specification information see pages [241-246](#).

GSA SIN 33721



Description	Model	Ship Weight	Cubes	List Price		
				P1	P2	P3
<b>Allsteel Metal Screen</b>						
48"	RFDRWSC48	10	3.52	\$ 382	\$ 391	\$ 403
54"	RFDRWSC54	11	3.84	\$ 405	\$ 414	\$ 426
60"	RFDRWSC60	12	4.21	\$ 420	\$ 431	\$ 444
66"	RFDRWSC66	13	4.58	\$ 428	\$ 439	\$ 452
72"	RFDRWSC72	14	4.96	\$ 459	\$ 470	\$ 483

**How to specify —**

Select the Model Number from above.

\_\_\_\_\_ .

**1st Option:**

**Paint:**

**P1 P2 P3**

See page [230](#) for selections and color codes.\*

\_\_\_\_\_

*Examples:*



















# Accessories

## Worksurface Mounted Rail and Accessories




For specification information see page 253.

GSA SIN 33721

Description	Model	List Price		
		P1	P2	P3
<b>Accessories Rail — Worksurface Mounted</b>				
12"W	U912WTR 	\$ 116	\$ 123	\$ 127
18"W	U918WTR 	\$ 124	\$ 131	\$ 135
24"W	U924WTR 	\$ 142	\$ 149	\$ 153
30"W	U930WTR 	\$ 159	\$ 169	\$ 176
36"W	U936WTR 	\$ 180	\$ 190	\$ 197
42"W	U942WTR 	\$ 195	\$ 205	\$ 212
48"W	U948WTR 	\$ 205	\$ 219	\$ 224
54"W	U954WTR 	\$ 214	\$ 229	\$ 233
60"W	U960WTR 	\$ 225	\$ 241	\$ 247
66"W	U966WTR 	\$ 270	\$ 286	\$ 292
<b>Rail Mounted Accessories</b>				
Phone/Tablet Stand — 6½"H x 4¼"W	U9TM 	\$ 175	\$ 187	\$ 197
Pencil Holder — 2½"H x 6"W x 3"D	U9TP 	\$ 106	\$ 116	\$ 123
Shelf — 8"W x 4½"D; 2½" above top of worksurface	U9TS 	\$ 128	\$ 140	\$ 150
Vertical Paper Tray — 12"H x 1⅝"W x 12"D	U9TF 	\$ 192	\$ 204	\$ 214
<b>Cord Organizer</b>				
4"W x ⅞"D Metal with 4 cable cutouts	U9WTC 	\$ 190	\$ 198	\$ 205
<b>Universal Hook (Black only)</b>				
Package of 2	AGSAUHK 	\$ 128	—	—

**How to specify —**  
Select the Model Number from above.

U | 9 | | | | | | | | | | .

**1st Option:**  
**Paint:**  
    
See page 230 for selections and color codes.\*

Examples: U912WTR.PR6 U9TF.P7G AGSAUHK.P27

 Shippable by small-package carrier.

ALTITUDE

# Notes

---

ALTITUDE

ALTITUDE

# Notes

---

ALTITUDE

## Extensions — Introduction

Extensions accessory line by Allsteel is designed to help you create your own space.

- **Create a unique space**

Each person is unique, no one person works exactly like another, and different tasks require different tools. Extensions work tools allow each person the ability to create a unique environment that is all their own. Lots of paper to manage? Need active files within arm's reach? Want to maximize your worksurface space? Need light somewhere other than below a cabinet? Whatever the task, we have the tools to accommodate your workstyle.

- **Create a comfortable space**

With a full line of organization, ergonomic, and illumination tools, Extensions allow you to create a comfortable, ergonomic work area. Organization tools keep important items visible and within your reach. Ergonomic tools help you stay comfortable while working. Illumination tools allow you to put your light where it suits you.

- **Create an organized space**

Tired of all the piles of paper building up on your worksurface? Organization tools house your materials and keep them in an orderly fashion. With a combination of hanging or freestanding organizational accessories, Extensions let you manage everything from binders to paper clips.

- **Organization tools**

Work tools are a durable metal construction. Extensions allow you to manage your workspace smartly with tools like the phone caddy to elevate the phone off the worksurface, landscaped mail box trays to minimize worksurface intrusion, folder holders and tool box pencil holders that hang off the slat rail and each other.




Increase your efficiency with organization!

- **Ergonomic tools**

Ergonomics is more than just comfort, it's flexibility and safety. The adjustable keyboard options allow users to maintain and vary comfortable wrist and arm positions throughout the day, whether typing or mousing. Monitor Arms offer versatile adjustability while providing optimum comfort for the eyes, neck, and shoulders.


- **Illumination tools**

Sleek and flexible, our lighting components offer you several choices. Recessed task lights conserve space and feature electronic ballast for longer bulb life and cooler operating temperature. LED tasklights' slim design blends in with its surrounding while utilizing energy-efficient LED technology. The Link light offers award-winning style to a highly versatile and energy efficient light.

Articulating Keyboard Supports			
Features	Model AKTSHORT	Model AKTLONG	Model AKTMID
			
Keyboard Support	Platform style 28"W x 8"D	Platform Style 19"Wx11"D	Platform Style 19"Wx11"D
Keyboard Support Material	Phenolic	Phenolic	Phenolic
Suspension	<ul style="list-style-type: none"> <li>Nylon glides on lubricated slide track</li> <li>Intuitive lift and lock one touch height adjustment</li> </ul>	Lubricated slide track system: spring assisted	Lubricated slide track system: spring assisted
Platform Rotation	360 degrees	360 degrees	360 degrees
Platform Tilt	+10/-20 degrees	+10/-20 degrees	+10/-20 degrees
Platform Tilt Adjustment	Soft touch lever for precise tilt adjustment	Convenient tilt wheel assists desired tilt angle	Convenient tilt wheel assists desired tilt angle
Platform Height Adjustment Range	6½" (1½" above / 5¼" below)	12½" (7" above to 5½" below)	8" (3" above / 5" below)
Platform Height Adjustment	Lift platform to raise, lift slightly and tilt back to lower	Lift platform to raise, lift slightly and tilt back to lower	Lift platform to raise, lift slightly and tilt back to lower
Palm Rest	Detachable leatherette-covered gel palm rest	Fabric covered gel palm rest	Fabric covered gel palm rest
Mouse Pad	In-line to accommodate mouse on same level as keyboard.	Circular, swivel, tilt, LH/RH mounting, mouse catcher, gel rest	Circular, swivel, tilt, LH/RH mounting, mouse catcher, gel rest
Microsoft Natural Compatible	No	Yes — by removing palm rest	Yes — by removing palm rest
Track Depth	8"	23"	21"
Required Mounting Clearance	20"W x 8"D x ¼" Recess	19"W x 23"D + ¼" Recess	19"W x 23"D + ¼" Recess
Adjustable Wrist Rest	No	Fixed mounting and height	Fixed mounting and height
Ideal For	<ul style="list-style-type: none"> <li>Straight worksurfaces</li> <li>ADA/HFES compliance</li> <li>Extensive adjustability with mouse in line, mouse over or mouse forward of keyboard</li> <li>Height-Adjustable Table</li> </ul>	<ul style="list-style-type: none"> <li>Corner worksurface applications</li> <li>Sit to stand applications</li> </ul>	<ul style="list-style-type: none"> <li>Shallow worksurfaces</li> <li>Corner worksurface (17" or 21")</li> <li>Radius worksurface (42" or 48")</li> </ul>
Additional Information		<ul style="list-style-type: none"> <li>Track can be cut in the field to shorten track depth — may affect ability to fully recess platform</li> </ul>	<ul style="list-style-type: none"> <li>Track can be cut in the field to shorten track depth — may affect ability to fully recess platform</li> </ul>

**AKTSHORT Keyboard Support (page 276)**

- Lift and lock intuitive height adjustment.
- Compatible with Altitude Height Adjustable Tables
- Positive and negative tilt for best ergonomic positioning.
- +10°/-20° tilt adjustment and 360° rotation provides support of neutral position of shoulders, arms and wrists while accommodating multiple working postures.
- Surpasses ANSI/BIFMA standards.
- Black powder coat finish.
- Patented secondary slide and unique arm design provide minimal footprint.



**Keyboard Spacer Kit (page 276)**

- Keyboard Spacer Kit required for mounting under Altitude worksurfaces.
- Kit provides ten spacers and hardware for mounting keyboard supports beneath an external worksurface support channel.
- Spacers are 2⅞" H providing more room beneath surface for mounting.



**CPU Hammock (page 276)**

- Features 360-degree swivel with an 11" track.
- Load capacity is 75 lbs.
- CPU must be minimum of ¾"W with maximum dimension of 64" in perimeter.
- Handy adjustment tool stores within unit.
- Safety feature prevents accidental release of straps and straps can be adjusted while CPU is installed.
- Can be used on Height Adjustable Tables as long as it is attached with spacer model AKMH. Take into account required leg room for users.













**AKTMID and AKTLONG Keyboard Support (page 276)**

- Lift and lock intuitive height adjustment.
- Positive and negative tilt for the best ergonomic positioning.
- +10°/-20° tilt adjustment and 360° rotation provides support of neutral position of shoulders, arms, and wrists while accommodating multiple working postures.
- Non-handed mouse tray can be moved from right hand to left hand side.
- Surpasses ANSI/BIFMA standards.
- Black powder-coat finish.




For specification information see page 275.

GSA SIN 33721

	Description	Model	List Price
	<b>Compact Keyboard Support with 8" Track</b> 30"W x 13"D	AKTSHORT 	\$ 585
	<b>STS Keyboard Support with 23" Track</b> 24"W x 12"D	AKTLONG 	\$ 717
	<b>Articulating Keyboard Support with 21" Track</b> 24"W x 12"D	AKTMID 	\$ 616
	<b>Keyboard Spacer Kit</b> 10 – 2½"H Spacers and Hardware	AKMH 	\$ 63
	<b>CPU Hammock™ (Silver only)</b> 360° swivel CPU holder with adjustable straps	ACPU1 	\$ 418

Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
<b>Metal Corner Sleeve</b> — for use with Optimize™, Concensys®, and Terrace® • Fits 1¼" thick square edge detail. (T-Mold worksurfaces) 22½"W leading edge x 18"D.	AWCS	\$ 147	\$ 152	\$ 157

Edge Details



Model AWCS

EXTENSIONS

**How to specify —**  
Select the  
Model Number  
from above.



Examples: AKMH ACPU1

 Shippable by small-package carrier.


Allsteel's tool rail works in conjunction with a variety of accessories. Modular accessories free up worksurface space and provide orderly storage that is well within reach. Units can be arranged and rearranged to respond to changing workflow. The work tools that attach to the tool rail are:

- Mail Box
- Folder Holder
- Phone Caddy
- Binder Bin
- Tool Box
- Clip Caddy™
- Sidebar™ Personal Shelf
- Paper Wave™
- Gripper Clip




Additional accessories that work with the **tool rail work tools** aesthetically are:

- Bookends
- Freestanding Mail Box

Coat hooks, marker boards and center drawers round out the organization offering.



Tool rail, shown above, is height-adjustable in 1" increments using slots in panels or metal hutch. Tool rail shown with two tool boxes, two mail boxes, folder holder, and phone caddy. Folder holders and binder bins extend below a tool rail. Paper Wave and contents extend above a tool rail.



### Tool Rails and Work Tools (page 280)

- Sturdy aluminum extrusion with steel support construction.
- Powder coated for durable finish.
- Use to hang Extensions tools. Cannot be used to support monitor arms.
- Suggested weight capacity not to exceed 80 lbs.
- Consideration needs to be given to height of tools and location of worksurfaces.
- For use with Terrace®, Concensys®, and Optimize™ systems.
- 5" high rail (widths coordinate with panels).
- Attachment via vertical reveals.
- Can be hung from wall track. Good solution for above copiers.
- Systems tool rail is off-modular — can be used on a panel of equal width or one size smaller.
- May span two panels of appropriate size, i.e., 60" W Tool Rail on two 30" W panels.

### Tool Rail for Hutches (page 280)

- Will work on Universal, Terrace, Optimize, and Concensys system hutches produced after July 2, 2000 and Align™ metal hutches.
- Sturdy aluminum extrusion with steel support construction.
- Powder coated for durable finish.
- Use to hang Extensions tools. Cannot be used to support monitor arms.
- Suggested weight capacity not to exceed 80 lbs.
- Consideration needs to be given to height of tools and location of worksurfaces.

### Mail Box (page 281)

- Holds standard letter-size paper and inter-office envelopes.
- Minimal horizontal intrusion.

### Folder Holder (page 281)

- Holds manila envelopes.
- Is capable of hanging on other folder holders to maximize space.
- Stores vertically for easy access to files.

### Phone Caddy (page 281)

- Holds telephone at optimum ergonomic angle.
- Wire management cut-outs.
- Accommodates standard phone sizes.

### Binder Bin (page 281)

- Holds folders, binders, and manuals.

### Tool Box (page 281)

- Holds pencils and other writing utensils, large post-it notes, and other desk top accessories.

### Clip Caddy™ (page 281)

- Holds paper clips and other small objects.


### Sidebar™ Personal Shelf (page 281)

- Holds office supplies and personal effects.

### Paper Wave™ (page 281)

- Provides 3 fully divided slots for organizing files.
- Keeps papers from "bowing" at bottom.





**Gripper Clip (page 281)**

- Binds project papers together.
- Mounts to tool rail or tool tile.

**Bookends (page 281)**

- Can be used on shelves or in cabinets.
- Used to hold books, binders, and catalogs upright.

**Freestanding Mail Box (page 281)**

- Incorporates similar aesthetic to mounted Mail Box.
- Mounting brackets allow for free access from front and back.
- Sold in pairs of two; will stack up to eight high.
- Individual mail box dimension = 1 3/4" H.
- Stacking brackets are black.

**Coat Hook APMC6 (page 281)**

- Hangs directly into slotted Terrace®, Optimize™, or Concensys® panel frame.
- Use for coat or bag.
- Package of six.
- Available in black only.

**Power/Data Modules — Clamp On Worksurface (page 287)**

- On-surface mounting option, fits on any worksurface with a 4" overhang.
- 6' Power cord. UL Listed.
- Includes adapters to allow use of commercially available data terminals or blanks to fill unused openings. Many of the AMP, AT&T, Krone, Leviton and most commercial data terminals can be used.

**Power/Data Modules — Clamp On Worksurface (page 287)**

- Worksurface clamp can be used on any surface with a 2 1/2" overhang.
- Must be installed at time of initial worksurface installation if installing between a worksurface and panel.
- 6' Power cord. UL Listed.
- The USB hub allows simultaneous powering of 2 USB-A devices. The USB hub is a charger only, no ability to connect to a PC. The charging capacity is limited and may not charge all devices.
- Qi compatible wireless charging available on select models.

**Power/Data Modules — Under Worksurface (page 287)**

- Under surface mounting can be used on any surface with a 5" clearance.
- 6' Power cord. UL Listed.
- Hardware not included.

**Worksurface Power/Data Module (page 287)**



- Provides easy access to technology at primary worksurface.
- Mounts to edge of a worksurface and requires 3/8" gap. Consider whether 3/8" gap will work with layout.
- Must be mounted at time of initial worksurface installation if mounting between a worksurface and a panel. Maintaining 3/8" gap may not be possible with worksurfaces that are panel wrapped.

**Miki Power Modules (page 287)**

- Table top and undermount units.
- Hardware not included on undermount.
- 6' Power cord, UL Listed.
- 1 AC power and 1 dual USB configuration.


**Vesta Mobile Power (page 287)**

- 3 AC power simplex, 1 dual USB-A, 1 USB-C configuration.
- 10' Retractable power cord, UL Listed.
- Unit weighs 13 lbs.






**Flat Brackets**

Front View



Top View



**Metal Center Drawers (page 282)**

- All metal center drawers feature pencil trays with three compartments for storage.
- Center drawers will not fit in center of 24" D worksurfaces which are wider than 60" due to location of center support bracket.
- For locking specifications, see pages 292-293.
- Ball-bearing slide suspension.

**Laptop Drawer — U7WDA (page 282)**

- Drawer body made of sheet metal.
- Drawer front made of 3/4" particleboard with laminate on both sides and fused laser edge banding.
- Core removable lock is located on right side drawer front
- 17 5/8" W x 18" D x 3 3/8" H Outside (interior 13" W x 16" D x 1 7/8" H)
- Minimum surface depth is 21" for surfaces not using an external stiffener; and 27" for surfaces using an external stiffener.
- Drawer extends 16"
- Maximum load: 45 lbs (functional BIFMA load)
- Drawer assembly and cover have cut out in back to allow for cables to exit drawer.
- Distance from floor to bottom of unit w/glides fully retracted is 24 3/4".
- Does not interfere with Further leg mounting plates so drawer can be placed directly next to either a system or table leg.
- When being placed next tower storage using the tower ell bracket (Z6LB) to support surface the drawer must be inset 3" to clear the ell bracket.
- Can be placed directly next to any support storage from any Allsteel product line (excluding towers).
- Flat brackets — drawer must be offset 3" from seam between surfaces to clear the bracket. See illustration at left.
- Can be used with rabbit edge worksurface models but there will be a larger reveal between surface and drawer.
- Can be used with knife edge worksurface models but reveal and depth need to be considered.

**Polymer Center Drawer - ACD1 (page 282)**



- 20 1/2" W x 17" D x 2" H
- Available in black only
- Made from ABS.
- Minimum clearance for mounting: 23" W x 16 1/4" D x 2" H.
- Retracts on 16" ball-bearing slides.
- Can be used on worksurfaces with Height Adjustable Bases as long as it is attached with spacer model AKMH.
- Can store up to 25 lbs.













**Name Plate (page 281)**

- Comes in a 10-pack.
- Metal backer installs under a Terrace or Optimize top cap, can be used with frameless glass.
- Cover is a transparent polycarbonate insert.
- Full plate is 8 1/2" W x 2 5/8" H.

For specification information see pages 277-278.

GSA SIN 33721



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
<b>5"H Tool Rails — for Panels</b>				
24"W	EASR24 	\$ 259	\$ 295	\$ 329
30"W	EASR30 	\$ 274	\$ 310	\$ 344
36"W	EASR36 	\$ 286	\$ 322	\$ 356
42"W	EASR42 	\$ 299	\$ 335	\$ 369
48"W	EASR48 	\$ 307	\$ 343	\$ 377
60"W	EASR60 	\$ 362	\$ 398	\$ 432
<b>5"H Tool Rails — for Metal Hutches</b>				
36"W	EAHSR36 	\$ 286	\$ 321	\$ 354
42"W	EAHSR42 	\$ 299	\$ 334	\$ 367
48"W	EAHSR48 	\$ 307	\$ 342	\$ 375
60"W	EAHSR60 	\$ 362	\$ 397	\$ 430
66"W	EAHSR66 	\$ 373	\$ 408	\$ 441
72"W	EAHSR72 	\$ 402	\$ 437	\$ 470

EXTENSIONS

**How to specify —**  
Select the  
Model Number  
from above.

*1st Option:*

**Paint:**



See page 10 for  
finishes.













\_\_\_\_\_ . **P** \_\_\_\_\_

*Example: EASR36.P02*

 Shippable by small-package carrier.

For specification information see pages 277-278.

GSA SIN 33721

	Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
	<b>Mail Box</b> 9"D x 15"W	EAPT <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 128	\$ 147	\$ 162
	<b>Folder Holder</b> 9"H x 12"W	EAFS <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 131	\$ 150	\$ 165
	<b>Phone Caddy</b> 9"W x 11"D	EATS <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 160	\$ 179	\$ 194
	<b>Binder Bin</b> 8½"H x 5¼"W x 10"D	EABS <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 128	\$ 147	\$ 162
	<b>Tool Box</b> 5"H x 5¼"W x 1½"D	EADH <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 102	\$ 121	\$ 136
	<b>Clip Caddy™</b> 2"H x 7"W x 3½"D	EAAC <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 91	\$ 110	\$ 125
	<b>Sidebar™ Personal Shelf</b> 2"H x 21"W x 7"D	EAPS <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 131	\$ 150	\$ 165
	<b>Paper Wave™</b> Tray size: 2½"H x 6"W x 10"D Dividers: 9½"H x 9"W	EASS <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 183	\$ 202	\$ 217
	<b>Gripper Clip</b> Package of 2 — 5"W x 2"H	EAPC ( <i>De-emphasized</i> ) <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 131	\$ 150	\$ 165
	<b>Freestanding Mail Box</b> (specify paint color) Pair — 4⅞"H x 13¼"W x 9"D	EAFB <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 263	\$ 282	\$ 297
	<b>Coat Hooks</b> (black only) Package of six	APMC6 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 128	N/A	N/A
	<b>Panel Name Plate</b> Package of 10	EACS	\$ 349	\$ 368	\$ 383

**Note:** Not for use on tool tile or rail, name plate installs under top cap on Terrace and Optimize.

EXTENSIONS

**How to specify —**  
Select the Model Number from above.

**1st Option:**  
**Paint:**  
P1
P2
P3  
 See page 10 for finishes.





P | | | | .








Examples: EAPT.P4J APMC6.P

S Shippable by small-package carrier.

For specification information see pages 278-279.

GSA SIN 33721

	Description	Model	List Price		
			P1	P2	P3
 <p>Angled front</p>	<b>Metal Center Drawer w/Lock</b> 19"W x 14¼"D x 3"H • 12" drawer extension (3/4). • Inside drawer dimension: 19"W x 13"D x 2⅝"H. • Minimum clearance for mounting: 21¼"W x 19¼"D.	CSDC19 <input type="checkbox"/>	\$ 296	\$ 317	\$ 335
 <p>Angled front</p>	24½"W x 14¼"D x 3"H • 12" drawer extension (3/4). • Inside drawer dimension: 24½"W x 13½"D x 2⅝"H. • Minimum clearance for mounting: 27⅞"W x 19¼"D.	CSDC25 <input type="checkbox"/>	\$ 304	\$ 325	\$ 343
	<b>Laptop Drawer — Locking, laminate front, metal case</b> 17⅞"W x 18"D x 3⅜"H • 16" drawer extension • Inside drawer dimensions: 13"W x 16"D x 1⅞"H • Minimum clearance for mounting: 17⅞"W x 21"D x 3⅜"H (see illustration)	U7WDA <input type="checkbox"/>	\$ 1699	\$ 1721	\$ 1739
	<b>Polymer Center Drawer</b> 20½"W x 17"D x 2"H • 11½" extension • Minimum clearance for mounting: 23"W x 16¼"D x 2"H	ACD1	\$ 236	N/A	N/A

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Laminate Edge</b> (Laptop drawer front if applicable): See pages 10-14 for finishes.</p>	<p><i>2nd Option:</i> <b>Edge</b> (Laptop drawer edge if applicable): See pages 10-14 for finishes.</p>	<p><i>3rd Option:</i> <b>Paint</b> (If laptop drawer, list exterior case color here): See page 10 for finishes. Power Data Module PR6 Silver.</p>	<p><i>4th Option:</i> <b>Paint</b> (Interior of laptop drawer if applicable): See page 10 for finishes.</p>	<p><i>5th Option:</i> <b>Lock</b> (if applicable): <b>STD</b> Standard <b>OMT</b> Omit (Deduct \$20)</p>	<p><i>6th Option:</i> <b>Lock or Tech Module Color</b> (if applicable): <b>EL</b> Silver (Lock)</p>
						


Example: U7WDA.LM11EV.P27.PR6.STDEL

Shippable by small-package carrier.

Allsteel Extensions offers Illumination in three styles — Undercabinet LED Light, Wand Light, and Splitty Light.

**Recessed Undercabinet LED Light**


Recessed task lights conserve space and provide an efficient solution for illuminating the workplace. All models are equipped with LED strips.



Recessed task light models mount under storage cabinets or shelves to provide optimal space utilization. Models are available in two styles and three sizes to correspond with the width of the cabinet or shelf. Task lights with a fused plug are available to meet Chicago electrical code.

**Undercabinet LED Light**


The Undercabinet LED Light is a low-profile, linear solution for overhead cabinets and shelves and is an ideal solution for painted wood storage. It utilizes energy-efficient LED technology which provides a long life. The Undercabinet LED Light provides the opportunity to mount the fixture where light is needed most.



The Undercabinet LED Light features a metal trough reflector with diffuser lens. The light has a sleek 1/2" thick profile and provides two options for mounting, either magnetically or with hardware. Undercabinet LED Lights can be daisy-chained.

Optional undercabinet occupancy sensor is available which will automatically turn off the fixture after 30 minutes of no detection and back on immediately as the user re-enters the detection range using Passive Infrared (PIR) sensor technology. Unit features 360° lens with 90° outward detection angle, providing a 36" coverage diameter at 18". Occupancy sensor comes with connector and is required to be connected in the sequence shown below. Connect occupancy sensor to a light, or first light in daisy chain to control all linked lights.

**CONNECTION SEQUENCE\***



\*Cannot deviate from this sequence

**Recessed Task Lights (page 285)**

- Black Metal Construction with 9' long black cord attached to right rear corner of the fixture.
- LED strip comes installed within light.
  - 50,000 hour life span
  - 120V-277V
  - CCT 4000K
  - CRI 80+
- Includes 4 cord retainer clips.
- Shorter width models can be used on wider overheads, shelves and hutches.
- On/Off switch provides individual control of tasklight within the workstation.
- Daisy chain models require a master control model — 10 fixtures maximum.
- RECOMMENDATION: Provide a separate circuit for task lights to ensure proper, long-term operation.

**Undercabinet LED Lights (page 285)**

- Low profile energy-efficient LED task light for use with overhead storage cabinets and shelves.
- 20W power supply for 10W 17" unit (.166 amps).
- 20W power supply for 20W 31" unit (.166 amps).
- 60W power supply for daisy-chain starter units (.5 amps). Must order one starter unit for each daisy-chain application.

LED Light Combinations Must Not Exceed 60W in Combination	Power Usage
6X 17"	60W
3X 31"	60W
1X 31" + 4X 17"	60W
2X 31" + 2X 17"	60W

- The combinations that could max out 60W are featured above. *Daisy chained units have a power limit of 60W from one power entry. 17W units use 10W and 31W units use 20W.*
- Specify up to 5 additional 17" interconnect units (ALED17UJMP30) to daisy-chain together with 17" daisy-chain starter fixture (ALED17U60).  
*Example: Daisy-chain 4-17" undercabinet LED lights:*  
Specify: 1 ALED17U60  
Specify: 3 ALED17UJMP30 with 10" jumper cord
- Specify up to 2 additional 31" interconnect units (ALED31UJMP30) with 10" jumper cords to daisy-chain together with 31" tasklight (ALED31U60); or 17" daisy-chain starter fixture (ALED17U60).
- 3500K color temperature.
- 131 footcandles at 18" on ALED31U; 76 footcandles at 18" on ALED17U.
- Magnetic or screw-mount option — attachment hardware included.
- On 20 watt models, power drive is attached to plug: allow 1 1/8" D space at outlet.
- On 60 watt models, power drive brick is in center of cord.
- Includes 3 cord retainer clips.
- Meets California Title 24 Energy Efficiency Standards.
- "Instant On" switch with infinite dimming cycle from 100% to 15% with the last state memory, allowing the user to set their desired level of lighting.
- Fixture automatically turns off after 10 hours of use to reduce unwanted energy use.
- Optional occupancy sensor automatically turns off all interlinked fixtures after 30 minutes of no detection and back on immediately when detection is found.


Overhead Length	Suggested LED Sizes
24	17
30	17
36	17
42	31
48	17 + 17
60	31 + 17
72	31 + 31

Note: LED lights may need to be positioned along length properly to allow jumping to additional overheads. Suggested sizes above are recommendations for single overheads to provide as much light along length of overhead as possible.

The suggested sizes factor in 4 inches of room for the power inlet and occupancy sensor (optional).

**Wand™ Task Light**

Wand freestanding task light offers a clean, simple design along with powerful LED technology to illuminate the workspace. The swivel base and arm tilt allow users to position the light just where they need it. The 7.7 watt LED light offers efficiency and long life, providing up to 25 years of daily use. The slim, sleek design makes it easy to integrate into any workspace. Wand task light is 97% recyclable. Occupancy sensor and/or charging models available.




**Wand LED Freestanding Task Light (page 286)**

- Available in Silver or White. 9'4" cord is Silver.
- Full range dimming from 100% – 10% with last state memory.
- Uses 5W at highest setting and as low as 1 watt at its lowest setting, providing 75 to 12.7 footcandles of light, respectively (16" above worksurface).
- 7½" round swivel base and 16½"H tilt arm allow versatile positioning of the 13" lampshade.
- Designed for 50,000 hours of life.
- Color Temperature: 3500K. Color Rendering Index (CRI): 80.
- Materials: aluminum arm and lampshade, steel base.
- Weight: 4.4 lbs. 97% recyclable, 76% post-consumer.
- Certifications: UL and CUL. TAA compliant.
- Occupancy sensor available with automatic shut-off after 15 minutes if no motion is detected.
- USB model features USB-A (1), USB-C (1) charging within base of unit.
- USB model also features occupancy sensor. 7.5W (A) & 18W (C) power consumption.

**Splitty Task Light**

Splitty's organic and modern design compliments the workstation while also bringing rich features to the user. In addition to illuminating the space, Splitty can also be a teleconferencing tool through Splitty's 360-degree light head adjustment and soft touch, continuous dimming. Integrated charging allows for small personal device charging crucial to the modern worker's workplace toolkit while minimizing clutter within the station. Optional clamp or tool tile mounts available as accessories.




**Splitty Task Light (page 286)**

- Available in Silver, White, or Black (accessories available in silver only).
- Cord is 12' long.
- Cord is silver when black or silver finish specified, white when white light is specified.
- Soft touch on/off, dimming.
- Continuous dimming (100% – 3%) with last state memory.
- 5.8W of energy consumption. 7W at highest setting, 0.6W at lowest.
- 5" 360-degree swivel light head, 6.54" round swivel base and 17"H arm. Arm has full 180 degree rotation and 360 degree swivel.
- Designed for 60,000 hours of life.
- Color Temperature: 3500K, Color Rendering Index: 90.
- Materials: aluminum, plastic.
- USB-A has 5W of power consumption.
- USB-A (1) charging at bottom of light arm stem. Charging feature compatible for any mounting method.
- Clamp mount compatible with surfaces ¼" – 2¼" thick.
- Tool tile mount has 1½" adjustment range, minimum slot height of ⅝".

For specification information see pages 283-284.

Open Market / GSA SIN 33721 (as noted)




Open Market

Description	Watt Usage	Model	List Price
<b>Recessed Task Lights (Black only)</b> — Use recessed under overhead cabinets, storage shelves, or hutches, comes with cord retainer clips			
Task Light for 24"W	10	A870824 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 429
Task Light for 30"W and 36"W	14	A870830 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 433
Task Light for 42"W and 48"W	21	A870842 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 468
Task Light for 60"W, 66"W, and 72"W	28	A870860 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 506

**Recessed Task Lights (Black only)** — With fused plug (satisfies Chicago electrical code)

Task Light for 24"W	10	A870824CH <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 553
Task Light for 30"W and 36"W	14	A870830CH <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 564
Task Light for 42"W and 48"W	21	A870842CH <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 600
Task Light for 60"W, 66"W, and 72"W	28	A870860CH <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 634

**Note:** See below for GSA Approved Task Lights.



GSA SIN 33721

**GSA Recessed Task Lights** — Use recessed under overhead cabinets, storage shelves, or hutches

**Base Models** — Stand Alone


Task Light for 24"W	15	GS870924 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 548
Task Light for 30"W and 36"W	17	GS870930 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 566
Task Light for 42"W and 48"W	25	GS870948 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 608
Task Light for 60"W, 66"W, and 72"W	32	GS870960 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 651



GSA SIN 33721

**Cord Retainer Clips (Black only)**

Bag of 50 clips		AAPACM2 <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 54
-----------------	--	---	-------



GSA SIN 33721

**LED Undercabinet Light** (white end caps)

17" Task Light w/20 watt power supply for 24"W or wider overhead	ALED17U	<span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 1014
17" Task Light w/60 watt power supply for daisy chain	ALED17U60	<span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 1110
17" 10 watt Interconnect Task Light w/10" Jumper Cord	ALED17UJMP30	<span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 783
31" Task Light w/20 watt power supply 36"W or wider overhead	ALED31U	<span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 1522
31" Task Light w/60 watt power supply for daisy chain	ALED31U60	<span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 1604
31" 20 watt Interconnect Task Light w/10" Jumper Cord	ALED31UJMP30	<span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 914
Undercabinet Occupancy Sensor 2 3/4"W + 1"W Connector	ALEDOCC*		\$ 617

\*Undercabinet Occupancy Sensor works with LED Undercabinet lights shipped after 11/1/2013.

<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Cord Retainer Clip Color:</b> Black only.</p>
<p>_____ .</p>	<p><span style="border: 1px solid black; padding: 2px;">P</span><span style="border: 1px solid black; padding: 2px;">2</span><span style="border: 1px solid black; padding: 2px;">7</span></p>

Examples: A870824 A870824CH GS870924 AAPACM2.P27

S Shippable by small-package carrier.




For specification information see pages 283-284.

Open Market / GSA SIN 33721



GSA SIN 33721


Description	Model	List Price
<b>Wand™ LED Task Light</b> (Silver or White)		
Freestanding LED Task Light	WANDFS <input type="checkbox"/>	\$ 494
Freestanding LED Task Light (Occupancy Sensor)	WANDFSOC <input type="checkbox"/>	\$ 702




Freestanding LED Task light (Occupancy Sensor & Charging)	WANDFSUSB	\$ 732
---	-----------	--------



<b>Splitty Task Light</b> (Silver, White, or Black)		
Freestanding LED Task Light (Charging)	PRFTSKFS	\$ 669



Clamp Mount (Silver only)	PRFTSKCL	\$ 77
---------------------------	----------	-------



Tool Tile Mount (Silver only)	PRFTSKTR	\$ 77
-------------------------------	----------	-------

EXTENSIONS


<p><b>How to specify —</b> Select the Model Number from above.</p>	<p><i>1st Option:</i> <b>Color</b> (for Splitty): SVR Silver WHT White BLK Black</p> <p>(for Wand LED): SVR Silver WHT White</p>
--	--

Example: WANDFS.WHT


Shippable by small-package carrier.

# Extensions


For specification information see page 278.




Description	Model	List Price
<b>Power/Data Modules — Worksurface Clamp</b>		
Dome — 2 Power, 2 Open Data with faceplate adapters (FOG Fog only)	ACOMDOME2	\$ 500
2 Power, 2 USB (SNW Snow or STRM Storm)	APWRMOD2WC	\$ 689
3 Power (SNW Snow or STRM Storm)	APWRMOD3WC	\$ 530
2 Power, 1 Dual USB, Qi Power Module	APWRMOD2Q	\$ 760




<b>Power/Data Modules — Under Worksurface Mount</b>		
2 Power, 2 USB (SNW Snow or STRM Storm)	APWRMOD2UWM	\$ 689
3 Power (SNW Snow or STRM Storm)	APWRMOD3UWM	\$ 530
4 Power Quad Tap (10' cord)	UNQTMP	\$ 442



<b>Miki</b>		
1 Power, 1 USB Table Top	APWRMOD1TT	\$ 304
1 Power, 1 USB Under Worksurface Mount	APWRMOD1UWM	\$ 304







<b>Worksurface Power/Data Module (PR6 Silver only)</b>		
2 Simplex receptacles, 1 data position	A870302	\$ 383



<b>Vesta</b>		
3 Power Vesta – Corded	AVSTA3PWR	\$ 1941

EXTENSIONS

<p><b>How to specify —</b> Select the Model Number from above.</p> <p>_____ .</p>	<p><i>1st Option:</i></p> <p><b>Color Option 1:</b></p> <p>FOG Fog</p> <p>SNW Snow</p> <p>STRM Storm</p> <p>BLK Black</p> <p>_____ .</p>	<p><i>2nd Option:</i></p> <p><b>Color Option 2</b> (if applicable):</p> <p>FOG Fog</p> <p>SNW Snow</p> <p>STRM Storm</p> <p>BLK Black</p> <p>_____ .</p>
	<p><i>Example: ACOMDOME2.FOG</i></p>	

PIVOT MONITOR ARMS	Standard Dynamic Single	Standard Dynamic Dual	Heavy Duty Dynamic Single	Heavy Duty Dynamic Dual with Crossbar
Allsteel Model:	AMASTS	AMASD	AMASHD	AMADHD
				
Features:				
Price	\$464	\$936	\$798	\$1104
Colors	Black and Silver	Black and Silver	Black and Silver	Black and Silver
Monitor Rotation	180°	180°	180°	180°
Monitor Extension	18.75"	18.26"	20.75"	23"
Monitor Tilt Adjustment	+25°/-25°	+25°/-25°	+25°/-25°	+25°/-25°
Arm Height Adjustment	8.4" to 19"	9.6" to 20.1"	8.5" to 20"	8.5" to 20"
Weight Capacity	6.2 to 17 lbs.	6.2 to 17 lbs. per Arm	8 to 35 lbs.	17.5 lbs. per VESA Plate
Mounting Option	Grommet and Clamp Mounts	Grommet and Clamp Mounts	Grommet and Clamp Mounts	Grommet and Clamp Mounts
360° Lockout Feature	Yes	Yes	Yes	Yes
VESA Compatibility	75mm and 100mm	75mm and 100mm	75mm and 100mm	75mm and 100mm
Pole Height	N/A	N/A	N/A	N/A
Maximum Width per Monitor*	N/A	25"	N/A	25"
Worksurface Clamp Requirements	¾" to 2" Thick	¾" to 2" Thick	¾" to 2" Thick	¾" to 2" Thick
Worksurface Grommet Clamp Requirements	¾" to 2" Thick/Hole Diameter ⅜" to 2"	¾" to 2" Thick/Hole Diameter ⅜" to 2"	¾" to 2" Thick/Hole Diameter ⅜" to 2"	¾" to 2" Thick/Hole Diameter ⅜" to 2"
Environmental Info	94% Recycled Content	94% Recycled Content	94% Recycled Content	94% Recycled Content

\*Use of APACSM Slider Model will allow for wider monitor capabilities

**Pivot Standard Weight Monitor Arms**

- Adaptable and adjustable to user preference the Pivot monitor arm offers a slim and refined design coupled with easy fingertip adjustment.
- Multiple points of adjustment including 360 degree swivel with optional 180 degree lockout, 18.75" extension, and 10" of height adjustment.
- Monitor tilts +25/-25 degrees.
- Standard weight arms utilize a tension spring that allows for effortless adjustment of monitors to proper ergonomic positions.
- Tension adjustment at multiple points allows for proper adjustment for monitors weight between 6-17 lbs.
- Model includes grommet and worksurface mounting options.
- Desk clamp mounts require ¾" – 2" thick surfaces; grommet mount requires hole diameter of ⅜" to 2" wide and accommodates up to 2" thick surfaces.
- Integrated cable management included with each model. Black models ship with all black cable management pieces, Silver models ship with grey wire management but optional white pieces ship in the box and can be installed on site.
- Dual monitor arm supports up to 25" wide monitors. Wider monitors may require use of optional slider mount model.
- Pivot arms are VESA 75mm and 100mm compatible.
- Quick release feature simplifies monitor installation and changes.




**Pivot Slider Mount**

- Provides 11.8" of horizontal movement.
- Allows for wider monitors to be used on dual monitor arms and sit flush side by side.
- Not compatible with Pivot Heavy Duty Series.

**Pivot Heavy Duty Series**

- Adaptable and adjustable to user preference the Pivot monitor arm offers a slim and refined design coupled with easy fingertip adjustment.
- Multiple points of adjustment including 360 degree swivel with optional 180 degree lockout, 20.75" extension, and 12" of height adjustment.
- Monitor tilts +25/-25 degrees.
- Tension adjustment at multiple points allows for proper adjustment for monitors weight between 8-35 lbs.
- Model includes grommet and worksurface mounting options.
- Desk clamp mounts require ¾" – 2" thick surfaces; grommet mount requires hole diameter of ⅜" to 2" wide and accommodates up to 2" thick surfaces.
- Integrated cable management included with each model. Black models ship with all black cable management pieces, Silver models ship with grey wire management but optional white pieces ship in the box and can be installed on site.
- Dual monitor arm supports up to 2 monitors weight 4-17.5 lbs each.
- Pivot arms are VESA 75mm and 100mm compatible.
- Quick release feature simplifies monitor installation and changes.

ACCESSORIES

PIVOT MONITOR ARMS	Dynamic Single Post	Dynamic Dual Post	Triple Fixed Post
Allsteel Model:	APASD	APADD	APATF
			
Features:			
Price	\$628	\$879	\$1110
Colors	Silver	Silver	Silver
Monitor Rotation	180°	180°	180°
Monitor Extension	21"	21"	23"
Monitor Tilt Adjustment	+25°/-25°	+25°/-25°	+25°/-25°
Arm Height Adjustment	10.6"	10.6"	N/A
Weight Capacity	6.2 to 17 lbs.	6.2 to 17 lbs. per Arm	17 lbs. per arm
Mounting Option	Grommet and Clamp Mounts	Grommet and Clamp Mounts	Grommet and Clamp Mounts
360° Lockout Feature	Yes	Yes	Yes
VESA Compatibility	75mm and 100mm	75mm and 100mm	75mm and 100mm
Pole Height	17.7"	17.7"	27.5"
Maximum Width per Monitor*	25"	25"	25"
Worksurface Clamp Requirements	7/8" to 2" Thick	7/8" to 2" Thick	7/8" to 2" Thick
Worksurface Grommet Clamp Requirements	7/8" to 2" Thick/Hole Diameter 3/16" to 2"	7/8" to 2" Thick/Hole Diameter 3/16" to 2"	7/8" to 2" Thick/Hole Diameter 3/16" to 2"
Environmental Info	94% Recycled Content	94% Recycled Content	94% Recycled Content

\*Use of APACSM Slider Model will allow for wider monitor capabilities

### Pivot Post Series

- Adaptable and adjustable to user preference the Pivot monitor arm offers a slim and refined design coupled with easy fingertip adjustment.
- Multiple points of adjustment including 360 degree swivel with 21" extension and 10.6" of height adjustment.
- Monitor tilts +25/-25 degrees.
- Tension adjustment at multiple points allows for proper adjustment for monitors weight between 6.5-17 lbs per arm.
- Model includes grommet and worksurface mounting options.
- Desk clamp mounts require 7/8" – 2" thick surfaces; grommet mount requires hole diameter of 3/16" to 2" wide and accommodates up to 2" thick surfaces.
- Integrated cable management included with each model. Silver color option with grey wire management only.
- Dual monitor arm supports up to 25" wide monitors. Wider monitors may require use of optional slider mount model.
- Single and dual models have a post height of 17.7"; Triple monitor model has a post height of 27.5".
- Pivot arms are VESA 75mm and 100mm compatible.
- Quick release feature simplifies monitor installation and changes.

### Pivot Counterweight Kit

- Counterweight Kit to be used with monitors weighing less than 6 lbs.
- Gray color only.
- Counterweight weighs 1 lb. 6 oz.

### Pivot Conversion Kits






- Kit allows user to transform single monitor arm (Standard, Heavy Duty, or Post) into Dual Arm configuration
- Available in black and silver, Post arm only available in silver
- Required wire management included
- Once assembled, will aesthetically emulate dual configuration of chosen arm

# Accessories — Pivot Monitor Arms

Pivot

For specification information see pages 288-289.

GSA SIN PENDING, GSA SIN 33721



Description	Model	List Price
<b>Pivot Monitor Arms</b>		
Dynamic Single Monitor - Standard Weight	AMASTS <input type="checkbox"/>	\$ 464
Dynamic Single Monitor - Standard Weight for GSA *Silver Only Open for order Fall 2020 – GSA SIN 33721.	AMASTS-G	\$ 548
Dynamic Single Monitor - Heavy Weight	AMASHD <input type="checkbox"/>	\$ 798
Dynamic Dual Monitor with Crossbar	AMADHD <input type="checkbox"/>	\$ 1104
Dynamic Dual Monitor - Standard Weight	AMASD <input type="checkbox"/>	\$ 936
Dynamic Dual Monitor - Standard Weight for GSA *Silver Only **Slider Mount included. Open for order Fall 2020 – GSA SIN 33721.	AMASD-G	\$ 998
Single Dynamic Post Arm *Silver Only	APASD <input type="checkbox"/>	\$ 628
Double Dynamic Post Arm *Silver Only	APADD <input type="checkbox"/>	\$ 879
Triple Fixed Post Mount *Silver Only	APATF <input type="checkbox"/>	\$ 1110

ACCESSORIES

How to specify —  
Select the  
Model Number  
from above.

1st Option:  
Select the Color:  
SVR Silver  
BLK Black

A | | | | | .

| | | |

Example: AMADHD.BLK

Shippable by small-package carrier.

# Accessories — Pivot Monitor Arms


Pivot

For specification information see pages 288-289.


Open Market




Description	Model	List Price
<b>Pivot Monitor Arms</b>		
Monitor Arm Sliding Mount	APACSM <input type="checkbox"/>	\$ 221




Monitor Arm Counterweight	APACW <input type="checkbox"/>	\$ 52
---------------------------	--------------------------------	-------



Pivot Monitor Arm Standard Single Conversion Kit	AMASTSCK	\$ 520
--	----------	--------



Pivot Monitor Arm Heavy Duty Single Conversion Kit	AMASHDCK	\$ 454
--	----------	--------



Pivot Single Post Arm Conversion Kit	APASDCK	\$ 661
* Silver Only		

**How to specify —**  
Select the Model Number from above.

**1st Option:**  
**Select the Color:**  
SVR Silver  
BLK Black

A | | | | | .

| | | |

Example:

#### Further Laminate Storage


##### Standard Options



- **Random Keying** — The factory will assign key(s) arbitrarily using key numbers from chart below.
- **Omit Lock Core** — The factory will omit lock cores. Removable lock core kits with specific key number must be ordered to facilitate keying alike in the field.

##### Replacing Lock Cores

- Lock must be in the unlocked position.
- Insert core removal key and pull core straight out.
- Insert new core with core removable key, hold core into lock and withdraw core removal key.
- Retain original core for future use.

	Random Keying	Omit Lock Core	Key Numbers	Lock Core Kit	Master Key
Further Laminate Storage	X	X	101E-225E	ALKF23C	AMKF22

	Description	Model	List Price
	<b>Brushed Chrome Removable Lock Core Kit**</b> Used on metal and painted wood casegoods product produced after 2/3/97; A980, A990, and A940 Series Vertical Files; Persona Pedestals produced after 8/22/09; Reach Storage units produced after 10/5/09; and Receding Door Overheads produced after 8/1/10. Includes one core, two keys, one core removal tool, adapter and instructions	<b>Key Numbers 101E-225E</b>  ALKF23C 	<b>\$ 29</b>



 Open Market	<b>Master Key</b> (One key) Available to authorized dealers only on faxed orders. Will open LKF23C, LKF23CE4, LKF24, LKF25EL, and LKF25E4 locks numbered 101E-225E.	AMKF22 	<b>\$ 30</b>
---	--	--	--------------



##### HOW TO ORDER:

**NOTE:** Numbers 101E-225E are available. Orders without numbers specified will be keyed at random.

##### SAMPLE ORDER:

Quantity	Model	Color
6	LKF23C	X121E
1	MKF22	X

	<b>Brushed Chrome Removable Lock Core Kit**</b> Includes one core, two keys, one core removal tool, adapter and instructions	<b>Key Numbers 101N-225N</b> ALKF23CN 	<b>\$ 29</b>
---	---	--	--------------

 Open Market	<b>Master Key*</b> (One key) Available to authorized dealers only on faxed orders. Will open LKF23CN locks numbered 101N-225N.	AMF22 	<b>\$ 30</b>
--	---	---	--------------

\*On existing Premium and Asset lateral, use N-Series locks.

\*\* Removable Lock Core Kits are intended for use with Allsteel systems furniture and are approved under GSA SIN 33721. When purchased separately and used without Allsteel systems furniture, those Removable Lock Core Kits marked by (\*\*) are considered Open Market.

 Shippable by small-package carrier.

Desking & Benching – 03/2023

### EASY LOCK PROGRAM

The Allsteel Easy Lock Program simplifies the lock-core ordering process when multiple cores are being specified. The Easy Lock cores can be used with Allsteel storage that currently uses the **ALKF23C** cores (all storage except Receding Door Overheads).

To ensure ease of ordering in different situations the Easy Lock cores can be specified in three different ways — Random, Specified or Sequential.

#### Random Keying

The Random Keying option is provided for instances where there are multiple orders or phases to a project and the offices need to be keyed alike but the key numbering is not required. With the random keying option key numbers are not specified, however, the core kits will be in sequential order from a random starting point.

*Example: There are 15 offices which each have 5 black locks that need to be keyed alike, but the actual key numbers are not important.*

This order would look like: **LKFE5BLK.X.15**

This specifies that 15 5-core kits are needed in black with random key numbers.

#### Specified Keying

The Specified Keying option is provided for the instances where there is a specific key number desired for all of the cores ordered.

*Example: There are 10 offices which each have 2 silver locks that need to be keyed-alike with key number 202.*

This order would look like: **LKFE2SLV.X202.10**

This specifies that 10 2-core kits are needed in silver with key number 202.

#### Sequential Keying

Allsteel Sequential Keying option is provided for the instances when there are multiple orders or phases to a project and it is imperative that key numbers are not duplicated.

*Example: A multiple phase project has 60 total offices — 40 offices in Phase I, and 20 offices in Phase II. The project manager has expressed a need to have keyed-alike offices but doesn't want any of the offices to use the same key numbers.*

*The first 40 offices have 4 silver locks each that need to be keyed-alike.*

This order would look like: **LKFE4SLV.SEQ/101.40**

This specifies that 40 4-core kits are needed in silver and the starting number is 101.

*The second set of 20 offices only have 3 silver locks each that need to be keyed-alike; and it is important which key number starts off the sequence to ensure that no key number is duplicated. It is known that the first key range was key numbers 101-140.*

The second order would look like: **LKFE3SLV.SEQ/141.20**

This specifies that 20 3-core kits are needed in silver and key sequence has to start at key number 141.

#### HOW TO ORDER:

Numbers 101-225 are available. Orders without key numbers specified will be keyed at random.

SAMPLE ORDER FOR EXAMPLES GIVEN:

Model	Key Type	Quantity
LKFE5BLK.	X.	15
LKFE2SLV.	X202.	10
LKFE4SLV.	SEQ/101.	40
LKFE3SLV.	SEQ/141.	20

**NOTE:** Quantity required is last number in model.option string.

Description	Model / Color	List Price
<b>Easy Lock Lock-Core</b>		
Lock Core Kit — 1 core, 2 keys	LKFE1 _____	\$ 29
Lock Core Kit — 2 cores, 2 keys	LKFE2 _____	\$ 59
Lock Core Kit — 3 cores, 2 keys	LKFE3 _____	\$ 88
Lock Core Kit — 4 cores, 2 keys	LKFE4 _____	\$ 117
Lock Core Kit — 5 cores, 2 keys	LKFE5 _____	\$ 146
Lock Core Kit — 6 cores, 2 keys	LKFE6 _____	\$ 176
Lock Core Kit — 7 cores, 2 keys	LKFE7 _____	\$ 205
Lock Core Kit — 8 cores, 2 keys	LKFE8 _____	\$ 235

Add color suffix to model: **SLV** Silver, **BLK** Black, **MTS** Matte Silver

**Note:** One core removal key minimum per order. One additional core removal key per 25 lock-cores will be shipped.


#### Master Key

(One key) Available to authorized dealers only on faxed orders.

**AMKF22 \$ 30**


#### How to specify using Easy Lock Program:

**Step 1** — Count the number of lock cores and color required in each workstation that need to be keyed alike.




2 overheads with 1 lock-core each = 2  
 2 pedestals with 1 lock-core each = 2  
**Total silver lock-cores per station = 4**

**Step 2** — Count the total number of workstations needing 4 lock-cores.



**4 total workstations**

**Step 3** — Specify model number based on total number of lock-cores in a station and quantity of kits based on number of workstations.



**LKFE4SLV.X.4**

Lock-Cores per station

Color of Core

Number of workstations



Description	Model	P1 Paint List Price	P2 Paint List Price	P3 Paint List Price
<b>Touch-Up Paint — Brush</b>				
Bottle of Touch-Up Paint with Brush — 0.5 oz.	APTK <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 99	\$ 110	\$ 118
<b>Touch-Up Paint — Spray</b>				
Spray Can of Touch-Up Paint — 12 oz.	ARSLCC <span style="border: 1px solid black; padding: 0 2px;">S</span>	\$ 99	\$ 110	\$ 118

**How to specify —**  
Select the Model Number from above.

A | | | | | | | | | | .

**1st Option:**

**Paint Color:**

P1 P2 P3

See available Touch-Up Paint colors listed above. Some colors are limited to brush or spray.

| | | | | | | | | |

Examples: APTK.P02 ARSLCC.P02

S Shippable by small-package carrier.

### FSC Certified Wood at Allsteel

Allsteel has received FSC Chain of Custody certification from Scientific Certification Systems (SCS) and can now offer FSC certified products. Forest Stewardship Council (FSC) certification is intended to promote the sustainable harvesting of forests worldwide by setting requirements for the forest and everyone who handles the wood from forest to product. Certification provides a Chain of Customer number that we will pass on to customers who are pursuing LEED certification or who want to ensure that materials used to manufacture our wood products come from a well-managed forest. For more information, please contact Customer Support at 888-255-7833.

#### Load Capacity for Laminate Wood: Nitch, Horizontal Storage, Pedestals, Mobile Credenzas, and Towers

Product Description	Style	Depth	10"W	12"W	15½"W	24"W	30"W	36"W	42"W	48"W	54"W	60"W	72"W	
<b>7½"H Nitch</b>	Open	15"D				36 lbs.	45 lbs.	54 lbs.	63 lbs.					
<b>Horizontal</b>	Open — Single Sided	15"D				81 lbs.	102 lbs.	122 lbs.						
	Open — Dual Sided	16"D				79 lbs.	99 lbs.	120 lbs.	140 lbs.	161 lbs.	181 lbs.	202 lbs.	243 lbs.	
	Sliding Door — Single Sided	15"D				74 lbs.	94 lbs.	113 lbs.	133 lbs.	152 lbs.	171 lbs.	191 lbs.		
	Sliding Door — Dual Sided	16"D				68 lbs.	85 lbs.	103 lbs.	121 lbs.	138 lbs.	156 lbs.	174 lbs.	209 lbs.	
<b>Pedestal</b>	Open Support	21"D	72 lbs.											
	Open Support w/Bin Left	27"D	79 lbs.											
	Open Support w/Bin Right	27"D	79 lbs.											
	Box Pull-Out Drawer	21"D			10 lbs.				124 lbs.					
		27"D			10 lbs.									
	File Pull-Out Drawer	21"D			35 lbs.									
		27"D			44 lbs.									
Shelf Pull-Out Drawer	21"D			10 lbs.										
	27"D			10 lbs.										
<b>Credenza</b>	Mobile with Hinged Door Left				10 lbs.									
	Mobile with Hinged Door Right	15"D						124 lbs.						
<b>Tower</b>	42½"H Wardrobe Section	21"D		40 lbs.										
		27"D		53 lbs.										
	50"H Wardrobe Section	21"D		68 lbs.										
		27"D		90 lbs.										
	Tower Drawer	21"D		40 lbs.										
		27"D		53 lbs.										

#### Quantity of Locks for Laminate Wood: Horizontal Storage, Pedestals, Mobile Credenzas, and Towers

**NOTE:** Open units and shelves are non-locking and are therefore not included in the list below.

Product Description	Style	Depth	10"W	12"W	15½"W	24"W	30"W	36"W	42"W	48"W	54"W	60"W	72"W
<b>Horizontal</b>	Sliding Door — Single Sided	15"D				1 lock	1 lock	1 lock	1 lock	1 lock	1 lock	1 lock	
	Sliding Door — Dual Sided	16"D				2 locks	2 locks	2 locks	2 locks	2 locks	2 locks	2 locks	2 locks
<b>Pedestal</b>	Pull-Out Drawer Support	21"D			1 lock								
		27"D			1 lock								
<b>Credenza</b>	Mobile with Hinged Door Left	15"D						1 lock					
	Mobile with Hinged Door Right	15"D						1 lock					
<b>Tower</b>	42½"H Wardrobe Section	21"D		1 lock									
		27"D		1 lock									
	50"H Wardrobe Section	21"D		1 lock									
		27"D		1 lock									

### Interior Dimensions for Nitch, Horizontal Storage, Pedestals, Credenzas, and Towers

Description	Height	Depth	Width	Description	Height	Depth	Width
<b>NITCH</b>				<b>42"H TOWERS</b>			
24"W	5 <sup>7</sup> / <sub>8</sub> "	12 <sup>3</sup> / <sub>4</sub> "	11 <sup>5</sup> / <sub>8</sub> "	21"D SA Bottom Shelf	5 <sup>1</sup> / <sub>2</sub> "	19 <sup>3</sup> / <sub>8</sub> "	11 <sup>1</sup> / <sub>8</sub> "
30"W	5 <sup>7</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	14 <sup>5</sup> / <sub>8</sub> "	21"D SA Top Shelf	5 <sup>1</sup> / <sub>2</sub> "	19 <sup>3</sup> / <sub>8</sub> "	10 <sup>5</sup> / <sub>8</sub> "
36"W	5 <sup>7</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	17 <sup>7</sup> / <sub>8</sub> "	21"D Drawer Bottom	12 <sup>3</sup> / <sub>8</sub> "	18 <sup>3</sup> / <sub>8</sub> "	7 <sup>7</sup> / <sub>8</sub> "
42"W Side Cavities	5 <sup>7</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	13 <sup>3</sup> / <sub>4</sub> "	21"D Drawer Back	19 <sup>3</sup> / <sub>8</sub> "	5 <sup>3</sup> / <sub>8</sub> "	7 <sup>7</sup> / <sub>8</sub> "
42"W Center Cavity	5 <sup>7</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	13 <sup>3</sup> / <sub>8</sub> "	21"D Drawer Shelf	4 <sup>1</sup> / <sub>4</sub> "	5 <sup>3</sup> / <sub>8</sub> "	7"
<b>HORIZONTAL STORAGE</b>				<b>50"H TOWERS</b>			
24"W Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	23 <sup>3</sup> / <sub>4</sub> "	27"D SA Bottom Shelf	5 <sup>1</sup> / <sub>2</sub> "	25 <sup>3</sup> / <sub>8</sub> "	11 <sup>1</sup> / <sub>8</sub> "
30"W Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	29 <sup>3</sup> / <sub>4</sub> "	27"D SA Top Shelf	5 <sup>1</sup> / <sub>2</sub> "	25 <sup>3</sup> / <sub>8</sub> "	10 <sup>5</sup> / <sub>8</sub> "
36"W Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	35 <sup>3</sup> / <sub>4</sub> "	27"D Drawer Bottom	12 <sup>3</sup> / <sub>8</sub> "	24 <sup>3</sup> / <sub>8</sub> "	7 <sup>7</sup> / <sub>8</sub> "
24"W Slider	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>8</sub> "	11 <sup>1</sup> / <sub>2</sub> "	27"D Drawer Back	19 <sup>3</sup> / <sub>8</sub> "	11 <sup>3</sup> / <sub>8</sub> "	7 <sup>7</sup> / <sub>8</sub> "
30"W Slider	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>2</sub> "	27"D Drawer Shelf	4 <sup>1</sup> / <sub>4</sub> "	11 <sup>3</sup> / <sub>8</sub> "	7"
36"W Slider	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>8</sub> "	17 <sup>1</sup> / <sub>2</sub> "	<b>50"H TOWERS</b>			
42"W Slider	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>8</sub> "	20 <sup>1</sup> / <sub>2</sub> "	21"D SA Bottom Shelf	4 <sup>1</sup> / <sub>8</sub> "	19 <sup>3</sup> / <sub>8</sub> "	11 <sup>1</sup> / <sub>8</sub> "
48"W Slider	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>8</sub> "	23 <sup>1</sup> / <sub>2</sub> "	21"D SA Top Shelf	14 <sup>1</sup> / <sub>4</sub> "	19 <sup>3</sup> / <sub>8</sub> "	10 <sup>5</sup> / <sub>8</sub> "
54"W Slider	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>8</sub> "	26 <sup>1</sup> / <sub>2</sub> "	21"D Drawer Bottom	12 <sup>3</sup> / <sub>8</sub> "	18 <sup>3</sup> / <sub>8</sub> "	7 <sup>7</sup> / <sub>8</sub> "
60"W Slider	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>8</sub> "	29 <sup>1</sup> / <sub>2</sub> "	21"D Drawer Back	19 <sup>3</sup> / <sub>8</sub> "	5 <sup>3</sup> / <sub>8</sub> "	7 <sup>7</sup> / <sub>8</sub> "
24"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	11 <sup>1</sup> / <sub>2</sub> "	21"D Drawer Shelf	4 <sup>1</sup> / <sub>4</sub> "	5 <sup>3</sup> / <sub>8</sub> "	7"
30"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>2</sub> "	27"D SA Bottom Shelf	4 <sup>1</sup> / <sub>8</sub> "	25 <sup>3</sup> / <sub>8</sub> "	11 <sup>1</sup> / <sub>8</sub> "
36"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	17 <sup>1</sup> / <sub>2</sub> "	27"D SA Top Shelf	14 <sup>1</sup> / <sub>4</sub> "	25 <sup>3</sup> / <sub>8</sub> "	10 <sup>5</sup> / <sub>8</sub> "
42"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	20 <sup>1</sup> / <sub>2</sub> "	27"D Drawer Bottom	12 <sup>3</sup> / <sub>8</sub> "	24 <sup>3</sup> / <sub>8</sub> "	7 <sup>7</sup> / <sub>8</sub> "
48"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	23 <sup>1</sup> / <sub>2</sub> "	27"D Drawer Back	19 <sup>3</sup> / <sub>8</sub> "	11 <sup>3</sup> / <sub>8</sub> "	7 <sup>7</sup> / <sub>8</sub> "
54"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	26 <sup>1</sup> / <sub>2</sub> "	27"D Drawer Shelf	4 <sup>1</sup> / <sub>4</sub> "	11 <sup>3</sup> / <sub>8</sub> "	7"
60"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	29 <sup>1</sup> / <sub>2</sub> "	Tower File Hanger	11 <sup>1</sup> / <sub>4</sub> "	12 <sup>3</sup> / <sub>4</sub> "	7 <sup>7</sup> / <sub>8</sub> "
66"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	32 <sup>1</sup> / <sub>2</sub> "	(Same for all Towers)			
72"W Shared Open	13 <sup>3</sup> / <sub>8</sub> "	14 <sup>7</sup> / <sub>8</sub> "	35 <sup>1</sup> / <sub>2</sub> "				
24"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	11 <sup>1</sup> / <sub>2</sub> "				
30"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>2</sub> "				
36"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	17 <sup>1</sup> / <sub>2</sub> "				
42"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	20 <sup>1</sup> / <sub>2</sub> "				
48"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	23 <sup>1</sup> / <sub>2</sub> "				
54"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	26 <sup>1</sup> / <sub>2</sub> "				
60"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	29 <sup>1</sup> / <sub>2</sub> "				
66"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	32 <sup>1</sup> / <sub>2</sub> "				
72"W Shared Slider	13 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	35 <sup>1</sup> / <sub>2</sub> "				
<b>PEDESTALS</b>							
Open — Bottom Shelf	12 <sup>3</sup> / <sub>8</sub> "	19 <sup>3</sup> / <sub>4</sub> "	8 <sup>3</sup> / <sub>8</sub> "				
Open — Top Shelf	12 <sup>3</sup> / <sub>8</sub> "	20 <sup>1</sup> / <sub>8</sub> "	8 <sup>3</sup> / <sub>8</sub> "				
Side Access — Bottom Shelf	12 <sup>3</sup> / <sub>8</sub> "	12 <sup>7</sup> / <sub>8</sub> "	8 <sup>3</sup> / <sub>8</sub> "				
Side Access — Top Shelf	12 <sup>3</sup> / <sub>8</sub> "	12 <sup>1</sup> / <sub>2</sub> "	8 <sup>3</sup> / <sub>8</sub> "				
Side Access — Back Area	26 <sup>1</sup> / <sub>8</sub> "	12 <sup>3</sup> / <sub>4</sub> "	9 <sup>1</sup> / <sub>8</sub> "				
Pull-Out Drawer — Shelf	4"	12 <sup>3</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>8</sub> "				
Pull-Out Drawer — Box	2 <sup>3</sup> / <sub>4</sub> "	14 <sup>1</sup> / <sub>2</sub> "	12 <sup>1</sup> / <sub>8</sub> "				
21"D Pull-Out Drawer — File	9 <sup>1</sup> / <sub>8</sub> "	14 <sup>1</sup> / <sub>2</sub> "	12 <sup>1</sup> / <sub>8</sub> "				
27"D Pull-Out Drawer — File	9 <sup>1</sup> / <sub>8</sub> "	19"	12 <sup>1</sup> / <sub>8</sub> "				
<b>CREDENZAS</b>							
Bottom Shelf	10 <sup>1</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>8</sub> "	22 <sup>3</sup> / <sub>8</sub> "				
Top Shelf	4 <sup>3</sup> / <sub>4</sub> "	13 <sup>5</sup> / <sub>8</sub> "	22 <sup>3</sup> / <sub>8</sub> "				
Cubby	15 <sup>1</sup> / <sub>2</sub> "	14 <sup>3</sup> / <sub>8</sub> "	11 <sup>1</sup> / <sub>4</sub> "				

Model Number	Description	Grade G	Grade H	Grade J
<b>Elevated Table Mounted Screen</b> — see page <a href="#">108</a>				
U6TTS1330F	13"H x 30"W Screen	\$ 1146	\$ 1223	\$ 1298
U6TTS1336F	13"H x 36"W Screen	\$ 1197	\$ 1277	\$ 1358
U6TTS1342F	13"H x 42"W Screen	\$ 1283	\$ 1376	\$ 1470
U6TTS1348F	13"H x 48"W Screen	\$ 1371	\$ 1479	\$ 1587
U6TTS1354F	13"H x 54"W Screen	\$ 1465	\$ 1586	\$ 1707
U6TTS1360F	13"H x 60"W Screen	\$ 1572	\$ 1706	\$ 1841
<hr/>				
U6TTS2030F	20½"H x 30"W Screen	\$ 1365	\$ 1470	\$ 1575
U6TTS2036F	20½"H x 36"W Screen	\$ 1472	\$ 1599	\$ 1727
U6TTS2042F	20½"H x 42"W Screen	\$ 1582	\$ 1731	\$ 1879
U6TTS2048F	20½"H x 48"W Screen	\$ 1731	\$ 1900	\$ 2069
U6TTS2054F	20½"H x 54"W Screen	\$ 1891	\$ 2081	\$ 2270
U6TTS2060F	20½"H x 60"W Screen	\$ 2022	\$ 2233	\$ 2446
<hr/>				
<b>Stride Tackable Fabric Lateral Screens</b> — see page <a href="#">114</a>				
Z6BL0827F	8"H x 27"D Screen	\$ 877	\$ 905	\$ 933
Z6BL0830F	8"H x 30"D Screen	\$ 910	\$ 940	\$ 972
Z6BL0836F	8"H x 36"D Screen	\$ 1016	\$ 1052	\$ 1088
<hr/>				
<b>Stride Tackable Fabric Accessory for Cantilever Storage</b> — see page <a href="#">208</a>				
ZS42SF	for use w/ 42½"H unit	\$ 770	\$ 854	\$ 938
ZS50SF	for use w/ 50"H unit	\$ 1011	\$ 1141	\$ 1269

Model Number	Description	Grade G	Grade H	Grade J
<b>Altitude® A8 Screen Kits</b> — see page <a href="#">263</a>				
FDSC48U	48"W	\$ 2190	\$ 2214	\$ 2274
FDSC54U	54"W	\$ 2266	\$ 2291	\$ 2354
FDSC60U	60"W	\$ 2334	\$ 2360	\$ 2424
FDSC66U	66"W	\$ 2472	\$ 2499	\$ 2569
FDSC72U	72"W	\$ 2661	\$ 2690	\$ 2765
<hr/>				
FDSC48LL	48"W	\$ 1410	\$ 1424	\$ 1459
FDSC48LR	48"W	\$ 1410	\$ 1424	\$ 1459
FDSC54LL	54"W	\$ 1655	\$ 1672	\$ 1714
FDSC54LR	54"W	\$ 1655	\$ 1672	\$ 1714
FDSC60LL	60"W	\$ 1732	\$ 1749	\$ 1794
FDSC60LR	60"W	\$ 1732	\$ 1749	\$ 1794
FDSC66LL	66"W	\$ 2076	\$ 2099	\$ 2157
FDSC66LR	66"W	\$ 2076	\$ 2099	\$ 2157
FDSC72LL	72"W	\$ 2187	\$ 2212	\$ 2272
FDSC72LR	72"W	\$ 2187	\$ 2212	\$ 2272
<hr/>				
FDSC48R	48"W	\$ 1362	\$ 1377	\$ 1410
FDSC54R	54"W	\$ 1396	\$ 1410	\$ 1445
FDSC60R	60"W	\$ 1503	\$ 1518	\$ 1555
FDSC66R	66"W	\$ 1737	\$ 1757	\$ 1804
FDSC72R	72"W	\$ 1851	\$ 1871	\$ 1921

# Cross Reference Index

by Model Number

INDEX

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
873600.....	49, 262	A871972A .....	261	AAS1372DFS.....	170	AAS2639USF .....	40	ACD1.....	282
A6BLUETOOTH .....	255	A873501.....	48, 261	AAS1372MPD.....	175	AAS2643USF .....	40	ACMCM21O.....	226
A6CASTER.....	255	A873502.....	48, 261	AAS1372SFS.....	176	AAS2649USF .....	40	ACMCM21T .....	226
A6G1GLIDE.....	255	A873503.....	48, 261	AAS1520.....	115, 265	AAS2655USF .....	40	ACOMDOME2 .....	287
A6MREC3S2LCF .....	254	A873504.....	48, 261	AAS1548.....	115, 265	AAS2661USF .....	40	ACPU1 .....	276
A6MREC3S2LTF .....	254	A873506.....	48, 261	AAS1554.....	115, 265	AAS2667USF .....	40	AECH.....	116, 224, 265
A6MREC3S3LCF .....	255	A876072.....	261	AAS1560.....	115, 265	AAS2721LDF.....	172	AEHF.....	116, 224, 265
A6MREC3S3LTF .....	255	A876072A .....	261	AAS1566.....	115, 265	AAS2721LDS.....	174	AELT .....	224
A6REC2S2LCF.....	254	A877012.....	48, 99, 261	AAS1572.....	115, 265	AAS2721LDT .....	173	AESC18 .....	219
A6REC2S2LTF.....	254	AAPACM2 .....	285	AAS2021LDF.....	172	AAS2722LHF.....	172	AESC24 .....	219
A6REC2S3LCF.....	255	AAS1321LDF.....	172	AAS2021LDS.....	174	AAS2722LHS.....	174	AESS.....	116, 224, 265
A6REC2S3LTF.....	255	AAS1321LDS.....	174	AAS2021LDT .....	173	AAS2722LHT .....	173	AEST.....	224
A6REC3S2LCF.....	254	AAS1321LDT .....	173	AAS2022LHF.....	172	AAS2724LDF.....	172	AEV920.....	259
A6REC3S2LTF.....	254	AAS1322LHF.....	172	AAS2022LHS.....	174	AAS2724LDS.....	174	AF5CCS5424.....	257
A6REC3S3LCF.....	255	AAS1322LHS.....	174	AAS2022LHT .....	173	AAS2724LDT .....	173	AF5CCS5430.....	257
A6REC3S3LTF.....	255	AAS1322LHT .....	173	AAS2024BSF.....	169	AAS2727LDF.....	172	AF5CCS603624LD.....	258
A6SLDGLIDE.....	255	AAS1324BSF.....	169	AAS2024LDF.....	172	AAS2727LDS.....	174	AF5CCS603624RD.....	258
A9CLWMC.....	142, 268	AAS1324LDF.....	172	AAS2024LDS.....	174	AAS2727LDT .....	173	AF5CCS604824LD.....	258
A5622ELS.....	258	AAS1324LDS.....	174	AAS2024LDT .....	173	AAS2728LHF.....	172	AF5CCS604824RD.....	258
A5622ERS.....	258	AAS1324LDT .....	173	AAS2027LDF.....	172	AAS2728LHS.....	174	AF5CCS604830LD.....	258
A5722ELS.....	258	AAS1327LDF.....	172	AAS2027LDS.....	174	AAS2728LHT .....	173	AF5CCS604830RD.....	258
A5722ERS.....	258	AAS1327LDS.....	174	AAS2027LDT .....	173	AAS2730LDF.....	172	AF5CCS723624LD.....	258
A5822ELS.....	258	AAS1327LDT .....	173	AAS2028LHF.....	172	AAS2730LDS.....	174	AF5CCS723624RD.....	258
A5822ERS.....	258	AAS1328LHF.....	172	AAS2028LHS.....	174	AAS2730LDT .....	173	AF5CCS724824LD.....	258
A5922ELS.....	258	AAS1328LHS.....	174	AAS2028LHT .....	173	AAS2734DFS.....	171	AF5CCS724824RD.....	258
A5922ERS.....	258	AAS1328LHT .....	173	AAS2030BSF.....	169	AAS2736DFS.....	171	AF5CCS724830LD.....	258
A870070.....	49, 99	AAS1330BSF.....	169	AAS2030LDF.....	172	AAS2736LDF.....	172	AF5CCS724830RD.....	258
A870302.....	287	AAS1330LDF.....	172	AAS2030LDS.....	174	AAS2736LDS.....	174	AF5RND4824.....	256
A870824.....	285	AAS1330LDS.....	174	AAS2030LDT .....	173	AAS2736LDT .....	173	AF5RND4830.....	256
A870824CH.....	285	AAS1330LDT .....	173	AAS2034DFS.....	170	AAS2740DFS.....	171	AF5RND5424.....	256
A870830.....	285	AAS1330MPD .....	175	AAS2036BSF.....	169	AAS2742DFS.....	171	AF5RND5430.....	256
A870830CH.....	285	AAS1334DFS.....	170	AAS2036GDFS.....	170	AAS2746DFS.....	171	AF5RND6024D.....	256
A870842.....	285	AAS1336BSF.....	169	AAS2036LDF.....	172	AAS2748DFS.....	171	AF5RND6030D.....	256
A870842CH.....	285	AAS1336DFS.....	170	AAS2036LDS.....	174	AAS2752DFS.....	171	AF5RND6624D.....	256
A870860.....	285	AAS1336LDF.....	172	AAS2036LDT .....	173	AAS2754DFS.....	171	AF5RND6630D.....	256
A870860CH.....	285	AAS1336LDS.....	174	AAS2036SFS.....	176	AAS2758DFS.....	171	AF5RND7224D.....	256
A871124.....	260	AAS1336LDT .....	173	AAS2040DFS.....	170	AAS2760DFS.....	171	AF5RND7230D.....	256
A871124A.....	260	AAS1336MPD .....	175	AAS2042BSF.....	169	AAS2764DFS.....	171	AF5RND7824D.....	256
A871148.....	260	AAS1336SFS.....	176	AAS2042DFS.....	170	AAS2766DFS.....	171	AF5RND7830D.....	256
A871148A.....	260	AAS1340DFS.....	170	AAS2042SFS.....	176	AAS2770DFS.....	171	AF5RND8424D.....	256
A871160.....	260	AAS1342BSF.....	169	AAS2046DFS.....	170	AAS2772DFS.....	171	AF5RND8430D.....	256
A871160A.....	260	AAS1342DFS.....	170	AAS2048BSF.....	169	AAS2824BSF.....	169	AF5RND9024D.....	256
A871172.....	260	AAS1342MPD .....	175	AAS2048DFS.....	170	AAS2830BSF.....	169	AF5RND9030D.....	256
A871172A.....	260	AAS1342SFS.....	176	AAS2048SFS.....	176	AAS2836BSF.....	169	AF5RND9624D.....	256
A871248.....	260	AAS1346DFS.....	170	AAS2052DFS.....	170	AAS2842BSF.....	169	AF5RND9630D.....	256
A871248A.....	260	AAS1348BSF.....	169	AAS2054BSF.....	169	AAS2848BSF.....	169	AF5RS3624U.....	257
A871254.....	260	AAS1348DFS.....	170	AAS2054DFS.....	170	AAS2854BSF.....	169	AF5RS3630U.....	257
A871254A.....	260	AAS1348MPD .....	175	AAS2054SFS.....	176	AAS2860BSF.....	169	AF5RS4224U.....	257
A871260.....	260	AAS1348SFS.....	176	AAS2058DFS.....	170	AAS2866BSF.....	169	AF5RS4230U.....	257
A871260A.....	260	AAS1352DFS.....	170	AAS2060BSF.....	169	AAS2872BSF.....	169	AF5RS4824.....	256
A871266.....	260	AAS1354BSF.....	169	AAS2060DFS.....	170	AAS3425USF .....	40	AF5RS4824U.....	257
A871266A.....	260	AAS1354DFS.....	170	AAS2060SFS.....	176	AAS3427USF .....	40	AF5RS4830.....	256
A871272.....	260	AAS1354MPD .....	175	AAS2064DFS.....	170	AAS3430USF .....	40	AF5RS4830U.....	257
A871272A.....	260	AAS1354SFS.....	176	AAS2066BSF.....	169	AAS3431USF .....	40	AF5RS5424.....	256
A871400.....	49, 261	AAS1358DFS.....	170	AAS2066DFS.....	170	AAS3433USF .....	40	AF5RS5424U.....	257
A871400A.....	49, 261	AAS1360BSF.....	169	AAS2066SFS.....	176	AAS3437USF .....	40	AF5RS5430.....	256
A871501A.....	261	AAS1360DFS.....	170	AAS2070DFS.....	170	AAS3439USF .....	40	AF5RS5430U.....	257
A871502A.....	261	AAS1360MPD .....	175	AAS2072BSF.....	169	AAS3443USF .....	40	AF5RS6024D.....	256
A871503A.....	261	AAS1360SFS.....	176	AAS2072DFS.....	170	AAS3449USF .....	40	AF5RS6024UD.....	257
A871601.....	48, 261	AAS1364DFS.....	170	AAS2072SFS.....	176	AAS3455USF .....	40	AF5RS6030D.....	256
A871601A.....	261	AAS1366BSF.....	169	AAS2625USF .....	40	AAS3461USF .....	40	AF5RS6030UD.....	257
A871912.....	48, 99, 261	AAS1366DFS.....	170	AAS2627USF .....	40	AAS3467USF .....	40	AF5RS6624D.....	256
A871912A.....	261	AAS1366MPD .....	175	AAS2630USF .....	40	AAS4127USF .....	40	AF5RS6624UD.....	257
A871918.....	48, 99, 261	AAS1366SFS.....	176	AAS2631USF .....	40	AAS4130USF .....	40	AF5RS6630D.....	256
A871918A.....	261	AAS1370DFS.....	170	AAS2633USF .....	40	AAS4133USF .....	40	AF5RS6630UD.....	257
A871972.....	48, 99, 261	AAS1372BSF.....	169	AAS2637USF .....	40	AAS4139USF .....	40	AF5RS7224D.....	256

# Cross Reference Index

by Model Number

INDEX

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
AF5RS7224UD	257	AFS1330LDT	157	AFS2030LDF	156	AFS2736DAS	159	AFS3446DTS	155
AF5RS7230D	256	AFS1330MPD	160	AFS2030LDS	158	AFS2736DFS	154	AFS3448DAS	159
AF5RS7230UD	257	AFS1334DFS	154	AFS2030LDT	157	AFS2736DTS	155	AFS3448DTS	155
AF5RS7824D	256	AFS1336BMF	153	AFS2034DFS	154	AFS2736LDF	156	AFS3449USF	38
AF5RS7824UD	257	AFS1336BSF	153	AFS2036BMF	153	AFS2740DAS	159	AFS3452DAS	159
AF5RS7830D	256	AFS1336DFS	154	AFS2036BSF	153	AFS2740DFS	154	AFS3452DTS	155
AF5RS7830UD	257	AFS1336LDF	156	AFS2036DFS	154	AFS2740DTS	155	AFS3454DAS	159
AF5RS8424D	256	AFS1336LDS	158	AFS2036LDF	156	AFS2742DAS	159	AFS3454DTS	155
AF5RS8424UD	257	AFS1336LDT	157	AFS2036LDS	158	AFS2742DFS	154	AFS3455USF	38
AF5RS8430D	256	AFS1336MPD	160	AFS2036LDT	157	AFS2742DTS	155	AFS3458DAS	159
AF5RS8430UD	257	AFS1336SFS	161	AFS2036SFS	161	AFS2746DAS	159	AFS3458DTS	155
AF5RS9024D	256	AFS1340DFS	154	AFS2040DFS	154	AFS2746DFS	154	AFS3460DAS	159
AF5RS9024UD	257	AFS1342BMF	153	AFS2042BMF	153	AFS2746DTS	155	AFS3460DTS	155
AF5RS9030D	256	AFS1342BSF	153	AFS2042BSF	153	AFS2748DAS	159	AFS3461USF	38
AF5RS9030UD	257	AFS1342DFS	154	AFS2042DFS	154	AFS2748DFS	154	AFS3464DAS	159
AF5RS9624D	256	AFS1342MPD	160	AFS2042SFS	161	AFS2748DTS	155	AFS3464DTS	155
AF5RS9624UD	257	AFS1345SFS	161	AFS2046DFS	154	AFS2752DAS	159	AFS3466DAS	159
AF5RS9630D	256	AFS1346DFS	154	AFS2048BMF	153	AFS2752DFS	154	AFS3466DTS	155
AF5RS9630UD	257	AFS1348BMF	153	AFS2048BSF	153	AFS2752DTS	155	AFS3467USF	38
AF5120S4224D	257	AFS1348BSF	153	AFS2048DFS	154	AFS2754DAS	159	AFS3470DAS	159
AF5120S4230D	257	AFS1348DFS	154	AFS2048SFS	161	AFS2754DFS	154	AFS3470DTS	155
AF5120S4824D	257	AFS1348MPD	160	AFS2052DFS	154	AFS2754DTS	155	AFS3472DAS	159
AF5120S4830D	257	AFS1348SFS	161	AFS2054BMF	153	AFS2758DAS	159	AFS3472DTS	155
AF5120S5424D	257	AFS1352DFS	154	AFS2054BSF	153	AFS2758DFS	154	AGS1136MPD	168
AF5120S5430D	257	AFS1354BMF	153	AFS2054DFS	154	AFS2758DTS	155	AGS1142MPD	168
AFAMS2048LH	115	AFS1354BSF	153	AFS2054SFS	161	AFS2760DAS	159	AGS1148MPD	168
AFAMS2048RH	115	AFS1354DFS	154	AFS2058DFS	154	AFS2760DFS	154	AGS1154MPD	168
AFAMS2048SS	115	AFS1354MPD	160	AFS2060BMF	153	AFS2760DTS	155	AGS1160MPD	168
AFAMS2046US	115	AFS1354SFS	161	AFS2060BSF	153	AFS2764DAS	159	AGS1321LDF	165
AFAMS2054LH	115	AFS1358DFS	154	AFS2060DFS	154	AFS2764DFS	154	AGS1321LDS	167
AFAMS2054RH	115	AFS1360BMF	153	AFS2060SFS	161	AFS2764DTS	155	AGS1321LDT	166
AFAMS2054SS	115	AFS1360BSF	153	AFS2064DFS	154	AFS2766DAS	159	AGS1322LHF	165
AFAMS2054US	115	AFS1360DFS	154	AFS2066BMF	153	AFS2766DFS	154	AGS1322LHS	167
AFAMS2060LH	115	AFS1360MPD	160	AFS2066BSF	153	AFS2766DTS	155	AGS1322LHT	166
AFAMS2060RH	115	AFS1360SFS	161	AFS2066DFS	154	AFS2770DAS	159	AGS1324BSF	162
AFAMS2060SS	115	AFS1364DFS	154	AFS2066SFS	161	AFS2770DFS	154	AGS1324LDF	165
AFAMS2060US	115	AFS1366BMF	153	AFS2070DFS	154	AFS2770DTS	155	AGS1324LDS	167
AFAMS2066LH	115	AFS1366BSF	153	AFS2072BMF	153	AFS2772DAS	159	AGS1324LDT	166
AFAMS2066RH	115	AFS1366DFS	154	AFS2072BSF	153	AFS2772DFS	154	AGS1327LDF	165
AFAMS2066SS	115	AFS1366MPD	160	AFS2072DFS	154	AFS2772DTS	155	AGS1327LDS	167
AFAMS2066US	115	AFS1366SFS	161	AFS2072SFS	161	AFS2824BSF	153	AGS1327LDT	166
AFAMS2072LH	115	AFS1370DFS	154	AFS2625USF	38	AFS2830BSF	153	AGS1328LHF	165
AFAMS2072RH	115	AFS1372BMF	153	AFS2627USF	38	AFS2836BSF	153	AGS1328LHS	167
AFAMS2072SS	115	AFS1372BSF	153	AFS2630USF	38	AFS2842BSF	153	AGS1328LHT	166
AFAMS2072US	115	AFS1372DFS	154	AFS2631USF	38	AFS2848BSF	153	AGS1330BSF	162
AFS1321LDF	156	AFS1372MPD	160	AFS2633USF	38	AFS2854BSF	153	AGS1330LDF	165
AFS1321LDS	158	AFS1372SFS	161	AFS2637USF	38	AFS2860BSF	153	AGS1330LDS	167
AFS1321LDT	157	AFS2021LDF	156	AFS2639USF	38	AFS2866BSF	153	AGS1330LDT	166
AFS1322LHF	156	AFS2021LDS	158	AFS2643USF	38	AFS2872BSF	153	AGS1334DFS	163
AFS1322LHS	158	AFS2021LDT	157	AFS2649USF	38	AFS3425USF	38	AGS1336BSF	162
AFS1322LHT	157	AFS2022LHF	156	AFS2655USF	38	AFS3427USF	38	AGS1336DFS	163
AFS1324BMF	153	AFS2022LHS	158	AFS2661USF	38	AFS3430USF	38	AGS1336LDF	165
AFS1324BSF	153	AFS2022LHT	157	AFS2667USF	38	AFS3431USF	38	AGS1336LDS	167
AFS1324LDF	156	AFS2024BMF	153	AFS2721LDF	156	AFS3433USF	38	AGS1336LDT	166
AFS1324LDS	158	AFS2024BSF	153	AFS2722LHF	156	AFS3434DAS	159	AGS1340DFS	163
AFS1324LDT	157	AFS2024LDF	156	AFS2722LHS	158	AFS3434DTS	155	AGS1342BSF	162
AFS1327LDF	156	AFS2024LDS	158	AFS2722LHT	157	AFS3436DAS	159	AGS1342DFS	163
AFS1327LDS	158	AFS2024LDT	157	AFS2724LDF	156	AFS3436DTS	155	AGS1346DFS	163
AFS1327LDT	157	AFS2027LDF	156	AFS2727LDF	156	AFS3437USF	38	AGS1348BSF	162
AFS1328LHF	156	AFS2027LDS	158	AFS2728LHF	156	AFS3439USF	38	AGS1348DFS	163
AFS1328LHS	158	AFS2027LDT	157	AFS2728LHS	158	AFS3440DAS	159	AGS1352DFS	163
AFS1328LHT	157	AFS2028LHF	156	AFS2728LHT	157	AFS3440DTS	155	AGS1354BSF	162
AFS1330BMF	153	AFS2028LHS	158	AFS2730LDF	156	AFS3442DAS	159	AGS1354DFS	163
AFS1330BSF	153	AFS2028LHT	157	AFS2734DAS	159	AFS3442DTS	155	AGS1358DFS	163
AFS1330LDF	156	AFS2030BMF	153	AFS2734DFS	154	AFS3443USF	38	AGS1360BSF	162
AFS1330LDS	158	AFS2030BSF	153	AFS2734DTS	155	AFS3446DAS	159	AGS1360DFS	163

# Cross Reference Index

by Model Number

INDEX

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
AGS1364DFS	163	AGS2631USF	41	ALS1348BSF	177	ALS2631USF	43	ALS4130USF	43
AGS1366BSF	162	AGS2633USF	41	ALS1348DFS	178	ALS2633USF	43	ALS4133USF	43
AGS1366DFS	163	AGS2637USF	41	ALS1348MPD	183	ALS2637USF	43	ALS4139USF	43
AGS1370DFS	163	AGS2639USF	41	ALS1352DFS	178	ALS2639USF	43	AMADHD	290
AGS1372BSF	162	AGS2643USF	41	ALS1354BSF	177	ALS2643USF	43	AMASD	290
AGS1372DFS	163	AGS2649USF	41	ALS1354DFS	178	ALS2649USF	43	AMASD-G	290
AGS1378BSF	162	AGS2655USF	41	ALS1354MPD	183	ALS2655USF	43	AMASHD	290
AGS1384BSF	162	AGS3425USF	41	ALS1358DFS	178	ALS2661USF	43	AMASHDCK	291
AGS1390BSF	162	AGS3427USF	41	ALS1360BSF	177	ALS2667USF	43	AMASTS	290
AGS1396BSF	162	AGS3430USF	41	ALS1360DFS	178	ALS2721LDF	180	AMASTSCK	291
AGS2021LDF	165	AGS3431USF	41	ALS1360MPD	183	ALS2721LDS	182	AMASTS-G	290
AGS2021LDS	167	AGS3433USF	41	ALS1364DFS	178	ALS2721LDT	181	AMF22	292
AGS2021LDT	166	AGS3437USF	41	ALS1366BSF	177	ALS2722LHF	180	AMKF22	292, 293
AGS2022LHF	165	AGS3439USF	41	ALS1366DFS	178	ALS2722LHS	182	AMS2048LH	264
AGS2022LHS	167	AGS3443USF	41	ALS1366MPD	183	ALS2722LHT	181	AMS2048RH	264
AGS2022LHT	166	AGS3449USF	41	ALS1370DFS	178	ALS2724LDF	180	AMS2048SS	265
AGS2024BSF	162	AGS3455USF	41	ALS1372BSF	177	ALS2724LDS	182	AMS2048US	264
AGS2024LDF	165	AGSAUHK	270	ALS1372DFS	178	ALS2724LDT	181	AMS2054LH	264
AGS2024LDS	167	AJTRGH24	259	ALS1372MPD	183	ALS2727LDF	180	AMS2054RH	264
AGS2024LDT	166	AJTRGH36	259	ALS2021LDF	180	ALS2727LDS	182	AMS2054SS	265
AGS2027LDF	165	AKMH	276	ALS2021LDS	182	ALS2727LDT	181	AMS2054US	264
AGS2027LDS	167	AKTLONG	276	ALS2021LDT	181	ALS2728LHF	180	AMS2060LH	264
AGS2027LDT	166	AKTMID	276	ALS2022LHF	180	ALS2728LHS	182	AMS2060RH	264
AGS2028LHF	165	AKTSHORT	276	ALS2022LHS	182	ALS2728LHT	181	AMS2060SS	265
AGS2028LHS	167	ALED17U	285	ALS2022LHT	181	ALS2730LDF	180	AMS2060US	264
AGS2028LHT	166	ALED17U60	285	ALS2024BSF	177	ALS2730LDS	182	AMS2066LH	264
AGS2030BSF	162	ALED17UJMP30	285	ALS2024LDF	180	ALS2730LDT	181	AMS2066RH	264
AGS2030LDF	165	ALED31U	285	ALS2024LDS	182	ALS2734DFS	179	AMS2066SS	265
AGS2030LDS	167	ALED31U60	285	ALS2024LDT	181	ALS2736DFS	179	AMS2066US	264
AGS2030LDT	166	ALED31UJMP30	285	ALS2027LDF	180	ALS2736LDF	180	AMS2072LH	264
AGS2034DFS	163	ALEDOCC	285	ALS2027LDS	182	ALS2736LDS	182	AMS2072RH	264
AGS2036BSF	162	ALKF23C	292	ALS2027LDT	181	ALS2736LDT	181	AMS2072SS	265
AGS2036DFS	163	ALKF23CN	292	ALS2028LHF	180	ALS2740DFS	179	AMS2072US	264
AGS2036LDF	165	ALS1321LDF	180	ALS2028LHS	182	ALS2742DFS	179	AMS3248LH	264
AGS2036LDS	167	ALS1321LDS	182	ALS2028LHT	181	ALS2746DFS	179	AMS3248RH	264
AGS2036LDT	166	ALS1321LDT	181	ALS2030BSF	177	ALS2748DFS	179	AMS3248SS	265
AGS2040DFS	163	ALS1322LHF	180	ALS2030LDF	180	ALS2752DFS	179	AMS3248US	264
AGS2042BSF	162	ALS1322LHS	182	ALS2030LDS	182	ALS2754DFS	179	AMS3254LH	264
AGS2042DFS	163	ALS1322LHT	181	ALS2030LDT	181	ALS2758DFS	179	AMS3254RH	264
AGS2046DFS	163	ALS1324BSF	177	ALS2034DFS	178	ALS2760DFS	179	AMS3254SS	265
AGS2048BSF	162	ALS1324LDF	180	ALS2036BSF	177	ALS2764DFS	179	AMS3254US	264
AGS2048DFS	163	ALS1324LDS	182	ALS2036DFS	178	ALS2766DFS	179	AMS3260LH	264
AGS2052DFS	163	ALS1324LDT	181	ALS2036LDF	180	ALS2770DFS	179	AMS3260RH	264
AGS2054BSF	162	ALS1327LDF	180	ALS2036LDS	182	ALS2772DFS	179	AMS3260SS	265
AGS2054DFS	163	ALS1327LDS	182	ALS2036LDT	181	ALS2824BSF	177	AMS3260US	264
AGS2058DFS	163	ALS1327LDT	181	ALS2040DFS	178	ALS2830BSF	177	AMS3266LH	264
AGS2060BSF	162	ALS1328LHF	180	ALS2042BSF	177	ALS2836BSF	177	AMS3266RH	264
AGS2060DFS	163	ALS1328LHS	182	ALS2042DFS	178	ALS2842BSF	177	AMS3266SS	265
AGS2064DFS	163	ALS1328LHT	181	ALS2046DFS	178	ALS2848BSF	177	AMS3266US	264
AGS2066BSF	162	ALS1330BSF	177	ALS2048BSF	177	ALS2854BSF	177	AMS3272LH	264
AGS2066DFS	163	ALS1330LDF	180	ALS2048DFS	178	ALS2860BSF	177	AMS3272RH	264
AGS2070DFS	163	ALS1330LDS	182	ALS2052DFS	178	ALS2866BSF	177	AMS3272SS	265
AGS2072BSF	162	ALS1330LDT	181	ALS2054BSF	177	ALS2872BSF	177	AMS3272US	264
AGS2072DFS	163	ALS1330MPD	183	ALS2054DFS	178	ALS3425USF	43	APACSM	291
AGS2078BSF	162	ALS1334DFS	178	ALS2058DFS	178	ALS3427USF	43	APACW	291
AGS2084BSF	162	ALS1336BSF	177	ALS2060BSF	177	ALS3430USF	43	APADD	290
AGS2090BSF	162	ALS1336DFS	178	ALS2060DFS	178	ALS3431USF	43	APASD	290
AGS2096BSF	162	ALS1336LDF	180	ALS2064DFS	178	ALS3433USF	43	APASDCK	291
AGS2536DFS	164	ALS1336LDS	182	ALS2066BSF	177	ALS3437USF	43	APATF	290
AGS2542DFS	164	ALS1336LDT	181	ALS2066DFS	178	ALS3439USF	43	APGBP18SNPT	218
AGS2548DFS	164	ALS1336MPD	183	ALS2070DFS	178	ALS3443USF	43	APGBP18SNPTE	220
AGS2554DFS	164	ALS1340DFS	178	ALS2072BSF	177	ALS3449USF	43	APGBP186NPT	218
AGS2560DFS	164	ALS1342BSF	177	ALS2072DFS	178	ALS3455USF	43	APGBP186NPTE	220
AGS2625USF	41	ALS1342DFS	178	ALS2625USF	43	ALS3461USF	43	APGBP189TFN	218
AGS2627USF	41	ALS1342MPD	183	ALS2627USF	43	ALS3467USF	43	APGBP189TFNE	220
AGS2630USF	41	ALS1346DFS	178	ALS2630USF	43	ALS4127USF	43	APGBP246NPT	218

# Cross Reference Index

by Model Number

INDEX

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
APGBP246NPTE	220	APS4133USF	39	AVF5RS4830	256	EATS	281	G2272G	203
APGBP249TFN	218	APS4137USF	39	AVF5RS5424	256	FBRZPWM	36	G2275	197
APGBP249TFNE	220	APS4139USF	39	AVF5RS5430	256	FDEPC2	266	G2275G	203
APGBS24SNPT	218	APS4143USF	39	AVF5RS6024D	256	FDEPC12	266	G2278	197
APGBS24SNPTE	220	APS4149USF	39	AVF5RS6030D	256	FDPWRC	259	G2278G	203
APGBS249TFN	218	APS4155USF	39	AVF5RS6624D	256	FDPWRSC	259	G2281	197
APGBS249TFNE	220	APS4161USF	39	AVF5RS6630D	256	FDRWEC	266	G2281G	203
APGCP189TPN	218	APS4167USF	39	AVF5RS7224D	256	FDRWLEG	266	G2284	197
APGCP189TPNE	220	APTK	294	AVF5RS7230D	256	FDRWUC	266	G2284G	203
APGCP249TPN	218	APWRMOD1TT	287	AVSTA3PWR	287	FDSC48LL	263	G2287	197
APGCP249TPNE	220	APWRMOD1UWM	287	AW4GANG	84	FDSC48LR	263	G2287G	203
APGCS249TPN	218	APWRMOD2Q	287	AWCS	276	FDSC48R	263	G2293	197
APGCS249TPNE	220	APWRMOD2UWM	287	AWS2625USF	44	FDSC48U	263	G2293G	203
APMAP186NFN	218	APWRMOD2WC	287	AWS2627USF	44	FDSC54LL	263	G2299	197
APMAP186NFNE	220	APWRMOD3UWM	287	AWS2630USF	44	FDSC54LR	263	G2299G	203
APMAP246NFN	218	APWRMOD3WC	287	AWS2631USF	44	FDSC54R	263	G3033	199
APMAP246NFNE	220	ARSLCC	294	AWS2633USF	44	FDSC54U	263	G3033G	205
APMBP18SNPT	218	ASH2625USF	42	AWS2637USF	44	FDSC60LL	263	G3036	199
APMBP18SNPTE	221	ASH2631USF	42	AWS2639USF	44	FDSC60LR	263	G3036G	205
APMBP186NPT	219	ASH2637USF	42	AWS2643USF	44	FDSC60R	263	G3039	199
APMBP186NPTE	221	ASH2643USF	42	AWS2649USF	44	FDSC60U	263	G3039G	205
APMBP189TFN	218	ASH2649USF	42	AWS2655USF	44	FDSC66LL	263	G3042	199
APMBP189TFNE	221	ASH2655USF	42	AWS2661USF	44	FDSC66LR	263	G3042G	205
APMBP246NPT	219	ASH2661USF	42	AWS2667USF	44	FDSC66R	263	G3045	199
APMBP246NPTE	221	ASH2667USF	42	AWS3425USF	44	FDSC66U	263	G3045G	205
APMBP249TFN	218	ASH2679USF	42	AWS3427USF	44	FDSC72LL	263	G3048	199
APMBP249TFNE	221	ASH3425USF	42	AWS3430USF	44	FDSC72LR	263	G3048G	205
APMBS24SNPT	218	ASH3431USF	42	AWS3431USF	44	FDSC72R	263	G3051	199
APMBS24SNPTE	221	ASH3437USF	42	AWS3433USF	44	FDSC72U	263	G3051G	205
APMBS249TFN	218	ASH3443USF	42	AWS3437USF	44	G2218	197	G3054	199
APMBS249TFNE	221	ASH3449USF	42	AWS3439USF	44	G2218G	203	G3054G	205
APMC6	281	ASH3455USF	42	AWS3443USF	44	G2221	197	G3057	199
APMCP189TPN	219	ASH3461USF	42	AWS3449USF	44	G2221G	203	G3057G	205
APMCP189TPNE	221	ASH3467USF	42	AWS3455USF	44	G2224	197	G3060	199
APMCP249TPN	219	ASH3479USF	42	AWS3461USF	44	G2224G	203	G3060G	205
APMCP249TPNE	221	ASH4125USF	42	AWS3467USF	44	G2227	197	G3063	199
APMCS249TPN	219	ASH4131USF	42	AWS4127USF	44	G2227G	203	G3063G	205
APMCS249TPNE	221	ASH4137USF	42	AWS4130USF	44	G2230	197	G3066	199
APS2625USF	39	ASH4143USF	42	AWS4133USF	44	G2230G	203	G3066G	205
APS2627USF	39	ASH4149USF	42	AWS4139USF	44	G2233	197	G3069	199
APS2630USF	39	ASH4155USF	42	CFDPWRC	259	G2233G	203	G3069G	205
APS2631USF	39	ASH4161USF	42	CFDPWRSC	259	G2236	197	G3072	199
APS2633USF	39	ASH4167USF	42	CSDC19	282	G2236G	203	G3072G	205
APS2637USF	39	ASH4179USF	42	CSDC25	282	G2239	197	G3075	199
APS2639USF	39	ATADF3	50, 102, 262	EAAC	281	G2239G	203	G3075G	205
APS2643USF	39	ATADF4	50, 102, 262	EABS	281	G2242	197	G3078	199
APS2649USF	39	ATADJ5	50, 102, 262	EACS	281	G2242G	203	G3078G	205
APS2655USF	39	ATADJ6	50, 102, 262	EADH	281	G2245	197	G3081	199
APS2661USF	39	AUCH15N	224	EAFS	281	G2245G	203	G3081G	205
APS2667USF	39	AUCH15NE	225	EAFU	281	G2248	197	G3084	199
APS3425USF	39	AUCH15U	224	EAHSR36	280	G2248G	203	G3084G	205
APS3427USF	39	AUCH15UE	225	EAHSR42	280	G2251	197	G3533	200
APS3430USF	39	AUCHL15N	224	EAHSR48	280	G2251G	203	G3533G	206
APS3431USF	39	AUCHL15NE	225	EAHSR60	280	G2254	197	G3536	200
APS3433USF	39	AUCHL15U	224	EAHSR66	280	G2254G	203	G3536G	206
APS3437USF	39	AUCHL15UE	225	EAHSR72	280	G2257	197	G3539	200
APS3439USF	39	AUCL15N	224	EAPC	281	G2257G	203	G3539G	206
APS3443USF	39	AUCL15U	224	EAPS	281	G2260	197	G3542	200
APS3449USF	39	AUFD15N	224	EAPT	281	G2260G	203	G3542G	206
APS3455USF	39	AUFD15NE	225	EASR24	280	G2263	197	G3545	200
APS3461USF	39	AUFH15N	224	EASR30	280	G2263G	203	G3545G	206
APS3467USF	39	AUFH15NE	225	EASR36	280	G2266	197	G3548	200
APS4125USF	39	AUFHL15N	224	EASR42	280	G2266G	203	G3548G	206
APS4127USF	39	AUFHL15NE	225	EASR48	280	G2269	197	G3551	200
APS4130USF	39	AUFO15N	224	EASR60	280	G2269G	203	G3551G	206
APS4131USF	39	AVF5RS4824	256	EASS	281	G2272	197	G3554	200



# Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
G3554G.....	206	G5060.....	202	G41378GS.....	211	K5CT1536SC.....	122	SC22ETE.....	31
G3557.....	200	G5063.....	202	G41381GS.....	211	LKFE.....	293	SC22ETS.....	31
G3557G.....	206	G5066.....	202	G41515GS.....	212	PRFTSKCL.....	286	SCB24DS.....	35
G3560.....	200	G5069.....	202	G41518GS.....	212	PRFTSKFS.....	286	SCB24SS.....	35
G3560G.....	206	G5072.....	202	G41521GS.....	212	PRFTSKTR.....	286	SCB30DS.....	35
G3563.....	200	G5075.....	202	G41524GS.....	212	RFDRW48.....	266	SCB30SS.....	35
G3563G.....	206	G5078.....	202	G41527GS.....	212	RFDRW54.....	266	SE08PP1.....	49
G3566.....	200	G5081.....	202	G41530GS.....	212	RFDRW60.....	266	SE08PP2.....	49
G3566G.....	206	G5084.....	202	G41533GS.....	212	RFDRW66.....	266	SE08TPP2.....	49
G3569.....	200	G22105.....	197	G41536GS.....	212	RFDRW72.....	266	SE08XPP2.....	49
G3569G.....	206	G22105G.....	203	G41539GS.....	212	RFDRAWB.....	266	SE08YPP2.....	49
G3572.....	200	G22111.....	197	G41542GS.....	212	RFDRWCNPP.....	268	SE30EK3C.....	48
G3572G.....	206	G22111G.....	203	G41545GS.....	212	RFDRWCNPPE.....	268	SE30EK4C.....	48
G3575.....	200	G22117.....	197	G41548GS.....	212	RFDRWCNPPM.....	268	SE36EK3C.....	48
G3575G.....	206	G22117G.....	203	G41551GS.....	212	RFDRWHUBEND.....	267	SE36EK4C.....	48
G3578.....	200	G22123.....	197	G41554GS.....	212	RFDRWHUBENDT.....	267	SE42EK3C.....	48
G3578G.....	206	G22123G.....	203	G41557GS.....	212	RFDRWHUBL.....	267	SE42EK4C.....	48
G3581.....	200	G22129.....	197	G41560GS.....	212	RFDRWHUBLIN.....	267	SE48EK3C.....	48
G3581G.....	206	G22129G.....	203	G41563GS.....	212	RFDRWHUBT.....	267	SE48EK4C.....	48
G3584.....	200	G22135.....	197	G41566GS.....	212	RFDRWHUBX.....	267	SE54EK3C.....	48
G3584G.....	206	G22135G.....	203	G41569GS.....	212	RFDRWLEG.....	266	SE54EK4C.....	48
G4233.....	201	G22141.....	197	G41572GS.....	212	RFDRWSC48.....	269	SE60EK3C.....	48
G4233G.....	207	G22141G.....	203	G41575GS.....	212	RFDRWSC54.....	269	SE60EK4C.....	48
G4236.....	201	G22147.....	197	G41578GS.....	212	RFDRWSC60.....	269	SE66EK3C.....	48
G4236G.....	207	G22147G.....	203	G41581GS.....	212	RFDRWSC66.....	269	SE66EK4C.....	48
G4239.....	201	G40715GS.....	210	GFCKA.....	208	RFDRWSC72.....	269	SE72EK3C.....	48
G4239G.....	207	G40718GS.....	210	GFCKLH.....	208	RFDRWWM.....	268	SE72EK4C.....	48
G4242.....	201	G40721GS.....	210	GFCKSH.....	208	S2SD.....	35	SE84EK3C.....	48
G4242G.....	207	G40724GS.....	210	GS2281.....	198	S3SD.....	35	SE84EK4C.....	48
G4245.....	201	G40727GS.....	210	GS2281G.....	204	SAFILLERKIT1.....	45	SEDMUP.....	36
G4245G.....	207	G40730GS.....	210	GS2287.....	198	SAFILLERKIT25.....	45	SEDMWM20.....	36
G4248.....	201	G40733GS.....	210	GS2287G.....	204	SAFILLERKIT27.....	45	SEDMWM30.....	36
G4248G.....	207	G40736GS.....	210	GS2293.....	198	SAFILLERKIT30.....	45	SELGEJ3C.....	48
G4251.....	201	G40739GS.....	210	GS2293G.....	204	SAFILLERKIT31.....	45	SELGEJ4C.....	48
G4251G.....	207	G40742GS.....	210	GS2299.....	198	SAFILLERKIT33.....	45	SESFEJ3C.....	48
G4254.....	201	G40745GS.....	210	GS2299G.....	204	SAFILLERKIT37.....	45	SESFEJ4C.....	48
G4254G.....	207	G40748GS.....	210	GS22105.....	198	SAFILLERKIT39.....	45	SESMEJ3C.....	48
G4257.....	201	G40751GS.....	210	GS22105G.....	204	SAFILLERKIT43.....	45	SESMEJ4C.....	48
G4257G.....	207	G40754GS.....	210	GS22111.....	198	SAFILLERKIT49.....	45	SESSEJ3C.....	48
G4260.....	201	G40757GS.....	210	GS22111G.....	204	SAFILLERKIT55.....	45	SESSEJ4C.....	48
G4260G.....	207	G40760GS.....	210	GS22117.....	198	SAFILLERKIT61.....	45	SF30F.....	30
G4263.....	201	G40763GS.....	210	GS22117G.....	204	SAFILLERKIT67.....	45	SF36F.....	30
G4263G.....	207	G40766GS.....	210	GS22123.....	198	SAFILLERKIT79.....	45	SF42F.....	30
G4266.....	201	G40769GS.....	210	GS22123G.....	204	SAFILLERKITNF.....	45	SF48F.....	30
G4266G.....	207	G40772GS.....	210	GS22129.....	198	SAHANGER.....	45	SF54F.....	30
G4269.....	201	G40775GS.....	210	GS22129G.....	204	SAPLANTER24.....	46	SF60F.....	30
G4269G.....	207	G40778GS.....	210	GS22135.....	198	SAS0630W.....	46	SF66F.....	30
G4272.....	201	G40781GS.....	210	GS22135G.....	204	SAS0636W.....	46	SF72F.....	30
G4272G.....	207	G41324GS.....	211	GS22141.....	198	SAS0642W.....	46	SF84F.....	30
G4275.....	201	G41327GS.....	211	GS22141G.....	204	SAS0648W.....	46	SF2630P.....	37
G4275G.....	207	G41330GS.....	211	GS22147.....	198	SAS0654W.....	46	SF2636P.....	37
G4278.....	201	G41333GS.....	211	GS22147G.....	204	SAS0660W.....	46	SF2642P.....	37
G4278G.....	207	G41336GS.....	211	GS870924.....	285	SAS0666W.....	46	SF2648P.....	37
G4281.....	201	G41339GS.....	211	GS870930.....	285	SAS0672W.....	46	SF2654P.....	37
G4281G.....	207	G41342GS.....	211	GS870948.....	285	SAS0684W.....	46	SF2660P.....	37
G4284.....	201	G41345GS.....	211	GS870960.....	285	SATRAY.....	46	SF2666P.....	37
G4284G.....	207	G41348GS.....	211	GSCCKP.....	208	SCI2LS.....	32	SF2672P.....	37
G5033.....	202	G41351GS.....	211	GSCCKPMD.....	208	SCI2SFF.....	32	SF2684P.....	37
G5036.....	202	G41354GS.....	211	GSCCKPMS.....	208	SCI2SS.....	32	SF3430P.....	37
G5039.....	202	G41357GS.....	211	GSGKL.....	208, 209	SCI2TF.....	32	SF3436P.....	37
G5042.....	202	G41360GS.....	211	GSGKM.....	208, 209	SCI2TS.....	32	SF3442P.....	37
G5045.....	202	G41363GS.....	211	GSHW.....	208	SCI2XF.....	32	SF3448P.....	37
G5048.....	202	G41366GS.....	211	GSTFN7578.....	208, 209	SCI2XS.....	32	SF3454P.....	37
G5051.....	202	G41369GS.....	211	GSTFN8184.....	208, 209	SCI2YF.....	32	SF3460P.....	37
G5054.....	202	G41372GS.....	211	GSYSRPC2.....	50	SCI2YS2.....	32	SF3466P.....	37
G5057.....	202	G41375GS.....	211	GSYSRPC12.....	50	SCI2YS3.....	32	SF3472P.....	37

# Cross Reference Index

by Model Number

INDEX

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
SF3484P.....	37	SW2864DFS.....	33	U5F2736S.....	77	U6H2SCU1P4C.....	104	U6TU1336F.....	110
SF4130P.....	37	SW2870DE.....	34	U5F2742S.....	77	U6H2SCU1P4H.....	104	U6TU1342F.....	110
SF4136P.....	37	SW2870DFR.....	33	U5F2748S.....	77, 135	U6HB2L.....	82	U6TU1348F.....	110
SF4142P.....	37	SW2870DFS.....	33	U5F2754S.....	77, 135	U6HB3.....	104	U6TU1354F.....	110
SF4148P.....	37	SW2946NE.....	34	U5F2760S.....	77, 135	U6HB3L.....	82	U6TU1360F.....	110
SF4154P.....	37	SW2946NFR.....	33	U5F2766S.....	77, 135	U6HK1HC.....	82	U6WBTF.....	76, 84
SF4160P.....	37	SW2946NFS.....	33	U5F2772S.....	77, 135	U6HK1P.....	82	U7HSB2.....	121
SF4166P.....	37	SW2952NE.....	34	U5F2778S.....	77	U6HK1S.....	82	U7HSK1.....	121
SF4172P.....	37	SW2952NFR.....	33	U5F2784S.....	77	U6HK2HC.....	82	U7HSK2.....	121
SF4184P.....	37	SW2952NFS.....	33	U5F2790S.....	77	U6HK2P.....	82	U7MC203615HL.....	122
SKITD.....	35	SW2958DE.....	34	U5F2796S.....	77	U6HK2S.....	82	U7MC203615HR.....	122
SS1724M.....	46	SW2958DFR.....	33	U5F214646C.....	78	U6HK3HC.....	82	U7P1027PBL.....	122
SS2724M.....	46	SW2958DFS.....	33	U5F215252C.....	78	U6HK3P.....	82	U7P1027PBR.....	122
SS5060MS.....	47	SW2964DE.....	34	U5F244646C.....	78, 135	U6HK3S.....	82	U7P1521PD.....	122
SS5268BLH.....	47	SW2964DFR.....	33	U5F245252C.....	78, 135	U6HK4HC.....	82	U7T421227ADL.....	123
SS5268BRH.....	47	SW2964DFS.....	33	U5F274646C.....	78, 135	U6HK4P.....	82	U7T421227ADR.....	123
ST30MT.....	31	SW2970DE.....	34	U5F275252C.....	78, 135	U6HK4S.....	82	U7T501221ADL.....	123
ST36MT.....	31	SW2970DFR.....	33	U6BC1324F.....	107	U6L2FG.....	84	U7T501221ADR.....	123
ST42MT.....	31	SW2970DFS.....	33	U6BC1324G.....	109	U6T2FC.....	84	U7T501227ADL.....	123
ST48MT.....	31	T612FB.....	84	U6BC1330F.....	107	U6TM18F.....	108	U7T501227ADR.....	123
ST54MT.....	31	T624FB.....	84	U6BC1330G.....	109	U6TM24F.....	108	U7WDA.....	282
ST60MT.....	31	T630FB.....	84	U6BC1336F.....	107	U6TM30F.....	108	U8IKCH.....	99
ST66MT.....	31	TAWG.....	141	U6BC1336G.....	109	U6TM36F.....	108	U8IKNY1.....	99
ST72MT.....	31	U2HPP.....	99	U6BC1342F.....	107	U6TM42F.....	108	U8IKNY2.....	99
ST84MT.....	31	U3CG12.....	82, 104	U6BC1342G.....	109	U6TM48F.....	108	U8IKNY3.....	99
SW2246NE.....	34	U3CHBG.....	82	U6BC1348F.....	107	U6TM54F.....	108	U8SBKCH.....	99
SW2246NFR.....	33	U3HAE.....	82, 104	U6BC1348G.....	109	U6TM60F.....	108	U8SBKNY1.....	99
SW2246NFS.....	33	U3HAI.....	82, 104	U6BC1354F.....	107	U6TS1330F.....	108	U8SBKNY2.....	99
SW2252NE.....	34	U3SSHAF.....	137, 208	U6BC1354G.....	109	U6TS1330G.....	109	U9TF.....	270
SW2252NFR.....	33	U5CC6024LS.....	79, 135	U6BC1360F.....	107	U6TS1336F.....	108	U9TM.....	270
SW2252NFS.....	33	U5CC6024RS.....	79, 135	U6BC1360G.....	109	U6TS1336G.....	109	U9TP.....	270
SW2258DE.....	34	U5CC6027LS.....	79, 135	U6BC1366G.....	109	U6TS1342F.....	108	U9TS.....	270
SW2258DFR.....	33	U5CC6027RS.....	79, 135	U6BC1372G.....	109	U6TS1342G.....	109	U9WTC.....	270
SW2258DFS.....	33	U5CC6624LS.....	79, 135	U6BC1378G.....	109	U6TS1348F.....	108	U912WTR.....	270
SW2264DE.....	34	U5CC6624RS.....	79, 135	U6BC1384G.....	109	U6TS1348G.....	109	U918WTR.....	270
SW2264DFR.....	33	U5CC6627LS.....	79, 135	U6BC1390G.....	109	U6TS1354F.....	108	U924WTR.....	270
SW2264DFS.....	33	U5CC6627RS.....	79, 135	U6BC1396G.....	109	U6TS1354G.....	109	U930WTR.....	270
SW2270DE.....	34	U5CC7224LS.....	79, 135	U6BC2024F.....	107	U6TS1360F.....	108	U936WTR.....	270
SW2270DFR.....	33	U5CC7224RS.....	79, 135	U6BC2024G.....	109	U6TS1360G.....	109	U942WTR.....	270
SW2270DFS.....	33	U5CC7227LS.....	79, 135	U6BC2030F.....	107	U6TS2030F.....	108	U948WTR.....	270
SW2346NE.....	34	U5CC7227RS.....	79, 135	U6BC2030G.....	109	U6TS2030G.....	109	U954WTR.....	270
SW2346NFR.....	33	U5F2130S.....	77	U6BC2036F.....	107	U6TS2036F.....	108	U960WTR.....	270
SW2346NFS.....	33	U5F2136S.....	77	U6BC2036G.....	109	U6TS2036G.....	109	U966WTR.....	270
SW2352NE.....	34	U5F2142S.....	77	U6BC2042F.....	107	U6TS2042F.....	108	UN2CSQPP.....	99
SW2352NFR.....	33	U5F2148S.....	77	U6BC2042G.....	109	U6TS2042G.....	109	UN2ESQPP.....	99
SW2352NFS.....	33	U5F2154S.....	77	U6BC2048F.....	107	U6TS2048F.....	108	UN2HPSQ.....	99, 268
SW2358DE.....	34	U5F2160S.....	77	U6BC2048G.....	109	U6TS2048G.....	109	UN2HPSQSK.....	99, 268
SW2358DFR.....	33	U5F2166S.....	77	U6BC2054F.....	107	U6TS2054F.....	108	UN3CBBE.....	84
SW2358DFS.....	33	U5F2172S.....	77	U6BC2054G.....	109	U6TS2054G.....	109	UN3CHB1.....	136
SW2364DE.....	34	U5F2178S.....	77	U6BC2060F.....	107	U6TS2060F.....	108	UN3CHB2.....	136
SW2364DFR.....	33	U5F2184S.....	77	U6BC2060G.....	109	U6TS2060G.....	109	UN3CHB3.....	136
SW2364DFS.....	33	U5F2190S.....	77	U6BC2066G.....	109	U6TTS1330F.....	108	UN3CHBC.....	82
SW2370DE.....	34	U5F2196S.....	77	U6BC2072G.....	109	U6TTS1336F.....	108	UN3TBE.....	137
SW2370DFR.....	33	U5F2430S.....	77	U6BC2078G.....	109	U6TTS1342F.....	108	UN6AEDS54SQ.....	85
SW2370DFS.....	33	U5F2436S.....	77	U6BC2084G.....	109	U6TTS1348F.....	108	UN6AEDS60SQ.....	85
SW2846NE.....	34	U5F2442S.....	77	U6BC2090G.....	109	U6TTS1354F.....	108	UN6AESS24LH.....	85
SW2846NFR.....	33	U5F2448S.....	77, 135	U6BC2096G.....	109	U6TTS1360F.....	108	UN6AESS24RH.....	85
SW2846NFS.....	33	U5F2454S.....	77, 135	U6BL1221ML.....	110	U6TTS2030F.....	108	UN6AESS27LH.....	85
SW2852NE.....	34	U5F2460S.....	77, 135	U6BL1221MR.....	110	U6TTS2036F.....	108	UN6AESS27RH.....	85
SW2852NFR.....	33	U5F2466S.....	77, 135	U6BL1227ML.....	110	U6TTS2042F.....	108	UN6ALSQ.....	84
SW2852NFS.....	33	U5F2472S.....	77, 135	U6BL1227MR.....	110	U6TTS2048F.....	108	UN6AMDS25SQ.....	85
SW2858DE.....	34	U5F2478S.....	77	U6BL2021ML.....	184	U6TTS2054F.....	108	UN6AWC.....	99
SW2858DFR.....	33	U5F2484S.....	77	U6BL2021MR.....	184	U6TTS2060F.....	108	UN6B06CN.....	80
SW2858DFS.....	33	U5F2490S.....	77	U6BL2027ML.....	184	U6TU1318F.....	110	UN6B06F.....	81
SW2864DE.....	34	U5F2496S.....	77	U6BL2027MR.....	184	U6TU1324F.....	110	UN6B06M.....	81
SW2864DFR.....	33	U5F2730S.....	77	U6GPSS.....	208	U6TU1330F.....	110	UN6B09CN.....	80

# Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page
UN6B09F.....	81	UN6BWMC48.....	101	UN87JH1.....	100
UN6B09M.....	81	UN6BWMC54.....	101	UN87JH2.....	100
UN6B12CN.....	80	UN6BWMC60.....	101	UN87JH3.....	100
UN6B12F.....	81	UN6BWMC66.....	101	UN87JH4.....	100
UN6B12M.....	81	UN6BWMC72.....	101	UN87U501.....	100
UN6B18F.....	81	UN6BWMC78.....	101	UN87U502.....	100
UN6B18M.....	81	UN6E2F.....	84	UN87U503.....	100
UN6B18N.....	80	UN6GBSS.....	84	UN87U504.....	100
UN6B21F.....	81	UN6H2PCK.....	104	UN87U506.....	100
UN6B21M.....	81	UN6HC2SQ.....	82	UN924BMS.....	101
UN6B21N.....	80	UN6HE2SQ.....	82	UN924HT.....	142, 259
UN6B24F.....	81	UN6HFCAU.....	82	UN930BMS.....	101
UN6B24M.....	81	UN6HFEAU.....	82	UN936BMS.....	101
UN6B24N.....	80	UN6HLC2SQ.....	83	UN936HT.....	142, 259
UN6B30F.....	81	UN6HLE2SQ.....	83	UN942BMS.....	101
UN6B30M.....	81	UN6HS2SQ.....	85	UN948BMS.....	101
UN6B30N.....	80	UN6L2FGSQ.....	84	UN948HT.....	142, 259
UN6B36F.....	81	UN6L2FLSQ.....	85	UN954BMS.....	101
UN6B36M.....	81	UN6LHK2HC.....	83	UN960BMS.....	101
UN6B36N.....	80	UN6LHK2S.....	83	UNE24D.....	136
UN6B36P.....	80, 100	UN6LHK3HC.....	83	UNE24S.....	136
UN6B42F.....	81	UN6LHK3S.....	83	UNE27D.....	136
UN6B42M.....	81	UN6LHK4HC.....	83	UNE27S.....	136
UN6B42N.....	80	UN6LHK4S.....	83	UNFIX2LEG.....	136
UN6B42P.....	80, 100	UN6PE24.....	136	UNFIX3LEG.....	136
UN6B48F.....	81	UN6PE27.....	136	UNHAT2LEG.....	136
UN6B48M.....	81	UN6S7L.....	137	UNHAT3LEG.....	136
UN6B48N.....	80	UN6S9L.....	137	UNM120.....	136
UN6B48P.....	80, 100	UN6SDMC36.....	101, 142	UNMD.....	136
UN6B54F.....	81	UN6SDMC42.....	101, 142	UNMPED.....	136
UN6B54M.....	81	UN6SDMC48.....	101, 142	UNMPES.....	136
UN6B54N.....	80	UN6SDMC54.....	101, 142	UNMS.....	136
UN6B54P.....	80, 100	UN6SDMC60.....	101, 142	UNQTMP.....	259, 287
UN6B60F.....	81	UN6SDMC66.....	101, 142	UNSBEC2.....	80, 100
UN6B60M.....	81	UN6SDMC72.....	101, 142	UNSBEC2CH.....	80, 99, 100
UN6B60N.....	80	UN6SDMC78.....	101, 142	UNSBEC12.....	80, 100
UN6B60P.....	80, 100	UN6SESS24LH.....	85	UNSBEC12CH.....	80, 99, 100
UN6B66F.....	81	UN6SESS24RH.....	85	WANDFS.....	286
UN6B66M.....	81	UN6SESS27LH.....	85	WANDFSOC.....	286
UN6B66N.....	80	UN6SESS27RH.....	85	WANDFSUSB.....	286
UN6B66P.....	80, 100	UN6SWMC36.....	101, 142	WKSWMC.....	259, 268
UN6B72F.....	81	UN6SWMC42.....	101, 142	YPLDIGMGR.....	215, 227
UN6B72M.....	81	UN6SWMC48.....	101, 142	YPLDIGPRG.....	215, 227
UN6B72N.....	80	UN6SWMC54.....	101, 142	Z5SC42.....	76
UN6B72P.....	80, 100	UN6SWMC60.....	101, 142	Z5SC48.....	76, 135
UN6B78F.....	81	UN6SWMC66.....	101, 142	Z5SC54.....	76, 135
UN6B78M.....	81	UN6SWMC72.....	101, 142	Z5SC60.....	76, 135
UN6B78N.....	80	UN6SWMC78.....	101, 142	Z5SC66.....	76
UN6B78P.....	80, 100	UN6WC.....	99	Z5SC72.....	76
UN6B84F.....	81	UN8BBKCH.....	99	Z5SC78.....	76
UN6B84M.....	81	UN8EBKCH.....	99	Z5SC84.....	76
UN6B84N.....	80	UN8HP.....	100	Z6BL0827F.....	114
UN6B84P.....	80, 100	UN8K36.....	80, 100	Z6BL0827G.....	114
UN6B90F.....	81	UN8K42.....	80, 100	Z6BL0830F.....	114
UN6B90M.....	81	UN8K48.....	80, 100	Z6BL0830G.....	114
UN6B90N.....	80	UN8K54.....	80, 100	Z6BL0836F.....	114
UN6B90P.....	80, 100	UN8K60.....	80, 100	Z6BL0836G.....	114
UN6B96F.....	81	UN8K66.....	80, 100	Z6LB.....	123
UN6B96M.....	81	UN8K72.....	80, 100	Z617UWTRGH.....	259
UN6B96N.....	80	UN8K78.....	80, 100	Z636UWTRGH.....	259
UN6B96P.....	80, 100	UN8K84.....	80, 100	Z61710UWTRGH.....	259
UN6BE54SQ.....	85	UN8K90.....	80, 100	Z63610UWTRGH.....	259
UN6BE60SQ.....	85	UN8K96.....	80, 100	ZS42SF.....	208, 209
UN6BMTW.....	84	UN87J16.....	100	ZS50SF.....	208, 209
UN6BWMC36.....	101	UN87J17.....	141		
UN6BWMC42.....	101	UN87J19.....	141		

# Notes

---



Allsteel®

Allsteel Inc.  
Muscatine, Iowa 52761

[allsteeloffice.com](http://allsteeloffice.com)

Form #A8708.A12 (12/23)