CONCINNITYTM



CONCINNITYTM

Clean styling. Rich woodgrains. Mixed materials. A coordinated suite of components. With Concinnity, you can create an upscale look for all types of office spaces — from open to collaborative to private. Choose from a variety of desk configurations and an extensive selection of storage options to create the ideal solution to fit your footprint and your needs.



FEATURES

- Cohesive visual signature highlighted by clean lines, vertical grain, and components that fit together like custom cabinetry.
- Modular design delivers an unbeatable combination of versatility, style, and personalization to any workspace.
- Wide array of aesthetic options, including edge profiles, handles, mixed materials, and laminate finish combinations.
- Extensive assortment of storage solutions allow users to increase functionality, maximize space and keep everything conveniently within reach.
- Products to create flat, continuous horizontal planes or multi-level, overlapping, layered surfaces.
- Standing-height workstations to support today's healthy work styles; available with adjustable or fixed height bases.

CONCINNITY™ ORDERING INFORMATION

WORKSURFACES L1 LAMINATES CODES Woodgrain ♦ Bourbon Cherry H ♦ Cognac COGN ♦ Florence Walnut LFW1 ♦ Harvest C ♦ Kingswood Walnut **LKI1** ♦ MahoganyN ♦ Mocha **MOCH** ♦ Natural Maple **D** PinnaclePINC Shaker Cherry F Sterling Ash LSA1 Solid ♠ Black P ♦ CharcoalS Designer White LDW1 ♦ Loft **LOFT** Patterned Sheer Mesh A5 Silver Mesh B9 L2 LAMINATES CODES Woodgrain ♦ Lowell Ash **LLA1** Natural Recon LNR1 Phantom Ecru LPE1 Portico Teak LPT1

Skyline Walnut LSW1

DRAWER AND DOOR FRONT	rs
L1 LAMINATES C	ODES
Bourbon Cherry	Н
Cognac	COGN
Florence Walnut	LFW1
♦ Harvest	
♦ Kingswood Walnut	LKI1
Mahogany	
♦ MochaI	мосн
Natural Maple	D
Pinnacle	PINC
Shaker Cherry	F
Sterling Ash	. LSA1
Solid	
♦ Black	P
♦ Charcoal	
Designer White	LDW1
♦ Loft	LOFT
Patterned	
Sheer Mesh	A5
Silver Mesh	B9
L2 LAMINATES	ODES
Woodgrain	
Lowell Ash	. LLA1
Natural Recon	LNR1
♦ Phantom Ecru	. LPE1
Portico Teak	. LPT1
Skyline Walnut	LSW1
HANDLE/LOCK	
FINISHES C	ODES
P1	
♦ Black	P
♦ Satin	SA

CHASSIS, END, MODESTY, AND **BACK PANELS**

L1 LAMINATES	CODES
Woodgrain	
Bourbon Cherry	Н
Cognac	COGN
Florence Walnut	LFW1
♦ Harvest	C
♦ Kingswood Walnut	LKI1
♦ Mahogany	N
♦ Mocha	
Natural Maple	D
Pinnacle	
Shaker Cherry	F
Sterling Ash	LSA1
Solid	
♦ Black	P
Charcoal	S
Designer White	LDW1
♦ Loft	LOFT
L2 LAMINATES	CODES
Woodgrain	
Lowell Ash	LLA1
Natural Recon	LNR1
Phantom Ecru	LPE1
Portico Teak	LPT1
Skyline Walnut	LSW1
HMBPOST AND HMBTLE	G24

PAINTS CODES

♦ Black **P**

♦ Platinum Metallic **T1**

P2

SILVER COLORWAY: The following finish options are coordinating silver colorways -Satin, Satin Nickel, Matte Chrome,

Platinum, and Platinum Metallic.

EDGE PROFILES "B" AND "V"

EDGEBAND COLORS	CODES
Woodgrain	
Bourbon Cherry	Н
Cognac	COGN
Florence Walnut	FW
♦ Harvest	C
Kingswood Walnut	KI
Mahogany	N
Mocha	МОСН
Natural Maple	D
Pinnacle	PINC
Shaker Cherry	F
Sterling Ash	SA

EDGE PROFILE "G"

DGEBAND COLORS	CODES
Voodgrain	
Bourbon Cherry	Н
Cognac	
Florence Walnut	
Harvest	
Kingswood Walnut	
Lowell Ash	
Mahogany	
Mocha	MOCH
Natural Maple	D
Natural Recon	NR
Phantom Ecru	
Pinnacle	
Portico Teak	
Shaker Cherry	
Skyline Walnut	
Sterling Ash	SA
olid	
Black	Р
Charcoal	
Designer White	
_	
Loft	LOF I

Pattern laminates do not have a matching edgeband color; they are available with a woodgrain or solid color edge.

CONCINNITY™ ORDERING SPECIFICATION/MODEL LOGIC

DESKS	
Double Pedestal Desk	Model Edge Profile + Edge Color Handle Worksurface Grommet Finish Worksurface Color Chassis Color
	Drawer Front Color
Single Pedestal Desk (Left & Right)	Model Edge Profile + Edge Color Handle Worksurface Grommet Finish Worksurface Color Chassis Color Drawer Front Color
CREDENZAS	
Credenza w/ Storage	Model Edge Profile + Edge Color Handle Worksurface Grommet Finish Worksurface Color Chassis Color Drawer/Door Front Color
Credenza w/ Kneespace	Model Edge Profile + Edge Color Handle Worksurface Grommet Finish Worksurface Color Chassis Color Drawer Front Color
Credenza w/ Lateral File (Left & Right)	Model Edge Profile + Edge Color Handle Worksurface Grommet Finish Worksurface Color Chassis Color Drawer Front Color
Single Pedestal Credenza (Left & Right)	Model Edge Profile + Edge Color Handle Worksurface Grommet Finish Worksurface Color Chassis Color Drawer Front Color
Credenzas - Low/Bench-Height	Model Edge Profile + Edge Color Handle Top Color Chassis Color Drawer Front Color
RETURNS	
Return (Left & Right)	Model Edge Profile + Edge Color Handle Worksurface Grommet Finish Worksurface Color Chassis Color Drawer Front Color
BULLET PENINSULA	
Bullet Peninsula	Model Edge Profile + Edge Color Worksurface Color Chassis Color
BRIDGES	
Bridge	Model Edge Profile + Edge Color Worksurface Grommet Finish Worksurface Color Chassis Color
CORNER UNITS	
Corner Unit	Model Edge Profile + Edge Color Worksurface Grommet Finish Worksurface Color Chassis Color
JETTY PENINSULAS	
Jetty Peninsula	Model Edge Profile + Edge Color Worksurface Grommet Finish Worksurface Color Chassis Color
STACK-ON STORAGE	
Stack-On Storage w/ Laminate Doors	Model Chassis Color Door Front Color
Stack-On Storage w/ Laminate Locking Doors	Model Lock Finish Chassis Color Door Front Color
Stack-On Storage w/ Frosted Doors	Model Chassis Color
Stack-On Storage w/ Sliding Door	Model Chassis Color Door Front Color
Stack-On Space Saver End Panels	Model Laminate Color
WALL MOUNTED STORAGE	
Wall Mounted Storage w/ Laminate Doors	Model Chassis Color Door Front Color
Wall Mounted Storage w/ Laminate Locking Doors	Model Lock Finish Chassis Color Door Front Color
Wall Mounted Storage w/ Frosted Doors	Model Chassis Color
Wall Mounted Storage w/ Sliding Door	Model Chassis Color Door Front Color
BOOKCASE HUTCHES	
Bookcase Hutch - No Doors/Open	Model Laminate Color
Bookcase Hutch w/ Laminate Doors	Model Handle Chassis Color Door Front Color
Bookcase Hutch w/ Frosted Doors	Model Laminate Color
RECEPTION STATIONS	
Reception Station	Model Edge Profile Edge Color Counter Color Chassis Color
Reception Station Counter	Model Edge Profile + Edge Color Counter Color Chassis Color
L-Reception Station Counter	Model Edge Profile + Edge Color Counter Color Chassis Color
Reception Desk with Transaction Counter	Model Edge Profile + Edge Color Worksurface Grommet Color Worksurface Color Chassis Color Accent Color
Reception Return with Transaction Counter	Model Edge Profile + Edge Color Worksurface Color Chassis Color
L-Reception Station with Transaction Counter	Model Edge Profile + Edge Color Counter Color Chassis Color
Transaction Counter Organizer	Model Edge Profile + Edge Color Counter Color Chassis Color
LATERAL FILES & STORAGE CABINETS	
Lateral File	Model Edge Profile + Edge Color Handle Top Color Chassis Color Drawer Front Color
Storage Cabinet – 78½" and 64¾"H	Model Handle Chassis Color Door Front Color
Storage Cabinet - 29½"H	Model Edge Profile + Edge Color Handle Top Color Chassis Color Door Front Color
Storage/File Cabinet - No Doors/Open	Model Handle Chassis Color Drawer Front Color
Storage/File Cabinet w/ Laminate Door	Model Handle Chassis Color Door & Drawer Front Color
Storage Cabinet/Lateral File	Model Handle Chassis Color Door & Drawer Front Color

CONCINNITY™ ORDERING SPECIFICATION/MODEL LOGIC

WARDROBES	
Wardrobe/Storage Cabinet	Model Handle Chassis Color Door Front Color
Wardrobe/Bookcase	Model Handle Chassis Color Door Front Color
STORAGE TOWERS	
24"W Storage Tower	Model Handle Chassis Color Door & Drawer Front Color
18"W Storage Tower	Model Handle Chassis Color Door Front Color
BOOKCASES	
Bookcase	Model Edge Profile and Edge Color Top Color Chassis Color
Bookcase w/ Coat Hooks	Model Laminate Color
WORKSURFACES	1.000 2.01.11.10.00.00.00
Rectangle Worksurface	Model Edge Profile + Edge Color Grommet Worksurface Color
Bow Worksurface	Model Edge Profile + Edge Color Grommet Worksurface Color
Bullet Worksurface	Model Edge Profile + Edge Color Grommet Worksurface Color
Extended Corner Worksurface	Model Edge Profile + Edge Color Worksurface Grommet Worksurface Color End Panel Color
PANELS & LEGS	Trode Edge Trome - Edge color Worksandee or Online Worksandee color End Tariel color
277/8"H Modesty/Back Panel	Model Grommet Laminate Color
10"H Modesty/Back Panel	Model Laminate Color
10"H Modesty Panel for Desks with O-Legs	Model Laminate Color
14"H Floating Modesty Panel	Model Laminate Color or Mixed Material
Half-Height Modesty Panel	Model Laminate Color
Full-Height Modesty Panel	Model Laminate Color
Full Back Panel for Pedestals – 30" & 36"W x 27 ⁷ / ₈ "H	Model Grommet Laminate Color
Full Back Panel for Pedestals – 9½", 15¾", & 18"W	Model Laminate Color
Full Back Panel for Pedestals – 9½" & 15¾", & 16 W	Model Laminate Color
Low Back Panel for Pedestal	Model Laminate Color
Laminate End Panel – 11/8"W x 281/2" or 41"H	Model Grommet Laminate Color
Laminate End Panel – 1/8"W x 7"H	Model Laminate Color
Laminate End Panel – L-Shape	Model Grommet Laminate Color
Laminate End Panel - T-Shape	Model Laminate Color
Laminate End Panel - Kneespace Clearance	Model Laminate Color
Laminate End Panel - Support Brace	Model Laminate Color
Metal O-Leg	Model Paint Color
PEDESTALS	Model Failit Color
Pedestal - Narrow Box/Box/File	Model Handle Grommet Chassis Color Drawer Front Color
Pedestal - Narrow File/File	Model Handle Grommet Chassis Color Drawer Front Color
Pedestal - Box/Box/File	Model Handle Grommet Chassis Color Drawer Front Color
Pedestal - File/File	Model Handle Grommet Chassis Color Drawer Front Color
Pedestal - Lateral File	Model Handle Grommet Chassis Color Drawer Front Color
Pedestal - Shelf/Box/Box/Lateral File	Model Handle Grommet Chassis Color Drawer Front Color
Pedestal - Storage Cabinet	Model Handle Grommet Chassis Color Drawer Front Color
Pedestal – Storage Capinet Pedestal – Bookcase	Model Grommet Chassis Color Door Front Color
Pedestal – Bookcase Pedestal – Bookcase End Support	Model Chassis Color
Mobile Pedestal – Box/Box/File, File/File, Box/File	Model Handle Chassis Color Drawer Front Color
Mobile Pedestal – Box/Box/File, File/File, Box/File Mobile Pedestal – 30"W Shelf/File/Cabinet	Model Edge Profile + Edge Color Handle Top Color Chassis Color Drawer/Door Front Color
<u> </u>	Model Edge Profile + Edge Color Handle Top Color Chassis Color Drawer/Door Front Color Model Edge Profile + Edge Color Top Color
Pedestal Tops Pedestal - Box/Box/File/File	Model Handle Grommet Chassis Color Drawer Front Color
Pedestal – Box/Box/File/File Pedestal – Shelf/Box/Box/File	Model Handle Grommet Chassis Color Drawer Front Color
Pedestal – Sirell/Box/Box/File Pedestal – Narrow Box/Box/File/File	Model Handle Grommet Chassis Color Drawer Front Color
ACCESSORIES	Froder Frankrie Oronninet Chassis Color Drawer Front Color
Laminate Center Drawer	Model Laminate Color
Collaborative Desk Shelf	
	Model Laminate Color
Wall Mount Tackboard	Model Eabric
Wall Mount Tackboard	Model Fabric
Field Installable Grommet	Model
Lock Core Kit	Model

CONCINNITY LAMINATE DESIGN/MATERIALS INFORMATION

STYLING AND CONSTRUCTION

- Conventional desking or light scale components.
- Clean, uninterrupted lines and precise fits; no gaps.
- All end, modesty, and back panels, as well as drawer and door fronts, that are specified in a woodgrain color, feature vertical grain; drawer fronts are vertically-aligned, continuous grain and are matched sets.
- All desk, credenza, and return models feature full-to-thefloor pedestals to maximize storage space.
- Factory-configured (i.e., built-up; assembled) 72"W desks can be specified with breakfront or recessed modesty panels.
- Formal, full height modesty panels on factory-configured (i.e., built-up; assembled) desks, credenzas, and returns; modular components available with full or 10" modesty
- Drawer and door fronts over end panels.
- Back panel-over-end panel on desks, credenzas, returns, mobile pedestals, 291/2"H lateral files and storage cabinets, and full-length modesty panels for modular pedestals.
- Top-between-end panels on stack-on and wall mount storage, $66\frac{5}{8}$ "H & $79\frac{1}{2}$ "H storage and combination storage cabinets, wardrobes and towers.
- Option choices include:
 - Edge profile and edge color
 - Handle design
 - Handle/worksurface grommet/lock face finish
 - Worksurface color
 - Chassis color
 - Drawer front/door color
- IMPORTANT NOTE: Designed and sized to coordinate with 65"H Accelerate® Panels.
 - Desks, credenzas, returns, 2-drawer lateral files, and 291/2"H storage cabinets, plus 351/4"H stack-on storage or bookcase hutch, are 64³/₄"H.
 - Additional solutions ≤65"H include the following: storage cabinet, storage/file cabinet, storage cabinet/lateral file, 18" and 36"W wardrobe/storage cabinets, wardrobe/bookcase, storage tower, and 5-shelf bookcase.

MATERIALS

- Easy-care, scratch-, spill- and stain-resistant thermal-fused laminate (TFL) over solid core, high performance particleboard;
 - Component model thickness: 11/8" worksurfaces and end panels; 3/4" modesty panel and drawer/door fronts.
- Durable, impact-resistant banding protects edges.

- Bottom of end panels on base units and stack-ons feature edgebanding for added strength and to seal out moisture.
- HPL worksurfaces are available via special request.

DRAWER SPECIFICATIONS

- Operate on steel ball-bearing slides to ensure smooth, quiet, long-lasting operation.
- Full extension drawers allow complete access to contents.
- Drawers feature 5-sided construction for added strength and easy alignment or replacement of drawer fronts.
- File drawers include integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- One molded black pencil tray is included in each box/box/file pedestal.
- Drawer fronts are edgebanded on all four sides.

CORE REMOVABLE LOCKS

- All drawers/doors lock on the following products:
 - All desk, credenza, and return pedestals (NOTE: The lock is on the face of the pedestal)
 - Stack-on and wall mount storage with laminate locking doors ("LL" models)
 - Wall mount storage with sliding door
 - Mobile pedestals
 - Lateral files
 - Storage cabinets
 - Storage/file cabinet
 - Storage cabinet/lateral file
 - Wardrobe/storage cabinets
 - Storage towers
 - Modular pedestals
- On products that are equipped with two locks, the locks are keved alike:
 - Double pedestal desks
 - Credenza with storage
 - Credenzas with kneespace
 - Low credenzas with four drawers
 - Storage and combination storage/file cabinets
 - Storage towers
 - Stack-on and wall mount storage 60" 78"W
- Lock faces are available in black or satin.

CONCINNITY LAMINATE DESIGN/MATERIALS INFORMATION

- Locks feature a removable cylinder (core) that can be interchanged as needed; allows all furniture pieces within an individual workstation to be accessed with one key for convenience, and allows locks to be differentiated between workstations and offices for security. Makes re-keying quick
 - Keyed alike cores must be ordered separately by specification of the key number. For all products, except stack-on and wall mounted storage, the removable lock core kits are HF23B for Black and HF23S for Satin (Silver).
 - EXCEPTION IMPORTANT NOTE: The removable lock core kit for stack-on and wall mounted storage is model HF27B (Black) or HF27S (Satin).

CORD MANAGEMENT

- Cord management grommets and pass-through cutouts, for routing and hiding wires and cables, are standard in a predetermined location on a number of factory-configured (i.e., built-up; assembled) products:
 - Two grommets are located in the tops of desks and credenzas; one grommet is located in the top of returns, bridges, jetty peninsulas, and corner units.
 - All desk, credenza, and return pedestals are designed with two cord pass-through grommets, one per side; end panels of single pedestal desks and single pedestal credenzas feature one cord pass-through grommet.
 - Pass-through in the sides of pedestals and end panels enable the routing of cords below the worksurface and connections between workstations.
 - A pass-through grommet, to facilitate reaching wall electrical outlets, is located in the back panels of credenza with storage, credenza with kneespace, single pedestal credenzas, credenzas with 36" lateral file, returns and bridges.
- See chart on page 36 for cord management options. Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets.
- Grommets on worksurfaces are sized to accept optional grommet mount power hub (HGRMTAC) and USB (HGRMTUSB2) models.

- Grommet color/shape/size:
 - Worksurfaces, Black or Platinum, Round, 3" diameter hole with a $3\frac{1}{2}$ " plastic cap.
 - Back/modesty panels, Black, Round, 21/2" diameter hole with a 3" plastic cap.
 - End panels and pedestal sides, Black, Half-round, 13/4" diameter hole with a 2" x 21/2" plastic cap.

LEVELING GLIDES

- · Adjustable hex glides to compensate for uneven floors; allow furniture to be easily leveled without lifting the unit.
 - Glides have a 11/4" adjustable range.
 - The hex adjustment is on the foot of the glide for all products except for the 91/2", 153/4", and 18"W modular pedestals, in which case it is on the top of the glide stem.

IMPORTANT — OTHER

- Products ship fully assembled, unless otherwise noted (NOTE: — easy-to-assemble — items are designated in the "DESCRIPTIONS").
- All models must meet or exceed ANSI/BIFMA & ISTA performance standards.
- Products covered by HON Limited Lifetime Warranty.
- Indoor Advantage™ Gold. Indoor Air Quality Certified to SCS-EC10.3-2014 v3.0.
- BIFMA level® 2 certified. Conforms to ANSI/BIFMA e32014e Furniture Sustainability Standard.

CONCINNITY LAMINATE ORDERING/SPECIFICATION INFORMATION

WORKSURFACE/TOP EDGE DETAILS

- · Three options; two contoured profiles and one smooth, flat edge.
- For beaded (B) and tri-oval (V) edge shapes, tops are profiled on the user and approach sides, and flat on the ends; the flat edges allow side-by-side placement of worksurfaces without gaps. The only exceptions are return, bridge, corner unit, extended corner worksurface, and rectangle worksurface with vertical grain models, tops on these items are profiled on the user's side and flat banded on the approach side and ends.
 - Bookcases have profiled edge on the front, user side only.
 - The reception station transaction counter and the L-reception station with transaction counter (for the desk) models, have profiled edgeband on the approach and user sides.
 - The L-reception station with the transaction counter models, on which the counter runs around the entire perimeter of the L-configuration, have a profiled edge on the front of the transaction counter on the desk approach side only.

Edge Options:	Profiles	Designator
Beaded		В
Smooth, Flat		G
Tri-Oval		V

WORKSURFACE EDGE COLORS

- Woodgrain and solid color laminates can be specified with a matching, complementary, or contrasting edgeband color; options include:
 - Matching the worksurface edge to a common worksurface, chassis, and drawer front color.
 - Matching the worksurface edge to the worksurface laminate and selecting a different laminate color for the chassis.
 - Matching the worksurface edge to the chassis laminate and selecting a different laminate color for the worksurface.

- Beaded (B) and tri-oval (V) edges are available in L1 woodgrain colors only.
- The smooth, flat (G) edge is available in woodgrain and solid
- Pattern laminates do not have a matching edgeband color; the patterns are available with a woodgrain or solid color

DRAWER/DOOR DECORATIVE HANDLES

- Three handle style options, each available in Satin or Black finish.
- Distinct, easy to grasp designs.
- Handles are metal.
- The hole spacing is 128mm.
- The handle style/finish has to be specified on drawer fronts (desk/credenza/return, mobile and modular pedestals), lateral file drawer fronts, the doors of the storage cabinet, storage/file cabinet, storage cabinet/lateral file, wardrobe/storage cabinet, wardrobe/bookcase, and storage
 - NOTE: Decorative handles are not used on the doors of stack-on storage units or wall mounted storage cabinets.
 - Bookcase hutches with frosted doors are equipped with a push latch release.

Handle	Options	Finish	Designator
Cylinder	<i>>></i>	Satin	Α
Cylinder	8	Black	В
Canopy		Satin	С
Canopy		Black	D
Loop)	Satin	E
Loop		Black	F

- NOTE: The Linear and Arch field installable drawer/door handle kit models can be attached using 128mm hole spacing.

CONCINNITY LAMINATE ORDERING/SPECIFICATION INFORMATION

CORD MANAGEMENT GROMMETS

- Grommets are standard on desk, credenza, return, bridge, jetty peninsula, and corner unit models. Specification logic includes the grommet finish for tops; choose from Black (P) or Platinum (T1). Grommets in modesty and end panels are Black only.
- Grommets are optional on modular component worksurfaces, full-length (271/8"H) modesty panels, end panels (11/8", L-shaped) and the sides of support storage pedestals. On worksurfaces, choose from Black (P), Platinum (T1), or no grommet(s) (X). On modesty, end, and side panels the options are grommet Black (P) or no grommet (X).
- See cord management chart on page 36 for details.

LOCK FINISH

- Finish is determined by, and automatically aligned with, the handle finish specified. If there is no decorative handle on the product, such as on locking stack-on or wall mount storage models, the lock finish is specified separately in the option
 - When specification is required, the lock finish options are Black (P) or Satin (SA).
- Removable, interchangeable lock core kits must be ordered separately:
 - For all models, except stack-on and wall mount storage, specify model HF23B (Black) or HF23S (Satin), and the specific key number required.
 - For stack-on and wall mount storage, specify model HF27B (Black) or HF27S (Satin), and the specific key number required.

SILVER COLORWAY

The following finish options are coordinating Silver colorways: Satin, Satin Nickel, Matte Chrome, Platinum, and Platinum Metallic.

LAMINATE COLORS

Palette choices include eight (15) woodgrain, four (4) solid, and two (2) pattern colors.

Woodgrain		Solid Color		Pattern	
Bourbon Cherry	Н	Black	Р	Sheer Mesh	A5
Cognac	COGN	Charcoal	S	Silver Mesh	В9
Florence Walnut	LFW1	Designer White	LDW1		
Harvest	C	Loft	LOFT		
Kingswood Walnut	LKI1				
Lowell Ash	LLA1				
Mahogany	N				
Mocha	MOCH				
Natural Maple	D				
Natural Recon	LNR1				
Phantom Ecru	LPE1				
Pinnacle	PINC				
Portico Teak	LPT1				
Shaker Cherry	F				
Skyline Walnut	LSW1				
Sterling Ash	LSA1				

- Worksurface, chassis and drawer/door fronts are specified separately to enable a single, color-matched visual, or a complementary or contrasting, multi-tone aesthetic.
- Worksurfaces/tops are available in woodgrain, solid, or pattern laminate colors.
- Chassis and drawer fronts are available in woodgrain or solid laminate colors.
- Pattern colors are available on worksurface tops only.

Worksurface		Chassis		Drawer/Door	
Bourbon Cherry	Н	Bourbon Cherry	Н	Bourbon Cherry	Н
Cognac	COGN	Cognac	COGN	Cognac	COGN
Florence Walnut	LFW1	Florence Walnut	LFW1	Florence Walnut	LFW1
Harvest	C	Harvest	С	Harvest	С
Kingswood Walnut	LKI1	Kingswood Walnut	LKI1	Kingswood Walnut	LKI1
Lowell Ash	LLA1	Lowell Ash	LLA1	Lowell Ash	LLA1
Mahogany	N	Mahogany	N	Mahogany	N
Mocha	MOCH	Mocha	MOCH	Mocha	MOCH
Natural Maple	D	Natural Maple	D	Natural Maple	D
Natural Recon	LNR1	Natural Recon	LNR1	Natural Recon	LNR1
Phantom Ecru	LPE1	Phantom Ecru	LPE1	Phantom Ecru	LPE1
Pinnacle	PINC	Pinnacle	PINC	Pinnacle	PINC
Portico Teak	LPT1	Portico Teak	LPT1	Portico Teak	LPT1
Shaker Cherry	F	Shaker Cherry	F	Shaker Cherry	F
Skyline Walnut	LSW1	Skyline Walnut	LSW1	Skyline Walnut	LSW1
Sterling Ash	LSA1	Sterling Ash	LSA1	Sterling Ash	LSA1
Black	P	Black	P	Black	Р
Charcoal	S	Charcoal	S	Charcoal	S
Designer White	LDW1	Designer White	LDW1	Designer White	LDW1
Loft	LOFT	Loft	LOFT	Loft	LOFT
Sheer Mesh	A5				
Silver Mesh	B9				

Two-tone color options allow specification of different, complementary laminate combinations:

Color #1	Color #2
Тор	Chassis and Drawer Fronts
Top and Drawer Fronts	Chassis
Top and Chassis	Drawer Fronts

Modesty panels and the backs of storage chassis that are specified in L2 laminates and wider than 60"W will ship as horizontal grain.



CONCINNITY™ CORD MANAGEMENT


	GROMMET	# OF GROMMETS	LOCATION	CUTOUT SHAPE	MATERIAL	COLOR/FINISH
BUILT-UP/FACTORY-CON	FIGURED					
DESK						
Тор	Standard/Fixed Location	2	Back Left & Right	3" Round	Plastic	Black or Platinum
End Panel	Standard/Fixed Location	2 (1 per EP)	Top Back Corner	1 ³ / ₄ " Round	Plastic	Black
Modesty/Back	Not Available	0	N/A	N/A	N/A	N/A
CREDENZA	I	I	1	1	I.	I
Тор	Standard/Fixed Location	2	Back Left & Right	3" Round	Plastic	Black or Platinum
End Panel	Standard/Fixed Location	2 (1 per EP)	Top Back Corner	1 ³ / ₄ " Round	Plastic	Black
Modesty/Back	Standard/Fixed Location	1	Top Center	2½" Round	Plastic	Black
RETURN		·				
Тор	Standard/Fixed Location	1	Top Center	3" Round	Plastic	Black or Platinum
End Panel	Standard/Fixed Location	1	Top Back Corner	1 ³ / ₄ " Round	Plastic	Black
Modesty/Back	Standard/Fixed Location	1	Top Center	2½" Round	Plastic	Black
BRIDGE						
Тор	Standard/Fixed Location	1	Back Center	3" Round	Plastic	Black or Platinum
Modesty/Back	Standard/Fixed Location	1	Top Center	2½" Round	Plastic	Black
BULLET PENINSULA	I	ı	ı	1	1	1
Тор	Not Available	0				
End Panel	Not Available; Pass-Thru in Brace Panel	0				
JETTY PENINSULA	1	<u>I</u>			1	I.
Тор	Standard/Fixed Location	1	Back, Approach-Side Corner	3" Round	Plastic	Black or Platinum
End Panel	Not Available; Pass-Thru Standard in Brace Panel	0				
CORNER UNIT	1			1	I.	I
Тор	Standard/Fixed Location	1	Back Corner	3" Round	Plastic	Black or Platinum
Modesty/Back	Not Available; Pass-Thru Standard in Brace Panels	0				
Stack-on	Standard/Fixed Location	1	11/4" Side-to-Side Gap at Top or Bottom of Back Panel, Below Cabinet			
MODULAR COMPONENTS -	– WORKSURFACES	l.				
Rectangle - 60" to 96"W	Optional – Specify: Black (P) or Platinum (T1) or None (X)	2	Back Left & Right	3" Round	Plastic	Black or Platinum
Rectangle - 30" to 54"W	Optional – Specify: Black (P) or Platinum (T1) or None (X)	1	Back Center	3" Round	Plastic	Black or Platinum
Bullet Shape	Optional – Specify: Black (P) or Platinum (T1) or None (X)	1	Centered Along EP; Over Brace Leg Cutout	3" Round	Plastic	Black or Platinum
Ext. Corner	Optional – Specify: Black (P) or Platinum (T1) or None (X)	1	Back Corner of Top and Long End Panel	3" Round	Plastic	Black or Platinum
MODULAR COMPONENTS -	- MODESTY PANELS					
Full-Length -≥30"W	Optional – Specify: Black (P) or None (X)	1	Top Center	2½" Round	Plastic	Black
10"	No	0				
MODULAR COMPONENTS -	- END PANELS	I			-	
1½" Thick	Optional – Specify: Black (P) or None (X)	1	Top Back Corner	1 ³ / ₄ " Round	Plastic	Black
T-Shaped	No	0				
L-Shaped	Optional – Specify: Black (P) or None (X)	1	Top or Bottom Centered	1 ³ / ₄ " Round	Plastic	Black
MODULAR COMPONENTS -	– STORAGE PEDESTALS					
Pedestal	Optional – Specify: Black (P) or None (X)	2 (1 per EP)	Top Back Corner	1 ³ / ₄ " Round	Plastic	Black

 $NOTE: If customer \ wants \ a \ desk, credenza, return, or \ bridge \ without \ grommets, they \ can \ specify \ modular \ components.$



CONCINNITY CORD MANAGEMENT


Grommet Locations in Tops



Bow Top Desks and Worksurfaces




Credenzas and Rectangle Worksurfaces




Returns, Bridges, and Rectangle Worksurfaces




Bullet Worksurfaces







Desks and Rectangle Worksurfaces




Rectangle Worksurfaces



Rectangle Worksurfaces




Jetty Peninsula



Extended Corner Worksurfaces




QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Double Pedestal Desk, Bow Top, Breakfront Frosted Modesty Panel 72"W x 36"D x 29½"H	HNL3672DPBBF	\$2,883	\$2,883
1	Credenza with Kneespace 72"W x 24"D x 29½"H	HNL2472DPK	\$1,818	\$1,818
1	Wall Mount Storage, Frosted Doors with Silver Frame 72"W x 15"D x 28½"H	HNL2972FD	\$2,361	\$2,361
1	Storage/File Cabinet, Hinged Right 18"W x 24"D x 64 ³ / ₄ "H	HNL241865SFLR	\$1,740	\$1,740
1	Storage/File Cabinet, Hinged Left 18"W x 24"D x 64 ³ / ₄ "H	HNL241865SFLL	\$1,740	\$1,740
			TOTAL:	\$10,542




DESK — CREDENZA — STORAGE

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Left Pedestal Desk, Rectangle Top, Breakfront Modesty Panel 72"W x 36"D x 29½"H	HNL3672LPRB	\$1,911	\$1,911
1	Rectangle Worksurface with Vertical Grain 42"W x 24"D	HNLRC2442V	\$256	\$256
1	Narrow File/File Pedestal 9½"W x 23½"D x 28½"H	HNL231028PFF	\$690	\$690
1	Modesty/Back Panel — Full-Length 42"W x 277%"H	HNLMP4228	\$204	\$204
1	Stack-on Storage, Sliding Door 78"W x 15"D x 35½"H	HNL3678SD	\$1,267	\$1,267
1	Storage/File Cabinet, Open Shelves $18''W \times 24''D \times 64^{3}/4''H$	HNL241865SFX	\$1,651	\$1,651
			TOTAL:	\$5,979



L-WORKSTATION

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface 72"W x 30"D	HNLRC3072	\$429	\$429
1	Narrow Box/Box/File Pedestal 9½"W x 29½"D x 28½"H	HNL291028PBBF	\$772	\$772
1	Full Back Panel — For 9½"W Pedestal 9½"W x 27 ⁷ / ₈ "H	HNLPB1028	\$125	\$125
1	Laminate Floating Modesty Panel 36"W x 14"H	HLSL3614L	\$179	\$179
1	Bookcase End Support 12"W x 30"D x 28½"H	HNL123028BKE	\$507	\$507
1	Rectangle Worksurface 72"W x 24"D	HNLRC2472	\$366	\$366
1	Shelf/Box/Box/Lateral File Pedestal 36"W x 231/8"D x 281/2"H	HNL233628PSL	\$1,245	\$1,245
1	Storage Cabinet Pedestal 36"W x 231/8"D x 281/2"H	HNL233628PSC	\$810	\$810
1	Modesty/Back Panel — Full-Length 72"W x 271/8"H	HNLMP7228	\$285	\$285
1	Stack-on Storage, Sliding Door 72"W x 15"D x 35½"H	HNL3672SD	\$1,229	\$1,229
1	Bookcase with Coat Hooks, 5-Shelf, Left $24''W \times 24''D \times 64^{3}\%''H$	HNL2424BK5CL	\$958	\$958
			TOTAL:	\$6,905




DESK — CREDENZA — STORAGE


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface 60"W x 24"D	HNLRC2460	\$325	\$325
1	Height Adjustable Base	HHAB3S2L	\$1,120	\$1,120
1	Rectangle Worksurface 84"W x 24"D	HNLRC2484	\$493	\$493
1	End Panel, Left 11/4"/W x 231/4"/D x 281/2"/H	HNLEP2428L	\$204	\$204
1	Shelf/Box/Box/Lateral File Pedestal 36"W x 231/8"D x 281/2"H	HNL233628PSL	\$1,245	\$1,245
1	Modesty/Back Panel — Short 84"W x 10"H	HNLMP8410	\$347	\$347
1	Low Back Panel — For 28½"H Pedestal 36"W x 18"H	HNLLB3618	\$149	\$149
2	Stack-on Storage, Frosted Doors with Silver Frame 42"W x 15"D x 351/4"H	HNL3642FD	\$1,313	\$2,626
1	Space Saver End Panels for Stack-on Storage 3/4"W x 141/4"D x 351/4"H	HNL3605SSEP	\$379	\$379
1	Wardrobe/Storage Cabinet, Hinged Right HNL241865WLR		\$1,590	\$1,590
			TOTAL:	\$8,478
QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Bullet Worksurface 84"W x 30"D	HNLBU3084	\$602	\$602
1	T-Shaped End Panel — For Bullet Worksurface 115/8"W x 297/8"D x 281/2"H	HNLTEP3028	\$353	\$353
1	Support Column — For Bullet Worksurface 4½" Diameter	HPC190X	\$161	\$161
1	Bridge 48"W x 24"D x 29½"H	HNL2448BF	\$448	\$448
1	Rectangle Worksurface 84"W x 24"D	HNLRC2484	\$493	\$493
1	End Panel, Left 11/8"W x 231/8"D x 281/2"H	HNLEP2428L	\$204	\$204
1	Shelf/Box/Box/Lateral File Pedestal 36"W x 231/8"D x 281/2"H	HNL233628PSL	\$1,245	\$1,245
1	Modesty/Back Panel — Full-Length 84"W x 277/6"H	HNLMP8428	\$347	\$347
2	Stack-on Storage, Laminate Doors 42"W x 15"D x 485%"H	HNL4942LD	\$1,206	\$2,412
1	Space Saver End Panels for Stack-on Storage 3/4"W x 141/4"D x 485%"H	HNL4905SSEP	\$513	\$513
			TOTAL:	\$6,778
QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Left Pedestal Desk, Rectangle Top, Breakfront Frosted Modesty Panel	HNL3672LPRBF	\$2,385	\$2,385
1	72"W x 36"D x 29½"H Rectangle Worksurface with Vertical Grain 48"W x 24"D	HNLRC2448V	\$274	\$274
1	Modesty/Back Panel — Short	HNLMP4810	\$221	\$221
1	48"W x 10"H Right Credenza with Lateral File	HNL2472RLC	\$1,584	\$1,584
1	72"W x 24"D x 29½"H Stack-on Storage, Frosted Doors with Silver Frame 72"W x 15"D x 485%"H	HNL4972FD	\$2,571	\$2,571
	Vertical Paper Manager	HLVPM1	\$327	\$327



L-WORKSTATION WITH HEIGHT-**ADJUSTABLE DESK — OPEN PLAN**



U-WORKSTATION WITH 84"W WORKSURFACE




U-WORKSTATION

TOTAL:

\$9,895




QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface 72"W x 30"D	HNLRC3072	\$429	\$429
1	Rectangle Worksurface with Vertical Grain 42"W x 24"D	HNLRC2442V	\$256	\$256
1	Height Adjustable Base, 3-Leg	HHAB3S3L	\$1,896	\$1,896
1	Mixed Material Floating Modesty Panel 60"W x 14"H	HLSL6014MM	\$1,113	\$1,113
1	Rectangle Worksurface 72"W x 24"D	HNLRC2472	\$366	\$366
1	End Panel, Right 11/6"W x 231/6"D x 281/2"H	HNLEP2428R	\$204	\$204
1	Box/Box/File Pedestal 15 ³ / ₄ "W x 23 ¹ / ₈ "D x 28 ¹ / ₂ "H	HNL231628PBBF	\$714	\$714
1	Low Back Panel — For 15 ³ / ₄ "W Pedestal 15 ³ / ₄ "W x 18"H	HNLLB1618	\$127	\$127
1	Modesty/Back Panel — Short 72"W x 10"H	HNLMP7210	\$285	\$285
1	Wall Mount Storage, Frosted Doors with Silver Frame	HNL1572FD	\$1,775	\$1,775
1	72"W x 15"D x 15"H Storage/File Cabinet, Hinged Left 18"W x 24"D x 64 ³ / ₄ "H	HNL241865SFLL	\$1,740	\$1,740
			TOTAL:	\$8,905



U-WORKSTATION WITH HEIGHT-ADJUSTABLE L-WORKSURFACE

QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface	HNLRC2472	\$366	\$366
2	O-Leg Support for 24"D Worksurface 24"D x 281/4"H	HLSL24280	\$316	\$632
1	External Support Channel for 72"W Worksurface	HLSLZ5SC78	\$110	\$110
1	Low Credenza, Drawers Left, Bookcase Right 60"W x 20"D x 21½"H	HNL206021LD2	\$1,264	\$1,264
1	Rectangle Worksurface 54"W x 24"D	HNLRC2454	\$299	\$299
1	Standing-Height O-Leg Support for 24"D Worksurface 24"D x 41"H	HLSL24410	\$424	\$424
1	Narrow Box/Box/File/File Pedestal 9½"W x 23%"D x 41"H	HNL231041PBBFF	\$1,322	\$1,322
1	Full Back Panel — For 41"H Pedestal 9½"W x 403%"H	HNLPB1041	\$139	\$139
1	Storage Tower, Hinged Left 18"W x 24"D x 50"H	HNL241850TLL	\$1,245	\$1,245
			TOTAL:	\$5,801




U-WORKSTATION WITH SITTING AND STANDING-HEIGHT **WORKSURFACES — OPEN PLAN**



QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface 72"W x 30"D	HNLRC3072	\$429	\$429
1	O-Leg Support for 30"D Worksurface 30"D x 281/2"H	HLSL30280	\$352	\$352
1	O-Leg Support over Low Credenza 30"D x 7"H	HLSL307O	\$271	\$271
1	External Support Channel for 72"W Worksurface	HLSLZ5SC78	\$110	\$110
1	Low Credenza, Drawers Right, Bookcase Left 60"W x 20"D x 21½"H	HNL206021RD2	\$1,264	\$1,264
1	Low Credenza, Drawers Left, Bookcase Right 60"W x 20"D x 21½"H	HNL206021LD2	\$1,264	\$1,264
2	Wall Mount Storage, Laminate Doors 30"W x 15"D x 28½"H	HNL2930LD	\$819	\$1,638
1	Wall Mount Storage, Frosted Doors with Silver Frame 30"W x 15"D x 281/5"H	HNL2930FD	\$1,284	\$1,284
1	Wall Mount Markerboard 30"W x 485%"H	HNL4930WB	\$231	\$231


TOTAL:

\$6,843



WORKSTATION WITH WORKWALL — OPEN PLAN


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
3	Rectangle Worksurface with Vertical Grain 48"W x 24"D	HNLRC2448V	\$274	\$822
3	O-Leg Support for 48"W x 24"D Worksurface 24"D x 281/2"H	HLSL2428O	\$316	\$948
3	Mixed Material Floating Modesty Panel 42"W x 14"H	HLSL4214MM	\$811	\$2,433
3	Rectangle Worksurface 72"W x 24"D	HNLRC2472	\$366	\$1,098
3	L-Shaped End Panel, Left 15 ³ / ₄ "W x 24"D x 28 ¹ / ₂ "H	HNLLEP2428L	\$332	\$996
3	Shelf/Box/Box/Lateral File Pedestal 30"W x 231/8"D x 281/2"H	HNL233028PSL	\$1,221	\$3,663
3	Modesty/Pedestal Back Panel 30"W x 271/8"H	HNLMP3028	\$175	\$525
3	Wall Mount Storage, Frosted Doors with Silver Frame 72"W x 15"D x 15"H	HNL1572FD	\$1,775	\$5,325
-			TOTAL:	\$15,810



L-WORKSTATIONS — OPEN PLAN




QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
1	Rectangle Worksurface with Vertical Grain 48"W x 24"D	HNLRC2448V	\$274	\$274
1	O-Leg Support for 48"W x 24"D Worksurface 24"D x 281/2"H	HLSL2428O	\$316	\$316
1	Rectangle Worksurface 96"W x 24"D	HNLRC2496	\$532	\$532
1	Storage Cabinet Pedestal 36"W x 231/8"D x 281/2"H	HNL233628PSC	\$810	\$810
1	End Panel, Left 11/6"W x 231/6"D x 281/2"H	HNLEP2428L	\$204	\$204
1	Modesty/Back Panel — Full-Length 96"W x 271/8"H	HNLMP9628	\$430	\$430
1	Bookcase Hutch, Frosted Doors with Silver Frame 36"W x 15"D x 485/8"H	HNL4936BHFD	\$1,678	\$1,678
1	Wall Mount Storage, Frosted Doors with Silver Frame 60"W x 15"D x 28½"H	HNL2960FD	\$2,217	\$2,217
1	Vertical Paper Manager	HLVPM1	\$327	\$327
1	Storage Tower, Wardrobe Right, Cabinet Left 24"W x 24"D x 781/8"H	HNL242465TLR	\$2,235	\$2,235
			TOTAL:	\$9,023



WORKSTATION WITH WORKWALL -**OPEN PLAN**


QTY	DESCRIPTION	MODEL	LIST PRICE	PRICE EXTENSION
4	Rectangle Worksurface 60"W x 24"D	HNLRC2460	\$325	\$1,300
4	Shelf/Box/Box/File Pedestal 15 ³ / ₄ "W x 23 ¹ / ₈ "D x 41"H	HNL231641PSBBF	\$1,503	\$6,012
4	Full Back Panel — For 15 ³ / ₄ "W Pedestal 15 ³ / ₄ "W x 40 ³ / ₈ "H	HNLPB1641	\$153	\$612
4	Narrow Box/Box/File/File Pedestal 9½"W x 23½"D x 41"H	HNL231041PBBFF	\$1,322	\$5,288
4	Full Back Panel — For 9½"W Pedestal 9½"W x 40¾"H	HNLPB1041	\$139	\$556
2	Above/Below Privacy Screen, Frosted 30"W x 28"H	HLSL2830	\$800	\$1,600
2	5-Shelf Bookcase with Coat Hooks, Right 24"W x 24"D x 64 ³ / ₄ "H	HNL2424BK5CR	\$958	\$1,916
2	5-Shelf Bookcase with Coat Hooks, Left $24''W \times 24''D \times 64^3\%''H$	HNL2424BK5CL	\$958	\$1,916
			TOTAL:	\$19,200



STANDING-HEIGHT — TEAMING **WORKSTATION — OPEN PLAN**




CONCINNITY™ Desks



	APPROACH SIDI	E	SHIP		L1	L2 UPC	HARGES	
DESCRIPTION	OVERHANG	MODEL	WEIGHT	CUBE	LIST	WORKSURFACES	CHASSIS	FRONTS
Double Pedestal Desk — Be	ow Top							
72"W x 36"D x 29½"H,	6"	HNL3672DPBR	298	51.8	\$2309	\$25	\$40	\$10
Recessed Modesty Panel								
72"W x 36"D x 29½"H,	6-12"	HNL3672DPBB	282	51.8	\$2400	\$25	\$40	\$10
Breakfront Modesty Panel								
72"W x 36"D x 29½"H,	6-12"	HNL3672DPBBF	266	51.8	\$2883	\$25	\$40	\$10
Breakfront Frosted								
Modesty Panel								

NOTES: For laminate center drawer, see page 106. For pull-out collaborative shelf, for desks with breakfront modesty panel, see page 106.



Double Pedestal Desk — Rectangle Top										
	72"W x 36"D x 29½"H,	6"	HNL3672DPRR	292	51.8	\$1955	\$25	\$40	\$10	
	Rectangle Top, Recessed									
	Modesty Panel									
	66"W x 30"D x 29½"H,		HNL3066DPRF	267	40.2	\$1838	\$20	\$35	\$10	
	Rectangle Top, Flush									
	Modesty Panel									
	60"W x 30"D x 29½"H,		HNL3060DPRF	257	40.2	\$1718	\$20	\$45	\$20	
	Rectangle Top, Flush									
	Modesty Panel									
	72"W x 36"D x 29½"H,	6-12"	HNL3672DPRB	287	51.8	\$2175	\$25	\$40	\$10	
	Rectangle Top, Breakfront									
	Modesty Panel									
	72"W x 36"D x 29½"H,	6-12"	HNL3672DPRBF	270	51.8	\$2658	\$25	\$40	\$10	
	Rectangle Top, Breakfront									
	Frosted Modesty Panel									

NOTES: For laminate center drawer, see page 106. For pull-out collaborative shelf, for desks with breakfront modesty panel, see page 106.


NOTES:

- · Feature full-to-the-floor pedestals to maximize storage space.
- · Double pedestal desks have 3/2 drawer configuration (box/box/file on left pedestal, file/file on right pedestal).
- Single pedestal desks have a box/box/file pedestal.
- One molded black pencil tray is included in each box/box/file pedestal.
- 72"W models are available with Rectangle- or bow-shaped tops.
- Bow top desk models measure 36"D at the crest and 30"D along the end panels.
- · Formal breakfront or recessed modesty panel.
- Breakfront desk features a floating modesty panel which can be specified in laminate or frosted material. Floating design provides space for optional pull-out collaborative shelf for visitors. See page 106.
- · Recessed modesty panel design has a full-width conference overhang, providing worksurface and kneespace for guests.
- 66"W and 60"W desks have a flush modesty panel (i.e., no conference overhang).
- Two cord management grommets, for routing and hiding wires and cables, are located in desktops.
- Grommets can be replaced with optional Power (model HGRMTAC) or USB Hub (HGRMTUSB2).
- · Pedestal sides and end panels are standard with pass-through grommets to enable the routing of cords below the worksurface, and connections between workstations.
- Specification logic includes the grommet finish for tops; choose from Black (P) or Platinum (T1). Side grommets on pedestal are black only.
- · See "Modular Components" for cord management options. Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets.
- Finish of pedestal lock(s) is determined by, and aligned with, the handle finish specified.
- · Adjustable hex leveling glides.
- · Ship fully assembled.

Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Worksurface Grommet Finish	Select Worksurface Color	Select Chassis Color	Select Drawer Front Color
	See page 29	 A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black 	P Black T1 Platinum	See page 29	See page 29	See page 29
H N L 3 6 7 2 D P B R .	вн.	Ε.	T 1.	н.	н.	Н

CONCINNITY™ Desks





	APPROACH SIDE		SHIP		L1	L2 UPC	HARGES	
DESCRIPTION	OVERHANG	MODEL	WEIGHT	CUBE	LIST	WORKSURFACES	CHASSIS	FRONTS
Single Pedestal Desk — Bov 72"W x 36"D x 29½"H, Right, Recessed Modesty Panel (shown)	v Top 6″	HNL3672RPBR	238	51.8	\$1856	\$25	\$40	\$10
72"W x 36"D x 29½"H, Left, Recessed Modesty Panel	6"	HNL3672LPBR	238	51.8	\$1856	\$25	\$40	\$10
72"W x 36"D x 29½"H, Right, Breakfront Modesty Panel	6-12"	HNL3672RPBB	237	51.8	\$2091	\$25	\$40	\$10
72"W x 36"D x 29½"H, Left, Breakfront Modesty Panel	6-12′′	HNL3672LPBB	237	51.8	\$2091	\$25	\$40	\$10
72"W x 36"D x 29½"H, Right, Breakfront Frosted Modesty Panel	6-12"	HNL3672RPBBF	221	51.8	\$2565	\$25	\$40	\$10
72"W x 36"D x 29½"H, Left, Breakfront Frosted Modesty Panel	6-12″	HNL3672LPBBF	221	51.8	\$2565	\$25	\$40	\$10

NOTES: For laminate center drawer, see page 106. For pull-out collaborative shelf, for desks with breakfront modesty panel, see page 106.

NOTES:

- Feature full-to-the-floor pedestals to maximize storage space.
- $\bullet \ \ \text{Double pedestal desks have 3/2 drawer configuration (box/box/file on left pedestal, file/file on right pedestal)}.$
- Single pedestal desks have a box/box/file pedestal.
- One molded black pencil tray is included in each box/box/file pedestal.
- 72"W models are available with Rectangle- or bow-shaped tops.
- Bow top desk models measure 36"D at the crest and 30"D along the end panels.
- · Formal breakfront or recessed modesty panel.
- Breakfront desk features a floating modesty panel which can be specified in laminate or frosted material. Floating design provides space for optional pull-out collaborative shelf for visitors. See page 106.
- · Recessed modesty panel design has a full-width conference overhang, providing worksurface and kneespace for guests.
- 66"W and 60"W desks have a flush modesty panel (i.e., no conference overhang).
- Two cord management grommets, for routing and hiding wires and cables, are located in desktops.
- Grommets can be replaced with optional Power (model HGRMTAC) or USB Hub (HGRMTUSB2).
- · Pedestal sides and end panels are standard with pass-through grommets to enable the routing of cords below the worksurface, and connections between workstations.
- Specification logic includes the grommet finish for tops; choose from Black (P) or Platinum (T1). Side grommets on pedestal are black only.
- · See "Modular Components" for cord management options. Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets.
- Finish of pedestal lock(s) is determined by, and aligned with, the handle finish specified.
- · Adjustable hex leveling glides.
- · Ship fully assembled.

Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Worksurface Grommet Finish	Select Worksurface Color	Select Chassis Color	Select Drawer Front Color
	See page 29	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	P Black T1 Platinum	See page 29	See page 29	See page 29
H N L 3 6 7 2 R P B R .	в н .	Ε.	т 1.	н.	н.	Н



CONCINNITY™ Desks



	APPROACH SIDE		SHIP		L1	L2 UPC	HARGES	
DESCRIPTION	OVERHANG	MODEL	WEIGHT	CUBE	LIST	WORKSURFACES	CHASSIS	FRONTS
Single Pedestal Desk — Re	ctangle Top							
72"W x 36"D x 29½"H,	6"	HNL3672RPRR	242	51.8	\$1602	\$25	\$40	\$10
Right, Recessed Modesty								
Panel (shown) 72''W x 36''D x 29½''H,	6"	HNL3672LPRR	242	51.8	\$1602	\$25	\$40	\$10
Left, Recessed Modesty	· ·			00	Ţ.00 <u>-</u>	4_0	4.0	4.0
Panel								
66"W x 30"D x 29½"H,		HNL3066RPRF	217	40.2	\$1564	\$20	\$35	\$10
Right, Flush Modesty Panel 66"W x 30"D x 29½"H,		HNL3066LPRF	217	4O 2	\$1564	\$20	\$35	\$10
Left, Flush Modesty Panel		IINESCOULFRI	217	40.2	\$130 -1	420	400	φιο
72"W x 36"D x 29½"H,	6-12"	HNL3672RPRB	242	51.8	\$1911	\$25	\$40	\$10
Right, Breakfront Modesty								
Panel 72''W x 36''D x 29½''H,	6-12′′	HNL3672LPRB	242	51.8	\$1911	\$25	\$40	\$10
Left, Breakfront Modesty	0-12	HNL30/ZLPKB	242	51.8	\$1911	\$25	\$40	\$10
Panel								
72"W x 36"D x 29½"H,	6-12"	HNL3672RPRBF	225	51.8	\$2385	\$25	\$40	\$10
Right, Breakfront Frosted								
Modesty Panel 72"W x 36"D x 29½"H,	6-12"	HNL3672LPRBF	225	51.8	\$2385	\$25	\$40	\$10
Left, Breakfront Frosted	3 12		223	00	+_303	720	7.0	4.0
Modesty Panel								

NOTES: For laminate center drawer, see page 106. For pull-out collaborative shelf, for desks with breakfront modesty panel, see page 106.

NOTES:

- · Feature full-to-the-floor pedestals to maximize storage space.
- Double pedestal desks have 3/2 drawer configuration (box/box/file on left pedestal, file/file on right pedestal).
- Single pedestal desks have a box/box/file pedestal.
- One molded black pencil tray is included in each box/box/file pedestal.
- 72"W models are available with Rectangle- or bow-shaped tops.
- Bow top desk models measure 36"D at the crest and 30"D along the end panels.
- · Formal breakfront or recessed modesty panel.
- Breakfront desk features a floating modesty panel which can be specified in laminate or frosted material. Floating design provides space for optional pull-out collaborative shelf for visitors. See page 106.
- · Recessed modesty panel design has a full-width conference overhang, providing worksurface and kneespace for guests.
- 66"W and 60"W desks have a flush modesty panel (i.e., no conference overhang).
- Two cord management grommets, for routing and hiding wires and cables, are located in desktops.
- Grommets can be replaced with optional Power (model HGRMTAC) or USB Hub (HGRMTUSB2).
- · Pedestal sides and end panels are standard with pass-through grommets to enable the routing of cords below the worksurface, and connections between workstations.
- · Specification logic includes the grommet finish for tops; choose from Black (P) or Platinum (T1). Side grommets on pedestal are black only.
- · See "Modular Components" for cord management options. Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets.
- Finish of pedestal lock(s) is determined by, and aligned with, the handle finish specified.
- Adjustable hex leveling glides.
- · Ship fully assembled.

Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Worksurface Grommet Finish	Select Worksurface Color	Select Chassis Color	Select Drawer Front Color
	See page 29	A Cylinder – Satin B Cylinder – Black C Canopy – Satin D Canopy – Black E Loop – Satin F Loop – Black	P Black T1 Platinum	See page 29	See page 29	See page 29
H N L 3 6 7 2 R P R R .	В Н.	Ε.	Т 1.	н.	н.	Н

CONCINNITY™ Peninsulas

GSA SIN 33721





Support column sold separately

		SHIP		L1	L2 UPCHAR	GES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	WORKSURFACE	CHASSIS
Bullet Peninsula with End Panel						
72"W x 36"D x 29½"H	HNL3672BUEP	131	6.6	\$898	\$25	\$40
72"W x 30"D x 29½"H	HNL3072BUEP	112	5.6	\$782	\$20	\$25
66"W x 30"D x 291/2"H	HNL3066BUEP	105	5.1	\$702	\$20	\$35

NOTES: For use in "U" or "L" shaped furniture layouts; not to be used freestanding. Comprised of top and end/brace panels (Note: Must specify support column; sold separately). Cord routing notch in the brace panel. Adjustable hex leveling glides. For cord grommet options, see "Modular Components". Options include center drawers and modesty panels. Modesty panel is available in laminate or frosted material. Ships .

Not designed to be used freestanding.

<u></u>	
	\bigcirc

Right-hand model HNL4872JREP shown

Support column sold separately



Jetty Peninsula with End Panel						
72"W x 30/48"D x 291/2"H, Right	HNL4872JREP	147	8.9	\$1079	\$30	\$25
72"W x 30/48"D x 291/2"H, Left	HNL4872JLEP	147	8.9	\$1079	\$30	\$25
72"W x 30/42"D x 291/2"H, Right	HNL4272JREP	134	17.0	\$1003	\$30	\$25
72"W x 30/42"D x 291/2"H, Left	HNL4272JLEP	134	17.0	\$1003	\$30	\$25

NOTES: Worksurface designed and sized to efficiently serve as both a computing and conferencing space. Two sizes, $42^{\prime\prime}D$ and $48^{\prime\prime}D$. The 48"D unit is specifically intended to be used with the 48"D extended corner modular top/back components to form a two-piece U-shaped workstation with a 42" cockpit area. For use in "U" or "L" shaped furniture layouts; not to be used freestanding. Comprised of top and end/brace panels (Note: Must specify support column; sold separately). One cord management grommet in the top; cord routing notch in the brace panel. Adjustable hex leveling glides. Field installable modesty panel is optional. Ships 💞

Not designed to be used freestanding.



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Support Column for Bullet and Jetty Peninsulas 41/2" Diameter. Specify: HPC190X.P. Black only.	нрс190х	12 9	1.0	\$161
Support Column for Bullet and Jetty Peninsulas 4½" Diameter. Specify: HPC191X.X. Available in Silver only.	HPC191X	12 9	1.0	\$161
Support Column must be specified/ordered with Bullet and Je	etty peninsulas.			

NOTES:

· See pages 92-96 for shared components.

Select Edge Profile and Edge Color	Select Worksurface Color	Select Chassis Color
See page 29	See page 29	See page 29
В Н .	н.	Н
	Edge Profile and Edge Color See page 29	Edge Profile and Edge Color See page 29 See page 29 See page 29

Select Model Number	Select Edge Profile and Edge Color	Select Worksurface Grommet Finish	Select Worksurface Color	Select Chassis Color
	See page 29	P Black T1 Platinum	See page 29	See page 29
H N L 4 8 7 2 J R E P .	BH.	Ρ.	н.	Н



GSA SIN 33721

CONCINNITY™ Peninsulas

			SHIP		LIST PRICE BY PAI		AINT GRADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
·\$:>	Post Leg Base 28½"H x 2" square	HLSL28P	15	1.0	\$292	\$296	\$312
	NOTES: Can only be used as the outbound adjustability. Ship 1/pack. SPECIFYING EXAMPLE: HLSL28P.T1	support in a peninsula or island	d extension worksu	ırface appli	cation. Glic	des have 2''	of
	DESCRIPTION	N	10DEL	SHIP W	VEIGHT	CUBE	LIST PRICE
	Field Installable Modesty Panel for Bullet 501/4"W x 3/4"Thick x 18"H	• .	te (Vertical Grain) I PC180W		28	3.6	\$215
	NOTES: Center drawer model H1522 can b top corner. SPECIFYING EXAMPLE: HPC180W.H	e used in conjunction with lami	nate modesty pand	el model HF	PC180W. Co	ord pass-thi	ough notch in
	Field Installable Modesty Panel for Bullet 501/41"W x 31/41"Thick x 1811'H	• •	with Silver Frame		33	1.5	\$694
	① Cord pass-through notch is not available	ole on the Frosted/Silver model	HPC180G. Notch i	s on lamina	te model H	PC180W or	ıly.
•	• Center drawers not designed to be use	ad with the freeted /cilver made	atu un a mal ma a dal I II	DC100C			

NOTES:

• See pages 92-96 for shared components.

HOW TO SPECIFY

Select **Model Number**



CONCINNITY™ Corner Unit





		SHIP		L1	L2 UPCHARGES		
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	WORKSURFACE	CHASSIS	
Corner Unit							
24"W x 36"D x 24" x 291/2"H	HNL3636CU	109	26.4	\$944	\$15	\$20	

 $NOTES: Designed for use with 24 ^{\prime\prime} D \ returns or bridges. Can be used freestanding. Can be used with two 36 ^{\prime\prime} W \ modular \ returns to achieve$ an efficient 6' x 6' layout. One cord management grommet in the top; cord routing notches in the leg panels. The worksurface grommet can be replaced with optional power (model HGRMTAC) or USB (model HGRMTUSB2) hub. Adjustable hex leveling glides. When connected to a $42^{\prime\prime}$ W return or modular return, the $78^{\prime\prime}$ W stack-on storage unit spans the total depth dimension ($78^{\prime\prime}$ D). When connected to a $36^{\prime\prime}$ W modular return, the 72"W stack-on storage unit spans the total depth dimension (72"D). Edgebanding on the corner unit is profiled on the user's side and flat on the back (approach side) and ends. Ships fully assembled.

NOTES:

· For Extended Corner Worksurface sizes, see "Modular Components" on page 78.

HOW TO SPECIFY

Select Select Select Select Select **Model Number Edge Profile and Edge Worksurface Grommet Chassis Color Worksurface Color** Finish Color See page 29 P Black See page 29 See page 29 T1 Platinum P Н



CONCINNITY™ Credenzas

LAUDCHADCEC



		SHIP		LI	LZ UPCHARGES			
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	WORKSURFACES	CHASSIS	FRONTS	
Credenza with Storage 72"W x 24"D x 29½"H	HNL2472DPS	323	35.6	\$2403	\$20	\$45	\$40	
72 W X 24 D X 23/2 H	HNL24/2DF3	323	33.0	\$2403	\$20	442	\$40	


NOTES: For use behind a desk or as a stand-alone storage piece. Four file drawers, 2-left, 2-right and one storage cabinet with hinged doors. One adjustable shelf, which adjusts in $2\frac{1}{2}$ " increments, behind doors. Drawers lock. Finish of locks is determined by, and aligned with, the handle finish specified. Storage cabinet doors are non-locking.

CHID




Credenza with Kneespace							
72"W x 24"D x 29½"H	HNL2472DPK	247	35.6	\$1818	\$20	\$40	\$20
66"W x 24"D x 29½"H	HNL2466DPK	239	32.7	\$1735	\$20	\$40	\$20
60"W x 24"D x 29½"H	HNL2460DPK	230	29.9	\$1706	\$20	\$35	\$20

NOTES: For use behind a desk or as a stand-alone storage piece. Four locking file drawers, 2-left, 2-right. Finish of locks determined by, and aligned with, the handle finish specified.



Credenza, Single Pedestal							
72"W x 24"D x 29½"H, Right	HNL2472RP	199	35.6	\$1449	\$20	\$35	\$10
72"W x 24"D x 291/2"H, Left	HNL2472LP	199	35.6	\$1449	\$20	\$35	\$10

NOTES: Primary use is as part of a connected U-shaped workstation with a bridge and single pedestal desk. Two locking file drawers. Finish of lock determined by, and aligned with, the handle finish specified. Can be used with modular or mobile pedestals.



Credenza with Lateral File							
72"W x 24"D x 29½"H, Right	HNL2472RLC	245	35.6	\$1584	\$20	\$35	\$20
72"W x 24"D x 29½"H, Left	HNL2472LLC	245	35.6	\$1584	\$20	\$35	\$20

NOTES: Storage file measures 30"W (36"W can be specified using modular components). Mechanical interlock inhibits the extension of more than one drawer at a time. Finish of lock is determined by, and aligned with, the handle finish specified. Can be used with modular or a specified of the contraction of the contmobile pedestals.

NOTES:


- Optional 72"W, 66"W and 60"W stack-on sizes maximize storage space.
- Two cord management grommets, for routing and hiding wires and cables, are located in top.
- · Modesty panel and pedestal grommets are black only.
- · A cord pass-through grommet is located in the sides of the pedestal and top center of the back (modesty panel) to facilitate reaching wall electrical outlets.
- Specification logic includes the grommet finish for tops; choose from Black (P) or Platinum (T1).
- · Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets. See "Modular Components" on page 36 for cord management options.
- For paper organizers, see page 110.

Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Worksurface Grommet Finish	Select Worksurface Color	Select Chassis Color	Select Drawer Front Color
	See page 29	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	P Black T1 Platinum	See page 29	See page 29	See page 29
H N L 2 4 7 2 D P S .	в н.	Ε.	т 1.	н.	н.	Н

CONCINNITY™ Low Credenzas




LIST PRICE BY FABRIC GRADE



		SHIP		L1	L2 UPCHARGES		
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	WORKSURFACES	CHASSIS	FRONTS
Low Credenza (Bench-Height) 72"W x 20"D x 21½"H, Drawers Right, Bookcase Left (shown)	HNL207221RD2	2 219	21.6	\$1408	\$15	\$25	\$20
72"W x 20"D x 21½"H, Drawers Left, Bookcase Right	HNL207221LD2	219	21.6	\$1408	\$15	\$25	\$20
60"W x 20"D x 21½"H, Drawers Right, Bookcase Left	HNL206021RD2	187	18.1	\$1264	\$20	\$15	\$20
60"W x 20"D x 21½"H, Drawers Left, Bookcase Right	HNL206021LD2	187	18.1	\$1264	\$20	\$15	\$20

NOTES: Combination storage design comprised of two locking drawers (1-box/supply and 1-file) plus a bookcase. File drawers include integrated hangrails for letter- or legal-sized folders. Bookcase has one adjustable shelf; adjusts in 21/2" increments.



Low Credenza, 2 Box/2 File 72"W x 20"D x 21½"H HNL207221D4 308 21.6 \$1712 \$15 \$25 \$40 60"W x 20"D x 21½"H HNL206021D4 260 18.1 \$1517 \$15 \$20 \$40

NOTES: Four locking drawers (2-box/supply and 2-file). File drawers include integrated hangrails for letter- or legal-sized folders.



Low Credenza, Box/File							
36"W x 20"D x 211/2"H	HNL203621D2	143	11.8	\$992	\$10	\$15	\$20
30"W x 20"D x 21½"H	HNL203021D2	121	10.0	\$932	\$10	\$15	\$20

NOTES: Unit contains two drawers, one box and one lateral file.



DESCRIPTION	MODEL	WEIGHT	CUBE	1	2	3	4	5	6
Credenza Cushion									
36"W x 20"D x 1"H for 72" and 36"W Low Credenzas	HLSL2036CH2	11	2.2	\$402	\$440	\$478	\$517	\$566	\$616
30"W x 20"D x 1"H for 60" and 30"W Low Credenzas	HLSL2030CH2	9	1.9	\$372	\$408	\$444	\$480	\$526	\$573

SHIP

NOTES: See pages 22-24 for available fabrics.

Seat cushions are optional; HLSL2036CH2 for 72" and 36"W, HLSL2030CH2 for 60" and 30"W.

For model HLSL2030CH2 must order two cushions to cover entire 60" Credenza surface.

SPECIFYING EXAMPLE: HLSL2036CH2.APN23

NOTES:

- · Versatile, space-saving solutions double as a compact storage unit and convenient bench seat.
- When combined with 291/2" H worksurfaces, the 211/2" H credenzas can be positioned to create multi-level, overlapping surfaces that optimize floor space, organization and display needs.
- The distinct, clean horizontal planes provide a light scale, layered look.
- · Low-heights help facilitate team collaboration.
- Finish of lock(s) is determined by, and aligned with, the handle finish specified.
- Overlapping surfaces can be supported by a 28½"H or 7"H O-leg or 7"H laminate end panel.

Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Top Color	Select Chassis Color	Select Drawer Front Color
	See page 29	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	See page 29	See page 29	See page 29
H N L 2 0 7 2 2 1 R D 2 .	В Н .	Ε.	н.	н.	Н



CONCINNITY™ Returns



		SHIP		L1	L2 UPC		
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	WORKSURFACES	CHASSIS	FRONTS
Return							
48"W x 24"D x 291/2"H, Right (shown)	HNL2448RP	141	24.8	\$1039	\$15	\$15	\$10
48"W x 24"D x 291/2"H, Left	HNL2448LP	141	24.8	\$1039	\$15	\$15	\$10
42"W x 24"D x 29½"H, Right	HNL2442RP	132	22.0	\$996	\$15	\$15	\$10
42"W x 24"D x 291/2"H, Left	HNL2442LP	132	22.0	\$996	\$15	\$15	\$10

NOTES: For L-shaped workstations. Connects to single pedestal desk, peninsula (bullet or jetty), or component worksurface with end panel. Drawers lock. Finish of lock is determined by, and aligned with, the handle finish specified. Formal, full-height modesty panel. One $cord\ grommet\ in\ top\ for\ routing\ and\ hiding\ wires\ and\ cables.\ One\ cord\ pass-through\ grommet\ is\ located\ in\ the\ sides\ of\ the\ pedestal\ and\ pedestal\ and\ pedestal\ and\ pedestal\ and\ pedestal\ pedestal\$ top center of the back (modesty panel) to facilitate reaching wall electrical outlets. Specification logic includes the grommet finish for tops; choose from Black (P) or Platinum (T1). Modesty panel and pedestal grommets are black only. Edgebanding on 42"W and 48"W returns is profiled on the user's side and flat on the back (approach side) and ends. Woodgrain direction on worksurface runs vertical (i.e., front-toback). Smaller and larger return sizes can be specified using modular worksurface and modesty panel components. Optional stack-on the specified using modular worksurface and modesty panel components and larger return sizes can be specified using modular worksurface and modesty panel components. Optional stack-on the specified using modular worksurface and modesty panel components are specified using modular worksurface and modesty panel components. Optional stack-on the specified using modular worksurface and modesty panel components are specified using modular worksurface and modesty panel components are specified using modular worksurface and modesty panel components. Optional stack-on the specified using modular worksurface and modesty panel components are specified using the specified using modular worksurface and modesty panel components are specified using the specisolutions maximize storage space. Ship fully assembled.

See chart on page 36 for cord management options. Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets. For easy access to wall electrical outlets, options include a short (10") modesty panel or no back panel.

For paper organizers, see page 110.

Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Worksurface Grommet Finish	Select Worksurface Color	Select Chassis Color	Select Drawer Front Color
	See page 29	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	P Black T1 Platinum	See page 29	See page 29	See page 29
H N L 2 4 4 8 R P .	в н.	Ε.	T 1.	н.	н.	Н

CONCINNITY™ Bridges



Select

Chassis Color

See page 29



		SHIP		Li	L2 UPCHARGES			
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	WORKSURFACES	CHASSIS	FRONTS	
Bridge								
48"W x 24"D x 291/2"H	HNL2448BF	71	3.0	\$448	\$15	\$15	N/A	
42"W x 24"D x 291/2"H	HNL2442BF	62	2.5	\$428	\$15	\$15	N/A	

NOTES: For U-shaped workstation layouts. Connects single pedestal desk, peninsula (bullet or jetty), or component worksurface to corner $unit\ or\ to\ single\ pedestal\ credenza,\ credenza\ with\ lateral\ file,\ or\ rectangle\ worksurface.\ Formal,\ full-height\ modesty\ panel.\ One\ cord$ grommet in top for routing and hiding wires and cables. One cord pass-through grommet in top center of back (modesty panel). Specification logic includes the grommet finish for tops; choose from Black (P) or Platinum (T1). Clear inside depth 221/8"D. Edgebanding on 42"W and 48"W bridges is profiled on the user's side and flat on the back (approach side) and ends. Woodgrain direction on worksurface runs vertical (i.e., front-to-back). Additional sizes, including 30"W and 36"W for use with corner or extended corner units, as well as jetty peninsulas, can be specified using modular worksurface and modesty panel components. Ship \P — quick, simple assembly.

See chart on page 36 for cord management options. Worksurfaces/tops and modesty panels can be specified with or without grommets. For easy access to wall electrical outlets, options include a short (10") modesty panel or no back panel.

HOW TO SPECIFY

Select Select Select Select **Model Number Edge Profile and Edge Worksurface Grommet Worksurface Color** Color Finish See page 29 P Black See page 29 T1 Platinum 4 8 B F P Н

CONCINNITY™ STACK-ON STORAGE APPLICATIONS

STACK-ON STORAGE APPLICATIONS

- Spans full-width of 78"W modular credenza or return.
- Spans total depth dimension of "L" workstation configurations comprised of:
 - 48"W return or modular return attached to a 36"D single pedestal desk with a bow front (78"D).
 - NOTE: The 36"D single pedestal desk with bow front is 30"D along end panel.
 - 48"W return or modular return attached to a 30"D single pedestal desk, modular desk, or bullet peninsula (78"D).
 - 42"W return or modular return attached to a 36"D single pedestal desk with rectangle top, modular desk, or bullet peninsula (78"D).
 - 42"W return or modular return attached to a 36" corner unit or 36"D extended corner unit (78"D).
 - 36"W modular return attached to a 42"D jetty peninsula (78"D).
 - 30"W modular return attached to a 48"D jetty peninsula
 - 30"W modular return attached to a 48"D extended corner unit (78"D).

- Spans full-width of 72"W desks with rectangle top, credenzas, extended corner units, or modular desk, credenza, or return.
- · Spans total depth dimension of "L" workstation configurations comprised of:
 - 48"W return or modular return attached to a 24"D single pedestal credenza or modular credenza (72"D).
 - 42"W return or modular return attached to a 36"D single pedestal desk with a bow front (72"D).
 - NOTE: The 36"D single pedestal desk with bow front is 30"D along end panel.
 - 42"W return or modular return attached to a 30"D single pedestal desk, modular desk, or bullet peninsula (72"D).
 - 36"W modular return attached to a 36"D single pedestal desk with rectangle top, modular desk, or bullet peninsula
 - 36"W modular return attached to a 36" corner unit or 36"D extended corner unit (72"D).
 - 30"W modular return attached to a 42"D jetty peninsula (72"D).

66"W

- Spans full-width of 66"W desk, credenza, or modular desk, credenza, or return.
- Spans total depth dimension of "L" workstation configurations comprised of:
 - 42"W return or modular return attached to a 24"D single pedestal credenza or modular credenza (66"D).

- 36"W modular return attached to a 30"D single pedestal desk, bullet peninsula, or modular desk (66"D).
- 36"W modular return attached to a 36"D single pedestal desk with a bow front (66"D).
 - NOTE: The 36"D single pedestal desk with bow front is 30"D along end panel.
- 30"W modular return attached to a 36"D single pedestal desk with rectangle top or modular desk (66"D).
- 30"W modular return attached to a 36" corner unit (66"D).

- Spans full-width of 60"W desk, credenza, or modular desk, credenza, or return.
- Spans total depth dimension of "L" workstation configurations comprised of:
 - 36"W modular return attached to a 24"D single pedestal credenza or modular credenza (60"D).
 - 30"W modular return attached to a 30"D single pedestal desk or modular desk (60"D).

48"W

- Spans full-width of 48"W return, modular return, or modular desk or credenza.
- Spans full-depth of the 48"D jetty peninsula or extended corner unit.

42"W

- Spans full-width of 42"W return, modular return, or modular desk or credenza.
- Spans full-depth of 42"D jetty peninsula.

36"W

- Spans full-width of 36"W modular return, modular desk or credenza, two drawer lateral file, or 291/2"H storage cabinet with doors.
- Spans full-depth of 36"D desks with rectangle top, bullet peninsula, extended corner unit, or 36" corner unit.

OPTIONS INCLUDE:

Door/Storage Options:

Door(s)	Standard-Height	Executive-Height
Laminate	•	•
Laminate Locking	•	•
Frosted/Silver	•	•
Sliding	•	•

- Available in 351/4" or 781/8"H; when positioned on 291/2"H base unit, heights respectively align with $64\frac{3}{4}$ " and $78\frac{1}{8}$ "H storage- and wardrobe-type cabinets.
- Paper organizers for stack-on and wall mounted storage cabinets (see application and compatibility information on page 111).


CONCINNITY STACK-ON STORAGE APPLICATIONS

- Fabric-Covered Tackboards:
 - Sized 3/4" narrower than the stack-on storage back enclosure, allowing 3/8" on each side to route task light
 - Includes adhesive latch & hook tape for attachment to stack-on storage back panel and fasteners for wall mount applications.
 - For a list of standard fabrics, see pages 25-26. For a complete list of fabrics, please go to hon.com/fabricsandfinishes.
- Markerboards:
 - HLSL1530SOMB: 291/2"W x 121/2"H panel attaches to 60" and 66"W stack-on and wall mounted storage with sliding door models with double-sided tape.
 - HLSL1536SOMB: 351/2"W x 121/2"H panel attaches to 72" and 78"W stack-on and wall mounted storage with sliding door models with double-sided tape.

- Markerboards will not fit on stack-on storage laminate or laminate locking door models.
- Task Lights:
 - Attach to underside of stack-on and wall mount storage
 - Fluorescent or LED options.
 - Tackboard and fluorescent and LED task light solutions, by model, for each stack-on storage size:

Stack-on Storage	Tackboard	Fluorescent Task Light	LED Task Light
78″W	H90057	HH870960, HH870960CH	HLED31A, HLED31AUO
72′′W	H90056	HH870960, HH870960CH	HLED31A, HLED31AUO
66''W	H90055	HH870960, HH870960CH	HLED31A, HLED17AUO
60"W	H90054	HH870960, HH870960CH	HLED31A, HLED17AUO
48"W	H90053	HH870942, HH870942CH	HLED31AS
42′′W	H90052	HH870942, HH870942CH	HLED31AS
36"W	H90051	HH870930, HH870930CH	HLED17AS





NOTES:

- · Convenient off-the-worksurface storage requires no additional floor space.
- 35¼"H stack-on storage models ship fully assembled.
- Fully enclosed back provides privacy; includes a 11/4", full-width pass-through for 3-prong electrical plugs; facilitates routing cords and reaching wall electrical outlets.
- · Lower back panel can be attached with cord pass-through at bottom next to the worksurface or at top for close proximity to task light cord.
- · Lower back panel can be removed to facilitate collaboration in teaming configurations.
- · Valance hides task light.
- Vertical clearance for computer monitor is 20".
- · Laminate vertical paper organizer (HLVPM1) sized to fit below storage compartments.
- Can be specified in seven widths (36", 42", 48", 60", 66", 72", and 78"W) and two heights, standard (351/4"H) or executive (485/4"H).
- Available with laminate doors, frosted/silver doors, or sliding door.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- · Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- For tackboards, see page 59.
- For task lights, see page 113.
- · For paper organizers, see page 110.

HOW TO SEE LOIL				
Select Model Number	Select Chassis Color See page 29		Select Door Front Color See page 29	
H N L 3 6 7 2 L D .	н.		Н	
Select Model Number	Select Lock Finish	Select Chassis Color		Select Door Front Color
	See page 29	See page 29		See page 29
H N L 3 6 7 2 L L .	Р.	н.		Н
Select Model Number	Select Chassis Color			
	See page 29			
H N L 3 6 7 2 F D .	н			




GSA SIN 33721



		SHIP		L1	L2 UPC	IARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Stack-on Storage, Sliding Door						
78"W x 15"D x 351/4"H	HNL3678SD	161	31.8	\$1267	\$45	\$20
72"W x 15"D x 351/4"H	HNL3672SD	151	29.0	\$1229	\$35	\$20
66"W x 15"D x 351/4"H	HNL3666SD	141	26.7	\$1133	\$35	\$20
60"W x 15"D x 351/4"H	HNL3660SD	131	24.3	\$1101	\$35	\$20
48"W x 15"D x 351/4"H	HNL3648SD	110	19.6	\$1041	\$30	\$20

NOTES: Sliding door units have one door per cabinet; standard with black lock, which is located on inside vertical support panel. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with sliding door, specify model HF27B (Black) and the key number, see page 112. Sliding door availability limited to select sizes.



Stack-on Space Saver End Panels 3/4"W x 141/4"D x 351/4"H HNL3605SSEP 1.7 \$379 \$15 N/A

NOTES: Two field installable end panels (1-right; 1-left) for use in ganging two stack-on storage units. Combining stack-on allows users to span longer worksurfaces, including 84" (2 - 42"W), 96" (2 - 48"W), 120" (2 - 60"W), and 144" (2 - 72"W). Narrow, space-saving panel size replaces the full 15"D end panels to expand worksurface space. The 41/4" right end panel is to replace the standard 15"D right end panel on one stack-on storage unit, the 41/4" left end panel is to replace the standard 15"D left end panel on a separate, adjacent stack-on storage unit that is in linear alignment with the first unit. Kit includes: (2) narrow end panel supports; European-style fasteners; dowels; joint connector bolts with sleeve nuts (for ganging stack-on storage units). Can be used to connect up to two stack-on storage units in a line (requires 1 kit). Can be specified in a woodgrain or solid laminate color only.

SPECIFYING EXAMPLE: HNL3605SSEP.H

NOTES:

- · Convenient off-the-worksurface storage requires no additional floor space.
- 35½"H stack-on storage models ship fully assembled.
- Fully enclosed back provides privacy; includes a 11/4", full-width pass-through for 3-prong electrical plugs; facilitates routing cords and reaching wall electrical outlets.
- · Lower back panel can be attached with cord pass-through at bottom next to the worksurface or at top for close proximity to task light cord.
- Lower back panel can be removed to facilitate collaboration in teaming configurations.
- Valance hides task light.
- · Vertical clearance for computer monitor is 20".
- Laminate vertical paper organizer (HLVPM1) sized to fit below storage compartments.
- Can be specified in seven widths (36", 42", 48", 60", 66", 72", and 78"W) and two heights, standard (35\%"H) or executive (48\%"H).
- · Available with laminate doors, frosted/silver doors, or sliding door.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- For tackboards, see page 59.
- For task lights, see page 113.
- For paper organizers, see page 110.

HOW TO SPECIFY


Select **Model Number**

Select **Chassis Color**

See page 29

Select **Door Front Color**

See page 29



		SHIP		L1	L2 UPC	IARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Stack-on Storage, Laminate Doors						
78"W x 15"D x 485%"H — 4 doors, 2 compartments	HNL4978LD 🌮	264	31.3	\$1784	\$60	\$20
72"W x 15"D x 485%"H — 4 doors, 2 compartments	HNL4972LD 🌮	243	29.1	\$1642	\$50	\$20
$66''W \times 15''D \times 48^{5}/8''H - 4 doors, 2 compartments$	HNL4966LD 🌮	229	26.8	\$1551	\$50	\$20
60"W x 15"D x 485/8"H — 4 doors, 2 compartments	HNL4960LD 🌮	212	24.5	\$1443	\$50	\$20
48"W x 15"D x 485/8"H — 3 doors, 2 compartments	HNL4948LD	175	26.4	\$1376	\$45	\$20
$42''W \times 15''D \times 48^{5}/8''H - 2 doors, 1 compartment$	HNL4942LD	149	23.2	\$1206	\$45	\$20
36"W x 15"D x 485%"H — 2 doors, 1 compartment	HNL4936LD	145	20.3	\$1167	\$45	\$20



Stack-on Storage, Laminate Locking Doors 78"W x 15"D x 48 $\frac{5}{8}$ "H - 4 doors, 2 compartments HNL4978LL 🌮 264 31.3 \$1866 \$60 \$20 72"W x 15"D x 48^{5} /8"H — 4 doors, 2 compartments HNL4972LL 🐬 243 29.1 \$1725 \$50 \$20 66"W x 15"D x 48 $\frac{5}{8}$ "H — 4 doors, 2 compartments HNL4966LL 🐬 229 26.8 \$1634 \$50 \$20 HNL4960LL 🐬 \$20 212 24.5 \$1526 \$50 HNL4948LL 175 26.4 \$1417 \$45 \$20

60"W x 15"D x 48%"H - 4 doors, 2 compartments $48^{\prime\prime}$ W x $15^{\prime\prime}$ D x $48^{5}/8^{\prime\prime}$ H - 3 doors, 2 compartments 42"W x 15"D x 485%"H — 2 doors, 1 compartment HNL4942LL $36''W \times 15''D \times 48^{5}/8''H - 2 doors, 1 compartment$ HNL4936LL

📵 Lock available in Black (P) or Satin (SA) finish. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with locking hinged doors, specify model HF27B (Black) or HF27S (Satin) and the key number, see page 112. Model HNL4948LL has one lock, which secures two of the three doors.

149

145

23.2

20.3

\$1248

\$1209

\$45

\$45

\$20

\$20

NOTES:

- · Convenient off-the-worksurface storage requires no additional floor space.
- 485%"H units have a fixed, intermittent shelf; storage space above and below the shelf is 125%".
- Product applications are detailed on pages 53-54.
- Fully enclosed back provides privacy; includes a 11/4", full-width pass-through for 3-prong electrical plugs; facilitates routing cords and reaching wall electrical outlets.
- · Lower back panel can be attached with cord pass-through at bottom next to the worksurface or at top for close proximity to task light cord.
- Lower back panel can be removed to facilitate collaboration in teaming configurations.
- · Valance hides task light.
- Vertical clearance for computer monitor is 20".
- Laminate vertical paper organizer (HLVPM1) sized to fit below storage compartments.
- Can be specified in seven widths (36", 42", 48", 60", 66", 72", and 78"W) and two heights, standard (351/4"H) or executive (485/4"H).
- Available with laminate doors, frosted/silver doors, or sliding door.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- For tackboards, see page 59.
- For task lights, see page 113.
- For paper organizers, see page 110.

HOW TO SPECIFY

Select Select Select **Chassis Color Door Front Color Model Number** See page 29 See page 29

	elec ode		lum	ıbe	r					Se	•
										Se	е
Н	N	L	4	9	7	8	L	L		P	

Select Lock Finish	
See page 29	
Р.	

Select Chassis Color	
See page 29	
н.	

Select **Door Front Color** See page 29







		SHIP		L1	L2 UPCHARGES	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Stack-on Storage, Frosted Doors with Silver Frame						
78"W x 15"D x 485%"H — 4 doors, 2 compartments	HNL4978FD 🌮	225	31.3	\$2713	\$60	N/A
72"W x 15"D x 485%"H — 4 doors, 2 compartments	HNL4972FD 🐬	207	29.1	\$2571	\$50	N/A
66"W x 15"D x 485%"H — 4 doors, 2 compartments	HNL4966FD 🌮	196	26.8	\$2481	\$50	N/A
60"W x 15"D x 485%"H — 4 doors, 2 compartments	HNL4960FD 🌮	182	24.5	\$2372	\$50	N/A
48"W x 15"D x 485%"H — 3 doors, 2 compartments	HNL4948FD	152	26.4	\$2073	\$45	N/A
42"W x 15"D x 485%"H — 2 doors, 1 compartment	HNL4942FD	128	23.2	\$1671	\$45	N/A
$36^{\prime\prime}$ W x $15^{\prime\prime}$ D x 48^{5} / $8^{\prime\prime}$ H — 2 doors, 1 compartment	HNL4936FD	114	20.3	\$1632	\$45	N/A
Frosted/silver door units do not have a lock option						

NOTES:

- Convenient off-the-worksurface storage requires no additional floor space.
- 485/8" H units have a fixed, intermittent shelf; storage space above and below the shelf is 125/8".
- Product applications are detailed on pages 53-54.
- Fully enclosed back provides privacy; includes a 11/4", full-width pass-through for 3-prong electrical plugs; facilitates routing cords and reaching wall electrical outlets.
- · Lower back panel can be attached with cord pass-through at bottom next to the worksurface or at top for close proximity to task light cord.
- Lower back panel can be removed to facilitate collaboration in teaming configurations.
- Valance hides task light.
- Vertical clearance for computer monitor is 20".
- Laminate vertical paper organizer (HLVPM1) sized to fit below storage compartments.
- Can be specified in seven widths (36", 42", 48", 60", 66", 72", and 78"W) and two heights, standard (351/4"H) or executive (485/4"H).
- Available with laminate doors, frosted/silver doors, or sliding door.
- $\bullet\,$ Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- For tackboards, see page 59.
- · For task lights, see page 113.
- For paper organizers, see page 110.

HOW TO SPECIFY

Select **Model Number**

Select **Chassis Color**

See page 29








	SHIP				L1	L2 UPCHARGES	
DESCRIPTION	MODEL	COM	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Stack-on Storage, Sliding Door							
78"W x 15"D x 485%"H	HNL4978SD 🌮		236	31.3	\$1809	\$60	\$20
72"W x 15"D x 485%"H	HNL4972SD 🌮		221	29.1	\$1712	\$50	\$20
66"W x 15"D x 485/8"H	HNL4966SD 🌮		207	26.8	\$1674	\$50	\$20
60"W x 15"D x 485%"H	HNL4960SD 🌮		192	24.5	\$1475	\$50	\$20
48"W x 15"D x 485%"H	HNL4948SD		162	26.4	\$1405	\$45	\$20


NOTES: Sliding door units have one door per cabinet; standard with black lock, which is located on inside vertical support panel. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with sliding door, specify model HF27B (Black) and the key number, see page 112. Sliding door availability limited to select sizes.



Stack-on Space Saver End Panels 3/4"W x 141/4"D x 485/8"H HNL4905SSEP N/A 23 \$513

NOTES: Two field installable end panels (1-right; 1-left) for use in ganging two stack-on storage units. Combining stack-on allows users to span longer worksurfaces, including 84" (2 - 42"W), 96" (2 - 48"W), 120" (2 - 60"W), and 144" (2 - 72"W). Narrow, space-saving panel size replaces the full 15"D end panels to expand worksurface space. The 41/4" right end panel is to replace the standard 15"D right end panel on one stack-on storage unit, the 41/4" left end panel is to replace the standard 15"D left end panel on a separate, adjacent stack-on storage unit that is in linear alignment with the first unit. Kit includes: (2) narrow end panel supports; European-style fasteners; dowels; joint connector bolts with sleeve nuts (for ganging stack-on storage units). Can be used to connect up to two stack-on storage units in a line (requires 1 kit). Can be specified in a woodgrain or solid laminate color only.

SPECIFYING EXAMPLE: HNL4905SSEP.H



Tackboards for use with Stack-on	Storage						
75"W - for 78"W	H90057	3.0	13	3.2	\$317	N/A	N/A
68 ³ / ₄ "W - for 72"W	H90056	2.0	12	2.7	\$301	N/A	N/A
62 ³ / ₄ "W - for 66"W	H90055	2.0	11	2.5	\$286	N/A	N/A
56 ³ / ₄ "W - for 60"W	H90054	2.0	10	2.2	\$252	N/A	N/A
44 ³ / ₄ "W - for 48"W	H90053	2.0	8	1.8	\$242	N/A	N/A
39"W - for 42"W	H90052	2.0	7	1.6	\$223	N/A	N/A
33"W - for 36"W	H90051	1.0	6	1.4	\$196	N/A	N/A
26³/₄′′W	H90050	1.0	5	1.2	\$196	N/A	N/A

NOTES: Specify fabric, see pages 25-26. Upcharges may apply to premium fabric grades.

Disperse (DISP) fabric not available on sizes wider than 60". Analog (ANLG) and Exchange (EXG) not available on sizes wider than 72". SPECIFYING EXAMPLE: H90057.APN15

NOTES:

- Convenient off-the-worksurface storage requires no additional floor space.
- 485/8"H units have a fixed, intermittent shelf; storage space above and below the shelf is 125/8".
- Fully enclosed back provides privacy; includes a 11/4", full-width pass-through for 3-prong electrical plugs; facilitates routing cords and reaching wall electrical outlets.
- · Lower back panel can be attached with cord pass-through at bottom next to the worksurface or at top for close proximity to task light cord.
- Lower back panel can be removed to facilitate collaboration in teaming configurations.
- · Valance hides task light.
- · Vertical clearance for computer monitor is 20".
- Laminate vertical paper organizer (HLVPM1) sized to fit below storage compartments.
- Can be specified in seven widths (36", 42", 48", 60", 66", 72", and 78"W) and two heights, standard (35\(^1\)4"H) or executive (48\(^1\)4"H).
- · Available with laminate doors, frosted/silver doors, or sliding door.
- · Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- · Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- · For tackboards, see above.
- For task lights, see page 113.
- · For paper organizers, see page 110.

HOW TO SPECIFY

Select Select Select **Model Number Chassis Color Door Front Color** See page 29 See page 29

CONCINNITY™ WALL MOUNT STORAGE APPLICATIONS

- Installation (review carefully):
 - Attachment requires individual cabinets be secured by a minimum of two (2) wall mounting locations/studs.
 - Designed for interior and perimeter walls that are constructed with wood or metal studs.
 - Attaches to wall with horizontally mounted, interlocking
 - The HON Company is not responsible for any liabilities resulting from wall mounted storage cabinets that are not properly installed.
- Laminate, laminate locking, and frosted/silver door units can be specified in eight widths (30", 36", 42", 48", 60", 66", 72", and 78"W) and two heights, standard (15"H) or executive (291/2"H).
- Sliding door units can be specified in five widths (48", 60", 66", 72", and 78"W) and two heights, standard (15"H) or executive (291/2"H).
- Product placement can be aligned to match the height of 64³/₄"H or 78¹/₈"H storage- and wardrobe-type cabinets.
- Available with laminate doors, frosted/silver doors, or sliding door.
 - Door design overlaps end panels so that when multiple units are placed side-by-side they appear as one continuous unit.
 - Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
 - Laminate hinged door units are available with or without a lock.
 - Lock available in Black (P) or Satin (SA).
 - Lock is core removable; keyed alike cores must be ordered separately — for overhead storage with hinged doors specify model HF27B or HF27S and the key number.
 - Frosted/silver hinged door units do not have a lock option.
 - Sliding door units have one door per cabinet; standard with black lock, which is located on inside vertical support panel. Lock is core removable; keyed alike cores must be ordered separately — for overhead storage with a sliding door specify model HF23B (Black) and the key number.
 - Laminate and frosted/silver door cabinets in 30", 36", and 42"W have two doors; 48"W has three doors; 60", 66", 72", and 78"W have four doors.

- Inside storage dimensions of 15"H cabinets:
 - 30"W = one compartment, sized 283/8"W x 133/8"D x 123/4"H
 - 36"W = one compartment, sized 34%"W x 13%"D x
 - 42"W = one compartment, sized 403/8"W x 133/8"D x 123/4"H
 - 48''W = two compartments, one sized $30^{5}/8''W$ x $13^{3}/8''D$ x 12³/₄"H; one sized 14⁵/₈"W x 13³/₈"D x 12³/₄"H
 - 60''W = two compartments, each $285'8''W \times 131'8''D \times 100''W$ 12³/₄"H
 - 66''W = two compartments, each 31^{5} %"W x 13^{1} %"D x 12³/₄"H
 - 72"W = two compartments, each 345%"W x 131%"D x 12³/₄"H
 - 78"W = two compartments, each 375%"W x 131%"D x 12³/₄"H
- 281/2"H units have a fixed, intermittent shelf; storage space above and below the shelf is 125/8".
- Wall mounted storage cabinets are not designed for attachment to O-leg models HLSL65OS or HLSL50OS.
- Horizontal interlocking rails are included; due to varying types of walls, installers are responsible for selecting and supplying the appropriate fasteners.
- Ship fully assembled.

DESKS

CONCINNITY™ WALL MOUNT STORAGE APPLICATIONS

OPTIONS INCLUDE:

• Door/Storage Options:

Door(s)	Standard-Height	Executive-Height
Laminate	•	•
Laminate Locking	•	•
Frosted/Silver	•	•
Sliding	48"-78"W only	48"-78"W only

- Paper organizers for stack-on and wall mounted storage cabinets (see compatibility information on page 111).
- Fabric-Covered Tackboards:
 - Tackboards mount directly to wall using the fasteners or hook-and-loop tape provided.
 - For a list of standard fabrics, see pages 25-26. For a complete list of fabrics, please go to hon.com/fabricsandfinishes.
 - See compatibility cross reference below.
 - NOTE: Tackboard widths differ slightly from the wall mounted storage cabinet widths. For applications where multiple wall mounted storage units are placed side-byside, the preferred tackboard solution may be to utilize a larger tackboard size.

For example, H90057 = 75''W; $H90056 = 68\frac{3}{4}''W$; $H90055 = 62^{3}/4^{\prime\prime}W$; $H90054 = 56^{3}/4^{\prime\prime}W$.

- Markerboards:
 - HLSL1530SOMB: 291/2"W x 121/2"H panel attaches to 60" and 66"W stack-on and wall mounted storage with sliding door models with double-sided tape.
 - HLSL1536SOMB: 351/2"W x 121/2"H panel attaches to 72" and 78"W stack-on and wall mounted storage with sliding door models with double-sided tape.
- · Task Lights:
 - Attach to underside of stack-on and wall mount storage cabinets.
 - Fluorescent or LED options.
 - Compatibility: Tackboard and task light solutions, by model, for each wall mounted storage cabinet size:

Wall Mounted Storage	Tackboard	Fluorescent Task Light	LED Task Light
78"W	H90057 (75"W) or qty 2 of H90052 (39"W ea.)	HH870960, HH870960CH	HLED31A, HLED31AUO
72′′W	H90056 (71½"W)	HH870960, HH870960CH	HLED31A, HLED31AUO
66"W	H90055 (65 ¹⁵ /16"W)	HH870960, HH870960CH	HLED31A, HLED17AUO
60″W	H90054 (59 ¹⁵ /16"W)	HH870960, HH870960CH	HLED31A, HLED17AUO
48″W	H90053 (44 ³ / ₄ "W)	HH870942, HH870942CH	HLED31AS
42"W	H90052 (39"W)	HH870942, HH870942CH	HLED31AS
36"W	H90051 (33"W)	HH870930, HH870930CH	HLED17AS
30"W	H90050 (26 ³ / ₄ "W)	HH870930, HH870930CH	HLED17AS


CONCINNITY™ Wall Mount Storage



L2 UPCHARGES



L1



DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Wall Mount Storage, Laminate Doors						
78"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1578LD	126	17.1	\$1245	\$35	\$20
72"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1572LD	118	15.9	\$1156	\$25	\$20
66"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1566LD	109	14.6	\$1101	\$25	\$20
60"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1560LD	100	13.3	\$989	\$25	\$20
48"W x 15"D x 15"H — 3 doors, 2 compartments	HNL1548LD	83	10.9	\$892	\$20	\$20
42"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1542LD	68	9.7	\$842	\$20	\$10
36"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1536LD	60	8.4	\$770	\$20	\$10
$30^{\prime\prime}$ W x $15^{\prime\prime}$ D x $15^{\prime\prime}$ H $-$ 2 doors, 1 compartment	HNL1530LD	51	7.2	\$711	\$20	\$10

SHIP



20013, reomparament		31	7.2	Ψ/11	420	410
Wall Mount Storage, Laminate Locking Doors						
78"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1578LL	126	17.1	\$1327	\$35	\$20
72"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1572LL	118	15.9	\$1238	\$25	\$20
66"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1566LL	109	14.6	\$1184	\$25	\$20
60"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1560LL	100	13.3	\$1071	\$25	\$20
48"W x 15"D x 15"H — 3 doors, 2 compartments	HNL1548LL	83	10.9	\$933	\$20	\$20
42"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1542LL	68	9.7	\$883	\$20	\$10
36"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1536LL	60	8.4	\$811	\$20	\$10
30"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1530LL	51	7.2	\$752	\$20	\$10

📵 Lock available in Black (P) or Satin (SA) finish. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with locking hinged doors, specify model HF27B (Black) or HF27S (Satin) and the key number, see page 112. Model HNL1548LL has one lock, which secures two of the three doors.


NOTES:

- Convenient off-the-worksurface storage requires no additional floor space.
- Available with laminate doors, frosted/silver doors, or sliding door.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- For tackboards, see page 65.
- For task lights, see page 113.
- For paper organizers, see page 110.
- · IMPORTANT: See installation guidelines at top of page 60.

Select Model Number	Select Chassis Color		Select Door Front Color	
	See page 29		See page 29	
H N L 1 5 7 8 L D .	н.		Н	
Select Model Number	Select Lock Finish	Select Chassis Color		Select Door Front Color
	See page 29	See page 29		See page 29
H N L 1 5 7 8 L L .	Ρ.	н.		Н



CONCINNITY™ Wall Mount Storage



	SHIP			L1	L2 UPCHARGES	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Wall Mount Storage, Frosted Doors with Silver Fran	ne					
78"W x 15"D x 15"H $-$ 4 doors, 2 compartments	HNL1578FD	106	17.1	\$1864	\$35	N/A
72"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1572FD	99	15.9	\$1775	\$25	N/A
$66''W \times 15''D \times 15''H - 4 doors, 2 compartments$	HNL1566FD	92	14.6	\$1721	\$25	N/A
60"W x 15"D x 15"H — 4 doors, 2 compartments	HNL1560FD	85	13.3	\$1608	\$25	N/A
$48''W \times 15''D \times 15''H - 3 doors, 2 compartments$	HNL1548FD	71	10.9	\$1356	\$20	N/A
42"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1542FD	57	9.7	\$1152	\$20	N/A
36"W x 15"D x 15"H — 2 doors, 1 compartment	HNL1536FD	50	8.4	\$1079	\$20	N/A
$30''W \times 15''D \times 15''H - 2 doors, 1 compartment$	HNL1530FD	43	7.2	\$1021	\$20	N/A
Frosted door models do not have a lock option.						



Wall Mount Storage, Sliding Door						
78"W x 15"D x 15"H	HNL1578SD	114	17.1	\$1212	\$35	\$20
72"W x 15"D x 15"H	HNL1572SD	107	15.9	\$1113	\$25	\$20
66"W x 15"D x 15"H	HNL1566SD	99	14.6	\$1036	\$25	\$20
60"W x 15"D x 15"H	HNL1560SD	91	13.3	\$941	\$25	\$20
48"W x 15"D x 15"H	HNL1548SD	76	10.9	\$881	\$20	\$20

NOTES: One door per unit. Standard with black lock, which is located on the inside vertical support panel. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with sliding door, specify model HF23B (Black) and the key number, see page 112.

NOTES:

- · Convenient off-the-worksurface storage requires no additional floor space.
- Available with laminate doors, frosted/silver doors, or sliding door.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- For tackboards, see page 65.
- For task lights, see page 113.
- For paper organizers, see page 110.
- · IMPORTANT: See installation guidelines at top of page 60.

HOW TO SPECIFY

Select Model Number	Select Chassis Color	
	See page 29	
H N L 1 5 7 8 F D .	н	
Select Model Number	Select Chassis Color	Select Door Front Color

Н	N	L	1	5	7	8	S	D	

Chassis Color See page 29

Door Front Color See page 29


GSA SIN 33721

L2 UPCHARGES

CONCINNITY™ Wall Mount Storage



L1



DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Wall Mount Storage, Laminate Doors						
78"W x 15"D x 28½"H — 4 doors, 2 compartments	HNL2978LD	213	30.8	\$1509	\$50	\$40
72"W x 15"D x 28½"H — 4 doors, 2 compartments	HNL2972LD	199	28.6	\$1432	\$40	\$40
66"W x 15"D x 28½"H — 4 doors, 2 compartments	HNL2966LD	185	26.4	\$1387	\$40	\$40
60"W x 15"D x 28½"H — 4 doors, 2 compartments	HNL2960LD	170	24.1	\$1288	\$40	\$40
48"W x 15"D x 28½"H — 3 doors, 2 compartments	HNL2948LD	142	19.7	\$1173	\$35	\$30
42"W x 15"D x 28½"H — 2 doors, 1 compartment	HNL2942LD	116	17.4	\$964	\$35	\$20
36"W x 15"D x 28½"H — 2 doors, 1 compartment	HNL2936LD	101	15.2	\$918	\$35	\$20
$30^{\prime\prime}$ W x $15^{\prime\prime}$ D x $28\frac{1}{2}^{\prime\prime}$ H — 2 doors, 1 compartment	HNL2930LD	87	12.9	\$819	\$35	\$20

SHIP



Wall Mount Storage, Laminate Locking Doors

HNL2978LL 213 30.8 \$1592 78"W x 15"D x 281/2"H — 4 doors, 2 compartments \$50 \$40 72"W x 15"D x $28\frac{1}{2}$ "H - 4 doors, 2 compartments HNL2972LL 199 28.6 \$1514 \$40 \$40 $66''W \times 15''D \times 28\frac{1}{2}''H - 4 doors, 2 compartments$ HNL2966LL \$1470 \$40 185 26.4 \$40 60"W x 15"D x 281/2"H — 4 doors, 2 compartments HNL2960LL 170 24.1 \$1371 \$40 \$40 $48''W \times 15''D \times 28\frac{1}{2}''H - 3 doors, 2 compartments$ HNL2948LL 142 19.7 \$1215 \$35 \$30 $42''W \times 15''D \times 28\frac{1}{2}''H - 2 doors, 1 compartment$ HNL2942LL 116 17.4 \$1005 \$35 \$20 $36''W \times 15''D \times 28\frac{1}{2}''H - 2 doors, 1 compartment$ HNL2936LL 101 15.2 \$960 \$35 \$20 $30^{\prime\prime}$ W x $15^{\prime\prime}$ D x $28\frac{1}{2}^{\prime\prime}$ H — 2 doors, 1 compartment HNL2930LL 12.9 \$20 87 \$861 \$35

Lock available in Black (P) or Satin (SA) finish. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with locking hinged doors, specify model HF27B (Black) or HF27S (Satin) and the key number, see page 112. Model HNL2948LL has one lock, which secures two of the three doors.



Wall Mount Storage, Frosted Doors with Silver Frame

Wall Flourit Storage, Frostea Doors With Silver Fran	ic .					
78"W x 15"D x 281/2"H — 4 doors, 2 compartments	HNL2978FD	174	30.8	\$2438	\$50	N/A
72"W x 15"D x 281/2"H — 4 doors, 2 compartments	HNL2972FD	163	28.6	\$2361	\$40	N/A
66"W x 15"D x 281/2"H — 4 doors, 2 compartments	HNL2966FD	152	26.4	\$2316	\$40	N/A
60"W x 15"D x 28½"H — 4 doors, 2 compartments	HNL2960FD	140	24.1	\$2217	\$40	N/A
48"W x 15"D x 28½"H — 3 doors, 2 compartments	HNL2948FD	118	19.7	\$1870	\$35	N/A
42"W x 15"D x 28½"H — 2 doors, 1 compartment	HNL2942FD	94	17.4	\$1428	\$35	N/A
36"W x 15"D x 28½"H — 2 doors, 1 compartment	HNL2936FD	83	15.2	\$1383	\$35	N/A
30"W x 15"D x 28½"H − 2 doors, 1 compartment	HNL2930FD	72	12.9	\$1284	\$35	N/A


Frosted door models do not have a lock option.

NOTES:

- · Convenient off-the-worksurface storage requires no additional floor space.
- · Available with laminate doors, frosted/silver doors, or sliding door.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.


- 281/2"H units have a fixed, intermittent shelf; storage space above and below the shelf is 125/8".
- For tackboards, see page 65.
- · For task lights, see page 113.
- · For paper organizers, see page 110.
- IMPORTANT: See installation guidelines at top of page 60.

HOW TO SPECIFY



Select **Model Number** Select **Chassis Color**

See page 29





CONCINNITY™ Wall Mount Storage



			SHIP		L1	L2 UPCF	IARGES
DESCRIPTION	MODEL	COM	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Wall Mount Storage, Sliding Door							
78"W x 15"D x 281/2"H	HNL2978SD		189	30.8	\$1569	\$50	\$40
72"W x 15"D x 28½"H	HNL2972SD		177	28.6	\$1498	\$40	\$40
66"W x 15"D x 28½"H	HNL2966SD		165	26.4	\$1463	\$40	\$40
60"W x 15"D x 281/2"H	HNL2960SD		153	24.1	\$1369	\$40	\$40
48"W x 15"D x 28½"H	HNL2948SD		129	19.7	\$1200	\$35	\$30

NOTES: One door per unit. Standard with black lock, which is located on the inside vertical support panel. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with sliding door, specify model HF23B (Black) and the key number, see page 112.

18″H

Tackboards for use with Wall Mo	unt Storage						
75"W - for 78"W	H90057	3.0	13	3.2	\$317	N/A	N/A
68 ³ / ₄ "W - for 72"W	H90056	2.0	12	2.7	\$301	N/A	N/A
62 ³ / ₄ "W - for 66"W	H90055	2.0	11	2.5	\$286	N/A	N/A
56 ³ / ₄ "W - for 60"W	H90054	2.0	10	2.2	\$252	N/A	N/A
44 ³ / ₄ "W - for 48"W	H90053	2.0	8	1.8	\$242	N/A	N/A
39"W - for 42"W	H90052	2.0	7	1.6	\$223	N/A	N/A
33"W - for 36"W	H90051	1.0	6	1.4	\$196	N/A	N/A
26 ³ / ₄ "W	H90050	1.0	5	1.2	\$196	N/A	N/A

NOTES: Specify fabric, see pages 25-26. Upcharges may apply to premium fabric grades.

 $Tackboard\ widths\ differ\ slightly\ from\ the\ wall\ mounted\ storage\ cabinet\ widths. For\ applications\ where\ multiple\ wall\ mounted\ storage\ units$ are placed side-by-side, the preferred tackboard solution may be to utilize a larger tackboard size. For example, H90057 = 75"W; $H90056 = 68^{3}/4''W$; $H90055 = 62^{3}/4''W$; $H90054 = 56^{3}/4''W$.

Disperse (DISP) fabric not available on sizes wider than 60". Analog (ANLG) and Exchange (EXG) not available on sizes wider than 72". SPECIFYING EXAMPLE: H90057.APN15

NOTES:


- · Convenient off-the-worksurface storage requires no additional floor space.
- · Valance hides task light.
- Available with laminate doors, frosted/silver doors, or sliding door.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- · Laminate hinged door units are available with or without a lock.
- 28½"H units have a fixed, intermittent shelf; storage space above and below the shelf is 125%".
- For tackboards, see above.
- For task lights, see page 113.
- For paper organizers, see page 110.
- · IMPORTANT: See installation guidelines at top of page 60.

HOW TO SPECIFY


Select Select Select **Model Number Chassis Color Door Front Color** See page 29 See page 29

CONCINNITY™ Bookcase Hutches






		SHIP		L1	L2 UPCH	IARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Bookcase Hutch, No Doors/Open						
36"W x 141/4"D x 351/4"H (shown)	HNL3636BHXD	213	15.3	\$584	\$15	N/A
30''W x 14¼"D x 35¼"H	HNL3630BHXD	199	12.5	\$570	\$15	N/A
36"W x 141/4"D x 485/8"H	HNL4936BHXD	213	125.0	\$738	\$25	N/A
30''W x 14½"D x 485/8"H	HNL4930BHXD	199	109.0	\$689	\$25	N/A



Bookcase Hutch, Laminate Doors 36"W x 15"D x 351/4"H (shown) 30"W x 15"D x 351/4"H	HNL3636BHLD HNL3630BHLD	213 199	15.3 12.5	\$755 \$709	\$15 \$15	\$20 \$20
36"W x 15"D x 485%"H	HNL4936BHLD	213	165.0	\$904	\$25	\$30
30"W x 15"D x 485%"H	HNL4930BHLD	199	142.0	\$848	\$25	\$30

- Designed for use on worksurfaces, or on 30" or 36"W x 291/2"H lateral file or storage cabinet with doors.
- Two widths, 30" and 36"; two heights, $35\frac{1}{4}$ " and $48\frac{5}{8}$ ".
- The $35\frac{1}{4}$ "H unit has three shelves, two are adjustable in $1\frac{1}{4}$ " increments with a total range of $17\frac{1}{2}$ "; bottom shelf is fixed.
- The 485%"H unit has four shelves, three are adjustable in 11/4" increments with a total range of 25"; bottom shelf is fixed.
- Available with laminate doors or frosted/silver doors or no doors (open).
- · Door units equipped with self-closing, adjustable hinges.
- · Laminate doors have decorative handles.
- Frosted door units have push/touch latch release.
- Doors are non-locking.
- To align with the top of the 35%"H bookcase hutch, use 643/4"H floor-standing storage models; to align with the top of the 485%"H bookcase hutch, use 781/4"H models.
- Ship fully assembled.

Select Model Number	Select Laminate Color		
	See page 29		
H N L 3 6 3 6 B H X	D. H		
Select Model Number	Select Handle	Select Chassis Color	Select Door Front Color
	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	See page 29	See page 29
H N L 3 6 3 6 B H L	D. E.	н.	Н



		SHIP		L1	L2 UPCHARGES	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Bookcase Hutch, Frosted Doors with Silver Frame	9					
36"W x 15"D x 351/4"H (shown)	HNL3636BHFD	199	15.3	\$1375	\$15	N/A
36"W x 15"D x 485%"H	HNL4936BHFD	213	134.0	\$1678	\$25	N/A

NOTES:

- Designed for use on worksurfaces, or on 30" or 36"W x $29\frac{1}{2}$ "H lateral file or storage cabinet with doors.
- Two widths, 30" and 36"; two heights, $35\frac{1}{4}$ " and $48\frac{5}{8}$ ".
- The 35%"H unit has three shelves, two are adjustable in 1%" increments with a total range of 17%"; bottom shelf is fixed.
- The 485%"H unit has four shelves, three are adjustable in 11/4" increments with a total range of 25"; bottom shelf is fixed.
- Available with laminate doors or frosted/silver doors or no doors (open).
- · Door units equipped with self-closing, adjustable hinges.
- · Laminate doors have decorative handles.
- Frosted door units have push/touch latch release.
- · Doors are non-locking.
- To align with the top of the 35½"H bookcase hutch, use 64¾"H floor-standing storage models; to align with the top of the 48½"H bookcase hutch, use 78½"H models.
- · Ship fully assembled.

HOW TO SPECIFY

Select **Model Number** Select **Chassis Color**

See page 29



CONCINNITY™ Reception Stations **GSA SIN 33721**



L2 UPCHARGES



SHIP



NOTES: Non-handed. Counter measures 60"W x 151/4"D. Flat edge (G) matches 10500 Series™. For beaded (B) and tri-oval (V) edge shapes, the transaction counter is profiled on the approach and user sides, and the desk worksurface is profiled on the user's side. Beaded (B) and tri-oval (V) edges are available in L1 woodgrains colors only. Smooth and flat (G) edge available in all woodgrains and solid colors. Vertical grain on approach side and front accent panel for L1 laminates except Kingswood Walnut and Florence Walnut. Horizontal grain on L2 laminates and Kingswood and Florence Walnut. Vertical grain on end panels and horizontal grain on worksurface and transaction counter. Two worksurface cord management grommets for routing and hiding wires and cables; can be specified in Black (P) or Platinum (T1) finish.

L1



Reception Return with 32"H Transaction Counter 48¹/₄"W x 32⁷/₈"D x 32"H HLAM3348RR 145 3.7 \$829 \$35 \$35 N/A

NOTES: Non-handed. For use with HLAM3772RD and Reception Desk Shell (H105724). Counter facilitates accessibility; measures 48"W x 12"D x 32"H. Flat edge (G) matches 10500 Series™. For beaded (B) and tri-oval (V) edge shapes, the transaction counter is profiled on the approach side, and the return worksurface is profiled on the user's side. All other edges are flat banded. Beaded (B) and tri-oval (V) available in L1 woodgrain colors only. Flat edge (G) available in all woodgrains and solid colors. Pattern laminates do not have matching edge color; patterns can be specified with woodgrain or solid edge. Vertical grain on approach side, end panel, worksurface, and transaction counter. Assembly required.

Specify: Model. Edge Profile & Edge Color. Worksurface & Counter Color. Chassis Color

SPECIFYING EXAMPLE: HLAM3348RR.GN.N.N

HOW TO SPECIFY

Select Select Select Select Select Select **Model Number Edge Profile and Grommet Color** Worksurface **Chassis Laminate Accent Panel Edge Color** Laminate Laminate See page 29 P Black See page 29 See page 29 See page 29 **T1** Platinum Not specified for Not specified for model HLAM3348RR model HLAM3348RR 7 7 2 R D . P N N



\$25

ACCENT



CONCINNITY Reception Stations

L1

L2 UPCHARGES



DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	COUNTER	CHASSIS
Reception Station Counter for Desk						
70"\N v 17"D v 1/15/2"L	⊔NI 1772DT	7./	17	¢552	\$10	¢15

SHIP

📵 Compatible for use on 72″W x 30″ or 36″D desktops and worksurfaces. For cleanest approach-side aesthetic, use on desk built with modular components; desk comprised of either 72"W x 30"D rectangle worksurface and 72"W x 27%"H modesty/back panel, supported by 291/6"D pedestal(s) and/or end panel(s), or 72"W x 36"D worksurface and 72"W x 277/8"H modesty/back panel, supported by 35"D left and right end panels. The counter is 17"D with a 4" approach-side overhang; end panels are 123%"D. Ships 💞. Transaction counter organizer (model HTCOL52) is available as an option; fits under transaction counter; organizer is available in black only.

SPECIFYING EXAMPLE: HNL1772RT.BH.H.H



For Station with Right Return

L-Reception Station with Transaction Counter for Desk

72"W x 88"D x 145%"H	HNL8472RT	103	4.5	\$881	\$10	\$25
72"W x 82"D x 145/8"H	HNL7872RT	101	4.5	\$860	\$10	\$25

NOTES: Intended for use on desk built with modular components, for clean approach-side aesthetic, connected to a return or modular return. Layout for 78" and 84"D footprints:

- 72"W x 78"D:
- Desk = 72° W x 30° D worksurface, 72° W x 27^{7} /s"H modesty/back panel, supported by 29^{1} /s"D pedestal(s) and/or end panel(s).
- Return = 48"W x 24"D return; or 48"W x 24"D worksurface with vertical grain, 48"W x 271/8"H modesty/back panel, supported by a 231/8"D pedestal and/or end panel.
- 72"W x 78"D:
 - Desk = 72"W x 36"D worksurface, 72"W x 271/8"H modesty/back panel, supported by 1-left and 1-right 35"D panel.
 - Return = $42''W \times 24''D$ return; or $42''W \times 24''D$ worksurface with vertical grain, $42''W \times 27^{7/6}''H$ modesty/back panel, supported by a 231/8"D pedestal and/or end panel.
- 72"W x 84"D:
- Desk = 72"W x 36"D worksurface, 72"W x 271/8"H modesty/back panel, supported by 1-left and 1-right 35"D end panel.
- Return = 48"W x 24"D return; or 48"W x 24"D worksurface with vertical grain, 48"W x 277%"H modesty/back panel, supported by a 231/8"D pedestal and/or end panel.
- 📵 Comprised of 17"D transaction counter, with 4" approach-side overhang, for the desk and a vertical privacy panel extending the depth of the desk and width of the return. Ships 🜮. Transaction counter organizer (model HTCOL52) is available as an option; fits under transaction counter; organizer is available in black only.

SPECIFYING EXAMPLE: HNL8472RT.BH.H.H

- · Reception Station Counter for Desk, and L-Reception Station with Transaction Counter for Desk, have profiled edgeband on the approach and user sides.
- L-Reception Station with Transaction Counter for Desk and Return has profiled edgeband on front side of transaction counter on desk approach-side only.
- 🜓 For L-reception station layouts where the return is not against a wall, specify return using modular components, as the modesty/back panel can be specified without a grommet. Assembled returns come standard with cord grommet in modesty/back panel.

HOW TO SPECIFY

Select **Model Number**

Select **Edge Profile and Edge Color** See page 29

Select **Counter Color** See page 29

Select **Chassis Color**

See page 29



CONCINNITY™ Reception Stations

GSA SIN 33721





For Station with Right Return

		SHIP		L1	L2 UPCHARGES	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	COUNTER	CHASSIS
L-Reception Station with Transaction Coun	ter for Desk and Return					
76"W x 88"D x 145/8"H	HNL8472RLT	145	5.6	\$1056	\$10	\$25
76"W x 82"D x 145%"H	HNL7872RLT	139	5.6	\$1019	\$10	\$25

NOTES: Intended for use on desk built with modular components, for clean approach-side aesthetic, connected to a return or modular return. Layout for 78" and 84"D footprints:

- 72"W x 78"D:
- Desk = 72"W x 30"D worksurface, 72"W x 271/8"H modesty/back panel, supported by 291/8"D pedestal(s) and/or end panel(s).
- Return = 48"W x 24"D worksurface with vertical grain, 48"W x 27%"H modesty/back panel, supported by a 23%"D pedestal and/or
- 72"W x 78"D:
- Desk = $72^{\prime\prime\prime}$ W x $36^{\prime\prime}$ D worksurface, $72^{\prime\prime\prime}$ W x $27^{\prime\prime}$ s $^{\prime\prime}$ H modesty/back panel, supported by 1-left and 1-right $35^{\prime\prime}$ D panel.
- Return = 42"W x 24"D worksurface with vertical grain, 42"W x 271/8"H modesty/back panel, supported by a 231/8"D pedestal and/or
- 72"W x 84"D:
- Desk = 72° W x 36° D worksurface, 72° W x 27^{7} %"H modesty/back panel, supported by 1-left and 1-right 35° D end panel.
- Return = 48"W x 24"D worksurface with vertical grain, 48"W x 271/6"H modesty/back panel, supported by a 231/6"D pedestal and/or end panel.
- 1 The 17"D transaction counter, with 4" overhang, extends around the perimeter of the station, across the width of the desk, as well as along the depth of the desk and width of the return. Ships 🌮. Transaction counter organizer (model HTCOL52) is available as an option; fits under transaction counter; organizer is available in black only.

SPECIFYING EXAMPLE: HNL8472RLT.BH.H.H



Transaction Counter Organizer

483/4"W x 111/8"D x 13"H

HTCOL52

\$283

N/A

N/A

NOTES: Fits under reception station counters.

A Black only.

SPECIFYING EXAMPLE: HTCOL52.P

- · Reception Station Counter for Desk, and L-Reception Station with Transaction Counter for Desk, have profiled edgeband on the approach and user sides.
- 🕕 L-Reception Station with Transaction Counter for Desk and Return has profiled edgeband on front side of transaction counter on desk approach-side only.
- 🜓 For L-reception station layouts where the return is not against a wall, specify return using modular components, as the modesty/back panel can be specified without a grommet. Assembled returns come standard with cord grommet in modesty/back panel.

HOW TO SPECIFY

Select **Model Number**

Select **Edge Profile and Edge Color**

See page 29


Select **Counter Color** See page 29

Select **Chassis Color**

See page 29



CONCINNITY™ Mobile Pedestals



		SHIP	L1		GES		
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	TOP	CHASSIS	FRONTS
Mobile Pedestal — 15 ³ / ₄ "W							
15 ³ / ₄ "W x 20½"D x 28 ³ / ₈ "H, Box/Box/File	HNL2116MBBF	69	7.4	\$898	N/A	\$20	\$10
153/4"W x 201/6"D x 283/6"H, File/File	HNL2116MFF	70	7.4	\$898	N/A	\$20	\$10
15 ³ / ₄ "W x 20 ¹ / ₈ "D x 21 ¹ / ₂ "H, Box/File	HNL2116MBF	55	5.8	\$760	N/A	\$20	\$10

NOTES: Well suited to a variety of office layouts, including private, open floor plan, and cubicle workspaces. Design positions the center of gravity towards the back of the cabinet to inhibit tipping. All drawers lock; interchangeable core removable lock makes re-keying quick and easy. Finish of lock is determined by, and aligned with, the handle finish specified. Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required. Pedestals, excluding cushion option, are sized to be positioned under 291/2"H worksurfaces. Seat cushion model HLSL2016PH2 is optional. Cushion adds 1" to the height of the pedestal. Box/File unit with $cushion\ will\ fit\ below\ 29\% ''H\ worksurface.\ \%''\ thick\ top\ with\ flat\ edgeband;\ back\ inside\ end\ panel\ construction.\ Ships\ fully\ assembled.$ SPECIFYING EXAMPLE: HNL2116MBBF.E.H.H



Mobile Pedestal - 30"W

30"W x 20"D x 211/2"H, Shelf/File/Cabinet

HNL2030MSFC

105

10.7

\$1129 \$10 \$25

\$15

NOTES: Sized to align with 20"D x 201/2"H low credenzas. Open shelf over file drawer left and cabinet with door right. Design positions the center of gravity towards the back of the cabinet to inhibit tipping. Seat cushion model HLSL2030CH2 is optional. Cushion adds 1" to the height of the pedestal. 11/8" thick top matches low credenza design. Ships fully assembled.

SPECIFYING EXAMPLE: HNL2030MSFC.BH.E.H.H.H



		SHIP				LIST PRICE BY FABRIC GRADE				
DESCRIPTION	MODEL	WEIGHT	CUBE	1	2	3	4	5	6	
Mobile Pedestal Cushion										
30"W x 20"D x 1"H	HLSL2030CH2	9	1.9	\$372	\$408	\$444	\$480	\$526	\$573	
15 ⁷ / ₈ "W x 20"D x 1"H	HLSL2016PH2	6	1.1	\$309	\$333	\$357	\$381	\$412	\$443	
NOTES: See pages 22-24 for available fabrics. SPECIFYING EXAMPLE: HLSL2016PH2.APN23										

NOTES:

- · Mobile pedestals roll easily on four casters to provide convenient, flexible placement of personal storage needs.
- Drawers operate on steel ball-bearing suspension with full extension.
- File drawers include hangrails for side-to-side letter and legal filing; and front-to-back for letter filing.
- 🚺 28¾"H mobile pedestals are not designed for use with the 28½"H metal O-leg due to interference caused by (1) the O-leg worksurface attachment bracket, and (2) the external support channel on the underside of a 72", 66", and 60"W rectangle worksurface supported by O-leg(s).

Select Model Number	Select Handle	Select Chassis Color	Select Drawer Front Color
	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	See page 29	See page 29
H N L 2 1 1 6 M B B F .	Ε.	н.	н

Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Top Color	Select Chassis Color	Select Drawer/Door Front Color
	See page 29	A Cylinder – Satin B Cylinder – Black C Canopy – Satin D Canopy – Black E Loop – Satin F Loop – Black	See page 29	See page 29	See page 29
H N L 2 0 3 0 M S F C .	В Н.	Ε.	н.	н.	Н

CONCINNITY™ Lateral Files





		SHIP		L1		L2 UPCHAR	GES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	TOP	CHASSIS	FRONTS
Lateral File							
36"W x 24"D x 591/2"H, 4-Drawer	HNL2436LD4	276	34.3	\$2125	\$15	\$30	\$30
36"W x 24"D x 451/2"H, 3-Drawer	HNL2436LD3	222	26.0	\$1762	\$15	\$25	\$25
36"W x 24"D x 291/2"H, 2-Drawer	HNL2436LD2	178	18.4	\$1167	\$15	\$20	\$20


NOTES: Equipped with safety restraints; mechanical interlock inhibits the extension of more than one drawer at a time; counterweight positions the center of gravity towards the back of the cabinet to inhibit tipping. 24" depth aligns evenly with credenzas, returns, storage cabinet, storage/file cabinet, storage cabinet/lateral file, wardrobe/storage cabinet, wardrobe/bookcase, storage towers, and 24"D $modular\ components.\ 29\%''H\ unit\ is\ sized\ to\ accommodate\ 36''W\ stack-on\ storage\ or\ bookcase\ hutch\ options.\ Drawers\ lock;$ interchangeable core removable lock makes re-keying quick and easy. Finish of lock is determined by, and aligned with, the handle finish specified. Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required. Ship fully assembled. 30''W two-drawer size can be specified and assembled using modular components. Drawers include hangrails to the components of the coaccept folders in letter or legal size.

SPECIFYING EXAMPLE: HNL2436LD2.BH.E.H.H.H

Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Top Color	Select Chassis Color	Select Drawer Front Color
	See page 29	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	See page 29	See page 29	See page 29
H N L 2 4 3 6 L D 4 .	вн.	Ε.	н.	н.	Н




CONCINNITY™ Storage Cabinets



		SHIP		LI	L2 UPCHARGES			
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	TOP	CHASSIS	FRONTS	
Storage Cabinet with Laminate Doors								
36"W x 24"D x 781/8"H (shown)	HNL243679SC	317	47.4	\$2301	N/A	\$60	\$25	
36"W x 24"D x 643/4"H	HNL243665SC	252	40.8	\$2165	N/A	\$55	\$20	
36"W x 24"D x 291/2"H	HNL243629SC	158	18.4	\$1039	\$15	\$20	\$20	

NOTES: 291/2"H size has one adjustable interior shelf. Shelf adjusts in 21/2" increments over a total range of 10"H, 643/4"H and 781/4" have five shelves (four adjustable) and six shelves (five adjustable), respectively; shelves adjust in 21/2" increments. Locking doors. 24" depth aligns evenly with credenzas, returns, lateral files, storage/file cabinet, storage cabinet/lateral file, wardrobe/storage cabinet, wardrobe/bookcase, storage tower, bookcase with coat hook, and 24"D modular components. 291/2"H unit is sized to accommodate 36"W stack-on storage or bookcase hutch options. Ships fully assembled. $30''W \times 24''D \times 29^{1/2}''H$ freestanding unit can be built using modular

SPECIFYING EXAMPLE (291/2"H): HNL243629SC.BH.E.H.H.H SPECIFYING EXAMPLE (643/4-781/8"H): HNL243665SC.E.H.H



Storage/File Cabinet 18"W x 24"D x 64 ³ / ₄ "H, File/File, Laminate Door Hinged Right (shown)	HNL241865SFLR	184	21.6	\$1740	N/A	\$25	\$15
18"W x 24"D x 64 ³ / ₄ "H, File/File, Laminate Door Hinged Left	HNL241865SFLL	184	21.6	\$1740	N/A	\$25	\$15
18"W x 24"D x 64 ³ / ₄ "H, File/File, Open Shelves	HNL241865SFX	169	21.6	\$1651	N/A	\$25	\$15

NOTES: Versatile unit features a storage cabinet plus two file drawers. Storage cabinet includes three shelves, two are adjustable; shelves adjust in 21/2" increments. Can be specified with door hinged left, door hinged right, or no door/open shelves. File drawers operate on steel $ball-bearing \ suspensions \ with full \ extension. \ File \ drawers \ include \ hangrails \ to \ accept \ folders \ in \ letter \ or \ legal \ size. \ Storage \ cabinet \ door \ and$ file drawers lock separately; the two locks are keyed alike. Unit height is designed to match desk, credenza, or return plus 351/4"H stack-on storage (= 643/4"). Ships fully assembled.

SPECIFYING EXAMPLE (WITH DOOR): HNL241865SFLR.E.H.H SPECIFYING EXAMPLE (WITHOUT DOOR): HNL241865SFX.E.H.H

- Interchangeable core removable lock makes re-keying quick and easy.
- · Finish of lock is determined by, and aligned with, the handle finish specified.
- Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required.

Select Model Number	Select Edge Profile and Edge Color	Select Handle	Select Top Color	Select Chassis Color	Select Drawer Front Color
	See page 29	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	See page 29	See page 29	See page 29
H N L 2 4 3 6 2 9 S C .	В Н.	Ε.	н.	н.	Н


Select Model Number	Select Handle	Select Chassis Color	Select Drawer Front Color
	A Cylinder – Satin B Cylinder – Black C Canopy – Satin D Canopy – Black E Loop – Satin F Loop – Black	See page 29	See page 29
H N L 2 4 3 6 6 5 S C .	Ε.	н.	Н
H N L 2 4 1 8 6 5 S F X .	Ε.	н.	Н

CONCINNITY™ Storage Cabinets



L2 UPCHARGES





DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	TOP	CHASSIS	FRONTS
Storage Cabinet/Lateral File, Lan	ninate Doors						
76"\N × 24"D × 643/."L	UNI 24766ESI I	728	100	¢277/	NI/A	¢EE	¢20

SHIP

L1

 $NOTES: Cabinet \ includes \ one \ fixed \ and \ two \ full-width \ adjustable \ shelves; \ adjustable \ shelves \ can be \ removed. \ Overall \ storage$ $compartment\ measures\ 34''W\ x\ 22''D\ x\ 34'/2''H\ and\ will\ accommodate\ supplies,\ books\ and\ binders.\ Lateral\ file\ equipped\ with\ mechanical\ books\ and\ binders\ books\ books\ and\ binders\ books\ boo$ interlock to inhibit the extension of more than one drawer at a time. Lateral file drawers include hangrails to accept folders in letter or legal size. Storage cabinet and lateral file lock independently; upper lock secures cabinet; lower locks secure file drawers. Locks are keyed alike. Door hinges rotate to 94 degrees. Unit height is designed to match desk, credenza, or return plus $35\frac{1}{4}$ "H stack-on storage (= $64\frac{3}{4}$ "). Ships fully assembled.


SPECIFYING EXAMPLE: HNL243665SLL.E.H.H

- Interchangeable core removable lock makes re-keying quick and easy.
- $\bullet\,$ Finish of lock is determined by, and aligned with, the handle finish specified.
- · Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required.

Select Model Number	Select Handle	Select Chassis Color	Select Door/Drawer Front Color
	A Cylinder – Satin B Cylinder – Black C Canopy – Satin D Canopy – Black E Loop – Satin F Loop – Black	See page 29	See page 29
H N L 2 4 3 6 6 5 S L L .	Ε.	н.	Н



CONCINNITY™ Wardrobes



		SHIP		LI	L2 UPCF	IARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Wardrobe/Storage Cabinet, Laminate Doors — 36"W						
36"W x 24"D x 781/8"H	HNL243679WL	303	40.8	\$2643	\$60	\$25
36"W x 24"D x 64 ³ / ₄ "H	HNL243665WL	284	40.8	\$2533	\$55	\$20


NOTES: Spacious design combines a cabinet with adjustable shelves and a generous personal wardrobe compartment with a coat rod and upper shelf. 643/4"H and 781/4"H have five shelves (four adjustable) and six shelves (five adjustable), respectively; shelves adjust in 21/2" increments. One lock secures both doors. Ships fully assembled.

SPECIFYING EXAMPLE: HNL243665WL.E.H.H



 $respectively; shelves\ adjust\ in\ 2\% increments.\ Middle\ shelves\ can\ be\ removed\ to\ provide\ space\ for\ garments;\ coat\ rod\ can\ be\ removed\ for\ provide\ space\ for\ garments.$ storage only applications. Lock to secure contents. Ships fully assembled.

SPECIFYING EXAMPLE: HNL241865WLR.E.H.H



Wardrobe/Bookcase, Laminate Door						
36"W x 24"D x 781/8"H, Wardrobe Left, Bookcase	HNL243679WLBR	302	47.4	\$2533	\$60	\$25
Right						
36"W x 24"D x 781/8"H, Wardrobe Right, Bookcase	HNL243679WRBL	302	47.4	\$2533	\$60	\$25
Left						
36"W x 24"D x 64¾"H, Wardrobe Left, Bookcase	HNL243665WLBR	230	40.8	\$2395	\$55	\$20
Right						
36"W x 24"D x 64 ³ / ₄ "H, Wardrobe Right, Bookcase	HNL243665WRBL	230	40.8	\$2395	\$55	\$20
Left (shown)						

NOTES: Combination closed-door wardrobe closet and open shelf bookcase. 64^{3} /4"H and 78/6"H bookcases have five and six fixed shelves, respectively. Locking wardrobe compartment includes a coat rod and one shelf; shelf is positioned above the coat rod. Bookcase can be accessed from front or side. Left (L) model is wardrobe on left, bookcase on right; Right (R) model is wardrobe on right, bookcase on left. Ships fully assembled.


SPECIFYING EXAMPLE: HNL243665WRBL.E.H.H

- Heights designed to match desk, credenza, or return plus 35%"H stack-on storage (= 64%") or 48%"H stack-on storage (= 78%"H).
- Finish of locks is determined by, and aligned with, the handle finish specified.
- Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required.

Select Model Number	Select Handle	Select Chassis Color	Select Door Front Color
	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	See page 29	See page 29
H N L 2 4 3 6 6 5 W L .	Ε.	н.	н

CONCINNITY™ Storage Towers





		SHIP			L2 UPCHARGES	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Storage Towers, Laminate Doors — 24"W 24"W x 24"D x 781/8"H, Wardrobe Hinged Le	eft. HNL242479TLL	284	32.4	\$2455	\$70	\$45
Cabinet Hinged Right	ent, mal2424751LL	204	32.4	\$2433	\$70	443
24"W x 24"D x 781/8"H, Wardrobe Hinged Ri Cabinet Hinged Left	ight, HNL242479TLR	284	32.4	\$2455	\$70	\$45
24"W x 24"D x 64 ³ / ₄ "H, Wardrobe Hinged L Cabinet Hinged Right	eft, HNL242465TLL	241	27.6	\$2235	\$60	\$35
24"W x 24"D x 64 ³ / ₄ "H, Wardrobe Hinged R Cabinet Hinged Left (shown)	ight, HNL242465TLR	241	27.6	\$2235	\$60	\$35

NOTES: Versatile design includes a wardrobe closet, storage cabinet, and two file drawers, in one compact unit. Wardrobe contains a coat $rod \ and \ upper \ shelf. \ 64^3 \%'' H \ and \ 78^1 \%'' H \ cabinets \ have \ three \ shelves \ (two \ adjustable) \ and \ four \ shelves \ (three \ adjustable), \ respectively;$ shelves adjust in $2\frac{1}{2}$ " increments. File drawers operate on ball-bearing suspensions with full extension. File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing. Upper lock secures wardrobe closet and storage cabinet; lower lock secures file drawers; the two locks are keyed alike. Left (L) model is wardrobe hinged left, cabinet hinged right; Right (R) model is wardrobe hinged right, cabinet hinged left. Ships fully assembled.

SPECIFYING EXAMPLE: HNL242465TLR.E.H.H



Storage Towers, Laminate Door — 50"H						
18"W x 30"D x 50"H, Hinged Right	HNL301850TLR	135	19.8	\$1385	\$50	\$35
18"W x 30"D x 50"H, Hinged Left	HNL301850TLL	135	19.8	\$1385	\$50	\$35
18"W x 24"D x 50"H, Hinged Right	HNL241850TLR	121	15.9	\$1245	\$50	\$35
18"W x 24"D x 50"H, Hinged Left	HNL241850TLL	121	15.9	\$1245	\$50	\$35

NOTES: Low profile design is well-suited for open plan layouts. Can be used next to $29\frac{1}{2}$ H to standing, 42 H worksurfaces. Cabinet includes coat hook on back of door, perfect for jackets, sweaters, and purses. Two adjustable interior shelves, plus bottom of unit; shelves adjust in 21/2" increments. 30"D size has a slim side access storage space at rear of unit with two fixed interior shelves; the lower shelf is $positioned \ to \ align \ with \ a\ 29\frac{1}{2}\text{"H worksurface, the upper shelf with a 42"H worksurface.} \ Hardware \ bag \ includes \ an extra \ coat \ hook \ which \ had \ hook \ which \ hook \ hook$ can be positioned on the side of the unit, below the worksurface; ideal for back packs. Left (L) model is door hinged left; Right (R) model is door hinged right. Worksurface tower bracket kit (model HSTB2W1) can be used to attach a worksurface directly to the tower. Bracket (1) eliminates the need for one end panel or O-leg support; (2) is not designed to be used as a support when a stack-on storage unit is placed over bracket. Ships fully assembled.

SPECIFYING EXAMPLE: HNL182450TLR.E.H.H



NOTES:

- Equipped with interchangeable core removable locks.
- $\bullet\,\,$ Finish of locks is determined by, and aligned with, the handle finish specified.
- · Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required.

CABINET/WARDROBE/TOWER SOLUTIONS BY SIZE						
	Low/50"H	Standard/64 ³ / ₄ "H	Executive/781/8"H			
Storage Cabinet with Doors		•	•			
Storage/File Cabinet		•				
Storage Cabinet/Lateral File		•				
Wardrobe/Storage Cabinet		•	•			
Wardrobe/Bookcase		•	•			
Storage Tower		•	•			
Storage Tower with Side Access on 30"D	•					
Bookcase with Coat Hook		•				

Select Model Number	Select Handle	Select Chassis Color	Select Door Front Color
	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	See page 29	See page 29
H N L 2 4 2 4 6 5 T L R .	Ε.	н.	Е



CONCINNITY™ Bookcases



		SHIP		L1	L2 UP	CHARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	TOP	CHASSIS
Bookcase with Adjustable Shelves						
30"W x 141/4"D x 781/8"H, 6-Shelf	HNL1530BK6	170	25.7	\$947	\$30	\$35
30"W x 141/4"D x 65"H, 5-Shelf	HNL1530BK5	143	21.1	\$840	\$25	\$30
30"W x 141/4"D x 523/4"H, 4-Shelf	HNL1530BK4	118	17.4	\$727	\$20	\$25
30"W x 141/4"D x 42"H, 3-Shelf	HNL1530BK3	95	14.1	\$640	\$15	\$20
30"W x 141/4"D x 291/2"H, 2-Shelf	HNL1530BK2	69	10.2	\$562	\$15	\$15

NOTES: Profiled top edge; choose from edge detail options. Number of total and adjustable shelves:

Height	Shelves	Adjustable Shelves
291/2"	2	1
42"	3	2
523/4"	4	3
65"	5	4
78½"	6	5

 $\frac{3}{4}$ " thick shelves adjust in $\frac{1}{4}$ " increments. Inside shelf dimensions on all units are $\frac{28}{2}$ "W x $\frac{13}{4}$ "D. Ships fully assembled. SPECIFYING EXAMPLE: HNL1530BK2.BH.H.H

^
Back View

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 UPCHARGE
Bookcase with Coat Hooks 24"W x 24"D x 64 ³ /4"H, 5-Shelf, with Coat Hooks, Right (shown)	HNL2424BK5CR	133	27.6	\$958	\$30
24"W x 24"D x 64 ³ / ₄ "H, 5-Shelf, with Coat Hooks, Left	HNL2424BK5CL	133	27.6	\$958	\$30

NOTES: Inside shelf dimensions are $28\frac{1}{2}$ W x $13\frac{1}{4}$ D. Two out of sight coat hooks for garments are secluded behind bookcase. One end panel measures $14\frac{1}{4}$ "D, the other 24"D. "R" indicates coat hook access is on the right and the full 24"D end panel on the left; for use next to credenza or return with pedestal on right. "L" indicates coat hook access is on the left and the full 24"D end panel is on the right; for use next to credenza or return with pedestal on left. Unit height is designed to match desk, credenza, or return plus 351/4"H stack-on storage $(=64^{3}/4'')$. $^{3}/4''$ thick, non-profiled top edge. Not available in two-tone laminate color combinations. Ships fully assembled.

SPECIFYING EXAMPLE: HNL2424BK5CR.H

Select Model Number	Select Edge Profile and Edge Color	Select Top Color	Select Chassis Color
	See page 29	See page 29	See page 29
H N L 1 5 3 0 B K 2 .	В Н .	н.	Н

	elec	-	lum	ıbe	r									lect min		
													See	pag	je 29	9
Н	N	L	2	4	2	4	В	K	5	С	R		Н			

CONCINNITY™ COMPONENTS

MODULAR COMPONENTS

- Smart, adaptable, reconfigurable assortment to maximize office layout flexibility and optimize floor space.
- Components for all popular office layouts.
- Selection allows user to choose their own workstation shape, size, and storage.
- Sizes for large and small spaces:
 - 36"D x 72"W or 84"W
 - 30"D six sizes up to 84"W
 - 24"D in 6" increments, from 30"W to 96"W
- Worksurfaces supported by post legs with casters provide added layout flexibility.
- Mobile desks quickly convert an office into a small conference space; desks roll easily and can be repositioned in seconds.
- Grommet options provide cord management from the top, side, and back in appropriate models.
- Broad menu of under-surface storage to enable user to specify the solution that best meets their individual needs.
 - Non-handed units can be configured to meet individual tastes and reconfigured when preferences or floor space requirements change.
 - Applications include:
 - The ability to "build" contiguous customized/personalized storage behind the desk that looks like custom architectural millwork, but at a fraction of the price. Allows for multiple storage pedestals to be configured under a single top with clean lines and no gaps.
 - · Choosing the storage solution to go under desks, credenzas, and returns.

WORKSURFACES

- Available in a variety of shapes and sizes.
- Scratch-, stain-, and spill-resistant laminate over durable 11/8" solid core high performance particleboard; resists warping.
- An external support channel, for attachment under worksurfaces, is required for all unsupported spans — a distance in which there is not a vertical support (point of contact) between the underside of the worksurface and the floor — greater than 54"W.
- For tri-oval and beaded edge options on tops with horizontal grain, there is a shaped profile on the user and approach sides, and a flat edge on the ends.
- For tri-oval and beaded edge options on tops with vertical grain, there is a shaped profile on the user side and a flat edge on the approach side and the ends.
- Grommets are an option and require specification. If grommets are selected, grommets come in a pre-determined location.

Must be specified with support components; for pedestal, end panel, column, and leg options, see "Components — Supports" listings.

SUPPORTS

- For use with rectangle, bow, bullet, and extended corner worksurfaces.
- Available in 28½" and 41"H.
- Adjustable hex glides allow floor-standing units to be easily leveled, without lifting, to compensate for uneven floors; glides have 11/4" adjustable range on most components; 2" on O-legs.
- Bottom of laminate end panels are edgebanded for added strength and to seal out moisture.

FOR 291/2"H WORKSURFACES

- Specify from a broad assortment of solutions, including
 - Modular Pedestals
 - Laminate end panels (must be used in conjunction with a laminate modesty panel)
 - Laminate L-shaped end panels
 - Laminate T-shaped end panels
 - Metal O-legs for use with worksurfaces up to 78"W (when using an 84" or wider worksurface, cannot use two O-legs; must use at least one 153/4" or wider pedestal for the other support).
 - 41/2" diameter metal column
 - 2" square metal post leg

FOR 42"H WORKSURFACES

- 42", fixed standing-height workstations give users the option of changing postures from sitting to standing throughout the day to help achieve their wellness goals.
- Specify supports from
 - Modular Pedestals
 - Laminate end panels (must be used in conjunction with a laminate modesty panel)
 - Laminate L-shaped end panels
 - Metal O-legs
- When combined with a stool-height task chair, provides users the benefit of alternating their work between a seated or standing position.
- An external support channel, for attachment under worksurfaces, is required for all unsupported spans greater than 54"W.

CONCINNITY COMPONENTS

- Worksurface End Support (panel, leg, column, base, pedestal) requirements by product type are as follows —
 - Desk, peninsula, or credenza qty. 2
 - Return qty.1
 - Island extension qty. 1

COORDINATE™ HEIGHT ADJUSTABLE BASE

- Height adjustable bases deliver a healthier style of working by allowing a seamless transition between sitting and standing throughout the day. For open, private, or training spaces.
- Frame rises from 215/8" to 473/4".
- Telescoping base design.
- Accommodates rectangle worksurface sizes 24" to 30"D and 48" to 72"W.
- Standard-height adjustable control included with base. Memory control allows preset worksurface heights for consistency.
- Shipped complete with a pre-assembled electric motor.

GSA SIN 33721

CONCINNITYComponents — Worksurfaces






DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 UPCHARGE
Rectangle Worksurface with Horizontal Grain					
84"W x 36"D	HNLRC3684	105	7.7	\$640	\$30
72"W x 36"D (shown)	HNLRC3672	90	6.7	\$534	\$30
84"W x 30"D	HNLRC3084	88	6.5	\$518	\$25
78''W x 30"D	HNLRC3078	81	6.1	\$468	\$25
72"W x 30"D	HNLRC3072	75	5.6	\$429	\$20
66"W x 30"D	HNLRC3066	69	5.2	\$395	\$20
60"W x 30"D	HNLRC3060	62	4.7	\$369	\$20
48"W x 30"D	HNLRC3048	50	3.9	\$301	\$15
96"W x 24"D	HNLRC2496	80	5.8	\$532	\$30
90"W x 24"D	HNLRC2490	75	5.5	\$522	\$30
84"W x 24"D	HNLRC2484	70	5.3	\$493	\$25
78"W x 24"D	HNLRC2478	65	4.9	\$440	\$20
72''W x 24''D	HNLRC2472	60	4.6	\$366	\$20
66"W x 24"D	HNLRC2466	55	4.2	\$353	\$20
60"W x 24"D	HNLRC2460	50	3.9	\$325	\$20
54"W x 24"D	HNLRC2454	45	3.5	\$299	\$20
48"W x 24"D	HNLRC2448	40	3.1	\$274	\$15
42"W x 24"D	HNLRC2442	35	2.8	\$256	\$15
36"W x 24"D Rectangle Worksurface/Pedestal Top	HNLRC2436	30	2.4	\$230	\$15
30"W x 24"D Rectangle Worksurface/Pedestal Top	HNLRC2430	25	2.1	\$230	\$15

NOTES: See chart on page 36 for cord management options.

When grommets are specified for 30"D and 36"D rectangle worksurfaces, pre-drilled holes will not be included for a 4½" diameter support column.

- Grain direction on all rectangle worksurfaces runs horizontal (side-to-side) except as follows: 30"W 36"W 42"W 48"W 54"W 60"W x 24"D tops can be specified with horizontal (side-to-side) or vertical (front-to-back) grain.
- 42"W and 48"W x 20"D tops are available with vertical (front-to-back) grain only.
- 48" 72"W x 24" 30"D worksurfaces are compatible for use with height adjustable electric base model HHAB3S2L.
- For standing-height requirements, use worksurface with 41"H O-leg, end panel, L-shaped end panel, or pedestal supports.
- · For mobile desks and tables, use post leg with casters.
- For paper organizers, see page 110.
- Attachment of above privacy screen models requires a minimum 1" clear space/overhang on the underside of worksurface.
- ¶ Worksurfaces used with Coordinate™ Height Adjustable Bases should have 1" perimeter gap on each side to provide clearance between other furniture. Failure to do so risks injury or product damage (not covered by warranty).
- When using end panels or O-legs with 84", 90", or 96"W worksurfaces, interior weight-bearing support components are required to minimize worksurface deflection.
- Attachment of above/below privacy screen models requires a minimum 2" clear space/overhang on the underside of the worksurface.
- Steel external support channel can be attached to the underside of worksurfaces that are subjected to heavier loads. Channel is recommended to provide extra support on unsupported spans of 54"W or greater or per user preference. Ordered separately from worksurface.
- If using a 54"W or 60"W floating modesty panel, it is not necessary to specify an external support channel.
- When using an external support channel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8".
- See "External Channel (Recommended Use)" chart on page 85.



CONCINNITY Components – Worksurfaces



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	UPCHARGE
Rectangle Worksurface with Vertical Grain					
60"W x 24"D	HNLRC2460V	50	3.9	\$325	\$20
54"W x 24"D	HNLRC2454V	45	3.5	\$299	\$20
48"W x 24"D (shown)	HNLRC2448V	40	3.1	\$274	\$15
42"W x 24"D	HNLRC2442V	35	2.8	\$256	\$15
36"W x 24"D Rectangle Worksurface/Pedestal Top	HNLRC2436V	30	2.4	\$230	\$15
30"W x 24"D Rectangle Worksurface/Pedestal Top	HNLRC2430V	25	2.1	\$230	\$15
48"W x 20"D	HNLRC2048V	33	2.7	\$257	\$10
42"W x 20"D	HNLRC2042V	29	2.3	\$237	\$10

NOTES: Can be used in a host of applications, including as a desk, credenza, return, bridge, stationary or mobile table surface, in U- or L-shaped configurations, as part of a work wall layout with an island extension, or with the height adjustable electric base. The conference overhang dimension on the approach side of worksurfaces varies depending on the supports and modesty panels specified. Top can be positioned with a cantilevered conference overhang on one end when used with select worksurface supports, including an O-leg or 91/2"W modular pedestal. For return applications in which there is an unsupported span wider than 54", such as a 72"W x 24"D worksurface supported by a 15 % (2% M modular pedestal (= 56 % '') or a 60 % X 24 % M worksurface supported by a 1 % '' thick end panel (= 58 % ''), use the following the following period of the following perinternal support panel model HNL11SUPP. For bridges wider than 54", use internal support panel HNL11SUPP. When using a 30"W, 36"W, $42^{\prime\prime}\text{W, or }48^{\prime\prime}\text{W rectangle worksurface as a bridge, no support legs are needed. When specifying a }84^{\prime\prime}\text{W, }90^{\prime\prime}\text{W, or }96^{\prime\prime}\text{W worksurface,}$ cannot use two O-legs for the supports. In these applications, the maximum number of supports that can be an O-leg is one; must choose from a 15¾" or wider modular pedestal for use as the additional support component. For applications requiring connection to an adjoining worksurface, two flat brackets are included with 24"D and 20"D worksurfaces that are ≤48"W; one flat bracket is included with 24"D worksurfaces that are ≥54"W. Underside of worksurface includes pilot mounting holes for O-leg, 11/6" thick laminate end panel, pedestals, and flat brackets. See chart on page 36 for cord management options.

(1) When grommets are specified for 30"D and 36"D rectangle worksurfaces, pre-drilled holes will not be included for attachment of a 4½" diameter support column.

NOTES:

- Grain direction on all rectangle worksurfaces runs horizontal (side-to-side) except as follows: 30"W 36"W 42"W 48"W 54"W 60"W x 24"D tops can be specified with horizontal (side-to-side) or vertical (front-to-back) grain.
- 42"W and 48"W x 20"D tops are available with vertical (front-to-back) grain only.
- 48" 72"W x 24" 30"D worksurfaces are compatible for use with height adjustable electric base model HHAB3S2L.
- · For standing-height requirements, use worksurface with 41"H O-leg, end panel, L-shaped end panel, or pedestal supports.
- · For mobile desks and tables, use post leg with casters.
- For paper organizers, see page 110.
- Attachment of above privacy screen models requires a minimum 1" clear space/overhang on the underside of worksurface.
- ¶ Worksurfaces used with Coordinate™ Height Adjustable Bases should have 1" perimeter gap on each side to provide clearance between other furniture. Failure to do so risks injury or product damage (not covered by warranty).
- Attachment of above/below privacy screen models requires a minimum 2" clear space/overhang on the underside of the worksurface.
- Steel external support channel can be attached to the underside of worksurfaces that are subjected to heavier loads. Channel is recommended to provide extra support on unsupported spans of 54"W or greater or per user preference. Ordered separately from worksurface.
- igl If using a 54"W or 60"W floating modesty panel, it is not necessary to specify an external support channel.
- When using an external support channel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8".
- See "External Channel (Recommended Use)" chart on page 85.

Select Model Number	Select Edge Profile and Edge Color	Select Worksurface Grommet Finish	Select Worksurface Color
	See page 29	P BlackT1 PlatinumX No Grommet	See page 29
H N L R C 2 4 6 0 V.	вн.	Ρ.	Н

12

CONCINNITY™ Components — Worksurfaces





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	UPCHARGE
Bow Worksurface					
84"W x 36"D	HNLBW3684	94	7.7	\$683	\$30
72"W x 36"D	HNLBW3672	80	6.7	\$617	\$30

NOTES: 84"W size is ideal for executive layouts or for user's who require additional worksurface space. 72"W top can be combined with different pedestal support options to allow users to personalize their storage needs. Underside of worksurface includes pilot mounting holes for 11/8" and L-shaped laminate end panels, and 291/8"D pedestals. Grain direction runs horizontal (side-to-side). See chart on page 36 for cord management options.



Bullet Worksurface					
84"W x 30"D	HNLBU3084	84	6.3	\$602	\$25
78"W x 30"D	HNLBU3078	78	6.3	\$573	\$20
72"W x 30"D	HNLBU3072	72	5.5	\$498	\$20
66"W x 30"D	HNLBU3066	66	5.5	\$474	\$20
60"W x 30"D	HNLBU3060	60	4.7	\$441	\$20
48"W x 30"D	HNLBU3048	54	3.7	\$387	\$15

NOTES: Applications include U- or L-shaped peninsula configurations and island extensions. Underside of worksurface includes pilot mounting holes for O-leg, T-shaped end panel, 29%"D pedestals, $4\frac{1}{2}$ " diameter support column, and 2" square post leg. One flat bracket is packaged with each worksurface for applications requiring connection to an adjoining worksurface. Grain direction runs horizontal (sideto-side). Can be used in combination with a $15\frac{3}{4}$ "W or $9\frac{1}{2}$ "W x $29\frac{1}{6}$ "D x $28\frac{1}{4}$ "H modular pedestal to create a freestanding desk. See chart on page 36 for cord management options.

NOTES:

- When specifying an 84"W size, cannot use two O-legs; must use another type of support component such as a pedestal.
- 🚺 Steel external support channel can be attached to the underside of worksurfaces that are subjected to heavier loads. Channel is recommended to provide extra support on unsupported spans of 54"W or greater or per user preference. Ordered separately from worksurface.
- If using a 54"W or 60"W floating modesty panel, it is not necessary to specify an external support channel.
- When using an external support channel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8".
- See "External Channel (Recommended Use)" chart on page 85.

HOW TO SPECIFY

Select Select Select Select **Worksurface Color Model Number Edge Profile and Edge Color Worksurface Grommet Finish** See page 29 Black See page 29 T1 Platinum X No Grommet P

CONCINNITY™ Components — Worksurfaces



HNLEC367224R shown

		SHIP		L1	L2 UPCHA	RGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	WORKSURFACE	END PANEL
Extended Corner Worksurface						
72"W x 48"D, Right	HNLEC487224R	130	8.9	\$1039	\$50	\$50
72"W x 48"D, Left	HNLEC487224L	130	8.9	\$1039	\$50	\$50
72"W x 36"D, Right	HNLEC367224R	106	6.6	\$860	\$45	\$45
72"W x 36"D, Left	HNLEC367224L	106	6.6	\$860	\$45	\$45

NOTES: For use in U- or L-shaped layouts. Includes top and long (47"D or 35"D) end panel components. Installation also requires modesty panel and either a 1%" thick end panel or $15\frac{3}{4}$ " x $23\frac{1}{6}$ "D pedestal support for opposite end; both ordered separately. 72"W x 24/48"D or 48/24"D top is intended for use with 30/48"D or 48/30"D jetty peninsula to create a 2-piece "U" station with a curved cockpit on user's $side.\ 72''W\ x\ 24/36''D\ or\ 36/24''D\ size\ is\ intended\ for\ use\ with\ 24''D\ returns\ or\ bridges.\ Underside\ of\ worksurface\ has\ pilot\ mounting\ holes$ for $1\frac{1}{8}$ " thick end panel and $15\frac{3}{4}$ " x $23\frac{1}{8}$ "D modular pedestal. Edgebanding on the extended corner worksurface is profiled on the user's side and flat on the back (approach side) and ends. Grain direction runs horizontal (side-to-side).

① One flat bracket is packaged with each 48"D worksurface for applications requiring connection to a 48"D jetty peninsula. For 36"D extended corner worksurface, the flat bracket is shipped with the adjoining return or bridge. See chart on page 36 for cord $management\ options.\ If\ grommet\ option\ is\ chosen,\ the\ worksurface\ component\ will\ match\ the\ color\ specified;\ the\ long\ end\ panel$ grommet color will be black.

NOTES:

- When specifying an 84"W size, cannot use two O-legs; must use another type of support component such as a pedestal.
- 1 Steel external support channel can be attached to the underside of worksurfaces that are subjected to heavier loads. Channel is recommended to provide extra support on unsupported spans of 54"W or greater or per user preference. Ordered separately from worksurface.
- If using a 54"W or 60"W floating modesty panel, it is not necessary to specify an external support channel.
- When using an external support channel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8".
- See "External Channel (Recommended Use)" chart on page 85.

Select Model Number	Select Edge Profile and Edge Color	Select Worksurface Grommet Finish	Select Worksurface Color	Select End Panel Color
	See page 29	P BlackT1 PlatinumX No Grommet	See page 29	See page 29
H N L E C 4 8 7 2 2 4 R .	в н.	х.	н.	Н





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
External Support Channel				
72"W for a 78" Worksurface	HLSLZ5SC84	12	0.7	\$110
66"W for a 72" Worksurface	HLSLZ5SC78	7	0.5	\$110
60"W for a 66" Worksurface	HLSLZ5SC72	7	0.5	\$110
54"W for a 60" Worksurface	HLSLZ5SC66	7	0.5	\$101
48"W for a 54" Worksurface	HLSLZ5SC60	6	0.5	\$98

- Available in Graphite paint only.
- Attaches to underside of worksurface; required for unsupported spans greater than 54"W.
- When specifying a 54"W or 60"W Floating Modesty Panel, it is not necessary to specify an external channel.



Worksurface Wall Mount Bracket For 30" **HVPWLBK30** 0.3 \$83 For 24" **HVPWLBK24** 2 0.3 \$76

NOTES: Can be used in place of an end panel to support a worksurface. Cannot be used as a support when placing a stack-on storage unit on worksurface over bracket; must have two full-sized floor supports when using stack-on storage. Finish option not required. SPECIFYING EXAMPLE: HVPWLBK30

	_
	13
	///
13	

OPEN MARKET

			SHIP		LIST PRI	CE BY PAIN	IT GRADE
DESCRIPTION		MODEL	WEIGHT	CUBE	P1	P2	Р3
Worksurface to Tower E	Bracket Kit						
18½" long bracket for at	taching 24"D worksurface directly	HSTB2W1	4	0.6	\$76	\$89	\$100
to storage tower, wardro	obe/bookcase, wardrobe/storage						
cabinet, storage cabinet	/lateral file, storage cabinet, or						
lateral file							

NOTES: Can be used in place of end panel or O-leg to support worksurfaces.

📵 Bracket not designed for use as a support if placing Stack-on Storage on worksurface over/above bracket. Two full-sized supports required when using Stack-on Storage.

NOTES:

- Use the worksurface to tower bracket kit to attach worksurfaces to Storage Tower models.
- Depending on your support combination, an external channel may be required for extra support on unsupported spans greater than 54"W.

HOW TO SPECIFY

Select **Model Number**



CONCINNITY COMPONENTS

			INL Suppo	rt Options	— Externa	I Channel (model HLS		- Recomm	ended Use	!			
	Support Co	ombination				1			face Width		1			
	Support 1	Support 2	30″	36″	42"	48′′	54"	60″	66"	72"	78′′	84"	90″	96"
	O-Leg	O-Leg	NR	NR	NR	NR	60	66	72	78	84	NA	NA	NA
9	O-Leg	9½"W Ped	NR	NR	NR	NR	NR	60	66	72	78	84	NA	NA
O-LEG ON ONE END	O-Leg	End Bookcase	NA	NR	NR	NR	NR	NR	60	66	72	78	84	NA
<u>N</u>	O-Leg	L End Panel	NR	NR	NR	NR	NR	60	66	72	78	84	NA	NA
NO.	O-Leg	15 ³ / ₄ "W Ped	NA	NR	NR	NR	NR	NR	NR	60	66	72	78	NA
Ä	O-Leg	18"'W Ped	NA	NA	NR	NR	NR	NR	NR	60	66	72	78	84
Ó	O-Leg	30"W Ped	NA	NA	NA	NA	NR	NR	NR	NR	NR	60	66	72
	O-Leg	36"W Ped	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR	60	66
	9½"W Ped	9½"W Ped	NA	NA	NR	NR	NR	NR	NR	60	66	72	78	84
Ω	9½"W Ped	End Bookcase	NA	NA	NR	NR	NR	NR	NR	60	66	72	78	84
/PE	9½"W Ped	L End Panel	NA	NR	NR	NR	NR	NR	60	66	72	78	84	NA
õ	9½"W Ped	153/4"W Ped	NA	NA	NA	NR	NR	NR	NR	NR	60	66	72	78
NARROW PED	9½"W Ped	18"W Ped	NA	NA	NA	NR	NR	NR	NR	NR	60	66	72	78
Z	9½"W Ped	30"W Ped	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR	60	66
	9½"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR	60
<u> </u>	End Bookcase	End Bookcase	NA	NA	NR	NR	NR	NR	NR	NR	60	66	72	78
END BOOKCASE PED	End Bookcase	L End Panel	NA	NA	NR	NR	NR	NR	NR	60	66	72	78	84
CAS	End Bookcase	15 ³ / ₄ "W Ped	NA	NA	NA	NR	NR	NR	NR	NR	60	66	72	78
Š	End Bookcase	18"W Ped	NA	NA	NA	NR	NR	NR	NR	NR	NR	60	66	72
D B(End Bookcase	30"W Ped	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR	NR	60
H	End Bookcase	36"W Ped	NA	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR	NR
	L End Panel	L End Panel	NA	NR	NR	NR	NR	NR	60	66	72	78	84	NA
L END PANEL	L End Panel	15 ³ / ₄ "W Ped	NA	NA	NR	NR	NR	NR	NR	NR	60	66	72	78
A C	L End Panel	18"W Ped	NA	NA	NA	NR	NR	NR	NR	NR	60	66	72	78
Ä	L End Panel	30"W Ped	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR	60	66
_	L End Panel	36"W Ped	NA	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR	60
	15 ³ / ₄ "W Ped	153/4"W Ped	NA	NA	NA	NA	NR	NR	NR	NR	NR	60	66	72
	15 ³ / ₄ "W Ped	18"W Ped	NA	NA	NA	NA	NR	NR	NR	NR	NR	60	66	72
	15 ³ / ₄ "W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR	60
S	15 ³ / ₄ "W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR
TWO PEDS	18"W Ped	18"W Ped	NA	NR	NA	NA	NR	NR	NR	NR	NR	NR	60	66
8	18"W Ped	30"W Ped	NA	NA	NA	NR	NA	NA	NR	NR	NR	NR	NR	NR
F	18"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR
	30"W Ped	30"W Ped	NA	NA	NA	NA	NA	NR	NA	NA	NR	NR	NR	NR
	30"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NR	NA	NA	NR	NR	NR
	36"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NR	NA	NA	NR	NR
z	None	O-Leg	NR	NR	NR	NR	60	66	72	78	84	NA	NA	NA
RETURN CONFIGURATION	None	9½"W Ped	NR	NR	NR	NR	NR	60	66	72	78	84	NA	NA
JRA	None	End Bookcase	NA	NR	NR	NR	NR	NR	60	66	72	78	84	NA
FIGU	None	L End Panel	NR	NR	NR	NR	NR	60	66	72	78	84	NA	NA
O	None	153/4"W Ped	NA	NR	NR	NR	NR	NR	NR	60	66	72	78	NA
SN C	None	18"W Ped	NA	NA	NR	NR	NR	NR	NR	60	66	72	78	84
T.	None	30"W Ped	NA	NA	NA	NA	NR	NR	NR	NR	NR	60	66	72
꿆	None	36"W Ped	NA	NA	NA	NA	NA	NR	NR	NR	NR	NR	60	66


NA = Stiffener not applicable due to invalid worksurface width and support combination


 $^{{\}sf NR = Applicable\ worksurface}\ width\ and\ support\ combination,\ but\ stiffener\ \underline{not\ required}$

¹ The chart reference is to be used to complete the model number. It is not the actual length dimension of the external support channel.

CONCINNITYComponents — Modesty/Back Panels









30 W X 27 /8 TT Flodesty/ Fedestal back Faller	I IIALI'IF 3020	~~	2.0	\$100	412
30''W x 27 ⁷ / ₈ "H Modesty/Pedestal Back Panel	HNLMP3028	18	2.4	\$175	\$12
Modesty/Back Panels — Short					
96"W x 10"H	HNLMP9610	22	3.0	\$430	\$15
90"W x 10"H	HNLMP9010	21	2.8	\$419	\$15
84"W x 10"H	HNLMP8410	20	2.8	\$347	\$15
78"W x 10"H	HNLMP7810	19	2.3	\$308	\$12
72"W x 10"H	HNLMP7210	18	2.1	\$285	\$12
66"W x 10"H	HNLMP6610	17	1.9	\$268	\$12
60"W x 10"H	HNLMP6010	16	1.8	\$243	\$12
54"W x 10"H	HNLMP5410	15	1.6	\$235	\$12
48"W x 10"H	HNLMP4810	14	1.4	\$221	\$10
42"W x 10"H	HNLMP4210	13	1.3	\$204	\$10
36"W x 10"H	HNLMP3610	12	1.1	\$188	\$10
30"W x 10"H	HNLMP3010	11	0.9	\$175	\$10

NOTES: For use with modular worksurface and support components. Component is $\frac{3}{4}$ " thick. Full-to-floor sizes can be specified with or without grommet; see chart on page 36 for cord management options. For standing-height applications, a worksurface supported by 11/8" thick x 41"H laminate end panel(s) and/or 41"H support pedestal(s), the recommended modesty panel length extends 271/6" below the underside of the top, leaving 13" of wall access; 91/2" and 153/4" W x 13" H backs are available to enclose the balance of the pedestal back. Worksurfaces supported by a $1\frac{1}{2}$ " thick x 41"H laminate end panel and 41"H support pedestal, or by two 41"H support pedestals, can be used with a 10" modesty panel to increase the amount of wall access, however in this application the pedestal(s) should be positioned against a wall, as there is not a 30% "H panel to cover the back of the pedestal that is exposed below the modesty panel. The 10"H modesty panel is not recommended for use in a standing-height shell, where both supports are 41"H laminate end panels; for this solution use the 271/8"H modesty panel. For standing-height applications with the worksurface supported by 41"H O-legs or L-shaped end panels, use the appropriate floating modesty panel size.

NOTES:

- · Provide approach-side kneespace privacy for user seated at desks, credenzas, returns, and bridges.
- Full-width laminate panel can be specified in 6" increments from 30"-96"W, and in full-length (271/8"H) or short (10"H).
- Formal, full-length, 27⁷/₆"H models extend from the underside of the worksurface to the floor.
- 10"H sizes allow quick and easy access to wall power outlets.
- 30"W and 36"W x 27%"H are sized to serve as a modesty panel, or pedestal back for respective 30"W and 36"W support storage pedestal models.

1 The full-width panel designs are specifically for use when the worksurface supports are two 11/6" thick end panels, two support storage pedestals, or one 11/6" thick end panel and one support storage pedestal; not for use with O-legs or L-shaped end panels.

Select Model Number	Select Grommet	Select Laminate Color
	P Black X No Grommet	See page 29
H N L M P 7 2 2 8.	х.	Н
Select Model Number	Select Laminate Color	
	See page 29	
H N L M P 7 2 1 0.	H	



CONCINNITY™ Components — Modesty/Back Panels



Not available in two-tone laminate

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	L2 UPCHARGE
Modesty Panels for Desks with O-Legs					
68 ³ / ₈ "W x ³ / ₄ "D x 10"H — For 72" x 30" Desks	HLAMMP7230	26	2.1	\$289	\$15
563/8"W x 3/4"D x 10"H — For 60" x 30" Desks	HLAMMP6030	23	1.8	\$264	\$15

NOTES: For use with 60"W or 72"W worksurfaces supported by O-legs. Comprised of three panels: one approach side and one for each end. Length below bottom of worksurface is 10". Steel external support channel (ordered separately) is recommended for unsupported spans greater than 54"W (i.e.: a distance in which there is not a vertical support between the underside of the worksurface and floor). Grain direction is vertical on approach and side panels for 563/4"W (all laminate colors) and 683/6"W (L1 laminate except Florence Walnut and Kingswood Walnut). Vertical on 275/4" end panels (all laminate colors). Horizontal on all panels for L2 laminates as well as Florence Walnut and Kingswood Walnut.

Specify: Model.Laminate

SPECIFYING EXAMPLE: HLAMMP7230.N

\$15 upcharge for L2 laminates. See pages 236-237 for laminate options.



Laminate Floating Modesty Panel					
60''W x 14"H	HLSL6014L	20	1.1	\$250	\$12
54"W x 14"H	HLSL5414L	18	1.1	\$232	\$12
48"W x 14"H	HLSL4814L	16	1.1	\$212	\$12
42"W x 14"H	HLSL4214L	14	0.8	\$193	\$10
36"W x 14"H	HLSL3614L	12	0.8	\$179	\$10
30"W x 14"H	HLSL3014L	10	0.8	\$169	\$10

NOTES: The attachment bracket and modesty panel are packaged separately.

Specify: Model Laminate Paint

SPECIFYING EXAMPLE: HLSL3014L.N.P (Black is the only paint option for this model)

(1) When specifying the 54"W or 60"W Laminate Floating Modesty Panel, it is not necessary to specify an external support channel.

30"W and 36"W screens attach with L-brackets, not the external channel.



Mixed Material Floating Modesty Panel					
60"W x 14"H	HLSL6014MM	13	3.3	\$1113	N/A
54"W x 14"H	HLSL5414MM	13	3.3	\$974	N/A
48"W x 14"H	HLSL4814MM	11	2.6	\$898	N/A
42"W x 14"H	HLSL4214MM	9	2.3	\$811	N/A
36"W x 14"H	HLSL3614MM	8	2.0	\$726	N/A
30"W x 14"H	HLSL3014MM	8	2.0	\$676	N/A

NOTES: The attachment bracket and modesty panel are packaged separately.

Specify: Model.Mixed Material.Paint

SPECIFYING EXAMPLE: HLSL3014MM.FT01.P (Frosted Translucent mixed material and Black paint are the only options for this model)

When specifying the 54"W or 60"W Mixed Material Floating Modesty Panel, it is not necessary to specify an external support channel.

NOTES:

- Floating panel options attach under worksurfaces and are available in laminate or mixed (frosted translucent) material. The modesty panel and attachment bracket are
- If using a 54"W or 60"W floating modesty panel, it is not necessary to specify an external support channel.
- · When using a floating modesty panel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8".
- The full width/half-height and full-to-floor/full-height panels are filler options designed only for use on 60", 66", and 72"W x 291/2"H, double, 153/4"W, pedestal desks and credenzas that are specified/built with modular components.

HOW TO SPECIFY

Select **Model Number**

Select **Mixed Material**

FT01 Frosted Translucent



CONCINNITY™ Components — Modesty/Back Panels



L2

L1

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	UPCHARGE
Full Width/Half-Height Laminate Modesty Pa	anel				
40"W x 14"H, for use with 72" desks	HLSL4014LM	29	2.4	\$199	\$10
34"W x 14"H, for use with 66" desks	HLSL3414LM	23	1.9	\$190	\$10
28"W x 14"H, for use with 60" desks	HLSL2814LM	19	1.6	\$185	\$10
panels, or one 15 ³ / ₄ "W modular pedestal and c	·	•			
Full-to-Floor/Full-Length Laminate Modesty	Panel				
40"W x 281/2"H, for use with 72" desks	HLSL4028LM	44	3.6	\$306	\$12
34"W x 281/2"H, for use with 66" desks	HLSL3428LM	38	3.2	\$290	\$12
$28^{\prime\prime}W$ x $28\frac{1}{2}^{\prime\prime}H$, for use with $60^{\prime\prime}$ desks	HLSL2828LM	33	2.7	\$247	\$12
NOTES: Filler piece that can only be used between panels, or one 153/4"W modular pedestal and of					aped end

- · Floating panel options attach under worksurfaces and are available in laminate or mixed (frosted translucent) material. The modesty panel and attachment bracket are packaged separately.
- If using a 54"W or 60"W floating modesty panel, it is not necessary to specify an external support channel.
- When using a floating modesty panel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8".
- The full width/half-height and full-to-floor/full-height panels are filler options designed only for use on 60", 66", and 72"W x 291/2"H, double, 153/2"W, pedestal desks and credenzas that are specified/built with modular components.

HOW TO SPECIFY

Select **Model Number**

Select **Laminate Color**

See page 29



CONCINNITY™ MODESTY/BACK PANELS

	Support Co	mbination	HNL	Floating N	1odesty Pa	nel — HLS	Lxx14L/M	M — Select Worksurf	ion Guide ace Width					
	Support 1	Support 2	30″	36"	42"	48"	54"	60″	66"	72″	78″	84"	90″	96"
	O-Leg	O-Leg	NA	NA	36	42	48	54	60	60	60	NA	NA	NA
₽	O-Leg	9½"W Ped	NA	NA	NA	30	36	42	48	54	60	60	NA	NA
O-LEG ON ONE END	O-Leg	End Bookcase	NA	NA	NA	30	36	42	48	54	60	60	60	NA
O	O-Leg	L End Panel	NA	NA	NA	36	42	48	54	60	60	60	NA	NA
O	O-Leg	15 ³ / ₄ "W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	NA
LEG	O-Leg	18"W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	60
ò	O-Leg	30"W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
	O-Leg	36"W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	54
	9½"W Ped	9½"W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	60
Q	9½"W Ped	End Bookcase	NA	NA	NA	NA	30	36	42	48	54	60	60	60
NARROW PED	9½"W Ped	L End Panel	NA	NA	NA	NA	30	36	42	48	54	60	60	NA
NO.	9½"W Ped	15 ³ / ₄ "W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
ARR	9½"W Ped	18"W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
Z	9½"W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	48	48
	9½"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
ш	End Bookcase	End Bookcase	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
ASE	End Bookcase	L End Panel	NA	NA	NA	NA	30	36	36	48	54	60	60	60
END BOOKCASE PED	End Bookcase	15 ³ / ₄ "W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
BOG	End Bookcase	18"W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
Q.	End Bookcase	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
ш	End Bookcase	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42
_	L End Panel	L End Panel	NA	NA	NA	NA	36	36	48	54	60	60	60	NA
L END PANEL	L End Panel	153/4"W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
D P/	L End Panel	18"W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
E	L End Panel	30"W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	54
7	L End Panel	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
	153/4"W Ped	15 ³ / ₄ "W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
	153/4"W Ped	18"W Ped	NA	NA	NA	NA	NA	NA	30	36	36	48	54	60
	15¾"W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
SC	15 ³ / ₄ "W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42
TWO PEDS	18"W Ped	18"W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	54
WO	18"W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42
-	18"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	30	36
	30"W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	30
	30"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	36"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
HT ADJ BASE	Height Adjustabl (model HH		NA	NA	NA	42	48	54	60	60	NA	NA	NA	NA
	Support Column	T End Panel	NA	NA	NA	30	30	36	42	48	54	60	60	60
Ψ.	Support Column	9½"W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
PENINSULA	Support Column	15 ³ / ₄ "W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
Z	Support Column	18"W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
B	Support Column	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
	Support Column	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42
Z	None	O-Leg	NA	NA	36	42	48	54	60	60	60	NA	NA	NA
\TI0	None	9½"W Ped	NA	NA	NA	30	36	42	48	54	60	60	NA	NA
URA	None	End Bookcase	NA	NA	NA	30	36	42	48	54	60	60	60	NA
FIG	None	L End Panel	NA	NA	36	36	42	48	54	60	60	60	NA	NA
NO	None	15 ³ / ₄ "W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	NA
N	None	18"W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	60
RETURN CONFIGURATION	None	30"W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
RE	None	36"W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	60

L2

\$20

\$15

\$15

CONCINNITY™ Components — Supports

11/8"W x 291/8"D x 41"H for 30"D, Left

11/8"W x 231/8"D x 41"H for 24"D, Right

 $1\frac{1}{8}$ "W x 23 $\frac{1}{8}$ "D x 41"H for 24"D, Left



\$259

\$243

\$243

L1

3.2

2.6

2.6

37

37





HNLEP2428L shown

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	UPCHARGE
11/8" Laminate End Panels — For 29 ½" H 11/8"W x 35"D x 28½"'H for 36"D, Right	HNLEP3628R	39	2.8	\$260	\$20
11/8"W x 35"D x 281/2"H for 36"D, Left	HNLEP3628L	39	2.8	\$260	\$20
$1\frac{1}{8}$ "W x $29\frac{1}{8}$ "D x $28\frac{1}{2}$ "H for 30"D, Right	HNLEP3028R	32	2.3	\$229	\$15
11/8"W x 291/8"D x 281/2"H for 30"D, Left	HNLEP3028L	32	2.3	\$229	\$15
$11\!/\!_8{}^{\prime\prime}W$ x $231\!/\!_8{}^{\prime\prime}D$ x $281\!/\!_2{}^{\prime\prime}H$ for $24{}^{\prime\prime}D$, Right	HNLEP2428R	22	1.9	\$204	\$10
11/8"W x 231/8"D x 281/2"H for 24"D, Left	HNLEP2428L	22	1.9	\$204	\$10
11/8" Laminate End Panels — For 42"H		47	7.0	****	***
11/8"W x 291/8"D x 41"H for 30"D, Right	HNLEP3041R	47	3.2	\$259	\$20

HNLEP3041L

HNLEP2441R

HNLEP2441L



HNLEP2441R shown

NOTES: Supports the end of a component worksurface where there is no modular pedestal. 11/18" Laminate End Panels must be used with a full-length (27%"H) or short (10"H) modesty/back panel; ordered separately, see page 86. The depth of an end panel is $\frac{3}{4}$ " less than the depth of the worksurface, to accommodate the modesty/back panel. Handed design (left and right models). Bottom of end panel is edge banded for added strength and to seal out moisture. Applications include -- For the non-pedestal end of single pedestal desks or the non-pedestal end of single pedestal end o $credenzes \ utilizing \ modular \ storage \ components. For \ returns \ that \ do \ not \ have \ a \ modular \ storage \ pedestal \ to \ support \ the \ worksurface. For \ returns \ that \ do \ not \ have \ a \ modular \ storage \ pedestal \ to \ support \ the \ worksurface.$ extended corner units that do not utilize a 153/4"W x 231/6"D modular storage pedestal to support the 24"D worksurface dimension. For building desk or credenza shells comprised of a worksurface top and modesty/back panel components, and left and right end panel. Available in a woodgrain or solid laminate color only. Can be specified with or without grommet; see chart on page 36 for cord management options. If grommet option is chosen, the color is black only.

NOTES:

📵 11/8" Laminate End Panels must be used with a full-length (277/8"H) or short (10"H) modesty/back panel; ordered separately, see page 86.

HOW TO SPECIFY

Select **Model Number** 4 2 8 R .

Select Grommet

P Black X No Grommet

X


Select **Laminate Color**

See page 29

Н



CONCINNITY™ Kneespace Clearance End Panels



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 UPCHARGE
Kneespace Clearance End Panels 1½"W x 11½"D x 41"H for 24"D, 2 pk	HNLEP1141	25	2.8	\$285	\$10
1½"W x 11¼"D x 28½"H for 24"D, 2 pk	HNLEP1128	25	2.0	\$233	\$10

NOTES: Creates additional kneespace for the user. Two $1\frac{1}{2}$ " D laminate end panels, one left, one right; sized to support two adjoining, contiguous 24"D worksurfaces. Can be specified with worksurfaces at time of installation or ordered as replacement for two side-by-side 1% W x 23"D end panels. Available in 28% and 41"H. Can be used to connect up to three credenzas in line (2 kits). Not designed for use with returns. Allows conversion of units currently in the field; European fasteners make installation quick and easy. Cord routing notch in top back of each panel. Includes two 11/6" thick panels; European fastening hardware; flat connector bracket; self-tapping wood screws for ganging credenza to adjacent worksurface; and adjustable leveling glides. Can be specified in a woodgrain or solid laminate color only: not in a two-tone combination.

SPECIFYING EXAMPLE: HNLEP1128.H

HOW TO SPECIFY

Select **Model Number** Select Grommet

P Black

X No Grommet









DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	L2 UPCHARGE
Laminate End Panel — 7"H Support for Wo	orksurfaces				
11/8"W x 30"D x 7"H, Right	HNLEP307R	7	0.7	\$133	\$10
11/8"W x 30"D x 7"H, Left	HNLEP307L	7	0.7	\$133	\$10
11/8"W x 24"D x 7"H, Right	HNLEP247R	6	0.7	\$133	\$10
11/8"W x 24"D x 7"H, Left	HNLEP247L	6	0.7	\$133	\$10

NOTES: Specifically for layered surface applications; used to support a $29\frac{1}{2}$ "H component worksurface over a $21\frac{1}{2}$ "H low credenza unit. 1½" thick. Handed design (left and right models). Includes cord routing notch. Bottom of end panel is edgebanded for added strength and to seal out moisture. Attaches to underside of worksurface via cam fasteners and L-bracket; attaches to top of low credenza with doublesided tape. Can be specified in a woodgrain or solid laminate color only. For 7"H metal O-leg support see page 94.

SPECIFYING EXAMPLE: HNLEP307R.H

HNII I EDZO28D shown

Laminate L-Shaped End Panels — For 291/2"	Н				
15 ³ / ₄ "W x 30"D x 28½"H, Right	HNLLEP3028R	38	4.3	\$368	\$15
15 ³ / ₄ "W x 30"D x 28 ¹ / ₂ "H, Left	HNLLEP3028L	38	4.3	\$368	\$15
15 ³ / ₄ "W x 24"D x 28 ¹ / ₂ "H, Right	HNLLEP2428R	32	2.8	\$332	\$15
15 ³ / ₄ "W x 24"D x 28 ¹ / ₂ "H, Left	HNLLEP2428L	32	2.8	\$332	\$15







HNLLEP3041R shown

Laminate L-Snaped End Panels — For 42"	H				
15 ³ / ₄ "W x 30"D x 41"H, Right	HNLLEP3041R	55	4.3	\$407	\$20
15 ³ / ₄ "W x 30"D x 41"H, Left	HNLLEP3041L	55	4.3	\$407	\$20
15 ³ / ₄ "W x 24"D x 41"H, Right	HNLLEP2441R	47	2.8	\$364	\$20
153/4"W x 24"D x 41"H, Left	HNLLEP2441L	47	2.8	\$364	\$20

NOTES: Supports the end of a component worksurface where there is no modular pedestal. Provides easy, open access to wall electrical outlets. For configurations requiring a modesty panel, options include a laminate floating modesty panel or a mixed material floating modesty panel — see page 87. Tops and bottoms of panels are edgebanded. Two pieces; 11/8" end panel and 3/4" back panel. Ships 🙌 simple assembly. Can be specified in a woodgrain or solid laminate color only; not available in a two-tone combination. See chart on page 36 for cord management options. If grommet option is chosen for the end panel, the color is black only.

SPECIFYING EXAMPLE: HNLLEP2428R.X.H



Select Model Number	Select Laminate Color
	See page 29
H N L E P 3 0 7 R .	н

Select Model Number	Select Grommet	Select Laminate Color
	P Black X No Grommet	See page 29
H N L L E P 3 0 2 8 R .	x .	Н





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	UPCHARGE
Laminate T-Shaped End Panels — For 291/2"H					
115/6"W x 357/6"D x 281/2"H	HNLTEP3628	45	3.7	\$375	\$20
115/6"W x 297/6"D x 281/2"H	HNLTEP3028	39	3.3	\$353	\$20
11 ⁵ / ₈ "W x 23 ⁷ / ₈ "D x 28 ¹ / ₂ "H	HNLTEP2428	33	2.9	\$332	\$20

NOTES: Supports the end of a component worksurface where there is no modular pedestal. Available in 24", 30", and 36"D x 281/2"H. Two 1½" thick pieces; one end and one brace panel. Cord routing notch in brace panel. Non-handed. Ships 💞; simple assembly. Can be specified in a woodgrain or solid laminate color only; not available in a two-tone combination.

SPECIFYING EXAMPLE: HNLTEP3628.H



Support Brace — For 29½"H					
1/8"W x 101/2"D x 281/2"H	HNL11SUPP	11	0.9	\$149	\$10

NOTES: Minimizes worksurface deflection by providing added internal support under 24"D tops with an unsupported span of 54" or wider (distance for which there is no panel, leg, or pedestal support component). Not for use as an end panel. 11"D size provides kneespace $clearance. Attaches \ with \ brackets \ to \ both \ the \ underside \ of \ the \ worksurface \ top \ and \ either \ a \ conventional \ full-length \ or \ 10'' \ laminate$ modesty panel; not for use with O-leg or L-shaped end panel supports. 11/6" thick. Cord routing notch in brace panel. Can be specified in a woodgrain or solid laminate color only.

SPECIFYING EXAMPLE: HNL11SUPP.H

HOW TO SPECIFY

Select **Model Number** Select **Laminate Color**

See page 29







			SHIP		LIST PRI	CE BY PAIN	T GRADE
	DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3
	O-Leg						
	30"D x 28½"H	HLSL30280	19	5.4	\$352	\$356	\$372
	24"D x 28½"H	HLSL24280	17	3.7	\$316	\$320	\$336
	NOTES: Ship fully assembled, 1/pack. Non-handed.		03////			- f !	
	IMPORTANT: The O-leg attachment bracket interfere directly next to (flush with) the O-leg. Box/file mobile				-	_	positionea
	SPECIFYING EXAMPLE: HLSL24280.T1	c pedestal (model mid	ZITOTIBI) carrbo	, positione	a diorig side t	nic o leg.	
-	Double-Depth O-Leg Support for Worksurfaces						
	60"D x 28½"H	HLSL60280	19	8.7	\$665	\$673	\$685
	48"D x 28½"H	HLSL48280	18	7.0	\$597	\$605	\$617
	NOTES: Ship fully assembled, 1/pack. Non-handed. 48	8"D and 60"D sizes sp	an back-to-back	24"D and	30"D worksu	ırfaces, respe	ctively.
	O-Leg Shared Support for Worksurfaces						
	30"D x 28½"H	HLSL3028SL	19	5.4	\$438	\$442	\$458
	24"D x 28½"H	HLSL2428SL	17	3.7	\$394	\$398	\$414
	NOTES: Ship fully assembled, 1/pack. Non-handed.						
	Specify paint only.						
	SPECIFYING EXAMPLE: HLSL2028SL.T1						
	O-Leg Support for Low Credenzas						
	30"D x 7"H	HLSL3070	7 6	1.0	\$271	\$275	\$291
	24"D x 7"H	HLSL2470		1.0	\$213	\$217	\$233
	NOTES: Ship fully assembled, 1/pack. Non-handed. Fo	or / "H laminate suppo	ort see page 92.				
	Specify paint only. SPECIFYING EXAMPLE: HLSL2070.T1						
	Standing-Height O-Leg Support for Worksurfaces						
	30"D x 41"H	HLSL30410	17	6.5	\$474	\$480	\$494
	24"D x 41"H	HLSL24410	16	5.3	\$424	\$430	\$444
	NOTES: Ship fully assembled, 1/pack. Non-handed.						
	Standing-Height O-Leg Shared Support for Worksu 30"D x 41"H	rfaces HLSL3041SL	17	6.5	\$529	\$535	\$549
	24"D x 41"H	HLSL2441SL	16	5.3	\$329 \$478	\$333 \$484	\$498
	NOTES: Ship fully assembled, 1/pack. Non-handed. Fo						
	dimension.	or use with two 24 D	DI 30 D WOLKSULL	aces positi	oried side-by	-side along t	ne deptin
~							

NOTES:

- · Open frame, metal design.
- O-leg ships fully assembled with mounting hardware.
- O-leg glides have 2" adjustability.
- Will have 6" overhang when using 30"D O-legs with a 36"D worksurface.
- Shared O-legs create a cleaner aesthetic in all applications where two legs are used side-by-side.
- O-legs may only be attached to worksurfaces, not storage units.
- $\textcircled{1} \ \ \text{O-leg installation requires 6} \text{'' of clearance from the worksurface end.}$
- 1 For use with worksurfaces up to 78"W. When using an 84"W or wider worksurface, cannot use two O-legs; must use one 15\(^3\)4" or wider pedestal for the other support.

HOW TO SPECIFY



94





	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Support Column 1½" Diameter. Specify: HPC190X.P. Black only.	НРС190Х	12 9	1.0	\$161
	Support Column 1½" Diameter. Specify: HPC191X.X. Available in Silver only.	HPC191X	12 G	1.0	\$161
1	NOTES: For peninsula or island extension worksurface application.				

<:i>>		
111		

		SHIP		LIST PRICE BY	PAINT GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Post Leg Base					
28½"H x 2" square	HLSL28P	15	1.0	\$292	\$296

NOTES: Can only be used as the outbound support in a peninsula or island extension worksurface application. Glides have 2" of adjustability. Ship 1/pack

SPECIFYING EXAMPLE: HLSL28P.T1

- All bases allow tops to sit at $29 \% 2^{\prime\prime}$ from the floor with glides half-way seated.

Height Adjustable Base

- · 3-Stage column design.
- Frame rises from 23 $^5\!/\!\epsilon^{\prime\prime}$ to $49\,^1\!/\!\epsilon^{\prime\prime}$ for a sit-to-stand desk option.
- Ships complete with a pre-assembled motor.
- Base telescopes to accommodate any worksurface between 48 $^{\prime\prime}\text{W}$ and 72 $^{\prime\prime}\text{W}.$
- Accommodates rectangular worksurfaces between 24"D x 48"W and 30"D x 72"W.
- Standard height adjustable control ships with base.
- Dynamic load capacity when worksurface is moving is 300 lbs.
- Optional Memory Control allows preset worksurface heights for consistency. Ships separately.
- Silver finish matches any neutral HON paint or finish color.
- · Tops and bases are ordered and sold separately.

Post and T-Leg Bases

- Both glides and casters attach to the foot easily without tools for assembly.
- Bases specified with casters include two locking and two non-locking casters.
- · Bases specified with glides have four adjustable glides, which adjust 1".
- When post legs are used with 18"W tops, post leg to be specified with glides only.
- Support column must be specified for worksurfaces used as peninsulas or as an island extension.
- Post leg can only be used to support peninsula, not as primary supports for a top.

HOW TO SPECIFY

Select **Model Number**

Select **Paint Color**

See page 171





\$352

\$418



DESCRIPTION MODEL SHIP WEIGHT **CUBE** LIST PRICE

HMBPOST

Post Leg Base (Includes 4 Post Legs)

24"D and 30"D Worksurfaces up to 72"W

NOTES: For 54" and 60" worksurfaces, use one external channel, centered between user and approach sides. For 66" and 72"W

worksurfaces, use two external channels; if no grommets, locate the channels 3" from user and approach sides; if grommets are in the worksurface, locate channels 3" from user and 6" from approach sides.

13/4" diameter Post Leg Base with glide (HMBPOST.G); qty. 4; for 30" to 72"W x 24"D and 48" to 72"W x 30"D tops $1\frac{3}{4}$ " diameter Post Leg Base with casters (HMBPOST.C); qty. 4; for 30" to 72"W x 24"D and 48" to 72"W x 30"D tops

Fixed Height T-Leg Base (Includes 2 T-legs)

For 24"D and 30"D Worksurfaces up to 72"W

HMBTLEG24 3.6

NOTES: Use external channel when space between the two legs is 54"W or greater. Center the channel between approach and user sides. See model listing on page 84.

Fixed Height T-Leg Base with glide (HMBTLEG24.G); qty. 2; for 24" and 30"D tops up to 72"W; adjustable glides have 1" range Fixed Height T-Leg Base with casters (HMBTLEG24.C); qty. 2; for 24" and 30"D tops up to 72"W; two locking and two non-locking casters

NOTES:

• All bases allow tops to sit at 291/2" from the floor with glides half-way seated.

Post and T-Leg Bases

- · Both glides and casters attach to the foot easily without tools for assembly.
- · Bases specified with glides have four adjustable glides, which adjust 1".
- · When post legs are used with 18"W tops, post leg to be specified with glides only.
- Support column must be specified for worksurfaces used as peninsulas or as an island extension.
- Post leg can only be used to support peninsula, not as primary supports for a top.

HOW TO SPECIFY

Select **Model Number**

Select **Glide/Caster Option**

G Glide

C Caster

18"D tops are not available in Concinnity™

G

Select **Paint Color**

See page 29

\$20 upcharge per model, for Metallic paint

т

CONCINNITY Height Adjustable Bases

DESCRIPTION Coordinate™ Height Adjustable Base - 3 Stage

24"D Feet and Worksurface Brackets

HHAB3S2L

MODEL

67

SHIP WEIGHT

24

CUBE

\$1120

LIST PRICE

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

■ Coordinate[™] Height Adjustable Bases not compatible with 36"D rectangular worksurfaces.

Base shown with worksurface attached.



Not available in two-tone laminate.

SIN 33721

Shroud for Height Adjustable Base

51/8"W x 26"D x 261/4"H for Base with 30"D Top

HLAMSHB30

\$848

NOTES: Decorative laminate enclosure covers the Coordinate™ metal leg and foot. Lowest base adjustment position when the shroud is installed is 29½"H; memory controller must be set at that height to avoid interference. For use with standard 10500 Series™, Concinnity™, and Voi® rectangle worksurfaces, 48-72"W x 30"D, supported by Height Adjustable Base models HHAB3S2L or HHAB2S2L. For height adjustable desks requiring a modesty panel, options include: 14"H laminate (HLSLXX14L) or mixed material (HLSLXX14MM) floating modesty panels, laminate full length (HNLMPXX28) or short (HNLMPXX10) modesty/back panel plus external support channel (HLSLZ5SCXX). External support channel attachment screws and modesty/back panel cover caps are included in the shroud hardware pack. External support channel size recommendation, specific to worksurface attached to Height Adjustable Base with optional laminate full-length or short modesty back/panel (HNLMPXX28/10) see below. Ships one per carton. To conceal both metal legs on the Height Adjustable Base order two.

NOTES: Support option for 24" and 30" rectangle worksurfaces. Worksurfaces are ordered separately, see model listing on pages 80-81.

Specify: Model.Laminate: see pages 236-237.

SPECIFYING EXAMPLE: HLAMSHB30.N

- The Height Adjustable Base must be reset at the time of installation, after every loss of power, if the unit is not functioning properly, or if the legs are uneven. To reset the base requires removing the laminate shroud(s), as well as the full-length modesty panel if one is being used, then adjusting the base to its lowest position. Disassembly of the shroud is quick and easy.
- \$25 upcharge for L2 laminates.

Worksurface Width	Modesty/Back Panel Width	External Support Channel
72′′W	72′′W	HLSLZ5SC78
66"W	66"W	HLSLZ5SC72
60"W	60″W	HLSLZ5SC66
54"W	54"W	HLSLZ5SC60
48"W	48″W	HLSLZ5SC54



Base shown with worksurface attached.

Coordinate™ 3-Leg Height Adjustable Base - 3 Stage

24"D Feet and Worksurface Brackets

HHAB3S3L

91

3.6

\$1896

NOTES: Supports two rectangular worksurfaces to create a height adjustable L-shaped configuration. The 3-leg base supports corner coves or two-piece worksurfaces 41"-72"W x 35"-72"L x 231/4"-30"D. 48"W 120 degree corner worksurfaces are also supported. When using two worksurfaces, the connection between the two must be over the telescoping frame. Supports weight capacity of 375 lbs. (excluding worksurface weight).

Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

NOTES:

Height Adjustable Base

- 3-Stage column design
- Frame rises from 21⁵/₈" to 47³/₄" for a sit-to-stand desk option.
- Ships complete with a pre-assembled motor.
- · Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only.
- Base telescopes to accommodate any worksurface between 48"W and 72"W.
- Accommodates rectangular worksurfaces between 24"D x 48"W and 30"D x 72"W.
- Standard height adjustable control ships with base.
- · Dynamic load capacity when worksurface is moving is 250 lbs.
- Tops and bases are ordered and sold separately.
- · For additional information see page 581.
- · HON 5-Year Limited Warranty.
- ¶ Worksurfaces used with Coordinate™ Height Adjustable Bases should have 1" perimeter gap on each side to provide clearance between other furniture. Failure to do so risks injury or product damage (not covered by warranty).

HOW TO SPECIFY

Select **Model Number** Select Finish

P71 Black P8L Nickel PD8 White

LIST PRICE

CONCINNITY™Components — Privacy Screens

DESCRIPTION



CUBE

SHIP WEIGHT

	220Kii 110K				
_	Above/Below Privacy Screen				
	60"W x 28"H	HLSL2860	9	8.6	\$1397
/]	54"W x 28"H	HLSL2854	9	8.6	\$1389
	48"W x 28"H	HLSL2848	8	8.2	\$1192
	42"W x 28"H	HLSL2842	6	6.3	\$1120
	36"W x 28"H	HLSL2836	6	6.4	\$1106
	30"W x 28"H	HLSL2830	6	6.4	\$800
	NOTES: Attachment bracket extends 2" into top and platinum (no need to specify). Extends 13" above and		frosted translucent acry	/lic. All brac	ckets are
	See page 99 for the "Above-Below Privacy Scree	n — HLSL28xx — Selection Guide".			
	Available in Frosted Translucent Acrylic ONLY HI	_SL2830.FT01.			
	Above Privacy Screen				_
	60''W x 13"'H	HLSL1260	24	2.9	\$453
	54"W x 13"H	HLSL1254	22	2.9	\$421
	48"W x 13"H	HLSL1248	20	2.3	\$394
	42"W x 13"H	HLSL1242	18	2.3	\$344
	36"W x 13"H	HLSL1236	15	1.8	\$308
	30"W x 13"H	HLSL1230	13	1.5	\$279
	NOTES: Attachment requires 1" clear space/overhan platinum (no need to specify).	g on the underside of the worksurfac	e. Screen is frosted glas	ss. All brack	ets are
	Available in Frosted Glass ONLY HLSL1230.G.				
	Above only privacy screen clamps onto worksurf	ace and cannot be installed where su	pport storage will be at	tached.	
	Above Frosted Polymer (Side) Privacy Screen				
	36"W x 13"H	HLSL1236FS	19 G	1.9	\$398
	30"W x 13"H	HLSL1230FS	16 ©	1.6	\$356
No.	24"W x 13"H	HLSL1224FS	14 ③	1.4	\$329
	NOTES: Attach to top and side of worksurface with a sitting side-by-side. Brackets create a $\frac{1}{2}$ separation	9	kets are intended to be	attached b	oetween users
	Above Frosted Glass (Side) Privacy Screen				
	36"W x 13"H	HLSL1236GS	20 ©	1.9	\$331
0	30"W x 13"H	HLSL1230GS	18 G	1.6	\$297
	24"W x 13"H	HLSL1224GS	16 S	1.4	\$274
	NOTES: Attach to top and side of worksurface with a sitting side-by-side. Brackets create a 1/4" separation	9	ckets are intended to be	attached b	oetween users

NOTES:

- Ships complete with attachment brackets.
- · All brackets are Platinum.
- Above Privacy Screen attaches to top of worksurface.
- Above and below privacy screen extends 13" above and 13" below the worksurface.
- Above screens must attach to edgeband and top of surface.

MODEL

 Screens cannot be used with T-mold on series such as tables. Screens can only attach to edgeband. Surfaces must be cleaned prior to adhering the screen and must be left to cure for 24 hours without touching for best adhesion.

Select Model Number	Select Mixed Material
	FT01 Frosted Translucent Acrylic
	Specified for Above/Below Privacy Screens only
	G Frosted Glass
	Specified for Above Privacy Screens only
H L S L 2 8 3 0 .	FT01
H L S L 1 2 3 0.	G
Select Model Number	Select Mixed Material
	Mixed Material
	Mixed Material FT01 Frosted Translucent Acrylic
	Mixed Material FT01 Frosted Translucent Acrylic Specified for Above Screen models HLSL1224FS-HLSL1236FS only
	Mixed Material FT01 Frosted Translucent Acrylic Specified for Above Screen models HLSL1224FS-HLSL1236FS only G Frosted Glass
Model Number	Mixed Material FT01 Frosted Translucent Acrylic Specified for Above Screen models HLSL1224FS-HLSL1236FS only G Frosted Glass Specified for Above Screen models HLSL1224GS-HLSL1236GS only

CONCINNITY PRIVACY SCREENS

			Н	IL Above-I	Below Priva	acy Screen	— HLSL28	3xx — Sele	ction Guide)				
	Support Co	ombination						Worksurf	ace Width					
	Support 1	Support 2	30″	36"	42"	48"	54"	60″	66″	72"	78″	84"	90″	96"
O-LEG ON ONE END	O-Leg	O-Leg	NA	30	36	42	48	54	60	60	60	NA	NA	NA
	O-Leg	9½"W Ped	NA	NA	30	36	42	48	54	60	60	60	NA	NA
	O-Leg	End Bookcase	NA	NA	NA	30	36	42	48	54	60	60	60	NA
	O-Leg	L End Panel	NA	NA	NA	36	42	48	54	60	60	60	NA	NA
	O-Leg	15 ³ / ₄ "W Ped	NA	NA	NA	30	36	42	48	54	60	60	60	NA
Ė	O-Leg	18"W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	60
Ò	O-Leg	30"W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
	O-Leg	36"W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	54
Ω	9½"W Ped	9½"W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	60
	9½"W Ped	End Bookcase	NA	NA	NA	NA	30	36	42	48	54	60	60	60
V PE	91/2"W Ped	L End Panel	NA	NA	NA	30	36	42	48	48	60	60	60	NA
NARROW PED	9½"W Ped	15 ³ / ₄ "W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
	91/2"W Ped	18"W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
	9½"W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	54
	9½"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
END BOOKCASE PED	End Bookcase	End Bookcase	NA	NA	NA	NA	30	36	42	48	54	60	60	60
	End Bookcase	L End Panel	NA	NA	NA	NA	30	36	42	48	54	60	60	60
	End Bookcase	15 ³ / ₄ "W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
) B0	End Bookcase	18"W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
END	End Bookcase	30"W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	54
	End Bookcase	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
L END PANEL	L End Panel	L End Panel	NA	NA	NA	30	36	42	48	54	60	60	60	NA
	L End Panel	153/4"W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	60
	L End Panel	18"W Ped	NA	NA	NA	NA	NA	30	36	42	48	54	60	60
	L End Panel	30"W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	54
	L End Panel	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
	15 ³ / ₄ "W Ped	15 ³ / ₄ "W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
TWO PEDS	15 ³ / ₄ "W Ped	18"W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
	15 ³ / ₄ "W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
	15 ³ / ₄ "W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42
	18"W Ped	18"W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	48	60
	18"W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42	48
	18"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	30	36	42
	30"W Ped	30"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	30	36
	30"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	30
	36"W Ped	36"W Ped	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
HT ADJ BASE		ustable Base HAB3S2L)	NA	NA	NA	42	48	54	60	60	NA	NA	NA	NA
ATION	None	O-Leg	NA	30	36	42	48	54	60	60	60	NA	NA	NA
	None	9½"W Ped	NA	NA	30	36	42	48	54	60	60	60	NA	NA
URA	None	End Bookcase	NA	NA	NA	30	36	42	48	54	60	60	60	NA
RETURN CONFIGURATION	None	L End Panel	NA	NA	30	36	42	48	54	60	60	60	NA	NA
	None	15 ³ / ₄ "W Ped	NA	NA	NA	30	36	36	48	54	60	60	60	NA
	None	18"W Ped	NA	NA	NA	NA	30	36	42	48	54	60	60	60
	None	30"W Ped	NA	NA	NA	NA	NA	NA	30	36	42	48	54	60
22	None	36"W Ped	NA	NA	NA	NA	NA	NA	NA	30	36	42	48	54

 ${\sf NA=Above-Below\ Screen\ }\underline{not\ applicable}\ for\ use\ with\ worksurface\ width\ and\ support\ combination$

CONCINNITY™ COMPONENTS — SUPPORTS

SUPPORT STORAGE PEDESTALS — 28½"H

- Non-handed, interchangeable design reconfigures easily.
- For use with component top and modesty/back panels or pedestal top and back panels.
 - Pedestals are not fully enclosed and require a component top/worksurface and modesty/back panel or a pedestal back, both of which must be ordered separately.
 - Pedestal's front and side panels are finished.
- The pedestal depth dimension is less than the like-size depth of the component top, to accommodate addition of a modesty/back panel.
 - 291/8"D pedestals can be used under 30" or 36"D worksurfaces; 231/8"D pedestals can be used under 24" or 30"D worksurfaces.
 - When specifying a 291/8"D pedestal with 3/4" modesty panel under a 36"D worksurface, or a 231/8"D pedestal with a 3/4" modesty panel under a 30"D worksurface, there will be a 6" approach side overhang.
- Bottom of side panels are edgebanded for added strength and to seal out moisture.
- Drawers:
 - Operate on steel ball-bearing suspensions to ensure smooth, guiet, long-lasting operation; full extension allows easy access to contents.
 - Fronts are edgebanded on all four sides.
 - Feature 5-sided construction for added strength and easy alignment or replacement of drawer fronts.

- Interchangeable core removable locks are located on front of all modular storage products, except the storage cabinet.
- Finish of lock is determined by, and aligned with, the handle finish specified.
- Locks feature a removable cylinder that can be interchanged as needed; allows users to access all furniture pieces in an office with a single key for convenience and security. Makes re-keying quick and easy. Keyed alike cores must be ordered separately by specification of the key number (removable lock core kit models available in Black [model HF23B] or Satin [model HF23S]).
- Ship fully assembled.
- Chassis and drawer front colors are specified separately; can be selected with common woodgrain or solid laminate color, or with different, complementary chassis and drawer/door
- See chart on page 36 for cord management options. If the pedestal grommet option is chosen, two cutouts, one per end/side panel, each with a black plastic cap, are included.

SUPPORT STORAGE PEDESTALS — 41"H **STANDING-HEIGHT**

- Same as above except not to be used freestanding; top and back are not enclosed.
 - Rear of pedestal can be enclosed with a full, 403/8"H back panel or with a 271/8"H modesty panel combined with a lower, 13"H pedestal back component. Pedestal back and modesty panel must be ordered separately.



CONCINNITY Components — Supports



	SHIP			LI	L2 UPCHARGES	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Narrow Box/Box/File Pedestal						
9½"W x 29½"D x 28½"H	HNL291028PBBF	64	10.6	\$772	\$25	\$10
9½"W x 23½"D x 28½"H	HNL231028PBBF	53	8.6	\$690	\$20	\$10

NOTES: Efficient, space saving design for smaller footprints. Three locking drawers; two box (supply) drawers, one for files. File drawer has high sides to accept hanging folders; hangrails are included for side-to-side letter or legal filing. Pedestal's top and back are open and require top and back panel components - ordered separately. See chart on page 36 for cord management options. Ships fully assembled. SPECIFYING EXAMPLE: HNL291028PBBF.E.X.H.H



Narrow File/File Pedestal 91/2"W x 291/8"D x 281/2"H HNL291028PFF 69 10.6 \$772 \$25 \$10 9½"W x 23½"D x 28½"H HNL231028PFF 54 10.6 \$690 \$20 \$10

NOTES: Efficient, space saving design for smaller footprints. Two locking file drawers. Drawers have high sides to accept hanging folders; hangrails are included for side-to-side letter or legal filing. Pedestal's top and back are open and require top and back panel components ordered separately. See chart on page 36 for cord management options. Ships fully assembled.

SPECIFYING EXAMPLE: HNL291028PFF.E.X.H.H



Box/Box/File Pedestal						
15 ³ / ₄ "W x 29 ¹ / ₈ "D x 28 ¹ / ₂ "H	HNL291628PBBF	76	10.6	\$782	\$25	\$10
18"W x 231/8"D x 281/2"H	HNL231828PBBF	72	9.8	\$785	\$20	\$10
15 ³ / ₄ "W x 23 ¹ / ₈ "D x 28 ¹ / ₂ "H	HNL231628PBBF	69	8.6	\$714	\$20	\$10

NOTES: Three locking drawers; two box (supply) drawers, one for files. File drawer has high sides to accept hanging folders; hangrails are included for side-to-side letter or legal filing; and front-to-back for letter filing. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 36 for cord management options. Ships fully assembled.

SPECIFYING EXAMPLE: HNL291628PBBF.E.X.H.H



File/File Pedestal						
15 ³ / ₄ "W x 29 ¹ / ₈ "D x 28 ¹ / ₂ "H	HNL291628PFF	78	10.6	\$782	\$25	\$10
18"W x 231/8"D x 281/2"H	HNL231828PFF	72	9.8	\$785	\$20	\$10
15 ³ / ₄ "W x 23 ¹ / ₈ "D x 28 ¹ / ₂ "H	HNL231628PFF	70	8.6	\$714	\$20	\$10

NOTES: Two locking file drawers. Drawers have high sides to accept hanging folders; hangrails are included for side-to-side letter or legal filing; and front-to-back for letter filing. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 36 for cord management options. Ships fully assembled.

SPECIFYING EXAMPLE: HNL291628PFF.E.X.H.H



Lateral File Pedestal						
36"W x 231/8"D x 281/2"H	HNL233628PLF	134	18.4	\$1056	\$40	\$20
30"W x 231/8"D x 281/2"H	HNL233028PLF	115	15.0	\$964	\$35	\$20

NOTES: Two locking file drawers; drawers include hangrails to accept folders in letter or legal size. For use under 24"D rectangle worksurface. Widths can also span depth dimension of respective 30" or 36"D rectangle worksurface. Anti-tip design includes mechanical interlock to inhibit the extension of more than one drawer at a time. Pedestal's top and back are open and require top and back panel components - ordered separately. See chart on page 36 for cord management options. Ships fully assembled.

SPECIFYING EXAMPLE: HNL233628PLF.E.X.H.H

NOTES:

- 29½"D pedestals can be used under 30" or 36"D worksurfaces; 23½"D pedestals can be used under 24" or 30"D worksurfaces.
- · Drawers operate on steel ball-bearing suspensions to ensure smooth, quiet, long-lasting operation; full extension allows easy access to contents.
- Interchangeable core removable locks allow users to access all furniture pieces in an office with a single key for convenience and security. Makes re-keying quick and easy.
- · See chart on page 36 for cord management options. If the pedestal grommet option is chosen, two cutouts, one per end/side panel, each with a black plastic cap, are
- Pedestal tops and backs are open and require top and back panel components ordered separately.
- ¶ 9½"W pedestals are not designed to be used independently in a stand-alone application.

Select Model Number	Select Handle	Select Grommet	Select Chassis Color	Select Drawer Front Color
	A Cylinder – Satin B Cylinder – Black C Canopy – Satin D Canopy – Black E Loop – Satin F Loop – Black	P Black X No Grommet	See page 29	See page 29
H N L 2 9 1 0 2 8 P B B F .	Ε.	X .	Н.	Н

CONCINNITY™ Components — Supports





		SHIP		LI	L2 UPC	IARGES
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Shelf/Box/Box/Lateral File Pedestal						
36"W x 231/8"D x 281/2"H	HNL233628PSL	145	18.4	\$1245	\$40	\$20
30"W x 231/8"D x 281/2"H	HNL233028PSL	126	15.0	\$1221	\$35	\$20

NOTES: Versatile unit features an open shelf and three drawers; two for supplies and one for files. For use under 24"D rectangle worksurface. Widths can also span depth dimension of respective 30" or 36"D rectangle worksurface. Box (supply) drawers are located on the right and open shelves on the left. All drawers lock. Pedestal's top and back are open and require top and back panel components ordered separately. See chart on page 36 for cord management options. Ships fully assembled.

SPECIFYING EXAMPLE: HNL233628PSL.E.X.H.H



Storage Cabinet Pedestal						
36"W x 231/8"D x 281/2"H	HNL233628PSC	104	18.4	\$810	\$40	\$20
30"W x 231/8"D x 281/2"H	HNL233028PSC	91	15.0	\$782	\$35	\$20

NOTES: One adjustable shelf, which adjusts in $2\frac{1}{2}$ increments. For use under 24"D rectangle worksurface. Widths can also span depth dimension of respective 30" or 36"D rectangle worksurface. Doors are non-locking. Pedestal's top and back are open and require top and back panel components - ordered separately. See chart on page 36 for cord management options. Ships fully assembled.



Bookcase Pedestal 36"W x 231/8"D x 281/2"H HNL233628PBK 82 \$712 \$40 N/A 18.4 30"W x 231/8"D x 281/2"H HNL233028PBK 73 15.0 \$695 \$35 N/A

NOTES: Two shelves; bottom of unit plus one adjustable shelf, which adjusts in 21/2" increments. For use under 24"D rectangle worksurface. $Widths \, can also \, span \, depth \, dimension \, of \, respective \, 30'' \, or \, 36'' D \, rectangle \, worksurface. \, Pedestal's \, top \, and \, back \, are \, open \, and \, require \, top \, and \, back \, are \, open \, and \, require \, top \, and \, back \, are \, open \, and \, require \, top \, are \, back \, are \, open \, and \, require \, top \, are \, back \, are \, open \, and \, require \, top \, are \, back \, are \, back \, are \, open \, and \, require \, top \, are \, back \,$ and back panel components — ordered separately. See chart on page 36 for cord management options. Ships fully assembled.

SPECIFYING EXAMPLE: HNL233628PBK.X.H



Bookcase End Support						
12"W x 36"D x 281/2"H	HNL123628BKE	48	11.0	\$534	\$25	N/A
12"W x 30"D x 281/2"H	HNL123028BKE	48	10.2	\$507	\$20	N/A
12"W x 24"D x 281/2"H	HNL122428BKE	41	7.4	\$481	\$20	N/A

NOTES: Two shelves; bottom of unit plus one adjustable shelf, which adjusts in 11/4" increments. Designed to span the depth dimension of 24", 30", or 36"D rectangle worksurface; shelves can be oriented facing outwards, or inwards towards the user's kneespace. Includes fully $finished \ back. \ Ships \ with \ two \ (2) \ extra \ L-brackets \ for applications \ requiring \ attachment \ of a \ laminate \ modesty \ panel; \ the \ panel \ brackets \ to \ panel; \ the \ panel \ brackets \ to \ panel \ pan$ the back of the bookcase end support. Modesty panel specified should be 12" less than the worksurface width. Open top; for use under worksurface only — ordered separately. Ships fully assembled.

SPECIFYING EXAMPLE: HNL123628BKE.H

NOTES:

- 231/8"D pedestals can be used under 24" or 30"D worksurfaces.
- Drawers operate on steel ball-bearing suspensions to ensure smooth, quiet, long-lasting operation; full extension allows easy access to contents.
- Interchangeable core removable locks allow users to access all furniture pieces in an office with a single key for convenience and security. Makes re-keying quick and easy.
- · See chart on page 36 for cord management options. If the pedestal grommet option is chosen, two cutouts, one per end/side panel, each with a black plastic cap, are
- Pedestal tops and backs are open and require top and back panel components ordered separately.

Select Model Number	Select Handle	Select Grommet	Select Chassis Color	Select Drawer Front Color
	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	P Black X No Grommet	See page 29	See page 29
H N L 2 3 3 6 2 8 P S L .	Ε.	x .	н.	Н

CONCINNITY™ Components — Supports



		SHIP		L1	L2 UPCHARGES	
DESCRIPTION	MODEL	WEIGHT	CUBE	LIST	CHASSIS	FRONTS
Box/Box/File/File Pedestal						
15 ³ / ₄ "W x 29½"D x 41"H	HNL291641PBBFF	114	14.7	\$1602	\$45	\$10
15 ³ / ₄ "W x 23 ¹ / ₈ "D x 41"H	HNL231641PBBFF	102	11.9	\$1503	\$40	\$10

NOTES: Four drawers: two box (supply) and two file. File drawer has high sides to accept hanging folders; hangrails are included for sideto-side letter or legal filing; and front-to-back for letter filing. The two box drawers do not lock. Pedestal's top and back are open and require top and back panel components - ordered separately. See chart on page 36 for cord management options. Ships fully assembled. SPECIFYING EXAMPLE: HNL291641PBBFF.E.X.H.H



Shelf/Box/Box/File Pedestal 153/4"W x 291/8"D x 41"H HNL291641PSBBF 99 147 \$1602 \$45 \$10 153/4"W x 231/8"D x 41"H HNL231641PSBBF 89 11.9 \$1503 \$40 \$10

NOTES: Open shelf over three drawers: two box (supply) and one file. Interior dimensions of the open storage area are: 141/8" W x 281/4" D x $12\frac{1}{4}$ "H for the $29\frac{1}{8}$ "D pedestal. $14\frac{1}{8}$ "W x $22\frac{1}{4}$ "D x $12\frac{1}{4}$ "H for the $23\frac{1}{8}$ "D pedestal. File drawer has high sides to accept hanging folders; hangrails are included for side-to-side letter or legal filing; and front-to-back for letter filing. All drawers lock. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 36 for cord management options. Ships fully assembled

SPECIFYING EXAMPLE: HNL291641PSBBF.E.X.H.H



Narrow Box/Box/File/File Pedestal

9½"W x 29½"D x 41"H	HNL291041PBBFF	88	14.7	\$1410	\$45	\$20
9½"W x 23½"D x 41"H	HNL231041PBBFF	79	11.9	\$1322	\$40	\$20

NOTES: Efficient, space saving design for smaller footprints. Four drawers: two box (supply) and two file. File drawers have high sides to accept hanging folders; hangrails are included for side-to-side letter or legal filing. When used in a double pedestal configuration under a $60 {\it ''} and 48 {\it ''} W worksurface, provides 41 {\it ''} and 29 {\it ''} of kneespace width, respectively. The two box drawers do not lock. Pedestal's top and 48 {\it ''} W worksurface, provides 41 {\it ''} and 29 {\it ''} of kneespace width, respectively. The two box drawers do not lock. Pedestal's top and 48 {\it ''} W worksurface, provides 41 {\it ''} and 29 {\it ''} of kneespace width, respectively. The two box drawers do not lock. Pedestal's top and 48 {\it ''} W worksurface, provides 41 {\it ''} and 49 {\it ''} of kneespace width, respectively. The two box drawers do not lock. Pedestal's top and 48 {\it ''} W worksurface, provides 41 {\it ''} and 49 {\it ''} of kneespace width, respectively. The two box drawers do not lock. Pedestal's top and 48 {\it ''} W worksurface, provides 41 {\it ''} and 49 {\it ''} W worksurface, provides 41 {\it ''} and 49 {\it ''} W worksurface, provides 41 {\it ''} And 40 {\it ''} W worksurface, provides 41 {\it ''} And 40 {\it ''} W worksurface, provides 41 {\it ''} And 40 {\it ''} W worksurface, provides 41 {\it ''} W work$ back are open and require top and back panel components — ordered separately. See chart on page 36 for cord management options. Ships fully assembled.

SPECIFYING EXAMPLE: HNL291041PBBFF.E.X.H.H

NOTES:

- · Pedestals for standing-height workstations.
- 291/2"D pedestals can be used under 30" or 36"D worksurfaces; 231/2"D pedestals can be used under 24" or 30"D worksurfaces.
- · Drawers operate on steel ball-bearing suspensions to ensure smooth, quiet, long-lasting operation; full extension allows easy access to contents.
- · See chart on page 36 for cord management options. If the pedestal grommet option is chosen, two cutouts, one per end/side panel, each with a black plastic cap, are
- Pedestal tops and backs are open and require top and back panel components ordered separately.
- 9½"W pedestals are not designed to be used independently in a stand-alone application.

Select Model Number	Select Handle	Select Grommet	Select Chassis Color	Select Drawer Front Color
	A Cylinder - Satin B Cylinder - Black C Canopy - Satin D Canopy - Black E Loop - Satin F Loop - Black	P Black X No Grommet	See page 29	See page 29
H N L 2 9 1 6 4 1 P B B F F .	Ε.	X .	н.	Н

CONCINNITY™ Components — Pedestal Tops





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	UPCHARGE
Pedestal Tops					
15 ³ / ₄ "W x 30"D	HNLPT3016	16	1.4	\$231	\$10
18"W x 24"D	HNLPT2418	15	1.3	\$216	\$10
15 ³ / ₄ "W x 24"D	HNLPT2416	13	1.2	\$216	\$10

NOTES: Component is 1%" thick. Underside of top includes pilot mounting holes for pedestals. Grain direction on $15^3\%$ " and 18"W pedestal tops runs horizontal (side-to-side). Component tops for 30" and 36"W pedestals are listed with rectangle worksurface sizes. Grain direction on 30" and 36"W pedestal tops can be specified horizontal (side-to-side) or vertical (front-to-back). For tri-oval and beaded edge options, there is a shaped profile on the user and approach sides, and a flat edge on the ends.

- 1 For modular pedestals used in freestanding applications; not compatible when pedestal is positioned under a worksurface.
- \P 9½"W pedestals are not designed to be used independently in a freestanding application, so 9½"W tops are not available to order.

HOW TO SPECIFY

Select Model Number

Select Edge Profile and Edge Color

See page 29

вн.

Select Top Color

See page 29

н



CONCINNITY™ Components — Pedestal Back Panels



Back View

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	UPCHARGE
Full Back Panels — For 28½"H Pedestals					
18"W x 271/8"H	HNLPB1828	11	1.5	\$149	\$10
15 ³ / ₄ "W x 27 ⁷ / ₈ "H	HNLPB1628	10	1.3	\$133	\$10
9½"W x 27½"H	HNLPB1028	6	0.9	\$125	\$10


NOTES: Encloses the rear of 281/2"H modular support pedestals, which come standard with an open, unfinished back. For use when a support storage pedestal is positioned under a 291/2"H worksurface and a conventional worksurface width x 271/8"H modesty/back panel is not specified to cover the back of the pedestal. Examples of when to use a 271/8" pedestal back include: A worksurface supported by an O-leg on one end and support pedestal on the other, with open wall access; or a worksurface with an O-leg and pedestal support flanking a floating modesty panel. Can be specified in a woodgrain or solid laminate color only. For 30" and 36"W pedestals, use the respective modesty/pedestal back panel size, see page 86.

SPECIFYING EXAMPLE (91/2", 153/4", 18"W): HNLPB1028.H



NOTES: Encloses the rear of 41"H modular support pedestals, which come standard with an open, unfinished back. For use when a support storage pedestal is positioned under a 42"H worksurface and no full-width, 271/4"H laminate modesty and low, 13"H pedestal back panel are specified. Examples of when to use a 40^3 /s" pedestal back include: A worksurface supported by an O-leg on one end and support pedestal on the other, with open wall access; or a worksurface with an O-leg and pedestal support flanking a floating modesty panel. Can be specified in a woodgrain or solid laminate color only.

SPECIFYING EXAMPLE: HNLPB1641.H



Shown with HNLLB3018 and HNI I R1018

Low Back Panels — For 281/2"H Pedest	als				
36"W x 18"H	HNLLB3618	15	1.9	\$149	\$15
30"W x 18"H	HNLLB3018	12	1.6	\$149	\$15
18"W x 18"H	HNLLB1818	7	1.0	\$133	\$15
15 ³ / ₄ "W x 18"H	HNLLB1618	6	0.9	\$127	\$10
9½"W x 18"H	HNLLB1018	4	0.6	\$119	\$10

NOTES: Encloses the rear of 281/2"H modular support pedestals when positioned under a 291/2"H worksurface with a full-width, 10" laminate modesty panel. The modesty panel extends down from the underside of the worksurface to cover the upper back portion of the pedestal, the lower panel component encloses the remainder of the pedestal back. When used in combination, the 10" modesty and pedestal low back panels fully conceal the rear of the pedestal. The pedestal low back panel is only for use when a modular pedestal is used in conjunction with a worksurface with a 10" laminate modesty panel and the customer wants/needs to fully enclose the back section of the pedestal. Can be specified in a woodgrain or solid laminate color only.



Low Back Panels — For 41"H Pedestals					
15 ³ / ₄ "W x 13"H	HNLLB1613	4	0.7	\$127	\$10
9½"W x 13"H	HNLLB1013	3	0.5	\$119	\$10

NOTES: Encloses the rear of 41"H modular support pedestals when positioned under a 42"H worksurface with a full-width, 271/4" laminate modesty panel. The modesty panel extends down from the underside of the worksurface to cover the upper back portion of the pedestal, the lower panel component encloses the remainder of the pedestal back. When used in combination, the 27% modesty and pedestal low back panels fully conceal the rear of the pedestal. The pedestal low back panel is only for use when a modular pedestal is used in conjunction with a worksurface with a 27% and laminate modesty panel and the customer wants/needs to fully enclose the back section of the pedestal. Can be specified in a woodgrain or solid laminate color only.

HOW TO SPECIFY

Select **Model Number**

Select **Laminate Color**

See page 29

Select **Model Number** Select **Laminate Color**

See page 29

CONCINNITY Accessories





12



Refer to page 106 for Center Drawer compatibility information

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	L2 UPCHARGE
Laminate Center Drawer					
26" x 15 ³ / ₈ "	H1526	12 G	1.2	\$198	\$15
22" x 153/8"	H1522	11 ③	1.1	\$184	\$15

- 12" drawer extension (3/4).
- Inside drawer dimension for H1526: 22⁷/₈"W x 15¹/₂"D x 1¹/₂"H.
- Inside drawer dimension for H1522: $18^{7}/8^{2}$ W x $15^{1}/2^{2}$ D x $1^{1}/2^{2}$ H.
- Minimum clearance for mounting H1526: 27¹/₄"W x 18¹/₂"D compatible with 72"W x 36"D, 66"W x 30"D, 60"W x 30"D Double Pedestal Desks, 72"W x 24"D, 66"W x 24"D, 60"W x 24"D Credenza w/Kneespace, 48"W x 24"D Return
- Minimum clearance for mounting H1522: 22³/₄"W x 18¹/₂"D compatible with 72"W x 36"D, 66"W x 30"D, 60"W x 30"D Double Pedestal $Desks, 72''W \times 36''D, 66''W \times 30''D \ Single \ Pedestal \ Desks, \ Bullet \ and \ P-shaped \ Peninsulas, 72''W \times 24''D, 66''W \times 24''D, 66''W \times 24''D, 60''W \times 24''U, 60''W \times 24''W \times 24''U, 60''W \times 24''W \times 24$ Credenza w/Kneespace, 72"W x 24"D, 66"W x 24"D Single Pedestal Credenzas, 48"W x 24"D, 42"W x 24"D Returns

NOTES: Specify laminate for drawer. Model H1522 or H1022 can be used on peninsulas with modesty panel, model HPC180W. Laminate center drawers include pencil tray. For center drawer laminate colors, see page 29.




DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE	UPCHARGE
Collaborative Desk Shelf					
25"W x 23"D x 21/3"H	HNLCDSHELF	18	1.5	\$345	\$20

NOTES: Convenient slide-out shelf on approach-side of desk provides workspace for guests. For use with 72"W x 36"D breakfront desk designs - see listings on page 43 - or with 60" or wider worksurface, supported by pedestals, and no modesty panel. Minimum clearance for mounting: 28"W x 1934"D. Fully extended shelf dimensions: 24"W x 19"D. Shelf extends 1236". 34" thick. Not compatible on desks with under surface center drawer or keyboard platform attached. Can be specified in a woodgrain or solid laminate color only.

Ocliaborative desk shelf for use with 72"W x 36"D breakfront, floating modesty panel desk designs or with 60" or wider worksurface, supported by pedestals, and no modesty panel

SPECIFYING EXAMPLE: HNLCDSHELF.H



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Wall Mount Tackboard				
36"W x 351/4"H	HNL3636TB	20	2.9	\$300
30''W x 351/4"H	HNL3630TB	16	2.9	\$256
36''W x 485/8"H	HNL4936TB	27	5.5	\$334
30''W x 48 ⁵ /8"H	HNL4930TB	22	3.7	\$290

NOTES: For a list of standard fabrics, see pages 25-26. For a complete list of fabrics, please go to hon.com/fabricsandfinishes. When positioned above 291/2"H floor-standing storage, the sizes align with overhead storage height options. Can be positioned side-by-side with corresponding wall mount markerboard sizes. Easy to install; includes mounting hardware. Attaches to wall with horizontally mounted, interlocking Z-clip brackets. For the space directly below stack-on and wall mount storage cabinets, use the 18"H tackboard models listed on Pricer pages 59 and 65.

SPECIFYING EXAMPLE: HNL3636TB.APN15



Wall Mount Markerboard				
36"W x 351/4"H	HNL3636WB	16	2.9	\$204
30"W x 351/4"H	HNL3630WB	14	2.9	\$191
36"W x 485%"H	HNL4936WB	22	5.5	\$251
30"W x 485/8"H	HNL4930WB	20	3.7	\$231

NOTES: Smooth, white, magnetic surface. Metal material produces clear graphics and cleans easily. Compatible for use with dry- or weterase markers. When positioned above 291/2"H floor-standing storage, the sizes align with overhead storage height options. Can be positioned side-by-side with corresponding wall mount tackboard sizes. Easy to install; includes mounting hardware. Attaches to wall with a constant of the contract of thehorizontally mounted, interlocking Z-clip brackets.

SPECIFYING EXAMPLE: HNL3636WB



Markerboard				
36"W x 15"D	HLSL1536SOMB	8	1.0	\$179
30"W x 15"D	HLSL1530SOMB	6	1.0	\$132

NOTES: Markerboard laminate material with black edges, no frame. Adheres to laminate doors. Includes double-sided tape. No specification necessary.

HOW TO SPECIFY

Select **Model Number** Select **Laminate Color**

See page 29



CONCINNITY™ Accessories

10 **G**

0.1

\$94



DESCRIPTION MODEL SHIP WEIGHT CUBE LIST PRICE CPU Holder HCPU 😉 16 **©** 0.5 \$259

- · Vertically mounts to underside of worksurface.
- 360° swivel.
- Supports up to 55 lbs.
- Height adjustable from 16" to 22" below worksurface.
- Width adjustable to accept units from 31/4" to 6".

NOTES: Arms fold back to post to allow more desktop room. Arms feature double extension, allowing 20"+ of back and forth movement. $Cable\ management\ on\ both\ pole\ and\ arm\ assemblies.\ Counterbalance\ adjustment\ provides\ stability\ for\ monitors\ up\ to\ 17.6\ lbs\ per\ arm.$ Made of high quality aluminum alloy material.

HCLA65

Silver finish only, no specification needed.





 $12''W \times 14\frac{1}{2}''D \times 1\frac{1}{2}''H$

NOTES: Assembly: attaches to bottom of desk with (2) screws, included.

Available in Platinum Metallic finish only, no specification needed.







NOTES:

* De-emphasized.

HOW TO SPECIFY

Select **Model Number**





Accessories — Cable Management & Electrical

DESCRIPTION MODEL SHIP WEIGHT **CUBE** LIST PRICE HFLDGRMT 0.01 Field Installable Grommet — For 21/2" Diameter Hole 016 \$32 · Intended for use in tops and end panels to route/hide cords and in modesty panels to facilitate reaching wall electrical outlets. · Grommet is field installable • Requires a 2½" diameter hole saw and drill for installation (not included). SIN 33721 · Grommet shape is round. · Includes grommet cap and sleeve. • Grommet cap measures 3" diameter and includes a 3/4" diameter cord access hole. Grommet sleeve measures 2½" O.D. x ¾" thick. · Includes instructions to locate grommet position for desks, credenzas, returns, and bridges. Black Finish SPECIFYING EXAMPLE: HFLDGRMT Field Installable Grommet — For 3" Diameter Hole HFLDGRMT3 016 \$32 Intended for use in tops and end panels to route/hide cords and in modesty panels to facilitate reaching wall electrical outlets. · Grommet is field installable. • Requires a 3" diameter hole saw and drill for installation (not included). · Grommet shape is round. Includes grommet cap and sleeve. Grommet outside dimensions measures 3½" diameter and includes two cord access holes. Grommet sleeve measures 3" O.D. x 1" thick. · Includes instructions to locate grommet position for desks, credenzas, returns, and bridges. Black Finish SPECIFYING EXAMPLE: HFLDGRMT3 **HFLDGRMT4** \$32 Field Installable Grommet — For 3" Diameter Hole 0.1 0.01 · Intended for use in tops to route/hide cords • Requires a 3" diameter hole saw and drill for installation (not included). • Includes grommet cap, with two access holes, and sleeve components. OPEN MARKET Outside dimension measures 3½" diameter • Sleeve hole in worksurface measures 3" O.D. x 1" thick. · Includes instructions to locate grommet position for desks, credenzas, returns, and bridges. Platinum Finish SPECIFYING EXAMPLE: HFLDGRMT4 Power Hub, 3" Grommet Mount, 6' Cord **HGRMTAC** 1.3 0.2 \$111 • Fits in 3" round grommet holes on the following product lines: 10500, 10700, Concinnity, Coordinate, and Voi desks; Abound Worksurfaces; Huddle and Motivate tables and SmartLink • Two grounded AC power outlets. · Two cord pass-through holes in cap. · Includes 6' cord with three-prong plug. · Field installed; easy plug-and-play. Available in black only (no color designation so use .X - Specify: HGRMTAC.X). 3" Round Power Grommet - 2 Outlets, 10' Cord **HGRMTAC2** \$148 · Includes 10' cord with three-prong plug. · Fits in 3" round grommet holes on the following product lines: Coordinate, Huddle, Motivate, all laminate and veneer casegoods series, and Systems Worksurfaces. · Two grounded AC power outlets. · Field installed with Plug-and-play ease. NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. Optional Memory Control allows

preset worksurface heights for consistency. Ships separately. Dynamic load capacity when worksurface is moving is 300 lbs.

HGRMTUSB2

1.3 6

0.2

\$224

SIN 33721T



Power/USB Hub, 3" Grommet Mount

· One grounded AC power outlet with 2 USB ports.

Available in black finish only, no specification needed.

- · Two cord pass-through holes in cap. · Includes 6' cord with three-prong plug.
- Field installed; easy plug-and-play.
- Available in black only (no color designation so use .X Specify: HGRMTUSB2.X).






CONCINNITYM



Accessories — Cable Management & Electrical



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Cable Management Troughs				
17"W — Single	HCTROUGH17	2.7 ⑤	0.5	\$67
17"W — 10-Pack	HCTROUGH1710	14.0 ⑤	0.5	\$620
36"W — Single	HCTROUGH36	4.9 ⑤	0.9	\$113
36"W — 10-Pack	HCTROUGH3610	30.0 ⑤	0.9	\$1045
- Calala managamant travala abin flat madrad				

- · Cable management troughs ship flat packed.
- · The troughs attach to underneath the worksurface with screws.
- The 17"W has one wire access cut out on the user side. The 36" has two wire access cut outs. These cut outs give users access to inside the trough without having to detach it from the worksurface.
- · Color: Graphite.
- · Material: Metal.
- · TAA Compliant.



O-Leg Cord Clips				
Clips for 28½" Worksurface O-Legs — 8-Pack	HWMCLIPLG	0.8 😉	0.1	\$99
Clips for Layering O-Legs — 4-Pack	HWMCLIPSM	0.5 🔇	0.1	\$65

NOTES: Wire clips work with 7" Low Credenza O-leg and 29"H Support O-leg.

Available in frosted plastic material only.



Model HPWRMOD3WC shown



Model HPWRMOD2UWM shown

Dower Modules

1 OWEL Floradics				
3 Receptacles with Worksurface Clamp	HPWRMOD3WC	2.3 🔞	0.2	\$307
3 Receptacles with Under-Worksurface Mounting Bracket	HPWRMOD3UWM	2.3 🔞	0.2	\$307
2 Receptacles 2 USB with Worksurface Clamp	HPWRMOD2WC	2.3 🔞	0.2	\$491
2 Receptacles 2 USB with Under-Worksurface Mounting Bracket	HPWRMOD2UWM	2.3 🔞	0.2	\$491

HCOMDOME2

HMPVWM28

- 6' power cord with standard three-prong plug.
- Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance.
- · Worksurface clamp models work on any top with a 4" overhang.
- ① Color finish coordinates with HON's Charcoal or White. Specify STRM for Storm or SNW for Snow when ordering. Example: HPWRMOD3WC.STRM.



Power & Data Center

2 Receptacles 2 Data Accessory

- · Standard with two receptacles and openings for two data ports.
- · 6' power cord with standard three-prong plug.
- · Fits on any worksurface with a 4" overhang.

① Color finish coordinates with HON's Loft. Specify LOFT when ordering. Example: HCOMDOME2.LOFT.



Under Worksurface Power Module - 4 Outlets, 10' Cord

- Includes 10' cord with three-prong plug.
- · Fits in cable management troughs.
- · 4 outlets on side create easy access.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks.

Available in black finish only, no specification needed.



Vertebrae NOTES: 30"H x 31/16"W x 11/2"D. Ships unassembled.

Clear finish. Specify "X" for finish option.

SPECIFYING EXAMPLE: HMPVWM28.X

HOW TO SPECIFY

Select **Model Number**

2.5 😉

3.0

0.2

0.3

\$293

\$401

\$221

CONCINNITY™Accessories — Paper Organizers



GSA SIN 33721



L1

\$306



Not available in two-tone

DESCRIPTION MODEL SHIP WEIGHT CUBE LIST PRICE **UPCHARGE** Vertical Paper Manager **HLVPM1** 147/8"W x 107/8"D x 1911/16"H 27.0 28 \$327 \$10

NOTES: Keeps papers, files, and books neatly organized and within easy reach from a seated position. Designed for desk, credenza, and return tops. Fits under stack-on storage models. Two pullout drawers and three fixed shelves. Not available in pattern laminate colors. Ships fully assembled.

When used in conjunction with wall mounted storage cabinets, allow 193/4" minimum clearance above the worksurface.

SPECIFYING EXAMPLE: HLVPM1.N



Not available in two-tone laminate **Desktop Storage Terrace** 261/2"W x 121/2"D x 101/2"H

HLDST1

24.0

1.1

\$10

L2

NOTES: Keeps work-in-process, priority files, loose pages, and mail neatly organized and in view. Mixed material design comprised of sturdy laminate shelves with metal back and support panels. Not available in two-tone laminate combination or pattern laminate colors. Choose from Platinum Metallic (T1), Black (P), and Charcoal (S) for the metal components. Designed to be used on worksurfaces. Also sized to fit in stack-on and wall mounted storage cabinets, see compatibility chart on page 111. Specify: Model, Laminate, Paint

SPECIFYING EXAMPLE: HLDST1.N.T1



SHIP WEIGHT LIST PRICE DESCRIPTION MODEL **CUBE Stacked Paper Management** 321/2"W x 125/8"D x 41/4"H **HLVPM2** 125

NOTES: Segments and organizes stack-on and wall mount storage compartments (see compatibility chart on page 111), as well as bookcase shelves. In some cases, installation may require removing the stack-on or wall mount storage doors.



Hanging Paper Shelf

281/16"W x 117/16"D x 45/16"H

HHPS1

\$198

NOTES: Attaches quickly and easily (screws included). Maximizes worksurface space; de-clutters desktop while placing priority communications and active project folders within easy reach. Angled design allows contents to be distinguished at a glance. Mixed material styling features strong painted metal frame with a frosted shelf.

Attaches quickly and easily to laminate stack-on and wall mount storage models (except the 36"W Voi® overhead hutch with O-legs or panel mount brackets). Not for use with 38000 Series™ and Systems. Specify: Model.Paint

SPECIFYING EXAMPLE: HHPS1.T1



Desktop Paper Shelf

281/16"W x 115/8"D x 5"H

7.0

NOTES: Desktop Paper Shelf and Storage Terrace include protective, non-slip pads on the base. Paper Shelf can stack two-high. Organizer shelf provides a place and space for work-in-process and piling to keep worksurfaces neat and tidy. Convenient, scalable design with interlocking side supports allow two units to be stacked and integrated. Durable painted metal frame with a frosted shelf; mixed material styling matches hanging paper shelf.

Can also be used inside select overhead storage, including the following stack-on with clearance and hinged door models: 10500 and Valido 36", 42", 66", 72", 78"W and 10700 6858"W.

Specify: Model.Paint

SPECIFYING EXAMPLE: HDPS1.T1



Storage Cube HI SI 1212 \$294 12"W x 12"D 10 0.3

SPECIFYING EXAMPLE: HLSL1212.P8S

HOW TO SPECIFY

Select **Model Number**

Select **Laminate Color**

See page 29



CONCINNITY™ PAPER ORGANIZER COMPATIBILITY

PAPER ORGANIZERS FOR STACK-ON AND WALL MOUNTED STORAGE CABINETS

- Laminate vertical paper manager (HLVPM1) is designed for desk, credenza, and return tops; fits under stack-on and wall mount storage units.
- Laminate desktop storage terrace (HLDST1) for use on worksurfaces, or inside overhead storage compartments >261/2"W.
- Metal desktop paper shelf (HDPS1) for use on worksurfaces, can be stacked two high, or inside overhead storage compartments >283/4"W.
- Stacked paper management (HLVPM2) can be positioned inside overhead storage cabinets >321/2"W.
- Metal hanging paper shelf (HHPS1) attaches quickly and easily to the underside of stack-on and wall mounted storage models.
- For applications using the organizers inside stack-on and wall mounted storage compartments, the fit compatibility is as follows:

		Stacked Paper Mgt. — 32½″W HLVPM2	Desktop Paper Shelf — 28³/4″W HDPS1	Desktop Storage Terrace — 26½''W HLDST1	Hanging Paper Shelf — 28 ⁷ /8′′W HHPS1
OUTSIDE WIDTH	INSIDE WIDTH	Yes or No	Yes or No	Yes or No	*Qty — see NOTE
STACK-ON STORAGE W/L	AM DOORS, LAM LOCKING	DOORS, FROSTED DOORS			
36"W	34.34	Υ	Υ	Υ	1
42"W	40.34	Υ	Υ	Y	1
48"W (large compartment)	30.60	N	Υ	Y	1
60"W	28.60	N	N	Y	2
66"W	31.60	N	Υ	Y	2
72′′W	34.60	Υ	Υ	Y	2
78′′W	37.60	Υ	Υ	Y	2
STACK-ON STORAGE W/S	LIDING DOOR				
48"W	22.60	N	N	N	1
60''W	28.60	N	N	Y	2
66"W	31.60	N	Υ	Y	2
72′′W	34.60	Υ	Υ	Y	2
78"W	37.60	Υ	Υ	Y	2
WALL MOUNT STORAGE W	// LAM DOORS, LAM LOCKI	NG DOORS, FROSTED DOOR	S		
30"W	28.35	N	N	Y	N
36"W	33.67	Υ	Υ	Y	1
42''W	39.67	Υ	Υ	Y	1
48"W (large compartment)	30.22	N	Y	Y	1
60"W	28.22	N	N	Y	2
66"W	31.22	N	Υ	Y	2
72′′W	34.22	Υ	Υ	Y	2
78"W	37.22	Υ	Υ	Y	2
WALL MOUNT STORAGE W	// SLIDING DOOR			·	
48"W	22.46	N	N	N	1
60″W	28.46	N	N	Υ	2
66''W	31.46	N	Υ	Υ	2
72″W	34.46	Υ	Υ	Υ	2
78''W	37.46	Υ	Υ	Υ	2

^{*}NOTE: For model HHPS1, quantity represents the number that can be mounted side-by-side under the cabinet.

GSA SIN 33721 EXCEPT AS NOTED

CONCINNITY™ Accessories — Lock Kits



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Black Removable Lock Core Kit Specify quantity of each key number from 101E-225E. Includes: 1-core, 2-keys, 1-core removal tool, and instructions. NOTES: If key number isn't specified, number will be at random.	HF23B	0.1 🚱	0.1	\$32
	Satin Removable Lock Core Kit • Specify quantity of each key number from 101E-225E. • Includes: 1-core, 2-keys, 1-core removal tool, and instructions. NOTES: If key number isn't specified, number will be at random.	HF23S	0.1 🚱	0.1	\$40
OPEN MARKET	Removable Lock Core Kit Black Satin For stack-on and wall mounted storage laminate models (with locks) Specify quantity of each key number from 101E to 225E. Includes: 1-core, 2-keys, 1-core removal tool, and instructions. NOTES: If key number isn't specified, number will be at random.	HF27B HF27S in 10500, 10700, Va	0.2 0.2 alido, Voi , Concinnity,	0.02 0.02 and 94000	\$32 \$32 Series.

NOTES:

- Interchangeable core removable locks are standard on most HON products.
- Removable lock core kits with specific key number must be ordered to facilitate keying alike in the field.
- · For keyed alike locks:
- Order standard product which will be shipped with factory installed locks and random numbered cores.
- Order the appropriate quantity of like numbered cores required for each workstation or keyed area.
- Simply replace the factory installed cores with the replacement cores after product has been installed.
- To install new core:
- Lock must be in the unlocked position.
- Insert core removal key and pull core straight out.
- Insert new core with core removable key, hold core into lock and withdraw core removal key.
- Retain original core for future use.
- For master key, see model HF22 on page 853.
- To provide normal lead times, key numbers cannot be specified on HON products at time of order. This also eliminates need for tagging and tracking each product's lock number during installation.

HOW TO ORDER CORE REMOVABLE LOCK KITS:

Specify: Model Number.X

Key Number Examples: HF23S.X121E

HF23S.X (Key number not specified)

NOTES: Key orders without numbers specified will be keyed at random.

Numbers 101E-225E are available.

SAMPLE ORDER:

Quantity	Model	Key Code
4	HF23B.	X121E

HOW TO SPECIFY

Select **Model Number**





CONCINNITY™ Accessories — Task Lights



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
LED Task Lights — For Stack-on and Wall Mounted Storage Cabinets 17" LED Light with Power Supply (Single) 31" LED Light with Power Supply (Single)	HLED17AS	1.2 §	0.05	\$420
	HLED31AS	1.5 §	0.09	\$565
17" LED Light with Power Supply for Daisy-chain (Starter)	HLED17A	1.0 ⑤	0.05	\$462
31" LED Light with Power Supply for Daisy-chain (Starter)	HLED31A	1.4 ⑥	0.09	\$620
17" LED Light with 8" Jumper Cord for Daisy-chain (Follower) 31" LED Light with 8" Jumper Cord for Daisy-chain (Follower)	HLED17AUO	1.0 §	0.03	\$377
	HLED31AUO	1.0 §	0.05	\$502
Undercabinet Occupancy Sensor with 1" End to End Connector	HLEDOSA	0.2 🔇	0.01	\$89

NOTES: To use the daisy chain application, must start with model HLED17A or HLED31A. No finish specification required. Attaches magnetically to underside of overhead storage, or attaches with provided screws or double-sided tape. Occupancy sensor attaches to a single or starter LED light and will automatically turn the light off after no motion is detected for 30 minutes. Just like all the LED light models, the occupancy sensor features a soft-touch on/off switch. LED task lights have a lifetime of 50,000 hours and have a dimmer feature that allows the user to adjust the amount of light output.



Recessed Task Lights — For Stack-on and Wall Mounted Storage Cabinets

- · Color: Black.
- · Slim profile design.
- Mount to stack-on storage and wall mounted storage cabinets (see pages 55-59 and 62-65).
- Electronic ballast for increased energy efficiency.
- T5 bulb, included, which contains less mercury.
- 9-foot black cord and switch off right rear corner.

22 ⁷ /s"W x 3 ¹ /s"D x 1 ¹ /s"H Chicago code version (with fused plug) 34 ⁵ /s"W x 3 ¹ /s"D x 1 ¹ /s"H Chicago code version (with fused plug) 46 ¹ /2"W x 3 ¹ /s"D x 1 ¹ /s"H Chicago code version (with fused plug)	HH870930 HH870930CH HH870942 HH870942CH HH870960 HH870960CH	7.0 9 7.0 9 10.0 9 10.0 9 12.0 9 12.0 9	0.60 0.60 0.90 0.90 1.10	\$231 \$301 \$250 \$317 \$270 \$337
Articulating Desk Lamp Articulating Desk Lamp w/ Occupancy Sensor	HLED1	1.2 ⑤	6.5	\$402
	HLED1OC	1.2 ⑤	6.5	\$490





SIN 33721

Task Desk Lamp	HLED2	0.7 🚱	3.0	\$348

HOW TO SPECIFY

Select **Model Number**

CONCINNITY™ Accessories



\$390



SIN 33721



		SHIP		LIST PRICE BY	PAINT GRADE
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2
Sit to Stand Arm with Convertible Keyboard Platform	H2516 OPEN MARKET ②	17 S	1.6	\$618	
Articulating Arm with Convertible Keyboard Platform	H2107 OPEN MARKET 3	16 S	1.3	\$529	
Articulating Arm with Keyboard Platform	H1706 OPEN MARKET 3	16 ③	1.4	\$493	
Slide-Away Keyboard Platform (Specify: Laminate)	H4022	10 🔇	0.6	\$213	
Extended Tray Slide-Away Keyboard	HE4022	12 ⑤	0.7	\$302	
Platform (Specify: Laminate)				*	
Metal Keyboard and Mouse Tray (Specify paint)	H4028 OPEN MARKET	11 G	1.5	\$153	\$163
Metal Keyboard Tray (Specify paint)	H4029 OPEN MARKET	11 ③	1.5	\$138	\$148

HMASTS


11.5 3

8.0

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Dual Dynamic Monitor Arm	HMASD	17.0 ⑤	1.1	\$750



- 150° of rotation at base with optional 360° rotation.
- · Arms extend 22" and retract up to 3".
- Monitor mount rotates 180° and tilts +/-30°
- · Monitor can be rotated from landscape to portrait position.
- Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 827).



Single Dynamic Monitor Arm

- 180° of rotation at base with optional 360° rotation.
- Arms extend 22" and retract up to 3".
- Monitor mount rotates 180° and tilts +/-30°.
- · Monitor can be rotated from landscape to portrait position.
- 1 Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 827).

NOTES:

Monitor Arms Only

- · Arms fold back to post to allow more desktop room.
- Arms feature double extension, allowing 20"+ of back and forth movement.
- · Cable management on both pole and arm assemblies.
- Counterbalance adjustment provides stability for monitors up to 17 lbs per arm.
- · Made of high quality aluminum alloy material.
- See pages 825-826 for additional monitor arm models.



HOW TO SPECIFY

Select **Model Number** Select **Finish**

Specify for models HMASD and HMASTS only

SVR Silver **BLK** Black





CONCINNITY Accessories



DESCRIPTION MODEL SHIP WEIGHT CUBE LIST PRICE

Coordinate™ Portable Desktop Riser

31"D x 5"-161/2"H x 35"W **HBXRISER** 54.0 4.1 \$619


NOTES: Available in Black (BLK) or White (WHT) finish. Desktop riser dimensions (without keyboard tray): 22° D x 5° - $16\frac{1}{2}^{\circ}$ H x 35° W. Keyboard tray dimensions: 9"D x 30"W. Max loading capacity is 33 lbs for the desktop riser surface and 4 lbs for the keyboard tray. Easily transition from seated to standing positions throughout the workday. Sits atop an existing desk to create sit-to-stand functionality by raising the computer. Includes keyboard tray and surface for computer monitors. HON 5-Year Limited Warranty.

Not intended for use on mobile workstations.

Dual Monitor Arm with 2 USB Ports HBDMAUSB 41.9 2.6 \$441

NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and swivel capability. Enclosed cable management. Grommet or desktop mounting. Clean appearance. In some applications the Monitor Arms may extend 12 or more inches into the worksurface. HON 5-Year Limited Warranty.

No specification needed.



Coordinate™ Mounted Desktop Riser HS1100 6000

NOTES: Does not include a monitor arm and is suitable for laptops and/or monitors on their original stands.

No specification needed.



HS1101 62.0 **⑤** \$777 3.2


32

\$664

\$883

NOTES: Includes a monitor arm for a single monitor.

No specification needed.



Coordinate™ Mounted Desktop Riser with Dual Monitor Arm

HS1102 63.0 6 3.2

NOTES: Includes a monitor arm for dual monitors.

No specification needed.

NOTES FOR HS1100, HS1101, HS1102:

- These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- · Gas-assist lever-operated mechanism with positive stop.
- · Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- Clamp requires 3.5" of clearance along back edge of worksurface.
- · Black seamless worksurfaces.
- · Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D worksurfaces.
- All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- · Beveled edges for sleek appearance and comfort while typing.
- · Monitor arms include height, width, and swivel adjustment.


- · Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner than 1".
- Not recommended for use on mobile (castered) worksurfaces.

MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

- This product is intended to be installed on commercial-grade worksurfaces in good condition.
- · Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- Not for use on mobile worksurfaces.


Clamp Mount

Use when 3.5" minimum overhang is available



Screw Mount

Use when no overhang is available. Worksurface must be minimum 1" thick.



HOW TO SPECIFY

Select **Model Number**

Select **Finish**

BLK Black WHT White





CONCINNITY™ Accessories



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Rectangle Wobble Board — Anti-Fatigue Mat 18"D x 3"H x 22½"W Available in Black (T) finish ONLY. Recommended weight cap SPECIFYING EXAMPLE: HVL981.T	HVL981 Pacity not to exceed 250 pou	10.0 § nds. HON 5-Year Li	0.9 mited War	\$120 ranty.
Round Wobble Board — Anti-Fatigue Mat 18½"D x 2½"H x 18½"W Available in Black (T) finish ONLY. Recommended weight cap SPECIFYING EXAMPLE: HVL982.T	HVL982 Pacity not to exceed 250 pou	5.8 ⑤ nds. HON 5-Year Li	0.6 mited War	\$102 ranty.
Ergonomic Anti-Fatigue Mat 25"D x 2 ³ / ₄ "H x 29 ⁷ / ₆ "W Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBEAFM1	HBEAFM1	7.0	1.4	\$219
Rectangle Anti-Fatigue Mat 20"D x 3/4"H x 36"W ① Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBAFM2036	HBAFM2036	5.4	0.4	\$100
Footrest — Anti-Slip Cover 13 ³ / ₄ "D x 5½"H x 16"W Available in Black (T) finish ONLY. Recommended weight cap SPECIFYING EXAMPLE: HVL991.T	HVL991 Pacity not to exceed 250 pou	7.0 ⑤ nds. HON 5-Year Li	0.9 mited War	\$82 ranty.

HOW TO SPECIFY

Select **Model Number**

Select Finish

T Black



