

# METRO CLASSIC



Metro Classic Desk shown with Ignition® Seating.

## METRO CLASSIC

The Metro Classic is a forward-thinking flashback that marries '60s styling with today's technology. This handsomely built collection offers excellent performance for the price — with best-in-class construction, easy-care laminate tops, built-in wire management and more. If you're looking for iconic style that lasts, you'll find it in Metro Classic.



## FEATURES

- Retro-styled, but with up-to-date amenities, this classic reflects the enduring Modernist office designs of the 1960s.
- With tubular steel legs painted to match the desk body, Metro Classic gives you a clean look from top to bottom.
- Pedestals feature Tru-Fit mitered drawer fronts for precision alignment when closed.
- Contract-grade, multi-ply laminate stands up to scratches, spills, stains and boiling liquids.
- Recessed plastic drawer handles are color-matched to HON core paint colors.
- All drawers lock by securing the center drawer; lock core can be changed as security needs require.

# METRO CLASSIC ORDERING INFORMATION

## FINISHES AVAILABILITY

### L1 LAMINATES/EDGE BAND

#### COLOR ..... CODES

#### Woodgrain

- ◆ Bourbon Cherry/  
Bourbon Cherry ..... **H**
- ◆ Cognac/Cognac ..... **COGN**
- ◆ Florence Walnut/  
Florence Walnut ..... **LFW1**
- ◆ Harvest/Harvest ..... **C**
- ◆ Kingswood Walnut/  
Kingswood Walnut ..... **LK11**
- ◆ Mahogany/Mahogany ..... **N**
- ◆ Mocha/Mocha ..... **MOCH**
- ◆ Natural Maple/  
Natural Maple ..... **D**
- ◆ Shaker Cherry/  
Shaker Cherry ..... **F**
- ◆ Sterling Ash/  
Sterling Ash ..... **LSA1**

#### Solid

- ◆ Black/Black ..... **P**
- ◆ Charcoal/Charcoal ..... **S**
- ◆ Designer White/  
Designer White ..... **LDW1**
- ◆ Loft/Loft ..... **LOFT**

#### Patterned

- ◆ Sheer Mesh/Muslin ..... **A5**
- ◆ Silver Mesh/Loft ..... **B9**
- ◆ Steel Mesh/Charcoal ..... **A9**
- ◆ Canyon Zephyr/  
Greige ..... **K9**
- ◆ Desert Zephyr/  
Greige ..... **K8**
- ◆ Shadow Zephyr/  
Loft ..... **K1**
- ◆ Gray/Matches Paint Color .... **G2**
- ◆ Grey Tigris/Greige ..... **L6**
- ◆ White/Matches Paint  
Color ..... **G1**
- ◆ Whitestone/Matches Paint  
Color ..... **K4**

#### PAINTS ..... CODES

#### P1

- ◆ Black ..... **P**
- ◆ Brownstone ..... **P7D**
- ◆ Charcoal ..... **S**
- ◆ Fossil ..... **P28**
- ◆ Greige ..... **T5**
- ◆ Light Gray ..... **Q**
- ◆ Loft ..... **LOFT**
- ◆ Muslin ..... **T3**
- ◆ Putty ..... **L**
- ◆ Shadow \* ..... **SHDW**
- ◆ Titanium ..... **P8T**

#### • STEEL DESKS

SPECIFY: Model Number.  
Top Laminate  
Paint Color

EXAMPLE: HP3276.NS





◆◆◆ For lead time information see page 19.

\* De-emphasized



Icon Legend on page 19

# METRO CLASSIC Steel Desks

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
 <p>HP3276</p>	<b>Double Pedestal — 2/2 (locking)</b> 72"W x 36"D x 29½"H (6" overhang on 3 sides) NOTES: HP3276 requires Model H386560N 60"W Stack-on as top of desk extends over end panels.	<b>HP3276</b>	218	37.7	<b>\$1649</b>
	60"W x 30"D x 29½"H (Non-Locking, 24"D chassis) (6" overhang on approach side only)	<b>HP3261</b>	165	26.7	<b>\$1156</b>
	60"W x 30"D x 29½"H (locking)	<b>HP3262</b>	186	26.7	<b>\$1347</b>
 <p>HP3262</p>	<b>Single Pedestal (locking)</b> 66"W x 30"D x 29½"H — 2R 66"W x 30"D x 29½"H — 2L 48"W x 30"D x 29½"H — 2R	<b>HP3265R</b>	167	29.2	<b>\$1244</b>
		<b>HP3266L</b>	167	29.2	<b>\$1244</b>
		<b>HP3251R</b>	142	21.6	<b>\$1109</b>
	<b>Return, Right — box/file (non-locking)</b> 42"W x 24"D x 29½"H	<b>HP3235R</b>	95	15.5	<b>\$871</b>
	<b>Return, Left — box/file (non-locking)</b> 42"W x 24"D x 29½"H	<b>HP3236L</b>	95	15.5	<b>\$871</b>

**NOTES:**

- Two wire grommets in desk, credenza, and return tops.
- 3/4 height modesty panels.
- Legs shipped unattached.
- Color of pulls and grommets match paint selection for core colors.
- "Tru-fit" mitered drawer fronts for better visual alignment.
- Color of legs match paint selection.
- Central locking center drawer standard, with HON "One Key" interchangeable lock cores.
- High-sided file drawers accept hanging files without hangrails.
- Full extension steel ball-bearing suspensions on file drawers for easy access to all contents.
- Box drawers equipped with 3/4 extension steel ball-bearing suspensions and one divider.
- Reinforced, double "O" frame inner structure keeps desk solid and sturdy for years of use.
- All interior drawer bodies are gray pre-painted steel.
- 38000 Series™ stack-on units can be used on Metro desks and credenzas.

ⓘ Keyed alike cores ordered separately — see page 853.

## HOW TO SPECIFY

<p><b>Select Model Number</b></p> <p>HP3276</p>	<p><b>Select Laminate</b></p> <p>See page 346 Not specified for models H386566N, H386560N and H386548N</p> <p>N</p>	<p><b>Select Paint Color</b></p> <p>See page 346</p> <p>S</p>
---	---	---





# METRO CLASSIC

## Steel Desks

GSA SIN 33721



Icon Legend on page 19

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	<b>Credenza w/Kneespace — 2/2 (non-locking)</b> 60"W x 24"D x 29½"H Accommodates optional HD2 or HD8 center drawer. NOTES: Non-locking.	<b>HP3231</b>	165.0	21.8	<b>\$1347</b>
	<b>Stack-on Full Clearance without Doors</b> 66"W x 13½"D x 34¾"H 60"W x 13½"D x 34¾"H 48"W x 13½"D x 34¾"H NOTES: Interior is 12¾"H. Specify: Paint color. For additional 38000 Series™ Stack-on accessory items, see pages 374-376. HP3276 requires Model <b>H386560N</b> 60"W Stack-on as top of desk extends over end panels.	<b>H386566N</b> <b>H386560N</b> <b>H386548N</b>	68.0 64.0 53.0	6.3 5.7 4.7	<b>\$861</b> <b>\$798</b> <b>\$728</b>
	<b>Chrome Leg Packs — Field Installable</b> 4 pk-29½"H	<b>HC14</b>	7.2	0.2	<b>\$128</b>
	<b>Double-Rail Hanging File Racks — 2 Pack (for side-to-side)</b> ⓘ Gray only	<b>H519495</b>	0.5	0.5	<b>\$33</b>

**NOTES:**

- Two wire grommets in desk, credenza, and return tops.
- ¾ height modesty panels.
- Legs shipped unattached.
- Color of pulls and grommets match paint selection for core colors.
- "Tru-fit" mitered drawer fronts for better visual alignment.
- Color of legs match paint selection.
- Central locking center drawer standard, with HON "One Key" interchangeable lock cores.
- High-sided file drawers accept hanging files without hangrails.
- Full extension steel ball-bearing suspensions on file drawers for easy access to all contents.
- Box drawers equipped with ¾ extension steel ball-bearing suspensions and one divider.
- Reinforced, double "O" frame inner structure keeps desk solid and sturdy for years of use.
- All interior drawer bodies are gray pre-painted steel.
- 38000 Series™ stack-on units can be used on Metro desks and credenzas.

ⓘ Keyed alike cores ordered separately — see page 853.

**HOW TO SPECIFY****Select Model Number**

HP3231

**Select Laminate**

See page 346


Not specified for models H386566N, H386560N and H386548N

N

**Select Paint Color**

See page 346

S



Model HPWRMOD3WC shown

**DESCRIPTION****Power Modules**

3 Receptacles with Worksurface Clamp

2 Receptacles 2 USB with Worksurface Clamp

- 6' power cord with standard three-prong plug.
- Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance.
- Worksurface clamp models work on any top with a 4" overhang.
- UL Listed.

! Color finish coordinates with HON's Charcoal or White. Specify *STRM* for Storm or *SNW* for Snow when ordering.  
Example: HPWRMOD3WC.STRM.

**MODEL****SHIP WEIGHT****CUBE****LIST PRICE****HPWRMOD3WC**


2.3 Ⓢ

0.2

**\$307****HPWRMOD2WC**

2.3 Ⓢ

0.2

**\$491****Power & Data Center**

2 Receptacles 2 Data Accessory

- Standard with two receptacles and openings for two data ports.
- 6' power cord with standard three-prong plug.
- Fits on any worksurface with a 4" overhang.
- UL Listed.

! Color finish coordinates with HON's Loft. Specify *LOFT* when ordering. Example: HCOMDOME2.LOFT.

**HCOMDOME2**

2.5 Ⓢ

0.2

**\$293****Vertebrae****NOTES:** 30"H x 3 1/8"W x 1 1/2"D. Ships unassembled.

! Clear finish. Specify "X" for finish option.

**SPECIFYING EXAMPLE: HMPVWM28.X****HMPVWM28**

3.0

0.3

**\$221****NOTES:**

- For additional information see pages 849 and 852.






**HOW TO SPECIFY**Select  
Model Number

H P W R M O D 3 W C

# NOTES



Icon Legend on page 19

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	<p><b>Sit to Stand Arm with Keyboard</b></p> <ul style="list-style-type: none"> <li>• Sit to stand application.</li> <li>• No knob or lever for adjustment, simply lift into place.</li> <li>• One-hand tilt adjustment for maximum flexibility.</li> <li>• For use on surfaces 24" or deeper.</li> <li>• Height adjustment without levers.</li> <li>• +10°/-20° tilt adjustment.</li> <li>• Height adjustment 12½" (7" above and 5½" below).</li> <li>• Tilt and swivel mouse surface with gel palm rest.</li> <li>• Detachable palm rest.</li> <li>• Mouse pad can mount right or left.</li> </ul> <p>NOTES: For additional information see page 829.</p> <p>! Black finish only, no specification needed.</p>	<b>H2516</b> *	17 <b>Ⓔ</b>	1.6	<b>\$618</b>
	<p><b>Articulating Arm with Convertible Keyboard</b></p> <ul style="list-style-type: none"> <li>• 21" glide track.</li> <li>• Lift and lock height adjustment.</li> <li>• Height adjustment 7" (2½" above and 4½" below track).</li> <li>• Release handle for independent tilt adjustment.</li> <li>• Tilt: +/-15°.</li> <li>• Independent tilt and swivel mousing platform.</li> <li>• Positions platform flush with worksurface.</li> <li>• 360° rotation.</li> <li>• Mouse can be used in-line, over, or forward at platform height or above.</li> <li>• Mouse can be placed at platform height or above height.</li> <li>• Left or right handed mousing; no tools required.</li> <li>• Detachable palm rest.</li> <li>• Cord management clips included.</li> </ul> <p>NOTES: For additional information see page 829.</p> <p>! Black finish only, no specification needed.</p>	<b>H2107</b> *	16 <b>Ⓔ</b>	1.3	<b>\$529</b>
	<p><b>Articulating Arm with Keyboard</b></p> <ul style="list-style-type: none"> <li>• 17" glide track.</li> <li>• Spring assisted.</li> <li>• Height adjustment 6¼" (1¼" above and 5" below track).</li> <li>• Tilt: +10°/-15°.</li> <li>• 25" cut corner platform.</li> <li>• Accommodates keyboard and mouse on same level.</li> <li>• Detachable palm rest.</li> <li>• Cord management clips included.</li> </ul> <p>NOTES: For additional information see page 829.</p> <p>! Black finish only, no specification needed.</p>	<b>H1706</b> *	16 <b>Ⓔ</b>	1.4	<b>\$493</b>
	<p><b>CPU Holder</b></p> <ul style="list-style-type: none"> <li>• Vertically mounts to underside of worksurface.</li> <li>• 360° swivel.</li> <li>• Supports up to 55 lbs.</li> <li>• Height adjustable from 16" to 22" below worksurface.</li> <li>• Width adjustable to accept units from 3¼" to 6".</li> </ul> <p>NOTES: For additional information see page 827.</p> <p>! Silver finish only, no specification needed.</p>	<b>HCPU</b> *	16 <b>Ⓔ</b>	0.5	<b>\$259</b>
	<p><b>Storage Cube</b></p> <p>12"W x 12"D</p> <p>NOTES: For additional information see page 846.</p> <p><b>SPECIFYING EXAMPLE: HL1212.P8S</b></p>	<b>HL1212</b>	1	0.3	<b>\$294</b>

**SIN 33721**



**NOTES:**

\* De-emphasized.

## HOW TO SPECIFY

Select Model Number






H	2	5	1	6
---	---	---	---	---

# METRO CLASSIC

## Accessories

OPEN MARKET

Icon Legend on page 19

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	<b>Coordinate™ Portable Desktop Riser</b> 31"D x 5'-16½"H x 35"W NOTES: Available in Black (BLK) or White (WHT) finish. Desktop riser dimensions (without keyboard tray): 22"D x 5'-16½"H x 35"W. Keyboard tray dimensions: 9"D x 30"W. Max loading capacity is 33 lbs for the desktop riser surface and 4 lbs for the keyboard tray. Easily transition from seated to standing positions throughout the workday. Sits atop an existing desk to create sit-to-stand functionality by raising the computer. Includes keyboard tray and surface for computer monitors. <b>HON 5-Year Limited Warranty.</b> ⓘ Not intended for use on mobile workstations.	<b>HBXRISER</b>	54.0	4.1	<b>\$619</b>
	<b>Dual Monitor Arm with 2 USB Ports</b> NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and swivel capability. Enclosed cable management. Grommet or desktop mounting. Clean appearance. In some applications the Monitor Arms may extend 12 or more inches into the worksurface. For additional information see page 825. <b>HON 5-Year Limited Warranty.</b> ⓘ No specification needed.	<b>HBDMAUSB</b>	41.9	2.6	<b>\$441</b>
	<b>Coordinate™ Mounted Desktop Riser</b> NOTES: Does not include a monitor arm and is suitable for laptops and/or monitors on their original stands. ⓘ No specification needed.	<b>HS1100</b>	60.0 ⓘ	3.2	<b>\$664</b>
	<b>Coordinate™ Mounted Desktop Riser with Single Monitor Arm</b> NOTES: Includes a monitor arm for a single monitor. ⓘ No specification needed.	<b>HS1101</b>	62.0 ⓘ	3.2	<b>\$777</b>
	<b>Coordinate™ Mounted Desktop Riser with Dual Monitor Arm</b> NOTES: Includes a monitor arm for dual monitors. ⓘ No specification needed.	<b>HS1102</b>	63.0 ⓘ	3.2	<b>\$883</b>

### NOTES FOR HS1100, HS1101, HS1102:

- These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- Gas-assist lever-operated mechanism with positive stop.
- Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- Clamp requires 3.5" of clearance along back edge of worksurface.
- Black seamless worksurfaces.
- Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D worksurfaces.
- All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- Beveled edges for sleek appearance and comfort while typing.
- Monitor arms include height, width, and swivel adjustment.
- For additional information see page 838.

- Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner than 1".


- ⓘ Not recommended for use on mobile (castered) worksurfaces.

### MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

- This product is intended to be installed on commercial-grade worksurfaces in good condition.
- Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- Not for use on mobile worksurfaces.


#### Clamp Mount

Use when 3.5" minimum overhang is available



#### Screw Mount

Use when no overhang is available. Worksurface must be minimum 1" thick.



## HOW TO SPECIFY






### Select Model Number

### Select Finish

**BLK** Black  
**WHT** White





	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	<b>Rectangle Wobble Board — Anti-Fatigue Mat</b> 18"D x 3"H x 22½"W ⓘ Available in Black (T) finish ONLY. Recommended weight capacity not to exceed 250 pounds. <b>HON 5-Year Limited Warranty.</b> <b>SPECIFYING EXAMPLE: HVL981.T</b>	<b>HVL981</b>	10.0 Ⓔ	0.9	<b>\$120</b>
	<b>Round Wobble Board — Anti-Fatigue Mat</b> 18½"D x 2⅝"H x 18½"W ⓘ Available in Black (T) finish ONLY. Recommended weight capacity not to exceed 250 pounds. <b>HON 5-Year Limited Warranty.</b> <b>SPECIFYING EXAMPLE: HVL982.T</b>	<b>HVL982</b>	5.8 Ⓔ	0.6	<b>\$102</b>
	<b>Ergonomic Anti-Fatigue Mat</b> 25"D x 2¾"H x 29⅞"W ⓘ Available in Black ONLY. No specification needed. <b>SPECIFYING EXAMPLE: HBEAFM1</b>	<b>HBEAFM1</b>	7.0	1.4	<b>\$219</b>
	<b>Rectangle Anti-Fatigue Mat</b> 20"D x ¾"H x 36"W ⓘ Available in Black ONLY. No specification needed. <b>SPECIFYING EXAMPLE: HBAFM2036</b>	<b>HBAFM2036</b>	5.4	0.4	<b>\$100</b>
	<b>Footrest — Anti-Slip Cover</b> 13¾"D x 5½"H x 16"W ⓘ Available in Black (T) finish ONLY. Recommended weight capacity not to exceed 250 pounds. <b>HON 5-Year Limited Warranty.</b> <b>SPECIFYING EXAMPLE: HVL991.T</b>	<b>HVL991</b>	7.0 Ⓔ	0.9	<b>\$82</b>

## HOW TO SPECIFY

<p>Select Model Number</p> <p>H V L 9 8 1 . T</p>	<p>Select Finish</p> <p>T Black</p>
---	-------------------------------------