MENTOR®



MENTOR®

Users appreciate the clean lines and rounded corners of the Mentor desk from HON. Stylish detailing and soft edges create an attractive, contemporary desk that's very user-friendly. Performance and durability make Mentor ideal for use in intensive environments. Featuring central locking drawers and integrated wire management, Mentor works hard for hardworking professionals.







FEATURES

- Durable baked enamel finish will hold up beautifully under years of daily use.
- Functional features like central locking center drawers and integrated wire management.
- Sturdy steel construction and heavy-duty reinforced frames.
- Mentor's performance and durability make it ideal for intensive use environments.
- Half-round legs and radius top corners are excellent for high-traffic areas.
- Arch drawer handles match Flagship® laterals, pedestals and towers.

MENTOR® ORDERING INFORMATION

FINISHES AVAILABILITY

L1 LAMINATES	. CODES
Woodgrain	
Bourbon Cherry	H
♦ Cognac	COGN
♦ Florence Walnut	LFW1
♦ Harvest	C
♦ Kingswood Walnut	LKI1
♦ Mahogany	N
♦ Mocha	MOCH
Natural Maple	D
Shaker Cherry	F
Sterling Ash	LSA1
Solid	
♦ Black	P
Charcoal	
Designer White	
Loft	
♦ Whitestone	
Patterned	
Sheer Mesh	Δ5
Silver Mesh	
Steel Mesh	
♦ Canyon Zephyr	
Desert Zephyr	
Shadow Zephyr	
♦ Gray	
♦ Grey Tigris	
♦ White	
PAINTS	. CODES
P1	
♦ Black	
♦ Brownstone	P7D
♦ Charcoal	
♦ Fossil	
♦ Greige	T5
Light Gray	Q
♦ Loft	LOFT
♦ Muslin	
Putty	
Shadow 🖲	
♦ Titanium	P8T

NOTE: Vinyl edge and grommets match specified chassis color.

• STEEL DESKS

SPECIFY: Model Number. Top Laminate Paint Color EXAMPLE: H88976.NS

 $\blacklozenge \diamondsuit \diamondsuit$ For lead time information see page 19.

* De-emphasized

338



MENTOR® Steel Desks

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Double Pedestal Desk with Center Drawer (6" overhang on 3 sides) — 2/2 72"W x 36"D x 29½"H, Chrome Leg and Pull NOTES: Model H88976 requires Model H386560N 60"W Stack-on as top of de	H88976 esk extends ov	203 ver end panels.	37.7	\$1706
Double Pedestal Desk with Center Drawer — 2/2 60"W x 30"D x 29½"H, Chrome Leg and Pull	H88962	178	26.7	\$1413
Single Pedestal Desk with Center Drawer – Right, box/file 66"W x 30"D x 29½"H, Chrome Leg and Pull	H88265R	162	29.2	\$1284
Single Pedestal Desk with Center Drawer – Left, box/file 66"W x 30"D x 29½"H, Chrome Leg and Pull	H88266L	162	29.2	\$1284
Single Pedestal Desk with Center Drawer – Right, box/file 60"W x 30"D x 29½"H, Chrome Leg and Pull	H88263R	145	26.7	\$1219
Single Pedestal Desk with Center Drawer – Right, box/file 48"W x 30"D x 29½"H, Chrome Leg and Pull	H88251R	130	21.6	\$1155

NOTES:

- Leg available in Chrome.
- Attractive radius leg design and arched drawer pulls.
- Legs ship unattached.
- 3/4 height modesty panels.
- Rounded edge desk top with soft feel-vinyl edge.
- Wire management grommets in desk tops and pedestals.
- Laminate tops are constructed of $1\frac{1}{8}$ " thick particleboard.
- 131/2" deep, central locking center drawer equipped with HON "One Key" interchangeable lock cores.
- High-sided file drawers accept hanging files without hangrails.
- Full extension steel ball-bearing suspensions on file drawers for easy access to all contents.
- $\bullet \ \ \text{Reinforced double "O" frame inner structure keeps desk solid and sturdy for years of use.}$
- Box drawers equipped with 3/4 extension steel ball-bearing suspensions and one divider.
- Vinyl edge and grommets match specified chassis color.
- · All interior drawer bodies are gray, pre-painted steel.
- Keyed alike cores must be ordered separately see page 853.

HOW TO SPECIFY

Select Select Select **Model Number** Laminate **Paint Color** See page 338 See page 338

MENTOR® Steel Desks



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Double Pedestal Credenza with Kneespace, box/file (non-locking) $60^{\prime\prime} W \times 24^{\prime\prime} D \times 29 \% ^{\prime\prime} H$, Chrome Leg and Pull	H88231	149	21.8	\$1395
Return, Right, box/file (non-locking) 42"W x 24"D x 29½"H, Chrome Leg and Pull	H88235R	92	15.5	\$897
Return, Left, box/file (non-locking) 42"W x 24"D x 29½"H, Chrome Leg and Pull	H88236L	92	15.5	\$897

- · Leg available in Chrome.
- Attractive radius leg design and arched drawer pulls.
- Legs ship unattached.
- 3/4 height modesty panels.
- Rounded edge desk top with soft feel-vinyl edge.
- Wire management grommets in desk tops and pedestals.
- Laminate tops are constructed of 11/8" thick particleboard.
- High-sided file drawers accept hanging files without hangrails.
- Full extension steel ball-bearing suspensions on file drawers for easy access to all contents.
- Reinforced double "O" frame inner structure keeps desk solid and sturdy for years of use.
- Box drawers equipped with 3/4 extension steel ball-bearing suspensions and one divider.
- Vinyl edge and grommets match specified chassis color.
- · All interior drawer bodies are gray, pre-painted steel.

HOW TO SPECIFY

Select Select Select **Model Number** Laminate **Paint Color** See page 338 See page 338 S

340

\$259

\$293

\$221

\$294



MENTOR[®] Accessories



Refer to page 829 for additional product information

Sit to Stand Arm with Convertible Keyboard Platform Articulating Arm with Convertible Keyboard Platform **Articulating Arm with Keyboard Platform**

NOTES: For additional information see page 829.

MODEL	SHIP WEIGHT	CUBE	LIST PRICE
H2516 😵	17.0 ⑤	1.6	\$618
H2107 🕶	16.0 ③	1.3	\$529
H1706 🤁	16.0 ③	1.4	\$493

16.0 🔞

0.5

0.2

0.3

0.3

OPEN MARKET





OPEN MARKET

360° Swivel CPU Holder

- · Vertically mounts to underside of worksurface.
- · 360° swivel.

DESCRIPTION

- Supports up to 55 lbs.
- Height adjustable from 16" to 22" below worksurface.
- Width adjustable to accept units from 31/4" to 6".

NOTES: For additional information see page 827.





Model HPWRMOD3WC shown

Power Modules

3 Receptacles with Worksurface Clamp **HPWRMOD3WC** 2.3 😉 0.2 \$307 ${\small 2\,Receptacles\,2\,USB\,with\,Worksurface\,Clamp}\\$ **HPWRMOD2WC** 0.2 2.3 🔞 \$491

HCPU 🗿

- 6' power cord with standard three-prong plug.
- Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance.
- Worksurface clamp models work on any top with a 4" overhang.
- UL Listed.

NOTES: For additional information see page 849.

① Color finish coordinates with HON's Charcoal or White. Specify STRM for Storm or SNW for Snow when ordering. Example: HPWRMOD3WC.STRM.



Power & Data Center

- 2 Receptacles 2 Data Accessory
- **HCOMDOME2** 256
- Standard with two receptacles and openings for two data ports.
- 6' power cord with standard three-prong plug.
- · Fits on any worksurface with a 4" overhang.
- · UL Listed.

NOTES: For additional information see page 849.

Oclor finish coordinates with HON's Loft. Specify LOFT when ordering. Example: HCOMDOME2.LOFT.

NOTES: $30''H \times 3\frac{1}{2}''D$. Ships unassembled. For additional information see page 852.

Clear finish. Specify "X" for finish option. SPECIFYING EXAMPLE: HMPVWM28.X





Storage Cube

12"W x 12"D

NOTES: For additional information see page 846.

SPECIFYING EXAMPLE: HLSL1212.P8S









NOTES:

De-emphasized.

HOW TO SPECIFY

Select **Model Number**

HLSL1212

1.0

NOTES



Accessories



DESCRIPTION MODEL SHIP WEIGHT CUBE LIST PRICE

Coordinate™ Portable Desktop Riser

31"D x 5"-161/2"H x 35"W

HBXRISER

54.0

4.1

MENTOR®

\$619

\$441

NOTES: Available in Black (BLK) or White (WHT) finish. Desktop riser dimensions (without keyboard tray): 22"D x 5"-161/2"H x 35"W. Keyboard tray dimensions: 9"D x 30"W. Max loading capacity is 33 lbs for the desktop riser surface and 4 lbs for the keyboard tray. Easily transition from seated to standing positions throughout the workday. Sits atop an existing desk to create sit-to-stand functionality by raising the computer. Includes keyboard tray and surface for computer monitors. HON 5-Year Limited Warranty.

Not intended for use on mobile workstations.

Dual Monitor Arm with 2 USB Ports

HBDMAUSB


41.9

2.6



NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and swivel capability. Enclosed cable management. Grommet or desktop mounting. Clean appearance. In some applications the Monitor Arms may extend 12 or more inches into the worksurface. For additional information see page 825. HON 5-Year Limited Warranty.

No specification needed.



Coordinate™ Mounted Desktop Riser

HS1100

6000

32 \$664

NOTES: Does not include a monitor arm and is suitable for laptops and/or monitors on their original stands. No specification needed.

Coordinate™ Mounted Desktop Riser with Single Monitor Arm

HS1101

62.0 **G**


3.2

\$777



NOTES: Includes a monitor arm for a single monitor.

No specification needed.



Coordinate™ Mounted Desktop Riser with Dual Monitor Arm

HS1102

63.0 6

3.2

\$883

NOTES: Includes a monitor arm for dual monitors.

No specification needed.

NOTES FOR HS1100, HS1101, HS1102:

- These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- · Gas-assist lever-operated mechanism with positive stop.
- · Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- · Clamp requires 3.5" of clearance along back edge of worksurface.
- · Black seamless worksurfaces.
- · Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D
- · All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- · Beveled edges for sleek appearance and comfort while
- · Monitor arms include height, width, and swivel adjustment.
- · For additional information see page 838.


- · Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner
- Not recommended for use on mobile (castered) worksurfaces.

MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

- This product is intended to be installed on commercial-grade worksurfaces in good condition.
- Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- · Not for use on mobile worksurfaces.


Clamp Mount

Use when 3.5" minimum overhang is available



Screw Mount

Use when no overhang is available. Worksurface must be minimum 1" thick.



HOW TO SPECIFY

Select **Model Number**

Select **Finish**

BLK Black WHT White





MENTOR® Accessories





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Rectangle Wobble Board — Anti-Fatigue Mat 18"D x 3"H x 22½"W Available in Black (T) finish ONLY. Recommended weight cap SPECIFYING EXAMPLE: HVL981.T	HVL981 acity not to exceed 250 pou	10.0 § inds. HON 5-Year Li	0.9 mited War	\$120 ranty.
Round Wobble Board — Anti-Fatigue Mat 18½"D x 2½"H x 18½"W Available in Black (T) finish ONLY. Recommended weight cap SPECIFYING EXAMPLE: HVL982.T	HVL982 acity not to exceed 250 pou	5.8 ⊙ nds. HON 5-Year Li	0.6 mited War	\$102 ranty.
Ergonomic Anti-Fatigue Mat 25"D x 23/4"H x 293/6"W Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBEAFM1	HBEAFM1	7.0	1.4	\$219
Rectangle Anti-Fatigue Mat 20"D x 3/4"H x 36"W Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBAFM2036	HBAFM2036	5.4	0.4	\$100
Footrest — Anti-Slip Cover 13 ³ / ₄ "D x 5½"H x 16"W Available in Black (T) finish ONLY. Recommended weight cap SPECIFYING EXAMPLE: HVL991.T	HVL991 acity not to exceed 250 pou	7.0 ③ inds. HON 5-Year Li	0.9 imited War	\$82 ranty.

HOW TO SPECIFY

Select **Model Number**

Select Finish T Black

