COORDINATE



COORDINATE™

Sit-to-stand working is easy when you have a table with the power to move with you. The human body wasn't meant to sit for hours on end; and as your body's needs change throughout the day, these height adjustable tables change with you.

Warranty is 7 years.



FEATURES

- The standard memory preset, basic up and down, hands-free foot pedal, rotator, or paddle control options allow for quick and easy adjustments throughout your day.
- Telescoping table base can accommodate work surfaces from 42"-72" wide on the 2-leg model, and from 24"-30" deep.
- Available in 2- or 3-leg, rectangle C- and T-shaped foot options to accommodate your layout preferences.
- Nickel, Black, White finishes match any neutral HON paint or finish color.
- All bases are compatible with electrical accessories and select worksurfaces. See the HON 2020 Full Line Pricer for more information.

LEG OPTIONS





Rectangle Leg, T Foot

Rectangle Leg, C Foot

CONTROL OPTIONS











UD Basic Up/Down

MEM Memory Preset

PDL Paddle **RTG** Rotating

FPD Foot Pedal

COORDINATE™ ORDERING INFORMATION

LAMINATE L1 LAMINATES CODES Woodgrain ♦ Bourbon Cherry H ♦ Cognac COGN ♦ Florence Walnut LFW1 ♦ Harvest C ♦ Kingswood Walnut **LKI1** ♦ Loft **LOFT** ♦ MahoganyN ♦ Mocha **MOCH** ♦ Natural Maple **D** PinnaclePINC Shaker Cherry F Sterling Ash LSA1 Solid ♠ Black P ♦ Charcoal S ♦ Designer White LDW1 ♦ Loft **LOFT** Patterned ♦ Sheer Mesh **A5** ♦ Silver Mesh **B9** ♦ Steel Mesh A9 ♦ Canyon Zephyr **K9** Obesert Zephyr K8 Shadow Zephyr K1 ♦ Gray **G2** ♠ Grey Tigris L6 ♦ White **G1** ♦ Whitestone K4 L2 LAMINATES CODES Woodgrain ♦ Lowell Ash **LLA1** ♦ Natural Recon LNR1 ♦ Phantom EcruLPE1 Portico Teak LPT1

Skyline Walnut LSW1

EDGE	
EDGE	CODES
Woodgrain	
Bourbon Cherry	Н
♦ Cognac	COGN
Florence Walnut	FW
Harvest	
♦ Kingswood Walnut	KI
Light Gray	
Lowell Ash	
Mahogany	
Mocha	
Natural Maple	
Natural Recon	
Phantom Ecru	
Pinnacle	
Portico Teak	
Shaker Cherry	
Skyline Walnut	
Sterling Ash	SA
Solid	
♦ Black	
Charcoal	
Designer White	
Greige	
♦ Loft	
Muslin	
♦ Platinum	K

PAINT	
PAINT	CODES
P1	
♠ Black	P
♦ Brownstone	P7D
♦ Charcoal	S
Designer White	PJW
♠ Fossil	P28
♠ Greige	
Light Gray	
♦ Loft	
Muslin	
Putty	
Shadow 😵	
♦ Titanium	P8T
P2	
♦ Champagne Metallic	T4
♦ Platinum Metallic	T1
♦ Silver	PR6
Solar Black	P8X
P3	
♦ Atom	P8S
♦ Bullseye	PJF
♦ Ember	P8P
♦ Ion	P8N
♦ Iris	P8J
♦ Krypton	P8F
♠ Regatta	P8M

igoplus igoplus igoplus For lead time information see page 19 of the HON 2020 Full Line Pricer. De-emphasized

66

2.4

\$1161







D	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
С	oordinate™ Height Adjustable Base – 2 Stage				
2	-Leg Rectangle T Foot	HREC2S2LTF	66	2.4	\$940
2	-Leg Rectangle C Foot	HREC2S2LCF	66	2.4	\$940

- Base is a dual motor 2-stage design. Legs raise from 25\%" to 45\/4".
- Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 72"W.
- Supports weight capacity of 250 lbs. (excluding worksurface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range.
- · HON 7-Year Limited Warranty.

Coordinate™ Height Adjustable Base - Max 3 Stage 2-Leg Rectangle T Foot HMREC3S2LTF

NOTES:

- Base is a dual motor 2-stage design. Legs raise from $21^5/8''$ to $47^3/4''$.
- Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 96"W.
- Supports weight capacity of 350 lbs. (excluding worksurface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range.
- · HON 7-Year Limited Warranty.

Coordinate™ Height Adjustable Base – 3 Stage				
2-Leg Rectangle T Foot	HREC3S2LTF	66	2.4	\$1036
2-Leg Rectangle C Foot	HREC3S2LCF	66	2.4	\$1036

NOTES:

- Base is a dual motor 3-stage design. Legs raise from 215/8" to 473/4".
- Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 72"W.
- Supports weight capacity of 250 lbs. (excluding worksurface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range.
- · HON 7-Year Limited Warranty.



Coordinate™ Easy to Assemble 2-Leg Height Adjustable Base - 2 Stage

HHABETA2S2L \$725

NOTES:

- Base telescopes to accommodate rectangular worksurfaces between 24"D x 48"W and 30"D x 60"W.
- Supports weight capacity of 180 lbs.
- · HON 5-Year Limited Warranty.
- Available in SVR Silver finish only.
- Available with Basic Up/Down control only.


Compatible with select rectangular Voi® and Systems Worksurfaces. See page 718 of the HON 2020 Full Line Pricer for more information.

HOW TO SPECIFY

Select Model Number	Select Paint Color	Select Foot	Select Keypad
	P71 Black P8L Nickel PD8 White SVR Silver Available on model HHABETA2S2L only	X Standard Foot	WEM Basic Up/Down MEM Memory Preset PDL Paddle RTG Rotating (\$50 upcharge) FPD Foot Pedal (\$175 upcharge)
HREC2S2LTF.	P 7 1.	x .	MEM

COORDINATE™ Height Adjustable Bases — Three-Leg





DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Coordinate™ Height Adjustable Base – 3 Stage				
3-Leg Rectangle T Foot	HREC3S3LTF	91	3.6	\$1711
3-Leg Rectangle C Foot	HREC3S3LCF	91	3.6	\$1711

- Base is a three motor 3-stage design. Legs raise from 21 % ' to 47 % '' to 47 % ''.
- Base telescopes to accommodate worksurfaces between 24"D x 42"W¹ x 60"W² and 30"D x 72"W¹ x 72"W².
- Supports weight capacity of 375 lbs. (excluding worksurface weight). Can be used with 48" 120 degree and worksurface models.
- HON 7-Year Limited Warranty.

- Compatible with select Corner Cove Worksurfaces. See page 719 of the HON 2020 Full Line Pricer for more information.
- All bases are compatible with electrical accessories on page 716 of the HON 2020 Full Line Pricer.
- 🕕 When using two worksurfaces, a flat bracket is required. Bracket purchased separately HHN831124, HHN831130 see page 589 of the HON 2020 Full Line Pricer.
- Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

HOW TO SPECIFY

Select Select Select Select **Model Number Paint Color** Foot Keypad P71 Black Basic Up/Down X Standard Foot UD P8L Nickel **MEM** Memory Preset PD8 White PDL Paddle RTG Rotating (\$50 upcharge) FPD Foot Pedal (\$175 upcharge)

\$1711



Height Adjustable Bases — Simple Specification



Base shown with worksurface attached.

- **DESCRIPTION MODEL** SHIP WEIGHT LIST PRICE **CUBE** Coordinate™ Height Adjustable Base - 2 Stage HHAB2S2L 24"D Feet and Worksurface Brackets \$940
- Base is a dual motor 2-stage design. Legs raise from 255/8" to 451/4".
- Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 72"W.
- Supports weight capacity of 250 lbs. (excluding worksurface weight). See page 718 of the HON 2020 Full Line Pricer for Voi® Worksurfaces. See page 718 of the HON 2020 Full Line Pricer for Systems Worksurfaces. For Height Adjustable Base Accessories see $page\ 716\ of\ the\ HON\ 2020\ Full\ Line\ Pricer.\ Foundation \ref{thm:page},\ Systems,\ Voi°,\ 10500,\ and\ Preside \ref{thm:page}\ all\ have\ worksurfaces\ within\ this\ range.$
- · Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only.
- HON 7-Year Limited Warranty.
- When attaching a Keyboard Tray, remember to also specify a Keyboard Spacer Kit (HKBS).
- Telescoping horizontal frame will extend just over 2" from underside of the worksurface.
- SPECIFYING EXAMPLE: HHAB2S2L.P8L



Base shown with worksurface attached.

Coordinate™ Height Adjustable Base - 3 Stage

24"D Feet and Worksurface Brackets HHAB3S2L 2.4 \$1036

NOTES:

- Base is a dual motor 3-stage design. Legs raise from $21^5/8^{\prime\prime}$ to $47^3/4^{\prime\prime}$.
- Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 72"W.
- Supports weight capacity of 250 lbs. (excluding worksurface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range.
- · Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only.
- · HON 7-Year Limited Warranty.
- Telescoping horizontal frame will extend just over 2" from underside of the worksurface.



Base shown with worksurface attached.

Coordinate™ 3-Leg Height Adjustable Base - 3 Stage

HHAB3S3L 91 24"D Feet and Worksurface Brackets 3.6

- Base is a three motor 3-stage design. Legs raise from 215/8" to 473/4".
- Base telescopes to accommodate worksurfaces between 24"D x 42"W¹ x 60"W² and 30"D x 72"W¹ x 72"W².
- Supports weight capacity of 330 lbs. (excluding worksurface weight). Can be used with 48" 120 degree and worksurface models.
- Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only.
- · HON 7-Year Limited Warranty.
- 📵 When using two worksurfaces, a flat bracket is required. Bracket purchased separately HHN831124, HHN831130 see page 589 of the HON 2020 Full Line Pricer.
- Telescoping horizontal frame will extend just over 2" from underside of the worksurface.

- Compatible with select Rectangle and Corner Cove Worksurfaces. See pages 718 and 719 of the HON 2020 Full Line Pricer for more information.
- ¶ Coordinate™ Height Adjustable Bases not compatible with 36"D rectangular worksurfaces.

HOW TO SPECIFY

Select **Model Number**

Select **Finish**

P71 Black P8L Nickel PD8 White





COORDINATE™ Screens





	SHIP				LIST PRICE BY PAINT GRADE		
DESCRIPTION	MODEL	WEIGHT	CUBE	P1	P2	Р3	
Above Screens							
20"H x 451/2"W, for 48"W Surfaces	HMTLSCRN2048	36.4	5.5	\$636	\$656	\$676	
20"H x 511/2"W, for 54"W Surfaces	HMTLSCRN2054	39.7	6.1	\$668	\$688	\$708	
20"H x 571/2"W, for 60"W Surfaces	HMTLSCRN2060	43.1	6.7	\$702	\$722	\$742	
20"H x 63½"W, for 66"W Surfaces	HMTLSCRN2066	46.4	7.3	\$737	\$757	\$777	
25"H x 45½"W, for 48"W Surfaces	HMTLSCRN2548	42.8	6.7	\$700	\$720	\$740	
25"H x 511/2"W, for 54"W Surfaces	HMTLSCRN2554	46.9	7.4	\$735	\$755	\$775	
25"H x 571/2"W, for 60"W Surfaces	HMTLSCRN2560	51.1	8.2	\$772	\$792	\$812	
25"H x 63½"W, for 66"W Surfaces	HMTLSCRN2566	55.3	9.0	\$810	\$830	\$850	

NOTES:


- Above screens are single-piece steel construction.
- Screens mount by using double stick tape, which provides the ability to mount to any surface.

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Foot Control Pedal	HFTPDL	5	0.1	\$175

- Provides hands-free method for height adjustment.
- No specification needed.
- Pedal can be ordered with table or to retrofit on a current table.

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
66	Caster 4-Pack ① Field installable. Not available on model HHA	HHABCSTRPK ABETA2S2L. No specification needed.	1 ⊗	0.1	\$75
0 0	Slide Glide 4-Pack • Field installable. When placed under base, all	HHABGLIDE lows table to be pushed/pulled to move. No	1 ⊙ specification needed	0.1 d.	\$60

HOW TO SPECIFY





COORDINATE™ Worksurfaces

		SHIP			LIST PRICE BY LAMINATE GRADE	
	DESCRIPTION	MODEL	WEIGHT	CUBE	L1	L2
	Rectangle Worksurfaces with External Stiffener					
	84"W x 24"D	HHAW2484PS	97	5.4	\$851	\$871
	96"W x 24"D	HHAW2496PS	100	5.7	\$890	\$910
	84"W x 30"D	HHAW3084PS	113	6.6	\$901	\$921
	96"W x 30"D	HHAW3096PS	116	7.0	\$940	\$960
	Rectangle Worksurfaces with External Stiffener,	No Grommet				
	84"W x 24"D	HHAW2484PNS	97	5.4	\$851	\$871
	96"W x 24"D	HHAW2496PNS	100	5.7	\$890	\$910
	84"W x 30"D	HHAW3084PNS	113	6.6	\$901	\$921
•	96"W x 30"D	HHAW3096PNS	116	7.0	\$940	\$960

NOTES:

1 For use with Max Base, model HMREC3S2LTF, only.

HOW TO SPECIFY

Select Model Number	Select Laminate	Select Edge Color	Select Grommet Color
	See page 2	See page 2	Specify for worksurfaces with grommets only
			P Black S Charcoal Q Light Gray DW Designer White T5 Greige LOFT Loft T3 Muslin T1 Platinum
H H A W 3 0 8 4 P S .	L K I 1.	K I .	P