В		E		Ν	1		С		Η		Е		S
L	I S	Т	Р	RΙ	С	ΕS	E	F	FΕ	С	ΤI	V	E
F	Е	В	R	U	А	R	Y	1	,	2	0	2	4

BENCHES



2 0 2 4



Mailing Address: HBF PO Box 8 Hickory NC 28603-0008

Shipping Address: HBF 900 - 12th Street Drive NW Hickory NC 28601-4763

 Secondaria

 Phone:
 1.855.HBF.2020

 828.328.2064

 Fax:
 828.485.2690

 Info:
 hbfservice@hbf.com

 www.hbf.com

Order Processing: Phone: 1.855.HBF.2020 828.328.2064

Fax: 828.485.2690 hbforders@hbf.com

GENERAL INFORMATION

PAGE

ANSI/BIFMA e3-2014e Furniture Sustainability	5
COM Ordering Requirements	3
Combinations of Upholstery Applications	4
Dimension Guide	5
GSA	6
HBF Textiles Graded Product	11
High Performance Products	6
Indoor Advantage™ Gold Certified	5
Product Material Options	7
Seating Ordering Procedure	2
Special Code Compliance - CAL 117	4
Spring Down Cushions	6
Veneer Options	6
Yardage Requirements	2

BENCHING

Kanso Benches	
Specifications	
Bench with Round Table	
Bench - No Table	15

Max Modular	
One Seat Bench	
Two Seat Bench	
Three Seat Bench	
powerWise Options	19

Coverings

All upholstered items may be ordered using HBF Textiles, HBF Leathers, or coverings provided by the customer. **Prices listed as COM refer to Customer's Own Material, which includes textiles and leather.** Prices listed as GRADE refer to HBF Textiles and/or HBF Leather.

Yardage requirements shown in the price list are based on non-directional 54" wide material. The following conversion chart should be used to determine yardage requirements when COM textile is 54" wide or less and/or has a repeat of 2" or more. Add together the vertical and horizontal repeat to determine which column should be used as a reference.

Fabric Width	Plain Fabric	2"-10" Repeat	11"-20" Repeat	21"-25" Repeat	26"-30" Repeat	31"-35" Repeat	36"-40" Repeat	41"-45" Repeat
54"	+ 0%	+10%	+15%	. +20%	+25%	+30%	+35%	. +40%
51"-53"	15%	20%	25%	30%	35%	40%	45%	50%
48"-50"	30%	35%	40%	45%	50%	55%	60%	65%
45"-47"	45%	50%	55%	60%	65%	70%	75%	80%
36"-44"	60%	65%	70%	75%	80%	85%	90%	95%

To determine the possibility of reduced yardage requirements for orders of thirty (30) or more units, please contact The HBF Client Experience Team. HBF reserves the right to request additional yardage of COM at customer expense based on repeat and/or pattern size, and number of rolls.

All COM's must be approved for application before the purchase order is submitted to HBF. Please contact The HBF Client Experience Team at hbfservice@hbf.com to verify that your COM fabric has been approved. If it has not, please request COM approval testing via www.hbf.com under COM Request. Failure to submit a COM for testing may result in additional expenses or rejection of COM. For any repeat and/or pattern size not listed, please contact The HBF Client Experience Team for a yardage requirement quotation.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM materials. All responsibility for COM shipments is between the purchaser and the textile/leather source. HBF reserves the right to reject any COM. HBF assumes no responsibility for suitability or wearability of COM. Difficult COM may be subject to additional charge if additional labor costs are incurred. HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations. Orders specifying COM will not be scheduled for production until all approved COM(s) are received by HBF. To ensure proper COM expediting, please tag fabric/leather roll(s) with the following information: 1. Purchasing dealer name and purchase order number 2. HBF acknowledge ment number, if available 3. Other pertinent information which will enable proper COM identification.

When sending COM leather for use on one of our upholstered pieces, please send eighteen (18) square feet of leather for each yard of 54" plain fabric required for that item.

В

Coverings (Continued)	COM ORDERING REQUIREMENTS: Prior to acceptance of order specifying COM, a memo sample must be submitted to HBF for determination of suitability. All COM's must be rolled separately, on individual tubes. Multiple materials rolled on the same tube will not be accepted.						
	For ease of expediting your COM order, we require the following information:						
	 Material description Material source Order line, product name or number Material color A swatch of the covering Special application instructions, if any 	Shipping Address:	HBF 900 12th Street Drive NW Hickory, NC 28601-4763				
	If COM is of a type requiring choices of seam placement, face side, position of design or repeat; these instructions must be clearly stated on the original order.						
	HBF cannot be held responsible for performance, color accuracy, or weaving of COM materials. All responsibility for COM shipments is between the purchaser and the textile/leather source.						
	HBF reserves the right to reject any COM. HBF assur of COM. Difficult COM may be subject to addition						
	HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations.						
	Orders specifying COM will not be scheduled for production until all approved COM is received by HBF.						

To ensure proper COM expediting, please tag textile/leather with the following information:

- 1. Purchasing dealer name and purchase order number
- 2. HBF acknowledgement number, if available
- 3. Other pertinent information which will enable proper COM identification




Combination of Upholstery Applications	All seating ordered with combination upholstery application (fabric, leather) that is not offered as standard is subject to a \$103 List Upholstery upcharge and will be entered and processed as a special model, in addition to the following pricing conditions:					
	1. Combinations using HBF Textiles and COM will be priced at the COM price. The cost of the portion of the HBF Textiles used, will be entered as a miscellaneous charge on the furniture order.					
	2. Combinations using HBF Textiles and HBF Leathers, or COM and HBF Leathers, will be priced at the appropriate Leather I-V price.					
	3. Combinations using two HBF Textiles will be invoiced at higher grade price.					
	4. When specifying combination of upholstery applications, a sketch indicating placement of textiles and direction of applications must accompany the purchase order.					
Special Code	California #117-2013					
Compliance	Unless otherwise specified, foam used in all HBF seating products complies with these guidelines.					
	Boston Fire Code					
	New York Port Authority					
	Please contact the HBF Client Experience Team if compliance is required for these special codes.					

ANSI/BIFMA e3-2014e LEVEL® Furniture Sustainability Standard Certification	A majority of HBF's products have met the necessary qualifications to achieve LEVEL [®] certification. LEVEL [®] is the multi-attribute sustainability certification based on the ANSI/BIFMA e3 Furniture Sustainability Standard. The standard and certification were created to deliver the most open and transparent means of evaluating and communicating the environmental and social impacts of furniture products in the built environment. Taking into account a company's social actions, energy usage, material selection and human and ecosystem health impacts, LEVEL [®] addresses how a product is sustainable from multiple perspectives. The organization, facilities, and products are audited on an annual basis to ensure ongoing compliance and improvement.					
	With LEVEL [®] , customers can make informed choices about sustainable commercial office furniture. The LEVEL [®] mark identifies that a product has been vetted by an independent third party certifier and its numeric marking of 1, 2, or 3 indicates the threshold of certification the product has achieved. A majority of HBF's seating, occasional tables, and conference lines are LEVEL [®] certified. Please download the certificates from our product pages for the complete details. For more information about the ANSI/BIFMA LEVEL [®] standard, visit www.levelcertified.org.					
ANSI/BIFMA Performance Standards	Our seating products meet or exceed ANSI/BIFMA weight performance standards of 275 lbs. (124.7 kg.) unless otherwise noted.					
Indoor Advantage™ Gold certified	All HBF seating products are Indoor Advantage [™] Gold certified. SCS Global Services, a reputable third-party certification and assessment body of environmental, sustainability and safety claims since 1984, has developed internationally recognized standards and certification programs to assist businesses with improving their environmental efforts, social accountability and product performance. The advantages of holding Indoor Air Quality certification are substantial: in addition to improving indoor working environments and meeting qualifications for the LEED-CI EQ 4.5 credit for office furniture as well as the BIFMA Standard for Low-Emitting Office Furniture Systems & Seating M-7.1, there is the added assurance of knowing that the company's entire breadth of products is held to such rigorous standards. For more information regarding Indoor Advantage [™] , please visit: http://www.scsglobalservices.com. Please contact the HBF Client Experience Team for pricing and lead time information.					

Dimension Guide

В



GSA/Federal Contract Inform	nation: GSA Contract Number 47QSMA22D08P9						
	 Model numbers identified with the following verbiage "When purchased separately without a configurable TAA compliant end product, not on GSA contract" is to mean that these configurable parts or components: Have no functionality or capability without being integrated into an end product; and Are considered Open Market if purchased without a configurable TAA compliant end product. 						
HBF High Performance Products	HBF and HBF Textiles have long been leaders in contract furnishings and known for industry-leading product design coupled with the highest quality construction, comfort and aesthetic beauty.						
	Now these same principals are the cornerstones of HBF Healthcare high performance products. We have consulted with healthcare designers and clients to provide products and options for interiors that will provide quality sustainable design solutions for the future. These effective solutions will address the unique interactions required by any high-use facility. Visit www.hbf.com for additional high performance product information.						
	Seating Product High Performance Options:						
	 Guest and Lounge Seating Arm Caps Moisture Barrier Wipe Out - Clean Out Tandem Seating Wall Saver Legs Replaceable Components Upholstery Products from HBF Textiles 						
Spring Down Cushions	Optional spring down cushions are available on most loose cushion HBF lounge seating. List upcharges are: Chair \$108 Loveseat \$194 Sofa \$297						
Veneer and Finishes	Wood owes its inherent beauty to variations in color, grain, and texture; therefore, these variations are not considered defects. Due to the natural color and grain variances of wood substance the final finish color, texture and grain may vary from one furniture piece to another even though they are finished at the same time. Exposure to light and the aging process will cause changes in surface color of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. HBF does not guarantee the exact matching of grain, pattern and color.						
	An upcharge of 5% Net COM per seating unit, with a minimum upcharge of \$500 Net per order, will apply for any custom wood finish.						
	Refer to the following page for product material options.						



ASH: (AH) FINISHES



AH310 Smoke Opaque



AH406 Denim Opaque



AH929 Nutmeg



AH400 Clear



AH407 Pewter Opaque



AH937 Bark



AH402 Black Opaque



AH408 Peppercorn Opaque



AH984 Dark Roast



AH403 Grey Opaque



AH901 Amber



AH993 Sumatra



AH404 Warm White Opaque



AH902 Designer White Opaque



AH405 Mist Opaque



AH911 Warm Brick



WALNUT: (NT) FINISHES



NT310 Smoke Opaque



NT406 Denim Opaque



NT937 Bark



NT400 Clear



NT407 Pewter Opaque



NT984 Dark Roast



NT402 Black Opaque



NT408 Peppercorn Opaque



NT993 Sumatra



NT403 Grey Opaque



NT902 Designer White Opaque



NT404 Warm White Opaque



NT911 Warm Brick



NT405 Mist Opaque



NT929 Nutmeg



BENCHES | MATERIAL OPTIONS

POWDER COATS:



BL Black



White


LG Light Grey

METALS:



POL Polished Chrome

SOLID SURFACE: (PREMIUM)



SDW1 Designer White



QUARTZ: Quartz available on Kanso HHN417-013 only.



EQCU1 Cumulous



EQST1




Storm Grey

GLASS: Glass available on Kanso HHN417-013 only.









GBL1 Black

GCG1 Cool Grey

GWG1 Warm Grey





Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
Blink Denim Wash* Walkabout Zippy	Look-see Remember Rush*	Caddy Corner* Checkmate Cuddle Up Picnic Plaid Upbeat	Chenille Striae Crumpled Paper Dot Grid Habu Poppy Skim Coat	Fourfold* Uptown	All Terrain Bunny Cloverleaf Comfort Zone Happy Camper Here & There Knitwork Laugh Lines Moody Moss Notable Grain Sherpa Well-Loved

Grade G	Grade H	Grade J	Grade K	Grade L	Grade M
Beetle Curtain Wall Dashing Equation* Folded Lines High Rise Honest* Inherent Matriarch Pebbled Scribble XS Stardust Upscale	Air Mail* Captain Bubble Crafted Felt Chubby Baby Intersection Lawn Chair Madam Dottie Soft Angles 2.0 Upstart Uptick	Abito Argyle Boucle Belgian Meadow Brushed Canvas Digital Bloom 2.0 Enriched Boucle Glint Lava Rock Quill Scribble XL Sir Stripe-a-lot Tattoo Toile Tessellations Tête-à-Tête Tickled Herring Twist	Afghan Cherished Knit Complex Crosstweed Double Stitch Gather Grateful Grid Heartfelt Merci Boucle Moving Blanket Moving Forward Night Earth Pepper Blend Polygone Quilted Comfort Sideways Sister Solid	Agate Stripe Goosebumps Hipster Landscape Blur Ms. Quilty 2.0 Smart* Sweater Velvet Mix Woven Memory	Crafted Cloud Eccentric Flirt Poodle

Leather I	Leather II	Leather III	Leather IV	Leather V	Leather VI
Clutch	Vivace II	Aviator	Free Way	Wild West	Modern Patina Upper Crust



Kanso Bench Specifications

_	
Overview	Multi-Level Bench Seating Optional Round Table
Upholstery	Individually specified upholstery
Base	Powder Coat - Black, White, Grey Plated - Polished Chrome.
Flat Edge Table Top	Engineered Quartz Solid Surface Glass
Elliptical Edge Table Top	Ash Walnut





							Dimen	sions		
o HHN417-013										
							OH	251/2	AH	
							OW	117	WBA	
							OD	64	DED	
							SH	17	DEW	
							SD	233/4	R	
							5D	234	K	
1 I							Shippin Cube	g Weight	400	
Level Bench Seating with Round T	able Metal Base					ANS		VEL® Furni	ture Sustainability Standard Indoor Advantage"	
Pricing for Single	Pricing fo	r Multipl	e Fabric Plac	ement:						
Fabric Placement:	0	-	n with Base		add Upchar	ges)	Base I	rice:	10,450	
	Top Bench		Bottom Larg	ge Bench	Bottom Sma	ll Bench				
Upholstery:	Upholstery:		Upholstery:		Upholstery:					
COM/COL 10,780	COM/COL		COM/COL		COM/COL					
Grade A 10,565	Grade A	45	Grade A	45	Grade A	25				
Grade B 10,665	Grade B	85	Grade B	85	Grade B	45				
Grade C 10,780	Grade C	130	Grade C	130	Grade C	70				
Grade D 10,890	Grade D	175	Grade D	175	Grade D	90				
Grade E 11,005	Grade E	220	Grade E	220	Grade E	115				
Grade F 11,140	Grade F	275	Grade F	275	Grade F	140				
Grade G 11,290	Grade G	335	Grade G	335	Grade G	170				
Grade H 11,450	Grade H	400	Grade H	400	Grade H	200				
Grade J 11,565	Grade J	445	Grade J	445	Grade J	225				
Grade K 11,780	Grade K	530	Grade K	530	Grade K	270				
Grade L 12,115	Grade L	665	Grade L	665	Grade L	335				
Grade M 12,565	Grade M	845	Grade M	845	Grade M	425				
Leather I 13,315	Leather I	1145	Leather I	1145	Leather I	575				
Leather II 14,115	Leather II	1465	Leather II	1465	Leather II	735				
Leather III 14,915	Leather III	1785	Leather III	1785	Leather III	895				
Leather IV 15,715	Leather IV	2105	Leather IV	2105	Leather IV	1055				
-, -	Leather IV Leather V	2425	Leather IV Leather V	2425	Leather IV Leather V	1055				
Leather V 16,515 Leather VI 17,315	Leather V Leather VI	2425 2745	Leather V Leather VI	2425 2745	Leather V Leather VI	1215				
Upholstery Requires:	Upholstery	Requires	Upholstery 1	Requires	Upholstery I	Requires				
	(Per Applica	ation):	(Per Applica	tion):	(Per Applica	tion):				
Fabric: 10 Yards	Fabric: 4	Yards	Fabric: 4	Yards	Fabric: 2	Yards				
Leather: 180 Sq. Ft.	Leather: 72	Sq. Ft.	Leather: 72	Sq. Ft.	Leather: 36	Sq. Ft.				
								Total	Required	
								Upho	<i>Istery:</i> Fabric: 10 Leather: 180	1



PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	BASE FINISH	TOP MATERIALS FINISH	
NUMBER	Indicate fabric choice for	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal:	Options for wood finishes: AH = Ash	Options for wood finishes: NT = Walnut +\$100
	Top Bench	Bottom Large	Bottom Small	U = Cal 117	BL = Black		
	Upholstery:	Bench	Bench		Powder	310 = Smoke Opaque	310 = Smoke Opaque
		Upholstery:	Upholstery:		Coat	400 = Clear	400 = Clear
	See options for				WI = White	402 = Black Opaque	402 = Black Opaque
	fabrics at www.	See options for	See options for		Powder	403 = Grey Opaque	403 = Grey Opaque
	hbftextiles.com	fabrics at www.	fabrics at www.		Coat	404 = Warm White Opaque	404 = Warm White Opaque
	-	hbftextiles.com	hbftextiles.com		LG = Light Grey	405 = Mist Opaque	405 = Mist Opaque
			-		Powder	406 = Denim Opaque	406 = Denim Opaque
					Coat	407 = Pewter Opaque	407 = Pewter Opaque
					POL = Polished	408 = Peppercorn Opaque	408 = Peppercorn Opaque
					Chrome +\$955	901 = Amber	902 = Designer White Opaque
						902 = Designer White Opaque	911 = Warm Brick
						911 = Warm Brick	929 = Nutmeg
						929 = Nutmeg	937 = Bark
						937 = Bark	984 = Dark Roast
						984 = Dark Roast	993 = Sumatra
						993 = Sumatra	<u> </u>
						<u> </u>	
							Options for Glass:
						Options for Engineered Quartz:	G = Glass + \$470
						EQ = Engineered Quartz +\$2280	$G = Glass + \phi 4/0$
						CU1 = Cumulous	WI1 = White
						ST1 = Storm Grey	BL1 = Black
						311 = Storm Grey	CG1 = Cool Grey
							WG1 = Warm Grey
						Options for Solid Surface:	wor = warm Grey
						S = Solid Surface +\$660	
						DW1 = Designer White	
•	•	•	•	•	•		

HHN417-013.FabricTop.FabricBottomLG.FabricBottomSM.Flammability.Base.Top Example: HHN417-013.300-18.300-18.300-18.U.BL.NT310



							Dimensi	ons			
so HHN417-023											
							OH 2	251/2	AH		
							OW 1	17	WBA		
								6	DED		
								.7	DEW	7	
l.								2.33/4	R		
11	•						3D 2	2.3%4	K		
.1							Shipping Cube	Weight	395		
Level Bench Seating Metal Base						ANS	SI/BIFMA LEV	'EL* Furnit		nability Stand door Advanta	
Pricing for Single	Pricing for	r Multipl	e Fabric Plac	ement:							
Fabric Placement:	0	-			add Upchar	ges)	Base Pr	ice:		9745	
	Top Bench		Bottom Larg	ge Bench	Bottom Sma	ll Bench					
Upholstery:	Upholstery:		Upholstery:		Upholstery:						
COM/COL 10,075	COM/COL	130	COM/COL		COM/COL	70					
Grade A 9860	Grade A	45	Grade A	45	Grade A	25					
Grade B 9960	Grade B	85	Grade B	85	Grade B	45					
Grade C 10,075	Grade C	130	Grade C	130	Grade C	70					
Grade D 10,185	Grade D	175	Grade D	175	Grade D	90					
Grade E 10,300	Grade E	220	Grade E	220	Grade E	115					
Grade F 10,435	Grade F	275	Grade F	275	Grade F	140					
Grade G 10,585	Grade G	335	Grade G	335	Grade G	170					
Grade H 10,745	Grade H	400	Grade H	400	Grade H	200					
Grade J 10,860	Grade J	445	Grade J	445	Grade J	225					
Grade K 11,075	Grade K	530	Grade K	530	Grade K	270					
Grade L 11,410	Grade L	665	Grade L	665	Grade L	335					
Grade M 11,860	Grade M	845	Grade M	845	Grade M	425					
Leather I 12,610	Leather I	1145	Leather I	1145	Leather I	575					
Leather II 13,410	Leather II	1465	Leather II	1465	Leather II	735					
Leather III 14,210	Leather III	1785	Leather III	1785	Leather III	895					
Leather IV 15,010	Leather IV	2105	Leather IV	2105	Leather IV	1055					
Leather V 15,810	Leather V	2425	Leather V	2425	Leather V	1215					
Leather VI 16,610	Leather VI	2745	Leather VI	2745	Leather VI	1375					
Upholstery Requires:	Upholstery]	Requires	Upholstery l	Requires	Upholstery I	Requires					
	(Per Applica	tion):	(Per Applica	tion):	(Per Applica	tion):					
Fabric: 10 Yards	Fabric: 4	Yards	Fabric: 4	Yards	Fabric: 2	Yards					
Leather: 180 Sq. Ft.	Leather: 72	Sq. Ft.	Leather: 72	Sq. Ft.	Leather: 36	Sq. Ft.					
									Required		
											0 17
								Uphol	stery:	Fabric: 1	0 Y

PLEASE SPECIFY THE FOLLOWING TO ORDER: ____

MODEL Number	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	BASE FINISH
NOMBER	Indicate fabric choice for	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal:
	Top Bench	Bottom Large	Bottom Small	U = Cal 117	BL = Black Powder Coat
	Upholstery:	Bench	Bench		WI = White Powder Coat
		Upholstery:	Upholstery:		LG = Light Grey Powder Coat
	See options for				POL = Polished Chrome +\$955
	fabrics at www.	See options for	See options for		
	hbftextiles.com	fabrics at www.	fabrics at www.		
		hbftextiles.com	hbftextiles.com		
	•	•	•	•	

HHN417-023.FabricTop.FabricBottomLG.FabricBottomSM.Flammability.Base Example: HHN417-013.300-18.300-18.300-18.U.BL




				Dimensions	
Modular HHC820-11	L				
				OH 18	AH
				OW 22	WBA
				OD 21	DED
				SH 18	DEW
				SD 21	R
				00 21	
				Shipping Weight	32
				Cube	7.41
				ANSI/BIFMA LEVEL® Furni	
ar One Seat Bench Metal Legs					Indoor Advantage [*]
Pricing for Single	Pricing for Multip	e Fabric Place	ement:		
Fabric Placement:	(To Calculate, Begi	n with Base I	Price and add Upcharges)	Base Price:	1975
	Seat Cushion	Seat			
Upholstery:	Upholstery:	Upholstery:			
COM/COL 2050	COM/COL 45	COM/COL	30		
Grade A 2000	Grade A 15	Grade A	10		
Grade B 2025	Grade B 30	Grade B	20		
Grade C 2050	Grade C 45	Grade C	30		
Grade D 2075	Grade D 55	Grade D	45		
Grade E 2100	Grade E 70	Grade E	55		
Grade F 2130	Grade F 90	Grade F	65		
Grade G 2165	Grade G 105	Grade G	85		
Grade H 2200	Grade H 125	Grade H	100		
Grade J 2225	Grade J 140	Grade J	110		
Grade K 2275	Grade K 170	Grade K	130		
Grade L 2350	Grade L 210	Grade L	165		
Grade M 2450	Grade M 265	Grade M	210		
Leather I 2620	Leather I 360	Leather I	285		
Leather II 2800	Leather II 460	Leather II	365		
Leather III 2980	Leather III 560	Leather III	445		
Leather IV 3160	Leather IV 660	Leather IV	525		
Leather V 3340	Leather V 760	Leather V	605		
Leather VI 3520	Leather VI 860	Leather VI	685		
Upholstery Requires:	Upholstery Requires	Upholstery F			
	(Per Application):	(Per Applica	uon):		
Fabric: 2 ¹ / ₄ Yards	Fabric: 1¼ Yards	Fabric: 1	Yard		
Leather: 40 ¹ / ₂ Sq. Ft.	Leather: 22 ¹ / ₂ Sq. Ft.	Leather: 18	Sq. Ft.		
				Total	Required
				Upho	

ъ.

.

Note: Power must be ordered separately (Please refer to page 19).

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HHC820-111.FabricSeatCushion.FabSeat..Flammability.Base Example: HHC820-111.950-88.950-88.U.BL



			Dimensions	
Modular HHC820-112	2			
			OH 18	AH
			OW 44	WBA
			OD 21	DED
			SH 18	DEW
			SD 21	R
			Shipping Weight	58
			Cube	14.81
ar Two Seat Bench Metal Legs			ANSI/BIFMA LEVEL* Furnit	ture Sustainability Standard ce Indoor Advantage™ ce
Pricing for Single	Pricing for Multipl	e Fabric Placement:		
Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price:	2610
Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:		
COM/COL 2755	COM/COL 75	COM/COL 70		
Grade A 2660	Grade A 25	Grade A 25		
Grade B 2705	Grade B 50	Grade B 45		
Grade C 2755	Grade C 75	Grade C 70		
Grade D 2800	Grade D 100	Grade D 90		
Grade E 2850	Grade E 125	Grade E 115		
Grade F 2905	Grade F 155	Grade F 140		
Grade G 2970	Grade G 190	Grade G 170		
Grade H 3035	Grade H 225	Grade H 200		
Grade J 3085	Grade J 250	Grade J 225		
Grade K 3180	Grade K 300	Grade K 270		
Grade L 3320	Grade L 375	Grade L 335		
Grade M 3510	Grade M 475	Grade M 425		
Leather I 3830	Leather I 645	Leather I 575		
Leather II 4170	Leather II 825	Leather II 735		
Leather III 4510	Leather III 1005	Leather III 895		
Leather IV 4850	Leather IV 1185	Leather IV 1055		
Leather V 5190	Leather V 1365	Leather V 1215		
Leather VI 5530	Leather VI 1545	Leather VI 1375		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 4¼ Yards	Fabric: 2¼ Yards	Fabric: 2 Yards		
Leather: 76½ Sq. Ft.	Leather: 40½ Sq. Ft.	Leather: 36 Sq. Ft.		
			Total	Required
			Uphol	*

Note: Power must be ordered separately (Please refer to page 19).

Leather: 761/2 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	BASE FINISH
	Indicate fabric choice for:	Indicate flammability:	Options for metal:
	Seat Cushion upholstery Seat upholstery See options for fabrics at www.hbftextiles.com	U = Cal 117	BL = Black Powder Coat WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$100
•	•	•	

HHC820-112. Fabric Seat Cushion. FabSeat. Flammability. Base Example: HHC820-112.950-88.950-88.U.BL



			Dimensions	
Modular HHC820-113	6			
			OH 18	AH
			OW 66	WBA
			OD 21	DED
			SH 18	DEW
	T T		SD 21	R
			00 21	
			Shipping Weight	79
			Cube	22.22
			ANSI/BIFMA LEVEL* Furnit	ture Sustainability Standard
ar Three Seat Bench Metal Legs				Indoor Advantage™
Pricing for Single	Pricing for Multip	le Fabric Placement:		
Fabric Placement:		in with Base Price and add Upcharg	es) Base Price:	3045
Tubile Thatement	(10 Canchante, Deg	in white Dase I face and and Opening	base i free.	5015
	Seat Cushion	Seat		
Upholstery:	Upholstery:	Upholstery:		
COM/COL 3245	COM/COL 100	COM/COL 100		
Grade A 3115	Grade A 35	Grade A 35		
Grade B 3175	Grade B 65	Grade B 65		
Grade C 3245	Grade C 100	Grade C 100		
Grade D 3315	Grade D 135	Grade D 135		
Grade E 3375	Grade E 165	Grade E 165		
Grade F 3455	Grade F 205	Grade F 205		
Grade G 3555	Grade G 255	Grade G 255		
Grade H 3645	Grade H 300	Grade H 300		
Grade J 3715	Grade J 335	Grade J 335		
Grade K 3845	Grade K 400	Grade K 400		
Grade L 4045	Grade L 500	Grade L 500		
Grade M 4315	Grade M 635	Grade M 635		
Leather I 4765	Leather I 860	Leather I 860		
	Leather II 1100			
Leather II 5245				
Leather III 5725	Leather III 1340	Leather III 1340		
Leather IV 6205	Leather IV 1580	Leather IV 1580		
Leather V 6685	Leather V 1820	Leather V 1820		
Leather VI 7165	Leather VI 2060	Leather VI 2060		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 6 Yards	Fabric: 3 Yards	Fabric: 3 Yards		
Leather: 108 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 54 Sq. Ft.		
			Total	Required
				Istery: Fabric: 6

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	FLAMMABILITY	BASE FINISH
WOWDER	Indicate fabric choice for:	Indicate flammability:	Options for metal:
	Seat Cushion upholstery Seat upholstery See options for fabrics at www.hbftextiles.com	U = Cal 117	BL = Black Powder Coat WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$100
•	•	•	

HHC820-113.FabricSeatCushion.FabSeat.Flammability.Base Example: HHC820-113.950-88.950-88.U.BL



	Style Number	Description	List Price
Max Modular Power Modules			
_	HVD82001M-100	PowerWise - Single Unit	230
	PowerWise - Single Unit 1 Power Outlet 1 Dual USB Charger, 108" Cord		

HVD82001M-200	PowerWise - Double Unit	585	
PowerWise - Double Unit 2 Power Outlets 2 Dual USB Chargers, 72	" Cord to Splitter		