C A D R E S W I V E L S E A T I N G

L I S T P R I C E S E F F E C T I V E

F E B R U A R Y 1, 2024

# CADRE SWIVEL SEATING



STATE OF SOUTH CAROLINA



#### CADRE SWIVEL SEATING | TABLE OF CONTENTS

Mailing Address: HBF PO Box 8 Hickory NC 28603-0008 Shipping Address: HBF

900 - 12th Street Drive NW Hickory NC 28601-4763 Contact:

Phone: 1.855.HBF.2020 828.328.2064

Fax: 828.485.2690 Info: hbfservice@hbf.com

www.hbf.com

Order Processing:

Phone: 1.855.HBF.2020 828.328.2064

Fax: 828.485.2690 hbforders@hbf.com

GENERAL INFORMATION	PAGE
ANSI/BIFMA e3-2014e Furniture Sustainability	5
Casters	9
COM Ordering Requirements	3
Combinations of Upholstery Applications	4
Dimension Guide	5
GSA	6
HBF Textiles Graded Product	8
High Performance Products	6
Indoor Advantage™ Gold Certified	5
Product Material Options	7
Seating Ordering Procedure	2
Special Code Compliance – CAL 117	4
Spring Down Cushions	6
Statement of Line	11
Veneer Options	6
Yardage Requirements	2
SWIVEL SEATING	
Cadre	10



#### Coverings

All upholstered items may be ordered using HBF Textiles, HBF Leathers, or coverings provided by the customer. **Prices listed as COM refer to Customer's Own Material, which includes textiles and leather.** Prices listed as GRADE refer to HBF Textiles and/or HBF Leather.

Yardage requirements shown in the price list are based on non-directional 54" wide material. The following conversion chart should be used to determine yardage requirements when COM textile is 54" wide or less and/or has a repeat of 2" or more. Add together the vertical and horizontal repeat to determine which column should be used as a reference.

Fabric Width	Plain Fabric		11"-20" Repeat			0- 0,	36"-40" Repeat	41"-45" Repeat
54"	. + 0%	+10%	+15%	. +20%	.+25%	+30%	+35%	+40%
51"-53"	15%	20%	25%	30%	35%	40%	45%	50%
48"-50"	30%	35%	40%	45%	50%	55%	60%	65%
45"-47"	45%	50%	55%	60%	65%	70%	75%	80%
36"-44"	60%	65%	70%	75%	80%	85%	90%	95%

To determine the possibility of reduced yardage requirements for orders of thirty (30) or more units, please contact The HBF Client Experience Team. HBF reserves the right to request additional yardage of COM at customer expense based on repeat and/or pattern size, and number of rolls.

All COM's must be approved for application before the purchase order is submitted to HBF. Please contact The HBF Client Experience Team at hbfservice@hbf.com to verify that your COM fabric has been approved. If it has not, please request COM approval testing via www.hbf.com under COM Request. Failure to submit a COM for testing may result in additional expenses or rejection of COM. For any repeat and/or pattern size not listed, please contact The HBF Client Experience Team for a yardage requirement quotation.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM materials. All responsibility for COM shipments is between the purchaser and the textile/leather source. HBF reserves the right to reject any COM. HBF assumes no responsibility for suitability or wearability of COM. Difficult COM may be subject to additional charge if additional labor costs are incurred. HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations. Orders specifying COM will not be scheduled for production until all approved COM(s) are received by HBF. To ensure proper COM expediting, please tag fabric/leather roll(s) with the following information: 1. Purchasing dealer name and purchase order number 2. HBF acknowledge ment number, if available 3. Other pertinent information which will enable proper COM identification.

When sending COM leather for use on one of our upholstered pieces, please send eighteen (18) square feet of leather for each yard of 54" plain fabric required for that item.

2

#### Coverings (Continued)

#### **COM ORDERING REQUIREMENTS:**

Prior to acceptance of order specifying COM, a memo sample must be submitted to HBF for determination of suitability. All COM's must be rolled separately, on individual tubes. Multiple materials rolled on the same tube will not be accepted.

For ease of expediting your COM order, we require the following information:

1. Material description Shipping Address: HBF

2. Material source

900 12th Street Drive NW

3. Order line, product name or number

Hickory, NC 28601-4763

- 4. Material color
- 5. A swatch of the covering
- 6. Special application instructions, if any

If COM is of a type requiring choices of seam placement, face side, position of design or repeat; these instructions must be clearly stated on the original order.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM materials. All responsibility for COM shipments is between the purchaser and the textile/leather source.

HBF reserves the right to reject any COM. HBF assumes no responsibility for suitability or wearability of COM. Difficult COM may be subject to additional charge if additional labor costs are incurred.

HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations.

Orders specifying COM will not be scheduled for production until all approved COM is received by HBF.

To ensure proper COM expediting, please tag textile/leather with the following information:

- 1. Purchasing dealer name and purchase order number
- 2. HBF acknowledgement number, if available
- 3. Other pertinent information which will enable proper COM identification

3

## Combination of Upholstery Applications

All seating ordered with combination upholstery application (fabric, leather) that **is not** offered as standard is subject to a \$103 List Upholstery upcharge and will be entered and processed as a special model, in addition to the following pricing conditions:

- 1. Combinations using HBF Textiles and COM will be priced at the COM price. The cost of the portion of the HBF Textiles used, will be entered as a miscellaneous charge on the furniture order.
- 2. Combinations using HBF Textiles and HBF Leathers, or COM and HBF Leathers, will be priced at the appropriate Leather I-V price.
- 3. Combinations using two HBF Textiles will be invoiced at higher grade price.
- 4. When specifying combination of upholstery applications, a sketch indicating placement of textiles and direction of applications must accompany the purchase order.

#### Special Code Compliance

#### California #117-2013

Unless otherwise specified, foam used in all HBF seating products complies with these guidelines.

#### Boston Fire Code New York Port Authority

Please contact the HBF Client Experience Team if compliance is required for these special codes.



#### ANSI/BIFMA e3-2014e LEVEL® Furniture Sustainability Standard Certification

A majority of HBF's products have met the necessary qualifications to achieve LEVEL® certification. LEVEL® is the multi-attribute sustainability certification based on the ANSI/BIFMA e3 Furniture Sustainability Standard. The standard and certification were created to deliver the most open and transparent means of evaluating and communicating the environmental and social impacts of furniture products in the built environment. Taking into account a company's social actions, energy usage, material selection and human and ecosystem health impacts, LEVEL® addresses how a product is sustainable from multiple perspectives. The organization, facilities, and products are audited on an annual basis to ensure ongoing compliance and improvement.

With LEVEL\*, customers can make informed choices about sustainable commercial office furniture. The LEVEL\* mark identifies that a product has been vetted by an independent third party certifier and its numeric marking of 1, 2, or 3 indicates the threshold of certification the product has achieved. A majority of HBF's seating, occasional tables, and conference lines are LEVEL\* certified. Please download the certificates from our product pages for the complete details. For more information about the ANSI/BIFMA LEVEL\* standard, visit www.levelcertified.org.

### ANSI/BIFMA Performance Standards

Our seating products meet or exceed ANSI/BIFMA weight performance standards of 275 lbs. (124.7 kg.) unless otherwise noted.

#### Indoor Advantage™ Gold certified

All HBF seating products are Indoor Advantage™ Gold Certified.

SCS Global Services, a reputable third-party certification and assessment body of environmental, sustainability an safety claims since 1984, has developed internationally recognized standards and certification programs to assist businesses with improving their environmental efforts, social accountability and product performance.


The advantages of holding Indoor Air Quality certification are substantial: in addition to improving indoor working environments and meeting qualifications for the LEED-CI EQ 4.5 credit for office furniture as well as the BIFMA Standard for Low-Emitting Office Furniture Systems & Seating M-7.1, there is the added assurance of knowing that the company's entire breadth of products is held to such rigorous standards.

For more information regarding Indoor Advantage<sup>™</sup>, please visit: http://www.scsglobalservices.com.

Please contact the HBF Client Experience Team for pricing and lead time information.

5

#### **Dimension Guide**



#### **GSA/Federal Contract Information:**

#### GSA Contract Number 47QSMA22D08P9

Model numbers identified with the following verbiage "When purchased separately without a configurable TAA compliant end product, not on GSA contract" is to mean that these configurable parts or components:

- Have no functionality or capability without being integrated into an end product; and
- Are considered Open Market if purchased without a configurable TAA compliant end product.

#### HBF High Performance Products

HBF and HBF Textiles have long been leaders in contract furnishings and known for industry-leading product design coupled with the highest quality construction, comfort and aesthetic beauty.

Now these same principals are the cornerstones of HBF Healthcare high performance products. We have consulted with healthcare designers and clients to provide products and options for interiors that will provide quality sustainable design solutions for the future. These effective solutions will address the unique interactions required by any high-use facility. Visit www.hbf.com for additional high performance product information.

Seating Product High Performance Options:

• Guest and Lounge Seating

• Arm Caps

• Moisture Barrier

• Wipe Out - Clean Out

• Tandem Seating

• Wall Saver Legs

• Replaceable Components

• Upholstery Products from HBF Textiles

#### **Spring Down Cushions**

Optional spring down cushions are available on most loose cushion HBF lounge seating. List upcharges are:

Chair \$108 Loveseat \$194 Sofa \$297

#### Veneer and Finishes

Wood owes its inherent beauty to variations in color, grain, and texture; therefore, these variations are not considered defects. Due to the natural color and grain variances of wood substance the final finish color, texture and grain may vary from one furniture piece to another even though they are finished at the same time. Exposure to light and the aging process will cause changes in surface color of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. HBF does not guarantee the exact matching of grain, pattern and color.

An upcharge of **5% Net** COM per seating unit, with a minimum upcharge of **\$500 Net** per order, will apply for any custom wood finish.

Refer to the following page for product material options.

6

#### POWDER COAT:



P8X Solar Black

#### METAL:



PAL Polished Aluminum

Screen images are intended as a guide only and should not be regarded as absolutely correct. For exact color/texture, please visit www.hbf.com to request an actual sample.



Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
Blink Denim Wash* Walkabout Zippy	Look-see Remember Rush*	Caddy Corner* Checkmate Cuddle Up Picnic Plaid Upbeat	Chenille Striae Crumpled Paper Dot Grid Habu Poppy Skim Coat	Fourfold* Uptown	All Terrain Bunny Cloverleaf Comfort Zone Happy Camper Here & There Knitwork Laugh Lines Moody Moss Notable Grain Sherpa Well-Loved

Grade G	Grade H	Grade J	Grade K	Grade L	Grade M
Beetle Curtain Wall Dashing Equation* Folded Lines High Rise Honest* Inherent Matriarch Pebbled Scribble XS Stardust Upscale	Air Mail* Captain Bubble Crafted Felt Chubby Baby Intersection Lawn Chair Madam Dottie Soft Angles 2.0 Upstart Uptick	Abito Argyle Boucle Belgian Meadow Brushed Canvas Digital Bloom 2.0 Enriched Boucle Glint Lava Rock Quill Scribble XL Sir Stripe-a-lot Tattoo Toile Tessellations Tête-à-Tête Tickled Herring Twist	Afghan Cherished Knit Complex Crosstweed Double Stitch Gather Grateful Grid Heartfelt Merci Boucle Moving Blanket Moving Forward Night Earth Pepper Blend Polygone Quilted Comfort Sideways Sister Solid	Agate Stripe Goosebumps Hipster Landscape Blur Ms. Quilty 2.0 Smart* Sweater Velvet Mix Woven Memory	Crafted Cloud Eccentric Flirt Poodle

Leather I	Leather II	Leather III	Leather IV	Leather V	Leather VI
Clutch	Vivace II	Aviator	Free Way	Wild West	Modern Patina Upper Crust

#### Casters

Double wheel medium casters (A) are standard on Cadre Series swivel products.

Optional soft wheel casters (B) are available on Cadre Series swivel products. This must be specified on product orders.






February 2024



Cadre Series Specifications					
Collection Details	Mid Back vs High Back Plain or Channel Stitched seat and inside back				
Adjustments	Knee tilt adjustment and pneumatic seat height and are standard on Cadre chairs with arm that wraps around the back of the chair. Synchronized seat and back movement are standard on all other chairs. Synchro Tilt vs Knee Tilt				
Bases	Finish for five-prong bases is standard in <b>either</b> black metal or polished aluminum, as listed in the specification notes for each model.				
Casters	Double wheel casters are standard on all chairs. Optional soft wheel casters available.				
Arms	Non-wraparound vs wraparound arm frame Finish for arms is standard in <b>either</b> black metal or polished aluminum, as listed in the specification notes for each model. Urethane vs upholstered arm cap				





#### CADRE MID BACK

#### MID BACK SWIVEL CHAIR

Synchro Tilt, Upholstered Arm Cap, Polished Arm Pg 20 HST222-511



OH 35½-39½ SD OW 24 AH 261/2-301/2 OD 26 WBA 19 SH\* 181/2-221/2

POLISHED WITH URETHANE ARM CAP HST222-611

SOLAR BLACK WITH UPHOLSTERED ARM CAP

Pg 36

PG 12 HST222-011 SOLAR BLACK WITH

URETHANE ARM CAP

HST222-111 PG 28

#### MID BACK SWIVEL CHAIR

Knee Tilt, Upholstered Arm Cap, Polished Wrap Around Arm HST222-531 PG 2.2



OH 35½-39½ SD 19 OW 24 AH 261/2-301/2 OD 26 WBA 19 SH\* 181/2-221/2

POLISHED WITH URETHANE ARM CAP HST222-631

SOLAR BLACK WITH UPHOLSTERED ARM CAP HST222-031 PG 14

PG 38

Pg 30

SOLAR BLACK WITH

URETHANE ARM CAP HST222-131

Synchro Tilt, Upholstered Arm Cap, Polished Arm HST222-551 PG 24

STITCHED SWIVEL CHAIR

MID BACK CHANNEL



OH 35½-39½ SD OW 24 AH 261/2-301/2 OD 26 WBA 19 SH\* 181/2-221/2

POLISHED WITH URETHANE ARM CAP

HST222-651 Pg 40

SOLAR BLACK WITH UPHOLSTERED ARM CAP Pg 16 HST222-051

SOLAR BLACK WITH URETHANE ARM CAP

HST222-151 PG 32

#### MID BACK CHANNEL STITCHED SWIVEL CHAIR

Knee Tilt, Upholstered Arm Cap, Polished Wrap Around Arm HST222-571 Pg 26



OH 35½-39½ SD 19 OW 24 AH 261/2-301/2 OD 26 WBA 19 SH\* 181/2-221/2

POLISHED WITH URETHANE ARM CAP

HST222-671 PG 42

SOLAR BLACK WITH UPHOLSTERED ARM CAP

HST222-071 Pg 18 SOLAR BLACK WITH

URETHANE ARM CAP

HST222-171 PG 34

#### CADRE HIGH BACK

#### HIGH BACK SWIVEL CHAIR

Synchro Tilt, Upholstered Arm Cap, Polished Arm HST222-521 PG 21



OH 41½-44½ OW 24 AH 26½-30½ OD 26 WBA 19 SH\* 18½-22½

POLISHED WITH URETHANE ARM CAP

SOLAR BLACK WITH

HST222-621 PG 37

UPHOLSTERED ARM CAP HST222-021 PG 13

SOLAR BLACK WITH

URETHANE ARM CAP HST222-121

#### HIGH BACK SWIVEL CHAIR

Knee Tilt, Upholstered Arm Cap, Polished Wrap Around Arm HST222-541 PG 23



OH 411/2-441/2 OW 24 AH 261/2-301/2 OD 26 WBA 19 SH\* 18½-22½

POLISHED WITH URETHANE ARM CAP HST222-641 PG 39

SOLAR BLACK WITH UPHOLSTERED ARM CAP PG 15

HST 222-041 SOLAR BLACK WITH URETHANE ARM CAP

HST222-141 PG 31

#### HIGH BACK CHANNEL STITCHED SWIVEL CHAIR

Synchro Tilt, Upholstered Arm Cap, Polished Arm HST 222-561 PG 25



OH 41½-44½ SD OW 24 AH 261/2-301/2 OD 26 WBA 19 SH\* 18½-22½

POLISHED WITH URETHANE ARM CAP HST222-661 PG 41

SOLAR BLACK WITH UPHOLSTERED ARM CAP HST 222-061 Pg 17

SOLAR BLACK WITH

URETHANE ARM CAP HST222-161 PG 33

#### HIGH BACK CHANNEL STITCHED SWIVEL CHAIR

Synchro Tilt, Upholstered Arm Cap, Polished Wrap Around Arm HST222-581 PG 27



OH 41½-44½ OW 24 AΗ 261/2-301/2 OD 26 WBA 19 SH\* 18½-22½

POLISHED WITH URETHANE ARM CAP

HST222-681 PG 43

SOLAR BLACK WITH UPHOLSTERED ARM CAP HST222-081 PG 19

SOLAR BLACK WITH

URETHANE ARM CAP HST222-181 PG 35

#### **DIMENSIONS**



OH	Overall Height
OW	Overall Width
OD	Overall Depth
SH*	Seat Height
SH*	Seat Depth

AH	Arm Height				
WBA	Width Between Arms				

All dimensions in inches.

\*Reflects the nominal seat height to the top of cushion welt.



<sup>\*</sup>Arm and base metal finishing will always match.

#### Cadre HST222-011



ОН 351/2-391/2 AΗ 261/2-301/2 OW 24 WBA 19 OD 26 DED DEW SH181/2-221/2 SD 19 R Shipping Weight 66 Cube 20.4

Mid Back | Upholstered Back and Seat | Black Arm with Upholstered Arm Cap | Five-Prong Black Metal Base |

Synchronized Adjustments | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and	add Upcharges)	Base Price:	2535	
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Upholstery:			
COM/COL 2615	COM/COL 30	COM/COL 20	COM/COL 30			
Grade A <b>2560</b>	Grade A 10	Grade A 5	Grade A 10			
Grade B <b>2590</b>	Grade B 20	Grade B 15	Grade B 20			
Grade C <b>2615</b>	Grade C 30	Grade C 20	Grade C 30			
Grade D <b>2645</b>	Grade D 45	Grade D 25	Grade D 45			
Grade E <b>2670</b>	Grade E 55	Grade E 30	Grade E 55			
Grade F <b>2705</b>	Grade F 65	Grade F 35	Grade F 65			
Grade G 2745	Grade G 85	Grade G 45	Grade G 85			
Grade H <b>2785</b>	Grade H 100	Grade H 50	Grade H 100			
Grade J <b>2810</b>	Grade J 110	Grade J 55	Grade J 110			
Grade K <b>2865</b>	Grade K 130	Grade K 70	Grade K 130			
Grade L <b>2950</b>	Grade L <b>165</b>	Grade L 85	Grade L 165			
Grade M <b>3060</b>	Grade M <b>210</b>	Grade M 105	Grade M 210			
Leather I 3250	Leather I 285	Leather I 145	Leather I 285			
Leather II 3450	Leather II 365	Leather II 185	Leather II 365			
Leather III 3650	Leather III 445	Leather III 225	Leather III 445			
Leather IV 3850	Leather IV 525	Leather IV 265	Leather IV 525			
Leather V 4050	Leather V 605	Leather V 305	Leather V 605			
Leather VI 4250	Leather VI 685	Leather VI 345	Leather VI 685			
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):			
Fabric: 2½ Yards	Fabric: 1 Yard	Fabric: ½ Yard	Fabric: 1 Yard			
Leather: 45 Sq. Ft.	Leather: 18 Sq. Ft.	Leather: 9 Sq. Ft.	Leather: 18 Sq. Ft.			
				Total Re	eguired	
				Upholste		Yar
				-1	Leather: 45	Sq.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
NOWIDER	Indicate fabric choice for:	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Arm upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106

 $HST222-011. BackFabric. ArmFabric. SeatFabric. Flammability. \ Caster$ 

Example: HST222-011.950-88.950-88.950-88.U.DWCM

12



411/2-441/2

181/2-221/2

19

Shipping Weight

ОН

OW 24

OD 26

SH

SD

Cube

#### Cadre HST222-021



High Back | Upholstered Back and Seat | Black Arm with Upholstered Arm Cap | Five-Prong Black Metal Base |

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage^{rss}\ certified}$ 

AΗ

WBA

DED DEW

R

66

22.5

261/2-301/2

19

Synchronized Adjustments | Double Wheel Casters

Fabric Placement:	(To Calculate, Begi	n with Base Price and	add Upcharges)	Base Price:	2860
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Upholstery:		
COM/COL 2955	COM/COL 45	COM/COL 20	COM/COL 30		
Grade A <b>2890</b>	Grade A 15	Grade A 5	Grade A 10		
Grade B <b>2925</b>	Grade B 30	Grade B 15	Grade B 20		
Grade C <b>2955</b>	Grade C 45	Grade C 20	Grade C 30		
Grade D <b>2985</b>	Grade D 55	Grade D 25	Grade D 45		
Grade E <b>3015</b>	Grade E 70	Grade E 30	Grade E 55		
Grade F <b>3050</b>	Grade F 90	Grade F 35	Grade F 65		
Grade G 3095	Grade G 105	Grade G 45	Grade G 85		
Grade H 3135	Grade H 125	Grade H 50	Grade H 100		
Grade J <b>3165</b>	Grade J 140	Grade J 55	Grade J 110		
Grade K <b>3230</b>	Grade K 170	Grade K 70	Grade K 130		
Grade L <b>3320</b>	Grade L 210	Grade L 85	Grade L 165		
Grade M <b>3440</b>	Grade M 265	Grade M 105	Grade M 210		
Leather I 3650	Leather I 360	Leather I 145	Leather I 285		
Leather II 3870	Leather II 460	Leather II 185	Leather II 365		
Leather III 4090	Leather III 560	Leather III 225	Leather III 445		
Leather IV 4310	Leather IV 660	Leather IV 265	Leather IV 525		
Leather V 4530	Leather V 760	Leather V 305	Leather V 605		
Leather VI 4750	Leather VI 860	Leather VI 345	Leather VI 685		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 2¾ Yards	Fabric: 1¼ Yards	Fabric: ½ Yard	Fabric: 1 Yard		
Leather: 49½ Sq. Ft.	Leather: 22½ Sq. Ft.	Leather: 9 Sq. Ft.	Leather: 18 Sq. Ft.		
				Total Reg	guired
				Upholster	L
				- I	Leather: 49½ So

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBE	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
NOMBL	Indicate fabric choice for:	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel -
	Back upholstery	Arm upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106
		•	•		

 $HST222-021. BackFabric. ArmFabric. SeatFabric. Flammability. \ Caster$ 

Example: HST222-021.950-88.950-88.950-88.U.DWCM

13

351/2-391/2

ОН

#### Cadre HST222-031



WBA OW 24 19 OD 26 DED DEW SH181/2-221/2 SD 19 R Shipping Weight 66 Cube 20.4

AΗ

261/2-301/2

 $Mid\;Back\;|\;Upholstered\;Back\;and\;Seat\;|\;Full\;Black\;Wrap\;Around\;Arm\;with\;Upholstered\;Arm\;Cap\;|\;$ 

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Five-Prong Black Metal Base | Knee Tilt | Double Wheel Casters

Fabric Placement:	(To Calculate, Begi	n with Base Price and	add Upcharges)	Base Price:	2575
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Upholstery:		
COM/COL 2655	COM/COL 30	COM/COL 20	COM/COL 30		
Grade A <b>2600</b>	Grade A 10	Grade A 5	Grade A 10		
Grade B <b>2630</b>	Grade B 20	Grade B 15	Grade B 20		
Grade C <b>2655</b>	Grade C 30	Grade C 20	Grade C 30		
Grade D <b>2685</b>	Grade D 45	Grade D 25	Grade D 45		
Grade E <b>2710</b>	Grade E 55	Grade E 30	Grade E 55		
Grade F <b>2745</b>	Grade F 65	Grade F 35	Grade F 65		
Grade G 2785	Grade G 85	Grade G 45	Grade G 85		
Grade H <b>2825</b>	Grade H 100	Grade H 50	Grade H 100		
Grade J <b>2850</b>	Grade J 110	Grade J 55	Grade J 110		
Grade K <b>2905</b>	Grade K 130	Grade K 70	Grade K 130		
Grade L <b>2990</b>	Grade L 165	Grade L 85	Grade L 165		
Grade M 3100	Grade M 210	Grade M 105	Grade M 210		
Leather I 3290	Leather I 285	Leather I 145	Leather I 285		
Leather II 3490	Leather II 365	Leather II 185	Leather II 365		
Leather III 3690	Leather III 445	Leather III 225	Leather III 445		
Leather IV 3890	Leather IV 525	Leather IV 265	Leather IV 525		
Leather V 4090	Leather V 605	Leather V 305	Leather V 605		
Leather VI 4290	Leather VI 685	Leather VI 345	Leather VI 685		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 2½ Yards	Fabric: 1 Yard	Fabric: ½ Yard	Fabric: 1 Yard		
Leather: 45 Sq. Ft.	Leather: 18 Sq. Ft.	Leather: 9 Sq. Ft.	Leather: 18 Sq. Ft.		
				Total R	eauired
				Upholst	
				Cphoisi	Leather: 45 Sq

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBE	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
NOMBL	Indicate fabric choice for:	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel -
	Back upholstery	Arm upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106
		•	•		

 $HST222-031. BackFabric. ArmFabric. SeatFabric. Flammability. \ Caster$ 

Example: HST222-031.950-88.950-88.950-88.U.DWCM



#### Cadre HST222-041



OH411/2-441/2 AΗ 261/2-301/2 OW WBA 24 19 OD 26 DED DEW SH181/2-221/2 SD 19 R Shipping Weight 66 Cube 22.5

 $High\ Back\ |\ Upholstered\ Back\ and\ Seat\ |\ Full\ Black\ Wrap\ Around\ Arm\ with\ Upholstered\ Arm\ Cap\ |$ 

Five-Prong Black Metal Base | Knee Tilt | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $\mathbf{Indoor\ Advantage}^{\bowtie}\ \mathbf{certified}$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and	l add Upcharges)	Base Price:	2910
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Upholstery:		
COM/COL 3005	COM/COL 45	COM/COL 20	COM/COL 30		
Grade A 2940	Grade A 15	Grade A 5	Grade A 10		
Grade B <b>2975</b>	Grade B 30	Grade B 15	Grade B 20		
Grade C <b>3005</b>	Grade C 45	Grade C 20	Grade C 30		
Grade D <b>3035</b>	Grade D 55	Grade D 25	Grade D 45		
Grade E <b>3065</b>	Grade E 70	Grade E 30	Grade E 55		
Grade F <b>3100</b>	Grade F 90	Grade F 35	Grade F 65		
Grade G 3145	Grade G 105	Grade G 45	Grade G 85		
Grade H 3185	Grade H 125	Grade H 50	Grade H 100		
Grade J <b>3215</b>	Grade J <b>140</b>	Grade J 55	Grade J 110		
Grade K <b>3280</b>	Grade K 170	Grade K 70	Grade K 130		
Grade L 3370	Grade L 210	Grade L 85	Grade L 165		
Grade M <b>3490</b>	Grade M 265	Grade M 105	Grade M 210		
Leather I 3700	Leather I 360	Leather I 145	Leather I 285		
Leather II 3920	Leather II 460	Leather II 185	Leather II 365		
Leather III 4140	Leather III 560	Leather III 225	Leather III 445		
Leather IV 4360	Leather IV 660	Leather IV 265	Leather IV 525		
Leather V 4580	Leather V 760	Leather V 305	Leather V 605		
Leather VI 4800	Leather VI 860	Leather VI 345	Leather VI 685		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 2¾ Yards	Fabric: 1¼ Yards	Fabric: ½ Yard	Fabric: 1 Yard		
Leather: 49½ Sq. Ft.	Leather: 22½ Sq. Ft.	Leather: 9 Sq. Ft.	Leather: 18 Sq. Ft.		
				Total Rea	nuired
				Upholster	L
				- 1	Leather: 49½ Sq

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
NOWIDER	Indicate fabric choice for:	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Arm upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106

 $HST222-041. BackFabric. ArmFabric. SeatFabric. Flammability. \ Caster$ 

Example: HST222-041.950-88.950-88.950-88.U.DWCM

15



#### Cadre HST222-051



ОН 351/2-391/2 AΗ 261/2-301/2 OW 24 WBA 19 OD 26 DED DEW SH181/2-221/2 SD 19 R Shipping Weight 66 Cube 20.4

Mid Back | Channel Stitched Upholstered Back and Seat | Black Arm with Upholstered Arm Cap | Five-Prong Black Metal Base |

Synchronized Adjustments | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and	add Upcharges)	Base Price:	2980
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Upholstery:		
COM/COL 3125	COM/COL 75	COM/COL 20	COM/COL 50		
Grade A 3030	Grade A 25	Grade A 5	Grade A 15		
Grade B <b>3075</b>	Grade B 50	Grade B 15	Grade B 35		
Grade C 3125	Grade C 75	Grade C 20	Grade C 50		
Grade D <b>3170</b>	Grade D <b>100</b>	Grade D 25	Grade D 65		
Grade E <b>3220</b>	Grade E <b>125</b>	Grade E 30	Grade E 85		
Grade F <b>3275</b>	Grade F 155	Grade F 35	Grade F 105		
Grade G 3340	Grade G 190	Grade G 45	Grade G 125		
Grade H <b>3405</b>	Grade H 225	Grade H 50	Grade H 150		
Grade J <b>3455</b>	Grade J <b>250</b>	Grade J 55	Grade J 165		
Grade K <b>3550</b>	Grade K <b>300</b>	Grade K 70	Grade K 200		
Grade L <b>3690</b>	Grade L 375	Grade L 85	Grade L 250		
Grade M 3880	Grade M 475	Grade M 105	Grade M 315		
Leather I 4200	Leather I 645	Leather I 145	Leather I 430		
Leather II 4540	Leather II 825	Leather II 185	Leather II 550		
Leather III 4880	Leather III 1005	Leather III 225	Leather III 670		
Leather IV 5220	Leather IV 1185	Leather IV 265	Leather IV 790		
Leather V 5560	Leather V 1365	Leather V 305	Leather V 910		
Leather VI 5900	Leather VI 1545	Leather VI 345	Leather VI 1030		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 4¼ Yards	Fabric: 21/4 Yards	Fabric: ½ Yard	Fabric: 1½ Yards		
Leather: 76½ Sq. Ft.	Leather: 40½ Sq. Ft.	Leather: 9 Sq. Ft.	Leather: 27 Sq. Ft.		
				Total Re	eguired
				Upholste	
				*	Leather: 76½ Sq.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBE	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
NOMBL	Indicate fabric choice for:	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel -
	Back upholstery	Arm upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106
		•	•		

 $HST222-051. BackFabric. ArmFabric. SeatFabric. Flammability. \ Caster$ 

Example: HST222-051.950-88.950-88.950-88.U.DWCM

16



#### Cadre HST222-061



ОН 411/2-441/2 AΗ 261/2-301/2 OW 24 WBA 19 OD 26 DED DEW SH181/2-221/2 SD 19 R Shipping Weight 66 Cube 22.5

High Back | Channel Stitched Upholstered Back and Seat | Black Arm with Upholstered Arm Cap | Five-Prong Black Metal Base |

Synchronized Adjustments | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Fabric Placement:	(To Calculate, Begi	in with Base Price and	add Upcharges)	Base Price:	3290
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Upholstery:		
COM/COL 3415	COM/COL 55	COM/COL 20	COM/COL 50		
Grade A <b>3330</b>	Grade A 20	Grade A 5	Grade A 15		
Grade B <b>3375</b>	Grade B 35	Grade B 15	Grade B 35		
Grade C <b>3415</b>	Grade C 55	Grade C 20	Grade C 50		
Grade D <b>3455</b>	Grade D 75	Grade D 25	Grade D 65		
Grade E <b>3500</b>	Grade E 95	Grade E 30	Grade E 85		
Grade F <b>3550</b>	Grade F <b>120</b>	Grade F 35	Grade F <b>105</b>		
Grade G 3605	Grade G 145	Grade G 45	Grade G 125		
Grade H <b>3665</b>	Grade H 175	Grade H 50	Grade H 150		
Grade J 3705	Grade J 195	Grade J 55	Grade J 165		
Grade K 3790	Grade K 230	Grade K 70	Grade K 200		
Grade L <b>3915</b>	Grade L <b>290</b>	Grade L 85	Grade L 250		
Grade M <b>4080</b>	Grade M 370	Grade M 105	Grade M 315		
Leather I 4365	Leather I 500	Leather I 145	Leather I 430		
Leather II 4665	Leather II 640	Leather II 185	Leather II 550		
Leather III 4965	Leather III 780	Leather III 225	Leather III 670		
Leather IV 5265	Leather IV 920	Leather IV 265	Leather IV 790		
Leather V 5565	Leather V 1060	Leather V 305	Leather V 910		
Leather VI 5865	Leather VI 1200	Leather VI 345	Leather VI 1030		
Upholstery Requires:	Upholstery Requires	Upholstery Requires	Upholstery Requires		
	(Per Application):	(Per Application):	(Per Application):		
Fabric: 3¾ Yards	Fabric: 1¾ Yards	Fabric: ½ Yard	Fabric: 1½ Yards		
Leather: 67½ Sq. Ft.	Leather: 31½ Sq. Ft.	Leather: 9 Sq. Ft.	Leather: 27 Sq. Ft.		
				Total Red	guired
				Upholste	
				· F	Leather: 67½ Sq.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
NOWIDER	Indicate fabric choice for:	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Arm upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106

 $HST222-061. BackFabric. ArmFabric. SeatFabric. Flammability. \ Caster$ 

Example: HST222-061.950-88.950-88.950-88.U.DWCM



#### Cadre HST222-071



Mid Back | Channel Stitched Upholstered Back and Seat | Full Black Wrap Around Arm with Upholstered Arm Cap | Five-Prong Black Metal Base | Knee Tilt | Double Wheel Casters

351/2-391/2 261/2-301/2 ОН AΗ OW WBA 19 24 OD 26 DED SH181/2-221/2 DEW 19 SD R Shipping Weight 66 Cube 20.4

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Fabric Placement:	(To Calculate, Begi	in with Base Price and	add Upcharges)	Base Price:	3030
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Upholstery:		
COM/COL 3175	COM/COL 75	COM/COL 20	COM/COL 50		
Grade A 3080	Grade A 25	Grade A 5	Grade A 15		
Grade B <b>3125</b>	Grade B 50	Grade B 15	Grade B 35		
Grade C 3175	Grade C 75	Grade C 20	Grade C 50		
Grade D <b>3220</b>	Grade D <b>100</b>	Grade D 25	Grade D 65		
Grade E <b>3270</b>	Grade E <b>125</b>	Grade E 30	Grade E 85		
Grade F <b>3325</b>	Grade F 155	Grade F 35	Grade F 105		
Grade G 3390	Grade G 190	Grade G 45	Grade G 125		
Grade H <b>3455</b>	Grade H 225	Grade H 50	Grade H 150		
Grade J <b>3505</b>	Grade J <b>250</b>	Grade J 55	Grade J 165		
Grade K <b>3600</b>	Grade K 300	Grade K 70	Grade K 200		
Grade L 3740	Grade L 375	Grade L 85	Grade L 250		
Grade M <b>3930</b>	Grade M 475	Grade M 105	Grade M 315		
Leather I 4250	Leather I 645	Leather I 145	Leather I 430		
Leather II 4590	Leather II 825	Leather II 185	Leather II 550		
Leather III 4930	Leather III 1005	Leather III 225	Leather III 670		
Leather IV 5270	Leather IV 1185	Leather IV 265	Leather IV 790		
Leather V 5610	Leather V 1365	Leather V 305	Leather V 910		
Leather VI 5950	Leather VI 1545	Leather VI 345	Leather VI 1030		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
	(Fer Application):	(rer Application):	(Fer Application):		
Fabric: 4 <sup>1</sup> / <sub>4</sub> Yards	Fabric: 21/4 Yards	Fabric: ½ Yard	Fabric: 1½ Yards		
Leather: 76½ Sq. Ft.	Leather: 40½ Sq. Ft.	Leather: 9 Sq. Ft.	Leather: 27 Sq. Ft.		
				Total Req	uired
				Upholster	y: Fabric: 4¼ Yar
					Leather: 76½ Sq.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
NOWIDER	Indicate fabric choice for:	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Arm upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106

 $HST222-071. BackFabric. ArmFabric. SeatFabric. Flammability. \ Caster \\$ 

Example: HST222-071.950-88.950-88.950-88.U.DWCM



#### Cadre HST222-081



ОН 411/2-441/2 AΗ 261/2-301/2 OW 24 WBA 19 OD 26 DED SH181/2-221/2 DEW 19 SD R Shipping Weight 66 Cube 22.5

High Back | Channel Stitched Upholstered Back and Seat | Full Black Wrap Around Arm with Upholstered Arm Cap | Five-Prong Black Metal Base | Knee Tilt | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage^{rss}\ certified}$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and	add Upcharges)	Base Price:	3345
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Upholstery:		
COM/COL 3470	COM/COL 55	COM/COL 20	COM/COL 50		
Grade A 3385	Grade A 20	Grade A 5	Grade A 15		
Grade B <b>3430</b>	Grade B 35	Grade B 15	Grade B 35		
Grade C <b>3470</b>	Grade C 55	Grade C 20	Grade C 50		
Grade D <b>3510</b>	Grade D 75	Grade D 25	Grade D 65		
Grade E <b>3555</b>	Grade E 95	Grade E 30	Grade E 85		
Grade F <b>3605</b>	Grade F <b>120</b>	Grade F 35	Grade F <b>105</b>		
Grade G 3660	Grade G 145	Grade G 45	Grade G 125		
Grade H <b>3720</b>	Grade H 175	Grade H 50	Grade H 150		
Grade J 3760	Grade J 195	Grade J 55	Grade J <b>165</b>		
Grade K 3845	Grade K 230	Grade K 70	Grade K 200		
Grade L <b>3970</b>	Grade L <b>290</b>	Grade L 85	Grade L 250		
Grade M <b>4135</b>	Grade M 370	Grade M 105	Grade M 315		
Leather I 4420	Leather I 500	Leather I 145	Leather I 430		
Leather II 4720	Leather II 640	Leather II 185	Leather II 550		
Leather III 5020	Leather III 780	Leather III 225	Leather III 670		
Leather IV 5320	Leather IV 920	Leather IV 265	Leather IV 790		
Leather V 5620	Leather V 1060	Leather V 305	Leather V 910		
Leather VI 5920	Leather VI 1200	Leather VI 345	Leather VI 1030		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 3¾ Yards	Fabric: 1¾ Yards	Fabric: ½ Yard	Fabric: 1½ Yards		
Leather: 67½ Sq. Ft.	Leather: 31½ Sq. Ft.	Leather: 9 Sq. Ft.	Leather: 27 Sq. Ft.		
				Total Re	rauired
				Upholste	1
				- F	Leather: 67½ Sq

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODE! NUMB!		TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
TVO MB	LIC	Indicate fabric choice for:	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
		Back upholstery	Arm upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
		See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106
	•	•	•	•	•	

 $HST222-081. BackFabric. ArmFabric. SeatFabric. Flammability. \ Caster$ 

Example: HST222-081.950-88.950-88.950-88.U.DWCM



#### Cadre HST222-511



Mid Back | Upholstered Back and Seat | Polished Aluminum Arm with Upholstered Arm Cap |

Synchronized Adjustments | Five-Prong Polished Aluminum Base | Double Wheel Casters

OH	351/2-391/2	AH	261/2-301/2
OW	24	WBA	19
OD	26	DED	
SH	181/2-221/2	DEW	
SD	19	R	
Shipr	oing Weight	66	
Cube		20.4	

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and	add Upcharges)	Base Price:	2535	
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Upholstery:			
COM/COL 2615	COM/COL 30	COM/COL 20	COM/COL 30			
Grade A 2560	Grade A 10	Grade A 5	Grade A 10			
Grade B <b>2590</b>	Grade B 20	Grade B 15	Grade B 20			
Grade C 2615	Grade C 30	Grade C 20	Grade C 30			
Grade D <b>2645</b>	Grade D 45	Grade D 25	Grade D 45			
Grade E <b>2670</b>	Grade E 55	Grade E 30	Grade E 55			
Grade F <b>2705</b>	Grade F 65	Grade F 35	Grade F 65			
Grade G 2745	Grade G 85	Grade G 45	Grade G 85			
Grade H <b>2785</b>	Grade H <b>100</b>	Grade H 50	Grade H 100			
Grade J <b>2810</b>	Grade J 110	Grade J 55	Grade J 110			
Grade K <b>2865</b>	Grade K <b>130</b>	Grade K 70	Grade K 130			
Grade L <b>2950</b>	Grade L <b>165</b>	Grade L 85	Grade L 165			
Grade M <b>3060</b>	Grade M 210	Grade M 105	Grade M 210			
Leather I 3250	Leather I 285	Leather I 145	Leather I 285			
Leather II 3450	Leather II 365	Leather II 185	Leather II 365			
Leather III 3650	Leather III 445	Leather III 225	Leather III 445			
Leather IV 3850	Leather IV 525	Leather IV 265	Leather IV 525			
Leather V 4050	Leather V 605	Leather V 305	Leather V 605			
Leather VI 4250	Leather VI 685	Leather VI 345	Leather VI 685			
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):			
Fabric: 2½ Yards	Fabric: 1 Yard	Fabric: ½ Yard	Fabric: 1 Yard			
Leather: 45 Sq. Ft.	Leather: 18 Sq. Ft.	Leather: 9 Sq. Ft.	Leather: 18 Sq. Ft.			
				Total Re	equired	
				Upholste	Pry: Fabric: 2½	Yar
				*	Leather: 45	Sq.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
NOMBER	Indicate fabric choice for:	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel -
	Back upholstery	Arm upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106

 $HST222-511. BackFabric. ArmFabric. SeatFabric. Flammability. \ Caster$ 

Example: HST222-511.950-88.950-88.950-88.U.DWCM

20



SD

#### Cadre HST222-521



High Back | Upholstered Back and Seat | Polished Aluminum Arm with Upholstered Arm Cap |

Synchronized Adjustments | Five-Prong Polished Aluminum Base | Double Wheel Casters

ОН	411/2-441/2	AH	261/2-301/2
OW	24	WBA	19
OD	26	DED	
SH	181/2-221/2	DEW	

R

Shipping Weight 66 Cube 22.5

19

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and	add Upcharges)	Base Price: 2860
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Upholstery:	
COM/COL 2955	COM/COL 45	COM/COL 20	COM/COL 30	
Grade A 2890	Grade A 15	Grade A 5	Grade A 10	
Grade B <b>2925</b>	Grade B 30	Grade B 15	Grade B 20	
Grade C <b>2955</b>	Grade C 45	Grade C 20	Grade C 30	
Grade D <b>2985</b>	Grade D 55	Grade D 25	Grade D 45	
Grade E <b>3015</b>	Grade E 70	Grade E 30	Grade E 55	
Grade F <b>3050</b>	Grade F 90	Grade F 35	Grade F 65	
Grade G <b>3095</b>	Grade G 105	Grade G 45	Grade G 85	
Grade H 3135	Grade H 125	Grade H 50	Grade H 100	
Grade J <b>3165</b>	Grade J 140	Grade J 55	Grade J 110	
Grade K <b>3230</b>	Grade K 170	Grade K 70	Grade K 130	
Grade L <b>3320</b>	Grade L 210	Grade L 85	Grade L 165	
Grade M <b>3440</b>	Grade M 265	Grade M 105	Grade M 210	
Leather I 3650	Leather I 360	Leather I 145	Leather I 285	
Leather II 3870	Leather II 460	Leather II 185	Leather II 365	
Leather III 4090	Leather III 560	Leather III 225	Leather III 445	
Leather IV 4310	Leather IV 660	Leather IV 265	Leather IV 525	
Leather V 4530	Leather V 760	Leather V 305	Leather V 605	
Leather VI 4750	Leather VI 860	Leather VI 345	Leather VI 685	
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	
Fabric: 2¾ Yards	Fabric: 1¼ Yards	Fabric: ½ Yard	Fabric: 1 Yard	
Leather: 49½ Sq. Ft.	Leather: 22½ Sq. Ft.	Leather: 9 Sq. Ft.	Leather: 18 Sq. Ft.	
				Total Required
				<i>Upholstery:</i> Fabric: 2¾ Yard Leather: 49½ Sq. 1

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBE	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
NOMBL	Indicate fabric choice for:	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel -
	Back upholstery	Arm upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106
		•	•		

 $HST222-521. BackFabric. ArmFabric. SeatFabric. Flammability. \ Caster$ 

Example: HST222-521.950-88.950-88.950-88.U.DWCM

21

# НBF

#### Dimensions

#### Cadre HST222-531



ОН 351/2-391/2 AΗ 261/2-301/2 OW 24 WBA 19 OD 26 DED DEW SH181/2-221/2 SD 19 R Shipping Weight 66 Cube 20.4

Mid Back | Upholstered Back and Seat | Full Polished Aluminum Wrap Around Arm with Upholstered Arm Cap |

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Knee Tilt | Five-Prong Polished Aluminum Base | Double Wheel Casters

Fabric Placement:	(To Calculate, Begi	in with Base Price and	add Upcharges)	Base Price:	2575
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Upholstery:		
COM/COL 2655	COM/COL 30	COM/COL 20	COM/COL 30		
Grade A <b>2600</b>	Grade A 10	Grade A 5	Grade A 10		
Grade B <b>2630</b>	Grade B 20	Grade B 15	Grade B 20		
Grade C <b>2655</b>	Grade C 30	Grade C 20	Grade C 30		
Grade D <b>2685</b>	Grade D 45	Grade D 25	Grade D 45		
Grade E <b>2710</b>	Grade E 55	Grade E 30	Grade E 55		
Grade F <b>2745</b>	Grade F 65	Grade F 35	Grade F 65		
Grade G 2785	Grade G 85	Grade G 45	Grade G 85		
Grade H <b>2825</b>	Grade H 100	Grade H 50	Grade H 100		
Grade J <b>2850</b>	Grade J 110	Grade J 55	Grade J 110		
Grade K <b>2905</b>	Grade K 130	Grade K 70	Grade K 130		
Grade L <b>2990</b>	Grade L 165	Grade L 85	Grade L 165		
Grade M 3100	Grade M 210	Grade M 105	Grade M 210		
Leather I 3290	Leather I 285	Leather I 145	Leather I 285		
Leather II 3490	Leather II 365	Leather II 185	Leather II 365		
Leather III 3690	Leather III 445	Leather III 225	Leather III 445		
Leather IV 3890	Leather IV 525	Leather IV 265	Leather IV 525		
Leather V 4090	Leather V 605	Leather V 305	Leather V 605		
Leather VI 4290	Leather VI 685	Leather VI 345	Leather VI 685		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 2½ Yards	Fabric: 1 Yard	Fabric: ½ Yard	Fabric: 1 Yard		
Leather: 45 Sq. Ft.	Leather: 18 Sq. Ft.	Leather: 9 Sq. Ft.	Leather: 18 Sq. Ft.		
				Total Regi	uired
				Upholstery	
				Spiousiery	Leather: 45 Sq

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
NOMBER	Indicate fabric choice for:	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel -
	Back upholstery	Arm upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106
			•	•	

 $HST222-531. BackFabric. ArmFabric. SeatFabric. Flammability. \ Caster$ 

Example: HST222-531.950-88.950-88.950-88.U.DWCM

22



411/2-441/2

ОН

OW 24

OD 26

#### Cadre HST222-541



SH181/2-221/2 DEW 19 SD R Shipping Weight 66 Cube 22.5

 $High\ Back\ |\ Upholstered\ Back\ and\ Seat\ |\ Full\ Polished\ Aluminum\ Wrap\ Around\ Arm\ with\ Upholstered\ Arm\ Cap\ |$ 

Knee Tilt | Five-Prong Polished Aluminum Base | Double Wheel Casters

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

AΗ

WBA 19

DED

261/2-301/2

Fabric Placement:	(To Calculate, Begi	n with Base Price and	add Upcharges)	Base Price:	2910
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Upholstery:		
COM/COL 3005	COM/COL 45	COM/COL 20	COM/COL 30		
Grade A 2940	Grade A 15	Grade A 5	Grade A 10		
Grade B <b>2975</b>	Grade B 30	Grade B 15	Grade B 20		
Grade C 3005	Grade C 45	Grade C 20	Grade C 30		
Grade D <b>3035</b>	Grade D 55	Grade D 25	Grade D 45		
Grade E <b>3065</b>	Grade E 70	Grade E 30	Grade E 55		
Grade F <b>3100</b>	Grade F 90	Grade F 35	Grade F 65		
Grade G 3145	Grade G 105	Grade G 45	Grade G 85		
Grade H <b>3185</b>	Grade H <b>125</b>	Grade H 50	Grade H 100		
Grade J <b>3215</b>	Grade J <b>140</b>	Grade J 55	Grade J 110		
Grade K <b>3280</b>	Grade K <b>170</b>	Grade K 70	Grade K 130		
Grade L <b>3370</b>	Grade L <b>210</b>	Grade L 85	Grade L 165		
Grade M <b>3490</b>	Grade M 265	Grade M 105	Grade M 210		
Leather I 3700	Leather I 360	Leather I 145	Leather I 285		
Leather II 3920	Leather II 460	Leather II 185	Leather II 365		
Leather III 4140	Leather III 560	Leather III 225	Leather III 445		
Leather IV 4360	Leather IV 660	Leather IV 265	Leather IV 525		
Leather V 4580	Leather V 760	Leather V 305	Leather V 605		
Leather VI 4800	Leather VI 860	Leather VI 345	Leather VI 685		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 2¾ Yards	Fabric: 1¼ Yards	Fabric: ½ Yard	Fabric: 1 Yard		
Leather: 49½ Sq. Ft.	Leather: 22½ Sq. Ft.	Leather: 9 Sq. Ft.	Leather: 18 Sq. Ft.		
				Total Requ	ired
				Upholstery	
				1	Leather: 49½ Sq

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
NOWIDER	Indicate fabric choice for:	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Arm upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106

 $HST222-541. BackFabric. ArmFabric. SeatFabric. Flammability. \ Caster$ 

 $Example: \ HST222-541.950-88.950-88.950-88.U.DWCM$ 

23



#### Cadre HST222-551



ОН 351/2-391/2 AΗ 261/2-301/2 OW 24 WBA 19 OD 26 DED DEW SH181/2-221/2 SD 19 R Shipping Weight 66 Cube 20.4

 $Mid\;Back\;|\;Channel\;Stitched\;Upholstered\;Back\;and\;Seat\;|\;Polished\;Aluminum\;Arm\;with\;Upholstered\;Arm\;Cap\;|\;Polished\;Aluminum\;Arm\;with\;Upholstered\;Arm\;Cap\;|\;Polished\;Aluminum\;Arm\;with\;Upholstered\;Arm\;Cap\;|\;Polished\;Aluminum\;Arm\;with\;Upholstered\;Arm\;Cap\;|\;Polished\;Aluminum\;Arm\;with\;Upholstered\;Arm\;Cap\;|\;Polished\;Aluminum\;Arm\;with\;Upholstered\;Arm\;Cap\;|\;Polished\;Aluminum\;Arm\;with\;Upholstered\;Arm\;Cap\;|\;Polished\;Aluminum\;Arm\;with\;Upholstered\;Arm\;Cap\;|\;Polished\;Aluminum\;Arm\;with\;Upholstered\;Arm\;Cap\;|\;Polished\;Aluminum\;Arm\;with\;Upholstered\;Arm\;Cap\;|\;Polished\;Aluminum\;Arm\;with\;Upholstered\;Arm\;Cap\;|\;Polished\;Aluminum\;Arm\;with\;Upholstered\;Arm\;Cap\;|\;Polished\;Aluminum\;Arm\;with\;Upholstered\;Arm\;Cap\;|\;Polished\;Aluminum\;Arm\;with\;Upholstered\;Arm\;Cap\;|\;Polished\;Aluminum\;Arm\;With\;Aluminum\;Arm\;Wi$ 

Synchronized Adjustments | Five-Prong Polished Aluminum Base | Double Wheel Casters

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Fabric Placement:	(To Calculate, Begi	n with Base Price and	add Upcharges)	Base Price:	2980
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Upholstery:		
COM/COL 3125	COM/COL 75	COM/COL 20	COM/COL 50		
Grade A <b>3030</b>	Grade A 25	Grade A 5	Grade A 15		
Grade B <b>3075</b>	Grade B 50	Grade B 15	Grade B 35		
Grade C 3125	Grade C 75	Grade C 20	Grade C 50		
Grade D <b>3170</b>	Grade D 100	Grade D 25	Grade D 65		
Grade E <b>3220</b>	Grade E 125	Grade E 30	Grade E 85		
Grade F <b>3275</b>	Grade F <b>155</b>	Grade F 35	Grade F 105		
Grade G 3340	Grade G 190	Grade G 45	Grade G 125		
Grade H <b>3405</b>	Grade H <b>225</b>	Grade H 50	Grade H 150		
Grade J <b>3455</b>	Grade J <b>250</b>	Grade J 55	Grade J 165		
Grade K <b>3550</b>	Grade K 300	Grade K 70	Grade K 200		
Grade L <b>3690</b>	Grade L 375	Grade L 85	Grade L 250		
Grade M <b>3880</b>	Grade M 475	Grade M 105	Grade M 315		
Leather I 4200	Leather I 645	Leather I 145	Leather I 430		
Leather II 4540	Leather II 825	Leather II 185	Leather II 550		
Leather III 4880	Leather III 1005	Leather III 225	Leather III 670		
Leather IV 5220	Leather IV 1185	Leather IV 265	Leather IV 790		
Leather V 5560	Leather V 1365	Leather V 305	Leather V 910		
Leather VI 5900	Leather VI 1545	Leather VI 345	Leather VI 1030		
Upholstery Requires:	Upholstery Requires	Upholstery Requires	Upholstery Requires		
	(Per Application):	(Per Application):	(Per Application):		
Fabric: 4¼ Yards	Fabric: 2¼ Yards	Fabric: ½ Yard	Fabric: 1½ Yards		
Leather: 76½ Sq. Ft.	Leather: 40½ Sq. Ft.	Leather: 9 Sq. Ft.	Leather: 27 Sq. Ft.		
				Total Req	guired
				Upholster	
				1	Leather: 76½ Sq.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
NOWIDER	Indicate fabric choice for:	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Arm upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106

 $HST222-551. BackFabric. ArmFabric. SeatFabric. Flammability. \ Caster$ 

Example: HST222-551.950-88.950-88.950-88.U.DWCM



#### Cadre HST222-561



ОН 411/2-441/2 AΗ 261/2-301/2 OW 24 WBA 19 OD 26 DED SH181/2-221/2 DEW SD 19 R Shipping Weight 66 Cube 22.5

 $High\ Back\ |\ Channel\ Stitched\ Upholstered\ Back\ and\ Seat\ |\ Polished\ Aluminum\ Arm\ with\ Upholstered\ Arm\ Cap\ |$ 

Synchronized Adjustments | Five-Prong Polished Aluminum Base | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage^{rss}\ certified}$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and	add Upcharges)	Base Price:	3290
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Upholstery:		
COM/COL 3415	COM/COL 55	COM/COL 20	COM/COL 50		
Grade A <b>3330</b>	Grade A 20	Grade A 5	Grade A 15		
Grade B <b>3375</b>	Grade B 35	Grade B 15	Grade B 35		
Grade C <b>3415</b>	Grade C 55	Grade C 20	Grade C 50		
Grade D <b>3455</b>	Grade D 75	Grade D 25	Grade D 65		
Grade E <b>3500</b>	Grade E 95	Grade E 30	Grade E 85		
Grade F <b>3550</b>	Grade F <b>120</b>	Grade F 35	Grade F 105		
Grade G <b>3605</b>	Grade G 145	Grade G 45	Grade G 125		
Grade H <b>3665</b>	Grade H 175	Grade H 50	Grade H 150		
Grade J <b>3705</b>	Grade J 195	Grade J 55	Grade J 165		
Grade K <b>3790</b>	Grade K 230	Grade K 70	Grade K 200		
Grade L <b>3915</b>	Grade L <b>290</b>	Grade L 85	Grade L 250		
Grade M 4080	Grade M 370	Grade M 105	Grade M 315		
Leather I 4365	Leather I 500	Leather I 145	Leather I 430		
Leather II 4665	Leather II 640	Leather II 185	Leather II 550		
Leather III 4965	Leather III 780	Leather III 225	Leather III 670		
Leather IV 5265	Leather IV 920	Leather IV 265	Leather IV 790		
Leather V 5565	Leather V 1060	Leather V 305	Leather V 910		
Leather VI 5865	Leather VI 1200	Leather VI 345	Leather VI 1030		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 3¾ Yards	Fabric: 1¾ Yards	Fabric: ½ Yard	Fabric: 1½ Yards		
Leather: 67½ Sq. Ft.	Leather: 31½ Sq. Ft.	Leather: 9 Sq. Ft.	Leather: 27 Sq. Ft.		
				Total Red	guired
				Upholste	1
				- F	Leather: 67½ Sq.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
	Indicate fabric choice for:	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Arm upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106
	•				

 $HST222-561. BackFabric. ArmFabric. SeatFabric. Flammability. \ Caster$ 

Example: HST222-561.950-88.950-88.950-88.U.DWCM



#### Cadre HST222-571



ОН 351/2-391/2 AΗ 261/2-301/2 OW WBA 19 24 OD 26 DED SH181/2-221/2 DEW SD 19 R Shipping Weight 66 Cube 20.4

Mid Back | Channel Stitched Upholstered Back and Seat | Full Polished Aluminum Wrap Around Arm with Upholstered Arm Cap |

Knee Tilt | Five-Prong Polished Aluminum Base | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and	add Upcharges)	Base Price:	3030
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Upholstery:		
COM/COL 3175	COM/COL 75	COM/COL 20	COM/COL 50		
Grade A <b>3080</b>	Grade A 25	Grade A 5	Grade A 15		
Grade B <b>3125</b>	Grade B 50	Grade B 15	Grade B 35		
Grade C 3175	Grade C 75	Grade C 20	Grade C 50		
Grade D <b>3220</b>	Grade D 100	Grade D 25	Grade D 65		
Grade E <b>3270</b>	Grade E <b>125</b>	Grade E 30	Grade E 85		
Grade F <b>3325</b>	Grade F 155	Grade F 35	Grade F 105		
Grade G <b>3390</b>	Grade G 190	Grade G 45	Grade G 125		
Grade H <b>3455</b>	Grade H 225	Grade H 50	Grade H 150		
Grade J <b>3505</b>	Grade J 250	Grade J 55	Grade J 165		
Grade K <b>3600</b>	Grade K 300	Grade K 70	Grade K 200		
Grade L <b>3740</b>	Grade L 375	Grade L 85	Grade L 250		
Grade M <b>3930</b>	Grade M 475	Grade M 105	Grade M 315		
Leather I 4250	Leather I 645	Leather I 145	Leather I 430		
Leather II 4590	Leather II 825	Leather II 185	Leather II 550		
Leather III 4930	Leather III 1005	Leather III 225	Leather III 670		
Leather IV 5270	Leather IV 1185	Leather IV 265	Leather IV 790		
Leather V 5610	Leather V 1365	Leather V 305	Leather V 910		
Leather VI 5950	Leather VI 1545	Leather VI 345	Leather VI 1030		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 4¼ Yards	Fabric: 2¼ Yards	Fabric: ½ Yard	Fabric: 1½ Yards		
Leather: 76½ Sq. Ft.	Leather: 40½ Sq. Ft.	Leather: 9 Sq. Ft.	Leather: 27 Sq. Ft.		
				Total Re	quired
				Upholste	
				1	Leather: 76½ Sq

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
NOWIDER	Indicate fabric choice for:	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Arm upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106

 $HST222-571. BackFabric. ArmFabric. SeatFabric. Flammability. \ Caster$ 

Example: HST222-571.950-88.950-88.950-88.U.DWCM

26



#### Cadre HST222-581



ОН 411/2-441/2 AΗ 261/2-301/2 OW 24 WBA 19 OD 26 DED DEW SH 181/2-221/2 SD 19 R Shipping Weight 66 Cube 22.5

High Back | Channel Stitched Upholstered Back and Seat | Full Polished Aluminum Wrap Around Arm with Upholstered Arm Cap |

Knee Tilt | Five-Prong Polished Aluminum Base | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and	add Upcharges)	Base Price:	3345
Upholstery:	Back Upholstery:	Arm Upholstery:	Seat Upholstery:		
COM/COL 3470	COM/COL 55	COM/COL 20	COM/COL 50		
Grade A 3385	Grade A 20	Grade A 5	Grade A 15		
Grade B <b>3430</b>	Grade B 35	Grade B 15	Grade B 35		
Grade C <b>3470</b>	Grade C 55	Grade C 20	Grade C 50		
Grade D <b>3510</b>	Grade D 75	Grade D 25	Grade D 65		
Grade E <b>3555</b>	Grade E 95	Grade E 30	Grade E 85		
Grade F <b>3605</b>	Grade F <b>120</b>	Grade F 35	Grade F 105		
Grade G 3660	Grade G 145	Grade G 45	Grade G 125		
Grade H <b>3720</b>	Grade H 175	Grade H 50	Grade H 150		
Grade J <b>3760</b>	Grade J 195	Grade J 55	Grade J 165		
Grade K <b>3845</b>	Grade K 230	Grade K 70	Grade K 200		
Grade L <b>3970</b>	Grade L 290	Grade L 85	Grade L 250		
Grade M <b>4135</b>	Grade M 370	Grade M 105	Grade M 315		
Leather I 4420	Leather I 500	Leather I 145	Leather I 430		
Leather II 4720	Leather II 640	Leather II 185	Leather II 550		
Leather III 5020	Leather III 780	Leather III 225	Leather III 670		
Leather IV 5320	Leather IV 920	Leather IV 265	Leather IV 790		
Leather V 5620	Leather V 1060	Leather V 305	Leather V 910		
Leather VI 5920	Leather VI 1200	Leather VI 345	Leather VI 1030		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 3¾ Yards	Fabric: 1¾ Yards	Fabric: ½ Yard	Fabric: 1½ Yards		
Leather: 67½ Sq. Ft.	Leather: 31½ Sq. Ft.	Leather: 9 Sq. Ft.	Leather: 27 Sq. Ft.		
				Total Requ	iired
				Upholstery	
				Opholstery	Leather: 67½ So

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
NOWIDER	Indicate fabric choice for:	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Arm upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106

 $HST222-581. BackFabric. ArmFabric. SeatFabric. Flammability. \ Caster$ 

Example: HST222-581.950-88.950-88.950-88.U.DWCM

27

#### Cadre HST222-111



Mid Back | Upholstered Back and Seat | Black Arm with Urethane Arm Cap | Five-Prong Black Metal Base |

Synchronized Adjustments | Double Wheel Casters

ОН 351/2-391/2 AΗ 261/2-301/2 OW 24 WBA 19 OD 26 DED DEW SH181/2-221/2 SD 19 R Shipping Weight 66 Cube 20.4

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price:	2425	
Upholstery:	Back Upholstery:	Seat Upholstery:			
COM/COL 2485	COM/COL 30	COM/COL 30			
Grade A <b>2445</b>	Grade A 10	Grade A 10			
Grade B <b>2465</b>	Grade B 20	Grade B 20			
Grade C <b>2485</b>	Grade C 30	Grade C 30			
Grade D <b>2515</b>	Grade D 45	Grade D 45			
Grade E <b>2535</b>	Grade E 55	Grade E 55			
Grade F <b>2555</b>	Grade F 65	Grade F 65			
Grade G <b>2595</b>	Grade G 85	Grade G 85			
Grade H <b>2625</b>	Grade H 100	Grade H 100			
Grade J <b>2645</b>	Grade J 110	Grade J 110			
Grade K <b>2685</b>	Grade K 130	Grade K 130			
Grade L <b>2755</b>	Grade L 165	Grade L 165			
Grade M <b>2845</b>	Grade M 210	Grade M 210			
Leather I 2995	Leather I 285	Leather I 285			
Leather II 3155	Leather II 365	Leather II 365			
Leather III 3315	Leather III 445	Leather III 445			
Leather IV 3475	Leather IV 525	Leather IV 525			
Leather V 3635	Leather V 605	Leather V 605			
Leather VI 3795	Leather VI 685	Leather VI 685			
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):			
Fabric: 2 Yards	Fabric: 1 Yard	Fabric: 1 Yard			
Leather: 36 Sq. Ft.	Leather: 18 Sq. Ft.	Leather: 18 Sq. Ft.			
			Total R	eauired	
			Upholst	1	Yard
			<i>I</i>	Leather: 36	Sq. I

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106

HST222-111.BackFabric.SeatFabric.Flammability.Caster Example: HST222-111.950-88.950-88.U.DWCM



OW 24

OD 26

SH

SD

Cube

OH 41½-44½

19

Shipping Weight

181/2-221/2

#### Cadre HST222-121



High Back | Upholstered Back and Seat | Black Arm with Urethane Arm Cap | Five-Prong Black Metal Base |

Synchronized Adjustments | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified
Indoor Advantage™ certified

AΗ

WBA

DED DEW

R

66

22.5

261/2-301/2

19

Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price:	2755
Upholstery:	Back Upholstery:	Seat Upholstery:		
COM/COL 2830	COM/COL 45	COM/COL 30		
Grade A 2780	Grade A 15	Grade A 10		
Grade B <b>2805</b>	Grade B 30	Grade B 20		
Grade C <b>2830</b>	Grade C 45	Grade C 30		
Grade D <b>2855</b>	Grade D 55	Grade D 45		
Grade E <b>2880</b>	Grade E 70	Grade E 55		
Grade F <b>2910</b>	Grade F 90	Grade F 65		
Grade G <b>2945</b>	Grade G 105	Grade G 85		
Grade H <b>2980</b>	Grade H 125	Grade H 100		
Grade J 3005	Grade J 140	Grade J 110		
Grade K 3055	Grade K 170	Grade K 130		
Grade L 3130	Grade L 210	Grade L 165		
Grade M 3230	Grade M 265	Grade M 210		
Leather I 3400	Leather I 360	Leather I 285 Leather II 365		
Leather II 3580 Leather III 3760	Leather II 460 Leather III 560			
Leather III 3760 Leather IV 3940	Leather III 560 Leather IV 660	Leather III 445 Leather IV 525		
Leather V 4120	Leather V 760	Leather V 605		
Leather VI 4300	Leather VI 860	Leather VI 685		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 21/4 Yards	Fabric: 1¼ Yards	Fabric: 1 Yard		
Leather: 40½ Sq. Ft.	Leather: 22½ Sq. Ft.	Leather: 18 Sq. Ft.		
			Total R	equired .
			Upholst	t <b>ery:</b> Fabric: 2¼ Yar
				Leather: 40½ Sq.

29

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
TVOMBER	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106

HST222-121.BackFabric.SeatFabric.Flammability.Caster Example: HST222-121.950-88.950-88.U.DWCM

# Cadre HST222-131 OH 35½-39½ OW 24 OD 26 SH 18½-22½ SD 19

Shipping Weight 66 Cube 20.4

 $Mid\;Back\;|\;Upholstered\;Back\;and\;Seat\;|\;Full\;Black\;Wrap\;Around\;Arm\;with\;Urethane\;Arm\;Cap\;|$ 

Five-Prong Black Metal Base | Knee Tilt Adjustments | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

AΗ

WBA 19

DED DEW

R

261/2-301/2

Pricing for Single Fabric Placement:	_	e Fabric Placement: In with Base Price and add Upcharges)	Base Price:	2440	
Upholstery:	Back Upholstery:	Seat Upholstery:			
COM/COL 2500	COM/COL 30	COM/COL 30			
Grade A <b>2460</b>	Grade A 10	Grade A 10			
Grade B <b>2480</b>	Grade B 20	Grade B 20			
Grade C 2500	Grade C 30	Grade C 30			
Grade D <b>2530</b>	Grade D 45	Grade D 45			
Grade E <b>2550</b>	Grade E 55	Grade E 55			
Grade F <b>2570</b>	Grade F 65	Grade F 65			
Grade G <b>2610</b>	Grade G 85	Grade G 85			
Grade H <b>2640</b>	Grade H 100	Grade H 100			
Grade J <b>2660</b>	Grade J <b>110</b>	Grade J 110			
Grade K <b>2700</b>	Grade K 130	Grade K 130			
Grade L <b>2770</b>	Grade L 165	Grade L 165			
Grade M <b>2860</b>	Grade M 210	Grade M 210			
Leather I 3010	Leather I 285	Leather I 285			
Leather II 3170	Leather II 365	Leather II 365			
Leather III 3330	Leather III 445	Leather III 445			
Leather IV 3490	Leather IV 525	Leather IV 525			
Leather V 3650	Leather V 605	Leather V 605			
Leather VI 3810	Leather VI 685	Leather VI 685			
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):			
Fabric: 2 Yards	Fabric: 1 Yard	Fabric: 1 Yard			
Leather: 36 Sq. Ft.	Leather: 18 Sq. Ft.	Leather: 18 Sq. Ft.			
			Total R	equired	
			Upholst		Yaro
			<i>I</i>	Leather: 36	Sq. F

30

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel -
	Back upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106

HST222-131.BackFabric.SeatFabric.Flammability.Caster Example: HST222-131.950-88.950-88.U.DWCM



OW 24

OD 26

SH

SD

Cube

OH 41½-44½

19

Shipping Weight

181/2-221/2

#### Cadre HST222-141



High Back | Upholstered Back and Seat | Full Black Wrap Around Arm with Urethane Arm Cap |

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

AΗ

WBA

DED DEW

R

66

22.5

261/2-301/2

19

Five-Prong Black Metal Base   Knee Tilt Adjustments   Double Wheel Casters	Indoor Advantage™

Pricing for Single Fabric Placement:	_	e Fabric Placement: n with Base Price and add Upcharges)	Base Price:	2775
Upholstery:	Back Upholstery:	Seat Upholstery:		
COM/COL 2850	COM/COL 45	COM/COL 30		
Grade A <b>2800</b>	Grade A 15	Grade A 10		
Grade B <b>2825</b>	Grade B 30	Grade B 20		
Grade C <b>2850</b>	Grade C 45	Grade C 30		
Grade D <b>2875</b>	Grade D 55	Grade D 45		
Grade E <b>2900</b>	Grade E 70	Grade E 55		
Grade F <b>2930</b>	Grade F 90	Grade F 65		
Grade G <b>2965</b>	Grade G 105	Grade G 85		
Grade H 3000	Grade H 125	Grade H 100		
Grade J <b>3025</b>	Grade J 140	Grade J 110		
Grade K 3075	Grade K 170	Grade K 130		
Grade L 3150	Grade L 210	Grade L 165		
Grade M <b>3250</b>	Grade M 265	Grade M 210		
Leather I 3420	Leather I 360	Leather I 285		
Leather II 3600	Leather II 460	Leather II 365		
Leather III 3780	Leather III 560	Leather III 445		
Leather IV 3960	Leather IV 660	Leather IV 525		
Leather V 4140	Leather V 760	Leather V 605		
Leather VI 4320	Leather VI 860	Leather VI 685		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 21/4 Yards	Fabric: 1¼ Yards	Fabric: 1 Yard		
Leather: 40½ Sq. Ft.	Leather: 22½ Sq. Ft.	Leather: 18 Sq. Ft.		
			Total Ro	equired
			Upholst	ery: Fabric: 21/4
			_	Leather: 40½

31

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106

HST222-141.BackFabric.SeatFabric.Flammability.Caster Example: HST222-141.950-88.950-88.U.DWCM



#### Cadre HST222-151



ОН 351/2-391/2 AΗ 261/2-301/2 OW 24 WBA 19 OD 26 DED SH181/2-221/2 DEW SD 19 R Shipping Weight 66 Cube 20.4

Mid Back | Channel Stitched Upholstered Back and Seat | Black Arm with Urethane Arm Cap | Five-Prong Black Metal Base |

Synchronized Adjustments | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price:	2870
Upholstery:	Back Upholstery:	Seat Upholstery:		
COM/COL 2995	COM/COL 75	COM/COL 50		
Grade A 2910	Grade A 25	Grade A 15		
Grade B <b>2955</b>	Grade B 50	Grade B 35		
Grade C <b>2995</b>	Grade C 75	Grade C 50		
Grade D <b>3035</b>	Grade D <b>100</b>	Grade D 65		
Grade E <b>3080</b>	Grade E <b>125</b>	Grade E 85		
Grade F <b>3130</b>	Grade F <b>155</b>	Grade F 105		
Grade G 3185	Grade G 190	Grade G 125		
Grade H <b>3245</b>	Grade H 225	Grade H 150		
Grade J <b>3285</b>	Grade J <b>250</b>	Grade J 165		
Grade K <b>3370</b>	Grade K 300	Grade K 200		
Grade L <b>3495</b>	Grade L 375	Grade L 250		
Grade M <b>3660</b>	Grade M 475	Grade M 315		
Leather I 3945	Leather I 645	Leather I 430		
Leather II 4245	Leather II 825	Leather II 550		
Leather III 4545	Leather III 1005	Leather III 670		
Leather IV 4845	Leather IV 1185	Leather IV 790		
Leather V 5145	Leather V 1365	Leather V 910		
Leather VI 5445	Leather VI 1545	Leather VI 1030		
Upholstery Requires:	Upholstery Requires	Upholstery Requires		
	(Per Application):	(Per Application):		
Fabric: 3¾ Yards	Fabric: 2¼ Yards	Fabric: 1½ Yards		
Leather: 67½ Sq. Ft.	Leather: 40½ Sq. Ft.	Leather: 27 Sq. Ft.		
			Total Re	quired
			Upholste	
			2	Leather: 67½ Sq. F

32

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
T, CINDLI	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106
	MODEL NUMBER	NUMBER Indicate fabric choice for:  Back upholstery  See options for fabrics at	NUMBER  Indicate fabric choice for:  Back upholstery  Sea upholstery  See options for fabrics at www.hbftextiles.com  Indicate fabric choice for:  Seat upholstery  See options for fabrics at www.hbftextiles.com	NUMBER  Indicate fabric choice for:  Back upholstery  Seat upholstery  See options for fabrics at www.bbftextiles.com  Indicate fabric choice for:  Indicate flammability:  U = Cal 117

HST222-151.BackFabric.SeatFabric.Flammability.Caster Example: HST222-151.950-88.950-88.U.DWCM



#### Cadre HST222-161



ОН 411/2-441/2 AΗ 261/2-301/2 OW 24 WBA 19 OD 26 DED SH181/2-221/2 DEW SD 19 R Shipping Weight 66 Cube 22.5

High Back | Channel Stitched Upholstered Back and Seat | Black Arm with Urethane Arm Cap | Five-Prong Black Metal Base |

Synchronized Adjustments | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price:	3180
Upholstery:	Back Upholstery:	Seat Upholstery:		
COM/COL 3285	COM/COL 55	COM/COL 50		
Grade A 3215	Grade A 20	Grade A 15		
Grade B <b>3250</b>	Grade B 35	Grade B 35		
Grade C <b>3285</b>	Grade C 55	Grade C 50		
Grade D <b>3325</b>	Grade D 75	Grade D 65		
Grade E <b>3360</b>	Grade E 95	Grade E 85		
Grade F <b>3400</b>	Grade F <b>120</b>	Grade F 105		
Grade G <b>3455</b>	Grade G 145	Grade G 125		
Grade H 3505	Grade H 175	Grade H 150		
Grade J <b>3540</b>	Grade J 195	Grade J 165		
Grade K <b>3610</b>	Grade K 230	Grade K 200		
Grade L 3720	Grade L 290	Grade L 250		
Grade M 3865	Grade M 370	Grade M 315		
Leather I 4110	Leather I 500	Leather I 430		
Leather II 4370	Leather II 640	Leather II 550		
Leather III 4630	Leather III 780	Leather III 670		
Leather IV 4890	Leather IV 920	Leather IV 790		
Leather V 5150	Leather V 1060	Leather V 910		
Leather VI 5410	Leather VI 1200	Leather VI 1030		
Upholstery Requires:	Upholstery Requires	Upholstery Requires		
	(Per Application):	(Per Application):		
Fabric: 3¼ Yards	Fabric: 1¾ Yards	Fabric: 1½ Yards		
Leather: 58½ Sq. Ft.	Leather: 31½ Sq. Ft.	Leather: 27 Sq. Ft.		
			Total R	equired
			Upholst	*
			1	Leather: 58½ Sq.

33

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106
	•		•	

HST222-161.BackFabric.SeatFabric.Flammability.Caster Example: HST222-161.950-88.950-88.U.DWCM



#### Cadre HST222-171



ОН 351/2-391/2 AΗ 261/2-301/2 OW WBA 19 24 OD 26 DED DEW SH181/2-221/2 19 SD R Shipping Weight 66 Cube 20.4

Mid Back | Channel Stitched Upholstered Back and Seat | Full Black Wrap Around Arm with Urethane Arm Cap |

Five-Prong Black Metal Base | Knee Tilt | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price:	2890
Upholstery:	Back Upholstery:	Seat Upholstery:		
COM/COL 3015	COM/COL 75	COM/COL 50		
Grade A <b>2930</b>	Grade A 25	Grade A 15		
Grade B <b>2975</b>	Grade B 50	Grade B 35		
Grade C <b>3015</b>	Grade C 75	Grade C 50		
Grade D <b>3055</b>	Grade D <b>100</b>	Grade D 65		
Grade E <b>3100</b>	Grade E <b>125</b>	Grade E 85		
Grade F <b>3150</b>	Grade F 155	Grade F 105		
Grade G 3205	Grade G 190	Grade G 125		
Grade H 3265	Grade H 225	Grade H 150		
Grade J 3305	Grade J <b>250</b>	Grade J 165		
Grade K 3390	Grade K 300	Grade K 200		
Grade L 3515	Grade L 375	Grade L 250		
Grade M <b>3680</b>	Grade M 475	Grade M 315		
Leather I 3965	Leather I 645	Leather I 430		
Leather II 4265	Leather II 825	Leather II 550		
Leather III 4565	Leather III 1005	Leather III 670		
Leather IV 4865	Leather IV 1185	Leather IV 790		
Leather V 5165	Leather V 1365	Leather V 910		
Leather VI 5465	Leather VI 1545	Leather VI 1030		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 3¾ Yards	Fabric: 2½ Yards	Fabric: 1½ Yards		
Leather: 67½ Sq. Ft.	Leather: 40½ Sq. Ft.	Leather: 27 Sq. Ft.		
Ecatiler: 0/ /2 5q. 1 t.	Leather, 40/2 3q. 1 t.	Ecamer. 27 Sq. 1 t.		
			Total Re	
			Upholste	•
				Leather: 67½ Sq.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEI Numbi	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106
			•	

HST222-171.BackFabric.SeatFabric.Flammability.Caster Example: HST222-171.950-88.950-88.U.DWCM



#### Cadre HST222-181



OH411/2-441/2 AΗ 261/2-301/2 OW 24 WBA 19 OD 26 DED DEW SH181/2-221/2 SD 19 R Shipping Weight 66 Cube 22.5

High Back | Channel Stitched Upholstered Back and Seat | Full Black Wrap Around Arm with Urethane Arm Cap |

Five-Prong Black Metal Base | Knee Tilt | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Pricing for Single	cing for Single Pricing for Multiple Fabric Placement:  (To Calculate, Begin with Base Price and add Upch			3205
rabite i facement:	(10 Canculate, Begi	n with Dase I rice and and Optharges)	Base Price:	320)
Upholstery:	Back Upholstery:	Seat Upholstery:		
COM/COL 3310	COM/COL 55	COM/COL 50		
Grade A 3240	Grade A 20	Grade A 15		
Grade B <b>3275</b>	Grade B 35	Grade B 35		
Grade C 3310	Grade C 55	Grade C 50		
Grade D <b>3350</b>	Grade D 75	Grade D 65		
Grade E <b>3385</b>	Grade E 95	Grade E 85		
Grade F <b>3425</b>	Grade F <b>120</b>	Grade F <b>105</b>		
Grade G 3480	Grade G 145	Grade G 125		
Grade H <b>3530</b>	Grade H 175	Grade H 150		
Grade J 3565	Grade J 195	Grade J 165		
Grade K <b>3635</b>	Grade K 230	Grade K <b>200</b>		
Grade L 3745	Grade L 290	Grade L <b>250</b>		
Grade M <b>3890</b>	Grade M 370	Grade M 315		
Leather I 4135	Leather I 500	Leather I 430		
Leather II 4395	Leather II 640	Leather II 550		
Leather III 4655	Leather III 780	Leather III 670		
Leather IV 4915	Leather IV 920	Leather IV 790		
Leather V 5175	Leather V 1060	Leather V 910		
Leather VI 5435	Leather VI 1200	Leather VI 1030		
Upholstery Requires:	<b>Upholstery Requires</b>	Upholstery Requires		
	(Per Application):	(Per Application):		
Fabric: 31/4 Yards	Fabric: 1¾ Yards	Fabric: 1½ Yards		
Leather: 58½ Sq. Ft.	Leather: 31½ Sq. Ft.	Leather: 27 Sq. Ft.		
			Total Re	equired
			Upholst	ery: Fabric: 3¼ Yar
			•	Leather: 58½ Sq.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel -
	Back upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106

HST222-181.BackFabric.SeatFabric.Flammability.Caster Example: HST222-181.950-88.950-88.U.DWCM

#### Cadre HST222-611



ОН 351/2-391/2 AΗ 261/2-301/2 OW WBA 19 24 OD 26 DED SH181/2-221/2 DEW SD 19 R Shipping Weight 66 Cube 20.4

Mid Back | Upholstered Back and Seat | Polished Aluminum Arm with Urethane Arm Cap | Five-Prong Polished Aluminum Base |

Synchronized Adjustments | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price:	2420	
Upholstery:	Back Upholstery:	Seat Upholstery:			
COM/COL 2485	COM/COL 30	COM/COL 30			
Grade A <b>2445</b>	Grade A 10	Grade A 10			
Grade B <b>2465</b>	Grade B 20	Grade B 20			
Grade C <b>2485</b>	Grade C 30	Grade C 30			
Grade D <b>2515</b>	Grade D 45	Grade D 45			
Grade E <b>2535</b>	Grade E 55	Grade E 55			
Grade F <b>2555</b>	Grade F 65	Grade F 65			
Grade G <b>2595</b>	Grade G 85	Grade G 85			
Grade H <b>2625</b>	Grade H 100	Grade H 100			
Grade J <b>2645</b>	Grade J <b>110</b>	Grade J 110			
Grade K <b>2685</b>	Grade K 130	Grade K 130			
Grade L <b>2755</b>	Grade L 165	Grade L 165			
Grade M 2845	Grade M 210	Grade M 210			
Leather I 2995	Leather I 285	Leather I 285			
Leather II 3155	Leather II 365	Leather II 365			
Leather III 3315	Leather III 445	Leather III 445			
Leather IV 3475	Leather IV 525	Leather IV 525			
Leather V 3635	Leather V 605	Leather V 605			
Leather VI 3795	Leather VI 685	Leather VI 685			
Upholstery Requires:	Upholstery Requires	Upholstery Requires			
	(Per Application):	(Per Application):			
Fabric: 2 Yards	Fabric: 1 Yard	Fabric: 1 Yard			
Leather: 36 Sq. Ft.	Leather: 18 Sq. Ft.	Leather: 18 Sq. Ft.			
			Total Re	quired	
			Upholste	<i>rry:</i> Fabric: 2	Yards
			1	Leather: 36	Sq. F

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106

HST222-611.BackFabric.SeatFabric.Flammability.Caster Example: HST222-611.950-88.950-88.U.DWCM



411/2-441/2

ОН

OW 24

#### Cadre HST222-621



OD 26 DED DEW SH181/2-221/2 SD 19 R Shipping Weight 66 Cube 22.5

High Back | Upholstered Back and Seat | Polished Aluminum Arm with Urethane Arm Cap | Five-Prong Polished Aluminum Base |

Synchronized Adjustments | Double Wheel Casters

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

AΗ

WBA 19

261/2-301/2

Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price:	2755
Upholstery:	Back Upholstery:	Seat Upholstery:		
COM/COL 2830	COM/COL 45	COM/COL 30		
Grade A 2780	Grade A 15	Grade A 10		
Grade B <b>2805</b>	Grade B 30	Grade B 20		
Grade C <b>2830</b>	Grade C 45	Grade C 30		
Grade D <b>2855</b>	Grade D 55	Grade D 45		
Grade E <b>2880</b>	Grade E 70	Grade E 55		
Grade F <b>2910</b>	Grade F 90	Grade F 65		
Grade G <b>2945</b>	Grade G 105	Grade G 85		
Grade H <b>2980</b>	Grade H 125	Grade H 100		
Grade J <b>3005</b>	Grade J 140	Grade J 110		
Grade K <b>3055</b>	Grade K 170	Grade K 130		
Grade L <b>3130</b>	Grade L 210	Grade L 165		
Grade M <b>3230</b>	Grade M 265	Grade M 210		
Leather I 3400	Leather I 360	Leather I 285		
Leather II 3580	Leather II 460	Leather II 365		
Leather III 3760	Leather III 560	Leather III 445		
Leather IV 3940	Leather IV 660	Leather IV 525		
Leather V 4120	Leather V 760	Leather V 605		
Leather VI 4300	Leather VI 860	Leather VI 685		
Upholstery Requires:	<b>Upholstery Requires</b>	Upholstery Requires		
	(Per Application):	(Per Application):		
Fabric: 2 <sup>1</sup> / <sub>4</sub> Yards	Fabric: 1¼ Yards	Fabric: 1 Yard		
Leather: 40½ Sq. Ft.	Leather: 22½ Sq. Ft.	Leather: 18 Sq. Ft.		
			Total R	equired
			Upholst	*
			•	Leather: 40½ Sq.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel -
	Back upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106

 $HST222-621. Back Fabric. Seat Fabric. Flam mability. \ Caster$  $Example: \ HST222-621.950-88.950-88.U.DWCM$ 

#### Cadre HST222-631



ОН 351/2-391/2 AΗ 261/2-301/2 OW 24 WBA 19 OD 26 DED DEW SH181/2-221/2 SD 19 R Shipping Weight 66 Cube 20.4

Mid Back | Upholstered Back and Seat | Full Polished Aluminum Wrap Around Arm with Urethane Arm Cap |

Knee Tilt | Five-Prong Polished Aluminum Base | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price:	2435	
Upholstery:	Back Upholstery:	Seat Upholstery:			
COM/COL 2500	COM/COL 30	COM/COL 30			
Grade A <b>2460</b>	Grade A 10	Grade A 10			
Grade B <b>2480</b>	Grade B 20	Grade B 20			
Grade C <b>2500</b>	Grade C 30	Grade C 30			
Grade D <b>2530</b>	Grade D 45	Grade D 45			
Grade E <b>2550</b>	Grade E 55	Grade E 55			
Grade F <b>2570</b>	Grade F 65	Grade F 65			
Grade G <b>2610</b>	Grade G 85	Grade G 85			
Grade H <b>2640</b>	Grade H 100	Grade H 100			
Grade J <b>2660</b>	Grade J 110	Grade J 110			
Grade K <b>2700</b>	Grade K 130	Grade K 130			
Grade L <b>2770</b>	Grade L 165	Grade L 165			
Grade M <b>2860</b>	Grade M 210	Grade M 210			
Leather I 3010	Leather I 285	Leather I 285			
Leather II 3170	Leather II 365	Leather II 365			
Leather III 3330	Leather III 445	Leather III 445			
Leather IV 3490	Leather IV 525	Leather IV 525			
Leather V 3650	Leather V 605	Leather V 605			
Leather VI 3810	Leather VI 685	Leather VI 685			
Upholstery Requires:	Upholstery Requires	Upholstery Requires			
	(Per Application):	(Per Application):			
Fabric: 2 Yards	Fabric: 1 Yard	Fabric: 1 Yard			
Leather: 36 Sq. Ft.	Leather: 18 Sq. Ft.	Leather: 18 Sq. Ft.			
			Total Ro	equired	
			Upholst		Yar
			1	Leather: 36	Sq.

38

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
T, CINDLI	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106
	MODEL NUMBER	NUMBER Indicate fabric choice for:  Back upholstery  See options for fabrics at	NUMBER  Indicate fabric choice for:  Back upholstery  Sea upholstery  See options for fabrics at www.hbftextiles.com  Indicate fabric choice for:  Seat upholstery  See options for fabrics at www.hbftextiles.com	NUMBER  Indicate fabric choice for:  Back upholstery  Seat upholstery  See options for fabrics at www.bbftextiles.com  Indicate fabric choice for:  Indicate flammability:  U = Cal 117

HST222-631.BackFabric.SeatFabric.Flammability.Caster Example: HST222-631.950-88.950-88.U.DWCM



411/2-441/2

181/2-221/2

19

Shipping Weight

ОН

OW 24

OD 26

SH

SD

Cube

#### Cadre HST222-641



High Back | Upholstered Back and Seat | Full Polished Aluminum Wrap Around Arm with Urethane Arm Cap |

Knee Tilt | Five-Prong Polished Aluminum Base | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified Indoor Advantage™ certified

AΗ

WBA 19

DED DEW

R

66

22.5

261/2-301/2

Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price:	2775
Upholstery:	Back Upholstery:	Seat Upholstery:		
COM/COL 2850	COM/COL 45	COM/COL 30		
Grade A 2800	Grade A 15	Grade A 10		
Grade B <b>2825</b>	Grade B 30	Grade B 20		
Grade C <b>2850</b>	Grade C 45	Grade C 30		
Grade D <b>2875</b>	Grade D 55	Grade D 45		
Grade E <b>2900</b>	Grade E 70	Grade E 55		
Grade F <b>2930</b>	Grade F 90	Grade F 65		
Grade G <b>2965</b>	Grade G 105	Grade G 85		
Grade H 3000	Grade H 125	Grade H 100		
Grade J <b>3025</b>	Grade J 140	Grade J 110		
Grade K <b>3075</b>	Grade K 170	Grade K 130		
Grade L 3150	Grade L 210	Grade L 165		
Grade M 3250	Grade M 265	Grade M 210		
Leather I 3420	Leather I 360	Leather I 285		
Leather II 3600	Leather II 460	Leather II 365		
Leather III 3780	Leather III 560	Leather III 445		
Leather IV 3960 Leather V 4140	Leather IV 660 Leather V 760	Leather IV 525 Leather V 605		
Leather V 4140 Leather VI 4320	Leather V 760 Leather VI 860	Leather V 605 Leather VI 685		
Upholstery Requires:	Upholstery Requires	Upholstery Requires		
	(Per Application):	(Per Application):		
Fabric: 2¼ Yards	Fabric: 11/4 Yards	Fabric: 1 Yard		
Leather: 40½ Sq. Ft.	Leather: 22½ Sq. Ft.	Leather: 18 Sq. Ft.		
			Total Re	guired
			Upholste	
			2	Leather: 40½ So

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
T, CINDLI	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106
	MODEL NUMBER	NUMBER Indicate fabric choice for:  Back upholstery  See options for fabrics at	NUMBER  Indicate fabric choice for:  Back upholstery  Sea upholstery  See options for fabrics at www.hbftextiles.com  Indicate fabric choice for:  Seat upholstery  See options for fabrics at www.hbftextiles.com	NUMBER  Indicate fabric choice for:  Back upholstery  Seat upholstery  See options for fabrics at www.bbftextiles.com  Indicate fabric choice for:  Indicate flammability:  U = Cal 117

HST222-641.BackFabric.SeatFabric.Flammability.Caster Example: HST222-641.950-88.950-88.U.DWCM



351/2-391/2

181/2-221/2

24

19

Shipping Weight

ОН

OW

OD 26

SH

SD

Cube

#### Cadre HST222-651



ANSI/BIFMA LEVEL° Furniture Sustainability Standard certified Indoor Advantage™ certified

AΗ

WBA

DED DEW

R

66

20.4

261/2-301/2

19

Synchronized Adjustments | Five-Prong Polished Aluminum Base | Double Wheel Casters

Mid Back | Channel Stitched Upholstered Back and Seat | Polished Aluminum Arm with Urethane Arm Cap |

Pricing for Single Fabric Placement:		e Fabric Placement: in with Base Price and add Upcharges)	Base Price:	2870
Upholstery:	Back Upholstery:	Seat Upholstery:		
COM/COL 2995	COM/COL 75	COM/COL 50		
Grade A 2910	Grade A 25	Grade A 15		
Grade B <b>2955</b>	Grade B 50	Grade B 35		
Grade C <b>2995</b>	Grade C 75	Grade C 50		
Grade D <b>3035</b>	Grade D 100	Grade D 65		
Grade E <b>3080</b>	Grade E <b>125</b>	Grade E 85		
Grade F <b>3130</b>	Grade F 155	Grade F 105		
Grade G 3185	Grade G 190	Grade G 125		
Grade H <b>3245</b>	Grade H 225	Grade H 150		
Grade J <b>3285</b>	Grade J 250	Grade J 165		
Grade K 3370	Grade K 300	Grade K 200		
Grade L <b>3495</b>	Grade L 375	Grade L 250		
Grade M <b>3660</b>	Grade M 475	Grade M 315		
Leather I 3945	Leather I 645	Leather I 430		
Leather II 4245	Leather II 825	Leather II 550		
Leather III 4545	Leather III 1005	Leather III 670		
Leather IV 4845	Leather IV 1185	Leather IV 790		
Leather V 5145	Leather V 1365	Leather V 910		
Leather VI 5445	Leather VI 1545	Leather VI 1030		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 3¾ Yards	Fabric: 21/4 Yards	Fabric: 1½ Yards		
Leather: 67½ Sq. Ft.	Leather: 40½ Sq. Ft.	Leather: 27 Sq. Ft.		
			Total R	equired
			Upholst	ery: Fabric: 3¾ Ya
			•	Leather: 67½ Sq.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
T, CINDLI	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106
	MODEL NUMBER	NUMBER Indicate fabric choice for:  Back upholstery  See options for fabrics at	NUMBER  Indicate fabric choice for:  Back upholstery  Sea upholstery  See options for fabrics at www.hbftextiles.com  Indicate fabric choice for:  Seat upholstery  See options for fabrics at www.hbftextiles.com	NUMBER  Indicate fabric choice for:  Back upholstery  Seat upholstery  See options for fabrics at www.bbftextiles.com  Indicate fabric choice for:  Indicate flammability:  U = Cal 117

HST222-651.BackFabric.SeatFabric.Flammability.Caster Example: HST222-651.950-88.950-88.U.DWCM



#### Cadre HST222-661



ОН 411/2-441/2 AΗ 261/2-301/2 OW 24 WBA 19 OD 26 DED DEW SH181/2-221/2 SD 19 R Shipping Weight 66 Cube 22.5

 $High\ Back\ |\ Channel\ Stitched\ Upholstered\ Back\ and\ Seat\ |\ Polished\ Aluminum\ Arm\ with\ Urethane\ Arm\ Cap\ |$ 

Synchronized Adjustments | Five-Prong Polished Aluminum Base | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  $\mathbf{Indoor} \ \mathbf{Advantage}^{\bowtie} \ \mathbf{certified}$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price:	3180
Upholstery:	Back Upholstery:	Seat Upholstery:		
COM/COL 3285	COM/COL 55	COM/COL 50		
Grade A 3215	Grade A 20	Grade A 15		
Grade B <b>3250</b>	Grade B 35	Grade B 35		
Grade C <b>3285</b>	Grade C 55	Grade C 50		
Grade D <b>3325</b>	Grade D 75	Grade D 65		
Grade E <b>3360</b>	Grade E 95	Grade E 85		
Grade F <b>3400</b>	Grade F <b>120</b>	Grade F 105		
Grade G <b>3455</b>	Grade G 145	Grade G 125		
Grade H 3505	Grade H 175	Grade H 150		
Grade J <b>3540</b>	Grade J 195	Grade J 165		
Grade K <b>3610</b>	Grade K 230	Grade K 200		
Grade L 3720	Grade L 290	Grade L 250		
Grade M 3865	Grade M 370	Grade M 315		
Leather I 4110	Leather I 500	Leather I 430		
Leather II 4370	Leather II 640	Leather II 550		
Leather III 4630	Leather III 780	Leather III 670		
Leather IV 4890	Leather IV 920	Leather IV 790		
Leather V 5150	Leather V 1060	Leather V 910		
Leather VI 5410	Leather VI 1200	Leather VI 1030		
Upholstery Requires:	Upholstery Requires	Upholstery Requires		
	(Per Application):	(Per Application):		
Fabric: 3¼ Yards	Fabric: 1¾ Yards	Fabric: 1½ Yards		
Leather: 58½ Sq. Ft.	Leather: 31½ Sq. Ft.	Leather: 27 Sq. Ft.		
			Total R	equired
			Upholst	*
			1	Leather: 58½ Sq.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
T, CINDLI	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106
	MODEL NUMBER	NUMBER Indicate fabric choice for:  Back upholstery  See options for fabrics at	NUMBER  Indicate fabric choice for:  Back upholstery  Sea upholstery  See options for fabrics at www.hbftextiles.com  Indicate fabric choice for:  Seat upholstery  See options for fabrics at www.hbftextiles.com	NUMBER  Indicate fabric choice for:  Back upholstery  Seat upholstery  See options for fabrics at www.bbftextiles.com  Indicate fabric choice for:  Indicate flammability:  U = Cal 117

HST222-661.BackFabric.SeatFabric.Flammability.Caster Example: HST222-661.950-88.950-88.U.DWCM



#### Cadre HST222-671



ОН 351/2-391/2 AΗ 261/2-301/2 OW WBA 19 24 OD 26 DED SH181/2-221/2 DEW SD 19 R Shipping Weight 66 Cube 20.4

Mid Back | Channel Stitched Upholstered Back and Seat | Full Polished Aluminum Wrap Around Arm with Urethane Arm Cap |

Knee Tilt | Five-Prong Polished Aluminum Base | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price:	2890
Upholstery:	Back Upholstery:	Seat Upholstery:		
COM/COL 3015	COM/COL 75	COM/COL 50		
Grade A <b>2930</b>	Grade A 25	Grade A 15		
Grade B <b>2975</b>	Grade B 50	Grade B 35		
Grade C 3015	Grade C 75	Grade C 50		
Grade D <b>3055</b>	Grade D <b>100</b>	Grade D 65		
Grade E <b>3100</b>	Grade E <b>125</b>	Grade E 85		
Grade F <b>3150</b>	Grade F <b>155</b>	Grade F 105		
Grade G 3205	Grade G 190	Grade G 125		
Grade H <b>3265</b>	Grade H 225	Grade H 150		
Grade J 3305	Grade J <b>250</b>	Grade J 165		
Grade K <b>3390</b>	Grade K 300	Grade K 200		
Grade L <b>3515</b>	Grade L 375	Grade L 250		
Grade M <b>3680</b>	Grade M 475	Grade M 315		
Leather I 3965	Leather I 645	Leather I 430		
Leather II 4265	Leather II 825	Leather II 550		
Leather III 4565	Leather III 1005	Leather III 670		
Leather IV 4865	Leather IV 1185	Leather IV 790		
Leather V 5165	Leather V 1365	Leather V 910		
Leather VI 5465	Leather VI 1545	Leather VI 1030		
Upholstery Requires:	Upholstery Requires	Upholstery Requires		
	(Per Application):	(Per Application):		
Fabric: 3¾ Yards	Fabric: 2¼ Yards	Fabric: 1½ Yards		
Leather: 67½ Sq. Ft.	Leather: 40½ Sq. Ft.	Leather: 27 Sq. Ft.		
			Total Re	equired
			Upholste	
			1	Leather: 67½ Sq. 1

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106

HST222-671.BackFabric.SeatFabric.Flammability.Caster Example: HST222-671.950-88.950-88.U.DWCM



#### Cadre HST222-681



ОН 411/2-441/2 AΗ 261/2-301/2 OW 24 WBA 19 OD 26 DED DEW SH181/2-221/2 SD 19 R Shipping Weight 66 Cube 22.5

High Back | Channel Stitched Upholstered Back and Seat | Full Polished Aluminum Wrap Around Arm with Urethane Cap |

Knee Tilt | Five-Prong Polished Aluminum Base | Double Wheel Casters

ANSI/BIFMA LEVEL\* Furniture Sustainability Standard certified  ${\bf Indoor\ Advantage}^{\bowtie}\ certified$ 

Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price:	3205
Upholstery:	Back Upholstery:	Seat Upholstery:		
COM/COL 3310	COM/COL 55	COM/COL 50		
Grade A 3240	Grade A 20	Grade A 15		
Grade B <b>3275</b>	Grade B 35	Grade B 35		
Grade C <b>3310</b>	Grade C 55	Grade C 50		
Grade D <b>3350</b>	Grade D 75	Grade D 65		
Grade E <b>3385</b>	Grade E 95	Grade E 85		
Grade F <b>3425</b>	Grade F <b>120</b>	Grade F 105		
Grade G <b>3480</b>	Grade G 145	Grade G 125		
Grade H 3530	Grade H 175	Grade H 150		
Grade J <b>3565</b>	Grade J 195	Grade J 165		
Grade K <b>3635</b>	Grade K 230	Grade K 200		
Grade L 3745	Grade L 290	Grade L 250		
Grade M 3890	Grade M 370	Grade M 315		
Leather I 4135	Leather I 500	Leather I 430		
Leather II 4395	Leather II 640	Leather II 550		
Leather III 4655	Leather III 780	Leather III 670		
Leather IV 4915	Leather IV 920	Leather IV 790		
Leather V 5175	Leather V 1060	Leather V 910		
Leather VI 5435	Leather VI 1200	Leather VI 1030		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 3¼ Yards	Fabric: 1¾ Yards	Fabric: 1½ Yards		
Leather: 58½ Sq. Ft.	Leather: 31½ Sq. Ft.	Leather: 27 Sq. Ft.		
			Total Re	eguired
			Upholste	
			1	Leather: 58½ Sq.

43

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	CASTER
TO MEET	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	DWCM = Double Wheel - Medium Casters
	Back upholstery	Seat upholstery	U = Cal 117	DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Soft Casters +\$106
	MODEL NUMBER	NUMBER Indicate fabric choice for:  Back upholstery  See options for fabrics at	NUMBER  Indicate fabric choice for:  Back upholstery  See options for fabrics at www.hbftextiles.com  Indicate fabric choice for:  Seat upholstery  See options for fabrics at www.hbftextiles.com	NUMBER  Indicate fabric choice for:  Back upholstery  Seat upholstery  U = Cal 117  See options for fabrics at www.bbftextiles.com  See options for fabrics at www.bbftextiles.com

HST222-681.BackFabric.SeatFabric.Flammability.Caster Example: HST222-681.950-88.950-88.U.DWCM