LIST PRICES EFFECTIVE
FEBRUARY 1, 2024
(All prices in USD)

MOD SEATING



STATE OF NORTH CAROLINA



Mailing Address: HBF PO Box 8 Hickory NC 28603-0008 Shipping Address: HBF

900 - 12th Street Drive NW Hickory NC 28601-4763

Contact:

Fax:

Phone: 1.855.HBF.2020

828.328.2064 828.485.2690

Info: hbfservice@hbf.com

www.hbf.com

Order Processing:

Phone: 1.855.HBF.2020

828.328.2064 Fax: 828.485.2690

hbforders@hbf.com

PAGE
General Information
ANSI/BIFMA e3-2014e Furniture Sustainability5
COM Ordering Requirements
Combinations of Upholstery Applications
Dimension Guide5
GSA6
HBF Textiles Graded Product
High Performance Products6
Product Material Options
SCS Indoor Advantage™ Gold Certified
Seating Ordering Procedure
Special Code Compliance – CAL 117
Spring Down Cushions6
Statement of Line
Veneer Options6
Yardage Requirements
Dual Fabric Applications9
Specifications9
Mod
Lounge Chair
Lounge Chair - Armless
Work Lounge Chair
Work Lounge Chair - Armless
Sofa - Two-Seater
Sofa - Two-Seater - Armless
Sofa - Three-Seater
Sofa - Three-Seater - Armless
Work Sofa - Two-Seater
Work Sofa - Two-Seater - Armless
Work Sofa - Three-Seater
Work Sofa - Three-Seater - Armless
Ottoman
Stool
Bench - Two-Seater
Bench - Three-Seater
Work Ottoman
Work Bench - Two-Seater
Work Bench - Three-Seater

PAG	GE
Mod Sectional	
Sectional Module - Left Facing Arm	
Sectional Module - Right Facing Arm	2
Sectional Module - Armless	3
Sectional Module - Corner32	4
Work Sectional Module - Left Facing Arm35	5
Work Sectional Module - Right Facing Arm30	6
Work Sectional Module - Armless	7
Work Sectional Module - Corner	8
Mod Highback	
Highback Lounge Chair39	9
Highback Work Lounge Chair40	
Highback Sofa - Two-Seater4	
Highback Sofa - Three-Seater	
Highback Work Sofa - Two-Seater	
Highback Work Sofa - Three-Seater44	
Mod Deep	
Deep Lounge Chair	5
Deep Lounge Chair - Armless	
Deep Sofa - Two-Seater	
Deep Sofa - Two-Seater - Armless	
Deep Sofa - Three-Seater49	
Deep Sofa - Three-Seater - Armless	
Deep Ottoman	
Mod Deep Sectional	
Deep Sectional Module - Left Facing Arm	2
Deep Sectional Module - Right Facing Arm	
Deep Sectional Module - Armless	
Deep Sectional Module - Corner	
Hardware	
Leg Kit50	6
Corner Leg Kit	
Work Leg Kit57	7
Corner Work Leg Kit55	7
Power Modules	



Coverings

All upholstered items may be ordered using HBF Textiles, HBF Leathers, or coverings provided by the customer. **Prices listed as COM refer to Customer's Own Material, which includes textiles and leather.** Prices listed as GRADE refer to HBF Textiles and/or HBF Leather.

Yardage requirements shown in the price list are based on non-directional 54" wide material. The following conversion chart should be used to determine yardage requirements when COM textile is 54" wide or less and/or has a repeat of 2" or more. Add together the vertical and horizontal repeat to determine which column should be used as a reference.

Fabric Width	Plain Fabric		11"-20" Repeat			31"-35" Repeat	36"-40" Repeat	41"-45" Repeat
54"	+ 0%	+10%	+15%	. +20%	.+25%	. +30%	+35%	. +40%
51"-53"	15%	20%	25%	30%	35%	40%	45%	50%
48"-50"	30%	35%	40%	45%	50%	55%	60%	65%
45"-47"	45%	50%	55%	60%	65%	70%	75%	80%
36"-44"	60%	65%	70%	75%	80%	85%	90%	95%

To determine the possibility of reduced yardage requirements for orders of thirty (30) or more units, please contact The HBF Client Experience Team. HBF reserves the right to request additional yardage of COM at customer expense based on repeat and/or pattern size, and number of rolls.

All COM's must be approved for application before the purchase order is submitted to HBF. Please contact The HBF Client Experience Team at hbfservice@hbf.com to verify that your COM fabric has been approved. If it has not, please request COM approval testing via www.hbf.com under COM Request. Failure to submit a COM for testing may result in additional expenses or rejection of COM. For any repeat and/or pattern size not listed, please contact The HBF Client Experience Team for a yardage requirement quotation.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM materials. All responsibility for COM shipments is between the purchaser and the textile/leather source. HBF reserves the right to reject any COM. HBF assumes no responsibility for suitability or wearability of COM. Difficult COM may be subject to additional charge if additional labor costs are incurred. HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations. Orders specifying COM will not be scheduled for production until all approved COM(s) are received by HBF. To ensure proper COM expediting, please tag fabric/leather roll(s) with the following information: 1. Purchasing dealer name and purchase order number 2. HBF acknowledge ment number, if available 3. Other pertinent information which will enable proper COM identification.

When sending COM leather for use on one of our upholstered pieces, please send eighteen (18) square feet of leather for each yard of 54" plain fabric required for that item.

2

Coverings (Continued)

COM ORDERING REQUIREMENTS:

Prior to acceptance of order specifying COM, a memo sample must be submitted to HBF for determination of suitability. All COM's must be rolled separately, on individual tubes. Multiple materials rolled on the same tube will not be accepted.

For ease of expediting your COM order, we require the following information:

1. Material description Shipping Address: HBF

2. Material source

900 12th Street Drive NW

3. Order line, product name or number

Hickory, NC 28601-4763

- 4. Material color
- 5. A swatch of the covering
- 6. Special application instructions, if any

If COM is of a type requiring choices of seam placement, face side, position of design or repeat; these instructions must be clearly stated on the original order.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM materials. All responsibility for COM shipments is between the purchaser and the textile/leather source.

HBF reserves the right to reject any COM. HBF assumes no responsibility for suitability or wearability of COM. Difficult COM may be subject to additional charge if additional labor costs are incurred.

HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations.

Orders specifying COM will not be scheduled for production until all approved COM is received by HBF.

To ensure proper COM expediting, please tag textile/leather with the following information:

- 1. Purchasing dealer name and purchase order number
- 2. HBF acknowledgement number, if available
- 3. Other pertinent information which will enable proper COM identification

3

Combination of Upholstery Applications

All seating ordered with combination upholstery application (fabric, leather) that **is not** offered as standard is subject to a \$103 List Upholstery upcharge and will be entered and processed as a special model, in addition to the following pricing conditions:

- 1. Combinations using HBF Textiles and COM will be priced at the COM price. The cost of the portion of the HBF Textiles used, will be entered as a miscellaneous charge on the furniture order.
- 2. Combinations using HBF Textiles and HBF Leathers, or COM and HBF Leathers, will be priced at the appropriate Leather I-V price.
- 3. Combinations using two HBF Textiles will be invoiced at higher grade price.
- 4. When specifying combination of upholstery applications, a sketch indicating placement of textiles and direction of applications must accompany the purchase order.

Special Code Compliance

California #117-2013

Unless otherwise specified, foam used in all HBF seating products complies with these guidelines.

Boston Fire Code New York Port Authority

Please contact the HBF Client Experience Team if compliance is required for these special codes.



ANSI/BIFMA e3-2014e LEVEL® Furniture Sustainability Standard Certification

A majority of HBF's products have met the necessary qualifications to achieve LEVEL® certification. LEVEL® is the multi-attribute sustainability certification based on the ANSI/BIFMA e3 Furniture Sustainability Standard. The standard and certification were created to deliver the most open and transparent means of evaluating and communicating the environmental and social impacts of furniture products in the built environment. Taking into account a company's social actions, energy usage, material selection and human and ecosystem health impacts, LEVEL® addresses how a product is sustainable from multiple perspectives. The organization, facilities, and products are audited on an annual basis to ensure ongoing compliance and improvement.

With LEVEL*, customers can make informed choices about sustainable commercial office furniture. The LEVEL* mark identifies that a product has been vetted by an independent third party certifier and its numeric marking of 1, 2, or 3 indicates the threshold of certification the product has achieved. A majority of HBF's seating, occasional tables, and conference lines are LEVEL* certified. Please download the certificates from our product pages for the complete details. For more information about the ANSI/BIFMA LEVEL* standard, visit www.levelcertified.org.

ANSI/BIFMA Performance Standards

Our seating products meet or exceed ANSI/BIFMA weight performance standards of 275 lbs. (124.7 kg.) unless otherwise noted.

Indoor Advantage™ Gold certified

All HBF seating products Indoor Advantage™ Gold Certified.

SCS Global Services, a reputable third-party certification and assessment body of environmental, sustainability and safety claims since 1984, has developed internationally recognized standards and certification programs to assist businesses with improving their environmental efforts, social accountability and product performance.


The advantages of holding Indoor Air Quality certification are substantial: in addition to improving indoor working environments and meeting qualifications for the LEED-CI EQ 4.5 credit for office furniture as well as the BIFMA Standard for Low-Emitting Office Furniture Systems & Seating M-7.1, there is the added assurance of knowing that the company's entire breadth of products is held to such rigorous standards.

For more information regarding Indoor Advantage[™], please visit: http://www.scsglobalservices.com.

Please contact the HBF Client Experience Team for pricing and lead time information.

5

Dimension Guide



GSA/Federal Contract Information:

GSA Contract Number 47QSMA22D08P9

Model numbers identified with the following verbiage "When purchased separately without a configurable TAA compliant end product, not on GSA contract" is to mean that these configurable parts or components:

- Have no functionality or capability without being integrated into an end product; and
- Are considered Open Market if purchased without a configurable TAA compliant end product.

HBF High Performance Products

HBF and HBF Textiles have long been leaders in contract furnishings and known for industry-leading product design coupled with the highest quality construction, comfort and aesthetic beauty.

Now these same principals are the cornerstones of HBF Healthcare high performance products. We have consulted with healthcare designers and clients to provide products and options for interiors that will provide quality sustainable design solutions for the future. These effective solutions will address the unique interactions required by any high-use facility. Visit www.hbf.com for additional high performance product information.

Seating Product High Performance Options:

• Guest and Lounge Seating

• Arm Caps

• Moisture Barrier

• Wipe Out - Clean Out

• Tandem Seating

• Wall Saver Legs

• Replaceable Components

• Upholstery Products from HBF Textiles

Spring Down Cushions

Optional spring down cushions are available on most loose cushion HBF lounge seating. List upcharges are:

Chair \$108 Loveseat \$194 Sofa \$297

Veneer and Finishes

Wood owes its inherent beauty to variations in color, grain, and texture; therefore, these variations are not considered defects. Due to the natural color and grain variances of wood substance the final finish color, texture and grain may vary from one furniture piece to another even though they are finished at the same time. Exposure to light and the aging process will cause changes in surface color of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. HBF does not guarantee the exact matching of grain, pattern and color.

An upcharge of **5% Net** COM per seating unit, with a minimum upcharge of **\$500 Net** per order, will apply for any custom wood finish.

Refer to the following page for product material options.

6

POWDER COATS:







WI White



LG Light Grey

METALS:



POL Polished Chrome

Screen images are intended as a guide only and should not be regarded as absolutely correct. For exact color/texture, please visit www.hbf.com to request an actual sample.



Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
Blink Denim Wash* Walkabout Zippy	Look-see Remember Rush*	Caddy Corner* Checkmate Cuddle Up Picnic Plaid Upbeat	Chenille Striae Crumpled Paper Dot Grid Habu Poppy Skim Coat	Fourfold* Uptown	All Terrain Bunny Cloverleaf Comfort Zone Happy Camper Here & There Knitwork Laugh Lines Moody Moss Notable Grain Sherpa Well-Loved

Grade G	Grade H	Grade J	Grade K	Grade L	Grade M
Beetle Curtain Wall Dashing Equation* Folded Lines High Rise Honest* Inherent Matriarch Pebbled Scribble XS Stardust Upscale	Air Mail* Captain Bubble Crafted Felt Chubby Baby Intersection Lawn Chair Madam Dottie Soft Angles 2.0 Upstart Uptick	Abito Argyle Boucle Belgian Meadow Brushed Canvas Digital Bloom 2.0 Enriched Boucle Glint Lava Rock Quill Scribble XL Sir Stripe-a-lot Tattoo Toile Tessellations Tête-à-Tête Tickled Herring Twist	Afghan Cherished Knit Complex Crosstweed Double Stitch Gather Grateful Grid Heartfelt Merci Boucle Moving Blanket Moving Forward Night Earth Pepper Blend Polygone Quilted Comfort Sideways Sister Solid	Agate Stripe Goosebumps Hipster Landscape Blur Ms. Quilty 2.0 Smart* Sweater Velvet Mix Woven Memory	Crafted Cloud Eccentric Flirt Poodle

Leather I	Leather II	Leather III	Leather IV	Leather V	Leather VI
Clutch	Vivace II	Aviator	Free Way	Wild West	Modern Patina Upper Crust



Mod Series Specifications

Collection Details	Lounge Chair Sofa Ottoman Stool Bench Sectional Modules Highback Lounge Chair Highback Sofa			
	Sectional pieces ship with leg kits that include corner brackets and connector brackets for placement in any configuration. Additional kits may be purchased. Please refer to page 57 for details.			
Upholstery	Graded-in HBF Textiles Options Customer's Own Material (COM) Uniform Upholstery Application Contrast Panel Surround Upholstery Application <i>Note: Mod Highback COM Application Tested Separately.</i>			
Metal Legs	Solar Black Powder Coat White Powder Coat Light Grey Powder Coat Polished Chrome			
Power	Powerwise Module - Double USB-A Powerwise Module - Outlet			

The Mod Lounge Collection by Henrik Schulz embodies a humanistic approach towards the workplace, crafting a piece that looks and feels at home in a range of public and private spaces. With a sectional sensibility, Mod allows for a variety of customizable seating arrangements while optimizing productivity and comfort. Mod's thoughtfully designed foam cushioning and wide layout make it ideal for both collaborative and individual work. Cushions are constructed of multi-layered density foam with a down top for comfort. Mod is ideal for relaxation or active productivity "beyond the desk."


- Mod is available in a depth of 31.5" or 37.5"
- Mod is available in two height horizons: Lowback and Highback
- Two upholstery placement areas allow for individually specified upholstery choices: Cushion Upholstery (inside seat, inside back and inside arm cushions) and Panel Surround Upholstery (placement on the exterior panels, including the outside back and outside arms).
 Note: Mod Highback Panel Surround (B) is tested separately from standard height Mod (B) Outer Upholstery.
- Mod Highback models cannot accept railroading on the Panel Surround due to its height.
- Mod legs come standard in powder coated finishes.
 Polished Chrome finish is also available for an upcharge.
- All Mod units come standard without power. Power modules can be added to each unit for an upcharge.
 More that one module specified per unit can be daisy chained as a special request.
- Sectional pieces ship with leg kits that include corner brackets and connector brackets for placement in any configuration. Additional kits may be purchased.








MOD




10



MOD DEEP





11

Mod HLS018-061



Lounge Chair | Fully Upholstered | Powder Coat Metal Legs | No Power

Ships fully assembled. Leg brackets need to be installed in the field.

OH 30½ AH 30½ OW 40 WBA 26¾ OD 31½ DED SH 16 DEW SD 22¼ R

Pricing for Single, Uniform Textile	(To calculate, begi	n with base price and add upcharges.)	Base Price:	5560
Application: Upholstery:	Outer Upholstery:	Cushion Upholstery:		
COM/COL 5890	COM/COL 130	COM/COL 200		
Grade A 5670	Grade A 45	Grade A 65		
Grade B 5780	Grade B 85	Grade B 135		
Grade C 5890	Grade C 130	Grade C 200		
Grade D 6000	Grade D 175	Grade D 265		
Grade E 6115	Grade E 220	Grade E 335		
Grade F 6250	Grade F 275	Grade F 415		
Grade G 6400	Grade G 335	Grade G 505		
Grade H 6560	Grade H 400	Grade H 600		
Grade J 6670	Grade J 445	Grade J 665		
Grade K 6890	Grade K 530	Grade K 800		
Grade L 7225	Grade L 665	Grade L 1000		
Grade M 7670	Grade M 845	Grade M 1265		
Leather I 8425	Leather I 1145	Leather I 1720		
Leather II 9225	Leather II 1465	Leather II 2200		
Leather III 10,025	Leather III 1785	Leather III 2680		
Leather IV 10,825	Leather IV 2105	Leather IV 3160		
Leather V 11,625	Leather V 2425	Leather V 3640		
Leather VI 12,425	Leather VI 2745	Leather VI 4120		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 10 Yards	Fabric: 4 Yards	Fabric: 6 Yards		
Leather: 180 Sq. Ft.	Leather: 72 Sq. Ft.	Leather: 108 Sq. Ft.		
			Total R	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
NOWBER	Indicate fabric	Indicate fabric	Indicate flammability:	Options for finish:	Power (Ordered Separately)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		POL = Polished Chrome +\$130 P8X = Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
			•		PN

 $HLS018-061. \ Outer Uph. \ Cushion Uph. Flammability. Leg. Power$

Example: HLS018-061.950-88.950-88.U.WI.PN

12



Mod HLS018-071



ОН 301/2 ΑH OW 36 WBA OD 311/2 DED DEW SH 16 SD 221/4

Shipping Weight

Carton Dimensions L 39 W 35 H 22¾

75 lbs. 17.97 cubic ft. Cube

Lounge Chair - Armless | Fully Upholstered | Powder Coat Metal Legs | No Power

Ships fully assembled. Leg brackets need to be installed in the field.

Pricing for Single,	•	Pricing for Contrast Textile Application: (To calculate, begin with base price and add upcharges.) Base Price: 4115							
Uniform Textile	(10 calculate, begin	n with base price and add upcharges.)	Base Price: 4115						
Application:	Outer	Cushion							
Upholstery:	Upholstery:	Upholstery:							
COM/COL 4385	COM/COL 70	COM/COL 200							
Grade A 4205	Grade A 25	Grade A 65							
Grade B 4295	Grade B 45	Grade B 135							
Grade C 4385	Grade C 70	Grade C 200							
Grade D 4470	Grade D 90	Grade D 265							
Grade E 4565	Grade E 115	Grade E 335							
Grade F 4670	Grade F 140	Grade F 415							
Grade G 4790	Grade G 170	Grade G 505							
Grade H 4915	Grade H 200	Grade H 600							
Grade J 5005	Grade J 225	Grade J 665							
Grade K 5185	Grade K 270	Grade K 800							
Grade L 5450	Grade L 335	Grade L 1000							
Grade M 5805	Grade M 425	Grade M 1265							
Leather I 6410	Leather I 575	Leather I 1720							
Leather II 7050	Leather II 735	Leather II 2200							
Leather III 7690	Leather III 895	Leather III 2680							
Leather IV 8330	Leather IV 1055	Leather IV 3160							
Leather V 8970	Leather V 1215	Leather V 3640							
Leather VI 9610	Leather VI 1375	Leather VI 4120							
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):							
Fabric: 8 Yards	Fabric: 2 Yards	Fabric: 6 Yards							
Leather: 144 Sq. Ft.	Leather: 36 Sq. Ft.	Leather: 108 Sq. Ft.							
			Total Required						
			Upholstery: Fabric: 8 Yard						
			Leather: 144 Sq. F						

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
	Indicate fabric	Indicate fabric	Indicate flammability:	Options for finish:	Power (Ordered Separately)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		POL = Polished Chrome +\$130 P8X = Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
	•		•	•	PN

 $HLS018-071. \ Outer Uph. \ Cushion Uph. Flammability. Leg. Power$

Example: HLS018-071.950-88.950-88.U.WI.PN

13

Mod HLS022-W061



Work Lounge Chair | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

ОН 33 AH 33 OW 40 WBA 263/4 OD 311/2 DED

DEW SH 181/2 SD 221/4 R

Carton Dimensions L 431/2 W 35 H 223/4

Shipping Weight 142 lbs. 20.05 cubic ft. Cube

Pricing for Single, Uniform Textile		_		t Textile App with base pr	Base Price:	5670		
Application Upholstery:	1:	Outer Upholstery:		Cushion Upholstery:				
COM/COL	6000	COM/COL	130	COM/COL	200			
Grade A	5780	Grade A	45	Grade A	65			
Grade B	5890	Grade B	85	Grade B	135			
Grade C	6000	Grade C	130	Grade C	200			
Grade D	6110	Grade D	175	Grade D	265			
Grade E	6225	Grade E	220	Grade E	335			
Grade F	6360	Grade F	275	Grade F	415			
Grade G	6510	Grade G	335	Grade G	505			
Grade H	6670	Grade H	400	Grade H	600			
Grade J	6780	Grade J	445	Grade J	665			
Grade K	7000	Grade K	530	Grade K	800			
Grade L	7335	Grade L	665	Grade L	1000			
Grade M	7780	Grade M	845	Grade M	1265			
Leather I	8535	Leather I	1145	Leather I	1720			
Leather II	9335	Leather II	1465	Leather II	2200			
Leather III	10,135	Leather III	1785	Leather III	2680			
Leather IV	10,935	Leather IV	2105	Leather IV	3160			
Leather V	11,735	Leather V	2425	Leather V	3640			
Leather VI	12,535	Leather VI	2745	Leather VI	4120			
Upholstery Re	equires:	Upholstery F (Per Applica	•	Upholstery F (Per Applica	•			
Fabric: 10	Yards	Fabric: 4	Yards	Fabric: 6	Yards			
Leather: 180	Sq. Ft.	Leather: 72	Sq. Ft.	Leather: 108	Sq. Ft.			
						Total Re Upholste		Yards

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER Indicate fabric	TEXTILES: CUSHIONS Indicate fabric	FLAMMABILITY Indicate flammability:	LEG FINISH Options for finish:	Note: Power must be ordered separately (Please refer to page 58).
	choice for Outer Upholstery: See available graded-in textiles product page at	choice for Cushion Upholstery: See available graded-in textiles product page at	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$130 P8X = Solar Black	
	HBF.com.	HBF.com.			

14

Example: HLS022-W061.950-88.950-88.U.WI $HLS022-W061. Outer Uph. {\it Cushion Uph. Flam mability. Leg}$



Mod HLS022-W071



Work Lounge Chair - Armless | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

ОН	33	AH
OW	36	WBA

OD 31½ DED DEW SH 181/2 SD 221/4 R

Carton Dimensions L 39 W 35 H 223/4 Shipping Weight 77 lbs.

17.97 cubic ft. Cube

Pricing for Single, Uniform Textile	•	rast Textile Application: rin with base price and add upcharges.)	Base Price:	4225	
Application: Upholstery:	Outer Upholstery:	Cushion Upholstery:			
COM/COL 4495	COM/COL 70	COM/COL 200			
Grade A 4315	Grade A 25	Grade A 65			
Grade B 4405	Grade B 45	Grade B 135			
Grade C 4495	Grade C 70	Grade C 200			
Grade D 4580	Grade D 90	Grade D 265			
Grade E 4675	Grade E 115	Grade E 335			
Grade F 4780	Grade F 140	Grade F 415			
Grade G 4900	Grade G 170	Grade G 505			
Grade H 5025	Grade H 200	Grade H 600			
Grade J 5115	Grade J 225	Grade J 665			
Grade K 5295	Grade K 270	Grade K 800			
Grade L 5560	Grade L 335	Grade L 1000			
Grade M 5915	Grade M 425	Grade M 1265			
Leather I 6520	Leather I 575	Leather I 1720			
Leather II 7160	Leather II 735	Leather II 2200			
Leather III 7800	Leather III 895	Leather III 2680			
Leather IV 8440	Leather IV 1055	Leather IV 3160			
Leather V 9080	Leather V 1215	Leather V 3640			
Leather VI 9720	Leather VI 1375	Leather VI 4120			
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):			
Fabric: 8 Yards	Fabric: 2 Yards	Fabric: 6 Yards			
Leather: 144 Sq. Ft.	Leather: 36 Sq. Ft				
			Total Reg	quired	
			Upholster	y: Fabric: 8	Yard

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	Note: Power must be ordered
	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for finish:	separately (Please refer to page 56
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	
	See available graded-in textiles product page at	See available graded-in textiles product page at		POL = Polished Chrome +\$130 P8X = Solar Black	
	HBF.com.	HBF.com.			
•	•				I

15

 $HLS022-W071. \ Outer Uph. \ Cushion Uph. Flam mability. \ Leg$ Example: HLS022-W071.950-88.950-88.U.WI

Mod HLS018-032





COM/COL

Grade A

Grade B

Grade C

Grade D

Grade E

Grade F

Grade G

Grade H

Grade J

Grade K

Grade L

Grade M

Leather I

Leather II

Leather III

Leather IV

Leather V

155

50

105

155

210

260

325

400

475

525

630

790

1000

1360

1740

2120

2500

2880

Yards

OH 301/2 AΗ 301/2 OW 631/2 WBA 501/4 OD 311/2 DED DEW SH 16 SD 221/4 R Carton Dimensions L 661/4 W 35 H 223/4

Shipping Weight

235 lbs. Cube 30.53 cubic ft.

Sofa - Two-Seater | Fully Upholstered | Powder Coat Metal Legs | No Power

Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified | Indoor Advantage™ certified

Pricing for Single,
Uniform Textile
Application:
Upholstery:

(To calculate,	begin with base price and add upcharges.)
Outer	Cushion
Upholstery:	Upholstery:

Pricing for Contrast Textile Application:

Raca	Drice	
nase.	Price	

7345

7805
7495
7655
7805
7965
8115
8305
8525
8745
8895
9205
9675
10,295
11,355
12,475
13,595
14,715
15,835
16,955

Upholstery Requires:	U (F
	(1

Yards

Fabric: 4¾ Leather: 851/2 Sq. Ft.

Grade G **780** Grade H 925 1025 Grade J 1230 Grade K 1540 Grade L Grade M 1950 Leather I 2650 3390 Leather II 4130 Leather III 4870 Leather IV

Leather V

COM/COL

Grade A

Grade B

Grade C

Grade D

Grade E

Grade F

305

100

205

305

410

510

635

5610

Upholstery I (Per Applica		Upholstery (Per Applica	
Leather VI	3260	Leather VI	6350

Fabric: 91/4 Yards Leather: 1661/2 Sq. Ft.

Total Required

Upholstery: Fabric: 14 Yards

Leather: 252 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER
NUMBER	Indicate fabric choice for Outer Upholstery:

Fabric: 14

Leather: 252 Sq. Ft.

See available graded-in textiles product page at HBF.com.

TEXTILES: CUSHIONS

Indicate fabric choice for Cushion Upholstery:

See available graded-in textiles product page at HBF.com.

FLAMMABILITY

Indicate flammability: U = Cal 117 LEG FINISH Options for metal finish:

WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$130

P8X = Solar Black

POWER | DATA

Power (Ordered Separately)

PN = No Power Unit

Note: Power must be ordered separately. (Please refer to page 58).

 $HLS018-032. \ Outer Uph. \ Cushion Uph. Flammability. Leg. Power$

Example: HLS018-032.950-88.950-88.U.WI.PN

16

February 2024

PN



Mod HLS018-042





Outer

OHAΗ 301/2 OW 591/2 WBA OD 311/2 DED DEW 16 SH 221/4 R SD

Shipping Weight

Carton Dimensions L 63 W 35 H 223/4 145 lbs. Cube 29.03 cubic ft.

Sofa - Two-Seater - Armless | Fully Upholstered | Powder Coat Metal Legs | No Power

Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified | Indoor Advantage™ certified

Pricing for Single,
Uniform Textile
Application:
Upholstery:

Pricing for Contrast Textile Application:

(To calculate, begin with base price and add upcharges.)

Cushion

Base Price:

5865

COM/COL	6235
Grade A	5990
Grade B	6110
Grade C	6235
Grade D	6355
Grade E	6480
Grade F	6625
Grade G	6795
Grade H	6965
Grade J	7090
Grade K	7335
Grade L	7700
Grade M	8190
Leather I	9020
Leather II	9900
Leather III	10,780
Leather IV	11,660
Leather V	12,540

Upholstery:		Upholstery:	
COM/COL	75	COM/COL	295
Grade A	25	Grade A	100
Grade B	50	Grade B	195
Grade C	75	Grade C	295
Grade D	100	Grade D	390
Grade E	125	Grade E	490
Grade F	155	Grade F	605
Grade G	190	Grade G	740
Grade H	225	Grade H	875
Grade J	250	Grade J	975
Grade K	300	Grade K	1170
Grade L	375	Grade L	1460
Grade M	475	Grade M	1850
Leather I	645	Leather I	2510
Leather II	825	Leather II	3210
Leather III	1005	Leather III	3910
Leather IV	1185	Leather IV	4610

Upholstery Requires (Per Application):	U (I

1365

1545

Upholstery Requires Per Application):

5310

6010

Leather V

Leather VI

Fabric: 11 Yards Leather: 198 Sq. Ft.

Upholstery Requires:

13,420

Leather VI

Fabric: 21/4 Yards Leather: 401/2 Sq. Ft.

Leather V

Leather VI

Fabric: 8¾ Yards Leather: 1571/2 Sq. Ft.

Total Required

Upholstery: Fabric: 11

Leather: 198 Sq. Ft.

Yards

PLEASE SPECIFY THE FOLLOWING TO ORDER:

TEXTILES: OUTER

NOMBER	Indicate fabric choice for Outer Upholstery:
	See available graded-in textiles product page at HBF.com.

MODEL

NUMBER

TEXTILES: CUSHIONS Indicate fabric choice for Cushion Upholstery:

See available graded-in textiles product page at HBF.com.

FLAMMABILITY Indicate flammability:

U = Cal 117

LEG FINISH Options for metal finish:

WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$130 P8X = Solar Black

POWER | DATA

Power (Ordered Separately)

PN = No Power Unit

Note: Power must be ordered separately. (Please refer to page 58).

 $HLS018-042. \ Outer Uph. \ Cushion Uph. Flammability. Leg. Power$


Example: HLS018-042.950-88.950-88.U.WI.PN

17

February 2024

PN

Mod HLS018-043



Sofa - Three-Seater | Fully Upholstered | Powder Coat Metal Legs | No Power

Ships fully assembled. Leg brackets need to be installed in the field.

OH	301/2	AH 30½
OW	93	WBA 793/4
OD	311/2	DED
SH	16	DEW
SD	221/4	R

9675

Base Price:

Pricing for Single,
Uniform Textile
Application:
Upholstery:

COM/COI	10,275
Grade A	9875
Grade B	10,075
Grade C	10,275
Grade D	10,475
Grade E	10,675
Grade F	10,915
Grade G	11,195
Grade H	11,475
Grade J	11,675
Grade K	12,075
Grade L	12,675
Grade M	13,475
Leather I	14,835
Leather II	16,275
Leather III	17,715
Leather IV	19,155
Leather V	20,595
Leather VI	22,035

Fabric:	18	Yards
Leather:	324	Sq. Ft.

Upholstery Requires:

Pricing for Contrast Textile Application:

Outer Upholstery:		Cushion Upholstery:	
COM/COL	180	COM/COL	420
Grade A	60	Grade A	140
Grade B	120	Grade B	280
Grade C	180	Grade C	420
Grade D	245	Grade D	555
Grade E	305	Grade E	695
Grade F	375	Grade F	865
Grade G	465	Grade G	1055
Grade H	550	Grade H	1250
Grade J	610	Grade J	1390
Grade K	730	Grade K	1670
Grade L	915	Grade L	2085
Grade M	1160	Grade M	2640
Leather I	1575	Leather I	3585
Leather II	2015	Leather II	4585
Leather III	2455	Leather III	5585
Leather IV	2895	Leather IV	6585
Leather V	3335	Leather V	7585
Leather VI	3775	Leather VI	8585

Upholstery Requires (Per Application):

Fabric: 5½ Yards Fabri Leather: 99 Sq. Ft. Leath

Fabric: 12½ Yards Leather: 225 Sq. Ft.

Upholstery Requires

(Per Application):

Total Required

Upholstery: Fabric: 18 Yards

Leather: 324 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
NUMBER	Indicate fabric	Indicate fabric	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		POL = Polished Chrome +\$195 P8X = Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
					PN

 $HLS018-043. \ Outer Uph. \ Cushion Uph. Flammability. Leg. Power$

Example: HLS018-043.950-88.950-88.U.WI.PN

18



Mod HLS018-053



Sofa - Three-Seater | Fully Upholstered | Powder Coat Metal Legs | No Power

Ships fully assembled. Leg brackets need to be installed in the field.

ОН	301/2	AH
OW	89	WBA
OD	311/2	DED
SH	16	DEW
SD	221/4	R

 $\begin{array}{cccc} \text{Carton Dimensions} & \text{L } 921/2 & \text{W } 35 & \text{H } 223/4 \\ \text{Shipping Weight} & 215 \text{ lbs.} \end{array}$

Shipping Weight 215 lbs.

Cube 42.62 cubic ft.

 $ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified \quad |\quad Indoor\ Advantage^{^{\text{\tiny TM}}}\ certified$

Uniform Textile		(To calcula	(To calculate, begin with base price and add upcharges.)				8200
Applicatio	n:	Outer		Cushion			
Upholstery:		Upholstery:		Upholstery:			
COM/COL	8700	COM/COL	100	COM/COL	400		
Grade A	8370	Grade A	35	Grade A	135		
Grade B	8530	Grade B	65	Grade B	265		
Grade C	8700	Grade C	100	Grade C	400		
Grade D	8870	Grade D	135	Grade D	535		
Grade E	9030	Grade E	165	Grade E	665		
Grade F	9230	Grade F	205	Grade F	825		
Grade G	9470	Grade G	255	Grade G	1015		
Grade H	9700	Grade H	300	Grade H	1200		
Grade J	9870	Grade J	335	Grade J	1335		
Grade K	10,200	Grade K	400	Grade K	1600		
Grade L	10,700	Grade L	500	Grade L	2000		
Grade M	11,370	Grade M	635	Grade M	2535		
Leather I	12,500	Leather I	860	Leather I	3400		
Leather II	13,700	Leather II	1100	Leather II	4400		
Leather III	14,900	Leather III	1340	Leather III	5360		
Leather IV	16,100	Leather IV	1580	Leather IV	6320		
Leather V	17,300	Leather V	1820	Leather V	7280		
Leather VI	18,500	Leather VI	2060	Leather VI	8240		
Upholstery l	Requires:	Upholstery F	Requires	Upholstery F	Requires		
•	•	(Per Applica	tion):	(Per Applica	tion):		
Fabric: 15	Yards	Fabric: 3	Yards	Fabric: 12	Yards		
Leather: 270		Leather: 54	Sq. Ft.	Leather: 216			

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
NOMBER	Indicate fabric	Indicate fabric	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	choice for Outer Upholstery:	choice for Cushion Upholstery:	U = Cal 117	WI = White Powder Coat	PN = No Power Unit
				LG = Light Grey Powder Coat POL = Polished Chrome +\$195	Note: Power must be ordered separately.
	See available graded-in textiles product page at	See available graded-in textiles product page at		P8X = Solar Black	(Please refer to page 58).
	HBF.com.	HBF.com.			
		•		•	PN

 $HLS018-053. \ Outer Uph. \ Cushion Uph. Flammability. Leg. Power$

Example: HLS018-053.950-88.950-88.U.WI.PN

19

February 2024


Upholstery:

Fabric: 15

Leather: 270 Sq. Ft.

Yards

Mod HLS022-W032



Work Sofa - Two-Seater | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

OH	33	AH	33	
OW	631/2	WBA	501/4	
OD	311/2	DED		
SH	181/2	DEW		
SD	221/4	R		
Carton	Dimensions	I 661/4	W/ 35	H 22

Carton Dimensions L 66¼ W 35 H 22 Shipping Weight 237 lbs. Cube 30.53 cubic ft.

Pricing for Single, Uniform Textile	_	t Textile Application: with base price and add upcharges.)	Base Price:	7455	
Application: Upholstery:	Outer Upholstery:	Cushion Upholstery:			
COM/COL 7915	COM/COL 155	COM/COL 305			
Grade A 7605	Grade A 50	Grade A 100			
Grade B 7765	Grade B 105	Grade B 205			
Grade C 7915	Grade C 155	Grade C 305			
Grade D 8075	Grade D 210	Grade D 410			
Grade E 8225	Grade E 260	Grade E 510			
Grade F 8415	Grade F 325	Grade F 635			
Grade G 8635	Grade G 400	Grade G 780			
Grade H 8855	Grade H 475	Grade H 925			
Grade J 9005	Grade J 525	Grade J 1025			
Grade K 9315	Grade K 630	Grade K 1230			
Grade L 9785	Grade L 790	Grade L 1540			
Grade M 10,405	Grade M 1000	Grade M 1950			
Leather I 11,465	Leather I 1360	Leather I 2650			
Leather II 12,585	Leather II 1740	Leather II 3390			
Leather III 13,705	Leather III 2120	Leather III 4130			
Leather IV 14,825	Leather IV 2500	Leather IV 4870			
Leather V 15,945	Leather V 2880	Leather V 5610			
Leather VI 17.065	Leather VI 3260	Leather VI 6350			
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):			
Fabric: 14 Yards	Fabric: 4¾ Yards	Fabric: 9¼ Yards			
Leather: 252 Sq. Ft.	Leather: 851/2 Sq. Ft.	Leather: 1661/2 Sq. Ft.			
			Total Reg	uired	
			Upholster		Yards
			c proceed,	Leather: 252	Sq. Ft

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	Note: Power must be ordered
	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	separately (Please refer to page 58).
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	
	See available graded-in textiles product page at	See available graded-in textiles product page at		POL = Polished Chrome +\$130 P8X = Solar Black	
	HBF.com.	HBF.com.			
•		•			

20

HLS022-W032.OuterUph.CushionUph.Flammability.Leg Example: HLS022-W032.950-88.950-88.U.WI



Mod HLS022-W042



Work Sofa - Two-Seater - Armless | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

OH	55	AH
ow	591/2	WBA
OD	311/2	DED
SH	181/2	DEW
SD	221/4	R

Pricing for Sin Uniform Texti	-	Pricing for Contrast Textile Application: (To calculate, begin with base price and add upcharges.)			Base Price:	5990	
Application: Upholstery:		Outer Upholstery:		Cushion Upholstery:			
COM/COL 638	30	COM/COL	95	COM/COL	295		
Grade A 612	20	Grade A	30	Grade A	100		
Grade B 625	60	Grade B	65	Grade B	195		
Grade C 638	80	Grade C	95	Grade C	295		
Grade D 650	15	Grade D	125	Grade D	390		
Grade E 663	55	Grade E	155	Grade E	490		
Grade F 678	35	Grade F	190	Grade F	605		
Grade G 696	55	Grade G	235	Grade G	740		
Grade H 714	0	Grade H	275	Grade H	875		
Grade J 727	0	Grade J	305	Grade J	975		
Grade K 753	60	Grade K	370	Grade K	1170		
Grade L 791	.0	Grade L	460	Grade L	1460		
Grade M 842	20	Grade M	580	Grade M	1850		
Leather I 929	00	Leather I	790	Leather I	2510		
Leather II 10,2	210	Leather II	1010	Leather II	3210		
Leather III 11,	130	Leather III	1230	Leather III	3910		
Leather IV 12,0	050	Leather IV	1450	Leather IV	4610		
Leather V 12,9	970	Leather V	1670	Leather V	5310		
Leather VI 13,8	890	Leather VI	1890	Leather VI	6010		
Upholstery Requi	ires:	Upholstery R (Per Applicat	•	Upholstery F (Per Applica	•		
Fabric: 11½ Yar	rds	Fabric: 2¾	Yards	Fabric: 8¾	Yards		
Leather: 207 Sq.	Ft.	Leather: 491/2	Sq. Ft.	Leather: 157!	½ Sq. Ft.		
						Total Reg	mired
						Upholster	
						Ophoister	Leather: 207 Sq. I

PLEASE SPECIFY THE FOLLOWING TO ORDER:


MODEL NUMBER	TEXTILES: OUTER Indicate fabric choice for Outer Upholstery: See available graded-in textiles product page at HBF.com.	TEXTILES: CUSHIONS Indicate fabric choice for Cushion Upholstery: See available graded-in textiles product page at HBF.com.	FLAMMABILITY Indicate flammability: U = Cal 117	LEG FINISH Options for metal finish: WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$130 P8X = Solar Black	Note: Power must be ordered separately (Please refer to page 58).
	•	1131.00%			

21

HLS022-W042.OuterUph.CushionUph.Flammability.Leg Example: HLS022-W042.950-88.950-88.U.WI



Mod HLS022-W043



Work Sofa - Three-Seater | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

OH	33	AΗ	33	
OW	93	WBA	79¾	
OD	311/2	DED		
SH	181/2	DEW		
SD	221/4	R		
Carton	Dimensions	L 96½	w 35	H 22¾

Shipping Weight 340 lbs.
Cube 44.47 cubic ft.

Pricing for Single, Uniform Textile	•	at Textile Application: a with base price and add upcharges.)	Base Price:	9785
Application: Upholstery:	Outer Upholstery:	Cushion Upholstery:		
COM/COL 10,385	COM/COL 180	COM/COL 420		
Grade A 9985	Grade A 60	Grade A 140		
Grade B 10,185	Grade B 120	Grade B 280		
Grade C 10,385	Grade C 180	Grade C 420		
Grade D 10,585	Grade D 245	Grade D 555		
Grade E 10,785	Grade E 305	Grade E 695		
Grade F 11,025	Grade F 375	Grade F 8655		
Grade G 11,305	Grade G 465	Grade G 1055		
Grade H 11,585	Grade H 550	Grade H 1250		
Grade J 11,785	Grade J 610	Grade J 1390		
Grade K 12,185	Grade K 730	Grade K 1670		
Grade L 12,785	Grade L 915	Grade L 2085		
Grade M 13,585	Grade M 1160	Grade M 2640		
Leather I 14,945	Leather I 1575	Leather I 3585		
Leather II 16,385	Leather II 2015	Leather II 4585		
Leather III 17,825	Leather III 2455	Leather III 5585		
Leather IV 19,265	Leather IV 2895	Leather IV 6585		
Leather V 20,705	Leather V 3335	Leather V 7585		
Leather VI 22,145	Leather VI 3775	Leather VI 8585		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 18 Yards	Fabric: 5½ Yards	Fabric: 12½ Yards		
Leather: 324 Sq. Ft.	Leather: 99 Sq. Ft.	Leather: 225 Sq. Ft.		
			Total Red	auired
			Upholste	
			•	Leather: 324 Sq

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	Note: Power must be ordered
	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	separately (Please refer to page 58)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	
	See available graded-in textiles product page at	See available graded-in textiles product page at		POL = Polished Chrome +\$195 P8X = Solar Black	
	HBF.com.	HBF.com.			

22

HLS022-W043.OuterUph.CushionUph.Flammability.Leg Example: HLS022-W043.950-88.950-88.U.WI



33

89

311/2

ОН

Mod HLS022-W053



Work Sofa - Three-Seater - Armless | Fully Upholstered | Powder Coat Metal LegOW OD Ships fully assembled. Leg brackets need to be installed in the field. SH

DEW 181/2 221/4 SD R

Carton Dimensions L 921/2 W 35 H 223/4 217 lbs.

AΗ WBA

DED

Shipping Weight Cube 42.62 cubic ft.

Work Sofa - Three-Seater - Armless | Fully Upholstered | Powder Coat Metal Legs

Outer

Upholstery:

COM/COL

100

Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified | Indoor Advantage™ certified

Pricing for Single,
Uniform Textile
Application:
Upholstery:

Pricing for Contrast Textile Application:

(To calculate, begin with base price and add upcharges.)

Cushion

Upholstery:

COM/COL

400

Base Price:

8310

COM/COL	8810
Grade A	8480
Grade B	8640
Grade C	8810
Grade D	8980
Grade E	9140
Grade F	9340
Grade G	9580
Grade H	9810
Grade J	9980
Grade K	10,310
Grade L	10,810
Grade M	11,480
Leather I	12,610
Leather II	13,810
Leather III	15,010
Leather IV	16,210
Leather V	17,410

35 135 Grade A Grade A Grade B 65 Grade B 265 Grade C 100 Grade C 400 535 Grade D 135 Grade D Grade E 165 665 Grade E 205 825 Grade F Grade F Grade G 255 Grade G 1015 Grade H 300 Grade H 1200 335 1335 Grade J Grade J 400 1600 Grade K Grade K 500 2000 Grade L Grade L Grade M 635 Grade M 2535 Leather I 860 Leather I 3440 1100 Leather II 4400 Leather II 1340 5360 Leather III Leather III 1580 6320 Leather IV Leather IV Leather V 1820 Leather V 7280 Leather VI 2060 Leather VI 8240

Upholstery Requires:

18,610

Leather VI

Upholstery Requires Upholstery Requires (Per Application): (Per Application):

Fabric: 15 Yards Leather: 270 Sq. Ft.

Yards Fabric: 3 Fabric: 12 Yards Leather: 54 Sq. Ft. Leather: 216 Sq. Ft.

Total Required

Upholstery:

Fabric: 15 Yards

Leather: 270 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH
Trombar.	Indicate fabric choice for Outer Upholstery:	Indicate fabric choice for Cushion Upholstery:	Indicate flammability: U = Cal 117	Options for metal finish: WI = White Powder Coat
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.	U = Cal 11/	LG = Light Grey Powder Coat POL = Polished Chrome +\$195 P8X = Solar Black

23


Note: Power must be ordered separately (Please refer to page 58).

 $HLS022-W053. \ Outer Uph. \ Cushion Uph. Flam mability. \ Leg$ Example: HLS022-W053.950-88.950-88.U.WI



	List Prices						Sq.Ft.	Yards	Dime	nsions	
Mod HHS022-031											
	COM/COL Grade A Grade B Grade C Grade D Grade E Grade F	2475 2420 2450 2475 2505 2530 2565	Grade G Grade H Grade J Grade K Grade L Grade M	2605 2645 2670 2725 2810 2920	Leather I Leather II Leather III Leather IV Leather V Leather VI	3110 3310 3510 3710 3910 4110	45	21/2	OH OW OD SH SD	17½ 30 30 16 30	AH WBA DED DEW R
Ottoman Fully Upholstered Powder Coa	t Metal Legs									ing Weight	L 33½ W 33½ H 22¾ 62 lbs. 14.78 cubic ft.
Ships fully assembled. Leg brackets need to be	installed in the fi	ield.			ANSI/BI	FMA LEV	EL® Furnit	ure Sustai	nability S	tandard certified	Indoor Advantage™ certified

PLEASE SPECIFY THE FOLLOWING TO ORDER:



separately (Please refer to page 58).

HHS 022 - 031. Fabric. Flammability. BaseExample: HHS022-031.950-88.U.WI




List Prices Sq.Ft. Yards Dimensions Mod HHS022-011 171/2 COM/COL 2425 Grade G 2515 Leather I 2870 311/2 13/4 ОН AΗ Grade A 2390 Grade H 2545 Leather II 3010 OW 201/2 WBA Grade B 2405 2565 Leather III 3150 Grade J 17¾ DED OD 3290 Grade C 2425 Grade K 2600 Leather IV SH 16 DEW Grade D 2445 Grade L 2660 Leather V 3430 SD 201/2 R Grade E 2465 Grade M 2740 Leather VI 3570 Grade F 2490 Carton Dimensions L 231/2 W 24 H 121/2 Shipping Weight 30 lbs. Cube 4.08 cubic ft.

Stool | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

 $ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified \quad |\quad Indoor\ Advantage^{\tiny{\texttt{TM}}}\ certified$

PLEASE SPECIFY THE FOLLOWING TO ORDER:



HHS022-011.Fabric.Flammability.Base Example: HHS022-011.950-88.U.WI

	List Prices					Sq.Ft.	Yards	Dimensions	
Mod HHS022-012									
	COM/COL 2745 Grade A 2680 Grade B 2715 Grade C 2745 Grade D 2775 Grade E 2805 Grade F 2840	Grade H Grade J Grade K Grade L Grade M	2885 2925 2955 3020 3110 3230	Leather I Leather II Leather III Leather IV Leather V Leather VI	3440 3660 3880 4100 4320 4540	491/2	23/4	OH 17½ OW 40½ OD 17¾ SH 16 SD 20½	AH WBA DED DEW R
Bench - Two-Seater Fully Upholster	ed Powder Coat Metal Legs							Carton Dimension Shipping Weight Cube	s L 43½ W 24 H 12½ 58 lbs. 7.55 cubic ft.

Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified | Indoor Advantage™ certified


PLEASE SPECIFY THE FOLLOWING TO ORDER:



HHS022-012.Fabric.Flammability.Base Example: HHS022-012.950-88.U.WI

	List Prices						Sq.Ft.	Yards	Dimensions	
Mod HHS022-013										
	COM/COL Grade A Grade B Grade C Grade D Grade E Grade F	3005 2940 2970 3005 3040 3070 3110	Grade G Grade H Grade J Grade K Grade L Grade M	3160 3205 3240 3305 3405 3540	Leather I Leather II Leather III Leather IV Leather V Leather VI	3765 4005 4245 4485 4725 4965	54	3	OW 60½ OD 17¾ SH 16	AH WBA DED DEW R
Bench - Three-Seater Fully Upholstered	Powder Coat M	etal Legs							Carton Dimensions Shipping Weight Cube	85 L 63½ W 24 H 12½ 85 lbs. 11.02 cubic ft.
Ships fully assembled. Leg brackets need to be	installed in the fi	eld.			ANSI/BI	FMA LEVI	EL° Furnit	ure Sustai	nability Standard certified	l Indoor Advantage™ certified

PLEASE SPECIFY THE FOLLOWING TO ORDER:



27

HHS022-013.Fabric.Flammability.Base Example: HHS022-013.950-88.U.WI



List Prices Sq.Ft. Yards Dimensions

Mod HHS022-W031




Grade C Grade D Grade E	2530 2560 2585 2615 2640	Grade G Grade H Grade J Grade K Grade L Grade M	2755 2780	Leather I Leather II Leather III Leather IV Leather V Leather VI	3220 3420 3620 3820 4020 4220	45	2½	OH OW OD SH SD	20 30 31½ 18½ 31½	AH WBA DED DEW R
Grade F	2675	Grade IVI	3030	Leatilei VI	4220					

Carton Dimensions L 331/2 W 331/2 H 223/4 Shipping Weight 65 lbs. Cube 14.78 cubic ft.

Ottoman | Fully Upholstered | Powder Coat Metal Legs Ships fully assembled. Leg brackets need to be installed in the field.

 $ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified \quad |\quad Indoor\ Advantage^{\tiny{\texttt{TM}}}\ certified$

PLEASE SPECIFY THE FOLLOWING TO ORDER:



Note: Power must be ordered separately (Please refer to page 58).

Example: HHS022-W031.950-88.U.WI HHS 022-W031. Fabric. Flammability. Base

	List Prices					Sq.Ft.	Yards	Dime	nsions	
Mod HHS022-W012										
	COM/COL 2855 Grade A 2790 Grade B 2825 Grade C 2855 Grade D 2885 Grade E 2915 Grade F 2950	Grade G Grade H Grade J Grade K Grade L Grade M	2995 3035 3065 3130 3220 3340	Leather I Leather III Leather IV Leather V Leather VI	3550 3770 3990 4210 4430 4650	491/2	23/4	OH OW OD SH SD	20 30 31½ 18½ 31½	AH WBA DED DEW R

29

Work Bench - Two-Seater | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

 $ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified \quad |\quad Indoor\ Advantage^{\tiny{\texttt{TM}}}\ certified$


Cube

Carton Dimensions L 431/2 W 24 H 121/2

7.55 cubic ft.

Shipping Weight 60 lbs.

PLEASE SPECIFY THE FOLLOWING TO ORDER:



Note: Power must be ordered separately (Please refer to page 58).

HHS022-W012.Fabric.Flammability.Base Example: HHS022-W012.950-88.U.WI



	List Prices						Sq.Ft.	Yards	Dimens	sions	
Mod HHS022-W013											
	COM/COL Grade A Grade B Grade C Grade D Grade E Grade F	3115 3050 3080 3115 3150 3180 3220	Grade G Grade H Grade J Grade K Grade L Grade M	3270 3315 3350 3415 3515 3650	Leather I Leather III Leather IV Leather V Leather VI	3875 4115 4355 4595 4835 5075	54	3	OW OD SH	20 60½ 17¾ 18½ 31½	AH WBA DED DEW R
										Dimension ng Weight	ns L 63½ W 24 H 12½ 87 lbs. 11.02 cubic ft.


30

Work Bench - Three-Seater | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

 $ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified \quad |\quad Indoor\ Advantage^{\tiny{\texttt{TM}}}\ certified$

PLEASE SPECIFY THE FOLLOWING TO ORDER:



Note: Power must be ordered separately (Please refer to page 58).

HHS 022-W013. Fabric. Flammability. BaseExample: HHS022-W013.950-88.U.WI



SD

Mod HLS018-081



Sectional Module - Left Facing Arm | Fully Upholstered | Powder Coat Metal Legs | No Power

Ships fully assembled. Leg brackets need to be installed in the field.

ОН	33	AH	30½
OW	89	WBA	25%
OD	311/2	DED	
H2	1.81/2	DFW	

Carton Dimensions L 35¼ W 35¼ H 22¾ Shipping Weight 95 lbs.

R

Shipping Weight 95 lbs.
Cube 16.36 cubic ft.

 $ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified \quad |\quad Indoor\ Advantage^{\tiny{\texttt{TM}}}\ certified$

221/4

Pricing for Single, Uniform Textile	•	et Textile Application: An with base price and add upcharges.)	Base Price:	4650	
Application: Upholstery:	Outer Upholstery:	Cushion Upholstery:			
COM/COL 4900	COM/COL 95	COM/COL 155			
Grade A 4730	Grade A 30	Grade A 50			
Grade B 4820	Grade B 65	Grade B 105			
Grade C 4900	Grade C 95	Grade C 155			
Grade D 4985	Grade D 125	Grade D 210			
Grade E 5065	Grade E 155	Grade E 260			
Grade F 5165	Grade F 190	Grade F 325			
Grade G 5285	Grade G 235	Grade G 400			
Grade H 5400	Grade H 275	Grade H 475			
Grade J 5480	Grade J 305	Grade J 525			
Grade K 5650	Grade K 370	Grade K 630			
Grade L 5900	Grade L 460	Grade L 790			
Grade M 6230	Grade M 580	Grade M 1000			
Leather I 6800	Leather I 790	Leather I 1360			
Leather II 7400	Leather II 1010	Leather II 1740			
Leather III 8000	Leather III 1230	Leather III 2120			
Leather IV 8600	Leather IV 1450	Leather IV 2500			
Leather V 9200	Leather V 1670	Leather V 2880			
Leather VI 9800	Leather VI 1890	Leather VI 3260			
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):			
Fabric: 7½ Yards	Fabric: 2¾ Yards	Fabric: 43/4 Yards			
Leather: 135 Sq. Ft.	Leather: 49½ Sq. Ft.	Leather: 85½ Sq. Ft.			
			Total Regi	uired	
			Upholstery		Yard
			- <i>T</i>		Sq. F

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
NOMBER	Indicate fabric	Indicate fabric	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	choice for Outer Upholstery:	choice for Cushion Upholstery:	U = Cal 117	WI = White Powder Coat	PN = No Power Unit
				LG = Light Grey Powder Coat POL = Polished Chrome +\$130	Note: Power must be ordered separately.
	See available graded-in textiles product page at	See available graded-in textiles product page at		P8X = Solar Black	(Please refer to page 58).
	HBF.com.	HBF.com.			
		•		•	PN

 $HLS018-081. \ Outer Uph. \ Cushion Uph. Flammability. Leg. Power$

Example: HLS018-081.950-88.950-88.U.WI.PN

31



301/2

321/2

311/2

Mod HLS018-091



DEW SH 16 SD 221/4

ОН

OW

OD

Carton Dimensions L 351/4 W 351/4 H 223/4 95 lbs. Shipping Weight Cube 16.36 cubic ft.

AΗ

DED

301/2

WBA 25%

Sectional Module - Right Facing Arm | Fully Upholstered | Powder Coat Metal Legs | No Power

Ships fully assembled. Leg brackets need to be installed in the field.

 $ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified \quad |\quad Indoor\ Advantage^{\tiny{\texttt{TM}}}\ certified$

Pricing for	Single,	Pricing for	Contras	t Textile App	lication:		
Uniform T	extile	(To calcula	ite, begin	with base pr	ice and add upcharges.)	Base Price:	4650
Applicatio	n:	Outer		Cushion			
Upholstery:		Upholstery:		Upholstery:			
COM/COL	4900	COM/COL	95	COM/COL	155		
Grade A	4730	Grade A	30	Grade A	50		
Grade B	4820	Grade B	65	Grade B	105		
Grade C	4900	Grade C	95	Grade C	155		
Grade D	4985	Grade D	125	Grade D	210		
Grade E	5065	Grade E	155	Grade E	260		
Grade F	5165	Grade F	190	Grade F	325		
Grade G	5285	Grade G	235	Grade G	400		
Grade H	5400	Grade H	275	Grade H	475		
Grade J	5480	Grade J	305	Grade J	525		
Grade K	5650	Grade K	370	Grade K	630		
Grade L	5900	Grade L	460	Grade L	790		
Grade M	6230	Grade M	580	Grade M	1000		
Leather I	6800	Leather I	790	Leather I	1360		
Leather II	7400	Leather II	1010	Leather II	1740		
Leather III	8000	Leather III	1230	Leather III	2120		
Leather IV	8600	Leather IV	1450	Leather IV	2500		
Leather V	9200	Leather V	1670	Leather V	2880		
Leather VI	9800	Leather VI	1890	Leather VI	3260		
Upholstery l	Requires:	Upholstery F (Per Applica	•	Upholstery I (Per Applica	•		
Fabric: 7½	Yards	Fabric: 2¾	Yards	Fabric: 43/4	Yards		
Leather: 135	Sq. Ft.	Leather: 49½	sq. rt.	Leather: 85½	9 9q. rt.		

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
NOMBER	Indicate fabric	Indicate fabric	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	choice for Outer Upholstery:	choice for Cushion Upholstery:	U = Cal 117	WI = White Powder Coat	PN = No Power Unit
	C	C		LG = Light Grey Powder Coat POL = Polished Chrome +\$130	Note: Power must be ordered separately.
	See available graded-in textiles product page at	See available graded-in textiles product page at		P8X = Solar Black	(Please refer to page 58).
	HBF.com.	HBF.com.			
		•	•		PN

 $HLS018-091. \ Outer Uph. \ Cushion Uph. Flammability. Leg. Power$

Example: HLS018-091.950-88.950-88.U.BL.PN

32

Total Required

Upholstery: Fabric: 71/2 Yards

Leather: 135 Sq. Ft.



SD

Mod HLS018-101



Sectional Module - Armless | Fully Upholstered | Powder Coat Metal Legs | No Power

Ships fully assembled. Leg brackets need to be installed in the field.

ОН	301/2	AH 30½
OW	30	WBA 25%
OD	311/2	DED
SH	16	DEW

221/4

Carton Dimensions L 331/2 W 351/4 H 331/2

R

75 lbs. Shipping Weight Cube 22.89 cubic ft.

 $ANSI/BIFMA\ LEVEL^{\circ}\ Furniture\ Sustainability\ Standard\ certified \qquad | \quad Indoor\ Advantage^{^{\text{\tiny{TM}}}}\ certified$

Pricing for Single
Uniform Textile
Application:

Upholstery: COM/COL 4370 Grade A 4195 Grade B 4280 Grade C 4370 Grade D 4450 Grade E 4540 Grade F 4645 Grade G 4760 Grade H 4880 Grade J 4970 Grade K 5145 Grade L 5400 Grade M 5745 Leather I 6330 Leather II 6950 Leather III 7570 Leather IV 8190 Leather V 8810 Leather VI 9430

Upholstery Requires:

Pricing for Contrast Textile Application:

(To calculate,	begin with	base price	and add	upcharges.)
----------------	------------	------------	---------	-------------

Base Price:

4105

Outer Upholstery:		Cushion Upholstery:	
COM/COL	70	COM/COL	195
Grade A	25	Grade A	65
Grade B	45	Grade B	130
Grade C	70	Grade C	195
Grade D	90	Grade D	255
Grade E	115	Grade E	320
Grade F	140	Grade F	400
Grade G	170	Grade G	485
Grade H	200	Grade H	575
Grade J	225	Grade J	640
Grade K	270	Grade K	<i>77</i> 0
Grade L	335	Grade L	960
Grade M	425	Grade M	1215
Leather I	575	Leather I	1650
Leather II	735	Leather II	2110
Leather III	895	Leather III	2570
Leather IV	1055	Leather IV	3030
Leather V	1215	Leather V	3490
Leather VI	1375	Leather VI	3950
Upholstery F	Requires	Upholstery I	Requires

Fabric: 7¾ Yards Fabric: 2 Leather: 1391/2 Sq. Ft. Leather: 36

Yards Fabric: 5¾ Yards Sq. Ft. Leather: 1031/2 Sq. Ft.

(Per Application):

Total Required

Upholstery: Fabric: 7¾ Yards

Leather: 1391/2 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

NUMBER	
	Indicate fabric
	choice for
	Outer Upholstery:
	See available graded-in textiles product page at HBF.com.

| TEXTILES: OUTER

MODEL

TEXTILES: CUSHIONS Indicate fabric choice for

(Per Application):

Cushion Upholstery: See available graded-in textiles product page at

HBF.com.

FLAMMABILITY Indicate

flammability: U = Cal 117 LEG FINISH Options for metal finish:

WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$130

P8X = Solar Black

POWER | DATA

Power (Ordered Separately)

PN = No Power Unit

Note: Power must be ordered separately. (Please refer to page 58).

 $HLS018-101. \ Outer Uph. \ Cushion Uph. Flammability. Leg. Power$

Example: HLS018-101.950-88.950-88.U.WI.PN

33

February 2024

PN



Mod HLS018-029



Sectional Module - Corner | Fully Upholstered | Powder Coat Metal Legs | No Power

Ships fully assembled. Leg brackets need to be installed in the field.

OH OW	30½ 31½	AH WBA	30½ 24%
OD	31½	DED	
SH	16	DEW	
SD	221/4	D	

Carton Dimensions L 36 W 35 H 22¾ Shipping Weight 110 lbs. Cube 16.59 cubic ft.

Leather: 153 Sq. Ft.

 $ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified \quad |\quad Indoor\ Advantage^{\tiny \mbox{\tiny M}}\ certified$

Pricing for Single, Uniform Textile	•	t Textile Application: with base price and add upcharges.)	Base Price:	5010
Application: Upholstery:	Outer Upholstery:	Cushion Upholstery:	2.00 2 1.000	2010
COM/COL 5300	COM/COL 95	COM/COL 195		
Grade A 5105	Grade A 30	Grade A 65		
Grade B 5205	Grade B 65	Grade B 130		
Grade C 5300	Grade C 95	Grade C 195		
Grade D 5390	Grade D 125	Grade D 255		
Grade E 5485	Grade E 155	Grade E 320		
Grade F 5600	Grade F 190	Grade F 400		
Grade G 5730	Grade G 235	Grade G 485		
Grade H 5860	Grade H 275	Grade H 575		
Grade J 5955	Grade J 305	Grade J 640		
Grade K 6150	Grade K 370	Grade K 770		
Grade L 6430	Grade L 460	Grade L 960		
Grade M 6805	Grade M 580	Grade M 1215		
Leather I 7450	Leather I 790	Leather I 1650		
Leather II 8130	Leather II 1010	Leather II 2110		
Leather III 8810	Leather III 1230	Leather III 2570		
Leather IV 9490	Leather IV 1450	Leather IV 3030		
Leather V 10,170	Leather V 1670	Leather V 3490		
Leather VI 10,850	Leather VI 1890	Leather VI 3950		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 8½ Yards	Fabric: 2¾ Yards	Fabric: 5¾ Yards		
Leather: 153 Sq. Ft.	Leather: 49½ Sq. Ft.	Leather: 103½ Sq. Ft.		
			Total R Upholst	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
NUMBER	Indicate fabric	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat	PN = No Power Unit
				LG = Light Grey Powder Coat POL = Polished Chrome +\$130	Note: Power must be ordered separately.
	See available graded-in textiles product page at	See available graded-in textiles product page at		PSX = Solar Black	(Please refer to page 58).
	HBF.com.	HBF.com.		- John Black	(1 sease reger to page 50).
•	•	•	•	•	PN

 $HLS018-029. \ Outer Uph. \ Cushion Uph. Flammability. Leg. \ Power$

Example: HLS018-029.950-88.950-88.U.WI.PN

34



Mod HLS022-W081



Work Sectional Module - Left Facing Arm | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

OH	33	AΗ	33
OW	321/2	WBA	25%
OD	311/2	DED	
SH	181/2	DEW	
SD	221/4	P	

Carton Dimensions L 35¼ W 35¼ H 22¾ Shipping Weight 97 lbs. Cube 16.36 cubic ft.

 $ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified \quad |\quad Indoor\ Advantage^{^{13}}\ certified$

Pricing for Single, Uniform Textile	•	et Textile Application: a with base price and add upcharges.)	Base Price:	4760
Application: Upholstery:	Outer Upholstery:	Cushion Upholstery:		
COM/COL 5010	COM/COL 95	COM/COL 155		
Grade A 4840	Grade A 30	Grade A 50		
Grade B 4930	Grade B 65	Grade B 105		
Grade C 5010	Grade C 95	Grade C 155		
Grade D 5095	Grade D 125	Grade D 210		
Grade E 5175	Grade E 155	Grade E 260		
Grade F 5275	Grade F 190	Grade F 325		
Grade G 5395	Grade G 235	Grade G 400		
Grade H 5510	Grade H 275	Grade H 475		
Grade J 5590	Grade J 305	Grade J 525		
Grade K 5760	Grade K 370	Grade K 630		
Grade L 6010	Grade L 460	Grade L 790		
Grade M 6340	Grade M 580	Grade M 1000		
Leather I 6910	Leather I 790	Leather I 1360		
Leather II 7510	Leather II 1010	Leather II 1740		
Leather III 8110	Leather III 1230	Leather III 2120		
Leather IV 8710	Leather IV 1450	Leather IV 2500		
Leather V 9310	Leather V 1670	Leather V 2880		
Leather VI 9910	Leather VI 1890	Leather VI 3260		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 7½ Yards	Fabric: 2¾ Yards	Fabric: 4¾ Yards		
Leather: 135 Sq. Ft.	Leather: 49½ Sq. Ft.	Leather: 851/2 Sq. Ft.		
			Total R	equired
			Upholst	
			Spisoisi	Leather: 135 Sq.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER Indicate fabric choice for	TEXTILES: CUSHIONS Indicate fabric choice for	FLAMMABILITY Indicate flammability:	LEG FINISH Options for metal finish:	Note: Power must be ordered separately (Please refer to page 58).
	Outer Upholstery: See available graded-in textiles product page at HBF.com.	Cushion Upholstery: See available graded-in textiles product page at HBF.com.	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$130 P8X = Solar Black	

35

HLS022-W081.OuterUph.CushionUph.Flammability.Leg Example: HLS022-W081.950-88.950-88.U.WI



Mod HLS022-W091



ОН 33 AH 33 OW 321/2 WBA 25% OD 311/2 DED DEW SH 181/2 SD 221/4

Carton Dimensions L 351/4 W 351/4 H 223/4 Shipping Weight 97 lbs. Cube 16.36 cubic ft.

Work Sectional Module - Right Facing Arm | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

 $ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified \quad |\quad Indoor\ Advantage^{\tiny{TM}}\ certified$

Uniform Textile	(To calculate, begin	with base price and add upcharges.)	Base Price:	4760
Application: Upholstery:	Outer Upholstery:	Cushion Upholstery:		
COM/COL 5010	COM/COL 95	COM/COL 155		
Grade A 4840	Grade A 30	Grade A 50		
Grade B 4930	Grade B 65	Grade B 105		
Grade C 5010	Grade C 95	Grade C 155		
Grade D 5095	Grade D 125	Grade D 210		
Grade E 5175	Grade E 155	Grade E 260		
Grade F 5275	Grade F 190	Grade F 325		
Grade G 5395	Grade G 235	Grade G 400		
Grade H 5510	Grade H 275	Grade H 475		
Grade J 5590	Grade J 305	Grade J 525		
Grade K 5760	Grade K 370	Grade K 630		
Grade L 6010	Grade L 460	Grade L 790		
Grade M 6340	Grade M 580	Grade M 1000		
Leather I 6910	Leather I 790	Leather I 1360		
Leather II 7510	Leather II 1010	Leather II 1740		
Leather III 8110	Leather III 1230	Leather III 2120		
Leather IV 8710	Leather IV 1450	Leather IV 2500		
Leather V 9310	Leather V 1670	Leather V 2880		
Leather VI 9910	Leather VI 1890	Leather VI 3260		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 7½ Yards	Fabric: 2¾ Yards	Fabric: 4¾ Yards		
Leather: 135 Sq. Ft.	Leather: 49½ Sq. Ft.	Leather: 85½ Sq. Ft.		
			Total R	taguirad

36

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	
	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	s
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		POL = Polished Chrome +\$130 P8X = Solar Black	
•	•	•	•		

Note: Power must be ordered separately (Please refer to page 58).

 $HLS022-W091. Outer Uph. {\it Cushion Uph. Flam mability. Leg}$ Example: HLS022-W091.950-88.950-88.U.WI



Mod HLS022-W101



Work Sectional Module - Armless | Fully Upholstered | Powder Coat Metal Legs

Outer

Ships fully assembled. Leg brackets need to be installed in the field.

ОН	33	AH
OW	30	WBA
OD	311/2	DED
CTT	1.01/	DEW

SH 181/2 DEW SD 221/4 R

Carton Dimensions L 331/2 W 351/4 H 331/2 77 lbs.

4215

Shipping Weight Cube 22.89 cubic ft.

 $ANSI/BIFMA\ LEVEL^{\circ}\ Furniture\ Sustainability\ Standard\ certified \qquad | \quad Indoor\ Advantage^{^{\text{\tiny{TM}}}}\ certified$

Base Price:

Pricing for Single,
Uniform Textile
Application:
I Imbalatamy

Upholstery:	
COM/COL	4480
Grade A	4305
Grade B	4390
Grade C	4480
Grade D	4560
Grade E	4650
Grade F	4755
Grade G	4870
Grade H	4990
Grade J	5080
Grade K	5255
Grade L	5510
Grade M	5855
Leather I	6440
Leather II	7060
Leather III	7680
Leather IV	8300
Leather V	8920
Leather VI	9540

Fabric: 7¾ Yards Leather: 1391/2 Sq. Ft.

Upholstery Requires:

Pricing for Contrast Textile Application:

(To calculate	, begin with	base price and	add upcharges.)
---------------	--------------	----------------	-----------------

Cushion

Upholstery:		Upholstery:	
COM/COL	70	COM/COL	195
Grade A	25	Grade A	65
Grade B	45	Grade B	130
Grade C	70	Grade C	195
Grade D	90	Grade D	255
Grade E	115	Grade E	320
Grade F	140	Grade F	400
Grade G	170	Grade G	485
Grade H	200	Grade H	575
Grade J	225	Grade J	640
Grade K	270	Grade K	<i>77</i> 0
Grade L	335	Grade L	960
Grade M	425	Grade M	1215
Leather I	575	Leather I	1650
Leather II	735	Leather II	2110

Upholstery Requires (Per Application):

Leather III

Leather IV Leather V

Leather VI

Fabric: 2 Yards Leather: 36 Sq. Ft.

895

1055

1215

1375

Fabric: 5¾ Yards Leather: 1031/2 Sq. Ft.

Upholstery Requires

(Per Application):

2570

3030

3490 3950

Leather III

Leather IV

Leather V

Leather VI

Total Required

Upholstery: Fabric: 7¾ Yards

Leather: 1391/2 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

| TEXTILES: OUTER

NUMBER	Indicate fabric choice for Outer Upholstery:
	See available graded-in textiles product page at HBF.com.

TEXTILES: CUSHIONS Indicate fabric choice for

Cushion Upholstery: See available graded-in textiles product page at

HBF.com.

FLAMMABILITY Indicate flammability:

U = Cal 117

37

LEG FINISH Options for metal finish:

WI = White Powder Coat

LG = Light Grey Powder Coat POL = Polished Chrome +\$130

P8X = Solar Black

Note: Power must be ordered separately (Please refer to page 58).

 $HLS022-W101. \ Outer Uph. \ Cushion Uph. Flam mability. \ Leg$ Example: HLS022-W101.950-88.950-88.U.WI



Mod HLS022-W029



Work Sectional Module - Corner | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

ОН 33 AH 33 OW 30 WBA 24% OD 31½ DED DEW SH 181/2 SD 221/4

Carton Dimensions L 36 W 35 H 22¾

Shipping Weight 112 lbs. Cube 16.59 cubic ft.

 $ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified \quad |\quad Indoor\ Advantage^{\tiny{TM}}\ certified$

Leather: 153 Sq. Ft.

Uniform Tex	tile	(To calcula	te, begin	with base pr	ice and add upcharges.)	Base Price:	5120
Application:		Outer		Cushion			
Upholstery:		Upholstery:		Upholstery:			
COM/COL 54	410	COM/COL	95	COM/COL	195		
Grade A 52	215	Grade A	30	Grade A	65		
Grade B 53	315	Grade B	65	Grade B	130		
Grade C 54	410	Grade C	95	Grade C	195		
Grade D 55	500	Grade D	125	Grade D	255		
Grade E 55	595	Grade E	155	Grade E	320		
	710	Grade F	190	Grade F	400		
	840	Grade G	235	Grade G	485		
	970	Grade H	275	Grade H	575		
,	065	Grade J	305	Grade J	640		
	260	Grade K	370	Grade K	770		
	540	Grade L	460	Grade L	960		
	915	Grade M	580	Grade M	1215		
	560	Leather I	790	Leather I	1650		
	240	Leather II	1010	Leather II	2110		
	920	Leather III	1230	Leather III	2570		
	600	Leather IV	1450	Leather IV	3030		
	0,280	Leather V	1670	Leather V	3490		
Leather VI 10	0,960	Leather VI	1890	Leather VI	3950		
Upholstery Req	quires:	Upholstery R (Per Applicat	•	Upholstery I (Per Applica	•		
Fabric: 8½ Y	Yards	Fabric: 2¾	Yards	Fabric: 5¾	Yards		
	Sq. Ft.	Leather: 49½		Leather: 103			
			_			m 15	. 7
						Total Re Upholste	1

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
Trombait	Indicate fabric	Indicate fabric	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat	PN = No Power Unit
	See available graded-in textiles product page at	See available graded-in textiles product page at		POL = Light Grey Powder Coat POL = Polished Chrome +\$130 P8X = Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
	HBF.com.	HBF.com.		- John - John Black	(2 Rest reger to page 50).
•	•	•	•	•	PN

38

Example: HLS022-W029.950-88.950-88.U.WI $HLS022-W029. \ Outer Uph. \ Cushion Uph. Flam mability. \ Leg$

Mod HLS022-HB061



Highback Lounge Chair | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

ОН	33	AH	50
OW	30	WBA	281/4
OD	311/2	DED	
SH	181/2	DEW	
SD	221/4	R	

Carton Dimensions L 45 W 441/4 H 223/4 Shipping Weight 225 lbs. Cube 26.22 cubic ft.

 $ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified \quad |\quad Indoor\ Advantage^{\tiny TM}\ certified$

Uniform Textile	(To calculate, begin	with base price and add upcharges.)	Base Price: 6775
Application: Upholstery:	Panel Surround (Outer) Upholstery:	Cushion Upholstery:	
COM/COL 7225	COM/COL 250	COM/COL 200	
Grade A 6925	Grade A 85	Grade A 65	
Grade B 7075	Grade B 165	Grade B 135	
Grade C 7225	Grade C 250	Grade C 200	
Grade D 7375	Grade D 335	Grade D 265	
Grade E 7525	Grade E 415	Grade E 335	
Grade F 7705	Grade F 515	Grade F 415	
Grade G 7915	Grade G 635	Grade G 505	
Grade H 8125	Grade H 750	Grade H 600	
Grade J 8275	Grade J 835	Grade J 665	
Grade K 8575	Grade K 1000	Grade K 800	
Grade L 9025	Grade L 1250	Grade L 1000	
Grade M 9625	Grade M 1585	Grade M 1265	
Leather I 10,645	Leather I 2150	Leather I 1720	
Leather II 11,725	Leather II 2750	Leather II 2200	
Leather III 12,805	Leather III 3350	Leather III 2680	
Leather IV 13,885	Leather IV 3950	Leather IV 3160	
Leather V 14,965	Leather V 4550	Leather V 3640	
Leather VI 16,045	Leather VI 5150	Leather VI 4120	
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	
Fabric: 13½ Yards	Fabric: 7½ Yards	Fabric: 6 Yards	
Leather: 243 Sq. Ft.	Leather: 135 Sq. Ft.	Leather: 108 Sq. Ft.	
			Total Required

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH
	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:
	Panel Surround	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat
	(Outer) Upholstery:			LG = Light Grey Powder Coat
				POL = Polished Chrome +\$130
	See available graded-in	See available graded-in		P8X = Solar Black
	textiles product page at	textiles product page at		
	HBF.com.	HBF.com.		

39


te: Power must be ordered arately (Please refer to page 58).

Leather: 243 Sq. Ft.

 $HLS022-WHB043. \ Outer Uph. \ Cushion Uph. Flammability. Leg$ Example: HLS022-WHB043.950-88.950-88.U.WI



Mod HLS022-WHB061



Highback Work Lounge Chair | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

ОН	521/2	AH	521/2
OW	411/2	WBA	281/4
OD	311/2	DED	
SH	181/2	DEW	
SD	221/4	R	

Carton Dimensions L 45 W 44¼ H 22¾ Shipping Weight 230 lbs. Cube 26.22 cubic ft.

 $ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified \quad |\quad Indoor\ Advantage^{\tiny TM}\ certified$

Pricing for Single, Uniform Textile	•	et Textile Application: a with base price and add upcharges.)	Base Price:	6885
Application: Upholstery:	Panel Surround (Outer) Upholstery:	Cushion Upholstery:		
COM/COL 7335 Grade A 7035 Grade B 7185 Grade C 7335 Grade D 7485 Grade E 7635 Grade F 7815 Grade G 8025 Grade H 8235 Grade J 8385 Grade J 8385 Grade L 9135 Grade M 9735 Leather I 10,755 Leather II 11,835 Leather II 12,915 Leather IV 13,995 Leather V 15,075 Leather V 15,075 Leather V 16,155	COM/COL 250 Grade A 85 Grade B 165 Grade C 250 Grade D 335 Grade E 415 Grade F 515 Grade G 635 Grade H 750 Grade J 835 Grade K 1000 Grade L 1250 Grade M 1585 Leather I 2750 Leather III 3350 Leather IV 3950 Leather VI 4550 Leather VI 5150	COM/COL 200 Grade A 65 Grade B 135 Grade C 200 Grade D 265 Grade E 335 Grade F 415 Grade G 505 Grade H 600 Grade J 665 Grade K 800 Grade L 1000 Grade M 1265 Leather I 1720 Leather III 280 Leather IV 3160 Leather V 3640 Leather VI 4120		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 13½ Yards Leather: 243 Sq. Ft.	Fabric: 7½ Yards Leather: 135 Sq. Ft.	Fabric: 6 Yards Leather: 108 Sq. Ft.		

PLEASE SPECIFY THE FOLLOWING TO ORDER:

	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	Note
Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	sepa
Panel Surround	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat	
(Outer) Upholstery:			LG = Light Grey Powder Coat	
• •			POL = Polished Chrome +\$130	
See available graded-in textiles product page at	See available graded-in textiles product page at		P8X = Solar Black	
HBF.com.	HBF.com.			
	choice for Panel Surround (Outer) Upholstery: See available graded-in	choice for Panel Surround (Outer) Upholstery: See available graded-in textiles product page at choice for Cushion Upholstery: See available graded-in textiles product page at	choice for Panel Surround (Outer) Upholstery: See available graded-in textiles product page at choice for Cushion Upholstery: U = Cal 117 U = Cal 117	choice for choice for Cushion Upholstery: Panel Surround Cushion Upholstery: (Outer) Upholstery: See available graded-in textiles product page at textiles product page at Choice for flammability: U = Cal 117 WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$130 P8X = Solar Black

40

Note: Power must be ordered separately (Please refer to page 58).

Fabric: 13½ Yards Leather: 243 Sq. Ft.

Total Required Upholstery: F

 $HLSO22-WHB061.\ Outer Uph.\ Cushion Uph.\ Flammability.\ Leg \\ Example:\ HLSO22-WHB061.950-88.950-88.U.WI$

Panel Surround



Mod HLS022-HB032



Highback Sofa - Two-Seater | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

Dimensions

OH 50 50 AΗ OW 65 WBA 513/4 OD 311/2 DED DEW SH 16 221/4 SD

Carton Dimensions L 673/4 W 441/4 H 331/2 300 lbs. Shipping Weight Cube 58.12 cubic ft.

8595

Base Price:

Pricing for Single, **Uniform Textile Application:** Upholstery:

COM/COL	9205
Grade A	8795
Grade B	9005
Grade C	9205
Grade D	9415
Grade E	9615
Grade F	9865
Grade G	10,155
Grade H	10,445
Grade J	10,645
Grade K	11,055
Grade L	11,675
Grade M	12,495
Leather I	13,895
Leather II	15,375
Leather III	16,855
Leather IV	18,335
Leather V	19,815
Leather VI	21,295

Upholstery Requires:

Fabric: 181/2 Yards Leather: 333 Sq. Ft.

Pricing for Contrast Textile Application:

(To calculate, begin with base price and add up	upcharges.)
---	-------------

Cushion

(Outer) Upholstery:		Upholstery:	
COM/COL	305	COM/COL	305
Grade A	100	Grade A	100
Grade B	205	Grade B	205
Grade C	305	Grade C	305
Grade D	410	Grade D	410
Grade E	510	Grade E	510
Grade F	635	Grade F	635
Grade G	780	Grade G	780
Grade H	925	Grade H	925
Grade J	1025	Grade J	1025
Grade K	1230	Grade K	1230
Grade L	1540	Grade L	1540
Grade M	1950	Grade M	1950
Leather I	2650	Leather I	2650
Leather II	3390	Leather II	3390
Leather III	4130	Leather III	4130
Leather IV	4870	Leather IV	4870
Leather V	5610	Leather V	5610
Leather VI	6350	Leather VI	6350
Upholstery Requires		Upholstery F	Requires

Fabric: 91/4 Yards Leather: 1661/2 Sq. Ft.

(Per Application):

Fabric: 91/4 Yards Leather: 1661/2 Sq. Ft.

(Per Application):

Total Required

Upholstery: Fabric: 18½ Yards

Leather: 333 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL TEXTILES: OUTER NUMBER Indicate fabric choice for Panel Surround (Outer) Upholstery:

See available graded-in textiles product page at HBF.com.

TEXTILES: CUSHIONS

Indicate fabric choice for Cushion Upholstery:

See available graded-in textiles product page at HBF.com.

FLAMMABILITY Indicate

flammability: U = Cal 117 LEG FINISH

Options for metal finish:

WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$130


P8X = Solar Black

Note: Power must be ordered separately (Please refer to page 58).

 $HLS022-HB032. \ Outer Uph. \ Cushion Uph. Flammability. Leg$ Example: HLS022-HB032.950-88.950-88.U.WI



Mod HLS022-HB043



Highback Sofa - Three-Seater | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

OH	50	AH	50
OW	941/2	WBA	811/4
OD	311/2	DED	
SH	16	DEW	
SD	221/4	R	

Carton Dimensions L 97 W 441/4 H 331/2 390 lbs. Shipping Weight Cube 83.21 cubic ft.

10,955

Base Price:

Pricing for Single,
Uniform Textile
Application:

Upholstery:

COM/COL	11,745
Grade A	11,220
Grade B	11,480
Grade C	11,745
Grade D	12,000
Grade E	12,265
Grade F	12,580
Grade G	12,940
Grade H	13,305
Grade J	13,570
Grade K	14,095
Grade L	14,875
Grade M	15,920
Leather I	17,695
Leather II	19,575
Leather III	21,455
Leather IV	23,335
Leather V	25,215
Leather VI	27,095

Upholstery Requires:

Fabric: 23½ Yards Leather: 423 Sq. Ft.

Pricing for Contrast Textile Application:

(To calculate, begin with base price and add upcharges.)

Panel Surround (Outer) Upholstery:		Cushion Upholstery:	
I direct outlion			420 140 280 420 555 695 865 1055 1250 1390 1670 2085 2640 3585
Leather II Leather III Leather IV Leather V Leather VI	4035 4915 5795 6675 7555	Leather II Leather III Leather IV Leather V Leather VI	4585 5585 6585 7585 8585

Upholstery Requires (Per Application):

Fabric: 11 Yards Leather: 198 Sq. Ft. Fabric: 12½ Yards Leather: 225 Sq. Ft.

Upholstery Requires

(Per Application):

Total Required

Upholstery: Fabric: 23½ Yards

Leather: 423 Sq. Ft.

FOLLOWING TO ORDER:

MODEL	TEXTILES: OUTER
NUMBER	
	Indicate fabric
	choice for
	Panel Surround
	(Outer) Upholstery:
	See available graded-in
	textiles product page at
	HBF.com.

TEXTILES: CUSHIONS

Indicate fabric choice for Cushion Upholstery:

See available graded-in textiles product page at HBF.com.

FLAMMABILITY

42

Indicate flammability: U = Cal 117 LEG FINISH Options for metal finish:

WI = White Powder Coat LG = Light Grey Powder Coat

POL = Polished Chrome +\$195 P8X = Solar Black

Note: Power must be ordered separately (Please refer to page 58).

 $HLS022-HB043. \ Outer Uph. \ Cushion Uph. Flammability. Leg$ Example: HLS022-HB043.950-88.950-88.U.WI



Mod HLS022-WHB032



Highback Work Sofa - Two-Seater | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

ОН	521/2	AH 52½
OW	65	WBA 513/4
OD	311/2	DED
SH	$18\frac{1}{2}$	DEW
SD	221/4	R

Carton Dimensions L 6734 W 4414 H 3312 Shipping Weight 300 lbs. Cube 58.12 cubic ft.

8705

Base Price:

Pricing for Single,
Uniform Textile
Application:

Upholstery:

COM/COL	9315
Grade A	8905
Grade B	9115
Grade C	9315
Grade D	9525
Grade E	9725
Grade F	9975
Grade G	10,265
Grade H	10,555
Grade J	10,755
Grade K	11,165
Grade L	11,785
Grade M	12,605
Leather I	14,005
Leather II	15,485
Leather III	16,965
Leather IV	18,445
Leather V	19,925
Leather VI	21,405

Upholstery Requires:

Fabric: 18½ Yards Leather: 333 Sq. Ft.

Pricing for Contrast Textile Application:

(To a	calculate,	begin	with	base j	price	and	ada	upch	parges.)	
-------	------------	-------	------	--------	-------	-----	-----	------	----------	--

Panel Surround (Outer) Upholstery:		Cushion Upholstery:	
COM/COL	305	COM/COL	305
Grade A	100	Grade A	100
Grade B	205	Grade B	205
Grade C	305	Grade C	305
Grade D	410	Grade D	410
Grade E	510	Grade E	510
Grade F	635	Grade F	635
Grade G	780	Grade G	780
Grade H	925	Grade H	925
Grade J	1025	Grade J	1025
Grade K	1230	Grade K	1230
Grade L	1540	Grade L	1540
Grade M	1950	Grade M	1950
Leather I	2650	Leather I	2650
Leather II	3390	Leather II	3390
Leather III	4130	Leather III	4130
Leather IV	4870	Leather IV	4870
Leather V	5610	Leather V	5610
Leather VI	6350	Leather VI	6350
Upholstery F	Requires	Upholstery F	Requires

holstery Requires: Upholstery Requirements (Per Application):

Fabric: 9¼ Yards Leather: 166½ Sq. Ft. Fabric: 9¼ Yards Leather: 166½ Sq. Ft.

(Per Application):

 $Total\ Required$

Upholstery: Fabric: 18½ Yards

Leather: 333 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL	TEXTILES: OUTER
NUMBER	
	Indicate fabric
	choice for
	Panel Surround
	(Outer) Upholstery:
	See available graded-in
	textiles product page at

HBF.com.

TEXTILES: CUSHIONS

Indicate fabric choice for **Cushion Upholstery:**

See available graded-in textiles product page at HBF.com.

FLAMMABILITY

43

Indicate flammability:

U = Cal 117

LEG FINISH

Options for metal finish:

WI = White Powder Coat

LG = Light Grey Powder Coat

POL = Polished Chrome +\$130


P8X = Solar Black

Note: Power must be ordered separately (Please refer to page 58).

 $HLSO22-WHBO32.\ Outer Uph.\ Cushion Uph.\ Flammability.\ Leg \\ Example:\ HLSO22-WHBO32.\ 950-88.\ 950-88.\ U.WII.$



Mod HLS022-WHB043



Highback Work Sofa - Three-Seater | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

OH	521/2	AH	52½
OW	941/2	WBA	811/4
OD	311/2	DED	
SH	1.81/2	DFW	

221/4

Carton Dimensions L 97 W 441/4 H 331/2 390 lbs. Shipping Weight

83.21 cubic ft.

11,065

R

 $ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified \quad |\quad Indoor\ Advantage^{\tiny TM}\ certified$

Base Price:

Cube

SD

Dimensions

Pricing for Single, **Uniform Textile Application:**

COM/COL 11,855

Upholstery:

Grade A	11,330
Grade B	11,590
Grade C	11,855
Grade D	12,110
Grade E	12,375
Grade F	12,690
Grade G	13,050
Grade H	13,415
Grade J	13,680
Grade K	14,205
Grade L	14,985
Grade M	16,030
Leather I	17,805
Leather II	19,685
Leather III	21,565
Leather IV	23,445
Leather V	25,325
Leather VI	27,205

Upholstery Requires:

Fabric: 23½ Yards

Pricing for Contrast Textile Application:

Panel Surround

(To calculate, begin with base price and add up	upcharges.)
---	-------------

Cushion

(Outer) Upholstery:		Upholstery:	
COM/COL	370	COM/COL	420
Grade A	125	Grade A	140
Grade B	245	Grade B	280
Grade C	370	Grade C	420
Grade D	490	Grade D	555
Grade E	615	Grade E	695
Grade F	760	Grade F	865
Grade G	930	Grade G	1055
Grade H	1100	Grade H	1250
Grade J	1225	Grade J	1390
Grade K	1470	Grade K	1670
Grade L	1835	Grade L	2085
Grade M	2325	Grade M	2640
Leather I	3155	Leather I	3585
Leather II	4035	Leather II	4585
Leather III	4915	Leather III	5585
Leather IV	5795	Leather IV	6585
Leather V	6675	Leather V	7585
Leather VI	7555	Leather VI	8585
Upholstery Requires		Upholstery R	Requires

Leather: 423 Sq. Ft.

Fabric: 11 Fabric: 12½ Yards Yards

Leather: 225 Sq. Ft.

(Per Application):

Total Required

Upholstery: Fabric: 23½ Yards

Leather: 423 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL	TEXTILES: OUTER
NUMBER	
	Indicate fabric
	choice for
	Panel Surround
	(Outer) Upholstery:
	See available graded-in
	textiles product page at

HBF.com.

TEXTILES: CUSHIONS Indicate fabric

(Per Application):

Leather: 198 Sq. Ft.

choice for Cushion Upholstery:

See available graded-in textiles product page at HBF.com.

FLAMMABILITY

Indicate flammability:

U = Cal 117

LEG FINISH

Options for metal finish:

WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$195

P8X = Solar Black


Note: Power must be ordered separately (Please refer to page 58).

 $HLS022-WHB043. \ Outer Uph. \ Cushion Uph. Flammability. Leg$ Example: HLS022-WHB043.950-88.950-88.U.WI

Upholstery:

Dimensions

Mod HLS018-011



Deep Lounge Chair | Fully Upholstered | Powder Coat Metal Legs | No Power Ships fully assembled. Leg brackets need to be installed in the field.

OH 301/2 301/2 AΗ WBA 263/4 OW 40 OD 371/2 DED DEW SH 16 SD 281/4

Carton Dimensions L 431/2 W 41 H 223/4 Shipping Weight 170 lbs. Cube 23.48 cubic ft.

6060

Base Price:

Pricing for Single
Uniform Textile
Application:

Upholstery: COM/COL 6445 Grade A 6190 Grade B 6315 Grade C 6445 Grade D 6580 Grade E 6710 Grade F 6865 Grade G 7050 Grade H 7235 Grade J 7365 Grade K 7620 Grade L 8015 Grade M 8540 Leather I 9425 Leather II 10,365 Leather III 11,305 Leather IV 12,245 Leather V 13,185 Leather VI

Pricing for Contrast Textile Application: calculate, begin with base price and add upcharges.)

Upholstery:

(10 caiculate,	vegin with	vase price	ana aaa	upcnarges.)
Outer	Cus	hion		

1		1	
COM/COL	130	COM/COL	255
Grade A	45	Grade A	85
Grade B	85	Grade B	170
Grade C	130	Grade C	255
Grade D	175	Grade D	345
Grade E	220	Grade E	430
Grade F	275	Grade F	530
Grade G	335	Grade G	655
Grade H	400	Grade H	775
Grade J	445	Grade J	860
Grade K	530	Grade K	1030
Grade L	665	Grade L	1290
Grade M	845	Grade M	1635
Leather I	1145	Leather I	2220
Leather II	1465	Leather II	2840
Leather III	1785	Leather III	3460
Leather IV	2105	Leather IV	4080
Leather V	2425	Leather V	4700
Leather VI	2745	Leather VI	5320

Upholstery Requires:

14,125

TEXTILES: OUTER

Fabric: 113/4 Yards Leather: 2111/2 Sq. Ft.

Fabric: 4 Yards Sq. Ft. Leather: 72

Upholstery Requires

(Per Application):

Fabric: 7¾ Yards Leather: 1391/2 Sq. Ft.

Upholstery Requires

(Per Application):

Total Required

Upholstery: Fabric: 11¾ Yards

Leather: 2111/2 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

NUMBER	Indicate fabric choice for Outer Upholstery:
	See available graded-in textiles product page at HBF.com.

MODEL

NIIMBER

TEXTILES: CUSHIONS

Indicate fabric choice for Cushion Upholstery:

See available graded-in textiles product page at HBF.com.

FLAMMABILITY

Indicate flammability: U = Cal 117

LEG FINISH Options for metal finish:

WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$130 P8X = Solar Black

Power (Ordered Separately)

POWER | DATA

PN = No Power Unit

Note: Power must be ordered separately. (Please refer to page 58).

 $HLS018-011. \ Outer Uph. \ Cushion Uph. Flammability. Leg. Power$

Example: HLS018-011.950-88.950-88.U.WI.PN

45

February 2024

PN



Cube

Base Price:

Mod HLS018-021

OH 301/2 AH WBA OW 36 OD 371/2 DED DEW SH 16 SD 281/4

Carton Dimensions L 39 W 41 H 223/4 Shipping Weight 100 lbs.

21.05 cubic ft.

4335

Deep Lounge Chair - Armless | Fully Upholstered | Powder Coat Metal Legs | No Power

Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified | Indoor Advantage™ certified

Pricing for Single,
Uniform Textile
Application:

Upholstery: COM/COL 4605 Grade A 4425 Grade B 4515 Grade C 4605 Grade D 4690 Grade E 4785 Grade F 4890 Grade G 5010 Grade H 5135 Grade J 5225 Grade K 5405 Grade L 5670 Grade M 6025 Leather I 6630 Leather II 7270 Leather III 7910 Leather IV 8550

Fabric: 8 Yards Leather: 144 Sq. Ft.

Upholstery Requires:

9190

9830

Leather V

Leather VI

Pricing for Contrast Textile Application: (To calculate, begin with base price and add upcharges.)

Outer Cushion Upholstery: Upholstery:

COM/COL COM/COL 200 25 65 Grade A Grade A Grade B 45 Grade B 135 Grade C **70** Grade C 200 90 Grade D 265 Grade D Grade E 115 Grade E 335 Grade F 140 Grade F 415 Grade G 170 Grade G 505 Grade H 200 Grade H 600 Grade J 225 Grade J 665 Grade K 270 Grade K 800 1000 Grade L. 335 Grade L Grade M 425 Grade M 1265 575 1720 Leather I Leather I Leather II 735 Leather II 2200 Leather III 895 Leather III 2680 1055 Leather IV 3160 Leather IV Leather V 1215 Leather V 3640 Leather VI Leather VI 1375 4120

Upholstery Requires (Per Application):

Upholstery Requires (Per Application):

Fabric: 2 Yards Leather: 36 Sq. Ft. Fabric: 6 Yards Leather: 108 Sq. Ft.

Total Required

Upholstery:

Fabric: 8 Yards Leather: 144 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL TEXTILES: OUTER NUMBER Indicate fabric choice for Outer Upholstery:

> See available graded-in textiles product page at HBF.com.

TEXTILES: CUSHIONS

Indicate fabric choice for Cushion Upholstery:

See available graded-in textiles product page at HBF.com.

FLAMMABILITY

Indicate flammability: U = Cal 117 LEG FINISH Options for metal finish:

WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$130

P8X = Solar Black

POWER | DATA

Power (Ordered Separately)

PN = No Power Unit

Note: Power must be ordered separately. (Please refer to page 58).

PN

 $HLS018-021. \ Outer Uph. \ Cushion Uph. Flammability. Leg. Power$

Example: HLS018-021.950-88.950-88.U.WI.PN

46



Mod HLS018-012



Deep Sofa - Two-Seater | Fully Upholstered | Powder Coat Metal Legs | No Power

Ships fully assembled. Leg brackets need to be installed in the field.

ОН	301/2	AH	301/2
ow	751/2	WBA	621/4
OD	371/2	DED	
SH	16	DEW	
SD	281/4	R	

Carton Dimensions L 79 W 41 H 22¾ Shipping Weight 295 lbs. Cube 42.64 cubic ft.

7950

Base Price:

Pricing for Single
Uniform Textile
Application:

Upholstery: COM/COL 8475 8125 Grade A Grade B 8300 Grade C 8475 Grade D 8650 Grade E 8825 Grade F 9035 Grade G 9280 Grade H 9525 Grade J 9700 Grade K 10,050 Grade L 10,575 Grade M 11,275 Leather I 12,465 Leather II 13,725 Leather III 14,985 Leather IV 16,245 Leather V 17,505 Leather VI 18,765

Pricing for Contrast Textile Application: (To calculate, begin with base price and add upcharges.) Outer Cushion

TT...1. - 1.-4.

	Upholstery:	
155	COM/COL	370
50	Grade A	125
105	Grade B	245
155	Grade C	370
210	Grade D	490
260	Grade E	615
325	Grade F	760
400	Grade G	930
475	Grade H	1100
525	Grade J	1225
630	Grade K	1470
790	Grade L	1835
1000	Grade M	2325
1360	Leather I	3155
1740	Leather II	4035
2120	Leather III	4915
2500	Leather IV	5795
2880	Leather V	6675
	50 105 155 210 260 325 400 475 525 630 790 1000 1360 1740 2120 2500	155 COM/COL 50 Grade A 105 Grade B 155 Grade C 210 Grade D 260 Grade E 325 Grade F 400 Grade G 475 Grade H 525 Grade J 630 Grade K 790 Grade L 1000 Grade M 1360 Leather I 1740 Leather II 2120 Leather IV

Upholstery Requires:

Fabric: 15¾ Yards Leather: 283½ Sq. Ft. Upholstery Requires (Per Application):

3260

Leather VI

Upholstery Requires (Per Application):

7555

Leather VI

Fabric: 4¾ Yards Leather: 85½ Sq. Ft. Fabric: 11 Yards Leather: 198 Sq. Ft.

Total Required

Upholstery: Fabric: 15¾ Yards

Leather: 283½ Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

TEXTILES: OUTER

NOMBE	Indicate fabric choice for Outer Upholstery:
	See available graded-in textiles product page at HBF.com.

MODEL

NIIMBER

TEXTILES: CUSHIONS
Indicate fabric

choice for **Cushion Upholstery:**

See available graded-in textiles product page at HBF.com. FLAMMABILITY

Indicate flammability:

U = Cal 117

LEG FINISH

Options for metal finish:

WI = White Powder Coat

LG = Light Grey Powder Coat

POL = Polished Chrome +\$130

P8X = Solar Black

POWER | DATA

Power (Ordered Separately)

PN = No Power Unit

Note: Power must be ordered separately. (Please refer to page 58).

PN

HLS018-012.OuterUph.CushionUph.Flammability.Leg.Power

Example: HLS018-012.950-88.950-88.U.WI.PN

47



Mod HLS018-022

Dimensions

Cube

Base Price:

OH AΗ 301/2 71½ WBA OW OD 371/2 DED DEW 16 SH SD 281/4

Carton Dimensions L 741/2 W 41 H 223/4 190 lbs. Shipping Weight 40.21 cubic ft.

Deep Sofa - Two-Seater - Armless | Fully Upholstered | Powder Coat Metal Legs | No Power Ships fully assembled. Leg brackets need to be installed in the field.

Outer

6325

Pricing for Single,
Uniform Textile
Application:

Upholstery: COM/COL 6705 Grade A 6450 Grade B 6580 Grade C 6705 Grade D 6835 Grade E 6960 Grade F 7115 Grade G 7295 Grade H 7475 Grade J 7600 Grade K 7855 Grade L 8240 Grade M 8750 Leather I 9620 Leather II 10,540 Leather III 11,460 Leather IV 12,380 Leather V 13,300

Pricing for Contrast Textile Application: (To calculate, begin with base price and add upcharges.)

Cushion

Grade K

Grade L

1230

1540

Upholstery:		Upholstery:	
COM/COL	75	COM/COL	305
Grade A	25	Grade A	100
Grade B	50	Grade B	205
Grade C	75	Grade C	305
Grade D	100	Grade D	410
Grade E	125	Grade E	510
Grade F	155	Grade F	635
Grade G	190	Grade G	780
Grade H	225	Grade H	925
Grade J	250	Grade J	1025

300

375

Grade M 475 Grade M 1950 Leather I 645 Leather I 2650 Leather II 825 Leather II 3390 Leather III 1005 Leather III 4130 Leather IV 1185 Leather IV 4870 Leather V 1365 Leather V 5610 Leather VI 1545 Leather VI Leather VI 6350 14,220

Grade K

Grade L

Upholstery Requires:

Fabric: 111/2 Yards Leather: 207 Sq. Ft.

(Per Application): Fabric: 21/4 Yards Leather: 401/2 Sq. Ft.

Upholstery Requires

Fabric: 91/4 Yards Leather: 1661/2 Sq. Ft.

Upholstery Requires

(Per Application):

Total Required

Upholstery: Fabric: 11½ Yards

Leather: 207 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
NOMBER	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		POL = Polished Chrome +\$130 P8X = Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
		•			• PN

 $HLS018-022. \ Outer Uph. \ Cushion Uph. Flammability. Leg. \ Power$

Example: HLS018-022.950-88.950-88.U.WI.PN

48



Mod HLS018-013

Dimensions

OH 301/2 AH 301/2 OW 111 WBA 973/4 OD 371/2 DED DEW SH 16 SD 281/4

Carton Dimensions L 1141/2 W 41 H 223/4 Shipping Weight 425 lbs. Cube 61.81 cubic ft.

Deep Sofa - Three-Seater | Fully Upholstered | Powder Coat Metal Legs | No Power Ships fully assembled. Leg brackets need to be installed in the field.

Outer

Grade K

Grade L.

Grade M

Base Price:

10,825

Pricing for Single,
Uniform Textile
Application:

Upholstery:

COM/COL 11,475 Grade A 11,040 Grade B 11,260 Grade C 11,475 Grade D 11,695 Grade E 11,910 Grade F 12,165 Grade G 12,475 Grade H 12,775 Grade J 12,990 Grade K 13,425 Grade L 14,075 Grade M 14,940 Leather I 16,415 Leather II 17,995 Leather III 19,535 Leather IV 21,095

Pricing for Contrast Textile Application: (To calculate, begin with base price and add upcharges.)

Cushion

Grade K

Grade L

Grade M

1870

2335

2955

Upholstery:		Upholstery:	
COM/COL	180	COM/COL	470
Grade A	60	Grade A	155
Grade B	120	Grade B	315
Grade C	180	Grade C	470
Grade D	245	Grade D	625
Grade E	305	Grade E	780
Grade F	375	Grade F	965
Grade G	465	Grade G	1185
Grade H	550	Grade H	1400
Grade J	610	Grade J	1555

1575 Leather I 4015 Leather I Leather II 2015 Leather II 5135 Leather III 2455 Leather III 6255 Leather IV 2895 Leather IV 7375 Leather V 3335 Leather V 8495 Leather VI Leather VI 3775 9615

730

915

1160

Upholstery Requires:

22,655

24,215

Leather V

Leather VI

Fabric: 191/2 Yards Leather: 351 Sq. Ft. **Upholstery Requires Upholstery Requires** (Per Application): (Per Application):

Fabric: 51/2 Yards Fabric: 14 Yards Leather: 252 Sq. Ft. Leather: 99 Sq. Ft.

Total Required

Upholstery: Fabric: 191/2 Yards

Leather: 351 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

NUMBER		
	Indicate fabric	Indicate fabric
	choice for	choice for
	Outer Upholstery:	Cushion Uphols
	See available graded-in textiles product page at HBF.com.	See available grad textiles product pa HBF.com.

TEXTILES: OUTER TEXTILES: CUSHIONS FLAMMABILITY Indicate flammability:

U = Cal 117 stery: ded-in age at

LEG FINISH Options for metal finish:

WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$195 P8X = Solar Black

POWER | DATA

Power (Ordered Separately)

PN = No Power Unit

Note: Power must be ordered separately. (Please refer to page 58).

 $HLS018-013. \ Outer Uph. \ Cushion Uph. Flammability. Leg. Power$

Example: HLS018-013.950-88.950-88.U.WI.PN

49

February 2024

PN

Pricing for Contrast Textile Application:



Mod HLS018-023

Pricing for Single,

Fabric: 16

Leather: 288 Sq. Ft.

Yards

Dimensions

Cube

OH 301/2 AΗ OW 107 WBA OD 371/2 DED 16 DEW SH SD 281/4

Carton Dimensions L 110 W 41 H 223/4 Shipping Weight 280 lbs.

> Total Required Upholstery:

Fabric: 16

Leather: 288

Yards

Sq. Ft.

59.38 cubic ft.

Deep Sofa - Three-Seater - Armless | Fully Upholstered | Powder Coat Metal Legs | No Power Ships fully assembled. Leg brackets need to be installed in the field.

 $ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified \qquad | \quad Indoor\ Advantage^{\tiny TM}\ certified$

Uniform T	extile	(To calcula	ite, begin	with base pr	ice and add upcharges.)	Base Price:	8785
Applicatio Upholstery:	n:	Outer Upholstery:	· ·	Cushion Upholstery:	•		
	0015	6011/601	100	6011/601	/20		
COM/COL	9315	COM/COL	100	COM/COL	430		
Grade A	8965	Grade A	35	Grade A	145		
Grade B	9135	Grade B	65	Grade B	285		
Grade C	9315	Grade C	100	Grade C	430		
Grade D	9495	Grade D	135	Grade D	575		
Grade E	9670	Grade E	165	Grade E	720		
Grade F	9885	Grade F	205	Grade F	895		
Grade G	10,135	Grade G	255	Grade G	1095		
Grade H	10,385	Grade H	300	Grade H	1300		
Grade J	10,565	Grade J	335	Grade J	1445		
Grade K	10,915	Grade K	400	Grade K	1730		
Grade L	11,450	Grade L	500	Grade L	2165		
Grade M	12,165	Grade M	635	Grade M	2745		
Leather I	13,370	Leather I	860	Leather I	3725		
Leather II	14,650	Leather II	1100	Leather II	4765		
Leather III	15,930	Leather III	1340	Leather III	5805		
Leather IV	17,210	Leather IV	1580	Leather IV	6845		
Leather V	18,490	Leather V	1820	Leather V	7885		
Leather VI	19,770	Leather VI	2060	Leather VI	8925		
Upholstery I	Requires:	Upholstery I	Requires	Upholstery I	Requires		

PLEASE SPECIFY THE FOLLOWING TO ORDER:

(Per Application):

Yards

Sq. Ft.

Fabric: 3

Leather: 54

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
NOWIDER	Indicate fabric	Indicate fabric	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		POL = Polished Chrome +\$195 P8X = Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
•	•		•		PN

(Per Application):

Leather: 234 Sq. Ft.

Yards

Fabric: 13

 $HLS018-023. \ Outer Uph. \ Cushion Uph. Flammability. Leg. Power$

 $Example: \ HLS018-023.950-88.950-88.U.WI.PN$

List Prices	Sq.Ft. Y	ards	Dimensions

Mod HHS022-021




C 1 D 20/0 C 1 I 2220 I 1 V 5000	Grade C Grade D Grade E	2710 2750 2795 2840 2885		3330	Deutilei (72	4	OW OD SH	17½ 36 36 16 36	AH WBA DED DEW R
----------------------------------	-------------------------------	--------------------------------------	--	------	------------	--	----	---	----------------	-----------------------------	------------------------------



Deep Ottoman | Fully Upholstered | Powder Coat Metal Legs Ships fully assembled. Leg brackets need to be installed in the field. Carton Dimensions L 39 W 39 H 12½

Shipping Weight 70 lbs. Cube 11.0 cubic ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:



Note: Power must be ordered separately (Please refer to page 58).

HHS022-021.Fabric.Flammability.Base Example: HHS022-021.950-88.U.WI



Mod HLS018-031



OH301/2 AΗ 301/2 OW 38 WBA 373/8 OD 371/2 DED SH 16 DEW SD 281/4

Carton Dimensions L 403/4 W 41 H 223/4 Shipping Weight 120 lbs. Cube 22.0 cubic ft.

Deep Sectional Module - Left Facing Arm | Fully Upholstered | Powder Coat Metal Legs | No Power

Ships fully assembled. Leg brackets need to be installed in the field.

 $ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified \qquad | \quad Indoor\ Advantage^{\tiny TM}\ certified$

Pricing for	Single,	Pricing for	Contras	t Textile App	lication:		
Uniform Textile		(To calcula	(To calculate, begin with base price and add upcharges.)			Base Price:	4920
Application	n:	Outer		Cushion			
Upholstery:		Upholstery:		Upholstery:			
COM/COL	5220	COM/COL	95	COM/COL	205		
Grade A	5020	Grade A	30	Grade A	70		
Grade B	5120	Grade B	65	Grade B	135		
Grade C	5220	Grade C	95	Grade C	205		
Grade D	5320	Grade D	125	Grade D	275		
Grade E	5420	Grade E	155	Grade E	345		
Grade F	5540	Grade F	190	Grade F	430		
Grade G	5680	Grade G	235	Grade G	525		
Grade H	5820	Grade H	275	Grade H	625		
Grade J	5920	Grade J	305	Grade J	695		
Grade K	6120	Grade K	370	Grade K	830		
Grade L	6420	Grade L	460	Grade L	1040		
Grade M	6820	Grade M	580	Grade M	1320		
Leather I	7500	Leather I	790	Leather I	1790		
Leather II	8220	Leather II	1010	Leather II	2290		
Leather III	8940	Leather III	1230	Leather III	2790		
Leather IV	9660	Leather IV	1450	Leather IV	3290		
Leather V	10,380	Leather V	1670	Leather V	3790		
Leather VI	11,100	Leather VI	1890	Leather VI	4290		
Upholstery F	Requires:	Upholstery I (Per Applica	•	Upholstery F (Per Applica			
Fabric: 9 Leather: 162	Yards Sq. Ft.	Fabric: 2¾ Leather: 49½	Yards Sq. Ft.	Fabric: 61/4 Leather: 1121	Yards ⁄2 Sq. Ft.		

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
	Indicate fabric choice for Outer Upholstery:	Indicate fabric choice for Cushion Upholstery:	Indicate flammability: U = Cal 117	Options for metal finish: WI = White Powder Coat	Power (Ordered Separately) PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.	U = Cal 11/	LG = Light Grey Powder Coat POL = Polished Chrome +\$130 P8X = Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
				•	• PN

 $HLS018-031. \ Outer Uph. \ Cushion Uph. Flammability. Leg. \ Power$

 $Example: \ HLS018-031.950-88.950-88.U.\ WI.\ PN$

52

February 2024

Total Required Upholstery: Fabric: 9

Yards

Leather: 162 Sq. Ft.



Mod HLS018-041 ОН 301/2 AH 30½ OW 38 WBA 373/8 OD 371/2 DED DEW SH 16 SD 281/4 Carton Dimensions L 403/4 W 41 H 223/4 Shipping Weight 120 lbs. Cube 22.0 cubic ft.

Deep Sectional Module - Right Facing Arm | Fully Upholstered | Powder Coat Metal Legs | No Power

Ships fully assembled. Leg brackets need to be installed in the field.

 $ANSI/BIFMA\ LEVEL^*\ Furniture\ Sustainability\ Standard\ certified \qquad | \quad Indoor\ Advantage^{\tiny TM}\ certified$

Pricing for Single, Uniform Textile	Č	t Textile Application: with base price and add upcharges.)	Base Price: 4920
Application:	Outer	Cushion	
Upholstery:	Upholstery:	Upholstery:	
COM/COL 5220	COM/COL 95	COM/COL 205	
Grade A 5020	Grade A 30	Grade A 70	
Grade B 5120	Grade B 65	Grade B 135	
Grade C 5220	Grade C 95	Grade C 205	
Grade D 5320	Grade D 125	Grade D 275	
Grade E 5420	Grade E 155	Grade E 345	
Grade F 5540	Grade F 190	Grade F 430	
Grade G 5680	Grade G 235	Grade G 525	
Grade H 5820	Grade H 275	Grade H 625	
Grade J 5920	Grade J 305	Grade J 695	
Grade K 6120	Grade K 370	Grade K 830	
Grade L 6420	Grade L 460	Grade L 1040	
Grade M 6820	Grade M 580	Grade M 1320	
Leather I 7500	Leather I 790	Leather I 1790	
Leather II 8220	Leather II 1010	Leather II 2290	
Leather III 8940	Leather III 1230	Leather III 2790	
Leather IV 9660	Leather IV 1450	Leather IV 3290	
Leather V 10,380	Leather V 1670	Leather V 3790	
Leather VI 11,100	Leather VI 1890	Leather VI 4290	
Upholstery Requires:	Upholstery Requires	Upholstery Requires	
	(Per Application):	(Per Application):	
Fabric: 9 Yards	Fabric: 2¾ Yards	Fabric: 6¼ Yards	
Leather: 162 Sq. Ft.	Leather: 49½ Sq. Ft.	Leather: 1121/2 Sq. Ft.	
			Total Required
			Upholstery: Fabric: 9 Yards
			Leather: 162 Sq. Ft

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
NUMBER	Indicate fabric choice for Outer Upholstery: See available graded-in	Indicate fabric choice for Cushion Upholstery: See available graded-in	Indicate flammability: U = Cal 117	Options for metal finish: WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$130	Power (Ordered Separately) PN = No Power Unit Note: Power must be ordered separately.
	textiles product page at HBF.com.	textiles product page at HBF.com.		P8X = Solar Black	(Please refer to page 58).
•	•	•	•	•	PN

 $HLS018-041. \ Outer Uph. \ Cushion Uph. Flammability. Leg. Power$

Example: HLS018-041.950-88.950-88.U.BL.PN



Base Price:

Mod HLS018-051

OH 301/2 AH OW 36 WBA OD 371/2 DED DEW SH 16 SD 281/4

Carton Dimensions L 39 W 41 H 223/4 Shipping Weight 100 lbs. 21.05 cubic ft. Cube

Deep Sectional Module - Armless | Fully Upholstered | Powder Coat Metal Legs | No Power

Outer

Upholstery:

Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified | Indoor Advantage™ certified

4320

Pricing for Single,
Uniform Textile
Application:
Upholstery:

COM/COL 4570 4405 Grade A Grade B 4485 Grade C 4570 Grade D 4655 Grade E 4740 Grade F 4835 Grade G 4955 Grade H 5070 Grade J 5155 Grade K 5320 Grade L 5570 Grade M 5905 Leather I 6470 Leather II 7070 Leather III 7670

COM/COL COM/COL 180 25 Grade A Grade A Grade B 45 Grade B Grade C **70** Grade C 90 Grade D Grade D Grade E 115 Grade E Grade F 140 Grade F Grade G 170 Grade G Grade H 200 Grade H Grade J 225 Grade J Grade K 270 Grade K Grade L. 335 Grade L Grade M 425 Grade M 575 Leather I Leather I Leather II 735 Leather II Leather III 895 Leather III 1055 Leather IV Leather IV Leather V 1215 Leather V Leather VI 1375 Leather VI

Pricing for Contrast Textile Application:

(To calculate, begin with base price and add upcharges.)

Cushion

Upholstery:

60

120

180

245

305

375

465

550

610

730

915

1160

1575

2015

2455

2895

3335

3775

Upholstery Requires:

Leather: 135 Sq. Ft.

8270

8870

9470

Yards

Leather IV

Leather V

Leather VI

Fabric: 7½

Upholstery Requires (Per Application):

Upholstery Requires (Per Application):

Fabric: 2 Yards Leather: 36 Sq. Ft.

Fabric: 51/2 Yards Leather: 99 Sq. Ft.

Total Required

Upholstery: Fabric: 71/2

Leather: 135 Sq. Ft.

Yards

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER
	Indicate fabric
	choice for
	Outer Upholstery:

TEXTILES: CUSHIONS Indicate fabric choice for

HBF.com.

Cushion Upholstery: See available graded-in textiles product page at

FLAMMABILITY

Indicate flammability: U = Cal 117 LEG FINISH Options for metal finish:

WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$130

P8X = Solar Black

POWER | DATA

Power (Ordered Separately)

PN = No Power Unit

Note: Power must be ordered separately. (Please refer to page 58).

 $HLS018-051. \ Outer Uph. \ Cushion Uph. Flammability. Leg. Power$

See available graded-in

textiles product page at

HBF.com.

Example: HLS018-051.950-88.950-88.U.BL.PN

54 February 2024

PN



Base Price:

Mod HLS018-019



 OH AΗ 301/2 301/2 371/2 WBA 30% OW OD 371/2 DED DEW SH 16 281/4 SD

Carton Dimensions L 4134 W 4034 H 121/2 145 lbs. Shipping Weight Cube 12.31 cubic ft.

Deep Sectional Module - Corner | Fully Upholstered | Powder Coat Metal Legs | No Power

Ships fully assembled. Leg brackets need to be installed in the field.

5230

Pricing for Single,
Uniform Textile
Application:
Upholstery:

Upholstery:	
COM/COL	5520
Grade A	5325
Grade B	5425
Grade C	5520
Grade D	5610
Grade E	5705
Grade F	5820
Grade G	5950
Grade H	6080
Grade J	6175
Grade K	6370
Grade L	6650
Grade M	7025
Leather I	7670
Leather II	8350
Leather III	9030
Leather IV	9710
Leather V	10,390
Leather VI	11,070

Outer Cushion Upholstery: Upholstery:

Pricing for Contrast Textile Application:

(To calculate, begin with base price and add upcharges.)

COM/COL	95	COM/COL	195
Grade A	30	Grade A	65
Grade B	65	Grade B	130
Grade C	95	Grade C	195
Grade D	125	Grade D	255
Grade E	155	Grade E	320
Grade F	190	Grade F	400
Grade G	235	Grade G	485
Grade H	275	Grade H	575
Grade J	305	Grade J	640
Grade K	370	Grade K	<i>77</i> 0
Grade L	460	Grade L	960
Grade M	580	Grade M	1215
Leather I	<i>7</i> 90	Leather I	1650
Leather II	1010	Leather II	2110
Leather III	1230	Leather III	2570
Leather IV	1450	Leather IV	3030
Leather V	1670	Leather V	3490
Leather VI	1890	Leather VI	3950

Upholstery Requires:

Fabric: 81/2 Yards Leather: 153 Sq. Ft.

Fabric: 23/4 Yards Leather: 49½ Sq. Ft.

Upholstery Requires

(Per Application):

Fabric: 5¾ Yards Leather: 1031/2 Sq. Ft.

FLAMMABILITY

Indicate

Upholstery Requires

(Per Application):

Total Required

Upholstery: Fabric: 8½

Yards Leather: 153 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

NUMBER	
	Indicate fabric
	choice for
	Outer Upholstery:
	See available graded-in textiles product page at

HBF.com.

| TEXTILES: OUTER

TEXTILES: CUSHIONS

Indicate fabric choice for Cushion Upholstery:

textiles product page at

HBF.com.

flammability: U = Cal 117 See available graded-in

LEG FINISH

Options for metal finish: WI = White Powder Coat

LG = Light Grey Powder Coat POL = Polished Chrome +\$130 P8X = Solar Black

POWER | DATA

Power (Ordered Separately)

PN = No Power Unit

Note: Power must be ordered separately. (Please refer to page 58).

 $HLS018-019. \ Outer Uph. \ Cushion Uph. Flammability. Leg. Power$

Example: HLS018-019.950-88.950-88.U.WI.PN

55 February 2024

PN



Description List Prices

1210

1265

Shipping Weight

Shipping Weight

Cube

Cube

11 lbs.

14 lbs.

0.66 cubic ft.

0.29 cubic ft.

Mod HAS018-017

Leg Kit 1 for LAF/RAF and Chair without arms

Contents:

(4) Outside Corner Brackets

(2) Connector Brackets

(4) Legs

(16) 1/4" Bolts (20 threads per inch)

(16) 1/4" Flat Washers

Leg Kit 1 (other than corner units) | Powder Coat Metal Legs

Mod HAS018-027



Leg Kit 2 for Corner Unit

Contents:

- (4) Outside Corner Brackets
- (2) Connector Brackets
- (1) Inside Corner Ganging Bracket
- (4) Legs
- (18) 1/4" Bolts (20 threads per inch)
- (18) 1/4" Flat Washers

Leg Kit 2 (corner units only) | Powder Coat Metal Legs

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL
NUMBER

Options for metal finish:

WI = White Powder Coat
LG = Light Grey Powder Coat
POL = Polished Chrome +\$130
P8X = Solar Black

Model. Finish Example: HAS018-017.BL



Description List Prices

1320

1375

Shipping Weight

Shipping Weight

Cube

Cube

11 lbs.

13 lbs.

0.66 cubic ft.

0.29 cubic ft.

Mod HAS022-017

Leg Kit 1 for LAF/RAF and Chair without arms

Contents:

(4) Outside Corner Brackets

(2) Connector Brackets

(4) Legs

(16) 1/4" Bolts (20 threads per inch)

(16) 1/4" Flat Washers

Work Leg Kit 1 (other than corner units) | Powder Coat Metal Legs

Mod HAS022-027



Leg Kit 2 for Corner Unit

Contents:

(4) Outside Corner Brackets

(2) Connector Brackets

(1) Inside Corner Ganging Bracket

(4) Legs

(18) 1/4" Bolts (20 threads per inch)

(18) 1/4" Flat Washers

Work Leg Kit 2 (corner units only) | Powder Coat Metal Legs

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL LEG FINISH NUMBER Options for metal finish: WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$130 P8X = Solar Black

Model.FinishExample: HAS022-027.BL



Description List Prices

HVD81901S-100

Powerwise "Salt"



Black Powder Coat, Black Simplexes, Dual Charging USB In HBF Mounting Bracket



HVD81901P-100

Powerwise "Pepper"

Outlet

Black Powder Coat, Black Simplexes, Power Receptacle In HBF Mounting Bracket



495



February 2024

58