B E N C H E S
LIST PRICES EFFECTIVE
FEBRUARY 1, 2024

BENCHES



HBF BENCHES | TABLE OF CONTENTS

Mailing Address: HBF PO Box 8 Hickory NC 28603-0008 Shipping Address: HBF

900 - 12th Street Drive NW Hickory NC 28601-4763 **Contact:**

Phone: 1.855.HBF.2020 828.328.2064

Fax: 828.485.2690
Info: hbfservice@hbf.com
www.hbf.com

Order Processing:

Phone: 1.855.HBF.2020 828.328.2064

Fax: 828.485.2690 hbforders@hbf.com

GENERAL INFORMATION PAGE	į
ANSI/BIFMA e3-2014e Furniture Sustainability5	
COM Ordering Requirements3	
Combinations of Upholstery Applications4	
Dimension Guide5	
GSA6	
HBF Textiles Graded Product11	
High Performance Products	
Indoor Advantage™ Gold Certified5	
Product Material Options	
Seating Ordering Procedure	
Special Code Compliance – CAL 1174	
Spring Down Cushions	
Veneer Options6	
Yardage Requirements2	
BENCHING	
Kanso Benches	
Specifications	
Bench with Round Table	
Bench - No Table	
Max Modular	
One Seat Bench	
Two Seat Bench	
Three Seat Bench	
powerWise Options	



Coverings

All upholstered items may be ordered using HBF Textiles, HBF Leathers, or coverings provided by the customer. **Prices listed as COM refer to Customer's Own Material, which includes textiles and leather.** Prices listed as GRADE refer to HBF Textiles and/or HBF Leather.

Yardage requirements shown in the price list are based on non-directional 54" wide material. The following conversion chart should be used to determine yardage requirements when COM textile is 54" wide or less and/or has a repeat of 2" or more. Add together the vertical and horizontal repeat to determine which column should be used as a reference.

Fabric Width	Plain Fabric		11"-20" Repeat			31"-35" Repeat	36"-40" Repeat	41"-45" Repeat
54"	+ 0%	+10%	+15%	. +20%	.+25%	. +30%	+35%	. +40%
51"-53"	15%	20%	25%	30%	35%	40%	45%	50%
48"-50"	30%	35%	40%	45%	50%	55%	60%	65%
45"-47"	45%	50%	55%	60%	65%	70%	75%	80%
36"-44"	60%	65%	70%	75%	80%	85%	90%	95%

To determine the possibility of reduced yardage requirements for orders of thirty (30) or more units, please contact The HBF Client Experience Team. HBF reserves the right to request additional yardage of COM at customer expense based on repeat and/or pattern size, and number of rolls.

All COM's must be approved for application before the purchase order is submitted to HBF. Please contact The HBF Client Experience Team at hbfservice@hbf.com to verify that your COM fabric has been approved. If it has not, please request COM approval testing via www.hbf.com under COM Request. Failure to submit a COM for testing may result in additional expenses or rejection of COM. For any repeat and/or pattern size not listed, please contact The HBF Client Experience Team for a yardage requirement quotation.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM materials. All responsibility for COM shipments is between the purchaser and the textile/leather source. HBF reserves the right to reject any COM. HBF assumes no responsibility for suitability or wearability of COM. Difficult COM may be subject to additional charge if additional labor costs are incurred. HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations. Orders specifying COM will not be scheduled for production until all approved COM(s) are received by HBF. To ensure proper COM expediting, please tag fabric/leather roll(s) with the following information: 1. Purchasing dealer name and purchase order number 2. HBF acknowledge ment number, if available 3. Other pertinent information which will enable proper COM identification.

When sending COM leather for use on one of our upholstered pieces, please send eighteen (18) square feet of leather for each yard of 54" plain fabric required for that item.

2

Coverings (Continued)

COM ORDERING REQUIREMENTS:

Prior to acceptance of order specifying COM, a memo sample must be submitted to HBF for determination of suitability. All COM's must be rolled separately, on individual tubes. Multiple materials rolled on the same tube will not be accepted.

For ease of expediting your COM order, we require the following information:

1. Material description Shipping Address: HBF

2. Material source

900 12th Street Drive NW

3. Order line, product name or number

Hickory, NC 28601-4763

- 4. Material color
- 5. A swatch of the covering
- 6. Special application instructions, if any

If COM is of a type requiring choices of seam placement, face side, position of design or repeat; these instructions must be clearly stated on the original order.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM materials. All responsibility for COM shipments is between the purchaser and the textile/leather source.

HBF reserves the right to reject any COM. HBF assumes no responsibility for suitability or wearability of COM. Difficult COM may be subject to additional charge if additional labor costs are incurred.

HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations.

Orders specifying COM will not be scheduled for production until all approved COM is received by HBF.

To ensure proper COM expediting, please tag textile/leather with the following information:

- 1. Purchasing dealer name and purchase order number
- 2. HBF acknowledgement number, if available
- 3. Other pertinent information which will enable proper COM identification

3

Combination of Upholstery Applications

All seating ordered with combination upholstery application (fabric, leather) that **is not** offered as standard is subject to a \$103 List Upholstery upcharge and will be entered and processed as a special model, in addition to the following pricing conditions:

- 1. Combinations using HBF Textiles and COM will be priced at the COM price. The cost of the portion of the HBF Textiles used, will be entered as a miscellaneous charge on the furniture order.
- 2. Combinations using HBF Textiles and HBF Leathers, or COM and HBF Leathers, will be priced at the appropriate Leather I-V price.
- 3. Combinations using two HBF Textiles will be invoiced at higher grade price.
- 4. When specifying combination of upholstery applications, a sketch indicating placement of textiles and direction of applications must accompany the purchase order.

Special Code Compliance

California #117-2013

Unless otherwise specified, foam used in all HBF seating products complies with these guidelines.

Boston Fire Code New York Port Authority

Please contact the HBF Client Experience Team if compliance is required for these special codes.



ANSI/BIFMA e3-2014e LEVEL® Furniture Sustainability Standard Certification

A majority of HBF's products have met the necessary qualifications to achieve LEVEL® certification. LEVEL® is the multi-attribute sustainability certification based on the ANSI/BIFMA e3 Furniture Sustainability Standard. The standard and certification were created to deliver the most open and transparent means of evaluating and communicating the environmental and social impacts of furniture products in the built environment. Taking into account a company's social actions, energy usage, material selection and human and ecosystem health impacts, LEVEL® addresses how a product is sustainable from multiple perspectives. The organization, facilities, and products are audited on an annual basis to ensure ongoing compliance and improvement.

With LEVEL®, customers can make informed choices about sustainable commercial office furniture. The LEVEL® mark identifies that a product has been vetted by an independent third party certifier and its numeric marking of 1, 2, or 3 indicates the threshold of certification the product has achieved. A majority of HBF's seating, occasional tables, and conference lines are LEVEL® certified. Please download the certificates from our product pages for the complete details. For more information about the ANSI/BIFMA LEVEL® standard, visit www.levelcertified.org.

ANSI/BIFMA Performance Standards

Our seating products meet or exceed ANSI/BIFMA weight performance standards of 275 lbs. (124.7 kg.) unless otherwise noted.

Indoor Advantage™ Gold certified

All HBF seating products are Indoor Advantage™ Gold certified.

SCS Global Services, a reputable third-party certification and assessment body of environmental, sustainability and safety claims since 1984, has developed internationally recognized standards and certification programs to assist businesses with improving their environmental efforts, social accountability and product performance.


The advantages of holding Indoor Air Quality certification are substantial: in addition to improving indoor working environments and meeting qualifications for the LEED-CI EQ 4.5 credit for office furniture as well as the BIFMA Standard for Low-Emitting Office Furniture Systems & Seating M-7.1, there is the added assurance of knowing that the company's entire breadth of products is held to such rigorous standards.

For more information regarding Indoor Advantage[™], please visit: http://www.scsglobalservices.com.

Please contact the HBF Client Experience Team for pricing and lead time information.

5

Dimension Guide



GSA/Federal Contract Information:

GSA Contract Number 47QSMA22D08P9

Model numbers identified with the following verbiage "When purchased separately without a configurable TAA compliant end product, not on GSA contract" is to mean that these configurable parts or components:

- Have no functionality or capability without being integrated into an end product; and
- Are considered Open Market if purchased without a configurable TAA compliant end product.

HBF High Performance Products

HBF and HBF Textiles have long been leaders in contract furnishings and known for industry-leading product design coupled with the highest quality construction, comfort and aesthetic beauty.

Now these same principals are the cornerstones of HBF Healthcare high performance products. We have consulted with healthcare designers and clients to provide products and options for interiors that will provide quality sustainable design solutions for the future. These effective solutions will address the unique interactions required by any high-use facility. Visit www.hbf.com for additional high performance product information.

Seating Product High Performance Options:

• Guest and Lounge Seating

• Arm Caps

• Moisture Barrier

• Wipe Out - Clean Out

• Tandem Seating

• Wall Saver Legs

• Replaceable Components

• Upholstery Products from HBF Textiles

Spring Down Cushions

Optional spring down cushions are available on most loose cushion HBF lounge seating. List upcharges are:

Chair \$108 Loveseat \$194 Sofa \$297

Veneer and Finishes

Wood owes its inherent beauty to variations in color, grain, and texture; therefore, these variations are not considered defects. Due to the natural color and grain variances of wood substance the final finish color, texture and grain may vary from one furniture piece to another even though they are finished at the same time. Exposure to light and the aging process will cause changes in surface color of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. HBF does not guarantee the exact matching of grain, pattern and color.

An upcharge of **5% Net** COM per seating unit, with a minimum upcharge of **\$500 Net** per order, will apply for any custom wood finish.

Refer to the following page for product material options.

6

ASH: (AH) FINISHES



7

Screen images are intended as a guide only and should not be regarded as absolutely correct. For exact color/texture, please visit www.hbf.com to request an actual sample.

WALNUT: (NT) FINISHES





NT937 Bark



NT984 Dark Roast



NT993 Sumatra

Screen images are intended as a guide only and should not be regarded as absolutely correct. For exact color/texture, please visit www.hbf.com to request an actual sample.

February 2024

8

POWDER COATS:







LG Light Grey

METALS:



POL Polished Chrome

SOLID SURFACE: (PREMIUM)




SDW1 Designer White

Screen images are intended as a guide only and should not be regarded as absolutely correct. For exact color/texture, please visit www.hbf.com to request an actual sample.

QUARTZ: Quartz available on Kanso HHN417-013 only.





EQCU1 Cumulous

EQST1 Storm Grey

GLASS: Glass available on Kanso HHN417-013 only.









GBL1 Black

GCG1 Cool Grey

Warm Grey

White

Screen images are intended as a guide only and should not be regarded as absolutely correct. For exact color/texture, please visit www.hbf.com to request an actual sample.



Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
Blink Denim Wash* Walkabout Zippy	Look-see Remember Rush*	Caddy Corner* Checkmate Cuddle Up Picnic Plaid Upbeat	Chenille Striae Crumpled Paper Dot Grid Habu Poppy Skim Coat	Fourfold* Uptown	All Terrain Bunny Cloverleaf Comfort Zone Happy Camper Here & There Knitwork Laugh Lines Moody Moss Notable Grain Sherpa Well-Loved

Grade G	Grade H	Grade J	Grade K	Grade L	Grade M
Beetle Curtain Wall Dashing Equation* Folded Lines High Rise Honest* Inherent Matriarch Pebbled Scribble XS Stardust Upscale	Air Mail* Captain Bubble Crafted Felt Chubby Baby Daydreamer Intersection Lawn Chair Madam Dottie Soft Angles 2.0 Upstart Uptick	Abito Argyle Boucle Belgian Meadow Brushed Canvas Digital Bloom 2.0 Enriched Boucle Glint Hefty Herringbone Lava Rock Quill Scribble XL Sir Stripe-a-lot Tattoo Toile Tessellations Tête-à-Tête Tickled Herring Twist	Afghan Cherished Knit Complex Crosstweed Double Stitch Gather Grateful Grid Heartfelt Merci Boucle Moving Blanket Moving Forward Night Earth Pepper Blend Polygone Quilted Comfort Sideways Sister Solid	Agate Stripe Goosebumps Hipster Landscape Blur Ms. Quilty 2.0 Smart* Sweater Velvet Mix Woven Memory	Crafted Cloud Eccentric Flirt Poodle

Leather I	Leather II	Leather III	Leather IV	Leather V	Leather VI	
Clutch Glovelv	Vivace II	Aviator	Free Way	Wild West	Modern Patina Upper Crust	



Kanso Bench Specifications					
Overview	Multi-Level Bench Seating Optional Round Table				
Upholstery	Individually specified upholstery				
Base	Powder Coat - Black, White, Grey Plated - Polished Chrome.				
Flat Edge Table Top	Engineered Quartz Solid Surface Glass				
Elliptical Edge Table Top	Ash Walnut				





Kanso HHN417-013



Multi-Level Bench Seating with Round Table | Metal Base

ОН	251/2	AH
OW	117	WBA
OD	64	DED
SH	17	DEW
SD	23¾	R
Shipp	ing Weight	400
Cube		

Fabric Placement:	(To Calculate, Beg	in with Base Price and	add Upcharges)	Base Price:	10,450
Upholstery:	Top Bench Upholstery:	Bottom Large Bench Upholstery:	Bottom Small Bench Upholstery:		
COM/COL 10,780	COM/COL 130	COM/COL 130	COM/COL 70		
Grade A 10,565	Grade A 45	Grade A 45	Grade A 25		
Grade B 10,665	Grade B 85	Grade B 85	Grade B 45		
Grade C 10,780	Grade C 130	Grade C 130	Grade C 70		
Grade D 10,890	Grade D 175	Grade D 175	Grade D 90		
Grade E 11,005	Grade E 220	Grade E 220	Grade E 115		
Grade F 11,140	Grade F 275	Grade F 275	Grade F 140		
Grade G 11,290	Grade G 335	Grade G 335	Grade G 170		
Grade H 11,450	Grade H 400	Grade H 400	Grade H 200		
Grade J 11,565	Grade J 445	Grade J 445	Grade J 225		
Grade K 11,780	Grade K 530	Grade K 530	Grade K 270		
Grade L 12,115	Grade L 665	Grade L 665	Grade L 335		
Grade M 12,565	Grade M 845	Grade M 845	Grade M 425		
Leather I 13,315	Leather I 1145	Leather I 1145	Leather I 575		
Leather II 14,115	Leather II 1465	Leather II 1465	Leather II 735		
Leather III 14,915	Leather III 1785	Leather III 1785	Leather III 895		
Leather IV 15,715	Leather IV 2105	Leather IV 2105	Leather IV 1055		
Leather V 16,515	Leather V 2425	Leather V 2425	Leather V 1215		
Leather VI 17,315	Leather VI 2745	Leather VI 2745	Leather VI 1375		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 10 Yards	Fabric: 4 Yards	Fabric: 4 Yards	Fabric: 2 Yards		
Leather: 180 Sq. Ft.	Leather: 72 Sq. Ft.	Leather: 72 Sq. Ft.	Leather: 36 Sq. Ft.		
				Total Reg	nuired
				Upholster	
				-1.30000	Leather: 180 Sc

13



PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	BASE FINISH	TOP MATERIALS FINISH	
NOWBER	Indicate fabric choice for	Indicate fabric	Indicate fabric choice for	Indicate flammability:	Options for metal:	Options for wood finishes: AH = Ash	Options for wood finishes: NT = Walnut +\$100
	Top Bench	Bottom Large	Bottom Small	U = Cal 117	BL = Black		
	Upholstery:	Bench	Bench		Powder	310 = Smoke Opaque	310 = Smoke Opaque
		Upholstery:	Upholstery:		Coat	400 = Clear	400 = Clear
	See options for				WI = White	402 = Black Opaque	402 = Black Opaque
	fabrics at www.	See options for	See options for		Powder	403 = Grey Opaque	403 = Grey Opaque
	hbftextiles.com	fabrics at www.	fabrics at www.		Coat	404 = Warm White Opaque	404 = Warm White Opaque
		hbftextiles.com	hbftextiles.com		LG = Light Grey	405 = Mist Opaque	405 = Mist Opaque
					Powder	406 = Denim Opaque	406 = Denim Opaque
					Coat	407 = Pewter Opaque	407 = Pewter Opaque
					POL = Polished	408 = Peppercorn Opaque	408 = Peppercorn Opaque
					Chrome +\$955	901 = Amber	902 = Designer White Opaque
						902 = Designer White Opaque	911 = Warm Brick
						911 = Warm Brick	929 = Nutmeg
						929 = Nutmeg	937 = Bark
						937 = Bark	984 = Dark Roast
						984 = Dark Roast	993 = Sumatra
						993 = Sumatra	
						Options for Engineered Quartz:	Options for Glass:
						EQ = Engineered Quartz +\$2280	G = Glass +\$470
						CU1 = Cumulous	WI1 = White
						ST1 = Storm Grey	BL1 = Black
							CG1 = Cool Grey
						0 : 6 6 1:16 6	WG1 = Warm Grey
						Options for Solid Surface: S = Solid Surface +\$660	
						5 = 3011d 3Ufface + \$000	
						DW1 = Designer White	
						_	
		•		•	•		

14

 $HHN417-013. Fabric Top. Fabric Bottom LG. Fabric Bottom SM. Flam mability. Base. Top \\ Example: HHN417-013.300-18.300-18.300-18.300-18.0$

ОН 251/2 AΗ WBA OW 117 OD 46 DED DEW SH17 SD 23¾ R Shipping Weight 395 Cube

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

Multi-Level Bench Seating | Metal Base

Kanso HHN417-023

Pricing for Single Fabric Placement:		_	e Fabric Place In with Base I		add Upcharg	ges)	Base Price:	9745	
Upholstery:	Top Bench Upholstery:		Bottom Larg Upholstery:	e Bench	Bottom Smal Upholstery:	l Bench			
COM/COL 10,075	COM/COL	130	COM/COL	130	COM/COL	70			
Grade A 9860	Grade A	45	Grade A	45	Grade A	25			
Grade B 9960	Grade B	85	Grade B	85	Grade B	45			
Grade C 10,075	Grade C	130	Grade C	130	Grade C	70			
Grade D 10,185		175	Grade D	175	Grade D	90			
Grade E 10,300		220	Grade E	220	Grade E	115			
Grade F 10,435	Grade F	275	Grade F	275	Grade F	140			
Grade G 10,585	Grade G	335	Grade G	335	Grade G	170			
Grade H 10,745	Grade H	400	Grade H	400	Grade H	200			
Grade J 10,860	Grade J	445	Grade J	445	Grade J	225			
Grade K 11,075	Grade K	530	Grade K	530	Grade K	270			
Grade L 11,410	Grade L	665	Grade L	665	Grade L	335			
Grade M 11,860	Grade M	845	Grade M	845	Grade M	425			
Leather I 12,610	Leather I	1145	Leather I	1145	Leather I	575			
Leather II 13,410	Leather II	1465	Leather II	1465	Leather II	735			
Leather III 14,210	Leather III	1785	Leather III	1785	Leather III	895			
Leather IV 15,010	Leather IV	2105	Leather IV	2105	Leather IV	1055			
Leather V 15,810	Leather V	2425	Leather V	2425	Leather V	1215			
Leather VI 16,610	Leather VI	2745	Leather VI	2745	Leather VI	1375			
Upholstery Requires:	Upholstery Re (Per Application	•	Upholstery F (Per Applica	•	Upholstery R (Per Applicat	•			
Fabric: 10 Yards	Fabric: 4	Yards	Fabric: 4	Yards	Fabric: 2	Yards			
Leather: 180 Sq. Ft.	Leather: 72	Sq. Ft.	Leather: 72	Sq. Ft.	Leather: 36	Sq. Ft.			
							Total Re	eauired	
							Upholste) Ya
							-1.0000	Leather: 18	

PLEASE SPECIFY THE FOLLOWING TO ORDER: __

MODEL	TEXTILES	TEXTILES	TEXTILES	FLAMMABILITY	BASE FINISH
NUMBER	Indicate fabric	Indicate fabric	Indicate fabric	Indicate flammability:	Options for metal:
	Top Bench	Bottom Large	Bottom Small	U = Cal 117	BL = Black Powder Coat
	Upholstery:	Bench	Bench		WI = White Powder Coat
		Upholstery:	Upholstery:		LG = Light Grey Powder Coat
	See options for				POL = Polished Chrome +\$955
	fabrics at www.	See options for	See options for		
	hbftextiles.com	fabrics at www.	fabrics at www.		
		hbftextiles.com	hbftextiles.com		
•	•	•	•	•	

HHN417-023. Fabric Top. Fabric Bottom LG. Fabric Bottom SM. Flam mability. Base

Example: HHN417-013.300-18.300-18.300-18.U.BL

15



	Dime	1310113	
Max Modular HHC820-111			
	OH	18	AH
	OW	22	WBA
	OD	21	DED
	SH	18	DEW
	SD	21	R
	Shippi	ng Weight	32
	Cube		7.41

Modular One Seat Bench | Metal Legs

ANSI/BIFMA LEVEL* Furniture Sustainability Standard certified $\mathbf{Indoor} \ \mathbf{Advantage}^{\bowtie} \ \mathbf{certified}$

Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price:	1975
Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:		
COM/COL 2050	COM/COL 45	COM/COL 30		
Grade A 2000	Grade A 15	Grade A 10		
Grade B 2025	Grade B 30	Grade B 20		
Grade C 2050	Grade C 45	Grade C 30		
Grade D 2075	Grade D 55	Grade D 45		
Grade E 2100	Grade E 70	Grade E 55		
Grade F 2130	Grade F 90	Grade F 65		
Grade G 2165	Grade G 105	Grade G 85		
Grade H 2200	Grade H 125	Grade H 100		
Grade J 2225	Grade J 140	Grade J 110		
Grade K 2275	Grade K 170	Grade K 130		
Grade L 2350	Grade L 210	Grade L 165		
Grade M 2450	Grade M 265	Grade M 210		
Leather I 2620	Leather I 360	Leather I 285		
Leather II 2800	Leather II 460	Leather II 365		
Leather III 2980	Leather III 560	Leather III 445		
Leather IV 3160	Leather IV 660	Leather IV 525		
Leather V 3340	Leather V 760	Leather V 605		
Leather VI 3520	Leather VI 860	Leather VI 685		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 2¼ Yards	Fabric: 1¼ Yards	Fabric: 1 Yard		
Leather: 40½ Sq. Ft.	Leather: 22½ Sq. Ft.	Leather: 18 Sq. Ft.		
			Total Reg	uired
			Upholster	

Note: Power must be ordered separately (Please refer to page 19).

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL TEXTILES FLAMMABILITY Base finish NUMBER Indicate fabric choice for: Indicate flammability: Options for metal: BL = Black Powder Coat Seat Cushion upholstery U = Cal 117 WI = White Powder Coat Seat upholstery LG = Light Grey Powder Coat POL = Polished Chrome +\$100 $See\ options\ for\ fabrics\ at$ www.hbftextiles.com

HHC 820-111. Fabric Seat Cushion. Fab Seat.. Flam mability. Base

Example: HHC820-111.950-88.950-88.U.BL



	2 111101010	
Max Modular HHC820-112		
	OH 18	AH
	OW 44	WBA
	OD 21	DED
	SH 18	DEW
	SD 21	R
	Shipping Weight	58
	Cube	14.81

Modular Two Seat Bench | Metal Legs

ANSI/BIFMA LEVEL* Furniture Sustainability Standard certified $\mathbf{Indoor} \ \mathbf{Advantage}^{\bowtie} \ \mathbf{certified}$

Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price: 2610
Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:	
COM/COL 2755	COM/COL 75	COM/COL 70	
Grade A 2660	Grade A 25	Grade A 25	
Grade B 2705	Grade B 50	Grade B 45	
Grade C 2755	Grade C 75	Grade C 70	
Grade D 2800	Grade D 100	Grade D 90	
Grade E 2850	Grade E 125	Grade E 115	
Grade F 2905	Grade F 155	Grade F 140	
Grade G 2970	Grade G 190	Grade G 170	
Grade H 3035	Grade H 225	Grade H 200	
Grade J 3085	Grade J 250	Grade J 225	
Grade K 3180	Grade K 300	Grade K 270	
Grade L 3320	Grade L 375	Grade L 335	
Grade M 3510	Grade M 475	Grade M 425	
Leather I 3830	Leather I 645	Leather I 575	
Leather II 4170	Leather II 825	Leather II 735	
Leather III 4510	Leather III 1005	Leather III 895	
Leather IV 4850	Leather IV 1185	Leather IV 1055	
Leather V 5190	Leather V 1365	Leather V 1215	
Leather VI 5530	Leather VI 1545	Leather VI 1375	
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	
Fabric: 41/4 Yards	Fabric: 2¼ Yards	Fabric: 2 Yards	
Leather: 76½ Sq. Ft.	Leather: 40½ Sq. Ft.	Leather: 36 Sq. Ft.	
			Total Required
			<i>Upholstery:</i> Fabric: 4½ Yard
			Leather: 76½ Sq. 1

Note: Power must be ordered separately (Please refer to page 19).

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL TEXTILES FLAMMABILITY BASE FINISH NUMBER Indicate flammability: Options for metal: Indicate fabric choice for: BL = Black Powder Coat Seat Cushion upholstery U = Cal 117 WI = White Powder Coat Seat upholstery LG = Light Grey Powder Coat POL = Polished Chrome +\$100 See options for fabrics at www.hbftextiles.com

HHC820-112.FabricSeatCushion.FabSeat.Flammability.Base Example: HHC820-112.950-88.950-88.U.BL



Max Modular HHC820-113 OH18 ΑH OW 66 WBA OD 21 DED DEW SH 18 SD 21 R Shipping Weight 79 Cube 22.22


Modular Three Seat Bench | Metal Legs

ANSI/BIFMA LEVEL* Furniture Sustainability Standard certified $\mathbf{Indoor\ Advantage^{vs}\ certified}$

Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price:	3045
Upholstery:	Seat Cushion Upholstery:	Seat Upholstery:		
COM/COL 3245	COM/COL 100	COM/COL 100		
Grade A 3115	Grade A 35	Grade A 35		
Grade B 3175	Grade B 65	Grade B 65		
Grade C 3245	Grade C 100	Grade C 100		
Grade D 3315	Grade D 135	Grade D 135		
Grade E 3375	Grade E 165	Grade E 165		
Grade F 3455	Grade F 205	Grade F 205		
Grade G 3555	Grade G 255	Grade G 255		
Grade H 3645	Grade H 300	Grade H 300		
Grade J 3715	Grade J 335	Grade J 335		
Grade K 3845	Grade K 400	Grade K 400		
Grade L 4045	Grade L 500	Grade L 500		
Grade M 4315	Grade M 635	Grade M 635		
Leather I 4765	Leather I 860	Leather I 860		
Leather II 5245	Leather II 1100	Leather II 1100		
Leather III 5725	Leather III 1340	Leather III 1340		
Leather IV 6205	Leather IV 1580	Leather IV 1580		
Leather V 6685	Leather V 1820	Leather V 1820		
Leather VI 7165	Leather VI 2060	Leather VI 2060		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 6 Yards	Fabric: 3 Yards	Fabric: 3 Yards		
Leather: 108 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 54 Sq. Ft.		
			Total Reg	anima d
				·
			Upholster	y: Fabric: 6 Y Leather: 108 S

Note: Power must be ordered separately (Please refer to page 19).

PLEASE SPECIFY THE FOLLOWING TO ORDER:




HHC820-113.FabricSeatCushion.FabSeat.Flammability.Base Example: HHC820-113.950-88.950-88.U.BL

	Style Number	Description	List Price
Max Modular Power Modules			
	HVD82001M-100	PowerWise - Single Unit	230



PowerWise - Single Unit | 1 Power Outlet | 1 Dual USB Charger, 108" Cord

HVD82001M-200 PowerWise - Double Unit 585



PowerWise - Double Unit | 2 Power Outlets | 2 Dual USB Chargers, 72" Cord to Splitter

19