LIST PRICES EFFECTIVE FEBRUARY 1, 2024 (All prices in USD)

MOD SEATING







Mailing Address: HBF PO Box 8 Hickory NC 28603-0008 Shipping Address: HBF 900 - 12th Street Drive NW Hickory NC 28601-4763

Contact: Phone: 1.855.HBF.2020 828.328.2064 Fax: 828.485.2690 Info: hbfservice@hbf.com www.hbf.com

Order Processing: Phone: 1.855.HBF.2020 828.328.2064 Fax: 828.485.2690 hbforders@hbf.com

PAGE

General Information

PAGE

ANSI/BIFMA e3-2014e Furniture Sustainability	5
COM Ordering Requirements	3
Combinations of Upholstery Applications	4
Dimension Guide	5
GSA	6
HBF Textiles Graded Product	8
High Performance Products	6
Product Material Options	7
SCS Indoor Advantage™ Gold Certified	
Seating Ordering Procedure	2
Special Code Compliance – CAL 117	4
Spring Down Cushions	6
Statement of Line	
Veneer Options	6
Yardage Requirements	2
Dual Fabric Applications	9
Specifications	

Mod

Lounge Chair	.12
Lounge Chair - Armless	.13
Work Lounge Chair	.14
Work Lounge Chair - Armless	. 15
Sofa - Two-Seater	. 16
Sofa - Two-Seater - Armless	.17
Sofa - Three-Seater	.18
Sofa - Three-Seater - Armless	. 19
Work Sofa - Two-Seater	. 20
Work Sofa - Two-Seater - Armless	.21
Work Sofa - Three-Seater	. 22
Work Sofa - Three-Seater - Armless	. 23
Ottoman	. 24
Stool	. 25
Bench - Two-Seater	. 26
Bench - Three-Seater	. 27
Work Ottoman	. 28
Work Bench - Two-Seater	. 29
Work Bench - Three-Seater	. 30

Mod Sectional	
Sectional Module - Left Facing Arm	31
Sectional Module - Right Facing Arm	32
Sectional Module - Armless	33
Sectional Module - Corner	34
Work Sectional Module - Left Facing Arm	35
Work Sectional Module - Right Facing Arm	36
Work Sectional Module - Armless	
Work Sectional Module - Corner	38

Mod Highback

Highback Lounge Chair	
Highback Work Lounge Chair	40
Highback Sofa - Two-Seater	41
Highback Sofa - Three-Seater	
Highback Work Sofa - Two-Seater	
Highback Work Sofa - Three-Seater	

Mod Deep

Deep Lounge Chair	45
Deep Lounge Chair - Armless	
Deep Sofa - Two-Seater	47
Deep Sofa - Two-Seater - Armless	48
Deep Sofa - Three-Seater	49
Deep Sofa - Three-Seater - Armless	50
Deep Ottoman	51

Mod Deep Sectional

Deep Sectional Module - Left Facing Arm52
Deep Sectional Module - Right Facing Arm53
Deep Sectional Module - Armless
Deep Sectional Module - Corner

Hardware

Leg Kit	
Corner Leg Kit	
Work Leg Kit	
Corner Work Leg Kit	57

Power Modules

Power Modules	

Coverings

All upholstered items may be ordered using HBF Textiles, HBF Leathers, or coverings provided by the customer. **Prices listed as COM refer to Customer's Own Material, which includes textiles and leather.** Prices listed as GRADE refer to HBF Textiles and/or HBF Leather.

Yardage requirements shown in the price list are based on non-directional 54" wide material. The following conversion chart should be used to determine yardage requirements when COM textile is 54" wide or less and/or has a repeat of 2" or more. Add together the vertical and horizontal repeat to determine which column should be used as a reference.

Fabric Width	Plain Fabric	2"-10" Repeat	11"-20" Repeat	21"-25" Repeat	26"-30" Repeat	31"-35" Repeat	36"-40" Repeat	41"-45" Repeat
54"	+ 0%	+10%	+15%	. +20%	+25%	+30%	+35%	. +40%
51"-53"	15%	20%	25%	30%	35%	40%	45%	50%
48"-50"	30%	35%	40%	45%	50%	55%	60%	65%
45"-47"	45%	50%	55%	60%	65%	70%	75%	80%
36"-44"	60%	65%	70%	75%	80%	85%	90%	95%

To determine the possibility of reduced yardage requirements for orders of thirty (30) or more units, please contact The HBF Client Experience Team. HBF reserves the right to request additional yardage of COM at customer expense based on repeat and/or pattern size, and number of rolls.

All COM's must be approved for application before the purchase order is submitted to HBF. Please contact The HBF Client Experience Team at hbfservice@hbf.com to verify that your COM fabric has been approved. If it has not, please request COM approval testing via www.hbf.com under COM Request. Failure to submit a COM for testing may result in additional expenses or rejection of COM. For any repeat and/or pattern size not listed, please contact The HBF Client Experience Team for a yardage requirement quotation.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM materials. All responsibility for COM shipments is between the purchaser and the textile/leather source. HBF reserves the right to reject any COM. HBF assumes no responsibility for suitability or wearability of COM. Difficult COM may be subject to additional charge if additional labor costs are incurred. HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations. Orders specifying COM will not be scheduled for production until all approved COM(s) are received by HBF. To ensure proper COM expediting, please tag fabric/leather roll(s) with the following information: 1. Purchasing dealer name and purchase order number 2. HBF acknowledge ment number, if available 3. Other pertinent information which will enable proper COM identification.

When sending COM leather for use on one of our upholstered pieces, please send eighteen (18) square feet of leather for each yard of 54" plain fabric required for that item.

В

Coverings (Continued)	COM ORDERING REQUIREMENTS: Prior to acceptance of order specifying COM, a memo sample must be submitted to HBF for determination of suitability. All COM's must be rolled separately, on individual tubes. Multiple materials rolled on the same tube will not be accepted.				
	For ease of expediting your COM order, we require t	use of expediting your COM order, we require the following information:			
	 Material description Material source Order line, product name or number Material color A swatch of the covering Special application instructions, if any 	Shipping Address:	HBF 900 12th Street Drive NW Hickory, NC 28601-4763		
	If COM is of a type requiring choices of seam placem instructions must be clearly stated on the original ord	-	of design or repeat; these		
	HBF cannot be held responsible for performance, colo for COM shipments is between the purchaser and the		f COM materials. All responsibility		
	HBF reserves the right to reject any COM. HBF assur of COM. Difficult COM may be subject to addition				
	HBF assumes no responsibility for the flame retardan making sure that COM complies with all applicable of	-	ners are solely responsible for		
	Orders specifying COM will not be scheduled for pro	oduction until all approv	ved COM is received by HBF.		

To ensure proper COM expediting, please tag textile/leather with the following information:

- 1. Purchasing dealer name and purchase order number
- 2. HBF acknowledgement number, if available
- 3. Other pertinent information which will enable proper COM identification




Combination of Upholstery Applications	All seating ordered with combination upholstery application (fabric, leather) that is not offered as standard is subject to a \$103 List Upholstery upcharge and will be entered and processed as a special model, in addition to the following pricing conditions:				
	1. Combinations using HBF Textiles and COM will be priced at the COM price. The cost of the portion of the HBF Textiles used, will be entered as a miscellaneous charge on the furniture order.				
	2. Combinations using HBF Textiles and HBF Leathers, or COM and HBF Leathers, will be priced at the appropriate Leather I-V price.				
	3. Combinations using two HBF Textiles will be invoiced at higher grade price.				
	4. When specifying combination of upholstery applications, a sketch indicating placement of textiles and direction of applications must accompany the purchase order.				
Special Code	California #117-2013				
Compliance	Unless otherwise specified, foam used in all HBF seating products complies with these guidelines.				
	Boston Fire Code				
	New York Port Authority				
	Please contact the HBF Client Experience Team if compliance is required for these special codes.				

ANSI/BIFMA e3-2014e LEVEL® Furniture Sustainability Standard Certification	A majority of HBF's products have met the necessary qualifications to achieve LEVEL* certification. LEVEL* is the multi-attribute sustainability certification based on the ANSI/BIFMA e3 Furniture Sustainability Standard. The standard and certification were created to deliver the most open and transparent means of evaluating and communicating the environmental and social impacts of furniture products in the built environment. Taking into account a company's social actions, energy usage, material selection and human and ecosystem health impacts, LEVEL* addresses how a product is sustainable from multiple perspectives. The organization, facilities, and products are audited on an annual basis to ensure ongoing compliance and improvement. With LEVEL*, customers can make informed choices about sustainable commercial office furniture. The LEVEL* mark identifies that a product has been vetted by an independent third party certifier and its numeric marking of 1, 2, or 3 indicates the threshold of certification the product has achieved. A majority of HBF's seating, occasional tables, and conference lines are LEVEL* certified. Please download the certificates from our product pages for the complete details. For more information about the ANSI/BIFMA LEVEL* standard, visit www.levelcertified.org.
	complete details. For more mormation about the Arton bir wire EE v EE standard, visit www.evelecrimed.org.
ANSI/BIFMA Performance Standards	Our seating products meet or exceed ANSI/BIFMA weight performance standards of 275 lbs. (124.7 kg.) unless otherwise noted.
Indoor Advantage™ Gold certified	All HBF seating products Indoor Advantage™ Gold Certified.
	SCS Global Services, a reputable third-party certification and assessment body of environmental, sustainability and safety claims since 1984, has developed internationally recognized standards and certification programs to assist businesses with improving their environmental efforts, social accountability and product performance.
	The advantages of holding Indoor Air Quality certification are substantial: in addition to improving indoor working environments and meeting qualifications for the LEED-CI EQ 4.5 credit for office furniture as well as the BIFMA Standard for Low-Emitting Office Furniture Systems & Seating M-7.1, there is the added assurance of knowing that the company's entire breadth of products is held to such rigorous standards.
	For more information regarding Indoor Advantage™, please visit: http://www.scsglobalservices.com.
	Please contact the HBF Client Experience Team for pricing and lead time information.

Dimension Guide

В



GSA/Federal Contract Inform	nation: GSA Contract Number 47QSMA22D08P9
	 Model numbers identified with the following verbiage "When purchased separately without a configurable TAA compliant end product, not on GSA contract" is to mean that these configurable parts or components: Have no functionality or capability without being integrated into an end product; and Are considered Open Market if purchased without a configurable TAA compliant end product.
HBF High Performance Products	HBF and HBF Textiles have long been leaders in contract furnishings and known for industry-leading product design coupled with the highest quality construction, comfort and aesthetic beauty.
	Now these same principals are the cornerstones of HBF Healthcare high performance products. We have consulted with healthcare designers and clients to provide products and options for interiors that will provide quality sustainable design solutions for the future. These effective solutions will address the unique interactions required by any high-use facility. Visit www.hbf.com for additional high performance product information.
	Seating Product High Performance Options:
	 Guest and Lounge Seating Arm Caps Moisture Barrier Wipe Out - Clean Out Tandem Seating Wall Saver Legs Replaceable Components Upholstery Products from HBF Textiles
Spring Down Cushions	Optional spring down cushions are available on most loose cushion HBF lounge seating. List upcharges are: Chair \$108 Loveseat \$194 Sofa \$297
Veneer and Finishes	Wood owes its inherent beauty to variations in color, grain, and texture; therefore, these variations are not considered defects. Due to the natural color and grain variances of wood substance the final finish color, texture and grain may vary from one furniture piece to another even though they are finished at the same time. Exposure to light and the aging process will cause changes in surface color of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. HBF does not guarantee the exact matching of grain, pattern and color.
	An upcharge of 5% Net COM per seating unit, with a minimum upcharge of \$500 Net per order, will apply for any custom wood finish.
	Refer to the following page for product material options.



POWDER COATS:



P8X Solar Black





LG Light Grey

METALS:



POL Polished Chrome

Screen images are intended as a guide only and should not be regarded as absolutely correct. For exact color/texture, please visit www.hbf.com to request an actual sample.



Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
Blink Denim Wash* Walkabout Zippy	Look-see Remember Rush*	Caddy Corner* Checkmate Cuddle Up Picnic Plaid Upbeat	Chenille Striae Crumpled Paper Dot Grid Habu Poppy Skim Coat	Fourfold* Uptown	All Terrain Bunny Cloverleaf Comfort Zone Happy Camper Here & There Knitwork Laugh Lines Moody Moss Notable Grain Sherpa Well-Loved

Grade G	Grade H	Grade J	Grade K	Grade L	Grade M
Beetle Curtain Wall Dashing Equation* Folded Lines High Rise Honest* Inherent Matriarch Pebbled Scribble XS Stardust Upscale	Air Mail* Captain Bubble Crafted Felt Chubby Baby Intersection Lawn Chair Madam Dottie Soft Angles 2.0 Upstart Uptick	Abito Argyle Boucle Belgian Meadow Brushed Canvas Digital Bloom 2.0 Enriched Boucle Glint Lava Rock Quill Scribble XL Sir Stripe-a-lot Tattoo Toile Tessellations Tête-à-Tête Tickled Herring Twist	Afghan Cherished Knit Complex Crosstweed Double Stitch Gather Grateful Grid Heartfelt Merci Boucle Moving Blanket Moving Forward Night Earth Pepper Blend Polygone Quilted Comfort Sideways Sister Solid	Agate Stripe Goosebumps Hipster Landscape Blur Ms. Quilty 2.0 Smart* Sweater Velvet Mix Woven Memory	Crafted Cloud Eccentric Flirt Poodle

Leather I	Leather II	Leather III	Leather IV	Leather V	Leather VI
Clutch	Vivace II	Aviator	Free Way	Wild West	Modern Patina Upper Crust



mod benes opeening	
Collection Details	Lounge Chair Sofa Ottoman Stool Bench Sectional Modules Highback Lounge Chair Highback Sofa
	Sectional pieces ship with leg kits that include corner brackets and connector brackets for placement in any configuration. Additional kits may be purchased. Please refer to page 57 for details.
Upholstery	Graded-in HBF Textiles Options Customer's Own Material (COM) Uniform Upholstery Application Contrast Panel Surround Upholstery Application <i>Note: Mod Highback COM Application Tested Separately.</i>
Metal Legs	Solar Black Powder Coat White Powder Coat Light Grey Powder Coat Polished Chrome
Power	Powerwise Module - Double USB-A
	Powerwise Module - Outlet

Mod Series Specifications

The Mod Lounge Collection by Henrik Schulz embodies a humanistic approach towards the workplace, crafting a piece that looks and feels at home in a range of public and private spaces. With a sectional sensibility, Mod allows for a variety of customizable seating arrangements while optimizing productivity and comfort. Mod's thoughtfully designed foam cushioning and wide layout make it ideal for both collaborative and individual work. Cushions are constructed of multi-layered density foam with a down top for comfort. Mod is ideal for relaxation or active productivity "beyond the desk."

- Mod is available in a depth of 31.5" or 37.5"
- Mod is available in two height horizons: Lowback and Highback
- Two upholstery placement areas allow for individually specified upholstery choices: Cushion Upholstery (inside seat, inside back and inside arm cushions) and Panel Surround Upholstery (placement on the exterior panels, including the outside back and outside arms). *Note: Mod Highback Panel Surround (B) is tested separately from standard height Mod (B) Outer Upholstery.*
- Mod Highback models cannot accept railroading on the Panel Surround due to its height.
- Mod legs come standard in powder coated finishes. Polished Chrome finish is also available for an upcharge.
- All Mod units come standard without power. Power modules can be added to each unit for an upcharge. More that one module specified per unit can be daisy chained as a special request.
- Sectional pieces ship with leg kits that include corner brackets and connector brackets for placement in any configuration. Additional kits may be purchased.

Mod Highback



B MOD HIGHBACK PANEL SURROUND UPHOLSTERY






MOD

.OUNGE CHAIR HLSo18-o61	ARMLESS LOUNGE CHAIR HLS018-071	TWO-SEATER SOFA HLS018-032	ARMLESS TWO-SEATER SOFA HLS018-042	THREE-SEATER SOFA HLS018-043	ARMLESS THREE-SEATER SOFA HLS018-053
DH 30 ¹ /2 SH* 16 DW 40 SD 22 ¹ /4 DD 31 ¹ /2 WBA 26 ³ /4	OH 30 ¹ /2 SH* 16 OW 36 SD 22 ¹ /4 OD 31 ¹ /2	OH 30 ¹ /2 SH* 16 OW 63 ¹ /2 SD 22 ¹ /4 OD 31 ¹ /2 WBA 50 ¹ /4	OH 30 ¹ /2 SH* 16 OW 59 ¹ /2 SD 22 ¹ /4 OD 31 ¹ /2	OH 30 ¹ /2 SH* 16 OW 93 SD 22 ¹ /4 OD 31 ¹ /2 WBA 79 ³ /4	OH 30 ¹ /2 SH* 16 OW 89 SD 22 ¹ /4 OD 31 ¹ /2
VORK HEIGHT HLS022-W061	WORK HEIGHT HLS022-W071	WORK HEIGHT HLS022-W032	WORK HEIGHT HLS022-W042	WORK HEIGHT HLS022-W043	WORK HEIGHT HLS022-W053
OH 33 SH* 18 ¹ /2	OH 33 SH* 18 ¹ /2	OH 33 SH* 18½	OH 33 SH*181/2	OH 30 ¹ /2 SH* 18 ¹ /2	OH 33 SH*18 ¹ /2
Pages 12 + 14	Pages 13 + 15	Pages 16 + 20	Pages 17 + 21	Pages 18 + 22	Pages 19 + 23
DTTOMAN IHS022-031	SECTIONAL ARMLESS MODULE HLS018-101	SECTIONAL LEFT-FACING ARM MODULE HLS018-081	SECTIONAL RIGHT-FACING ARM MODULE HLS018-091	SECTIONAL CORNER MODULE HLSo18-029	
	-				
DH 17 ¹ /2 SH* 16 DW 30 SD 30 DD 31 ¹ /2	OH 30 ¹ /2 SH* 16 OW 30 SD 22 ¹ /4 OD 31 ¹ /2	OH 30 ¹ /2 SH* 16 OW 32 ¹ /2 SD 22 ¹ /4 OD 31 ¹ /2 WBA 31 ⁷ / ₈	OH 30 ¹ /2 SH* 16 OW 32 ¹ /2 SD 22 ¹ /4 OD 31 ¹ /2 WBA 31 ⁷ / ₈	OH 30 ¹ /2 SH* 16 OW 32 ¹ /2 SD 22 ¹ /4 OD 31 ¹ /2 WBA 31 ⁷ / ₈	
VORK HEIGHT HHS022-W031	WORK HEIGHT HLS022-W101	WORK HEIGHT HLS022-W081	WORK HEIGHT HLS022-W091	WORK HEIGHT HLS022-W029	
0H 20 SH* 18 ¹ /2	OH 33 SH* 18½	OH 33 SH* 18 ¹ /2	OH 33 SH* 181/2	OH 33 SH*18½	
Pages 24 + 28	Pages 33 + 37	Pages 31 + 35	Pages 32 + 36	Pages 34 + 38	
STOOL HHS022-011	TWO-SEATER BENCH HHS022-012	THREE-SEATER BENCH HHS022-013			
DH 17 ¹ /2 SH* 16 DW 20 ¹ /2 SD 20 ¹ /2 DD 20 ¹ /2	OH 17 ¹ /2 SH* 16 OW 40 ¹ /2 SD 20 ¹ /2 OD 20 ¹ /2	OH 17 ¹ /2 SH* 16 OW 60 ¹ /2 SD 20 ¹ /2 OD 20 ¹ /2			
	WORK HEIGHT HHS022-W012	WORK HEIGHT HHS022-W013			
	OH 20 SH* 18½	OH 20 SH* 18½			



MOD DEEP



MOD HIGHBACK

	IIOIIDACI					HARDWARE	POWER		
HIGHBAC LOUNGE (HLS022-HB	CHAIR	HIGHBAC TWO-SEA HLSo22-HE	TER SOFA	HIGHBACI THREE-SE HLS022-HB	ATER SOFA	LEG KIT HAS018-017 WORK LEG KIT HAS022-017 CORNER LEG KIT HAS018-027 WORK CORNER LEG KIT	POWERWISE - OUTLET HVD81901P-100 POWERWISE - DUAL USB-A HVD81901S-100	OH SH-	OW OD OD SD WBA Overall Height
OH 50 OW 41 ¹ /2 OD 31 ¹ /2	SH* 16 SD 22 ¹ /4 WBA 28 ¹ /4	OH 50 OW 65 OD 31 ¹ /2	SH* 16 SD 22 ¹ /4 WBA 51 ³ /4	OH 50 OW 94 ¹ /2 OD 31 ¹ /2	SH* 16 SD 22 ¹ /4 WBA 81 ¹ /4	HAS022-027		OW OD	Overall Width Overall Depth
WORK HEIG HLS022-WH OH 52 ^{1/} 2		WORK HEIG HLS022-WI OH 52 ^{1/} 2		WORK HEIG HLS022-WH OH 52 ^{1/} 2				SH* SD WBA	Seat Height Seat Depth Width Between Arms
Pages	40 + 56	Pages 4	1 + 20	Pages	42 + 44	Pages 56 + 57	Page 58	*Refle	tensions in inches. Ets the nominal seat height op of cushion welt.

HARDWARE

POWER

DIMENSIONS



Dimensions (inches)			
Mod HLS018-061			
OH OW OD SH SD	30½ 40 31½ 16 22¼	AH 30½ WBA 26¾ DED DEW R	
		L 43½ W 35 H 22¾ 140 lbs. 20.05 cubic ft.	
	OW OD SH SD Cartor Shippi	OW 40 OD 31½ SH 16 SD 22¼ Carton Dimensions Shipping Weight	

Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL[®] Furniture Sustainability Standard certified | Indoor Advantage[™] certified

Pricing for Single, Uniform Textile	U U	t Textile Application: with base price and add upcharges.)	Base Price: 5560
Application: Upholstery:	Outer Upholstery:	Cushion Upholstery:	
COM/COL 5890	COM/COL 130	COM/COL 200	
Grade A 5670	Grade A 45	Grade A 65	
Grade B 5780	Grade B 85	Grade B 135	
Grade C 5890	Grade C 130	Grade C 200	
Grade D 6000	Grade D 175	Grade D 265	
Grade E 6115	Grade E 220	Grade E 335 Grade F 415	
Grade F 6250 Grade G 6400	Grade F 275		
	Grade G 335 Grade H 400		
Grade H 6560 Grade J 6670			
Grade K 6890	Grade J 445 Grade K 530	Grade J 665 Grade K 800	
Grade L 7225	Grade L 665	Grade L 1000	
Grade M 7670	Grade M 845	Grade M 1265	
Leather I 8425	Leather I 1145	Leather I 1720	
Leather II 9225	Leather II 1465	Leather II 2200	
Leather III 10,025	Leather III 1785	Leather III 2680	
Leather IV 10,825	Leather IV 2105	Leather IV 3160	
Leather V 11,625	Leather V 2425	Leather V 3640	
Leather VI 12,425	Leather VI 2745	Leather VI 4120	
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	
Fabric: 10 Yards	Fabric: 4 Yards	Fabric: 6 Yards	
Leather: 180 Sq. Ft.	Leather: 72 Sq. Ft.	Leather: 108 Sq. Ft.	
			<i>Total Required</i> <i>Upholstery:</i> Fabric: 10 Yard

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for finish:	Power (Ordered Separately)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		POL = Polished Chrome + <i>\$130</i> P8X = Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
•	•	•	•	•	PN

HLS018-061.OuterUph.CushionUph.Flammability.Leg.Power Example: HLS018-061.950-88.950-88.950-88.U.WI.PN



	Dimensions (inches)		
Mod HLS018-071			
	OH 304	2	AH
	OW 36		WBA
	OD 311/2	2	DED
	SH 16		DEW
	SD 221/2	4	R
	Carton Dim	nensions	L 39 W 35 H 223/4
	Shipping W	'eight	75 lbs.
	Cube		17.97 cubic ft.
ounge Chair - Armless Fully Upholstered Powder Coat Metal Legs No Power			

nge Chair - Armless | Fully Upholstered | Powder Coat Metal Legs | No Power Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL[®] Furniture Sustainability Standard certified | Indoor Advantage[™] certified

Uniform Textile	(To calculate, b	gin with base price and add upcharges.)	Base Price:	4115
Application:	Outer	Cushion		
Upholstery:	Upholstery:	Upholstery:		
COM/COL 4385	COM/COL 70	COM/COL 200		
Grade A 4205	Grade A 25	Grade A 65		
Grade B 4295	Grade B 45	Grade B 135		
Grade C 4385	Grade C 70	Grade C 200		
Grade D 4470	Grade D 90	Grade D 265		
Grade E 4565	Grade E 115	Grade E 335		
Grade F 4670	Grade F 140	Grade F 415		
Grade G 4790	Grade G 170	Grade G 505		
Grade H 4915	Grade H 200	Grade H 600		
Grade J 5005	Grade J 225	Grade J 665		
Grade K 5185	Grade K 270	Grade K 800		
Grade L 5450	Grade L 335	Grade L 1000		
Grade M 5805	Grade M 425	Grade M 1265		
Leather I 6410	Leather I 575	Leather I 1720		
Leather II 7050	Leather II 735	Leather II 2200		
Leather III 7690	Leather III 895	Leather III 2680		
Leather IV 8330	Leather IV 1055	Leather IV 3160		
Leather V 8970	Leather V 1215	Leather V 3640		
Leather VI 9610	Leather VI 1375	Leather VI 4120		
Upholstery Requires:	Upholstery Requir	es Upholstery Requires		
	(Per Application):	(Per Application):		
Fabric: 8 Yards	Fabric: 2 Yard	s Fabric: 6 Yards		
Leather: 144 Sq. Ft.	Leather: 36 Sq.	Ft. Leather: 108 Sq. Ft.		
			Total Re	equired
			Upholste	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for finish:	Power (Ordered Separately)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		POL = Polished Chrome +\$130 P8X = Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
•	•	•	•	•	PN

HLS018-071.OuterUph.CushionUph.Flammability.Leg.Power Example: HLS018-071.950-88.950-88.950-88.U.WI.PN



	Dimensions (inches)		
Mod HLS022-W061			
	OH 33 AH 33 OW 40 WBA 26¾ OD 31½ DED SH 18½ DEW SD 22¼ R		
Wedd Lenner Cheird Fulle Usbalaned I Dender Care Mard Len	Carton DimensionsL 43½W 35H 22¾Shipping Weight142 lbs.Cube20.05 cubic ft.		

Work Lounge Chair | Fully Upholstered | Powder Coat Metal Legs Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL[®] Furniture Sustainability Standard certified | Indoor Advantage[™] certified

Uniform Textile	(To calculate, begin	n with base price and add upcharges.)	Base Price:	5670
Application:	Outer	Cushion		
Upholstery:	Upholstery:	Upholstery:		
COM/COL 6000	COM/COL 130	COM/COL 200		
Grade A 5780	Grade A 45	Grade A 65		
Grade B 5890	Grade B 85	Grade B 135		
Grade C 6000	Grade C 130	Grade C 200		
Grade D 6110	Grade D 175	Grade D 265		
Grade E 6225	Grade E 220	Grade E 335		
Grade F 6360	Grade F 275	Grade F 415		
Grade G 6510	Grade G 335	Grade G 505		
Grade H 6670	Grade H 400	Grade H 600		
Grade J 6780	Grade J 445	Grade J 665		
Grade K 7000	Grade K 530	Grade K 800		
Grade L 7335	Grade L 665	Grade L 1000		
Grade M 7780	Grade M 845	Grade M 1265		
Leather I 8535	Leather I 1145	Leather I 1720		
Leather II 9335	Leather II 1465	Leather II 2200		
Leather III 10,135	Leather III 1785	Leather III 2680		
Leather IV 10,935	Leather IV 2105	Leather IV 3160		
Leather V 11,735	Leather V 2425	Leather V 3640		
Leather VI 12,535	Leather VI 2745	Leather VI 4120		
Upholstery Requires:	Upholstery Requires	Upholstery Requires		
	(Per Application):	(Per Application):		
Fabric: 10 Yards	Fabric: 4 Yards	Fabric: 6 Yards		
Leather: 180 Sq. Ft.	Leather: 72 Sq. Ft.	Leather: 108 Sq. Ft.		
			T-+-1 D	equired
			Upholst	1

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER Indicate fabric choice for	TEXTILES: CUSHIONS Indicate fabric choice for	FLAMMABILITY Indicate flammability:	LEG FINISH Options for finish:	Note: Power must be ordered separately (Please refer to page 58).
	Outer Upholstery: See available graded-in	Cushion Upholstery: See available graded-in	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$130	
	textiles product page at HBF.com.	textiles product page at HBF.com.		P8X = Solar Black	
•	•		•		

HLS022-W061.OuterUph.CushionUph.Flammability.Leg Example: HLS022-W061.950-88.950-88.U.WI



	Dimensions (inches)
Mod HLS022-W071	
	OH 33 AH
	OW 36 WBA
and the second se	OD 31½ DED
	SH 18½ DEW
	SD 22¼ R
	Carton Dimensions L 39 W 35 H 223/4
	Shipping Weight 77 lbs.
	Cube 17.97 cubic ft.
Work Learner Chain American Fuller Unitedational Develop Coast March Learner	

Work Lounge Chair - Armless | Fully Upholstered | Powder Coat Metal Legs Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified | Indoor Advantage™ certified

Pricing for Single, Uniform Textile	U	st Textile Application: 1 with base price and add upcharges.)	Base Price:	4225
Application: Upholstery:	Outer Upholstery:	Cushion Upholstery:		
COM/COL 4495	COM/COL 70	COM/COL 200		
Grade A 4315	Grade A 25	Grade A 65		
Grade B 4405	Grade B 45	Grade B 135		
Grade C 4495	Grade C 70	Grade C 200		
Grade D 4580	Grade D 90	Grade D 265		
Grade E 4675	Grade E 115	Grade E 335		
Grade F 4780	Grade F 140	Grade F 415		
Grade G 4900	Grade G 170	Grade G 505		
Grade H 5025	Grade H 200	Grade H 600		
Grade J 5115	Grade J 225	Grade J 665		
Grade K 5295	Grade K 270	Grade K 800		
Grade L 5560	Grade L 335	Grade L 1000		
Grade M 5915	Grade M 425	Grade M 1265		
Leather I 6520	Leather I 575	Leather I 1720		
Leather II 7160	Leather II 735	Leather II 2200		
Leather III 7800	Leather III 895	Leather III 2680		
Leather IV 8440	Leather IV 1055	Leather IV 3160		
Leather V 9080	Leather V 1215	Leather V 3640		
Leather VI 9720	Leather VI 1375	Leather VI 4120		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 8 Yards	Fabric: 2 Yards	Fabric: 6 Yards		
Leather: 144 Sq. Ft.	Leather: 36 Sq. Ft.	Leather: 108 Sq. Ft.		
			Total R	equired
			Upholst	ery: Fabric: 8 Ya

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER Indicate fabric choice for	TEXTILES: CUSHIONS Indicate fabric choice for	FLAMMABILITY Indicate flammability:	LEG FINISH Options for finish:	Note: Power must be ordered separately (Please refer to page 58).
	Outer Upholstery: See available graded-in	Cushion Upholstery: See available graded-in	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$130	
	textiles product page at HBF.com.	textiles product page at HBF.com.		P8X = Solar Black	
•	•		•		

HLS022-W071.OuterUph.CushionUph.Flammability.Leg Example: HLS022-W071.950-88.950-88.U.WI



Mod HLS018-032



Dimen	isions			
OH OW	30½ 63½	AH WBA	30½	
OW OD	31 ¹ /2	W BA DED	30%	
SH	16	DEW		
SD	221/4	R		
ourton	Dimensions ng Weight	235 lb	w 35 s. cubic ft.	H 22¾

Sofa - Two-Seater | Fully Upholstered | Powder Coat Metal Legs | No Power Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL[®] Furniture Sustainability Standard certified | Indoor Advantage[™] certified

Pricing for Single, Uniform Textile	(To calculate, begin	with base price and add upcharges.)	Base Price:	7345
Application:	Outer	Cushion		
Upholstery:	Upholstery:	Upholstery:		
COM/COL 7805	COM/COL 155	COM/COL 305		
Grade A 7495	Grade A 50	Grade A 100		
Grade B 7655	Grade B 105	Grade B 205		
Grade C 7805	Grade C 155	Grade C 305		
Grade D 7965	Grade D 210	Grade D 410		
Grade E 8115	Grade E 260	Grade E 510		
Grade F 8305	Grade F 325	Grade F 635		
Grade G 8525	Grade G 400	Grade G 780		
Grade H 8745	Grade H 475	Grade H 925		
Grade J 8895	Grade J 525	Grade J 1025		
Grade K 9205	Grade K 630	Grade K 1230		
Grade L 9675	Grade L 790	Grade L 1540		
Grade M 10,295	Grade M 1000	Grade M 1950		
Leather I 11,355	Leather I 1360	Leather I 2650		
Leather II 12,475	Leather II 1740	Leather II 3390		
Leather III 13,595	Leather III 2120	Leather III 4130		
Leather IV 14,715	Leather IV 2500	Leather IV 4870		
Leather V 15,835	Leather V 2880	Leather V 5610		
Leather VI 16,955	Leather VI 3260	Leather VI 6350		
Upholstery Requires:	Upholstery Requires	Upholstery Requires		
	(Per Application):	(Per Application):		
Fabric: 14 Yards	Fabric: 4¾ Yards	Fabric: 9¼ Yards		
Leather: 252 Sq. Ft.	Leather: 85½ Sq. Ft.	Leather: 166½ Sq. Ft.		
			Total R	eauired
			Upholst	*
			Cphoisi	Leather: 252 Sq.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
	Indicate fabric	Indicate fabric	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	choice for	choice for		WII D. L.C.	PN = No Power Unit
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat	PIN = No Power Unit
				LG = Light Grey Powder Coat	
	See available graded-in	See available graded-in		POL = Polished Chrome +\$130	Note: Power must be ordered separately.
	textiles product page at	textiles product page at		P8X = Solar Black	(Please refer to page 58).
	HBF.com.	HBF.com.			
					PN
•	•	•	•	•	111

HLS018-032. OuterUph. CushionUph. Flammability. Leg. Power Example: HLS018-032.950-88.950-88.950-88.U. WI. PN



					Dimen	sions	
HLS018-042							
					OH	301/2	AH
					OW	591/2	WBA
					OD	311/2	DED
					SH	16	DEW
					SD	221/4	R
					6	D	
I	1 1						L 63 W 35 H 223
						1g Weight	145 lbs.
		1.7 1.5			Cube		29.03 cubic ft.
Two-Seater - Armless Fully Uph ully assembled. Leg brackets need to		etal Legs N	lo Power	ANSI/BIFMA LEVEL® Furniture S	ustainability Sta	andard certified	Indoor Advantage™
Pricing for Single,	Pricing for	Contras	st Textile App	lication:			
Uniform Textile	0			ice and add upcharges.)	Base I	Price:	5865
Application:	Outer Cushion		1 8 9				
Upholstery:	Upholstery:		Upholstery:				
COM/COL 6235	COM/COL	75	COM/COL	295			
Grade A 5990	Grade A	25	Grade A	100			
Grade B 6110	Grade B	50	Grade B	195			
Grade C 6235	Grade C	75	Grade C	295			
Grade D 6355	Grade D	100	Grade D	390			
Grade E 6480	Grade E	125	Grade E	490			
Grade F 6625	Grade F	155	Grade F	605			
Grade G 6795	Grade G	190	Grade G	740			
Grade H 6965	Grade H	225	Grade H	875			
Grade J 7090	Grade J	250	Grade J	975			
Grade K 7335	Grade K	300	Grade K	1170			
Grade L 7700	Grade L	375	Grade L	1460			
Grade M 8190	Grade L Grade M	475	Grade L Grade M	1850			
Leather I 9020	Leather I	4 /5 645	Leather I	2510			
Leather II 9900	Leather II	825	Leather II	3210			
	Leather III	1005	Leather III	3910			
	Leatner III	1185		4610			
Leather III 10,780	Laster TV		Leather IV	1010			
Leather III 10,780 Leather IV 11,660	Leather IV			5210			
Leather III 10,780 Leather IV 11,660 Leather V 12,540	Leather V	1365	Leather V	5310			
Leather III 10,780 Leather IV 11,660				5310 6010			
Leather III 10,780 Leather IV 11,660 Leather V 12,540	Leather V	1365 1545	Leather V	6010			

Fabric:11YardsLeather:198Sq. Ft.

198 Sq. Ft.

Fabric:2¼YardsFabric:8¾YardsLeather:40½Sq. Ft.Leather:157½Sq. Ft.

Total Required Upholstery: Fabric: 11 Yards Leather: 198 Sq. Ft.


PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
	Indicate fabric choice for Outer Upholstery:	Indicate fabric choice for Cushion Upholstery:	Indicate flammability: U = Cal 117	Options for metal finish: WI = White Powder Coat	Power (Ordered Separately) PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		LG= Light Grey Powder CoatPOL= Polished Chrome +\$130P8X= Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
•	•				PN

HLS018-042. Outer Uph. Cushion Uph. Flammability. Leg. Power Example



Mod HLS018-043



Dimen	sions			
OH OW OD SH SD	30½ 93 31½ 16 22¼	AH WBA DED DEW R	,,,,	
	Dimensions 1g Weight	325 lb	2 W 35 s. cubic ft.	H 22¾

Sofa - Three-Seater | Fully Upholstered | Powder Coat Metal Legs | No Power Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL[®] Furniture Sustainability Standard certified | Indoor Advantage[™] certified

Pricing for Single, Uniform Textile	0	et Textile Application: a with base price and add upcharges.)	Base Price:	9675
Application: Upholstery:	Outer Upholstery:	Cushion Upholstery:		
COM/COL 10,275	COM/COL 180	COM/COL 420		
Grade A 9875	Grade A 60	Grade A 140		
Grade B 10,075	Grade B 120	Grade B 280		
Grade C 10,275	Grade C 180	Grade C 420		
Grade D 10,475	Grade D 245	Grade D 555		
Grade E 10,675	Grade E 305	Grade E 695		
Grade F 10,915	Grade F 375	Grade F 865		
Grade G 11,195	Grade G 465	Grade G 1055		
Grade H 11,475	Grade H 550	Grade H 1250		
Grade J 11,675	Grade J 610	Grade J 1390		
Grade K 12,075	Grade K 730	Grade K 1670		
Grade L 12,675	Grade L 915	Grade L 2085		
Grade M 13,475	Grade M 1160	Grade M 2640		
Leather I 14,835	Leather I 1575	Leather I 3585		
Leather II 16,275	Leather II 2015	Leather II 4585		
Leather III 17,715	Leather III 2455	Leather III 5585		
Leather IV 19,155	Leather IV 2895	Leather IV 6585		
Leather V 20,595	Leather V 3335	Leather V 7585		
Leather VI 22,035	Leather VI 3775	Leather VI 8585		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 18 Yards	Fabric: 5½ Yards	Fabric: 12½ Yards		
Leather: 324 Sq. Ft.	Leather: 99 Sq. Ft.	Leather: 225 Sq. Ft.		
				equired
			Upholst	ery: Fabric: 18 Y

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		POL = Polished Chrome + <i>\$195</i> P8X = Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
•	•	•	•	•	PN

HLS018-043. Outer Uph. Cushion Uph. Flammability. Leg. Power Example: HLS018-043.950-88.950-88.950-88.U. WI. PN



	Dimensions
Mod HLS018-053	
	OH 30½ AH OW 89 WBA OD 31½ DED SH 16 DEW SD 22¼ R
Sofa - Three-Seater Fully Upholstered Powder Coat Metal Legs No Power	Carton DimensionsL 92½W 35H 22¾Shipping Weight215lbs.Cube42.62cubic ft.

Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL[®] Furniture Sustainability Standard certified | Indoor Advantage[™] certified

Pricing for Single, Uniform Textile	(To calculate, begin	with base price and add upcharges.)	Base Price:	8200
Application:	Outer	Cushion		
Upholstery:	Upholstery:	Upholstery:		
COM/COL 8700	COM/COL 100	COM/COL 400		
Grade A 8370	Grade A 35	Grade A 135		
Grade B 8530	Grade B 65	Grade B 265		
Grade C 8700	Grade C 100	Grade C 400		
Grade D 8870	Grade D 135	Grade D 535		
Grade E 9030	Grade E 165	Grade E 665		
Grade F 9230	Grade F 205	Grade F 825		
Grade G 9470	Grade G 255	Grade G 1015		
Grade H 9700	Grade H 300	Grade H 1200		
Grade J 9870	Grade J 335	Grade J 1335		
Grade K 10,200	Grade K 400	Grade K 1600		
Grade L 10,700	Grade L 500	Grade L 2000		
Grade M 11,370	Grade M 635	Grade M 2535		
Leather I 12,500	Leather I 860	Leather I 3400		
Leather II 13,700	Leather II 1100	Leather II 4400		
Leather III 14,900	Leather III 1340	Leather III 5360		
Leather IV 16,100	Leather IV 1580	Leather IV 6320		
Leather V 17,300	Leather V 1820	Leather V 7280		
Leather VI 18,500	Leather VI 2060	Leather VI 8240		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 15 Yards	Fabric: 3 Yards	Fabric: 12 Yards		
Leather: 270 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 216 Sq. Ft.		
			Total Re	quired
			Upholste	
			- r	Leather: 270 Sc

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
	Indicate fabric	Indicate fabric	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	choice for	choice for	nammability:		
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat	PN = No Power Unit
				LG = Light Grey Powder Coat	
	See available graded-in	See available graded-in		POL = Polished Chrome +\$195	Note: Power must be ordered separately.
	textiles product page at	textiles product page at		P8X = Solar Black	(Please refer to page 58).
	HBF.com.	HBF.com.			
					DNI
•	•	•	•	•	PN

HLS018-053.OuterUph.CushionUph.Flammability.Leg.Power Example: HLS018-053.950-88.950-88.950-88.U.WI.PN



	Dimensions
Mod HLS022-W032	
	OH 33 AH 33 OW 63½ WBA 50¼ OD 31½ DED SH 18½ DEW SD 22¼ R Carton Dimensions L 66¼ W 35 H 22¾ Shipping Weight 237 Ibs. Cube 30.53 cubic ft.
	Gube 50.55 cubic it.

Work Sofa - Two-Seater | Fully Upholstered | Powder Coat Metal Legs

Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL[®] Furniture Sustainability Standard certified | Indoor Advantage[™] certified

Uniform Textile	(To calculate, begin	with base price and add upcharges.)	Base Price:	7455
Application:	Outer	Cushion		
Upholstery:	Upholstery:	Upholstery:		
COM/COL 7915	COM/COL 155	COM/COL 305		
Grade A 7605	Grade A 50	Grade A 100		
Grade B 7765	Grade B 105	Grade B 205		
Grade C 7915	Grade C 155	Grade C 305		
Grade D 8075	Grade D 210	Grade D 410		
Grade E 8225	Grade E 260	Grade E 510		
Grade F 8415	Grade F 325	Grade F 635		
Grade G 8635	Grade G 400	Grade G 780		
Grade H 8855	Grade H 475	Grade H 925		
Grade J 9005	Grade J 525	Grade J 1025		
Grade K 9315	Grade K 630	Grade K 1230		
Grade L 9785	Grade L 790	Grade L 1540		
Grade M 10,405	Grade M 1000	Grade M 1950		
Leather I 11,465	Leather I 1360	Leather I 2650		
Leather II 12,585	Leather II 1740	Leather II 3390		
Leather III 13,705	Leather III 2120	Leather III 4130		
Leather IV 14,825	Leather IV 2500	Leather IV 4870		
Leather V 15,945	Leather V 2880	Leather V 5610		
Leather VI 17.065	Leather VI 3260	Leather VI 6350		
Upholstery Requires:	Upholstery Requires	Upholstery Requires		
	(Per Application):	(Per Application):		
Fabric: 14 Yards	Fabric: 4¾ Yards	Fabric: 9¼ Yards		
Leather: 252 Sq. Ft.	Leather: 85½ Sq. Ft.	Leather: 166½ Sq. Ft.		
			Total R	Required
			Upholst	1
			Sphow	Leather: 252 So

PLEASE SPECIFY THE FOLLOWING TO ORDER:

	TRUTH DA OUTER	TENTH DA QUALHONA			
MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	Note: Power must be ordered
	Indicate fabric	Indicate fabric	Indicate	Options for metal finish:	separately (Please refer to page 58).
	choice for	choice for	flammability:		
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat	
				LG = Light Grey Powder Coat	
	See available graded-in	See available graded-in		POL = Polished Chrome +\$130	
	textiles product page at	textiles product page at		P8X = Solar Black	
	HBF.com.	HBF.com.			
•	•	•	•		

HLS022-W032.OuterUph.CushionUph.Flammability.Leg Example: HLS022-W032.950-88.950-88.U.WI



	Dimensions
Mod HLS022-W042	
	OH 33 AH OW 59½ WBA OD 31½ DED SH 18½ DEW SD 22¼ R
10	Carton Dimensions L 63 W 35 H 22¾ Shipping Weight 147 lbs. Cube 29.03 cubic ft.
Work Sofa - Two-Seater - Armless Fully Upholstered Powder Coat Metal Legs	

Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL[®] Furniture Sustainability Standard certified | Indoor Advantage[™] certified

Uniform Textile	(To calculate, begin	n with base price and add upcharges.)	Base Price:	5990
Application:	Outer	Cushion		
Upholstery:	Upholstery:	Upholstery:		
COM/COL 6380	COM/COL 95	COM/COL 295		
Grade A 6120	Grade A 30	Grade A 100		
Grade B 6250	Grade B 65	Grade B 195		
Grade C 6380	Grade C 95	Grade C 295		
Grade D 6505	Grade D 125	Grade D 390		
Grade E 6635	Grade E 155	Grade E 490		
Grade F 6785	Grade F 190	Grade F 605		
Grade G 6965	Grade G 235	Grade G 740		
Grade H 7140	Grade H 275	Grade H 875		
Grade J 7270	Grade J 305	Grade J 975		
Grade K 7530	Grade K 370	Grade K 1170		
Grade L 7910	Grade L 460	Grade L 1460		
Grade M 8420	Grade M 580	Grade M 1850		
Leather I 9290	Leather I 790	Leather I 2510		
Leather II 10,210	Leather II 1010	Leather II 3210		
Leather III 11,130	Leather III 1230	Leather III 3910		
Leather IV 12,050	Leather IV 1450	Leather IV 4610		
Leather V 12,970	Leather V 1670	Leather V 5310		
Leather VI 13,890	Leather VI 1890	Leather VI 6010		
Upholstery Requires:	Upholstery Requires	Upholstery Requires		
	(Per Application):	(Per Application):		
Fabric: 11½ Yards	Fabric: 2¾ Yards	Fabric: 8¾ Yards		
Leather: 207 Sq. Ft.	Leather: 49½ Sq. Ft.	Leather: 157½ Sq. Ft.		
			Total Red	quired
			Upholster	
			-1000000	Leather: 207 Se

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	Note: Power must be ordered
NOMBER	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	separately (Please refer to page 58).
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat	-
	See available graded-in textiles product page at	See available graded-in textiles product page at		LG = Light Grey Powder Coat POL = Polished Chrome + <i>\$130</i> P8X = Solar Black	
	HBF.com.	HBF.com.			
•	•	•	•		

HLS022-W042.OuterUph.CushionUph.Flammability.Leg Example: HLS022-W042.950-88.950-88.U.WI



	Dimensions
Mod HLS022-W043	
	OH 33 AH 33 OW 93 WBA 7934 OD 31½ DED SH 18½ DEW SD 22¼ R
	Carton DimensionsL 96½W 35H 22¾Shipping Weight340 lbs.Cube44.47 cubic ft.
Work Sofa - Three-Seater Fully Upholstered Powder Coat Metal Legs	

Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified | Indoor Advantage™ certified

Uniform Textile		ast Textile Application: <i>in with base price and add upcharges.)</i>	Base Price:	9785
Application: Upholstery:	Outer Upholstery:	Cushion Upholstery:		
COM/COL 10,385	COM/COL 180	COM/COL 420		
Grade A 9985	Grade A 60	Grade A 140		
Grade B 10,185	Grade B 120	Grade B 280		
Grade C 10,385	Grade C 180	Grade C 420		
Grade D 10,585	Grade D 245	Grade D 555		
Grade E 10,785	Grade E 305	Grade E 695		
Grade F 11,025	Grade F 375	Grade F 8655		
Grade G 11,305	Grade G 465	Grade G 1055		
Grade H 11,585	Grade H 550	Grade H 1250		
Grade J 11,785	Grade J 610	Grade J 1390		
Grade K 12,185	Grade K 730	Grade K 1670		
Grade L 12,785	Grade L 915	Grade L 2085		
Grade M 13,585	Grade M 1160	Grade M 2640		
Leather I 14,945	Leather I 1575	Leather I 3585		
Leather II 16,385	Leather II 2015	Leather II 4585		
Leather III 17,825	Leather III 2455	Leather III 5585		
Leather IV 19,265	Leather IV 2895	Leather IV 6585		
Leather V 20,705	Leather V 3335	Leather V 7585		
Leather VI 22,145	Leather VI 3775	Leather VI 8585		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 18 Yards	Fabric: 5½ Yards	Fabric: 12 ¹ / ₂ Yards		
Leather: 324 Sq. Ft.	Leather: 99 Sq. F	Leather: 225 Sq. Ft.		
				Required
			Uphols	tery: Fabric: 18 Y

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	Note: Power must be ordered
NUMBER	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	separately (Please refer to page 58).
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	
	See available graded-in	See available graded-in		POL = Polished Chrome + <i>\$195</i> P8X = Solar Black	
	textiles product page at HBF.com.	textiles product page at HBF.com.		rox = Solar black	
•	•	•	•		

HLS022-W043.OuterUph.CushionUph.Flammability.Leg Example: HLS022-W043.950-88.950-88.U.WI



		Dime	nsions	
Mod HLS022-W053				
	Work Sofa - Three-Seater - Armless Fully Upholstered Powder Coat Metal L Ships fully assembled. Leg brackets need to be installed in the field.	OH _{eg} QW OD SH SD	33 89 31 ¹ /2 18 ¹ /2 22 ¹ /4	AH WBA DED DEW R
II I I			ing Weight	L 92½ W 35 H 22¾ 217 lbs. 42.62 cubic ft.
Work Sofa - Three-Seater - Armless Fully Upholstered Pe	owder Coat Metal Legs			

Work Sofa - Three-Seater - Armless | Fully Upholstered | Powder Coat Metal Legs Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL[®] Furniture Sustainability Standard certified | Indoor Advantage[™] certified

Uniform Textile	(To calculate, begi	n with base price and add upcharges.)	Base Price:	8310
Application:	Outer	Cushion		
Upholstery:	Upholstery:	Upholstery:		
COM/COL 8810	COM/COL 100	COM/COL 400		
Grade A 8480	Grade A 35	Grade A 135		
Grade B 8640	Grade B 65	Grade B 265		
Grade C 8810	Grade C 100	Grade C 400		
Grade D 8980	Grade D 135	Grade D 535		
Grade E 9140	Grade E 165	Grade E 665		
Grade F 9340	Grade F 205	Grade F 825		
Grade G 9580	Grade G 255	Grade G 1015		
Grade H 9810	Grade H 300	Grade H 1200		
Grade J 9980	Grade J 335	Grade J 1335		
Grade K 10,310	Grade K 400	Grade K 1600		
Grade L 10,810	Grade L 500	Grade L 2000		
Grade M 11,480	Grade M 635	Grade M 2535		
Leather I 12,610	Leather I 860	Leather I 3440		
Leather II 13,810	Leather II 1100	Leather II 4400		
Leather III 15,010	Leather III 1340	Leather III 5360		
Leather IV 16,210	Leather IV 1580	Leather IV 6320		
Leather V 17,410	Leather V 1820	Leather V 7280		
Leather VI 18,610	Leather VI 2060	Leather VI 8240		
Upholstery Requires:	Upholstery Requires	Upholstery Requires		
	(Per Application):	(Per Application):		
Fabric: 15 Yards	Fabric: 3 Yards	Fabric: 12 Yards		
Leather: 270 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 216 Sq. Ft.		
			Total R	eavired
			Upholst	1


PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	TEXTILES: OUTER Indicate fabric choice for Outer Upholstery: See available graded-in	TEXTILES: CUSHIONS Indicate fabric choice for Cushion Upholstery: <i>See available graded-in</i>	FLAMMABILITY Indicate flammability: U = Cal 117	LEG FINISH Options for metal finish: WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$195 P8X = Solar Black	Note: Power must be ordered separately (Please refer to page 58).
	textiles product page at HBF.com.	textiles product page at HBF.com.			

HLS022-W053.OuterUph.CushionUph.Flammability.Leg Example: HLS022-W053.950-88.950-88.U.WI



	List Prices						Sq.Ft.	Yards	Dime	nsions	
Mod HHS022-031											
	COM/COI Grade A Grade B Grade C Grade D Grade E Grade F	2475 2420 2450 2475 2505 2530 2565	Grade G Grade H Grade J Grade K Grade L Grade M	2605 2645 2670 2725 2810 2920	Leather I Leather II Leather III Leather IV Leather V Leather VI	3110 3310 3510 3710 3910 4110	45	21/2	OH OW OD Sh SD	17½ 30 30 16 30	AH WBA DED DEW R
Ottoman Fully Upholstered Powder Coa	t Metal Legs									ing Weight	L 33½ W 33½ H 22¾ 62 lbs. 14.78 cubic ft.
Ships fully assembled. Leg brackets need to be	installed in the f	ìeld.			ANSI/BI	FMA LEVE	EL® Furnit	ure Sustai	nability S	tandard certified	Indoor Advantage™ certified



HHS022-031.Fabric.Flammability.Base Example: HHS022-031.950-88.U.WI




	List Prices						Sq.Ft.	Yards	Dime	ensions	
Mod HHS022-011											
	COM/COL Grade A Grade B Grade C Grade D Grade E Grade F	2425 2390 2405 2425 2445 2445 2465 2490	Grade G Grade H Grade J Grade K Grade L Grade M	2515 2545 2565 2600 2660 2740	Leather I Leather II Leather III Leather IV Leather V Leather VI	2870 3010 3150 3290 3430 3570	311/2	134	OH OW OD Sh SD	20½ 17¾ 16	AH WBA DED DEW R
Stool Fully Upholstered Powder Coat Me Ships fully assembled. Leg brackets need to be a	0	eld.			ANSI/BI	FMA LEVI	EL® Furnit	ure Sustai	Shipp Cube	oing Weight	s L 23 ¹ / ₂ W 24 H 12 ¹ / ₂ 30 lbs. 4.08 cubic ft. d Indoor Advantage [™] certified



HHS022-011.Fabric.Flammability.Base Example: HHS022-011.950-88.U.WI




	List Prices						Sq.Ft.	Yards	Dime	ensions	
Mod HHS022-012											
	COM/COL Grade A Grade B Grade C Grade D Grade E Grade F	2745 2680 2715 2745 2775 2805 2840	Grade G Grade H Grade J Grade K Grade L Grade M	2885 2925 2955 3020 3110 3230	Leather I Leather II Leather III Leather IV Leather V Leather VI	3440 3660 3880 4100 4320 4540	491/2	2¾	OH OW OD Sh SD	17½ 40½ 17¾ 16 20½	AH WBA DED DEW R
Bench - Two-Seater Fully Upholstered Po	owder Coat Met	al Legs								oing Weight	s L 43 ¹ / ₂ W 24 H 12 ¹ / ₂ 58 lbs. 7.55 cubic ft.
Ships fully assembled. Leg brackets need to be i	nstalled in the fi	eld.			ANSI/BI	FMA LEVE	EL® Furnit	ure Sustai	nability	Standard certifie	ed Indoor Advantage™ certified



HHS022-012.Fabric.Flammability.Base Example: HHS022-012.950-88.U.WI



	List Prices						Sq.Ft.	Yards	Dime	ensions	
Mod HHS022-013											
	COM/COI Grade A Grade B Grade C Grade D Grade E Grade F	2 3005 2940 2970 3005 3040 3070 3110	Grade G Grade H Grade J Grade K Grade L Grade M	3160 3205 3240 3305 3405 3540	Leather I Leather II Leather III Leather IV Leather V Leather VI	3765 4005 4245 4485 4725 4965	54	3	OH OW OD Sh SD	17½ 60½ 17¾ 16 20½	AH WBA DED DEW R
Bench - Three-Seater Fully Upholstered P		0							Shipp Cube	oing Weight	ns L 63½ W 24 H 12½ 85 lbs. 11.02 cubic ft.
Ships fully assembled. Leg brackets need to be it	nstalled in the f	ìeld.			ANSI/BI	FMA LEVI	EL® Furni	ture Sustai	nability S	Standard certifi	ed Indoor Advantage [™] certified




HHS022-013. Fabric. Flammability. Base Example: HHS022-013.950-88.U.WI

27

separately (Please refer to page 58).



	List Prices					Sq.Ft.	Yards	Dime	nsions	
Mod HHS022-W031										
	COM/COL 2585 Grade A 2530 Grade B 2560 Grade C 2585 Grade D 2615 Grade E 2640 Grade F 2675	Grade G Grade H Grade J Grade K Grade L Grade M	2715 2755 2780 2835 2920 3030	Leather I Leather II Leather III Leather IV Leather V Leather VI	3220 3420 3620 3820 4020 4220	45	21/2	OH OW OD Sh SD	20 30 31½ 18½ 31½	AH WBA DED DEW R
Ottoman Fully Upholstered Powder Ships fully assembled. Leg brackets need to	0			ANSI/BI	FMA LEV	EL® Furni	ture Sustai	Shipp Cube	oing Weight	ns L 33½ W 33½ H 22¾ 65 lbs. 14.78 cubic ft. ed Indoor Advantage [™] certified




HHS022-W031.Fabric.Flammability.Base Example: HHS022-W031.950-88.U.WI

28




	List Prices						Sq.Ft.	Yards	Dime	ensions	
Mod HHS022-W012											
	COM/COL Grade A Grade B Grade C Grade D Grade E Grade F	2855 2790 2825 2855 2885 2915 2950	Grade G Grade H Grade J Grade K Grade L Grade M	2995 3035 3065 3130 3220 3340	Leather I Leather II Leather III Leather IV Leather V Leather VI	3550 3770 3990 4210 4430 4650	491⁄2	2¾	OH OW OD SH SD	20 30 31½ 18½ 31½	AH WBA DED DEW R
Work Bench - Two-Seater Fully Upholste Ships fully assembled. Leg brackets need to be			Legs		ANSI/BI	FMA LEV	EL® Furni	ture Sustai	Shipp Cube	oing Weight	s L 43 ^{1/2} W 24 H 12 ^{1/2} 60 lbs. 7.55 cubic ft. d Indoor Advantage™ certified



HHS022-W012.Fabric.Flammability.Base Example: HHS022-W012.950-88.U.WI



	List Prices						Sq.Ft.	Yards	Dime	ensions	
Mod HHS022-W013											
	COM/COI Grade A Grade B Grade C Grade D Grade E Grade F	3115 3050 3080 3115 3150 3180 3220	Grade G Grade H Grade J Grade K Grade L Grade M	3270 3315 3350 3415 3515 3650	Leather I Leather II Leather III Leather IV Leather V Leather VI	3875 4115 4355 4595 4835 5075	54	3	OH OW OD SH SD	20 60½ 17¾ 18½ 31½	AH WBA DED DEW R
Work Bench - Three-Seater Fully Upholsto Ships fully assembled. Leg brackets need to be i			Legs		ANSI/BI	FMA LEVI	EL® Furni	ture Sustai	Shipj Cube	oing Weight	s L 63½ W 24 H 12½ 87 lbs. 11.02 cubic ft. d Indoor Advantage [™] certified



HHS022-W013.Fabric.Flammability.Base Example: HHS022-W013.950-88.U.WI



						Dime	ensions	
HLS018-	081							
						OH	33	AH 301/2
						OW	89	WBA 257/8
						OD	311/2	DED
						SH	181/2	DEW
						SD	221/4	R
							/	
I						Carto	n Dimensions	L 35¼ W 35¼ H 22
						Shipp	ing Weight	95 lbs.
						Cube	0 0	16.36 cubic ft.
nal Module - Le	ft Facing Arm Ful	ly Upholstered Powder	Coat Meta	l Legs No Power				
fully accompled I	on brachets need to b	be installed in the field.			ANSI/BIFMA LEVEL® Furniture S			Indoor Advantage™ cert
auy assemblea. L	ις <i>στα</i> εκεις πετά το σ	<i>с тыши</i> и т те уюи.			ANSI/DIFWA LEVEL Furniture 5	ustamability o	standard certified	I Indoor Advantage Cer
Pricing for	Single,	Pricing for	Contra	st Textile App	lication:			
Uniform T	extile	(To calcula	te, begi	n with base pr	ice and add upcharges.)	Base	Price:	4650
Applicatio	n.	,	. 0	1	1 8 /			
Applicatio	11.	Outer		Cushion				
Upholstery:		Upholstery:		Upholstery:				
COM/COL	4900	COM/COL	95	COM/COL	155			
Grade A	4730	Grade A	30	Grade A	50			
Grade B	4820	Grade B	65	Grade B	105			
Grade C	4900	Grade C	95	Grade C	155			
Grade D	4985	Grade D	125	Grade D	210			
Grade E	5065	Grade E	155	Grade E	260			
Grade F	5165	Grade F	190	Grade F	325			
Grade G	5285	Grade G	235	Grade G	400			
Grade H	5400	Grade H	275	Grade H	475			
Grade J	5480	Grade J	305	Grade J	525			
Grade K	5650	Grade K	370	Grade K	630			
Grade L	5900	Grade L	460	Grade L	790			
Grade M	6230	Grade M	580	Grade M	1000			
Leather I	6800	Leather I	790	Leather I	1360			
Leather II	7400	Leather II	1010	Leather II	1740			
Leather III	8000	Leather III	1230	Leather III	2120			
Leather IV	8600	Leather IV	1450	Leather IV	2500			
Leather V	9200	Leather V	1670	Leather V	2880			
			1000		22(0			

Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):
Fabric: 7½ Yards	Fabric: 2¾ Yards	Fabric: 4¾ Yards
Leather: 135 Sq. Ft.	Leather: 49½ Sq. Ft.	Leather: 85½ Sq. Ft.

3260

Leather VI

Total Require	d	
Upholstery:	Fabric: Leather:	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

Leather VI

1890

Leather VI

9800

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		POL = Polished Chrome +\$130 P8X = Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
	1151.com.	1101.100.			
	•		•	•	PN

HLS018-081. Outer Uph. Cushion Uph. Flammability. Leg. Power Example:

Example: HLS018-081.950-88.950-88.U.WI.PN



			Dimensions	
HLS018-091				
			OH 30½ AH 30 OW 32½ WBA 25 OD 31½ DED SH 16 DEW SD 22¼ R	
nal Module - Right Facing Arm F	ully Upholstered Powder Coat Meta	l Legs No Power	Carton Dimensions L 35¼ V Shipping Weight 95 lbs. Cube 16.36 cub	
ully assembled. Leg brackets need to b		0.1	niture Sustainability Standard certified Indoor	Advantage [™] cer
Pricing for Single,	•	t Textile Application:		
Uniform Textile	(To calculate, begin	with base price and add upcharges.) Base Price: 465	50
Application: Upholstery:	Outer Upholstery:	Cushion Upholstery:		
COM/COL 4900	COM/COL 95	COM/COL 155		
Grade A 4730	Grade A 30	Grade A 50		
Grade B 4820	Grade B 65	Grade B 105		
Grade C 4900	Grade C 95	Grade C 155		
Grade D 4985	Grade D 125	Grade D 210		
Grade E 5065	Grade E 155	Grade E 260		
Grade F 5165	Grade F 190	Grade F 325		
Grade G 5285	Grade G 235	Grade G 400		
Grade H 5400	Grade H 275	Grade H 475		
Grade J 5480	Grade J 305	Grade J 525		
Grade K 5650	Grade K 370	Grade K 630		
Grade L 5900	Grade L 460	Grade L 790		
Grade M 6230	Grade M 580	Grade M 1000		
Leather I 6800	Leather I 790	Leather I 1360		
Leather II 7400	Leather II 1010	Leather II 1740		
Leather III 8000	Leather III 1230	Leather III 2120		
Leather IV 8600	Leather IV 1450	Leather IV 2500		
Leather V 9200	Leather V 1670	Leather V 2880		
Leather VI 9800	Leather VI 1890	Leather VI 3260		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 7½ Yards	Fabric: 2¾ Yards	Fabric: 4 ³ / ₄ Yards		
Leather: 135 Sq. Ft.	Leather: 49 ¹ / ₂ Sq. Ft.	Leather: 85 ¹ / ₂ Sq. Ft.		
			Total Required	
			Upholstery: Fab	ric: 7½ Y

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
NUMBER	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		LG= Light Grey Powder CoatPOL= Polished Chrome +\$130P8X= Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
•	•		•	•	PN

 $HLS018-091. Outer Uph. Cushion Uph. Flammability. Leg. Power \qquad Example: \ HLS018-091.950-88.950-88. U.BL. PN$



						Dime	nsions		
d HLS	018-101								
						OH	301/2	AH 301/2	
						OW	30	WBA 257/8	
						OD	311/2	DED	
						SH	16	DEW	
						SD	221/4	R	
						C i	D	I 221/ W/ 251/	TT /
	•						ing Weight	s L 33½ W 35¼ 75 lbs.	п
						Cube	ing weight	22.89 cubic ft.	
		tered Powder Coat Metal Legs	No Power						
s fully assem	bled. Leg brackets need to be	e installed in the field.		ANSI/B	IFMA LEVEL® Furniture Sust	ainability Sta	undard certified	Indoor Advantag	e [™] cer
Pricin	g for Single,	Pricing for Cont	rast Textile App	olication:					
	rm Textile	(To calculate, be			dd uncharges.)	Base I	Price:	4105	
	cation:	(,						
Uphols		Outer Upholstery:	Cushion Upholstery:						
COM/		COM/COL 70	COM/COL	195					
Grade /		Grade A 25	Grade A	65					
Grade I		Grade B 45	Grade B	130					
Grade (Grade C 70	Grade C	195					
Grade I	O 4450	Grade D 90	Grade D	255					
Grade I		Grade E 115	Grade E	320					
Grade I		Grade F 140	Grade F	400					
Grade (Grade G 170	Grade G	485					
Grade I		Grade H 200	Grade H	575					
Grade J Grade I		Grade J 225 Grade K 270	Grade J Grade K	640 770					
Grade I Grade I		Grade L 335	Grade L	960					
Grade I		Grade M 425	Grade M	1215					
Leather		Leather I 575	Leather I	1650					
Leather		Leather II 735	Leather II	2110					
Leather	III 7570	Leather III 895	Leather III	2570					
Leather	IV 8190	Leather IV 1055	Leather IV	3030					
Leather		Leather V 1215	Leather V	3490					
Leather	VI 9430	Leather VI 1375	Leather VI	3950					
Uphols	tery Requires:	Upholstery Require (Per Application):	s Upholstery (Per Applica						
	7¾ Yards : 139½ Sq. Ft.	Fabric: 2 Yards Leather: 36 Sq. F							
	•	-		ŕ			Total Re	equired	
							Upholst	ery: Fabric: 7¾ Leather: 139	
Fabric:	7¾ Yards	(Per Application): Fabric: 2 Yards	(Per Applica Fabric: 5 ³ / ₄	tion): Yards				ery: Fabr	

HLS018-101. Outer Uph. Cushion Uph. Flammability. Leg. Power Example: HLS

•

Example: HLS018-101.950-88.950-88.U.WI.PN

PN

•

.



			Dimensions	
l HLS018-029				
			OH 30½	AH 301/2
			OW 311/2	WBA 247/8
			OD 31½	DED
			SH 16	DEW
			SD 22 ¹ / ₄	R
			Carton Dimension	ns L36 W35 H22
			Shipping Weight	110 lbs.
			Cube	16.59 cubic ft.
nal Module - Corner Fully Uphols	stered Powder Coat Metal Legs No	Power		
fully assembled. Leg brackets need to l	be installed in the field	ANSI/BIFMA LEVEL® Furniture	Sustainability Standard certify	ed Indoor Advantage™ o
Pricing for Single, Uniform Textile		t Textile Application: with base price and add upcharges.)	Base Price:	5010
	(10 cuiculate, begin	with buse price and and upcharges.)	Dase Frice:	3010
Application:	Outer	Cushion		
Upholstery:	Upholstery:	Upholstery:		
opholstery.	Opholstery.	opholstery.		
COM/COL 5300	COM/COL 95	COM/COL 195		
Grade A 5105	Grade A 30	Grade A 65		
Grade B 5205	Grade B 65	Grade B 130		
Grade C 5300	Grade C 95	Grade C 195		
Grade D 5390	Grade D 125	Grade D 255		
Grade E 5485	Grade E 155	Grade E 320		
Grade F 5600	Grade F 190	Grade F 400		
Grade G 5730	Grade G 235	Grade G 485		
Grade H 5860	Grade H 275	Grade H 575		
Grade J 5955	Grade J 305	Grade J 640		
Grade K 6150	Grade K 370	Grade K 770		
Grade L 6430	Grade L 460	Grade L 960		
Grade M 6805	Grade M 580	Grade M 1215		
Leather I 7450	Leather I 790	Leather I 1650		
Leather II 8130	Leather II 1010	Leather II 2110		
Leather III 8810	Leather III 1230	Leather III 2570		
Leather IV 9490	Leather IV 1450	Leather IV 3030		
Leather V 10,170	Leather V 1670	Leather V 3490		
Leather VI 10,850	Leather VI 1890	Leather VI 3950		
Upholstery Requires:	Upholstery Requires	Upholstery Requires (Per Application):		
opholstery requires.	(Per Application):	(I ci Application).		
Fabric: 8½ Yards	Fabric: 2 ³ / ₄ Yards	Fabric: 5¾ Yards		

Total Required Upholstery: Fabric: 81/2 Yards Leather: 153 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		POL = Polished Chrome +\$130 P8X = Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
	•	•	•	•	PN

HLS018-029. Outer Uph. Cushion Uph. Flammability. Leg. Power Example: HLS018-029.950-88.950-88. U. WI. PN



Leather I

6910

						Dimer	nsions	
d HLS022-W0)81							
						OH	33	AH 33
						OW	321/2	WBA 257/8
						OD	311/2	DED
						SH	181/2	DEW
						SD	221/4	R
						02	22/1	
110 B. S. M.								
						Carton	Dimensions	L 35¼ W 35¼ H 22
						Shippi	ng Weight	97 lbs.
						Cube	0	16.36 cubic ft.
Sectional Module - I	Left Facing Arm	Fully Upholstered F	Powder Coat	Metal Legs				
fully assembled. Leg br	rackets need to be is	nstalled in the field.			ANSI/BIFMA LEVEL® Furniture S	ustainability Sta	andard certified	Indoor Advantage™ cert
Pricing for Si	ngle,	Pricing for	Contrast	t Textile App	lication:			
Uniform Text	tile	(To calcula	te, begin	with base pr	ice and add upcharges.)	Base I	Price:	4760
Application:				-				
		Outer		Cushion				
Upholstery:		Upholstery:		Upholstery:				
COM/COL 50	010	COM/COL	95	COM/COL	155			
Grade A 48	40	Grade A	30	Grade A	50			
Grade B 49	30	Grade B	65	Grade B	105			
Grade C 50	10	Grade C	95	Grade C	155			
Grade D 50	95	Grade D	125	Grade D	210			
Grade E 51	.75	Grade E	155	Grade E	260			
Grade F 52	75	Grade F	190	Grade F	325			
Grade G 53	95	Grade G	235	Grade G	400			
Grade H 55	510	Grade H	275	Grade H	475			
Grade J 55	90	Grade J	305	Grade J	525			
Grade K 57								
Grade L 60	60	Grade K	370	Grade K	630			
	760 010	Grade K Grade L	370 460	Grade K Grade L	630 790			

	0)10	Leather I	/)0	Leather 1	1500
Leather II	7510	Leather II	1010	Leather II	1740
Leather III	8110	Leather III	1230	Leather III	2120
Leather IV	8710	Leather IV	1450	Leather IV	2500
Leather V	9310	Leather V	1670	Leather V	2880
Leather VI	9910	Leather VI	1890	Leather VI	3260
Upholstery	Requires:	Upholstery Re (Per Application)		Upholstery I (Per Applica	
Fabric: 7½	e Yards	(Per Application Fabric: 23/4	on): Yards	(Per Applica Fabric: 4 ³ / ₄	tion): Yards
	e Yards	(Per Application	on): Yards	(Per Applica	tion): Yards

1360

Total Require	Total Required		
Upholstery:	Fabric: 7½	Yards	
	Leather: 135	Sq. Ft.	
	Leather: 135	Sq. Ft.	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	Note: Power must be ordered
	Indicate fabric	Indicate fabric	Indicate	Options for metal finish:	separately (Please refer to page 58).
	choice for	choice for	flammability:		
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat	
				LG = Light Grey Powder Coat	
	See available graded-in	See available graded-in		POL = Polished Chrome +\$130	
	textiles product page at	textiles product page at		P8X = Solar Black	
	HBF.com.	HBF.com.			
•	•	•	•		

HLS022-W081.OuterUph.CushionUph.Flammability.Leg Example: HLS022-W081.950-88.950-88.U.WI

790

Leather I

Leather I



					Dimer	nsions	
HLS022-W091							
					OH	33	AH 33
					OW	321/2	WBA 257/8
					OD	311/2	DED
					SH	181/2	DEW
					SD	221/4	R
					Cartor	Dimensions	L 35¼ W 35¼ H 22
						ng Weight	97 lbs.
					Cube	8 8	16.36 cubic ft.
Sectional Module - Right Facing A	rm Fully Upholstered	Powder Co	oat Metal Legs				
lly assembled. Leg brackets need to b				ANSI/BIFMA LEVEL® Furniture S			Indoor Advantage™ certi
Pricing for Single,	Pricing for	Contra	st Textile App	lication:			
Uniform Textile	(To a land						
	(10 calcula	te, begi	n with base pr	ice and add upcharges.)	Base I	Price:	4760
Application:		te, begi	•	ice and add upcharges.)	Base I	Price:	4760
	Outer	te, begi	Cushion	ice and add upcharges.)	Base I	Price:	4760
Application: Upholstery:		ite, begii	•	ice and add upcharges.)	Base I	Price:	4760
Upholstery:	Outer	U	Cushion		Base I	Price:	4760
	Outer Upholstery:	95 30	Cushion Upholstery:	ice and add upcharges.) 155 50	Base I	Price:	4760
Upholstery: COM/COL 5010	Outer Upholstery: COM/COL	95	Cushion Upholstery: COM/COL	155	Base I	Price:	4760
Upholstery: COM/COL 5010 Grade A 4840	Outer Upholstery: COM/COL Grade A	95 30	Cushion Upholstery: COM/COL Grade A	155 50	Base I	Price:	4760
Upholstery: COM/COL 5010 Grade A 4840 Grade B 4930	Outer Upholstery: COM/COL Grade A Grade B	95 30 65	Cushion Upholstery: COM/COL Grade A Grade B	155 50 105	Base I	Price:	4760
Upholstery: COM/COL 5010 Grade A 4840 Grade B 4930 Grade C 5010	Outer Upholstery: COM/COL Grade A Grade B Grade C	95 30 65 95	Cushion Upholstery: COM/COL Grade A Grade B Grade C	155 50 105 155	Base I	Price:	4760
Upholstery: COM/COL 5010 Grade A 4840 Grade B 4930 Grade C 5010 Grade D 5095	Outer Upholstery: COM/COL Grade A Grade B Grade C Grade D	95 30 65 95 125	Cushion Upholstery: COM/COL Grade A Grade B Grade C Grade D	155 50 105 155 210	Base I	Price:	4760
Upholstery: COM/COL 5010 Grade A 4840 Grade B 4930 Grade C 5010 Grade D 5095 Grade E 5175	Outer Upholstery: COM/COL Grade A Grade B Grade C Grade D Grade E	95 30 65 95 125 155	Cushion Upholstery: COM/COL Grade A Grade B Grade C Grade D Grade E	155 50 105 155 210 260	Base I	Price:	4760
Upholstery: COM/COL 5010 Grade A 4840 Grade B 4930 Grade C 5010 Grade D 5095 Grade E 5175 Grade F 5275	Outer Upholstery: COM/COL Grade A Grade B Grade C Grade D Grade E Grade F	95 30 65 95 125 155 190	Cushion Upholstery: COM/COL Grade A Grade B Grade C Grade C Grade D Grade E Grade F	155 50 105 155 210 260 325	Base I	Price:	4760
Upholstery: COM/COL 5010 Grade A 4840 Grade B 4930 Grade C 5010 Grade D 5095 Grade E 5175 Grade F 5275 Grade G 5395	Outer Upholstery: COM/COL Grade A Grade B Grade B Grade C Grade D Grade E Grade F Grade G	95 30 65 95 125 155 190 235	Cushion Upholstery: COM/COL Grade A Grade B Grade C Grade C Grade D Grade E Grade F Grade G	155 50 105 155 210 260 325 400	Base I	Price:	4760
Upholstery: COM/COL 5010 Grade A 4840 Grade B 4930 Grade C 5010 Grade D 5095 Grade E 5175 Grade F 5275 Grade G 5395 Grade G 5395 Grade H 5510	Outer Upholstery: COM/COL Grade A Grade B Grade C Grade C Grade E Grade F Grade F Grade G Grade H	95 30 65 95 125 155 190 235 275	Cushion Upholstery: COM/COL Grade A Grade B Grade C Grade C Grade D Grade E Grade F Grade G Grade H	155 50 105 155 210 260 325 400 475	Base I	Price:	4760

	3/00	Glade K	3/0	Grade K	050	
Grade L	6010	Grade L	460	Grade L	790	
Grade M	6340	Grade M	580	Grade M	1000	
Leather I	6910	Leather I	790	Leather I	1360	
Leather II	7510	Leather II	1010	Leather II	1740	
Leather III	8110	Leather III	1230	Leather III	2120	
Leather IV	8710	Leather IV	1450	Leather IV	2500	
Leather V	9310	Leather V	1670	Leather V	2880	
Leather VI	9910	Leather VI	1890	Leather VI	3260	
Upholstery F	Requires:	Upholstery F (Per Applica		Upholstery I (Per Applica		
	Requires: Yards				ntion):	
Upholstery F Fabric: 7½ Leather: 135	Yards	(Per Applica	tion): Yards	(Per Applica	Yards	

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	Note: Power must be ordered
	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	separately (Please refer to page 58).
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		POL = Polished Chrome +\$130 P8X = Solar Black	

HLS022-W091.OuterUph.CushionUph.Flammability.Leg Example: HLS022-W091.950-88.950-88.U.WI

Leather: 135 Sq. Ft.



			Dimensions	
HLS022-W101				
			OH 33	AH
			OW 30	WBA
			OD 31½	DED
			SH 18½	DEW
			SD 221/4	R
			010 22/4	R
2				s L 331/2 W 351/4 H 33
			Shipping Weight	77 lbs.
Sentional Madula Annalasa Dalla	. Unhalasan di Daardan Caas Masal I		Cube	22.89 cubic ft.
	Upholstered Powder Coat Metal L			
ully assembled. Leg brackets need to b	e installed in the field.	ANSI/BIFMA LEVEL* Furnit	ure Sustainability Standard certifie	d Indoor Advantage'" certi
Pricing for Single,	Pricing for Contras	t Textile Application:		
Uniform Textile	e	with base price and add upcharges.)	Base Price:	4215
Application:				
Upholstery:	Outer Upholstery:	Cushion Upholstery:		
Opholstery:	Opholstery:	Opholstery:		
COM/COL 4480	COM/COL 70	COM/COL 195		
Grade A 4305	Grade A 25	Grade A 65		
Grade B 4390	Grade B 45	Grade B 130		
Grade C 4480	Grade C 70	Grade C 195		
Grade D 4560	Grade D 90	Grade D 255		
Grade E 4650	Grade E 115	Grade E 320		
Grade F 4755	Grade F 140	Grade F 400		
Grade G 4870	Grade G 170	Grade G 485		
Grade H 4990	Grade H 200	Grade H 575		
Grade J 5080	Grade J 225	Grade J 640		
Grade K 5255	Grade K 270	Grade K 770		
Grade L 5510	Grade L 335	Grade L 960		
Grade M 5855	Grade M 425	Grade M 1215		
Leather I 6440	Leather I 575	Leather I 1650		
Leather II 7060	Leather II 735	Leather II 2110		
Leather III 7680	Leather III 895	Leather III 2570		
Leather IV 8300	Leather IV 1055	Leather IV 3030		
Leather V 8920	Leather V 1215	Leather V 3490		
Leather VI 9540	Leather VI 1375	Leather VI 3950		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 7¾ Yards	Fabric: 2 Yards	Fabric: 5¾ Yards		
Leather: 139½ Sq. Ft.	Leather: 36 Sq. Ft.	Leather: 103½ Sq. Ft.		
			Total F	Required

MODEL Number	TEXTILES: OUTER Indicate fabric choice for Outer Upholstery: See available graded-in textiles product page at HBF.com.	TEXTILES: CUSHIONS Indicate fabric choice for Cushion Upholstery: See available graded-in textiles product page at HBF.com.	FLAMMABILITY Indicate flammability: U = Cal 117	LEG FINISH Options for metal finish: WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome + <i>\$130</i> P8X = Solar Black	Note: Power must be ordered separately (Please refer to page 58).
•	•				

HLS022-W101.OuterUph.CushionUph.Flammability.Leg Example: HLS022-W101.950-88.950-88.U.WI

Leather: 1391/2 Sq. Ft.



			Dimensions	
HLS022-W029				
			OH 33	AH 33
			OW 30	WBA 247/8
			OD 31½	DED
			SH 181/2	DEW
			SD 221/4	R
the second s				
				s L 36 W 35 H 22
			Shipping Weight	112 lbs.
Socianal Madula Compan Fully	Unhalatored Dowdon Coat Matel L	~	Cube	16.59 cubic ft.
	Upholstered Powder Coat Metal Le			1 T. I A.I
ully assembled. Leg brackets need to l	pe installea in the field.	ANSI/BIFMA LEVEL [*] Furn	iture Sustainability Standard certified	d Indoor Advantage™ o
Pricing for Single,	Pricing for Contras	t Textile Application:		
Uniform Textile		with base price and add upcharges.)	Base Price:	5120
Application:	C C			
TT 1 1.	Outer	Cushion		
Upholstery:	Upholstery:	Upholstery:		
COM/COL 5410	COM/COL 95	COM/COL 195		
Grade A 5215	Grade A 30	Grade A 65		
Grade B 5315	Grade B 65	Grade B 130		
Grade C 5410	Grade C 95	Grade C 195		
Grade D 5500	Grade D 125	Grade D 255		
Grade E 5595	Grade E 155	Grade E 320		
Grade F 5710	Grade F 190	Grade F 400		
Grade G 5840	Grade G 235	Grade G 485		
Grade H 5970	Grade H 275	Grade H 575		
Grade J 6065	Grade J 305	Grade J 640		
Grade K 6260	Grade K 370	Grade K 770		
Grade L 6540	Grade L 460	Grade L 960		
Grade M 6915	Grade M 580	Grade M 1215		
Leather I 7560				
Leather II 8240	Leather II 1010			
Leather III 8920	Leather III 1230	Leather III 2570		
Leather IV 9600	Leather IV 1450	Leather IV 3030		
Leather V 10,280	Leather V 1670	Leather V 3490		
Leather VI 10,960	Leather VI 1890	Leather VI 3950		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 8½ Yards	Fabric: 2¾ Yards	Fabric: 5¾ Yards		
Leather: 153 Sq. Ft.	Leather: 49½ Sq. Ft.	Leather: 103½ Sq. Ft.		
			Total k	Required
			101111	

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
	Indicate fabric	Indicate fabric	Indicate	Options for metal finish:	Power (Ordered Separately)
	choice for	choice for	flammability:		
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat	PN = No Power Unit
				LG = Light Grey Powder Coat	
	See available graded-in	See available graded-in		POL = Polished Chrome +\$130	Note: Power must be ordered separately.
	textiles product page at	textiles product page at		P8X = Solar Black	(Please refer to page 58).
	HBF.com.	HBF.com.			
					DNI
•	•	•	•	•	PN

HLS022-W029.OuterUph.CushionUph.Flammability.Leg Example: HLS022-W029.950-88.950-88.U.WI



				Dime	nsions			
HLS022-HB061								
				OH	33	AH 50)	
				OW	30	WBA 28	31/4	
				OD	311/2	DED		
				SH	181⁄2	DEW		
				SD	221/4	R		
11				0	D: .	I (C W	. / /1/ 11	1 2 2 2 /
÷.					n Dimensions		44¼ H	1 22%
					ng Weight	225 lbs.		
ack Lounge Chair Fully Upholste	red Powder Coat Metal Legs			Cube		26.22 cul	oic ft.	
Illy assembled. Leg brackets need to l			ANSI/BIFMA LEVEL® Furniture S	ustainability St	andard certified	Indoor	Advantage	™ certi
Pricing for Single,	Pricing for Contras	t Textile App	lication:					
Uniform Textile			ice and add upcharges.)	Base	Price:	677	75	
Application:	6	1						
••	Panel Surround	Cushion						
Upholstery:	(Outer) Upholstery:	Upholstery:						
COM/COL 7225	COM/COL 250	COM/COL	200					
Grade A 6925	Grade A 85	Grade A	65					
Grade B 7075	Grade B 165	Grade B	135					
Grade C 7225	Grade C 250	Grade C	200					
Grade D 7375	Grade D 335	Grade D	265					
Grade E 7525	Grade E 415	Grade E	335					
Grade F 7705	Grade F 515	Grade F	415					
Grade G 7915	Grade G 635	Grade G	505					
Grade H 8125	Grade H 750	Grade H	600					
Grade J 8275	Grade J 835	Grade J	665					
Grade K 8575	Grade K 1000	Grade K	800					
Grade L 9025	Grade L 1250	Grade L	1000					
Grade M 9625	Grade M 1585	Grade M	1265					
Leather I 10,645	Leather I 2150	Leather I	1720					
Leather II 11,725	Leather II 2750	Leather II	2200					
Leather III 12,805	Leather III 3350	Leather III	2680					
Leather IV 13,885	Leather IV 3950	Leather IV	3160					
Leather V 14,965	Leather V 4550	Leather V	3640					
Leather VI 16,045	Leather VI 5150	Leather VI	4120					
Icaller v1 10,019		Leather VI	1120					
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery R (Per Applicat						
Fabric: 13½ Yards	Fabric: 7½ Yards	Fabric: 6	Yards					
	Leather: 135 Sq. Ft.	Leather: 108						
		Leather: 108	Sq. Ft.					
Leather: 243 Sq. Ft.	Leather. 159 54.11.							
	Leader 159 54.11.				Total Re	quired		
	Lanci 199 oq. 11.				Total Re Upholste		ric: 13 ¹ /2	2 Yai

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	Note: Power must be ordered
	Indicate fabric	Indicate fabric	Indicate	Options for metal finish:	separately (Please refer to page 5
	choice for	choice for	flammability:		
	Panel Surround	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat	
	(Outer) Upholstery:			LG = Light Grey Powder Coat	
				POL = Polished Chrome +\$130	
	See available graded-in	See available graded-in		P8X = Solar Black	
	textiles product page at	textiles product page at			
	HBF.com.	HBF.com.			
•	•				

HLS022-WHB043.OuterUph.CushionUph.Flammability.Leg Example: HLS022-WHB043.950-88.950-88.U.WI

58).



				Dimen	sions		
d HLS022-WHB061							
				OH	521/2	AH 52½	
				OW	411/2	WBA 281/4	
				OD	311/2	DED	
				SH	181/2	DEW	
				SD	221/4	R	
ا ت و بلککی					/-		
				C .	D' '	I AF WIAA	14 11 22
the second se						L 45 W 44	¹ ⁄ ₄ H 22
					ng Weight	230 lbs.	c
ack Work Lounge Chair Fully Up	bholstered Powder Coat Metal Legs			Cube		26.22 cubic f	t.
fully assembled. Leg brackets need to b			ANSI/BIFMA LEVEL® Furniture S	ustainability Sta	ndard certified	Indoor Adv	antage™ ce
Pricing for Single,	Pricing for Contras	t Textile App	ication:				
Uniform Textile	e		ice and add upcharges.)	Base I	rice:	6885	
Application:		1	1 0 /				
	Panel Surround	Cushion					
Upholstery:	(Outer) Upholstery:	Upholstery:					
COM/COL 7335	COM/COL 250	COM/COL	200				
Grade A 7035	Grade A 85	Grade A	65				
Grade B 7185	Grade B 165	Grade B	135				
Grade C 7335	Grade C 250	Grade C	200				
Grade D 7485	Grade D 335	Grade D	265				
Grade E 7635	Grade E 415	Grade E	335				
Grade F 7815	Grade F 515	Grade F	415				
Grade G 8025	Grade G 635	Grade G	505				
Grade H 8235	Grade H 750	Grade H	600				
Grade J 8385	Grade J 835	Grade J	665				
Grade K 8685	Grade K 1000	Grade K	800				
Grade L 9135	Grade L 1250	Grade L	1000				
Grade M 9735	Grade M 1585	Grade M	1265				
Leather I 10,755	Leather I 2150	Leather I	1720				
Leather II 11,835	Leather II 2750	Leather II	2200				
Leather III 12,915	Leather III 3350	Leather III	2680				
Leather IV 13,995	Leather IV 3950	Leather IV	3160				
Leather V 15,075	Leather V 4550	Leather V	3640				
Leather VI 16,155	Leather VI 5150	Leather VI	4120				
Upholstery Requires:	Upholstery Requires	Upholstery R	*				
	(Per Application):	(Per Applicat	ion):				
Fabric: 13½ Yards	Fabric: 7½ Yards	Fabric: 6	Yards				
Fabric: 13 ¹ / ₂ Yards Leather: 243 Sq. Ft.	Fabric: 7½ Yards Leather: 135 Sq. Ft.	Fabric: 6 Leather: 108	Yards Sq. Ft.				
					Total D.	anirad	
					Total Re Upholste	*	13½

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	Note: Power must be ordered
	Indicate fabric	Indicate fabric	Indicate	Options for metal finish:	separately (Please refer to page 58).
	choice for	choice for	flammability:		
	Panel Surround	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat	
	(Outer) Upholstery:			LG = Light Grey Powder Coat	
				POL = Polished Chrome +\$130	
	See available graded-in	See available graded-in		P8X = Solar Black	
	textiles product page at	textiles product page at			
	HBF.com.	HBF.com.			
•	•	•	•		

HLS022-WHB061.OuterUph.CushionUph.Flammability.Leg Example: HLS022-WHB061.950-88.950-88.U.WI



Mod	HLS022-HB032
-----	--------------

OH 50 AH 50 OW 65 WBA 513/4 OD 31½ DED DEW SH 16 SD 221/4 R

Carton DimensionsL 67¾W 44¼H 33½Shipping Weight300 lbs.Cube58.12 cubic ft.

Upholstery:

Highback Sofa - Two-Seater | Fully Upholstered | Powder Coat Metal Legs Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified | Indoor Advantage™ certified

Dimensions

Uniform Te		(To calcula	tte, begin	with base pr	ice and add upcharges.)	Base Price:	8595
Application: Upholstery:		Panel Surround (Outer) Upholstery:		Cushion Upholstery:			
COM/COL	9205	COM/COL	305	COM/COL	305		
Grade A	8795	Grade A	100	Grade A	100		
	9005	Grade B	205	Grade B	205		
	9205	Grade C	305	Grade C	305		
	9415	Grade D	410	Grade D	410		
	9615	Grade E	510	Grade E	510		
	9865	Grade F	635	Grade F	635		
	10,155	Grade G	780	Grade G	780		
	10,445	Grade H	925	Grade H	925		
	10,645	Grade J	1025	Grade J	1025		
	11,055	Grade K	1230	Grade K	1230		
	11,675	Grade L	1540	Grade L	1540		
Grade M	12,495	Grade M	1950	Grade M	1950		
Leather I	13,895	Leather I	2650	Leather I	2650		
Leather II	15,375	Leather II	3390	Leather II	3390		
Leather III	16,855	Leather III	4130	Leather III	4130		
Leather IV	18,335	Leather IV	4870	Leather IV	4870		
Leather V	19,815	Leather V	5610	Leather V	5610		
Leather VI	21,295	Leather VI	6350	Leather VI	6350		
Upholstery R	equires:	Upholstery F (Per Applica		Upholstery F (Per Applica	*		
Fabric: 18½	Yards	Fabric: 9¼	Yards	Fabric: 9¼	Yards		
Leather: 333	Sq. Ft.	Leather: 166	⁄2 Sq. Ft.	Leather: 1661	⁄2 Sq. Ft.		

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	Note: Power must be ordered
	Indicate fabric	Indicate fabric	Indicate	Options for metal finish:	separately (Please refer to page 58).
	choice for	choice for	flammability:		
	Panel Surround	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat	
	(Outer) Upholstery:			LG = Light Grey Powder Coat	
				POL = Polished Chrome +\$130	
	See available graded-in	See available graded-in		P8X = Solar Black	
	textiles product page at	textiles product page at			
	HBF.com.	HBF.com.			
					1
•	•				

HLS022-HB032.OuterUph.CushionUph.Flammability.Leg Example: HLS022-HB032.950-88.950-88.U.WI

Fabric: 18½ Yards Leather: 333 Sq. Ft.



					Dimensions	
Mod HLS	022-HB043					
	\downarrow				OH 50 OW 94½ OD 31½ SH 16 SD 22¼	AH 50 WBA 81¼ DED DEW R
Highback Sofa	- Three-Seater Fully Upho	lstered Powder Coat Metal Legs			Carton Dimensions Shipping Weight Cube	L 97 W 44¼ H 33½ 390 lbs. 83.21 cubic ft.
Ships fully assen	nbled. Leg brackets need to be	installed in the field.	A	NSI/BIFMA LEVEL® Furniture Sustaina	bility Standard certified	Indoor Advantage [™] certified
	ng for Single, orm Textile		st Textile Applicati n with base price an		Base Price:	10,955
Appli Uphol	cation: stery:	Panel Surround (Outer) Upholstery:	Cushion Upholstery:	1 0 /		,
Grade Grade Grade Grade Grade Grade Grade Grade Grade Grade Leather Leather Leather Leather Leather Leather	B 11,480 C 11,745 D 12,000 E 12,265 F 12,580 G 12,940 H 13,305 J 13,570 K 14,095 L 14,875 M 15,920 r I 17,695 r II 19,575 r III 21,455 r IV 23,335 r V 25,215	COM/COL 370 Grade A 125 Grade B 245 Grade C 370 Grade D 490 Grade E 615 Grade F 760 Grade G 930 Grade H 1100 Grade J 1225 Grade K 1470 Grade L 1835 Grade M 2325 Leather II 4035 Leather III 4915 Leather IV 5795 Leather V 6675 Leather VI 7555	COM/COL 420 Grade A 140 Grade B 280 Grade C 420 Grade D 555 Grade E 695 Grade F 865 Grade G 1055 Grade G 1055 Grade G 1055 Grade G 1055 Grade G 1059 Grade J 1390 Grade K 1670 Grade K 1672 Grade K 1672 Grade K 1672 Grade K 1672 Grade M 2640 Leather I 3585 Leather III 5585 Leather IV 6585 Leather V 7585 Leather VI 8585 Upholstery Requir (Per Application):			
	23½ Yards r: 423 Sq. Ft.	Fabric: 11 Yards Leather: 198 Sq. Ft.	Fabric: 12½ Yard Leather: 225 Sq. 1		Total Re	pauired
					Upholste	
PLEASE S	SPECIFY THE FOL					
MODEL Number	TEXTILES: OUTER Indicate fabric choice for	TEXTILES: CUSHIONS Indicate fabric choice for	FLAMMABILITY Indicate flammability:	LEG FINISH Options for metal finish:		ver must be ordered (Please refer to page 58).
	Choice for Panel Surround (Outer) Upholstery: See available graded-in textiles product page at HBF.com.	Cushion Upholstery: See available graded-in textiles product page at HBF.com.	U = Cal 117	WI=White Powder CoatLG=Light Grey Powder CoaPOL=Polished Chrome +\$195P8X=Solar Black		

HLS022-HB043. OuterUph. CushionUph. Flammability. Leg Example: HLS022-HB043.950-88.950-88. U. WI

•

•



Mod HLS022-WHB032		
	OH 52½ A	H 52½
	OW 65 W	/BA 513/4
	OD 31½ D	ED
	SH 18½ D	EW
	SD 22¼ R	
Highback Work Sofa - Two-Seater Fully Upholstered Powder Coat Metal Legs	Shipping Weight 30	67¾ W 44¼ H 33½ 00 lbs. 3.12 cubic ft.

Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified | Indoor Advantage™ certified

Dimensions

Uniform Textile	(To calculate, begin	with base price and add upcharges.)	Base Price: 8705
Application: Upholstery:	Panel Surround (Outer) Upholstery:	Cushion Upholstery:	
COM/COL 9315	COM/COL 305	COM/COL 305	
Grade A 8905	Grade A 100	Grade A 100	
Grade B 9115	Grade B 205	Grade B 205	
Grade C 9315	Grade C 305	Grade C 305	
Grade D 9525	Grade D 410	Grade D 410	
Grade E 9725	Grade E 510	Grade E 510	
Grade F 9975	Grade F 635	Grade F 635	
Grade G 10,265	Grade G 780	Grade G 780	
Grade H 10,555	Grade H 925	Grade H 925	
Grade J 10,755	Grade J 1025	Grade J 1025	
Grade K 11,165	Grade K 1230	Grade K 1230	
Grade L 11,785	Grade L 1540	Grade L 1540	
Grade M 12,605	Grade M 1950	Grade M 1950	
Leather I 14,005	Leather I 2650	Leather I 2650	
Leather II 15,485	Leather II 3390	Leather II 3390	
Leather III 16,965	Leather III 4130	Leather III 4130	
Leather IV 18,445	Leather IV 4870	Leather IV 4870	
Leather V 19,925	Leather V 5610	Leather V 5610	
Leather VI 21,405	Leather VI 6350	Leather VI 6350	
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	
Fabric: 18½ Yards	Fabric: 9¼ Yards	Fabric: 9¼ Yards	
Leather: 333 Sq. Ft.	Leather: 166½ Sq. Ft.	Leather: 166½ Sq. Ft.	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	Note: Power must be ordered
	Indicate fabric	Indicate fabric	Indicate	Options for metal finish:	separately (Please refer to page 58).
	choice for	choice for	flammability:		
	Panel Surround	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat	
	(Outer) Upholstery:			LG = Light Grey Powder Coat	
				POL = Polished Chrome +\$130	
	See available graded-in	See available graded-in		P8X = Solar Black	
	textiles product page at	textiles product page at			
	HBF.com.	HBF.com.			
•	•	•	•		

HLS022-WHB032.OuterUph.CushionUph.Flammability.Leg Example: HLS022-WHB032.950-88.950-88.U.WI

Leather: 333 Sq. Ft.




J UI 0	022 W/LIDA 42				Dimensions	
oa HLS	022-WHB043					
	i r				OH 52½ OW 94½ OD 31½ SH 18½ SD 22¼	AH 52½ WBA 81¼ DED DEW R
	k Sofa - Three-Seater Fully nbled. Leg brackets need to be	Upholstered Powder Coat Metal	Legs	ANSI/BIFMA LEVEL° Furniture S	Shipping Weight Cube	83.21 cubic ft.
			• T			
	ng for Single, orm Textile	Pricing for Contras (To calculate, begin		and add upcharges.)	Base Price:	11,065
Appli Uphole	cation:	Panel Surround (Outer) Upholstery:	r Cushion Upholstery:	1 0 /		
Grade 2 Grade 1 Grade 1 Grade 1 Grade 2 Grade 2 Grade 2 Grade 2 Grade 2 Grade 1 Grade 1 Grade 1 Grade 1 Grade 1 Leather Leather Leather Leather Leather Leather Fabric:	B 11,590 C 11,855 D 12,110 E 12,375 F 12,690 G 13,050 H 13,415 J 13,680 K 14,205 L 14,985 M 16,030 H 17,805 H 19,685 H 12,565 V 23,445	COM/COL 370 Grade A 125 Grade B 245 Grade C 370 Grade D 490 Grade E 615 Grade F 760 Grade G 930 Grade H 1100 Grade J 1225 Grade H 1100 Grade K 1470 Grade K 1475 Leather I 3155 Leather II 4915 Leather III 4915 Leather IV 5795 Leather V 6675 Leather VI 7555 Upholstery Requires (Per Application): Fabric: 11 Yards Leather: 198 Sq. Ft.	Grade A14Grade B24Grade C44Grade C44Grade C55Grade E69Grade F80Grade G10Grade H11Grade H12Grade H12Grade K10Grade K10Grade K10Grade K10Grade K10Leather I31Leather II44Leather III55Leather IV60Leather V75	n): Tards	Tota	l Required
						<i>l Required</i> <i>olstery:</i> Fabric: 23½ Ya Leather: 423 Sq
EASE S	SPECIFY THE FOL	LOWING TO ORDER:				
ODEL JMBER	TEXTILES: OUTER Indicate fabric choice for	TEXTILES: CUSHIONS Indicate fabric choice for	FLAMMABILITY Indicate flammability:	LEG FINISH Options for metal finish:	separat	Power must be ordered tely (Please refer to page 58
	Panel Surround (Outer) Upholstery: See available graded-in textiles product page at	Cushion Upholstery: See available graded-in textiles product page at	U = Cal 117	WI=White Powder OLG=Light Grey PowdPOL=Polished ChromP8X=Solar Black	der Coat	

HLS022-WHB043.OuterUph.CushionUph.Flammability.Leg Example: HLS022-WHB043.950-88.950-88.U.WI



Mod	HLS018-011
-----	------------



OH	301/2	AH 301/2
OW	40	WBA 263/4
OD	371/2	DED
SH	16	DEW
SD	281/4	R

 Carton Dimensions
 L 43½
 W 41
 H 22¾

 Shipping Weight
 170 lbs.

 Cube
 23.48 cubic ft.

Deep Lounge Chair | Fully Upholstered | Powder Coat Metal Legs | No Power Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified | Indoor Advantage™ certified

Dimensions

Outer Upholstery:					6060
		Cushion			
		Upholstery:			
COM/COL	130	COM/COL	255		
Grade A	45	Grade A	85		
Grade B	85	Grade B	170		
Grade C	130	Grade C	255		
Grade D	175	Grade D	345		
Grade E	220	Grade E	430		
Grade F	275	Grade F	530		
Grade G	335	Grade G	655		
Grade H	400	Grade H	775		
Grade J	445	Grade J	860		
Grade K	530	Grade K	1030		
Grade L	665	Grade L	1290		
Grade M	845	Grade M	1635		
Leather I	1145	Leather I	2220		
55 Leather II	1465	Leather II	2840		
05 Leather III	1785	Leather III	3460		
15 Leather IV	2105	Leather IV	4080		
35 Leather V	2425	Leather V	4700		
25 Leather VI	2745	Leather VI	5320		
es: Upholstery	Requires	Upholstery F	Requires		
(Per Applic	ation):	(Per Applica	tion):		
s Fabric: 4	Yards	Fabric: 7¾	Yards		
Ft. Leather: 72	Sq. Ft.	Leather: 1391	⁄2 Sq. Ft.		
	Grade B Grade C Grade C Grade D Grade E Grade F Grade G Grade H Grade J Grade L Grade L Grade L Grade K Grade L S D 5 Leather I 5 Leather I 5 Leather I 5 Leather V 5 Leather V 5 Leather V 5 Leather V 5 Leather V 5 Leather V 5 S Leather V 5 S C C S S C S S C S S C S S C S S C S S C S S C S S C S S C S S C S S C S S C S	Grade B 85 Grade C 130 Grade D 175 Grade E 220 Grade F 275 Grade F 275 Grade H 400 Grade J 445 Grade K 530 Grade K 530 Grade L 665 Grade M 845 Leather I 1145 15 Leather III 165 Leather III 175 Leather IV 2105 Leather V 25 Leather V 2745	Grade B85Grade BGrade C130Grade CGrade D175Grade DGrade E220Grade EGrade F275Grade FGrade G335Grade GGrade H400Grade HGrade J445Grade KGrade L665Grade LGrade M845Grade MLeather I1145Leather II15Leather III1785Leather IV2105Leather IV25Leather V2745Leather VI2745Leather VI2745Leather VIssFabric: 4YardsFabric: 734	Grade B 85 Grade B 170 Grade C 130 Grade C 255 Grade D 175 Grade D 345 Grade E 220 Grade E 430 Grade F 275 Grade F 530 Grade G 335 Grade G 655 Grade H 400 Grade H 775 Grade J 445 Grade H 775 Grade K 530 Grade K 1030 Grade L 665 Grade K 1030 Grade L 665 Grade L 1290 Grade M 845 Grade M 1635 Leather I 1145 Leather I 2220 Grade M 845 Grade M 1635 Leather II 1465 Leather II 2840 Jo5 Leather III 1785 Leather III 3460 i55 Leather IV 2105 Leather IV 4080 i55 Leather VI 2745 Leather VI 5320 i55 Leather VI 2745	Grade B 85 Grade B 170 Grade C 130 Grade C 255 Grade D 175 Grade D 345 Grade E 220 Grade E 430 Grade F 275 Grade F 530 Grade G 335 Grade G 655 Grade H 400 Grade H 775 Grade J 445 Grade H 775 Grade K 530 Grade K 1030 Grade L 665 Grade K 1030 Grade L 665 Grade L 1290 Grade M 845 Grade M 1635 Leather I 1145 Leather I 2220 Grade M 845 Grade M 1635 Leather III 1465 Leather III 2840 155 Leather III 1465 Leather III 3460 155 Leather IV 2105 Leather IV 4080 155 Leather V 2425 Leather V 5320 155 Leather VI 2745

Upholstery: Fabric: 11¾ Yards Leather: 211½ Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER Indicate fabric choice for Outer Upholstery: See available graded-in textiles product page at HBF.com.	TEXTILES: CUSHIONS Indicate fabric choice for Cushion Upholstery: See available graded-in textiles product page at HBF.com.	FLAMMABILITY Indicate flammability: U = Cal 117	LEG FINISH Options for metal finish: WI = White Powder Coat IG = Light Grey Powder Coat POL = Polished Chrome + <i>\$130</i> P8X = Solar Black	POWER DATA Power (Ordered Separately) PN = No Power Unit Note: Power must be ordered separately. (Please refer to page 58).
•	•	•			PN

HLS018-011. Outer Uph. Cushion Uph. Flammability. Leg. Power Example: 1



	Dimensions					
Mod HLS018-021						
	OH 30½ AH OW 36 WBA OD 37½ DED SH 16 DEW SD 28¼ R					
	Carton Dimensions L 39 W 41 H 22¾ Shipping Weight 100 lbs.					

Cube 21.05 cubic ft.

Deep Lounge Chair - Armless | Fully Upholstered | Powder Coat Metal Legs | No Power Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL[®] Furniture Sustainability Standard certified | Indoor Advantage[™] certified

Uniform Textile	(To calculate, begi	n with base price and add upcharges.)	Base Price:	4335
Application:	Outer	Cushion		
Upholstery:	Upholstery:	Upholstery:		
COM/COL 4605	COM/COL 70	COM/COL 200		
Grade A 4425	Grade A 25	Grade A 65		
Grade B 4515	Grade B 45	Grade B 135		
Grade C 4605	Grade C 70	Grade C 200		
Grade D 4690	Grade D 90	Grade D 265		
Grade E 4785	Grade E 115	Grade E 335		
Grade F 4890	Grade F 140	Grade F 415		
Grade G 5010	Grade G 170	Grade G 505		
Grade H 5135	Grade H 200	Grade H 600		
Grade J 5225	Grade J 225	Grade J 665		
Grade K 5405	Grade K 270	Grade K 800		
Grade L 5670	Grade L 335	Grade L 1000		
Grade M 6025	Grade M 425	Grade M 1265		
Leather I 6630	Leather I 575	Leather I 1720		
Leather II 7270	Leather II 735	Leather II 2200		
Leather III 7910	Leather III 895	Leather III 2680		
Leather IV 8550	Leather IV 1055	Leather IV 3160		
Leather V 9190	Leather V 1215	Leather V 3640		
Leather VI 9830	Leather VI 1375	Leather VI 4120		
Upholstery Requires:	Upholstery Requires	Upholstery Requires		
	(Per Application):	(Per Application):		
Fabric: 8 Yards	Fabric: 2 Yards	Fabric: 6 Yards		
Leather: 144 Sq. Ft.	Leather: 36 Sq. Ft.	Leather: 108 Sq. Ft.		

Upholstery: Fabric: 8 Yards Leather: 144 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODE NUMB		TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
i cinib.	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish: WI = White Powder Coat	Power (Ordered Separately) PN = No Power Unit
	Outer Upholstery: See available graded-in	Cushion Upholstery: See available graded-in	U = Cal 117	LG = Light Grey Powder Coat POL = Polished Chrome + <i>\$130</i>	Note: Power must be ordered separately.
	textiles product page at HBF.com.	textiles product page at HBF.com.		P8X = Solar Black	(Please refer to page 58).
	•	•		•	PN

HLS018-021.OuterUph.CushionUph.Flammability.Leg.Power Example: HLS018-021.950-88.950-88.U.WI.PN



Mod	HL	S01	8-0	12
-----	----	------------	-----	----



OH	301/2	AH 301/2
OW	751/2	WBA 621/4
OD	371/2	DED
SH	16	DEW
SD	28¼	R

Carton Dimensions L 79 W 41 H 22¾ Shipping Weight 295 lbs. Cube 42.64 cubic ft.

Deep Sofa - Two-Seater | Fully Upholstered | Powder Coat Metal Legs | No Power Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL[®] Furniture Sustainability Standard certified | Indoor Advantage[™] certified

Dimensions

Application:		cuuic, ocgii	ı with base pr	Base Price:	7950		
	Outer		Cushion				
Upholstery:	Upholst	ery:	Upholstery:				
COM/COL 847	75 COM/C	OL 155	COM/COL	370			
Grade A 812	25 Grade A	50	Grade A	125			
Grade B 830	0 Grade B	105	Grade B	245			
Grade C 847	75 Grade C	155	Grade C	370			
Grade D 865	60 Grade D	210	Grade D	490			
Grade E 882	25 Grade E	260	Grade E	615			
Grade F 903	5 Grade F	325	Grade F	760			
Grade G 928	60 Grade G	400	Grade G	930			
Grade H 952	25 Grade H	475	Grade H	1100			
Grade J 970	0 Grade J	525	Grade J	1225			
Grade K 10,0	050 Grade K	630	Grade K	1470			
Grade L 10,5	575 Grade L	790	Grade L	1835			
Grade M 11,2	275 Grade M	1000	Grade M	2325			
Leather I 12,4	465 Leather l	1360	Leather I	3155			
Leather II 13,7	725 Leather l	I 1740	Leather II	4035			
Leather III 14,9	985 Leather l	II 2120	Leather III	4915			
Leather IV 16,2	245 Leather I	V 2500	Leather IV	5795			
Leather V 17,5	505 Leather	Z 2880	Leather V	6675			
Leather VI 18,7	765 Leather	/I 3260	Leather VI	7555			
Upholstery Requi		ery Requires lication):	Upholstery I (Per Applica				
	(i ci Apj	incation).	(i ei Applica				
Fabric: 15¾ Yar	rds Fabric:	4¾ Yards	Fabric: 11	Yards			
Leather: 283½ Sq.	Ft. Leather:	85½ Sq. Ft.	Leather: 198	Sq. Ft.			
					Total Re	equired	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
	Indicate fabric choice for Outer Upholstery:	Indicate fabric choice for Cushion Upholstery:	Indicate flammability: U = Cal 117	Options for metal finish: WI = White Powder Coat	Power (Ordered Separately) PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		LG= Light Grey Powder CoatPOL= Polished Chrome +\$130P8X= Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
•	•	•		•	PN

HLS018-012. Outer Uph. Cushion Uph. Flammability. Leg. Power Example: HLS0

Example: HLS018-012.950-88.950-88.U.WI.PN

Leather: 2831/2 Sq. Ft.



	Dimensions
Mod HLS018-022	
	OH 30½ AH OW 71½ WBA OD 37½ DED SH 16 DEW SD 28¼ R
	Carton Dimensions L 74½ W 41 H 22¾ Shipping Weight 190 lbs. Cube 40.21 cubic ft.

Deep Sofa - Two-Seater - Armless | Fully Upholstered | Powder Coat Metal Legs | No Power Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL[®] Furniture Sustainability Standard certified | Indoor Advantage[™] certified

Uniform Textile	(To calculate, begin	with base price and add upcharges.)	Base Price:	6325
Application: Upholstery:	Outer Upholstery:	Cushion Upholstery:		
COM/COL 6705	COM/COL 75	COM/COL 305		
Grade A 6450	Grade A 25	Grade A 100		
Grade B 6580	Grade B 50	Grade B 205		
Grade C 6705	Grade C 75	Grade C 305		
Grade D 6835	Grade D 100	Grade D 410		
Grade E 6960	Grade E 125	Grade E 510		
Grade F 7115	Grade F 155	Grade F 635		
Grade G 7295	Grade G 190	Grade G 780		
Grade H 7475	Grade H 225	Grade H 925		
Grade J 7600	Grade J 250	Grade J 1025		
Grade K 7855	Grade K 300	Grade K 1230		
Grade L 8240	Grade L 375	Grade L 1540		
Grade M 8750	Grade M 475	Grade M 1950		
Leather I 9620	Leather I 645	Leather I 2650		
Leather II 10,540	Leather II 825	Leather II 3390		
Leather III 11,460	Leather III 1005	Leather III 4130		
Leather IV 12,380	Leather IV 1185	Leather IV 4870		
Leather V 13,300	Leather V 1365	Leather V 5610		
Leather VI 14,220	Leather VI 1545	Leather VI 6350		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 11½ Yards	Fabric: 2¼ Yards	Fabric: 9¼ Yards		
Leather: 207 Sq. Ft.	Leather: 40½ Sq. Ft.	Leather: 166½ Sq. Ft.		

Upholstery Leather: 207 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER: _

MODEL Number	TEXTILES: OUTER Indicate fabric choice for Outer Upholstery: See available graded-in textiles product page at HBF.com.	TEXTILES: CUSHIONS Indicate fabric choice for Cushion Upholstery: See available graded-in textiles product page at HBF.com.	FLAMMABILITY Indicate flammability: U = Cal 117	LEG FINISH Options for metal finish: WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$130 P8X = Solar Black	POWER DATA Power (Ordered Separately) PN = No Power Unit Note: Power must be ordered separately. (Please refer to page 58).
•	•	•	•	•	PN

HLS018-022. Outer Uph. Cushion Uph. Flammability. Leg. Power Example: HLS018-022.950-88.950-88.950-88.U. WI. PN



				Dimensions	
HLS018-013					
				OH 301/2	AH 301/2
				OW 111	WBA 97¾
				OD 37½	DED
				SH 16	DEW
				SD 28¼	R
	<u> </u>				
1					as L 114½ W 41 H 22¾
				Shipping Weight	425 lbs.
				Cube	61.81 cubic ft.
Sofa - Three-Seater Fully Upholst fully assembled. Leg brackets need to	tered Powder Coat Metal Legs No		NGI/RIEMA I EVEL® Europicumo Sa	utainability Standard contific	d Indoor Advantaga™ cortiG
juity assemblea. Leg brackets neea to	be instatieu in the fietu.	A	NSI/BIFMA LEVEL® Furniture Su	istainability Standard certifie	d Indoor Advantage™ certifi
Pricing for Single,	Pricing for Contra	st Textile Application	on:		
Uniform Textile	(To calculate, begi	n with base price an	nd add upcharges.)	Base Price:	10,825
Application:	0	C 1:			
Upholstery:	Outer Upholstery:	Cushion Upholstery:			
COM/COL 11,475	COM/COL 180	COM/COL 470			
Grade A 11,040	Grade A 60	Grade A 155			
Grade B 11,260	Grade B 120	Grade B 315			
Grade C 11,475	Grade C 180	Grade C 470			
Grade D 11,695	Grade D 245	Grade D 625			
Grade E 11,910	Grade E 305	Grade E 780			
Grade F 12,165	Grade F 375	Grade F 965			
Grade G 12,475	Grade G 465	Grade G 1185			
Grade H 12,775	Grade H 550	Grade H 1400			
Grade J 12,990	Grade J 610	Grade J 1555			
Grade K 13,425	Grade K 730	Grade K 1870			
Grade L 14,075	Grade L 915	Grade L 2335			
Grade M 14,940	Grade M 1160	Grade M 2955			
Leather I 16,415	Leather I 1575	Leather I 4015			
Leather II 17,995	Leather II 2015	Leather II 5135			
Leather III 19,535	Leather III 2455	Leather III 6255			
Leather IV 21,095	Leather IV 2895	Leather IV 7375			
Leather V 22,655	Leather V 3335	Leather V 8495			
Leather VI 24,215	Leather VI 3775	Leather VI 9615			
Upholstery Requires:	Upholstery Requires	Upholstery Require	es		
	(Per Application):	(Per Application):			
Fabric: 191/2 Yards	Fabric: 5½ Yards	Fabric: 14 Yard			
Leather: 351 Sq. Ft.	Leather: 99 Sq. Ft.	Leather: 252 Sq. I	łt.		
				Total I	Required
				Uphols	<i>tery:</i> Fabric: 19½ Yard Leather: 351 Sq. F
ASE SPECIFY THE FO	DLLOWING TO ORDER:				
DEL TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DA	ATA
Indicate fabric	Indicate fabric	Indicate	Options for metal finish:	Power (Order	ed Separately)

1	NUMBER	Indicate fabric choice for Outer Upholstery: See available graded-in textiles product page at HBF.com.	Indicate fabric choice for Cushion Upholstery: See available graded-in textiles product page at HBF.com.	Indicate flammability: U = Cal 117	Options for metal finish: WI = White Powder Coat IG = Light Grey Powder Coat POL = Polished Chrome +\$195 P8X = Solar Black	Power (Ordered Separately) PN = No Power Unit Note: Power must be ordered separately. (Please refer to page 58).
	•	•	•	•	•	PN

HLS018-013. Outer Uph. Cushion Uph. Flammability. Leg. Power Example: HLS018-013.950-88.950-88. U. WI. PN



	Dimensions	
Mod HLS018-023		
	OH 30½ OW 107 OD 37½ SH 16 SD 28¼	AH WBA DED DEW R
		L 110 W 41 H 22¾ 280 lbs. 59.38 cubic ft.

Deep Sofa - Three-Seater - Armless | Fully Upholstered | Powder Coat Metal Legs | No Power

Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL[®] Furniture Sustainability Standard certified | Indoor Advantage[™] certified

Uniform Textile	(To calculate, begi	n with base price and add upcharges.)	Base Price:	8785
Application: Upholstery:	Outer Upholstery:	Cushion Upholstery:		
COM/COL 9315	COM/COL 100	COM/COL 430		
Grade A 8965	Grade A 35	Grade A 145		
Grade B 9135	Grade B 65	Grade B 285		
Grade C 9315	Grade C 100	Grade C 430		
Grade D 9495	Grade D 135	Grade D 575		
Grade E 9670	Grade E 165	Grade E 720		
Grade F 9885	Grade F 205	Grade F 895		
Grade G 10,135	Grade G 255	Grade G 1095		
Grade H 10,385	Grade H 300	Grade H 1300		
Grade J 10,565	Grade J 335	Grade J 1445		
Grade K 10,915	Grade K 400	Grade K 1730		
Grade L 11,450	Grade L 500	Grade L 2165		
Grade M 12,165	Grade M 635	Grade M 2745		
Leather I 13,370	Leather I 860	Leather I 3725		
Leather II 14,650	Leather II 1100	Leather II 4765		
Leather III 15,930	Leather III 1340	Leather III 5805		
Leather IV 17,210	Leather IV 1580	Leather IV 6845		
Leather V 18,490 Leather VI 19,770	Leather V 1820 Leather VI 2060	Leather V 7885 Leather VI 8925		
Upholstery Requires:	Upholstery Requires	Upholstery Requires		
	(Per Application):	(Per Application):		
Fabric: 16 Yards	Fabric: 3 Yards	Fabric: 13 Yards		
Leather: 288 Sq. Ft.	Leather: 54 Sq. Ft.	Leather: 234 Sq. Ft.		
			Total Requ	vired
			Upholstery	Fabric: 16 Yard
			1 9	Leather: 288 Sq. 1

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
TO MEEK	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		POL = Polished Chrome + <i>\$195</i> P8X = Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
	•			•	PN

HLS018-023.OuterUph.CushionUph.Flammability.Leg.Power Example: HLS018-023.950-88.950-88.950-88.U.WI.PN



	List Prices					Sq.Ft.	Yards	Dimensions	
Mod HHS022-021									
	COM/COL 2799 Grade A 2710 Grade B 2750 Grade C 2799 Grade D 2840 Grade E 2889 Grade F 2940	 0 Grade H 0 Grade J 5 Grade K 0 Grade L 5 Grade M 	3000 3065 3110 3195 3330 3510	Leather I Leather II Leather III Leather IV Leather V Leather VI	3810 4130 4450 4770 5090 5410	72	4	OW 36 M OD 36 1 SH 16 1	AH WBA DED DEW R
								Carton Dimensions Shipping Weight Cube	L 39 W 39 H 12½ 70 lbs. 11.0 cubic ft.
Deep Ottoman Fully Upholstered Pow	der Coat Metal Legs								
Ships fully assembled. Leg brackets need to b	e installed in the field.			ANSI/BI	FMA LEVI	EL® Furnit	ure Sustai	nability Standard certified	Indoor Advantage [™] certified

MODEL Number	TEXTILES: Indicate fabric choice:	FLAMMABILITY Indicate flammability:	LEG FINISH Options for metal finish:	Note: Power must be ordered separately (Please refer to page 58).
	See available graded-in textiles product page at HBF.com.	U = Cal 117	WI=White Powder CoatLG=Light Grey Powder CoatPOL=Polished Chrome +\$130P8X=Solar Black	

HHS022-021.Fabric.Flammability.Base Example: HHS022-021.950-88.U.WI



	Dime	ensions	
Mod HLS018-031			
	OH OW OD SH SD	30½ 38 37½ 16 28¼	AH 30½ WBA 37¾ DED DEW R
1 1		ing Weight	L 40¾ W 41 H 22¾ 120 lbs. 22.0 cubic ft.
Deep Sectional Module - Left Facing Arm Fully Upholstered Powder Coat Metal Legs No Power			
Ships fully assembled. Leg brackets need to be installed in the field.	ANSI/BIFMA LEVEL® Furniture Sustainability S	tandard certified	Indoor Advantage [™] certified

Uniform Textile		(To calcula	tte, begin	ı with base pr	ice and add upcharges.)	Base Price:	4920
Applicatio Upholstery:	n:	Outer Upholstery:		Cushion Upholstery:			
COM/COL	5220	COM/COL	95	COM/COL	205		
Grade A	5020	Grade A	30	Grade A	70		
Grade B	5120	Grade B	65	Grade B	135		
Grade C	5220	Grade C	95	Grade C	205		
Grade D	5320	Grade D	125	Grade D	275		
Grade E	5420	Grade E	155	Grade E	345		
Grade F	5540	Grade F	190	Grade F	430		
Grade G	5680	Grade G	235	Grade G	525		
Grade H	5820	Grade H	275	Grade H	625		
Grade J	5920	Grade J	305	Grade J	695		
Grade K	6120	Grade K	370	Grade K	830		
Grade L	6420	Grade L	460	Grade L	1040		
Grade M	6820	Grade M	580	Grade M	1320		
Leather I	7500	Leather I	790	Leather I	1790		
Leather II	8220	Leather II	1010	Leather II	2290		
Leather III	8940	Leather III	1230	Leather III	2790		
Leather IV	9660	Leather IV	1450	Leather IV	3290		
Leather V	10,380	Leather V	1670	Leather V	3790		
Leather VI	11,100	Leather VI	1890	Leather VI	4290		
Upholstery I	Requires:	Upholstery F (Per Applica		Upholstery F (Per Applica			
Fabric: 9	Yards	Fabric: 2 ³ ⁄4	Yards	Fabric: 6¼	Yards		
Leather: 162	Sq. Ft.	Leather: 49 ¹ / ₂		Leather: 112			

MODEL Number	TEXTILES: OUTER Indicate fabric choice for Outer Upholstery: See available graded-in textiles product page at HBF.com.	TEXTILES: CUSHIONS Indicate fabric choice for Cushion Upholstery: See available graded-in textiles product page at HBF.com.	FLAMMABILITY Indicate flammability: U = Cal 117	LEG FINISH Options for metal finish: WI = White Powder Coat IG = Light Grey Powder Coat POL = Polished Chrome + <i>\$130</i> P8X = Solar Black	POWER DATA Power (Ordered Separately) PN = No Power Unit Note: Power must be ordered separately. (Please refer to page 58).
•	•	•		•	PN

HLS018-031. Outer Upb. Cushion Upb. Flammability. Leg. Power Example: HLS018-031.950-88.950-88.950-88. U.WI. PN

Yards

Leather: 162 Sq. Ft.

Upholstery: Fabric: 9



		Dime	ensions	
Mod HLS018-041				
		OH	301/2	AH 301/2
		OW	38	WBA 373/8
		OD	371/2	DED
		SH	16	DEW
		SD	281/4	R
I				
				L 40¾ W 41 H 22¾
		Shipp	ing Weight	120 lbs.
		Cube		22.0 cubic ft.
Deep Sectional Module - Right Facing Arn	n Fully Upholstered Powder Coat Metal Legs No Power			
Ships fully assembled. Leg brackets need to be	installed in the field. ANSI/BIFMA LEVEL* Furnitu	ıre Sustainability S	tandard certified	Indoor Advantage [™] certified
Pricing for Single,	Pricing for Contrast Textile Application:			
Uniform Textile	(To calculate, begin with base price and add upcharges.)	Base	Price:	4920

	cattic	(10 стет	110, oczin	with ouse pr	ice and and apersargesi)	Dase I filee.	1/20
Application	n:	0		C 1:			
		Outer		Cushion			
Upholstery:		Upholstery:		Upholstery:			
COM/COL	5220	COM/COL	95	COM/COL	205		
Grade A	5020	Grade A	30	Grade A	70		
Grade B	5120	Grade B	65	Grade B	135		
Grade C	5220	Grade C	95	Grade C	205		
Grade D	5320	Grade D	125	Grade D	275		
Grade E	5420	Grade E	155	Grade E	345		
Grade F	5540	Grade F	190	Grade F	430		
Grade G	5680	Grade G	235	Grade G	525		
Grade H	5820	Grade H	275	Grade H	625		
Grade J	5920	Grade J	305	Grade J	695		
Grade K	6120	Grade K	370	Grade K	830		
Grade L	6420	Grade L	460	Grade L	1040		
Grade M	6820	Grade M	580	Grade M	1320		
Leather I	7500	Leather I	790	Leather I	1790		
Leather II	8220	Leather II	1010	Leather II	2290		
Leather III	8940	Leather III	1230	Leather III	2790		
Leather IV	9660	Leather IV	1450	Leather IV	3290		
Leather V	10,380	Leather V	1670	Leather V	3790		
Leather VI	11,100	Leather VI	1890	Leather VI	4290		
Upholstery F	Requires:	Upholstery I	Requires	Upholstery H	Requires		
	^	(Per Applica	tion):	(Per Applica			
Fabric: 9	Yards	Fabric: 2 ³ / ₄	Yards	Fabric: 6¼	Yards		
Leather: 162		Leather: 491/2		Leather: 112			
						Total Req	uired
						Upholster	
						Opholstery	

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		POL = Polished Chrome + <i>\$130</i> P8X = Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
•	•	•	•	•	PN

HLS018-041.OuterUph.CushionUph.Flammability.Leg.Power Example: HLS018-041.950-88.950-88.U.BL.PN

Leather: 162 Sq. Ft.



	Dimensions
Mod HLS018-051	
	OH 30½ AH OW 36 WBA OD 37½ DED SH 16 DEW SD 28¼ R
1 1	Carton DimensionsL 39W 41H 22¾Shipping Weight100 lbs.Cube21.05 cubic ft.

Deep Sectional Module - Armless | Fully Upholstered | Powder Coat Metal Legs | No Power Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL[®] Furniture Sustainability Standard certified | Indoor Advantage[™] certified

Pricing for Single, Uniform Textile	e	t Textile Application: with base price and add upcharges.)	Base Price:	4320
Application:	Outer	Cushion		
Upholstery:	Upholstery:	Upholstery:		
COM/COL 4570	COM/COL 70	COM/COL 180		
Grade A 4405	Grade A 25	Grade A 60		
Grade B 4485	Grade B 45	Grade B 120		
Grade C 4570	Grade C 70	Grade C 180		
Grade D 4655	Grade D 90	Grade D 245		
Grade E 4740	Grade E 115	Grade E 305		
Grade F 4835	Grade F 140	Grade F 375		
Grade G 4955	Grade G 170	Grade G 465		
Grade H 5070	Grade H 200	Grade H 550		
Grade J 5155	Grade J 225	Grade J 610		
Grade K 5320	Grade K 270	Grade K 730		
Grade L 5570	Grade L 335	Grade L 915		
Grade M 5905	Grade M 425	Grade M 1160		
Leather I 6470	Leather I 575	Leather I 1575		
Leather II 7070	Leather II 735	Leather II 2015		
Leather III 7670	Leather III 895	Leather III 2455		
Leather IV 8270	Leather IV 1055	Leather IV 2895		
Leather V 8870	Leather V 1215	Leather V 3335		
Leather VI 9470	Leather VI 1375	Leather VI 3775		
Upholstery Requires:	Upholstery Requires	Upholstery Requires		
	(Per Application):	(Per Application):		
Fabric: 7½ Yards	Fabric: 2 Yards	Fabric: 5½ Yards		
Leather: 135 Sq. Ft.	Leather: 36 Sq. Ft.	Leather: 99 Sq. Ft.		
1.		· · · · ·		
			Total Req	uired
			Upholster	
			Sphoister	Leather: 135 Sq.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
TOMPER	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI=White Powder CoatLG=Light Grey Powder Coat	PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		POL = Polished Chrome + <i>\$130</i> P8X = Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
	•			•	PN

HLS018-051.OuterUph.CushionUph.Flammability.Leg.Power Example: HLS018-051.950-88.950-88.U.BL.PN



	Dimension	S		
Mod HLS018-019				
	OH 30½ OW 37½ OD 37½ SH 16 SD 28½	2 2	AH 30½ WBA 30% DED DEW R	
	Carton Din Shipping W Cube	eight	L 41¾ W 40¾ 145 lbs. 12.31 cubic ft.	H 12½
Deep Sectional Module – Corner Fully Upholstered Powder Coat Metal Legs No Power				

Ships fully assembled. Leg brackets need to be installed in the field.

ANSI/BIFMA LEVEL[®] Furniture Sustainability Standard certified | Indoor Advantage[™] certified

Uniform Textile	(To calculate, begin	with base price and add upcharges.)	Base Price:	5230
Application: Upholstery:	Outer Upholstery:	Cushion Upholstery:		
COM/COL 5520	COM/COL 95	COM/COL 195		
Grade A 5325	Grade A 30	Grade A 65		
Grade B 5425	Grade B 65	Grade B 130		
Grade C 5520	Grade C 95	Grade C 195		
Grade D 5610	Grade D 125	Grade D 255		
Grade E 5705	Grade E 155	Grade E 320		
Grade F 5820	Grade F 190	Grade F 400		
Grade G 5950	Grade G 235	Grade G 485		
Grade H 6080	Grade H 275	Grade H 575		
Grade J 6175	Grade J 305	Grade J 640		
Grade K 6370	Grade K 370	Grade K 770		
Grade L 6650	Grade L 460	Grade L 960		
Grade M 7025	Grade M 580	Grade M 1215		
Leather I 7670	Leather I 790	Leather I 1650		
Leather II 8350	Leather II 1010	Leather II 2110		
Leather III 9030	Leather III 1230	Leather III 2570		
Leather IV 9710	Leather IV 1450	Leather IV 3030		
Leather V 10,390	Leather V 1670	Leather V 3490		
Leather VI 11,070	Leather VI 1890	Leather VI 3950		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
Fabric: 8½ Yards	Fabric: 2¾ Yards	Fabric: 5¾ Yards		
Leather: 153 Sq. Ft.	Leather: 49½ Sq. Ft.	Leather: 103 ¹ / ₂ Sq. Ft.		
			Total Re	eauired
			Upholste	*
			Cphoisi	Leather: 153 Sq. 1

PLEASE SPECIFY THE FOLLOWING TO ORDER: _

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER DATA
	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	Power (Ordered Separately)
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	WI = White Powder Coat LG = Light Grey Powder Coat	PN = No Power Unit
	See available graded-in textiles product page at HBF.com.	See available graded-in textiles product page at HBF.com.		POL = Polished Chrome + <i>\$130</i> P8X = Solar Black	Note: Power must be ordered separately. (Please refer to page 58).
	•	•	•	•	PN

HLS018-019. OuterUph. CushionUph. Flammability. Leg. Power Example: HLS018-019.950-88.950-88.950-88.U. WI. PN



	Description	List Prices				
Mod HAS018-017						
	Leg Kit 1 for LAF/RAF and Chair without arms Contents: (4) Outside Corner Brackets (2) Connector Brackets (4) Legs (16) ¼" Bolts (20 threads per inch) (16) ¼" Flat Washers	1210	Shipping Weight Cube	11 lbs. 0.29 cubic ft.		

Leg Kit 1 (other than corner units) | Powder Coat Metal Legs

Leg Kit 2 for Corner Unit Contents: (4) Outside Corner Brackets (2) Connector Brackets (1) Inside Corner Ganging Bracket (4) Legs (18) ¼" Bolts (20 threads per inch) (18) ¼" Flat Washers	1265	Shipping Weight Cube	14 lbs. 0.66 cubic ft.
---	------	-------------------------	---------------------------

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL	LEG FINISH
Number	Options for metal finish:
	WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome +\$130 P8X = Solar Black

Model.Finish Example: HAS018-017.BL



	Description	List Prices				
Mod HAS022-017						
	Leg Kit 1 for LAF/RAF and Chair without arms Contents: (4) Outside Corner Brackets (2) Connector Brackets (4) Legs (16) ¼" Bolts (20 threads per inch) (16) ¼" Flat Washers	1320	Shipping Weight Cube	11 lbs. 0.29 cubic ft.		

Work Leg Kit 1 (other than corner units) | Powder Coat Metal Legs

	Leg Kit 2 for Corner Unit	1375	Shipping Weight	13 lbs.
TT	Contents:		Cube	0.66 cubic ft
	(4) Outside Corner Brackets			
	(2) Connector Brackets			
	(1) Inside Corner Ganging Bracket			
	(4) Legs			
	(18) ¹ / ₄ " Bolts (20 threads per inch)			
CHE CHECKE	(18) ¼" Flat Washers			
	(10) 74 Flat washers			

Work Leg Kit 2 (corner units only) | Powder Coat Metal Legs

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL	LEG FINISH
Number	Options for metal finish:
•	WI = White Powder Coat LG = Light Grey Powder Coat POL = Polished Chrome + <i>\$130</i> P8X = Solar Black

Model.Finish Example: HAS022-027.BL



	Description	List Prices
HVD81901S-100	Powerwise "Salt"	
	Double USB-A Black Powder Coat, Black Simplexes, Dual Charging USB In HBF Mounting Bracket	495

HVD81901P-100	Powerwise "Pepper"		
8	Outlet Black Powder Coat, Black Simplexes, Power Receptacle In HBF Mounting Bracket	495	



Y

В