

PRICING EFFECTIVE FEBRUARY 2024

LETCHWORTH™

Price & Specification Guide


PDF updated May 6, 2024

Gunlocke®

VENEER 2 (SELECT)


NATURAL FC CHERRY

A. Cinnamon/Biltmore	NC260
B. Lowell Ash	NC394
C. Medium Red	NC512
D. Light	NC701
E. Shaker	NC774
F. Burnished	NC777



NATURAL FC MAPLE






G. Natural	NE800
H. Harvest	NE856



NATURAL FC WALNUT

I. Florence	NT579
J. Light	NT601
K. Skyline	NT625
L. Nutmeg	NT629
M. Pinnacle	NT679
N. Sumatra	NT693
O. Ebony	NT509



(Use OP TopFin Only)



VENEER 3 (PREMIUM)

NATURAL QC WALNUT

A. Florence	QT579
B. Light	QT601
C. Skyline	QT625
D. Nutmeg	QT629
E. Pinnacle	QT679
F. Sumatra	QT693
G. Ebony	QT509
(Use OP TopFin Only)	




NATURAL RIFT CUT OAK

H. Light	RF301
I. Dark	RF331
J. Phantom Ecu	RF912
(Use OP TopFin Only)	
K. Fawn Cypress	RF108

VENEER 4 (PLANK UPCHARGE)


PLANK FC WALNUT*

A. Light	PNT601
B. Skyline	PNT625
C. Nutmeg	PNT629
D. Pinnacle	PNT679
E. Sumatra	PNT693



PLANK RIFT CUT OAK*

F. Light	PRF301
G. Dark	PRF331
H. Phantom Ecu	PRF912
(Use OP TopFin Only)	



* A lighter veneer stain will accentuate
The random pattern of the plank layout.



General Information
 Conditions of Sale 2
 GSA Terms & Conditions 3
 Warranty 5
 Delivery Information 6
 Veneers + Finishes 7
Materials + Finishes 8
Reference Technical Specifications 9-12
Parsons Tables 13
Workbench Tables 14
Picnic Tables 15
Miter Tables 16-17
Technology 18

INTRODUCTION

The Gunlocke Company is dedicated to providing the finest products and service possible. This price list reflects that commitment. Included is a current listing of our casegood models.

Seating and Lounge are presented in a separate price list. Contact your Gunlocke Customer Services Representative for more information, (800) 828-6300.

Designed for easy use, each page of this price list, and the inside front cover fold out provide all information required to order a product correctly. Should additional information be needed, contact your Gunlocke customer service representative.

PRICING

Prices shown cover standard product specifications. Any changes or alterations, other than those listed, will be subject to an additional charge. Prices include cartoning and freight. Authorization and pricing must be secured in advance for orders or contracts calling for large quantities, indefinite quantities, or extended delivery dates. Prices are subject to change without notice; the most current prices are published on <http://www.gunlocke.com>.

ACKNOWLEDGMENT

Each order will be acknowledged by Gunlocke. Customers should check each acknowledgment for accuracy and immediately notify Gunlocke of any discrepancies. The printed acknowledgment is the final agreement between The Gunlocke Company and the customer, superseding all previous communications regarding the order.

SPECIFICATION CHANGES

Gunlocke reserves the right to change specifications for the improvement of products at any time, without notice.

ORDER CHANGES

Gunlocke is not required to accept changes in orders after confirmation. Reasonable changes are subject to additional charges for labor, material and administrative costs.

Order changes of acknowledgment may result in re-scheduling of product.

RETURNED MERCHANDISE

No merchandise may be returned without prior authorization.

SHOWROOMS

For all showroom locations and tour information, please reference the showrooms page online at: www.gunlocke.com/inspiration/showrooms

CANCELLATIONS

Cancellation of orders cannot be accepted since every order is manufactured according to customer specifications.

STORAGE

If delivery cannot be made and products are ready, Gunlocke will transfer products to a storage facility and products will be invoiced at that time. The customer is responsible for storage charges and assumes and bears all risks associated with the storage of that product.

TERMS

Net 30 days from date of invoice. A service charge of eighteen percent (18%) per year or .0004931% per day, compounded monthly, will be added to balance due beyond the thirtieth day. Products are shipped FOB factory, freight prepaid and allowed. Title passes to purchaser and Gunlocke's responsibility ceases when shipment is accepted for transportation by a carrier. A full explanation of all payment terms is found on order and invoice forms.

ORDERING

To expedite order entry and to assure proper service, email or fax all orders directly to:

The Gunlocke Company

Attn: Order Entry
One Gunlocke Drive
Wayland, New York 14572

585-728-5111
585-728-8350 FAX
800-828-6300
www.gunlocke.com

Gunlocke will not be responsible for duplicate orders if purchase orders are left unmarked.

ORDERING INFORMATION

1a. Intended use: The furniture on this schedule is intended for use by Government executives (or equivalent military rank) in the Executive, Judicial and Legislative Branches of the Federal Government. To help customers make a good purchasing decision based on their needs and budget, GSA has established four grades of furniture. Grade (1) includes furniture that tends to be the most expensive on this schedule, grade (2) furniture tends to be more moderately priced and grades (3) and (4) furniture tend to be affordably priced when compared to grades (1) and (2). Some pieces of furniture on this schedule may be significantly higher in price than GSA Traditional and Contemporary Executive Special Order Program furniture. The ordering agency or service is responsible for determining furniture appropriate for use in its offices which will fit within its budget and comply with applicable Federal or internal agency procurement regulations. Please see reverse for GSA terms and conditions.

GSA/FEDERAL CONTRACT INFORMATION:

Model numbers identified with the following verbiage "When purchased separately without a configurable TAA compliant end product, not on GSA contract" is to mean that these configurable parts or components:

- Have no functionality or capability without being integrated into an end product; and
- Are considered Open Market if purchased without a configurable TAA compliant end product.

Grade 1 All exposed solid parts such as top rims, base rails etc. (except decorative accents, inlays and painted parts) shall be the same species as the face veneer. Top and bottom edges of drawer fronts shall be solid wood in the same species as the face veneers. Drawer sides and backs shall be solid wood.

Grade 2 Exposed wood panel trim and trim on tops shall be the same wood species as the face veneer on the top. Some or all other exposed solid parts, such as base rails can be an alternative wood species (such as poplar or gum) different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Silea is grade 2.

Grade 3 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Medley, Kennington, Credentials, and all tables are grade 3.

Grade 4 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be composite wood material construction such as MDF. Trio is grade 4.

ITEMS ON GSA CONTRACT

Please note, in order to verify if an item is on GSA Contract or is "Open Market," please use Compass quoting which is updated in real time with all GSA contract changes. If you need additional assistance, please contact your local sales representative.

12 YEAR WARRANTY

Subject to the limitations set forth below. The Gunlocke Company warrants to the original purchaser all product in this price list to be free from defects in material and workmanship for a twelve year period from the date of shipment. This 12-year warranty applies to all products sold and installed by a Gunlocke authorized agent for normal commercial single shift service. Gunlocke will repair, or at its option, replace defective merchandise, free of charge. The following components not manufactured by Gunlocke have the following warranties:

- **High wear components** such as casters and glides are warranted for five years after date of shipment to original owner.
- **Electrical components** are warranted 10 years from date of manufacture with exception of lamps and ballasts which are not warranted. This includes Fluorescent Tasklights.
- **LED tasklights** are warranted for 3 years from date of shipment to original owner.
- **Drawer suspensions** are warranted for lifetime of product after shipment to original owner.
- **Personal corners** including covering (leather) are warranted for three years of single shift and normal use after shipment to original owner.
- **Height adjustable electrical components** are warranted for five years of single shift and normal use after shipment to original owner.

Any non-standard material selected by the customer is not warranted. Neither does this warranty apply to damage resulting from accident, alteration, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. That is, Gunlocke's warranty is only valid if products are given proper use and care. Gunlocke assumes no responsibility for product damages resulting from improper installation or user modification.

WOOD FURNITURE

Wood owes its inherent beauty to variations in color, grain, and texture, and therefore, these variations are not considered defects. There may be minor variations from one piece of furniture to the next even though they are finished at the same time. Exposure to light and the aging process will cause a darkening of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. The Gunlocke Company does not guarantee the exact matching of grain, pattern, and color.

These finishes do not cover any of the natural characteristics of the wood, including nature's colorations, pitch pockets, and the variations of steam-bent wood. Merchandise will not be replaced because of these natural variations.

It is expressly understood and agreed that the buyer's sole and exclusive remedy for any and all losses or damages resulting from nonconforming goods, or from any other cause, shall be repair or replacement of defective parts, and that Gunlocke shall not be liable for damages or injury to persons or property, nor for replacement of the entire commercial unit, if repair or replacement of defective parts can reasonably render the unit conforming.

All warranty claims must be made in writing by the original owner. Owner may be required to produce the invoice or other evidence to establish that a claim is within the warranty period. Warranty claims may be submitted on the Gunlocke website.

As stated and illustrated on the website, serial numbers are required to process a warranty claim. No person, firm or corporation is authorized to assume for Gunlocke any liability in connection with the sale or installation of Gunlocke products except as stated above.

All other warranties, expressed or implied, are excluded. Gunlocke shall not be liable for incidental or consequential damages of any sort.

Within the Continental USA, all orders above \$20,000 list are shipped FOB factory, freight prepaid and allowed. All orders less than \$20,000 list will be subject to a \$200 net freight charge. Products shipped to Alaska and Hawaii FOB factory, freight prepaid and allowed to port of embarkation. Customer is responsible for freight charges from port of embarkation to final destination.

An anticipated shipping date is indicated on the order acknowledgment. Gunlocke cannot accept responsibility for shipping delays caused by outside sources or unforeseen problems. Delay of shipments requested by customers must be approved by Gunlocke. Any resultant storage charges will be charged to the customer.

Gunlocke may await completion of the entire order and ship all at once or may make partial shipments from time to time at its sole discretion unless the customer requests in writing that partial shipments are needed and Gunlocke approves the specific shipping schedule. Additional charges may apply.

Gunlocke is not liable for any delay or failure to deliver or perform due to strikes, lock-outs, or other labor or transportation difficulties, delay of sources or supply, accidents, fires, acts of God, or any other causes of like or unlike nature beyond the control of Gunlocke.

LIABILITY

Gunlocke products and their packaging are tendered to a transportation company only after passing rigid quality control inspection. At that time, title to the product is passed to the purchaser. However the transportation company assumes all liability from acceptance of shipment through its delivery. That is, Gunlocke's liability ceases at the time of shipment.

FILING OF CLAIMS

All claims for damage or loss must be submitted via our website within 15 days after receipt of merchandise. Do not return freight damaged merchandise to Gunlocke. Follow the steps below to expedite processing and resolution of claims.

For Visible Damage

1. Make damage notation on delivery receipt and have driver sign. Do not reject or refuse the shipment.
2. Immediately contact Gunlocke Traffic Department at 585-728-8268.
3. Hold damaged carton and all interior packing for carrier's inspection. These materials will be needed to substantiate the claim.

For Concealed Damage

1. Open cartons within 15 days of receipt and inspect.
2. Follow steps 2, and 3 as listed under Visible Damage.
3. Do not remove product from delivered destination.

For Loss

1. Be sure loss notation is made on delivery receipt and have driver sign.
2. Contact Gunlocke Distribution at 585-728-8268.

Should transportation company seek to limit its liability on concealed, loss, or damage claims, please contact Gunlocke's traffic department. After a thorough investigation of the claim, the traffic department will provide you with guidance in corresponding with the carrier.

Returned merchandise, regardless of delivery method, will not be accepted unless specifically authorized by Gunlocke.

For Damage or Loss of Parcel Post or UPS Shipment

Notify Gunlocke distribution immediately at 585-728-8268.

NORMAL DELIVERY

All normal ground transportation by Gunlocke will be made on a dock-to-dock basis. The Gunlocke traffic department will determine the recommended method of shipment according to the ship to destination. If the delivery on a shipment takes longer than 2 hours to be unloaded, an additional charge will be billed at \$60/hour at 15 minute increments. Gunlocke reserves the absolute right to determine the method of shipping unless special delivery instructions have been previously approved.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

If a guaranteed delivery time is needed please call Gunlocke Traffic Department at 585-728-8268 for a quote as additional charges will apply. Weekend or after hours deliveries are subject to additional charges.

WEEKEND DELIVERY

A \$500 charge will apply on weekend delivery after 3:00 PM Friday through Sunday evenings.

DROP SHIP / JOB SITE DELIVERY

Orders under \$50,000 list will incur a \$125 charge for ship to locations other than a designated dealer warehouse.

INSIDE DELIVERY

Inside delivery must be noted on order. A minimum \$100 charge will apply.

SPECIAL DELIVERY

Please contact the Gunlocke traffic department for special delivery services such as inside delivery, weekend or after hour deliveries, reconsignment or other special needs. These are billable services.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

DOCK RESTRICTIONS

Gunlocke trailers are 53' x 102"; when attached to truck cab the total length is 75'. If delivery dock will not accommodate trucks of this sizes, the Gunlocke traffic department must be contacted prior to shipping. Alternate arrangements can be made; additional charges may apply.

veneERS

All exposed wood surfaces utilize select flat cut Cherry, Maple and Walnut veneers or premium quarter cut Walnut and Rift Cut Oak veneers. An optional plank veneer is also available in flat cut Walnut or Rift Cut Oak at veneer 4 pricing. All veneers except plank veneers are carefully selected and slip matched to assure balance and consistency throughout the product, while plank veneers are still carefully selected they are arranged in a deliberately random manner to achieve a unique look.

Specialty Finishes:

- Submit a color sample block (minimum size 3" x 3") to Gunlocke so that a finish formulation can be developed to match the special finish and color.
- Review the approval sample provided by Gunlocke.
- Written approval and sign off is required for Gunlocke customer service.
- Once written approval and sign off is received, the special finish order will be acknowledged.

Note: See our Website at Gunlocke.com for special finish request forms.

All Casegoods & Tables Purchase Orders:

- 10% list upcharge per wood unit to base veneer option receiving special finish.
- \$250 net formulation fee for special finish.

Note: This procedure and related costs apply to new and previously formulated special finishes. Special finish orders may receive additional lead time.

veneERS

veneer 2 (select)

Plain Sliced Cherry

Plain Sliced Maple

Plain Sliced Walnut

veneer 3 (premium)

Quarter Cut Walnut

Rift Cut Oak

veneer 4 (plank)

Random Plank Flat Cut Walnut

Random Plank Rift Cut Oak

NOTE: For FSC Certified Product add "FSC" to beginning of finish option code.
Example: FSCNC260. A 5% list upcharge will be applied per unit ordered with FSC option.

VENEERS

All exposed wood surfaces utilize select flat cut Cherry, Maple, Walnut veneers, premium quarter cut Walnut, or Rift Cut Oak veneers. An optional plank veneer is also available in flat cut Walnut or Rift Cut Oak at veneer 4 pricing. All veneers except plank veneers are carefully selected and slip matched to assure balance and consistency throughout the product. While plank veneers are still carefully selected they are arranged in a deliberately random manner to achieve a unique look.

VENEER TOPS

Wood veneer tops feature a balanced 3-ply construction. Tops are available with a square-edge profile. Tops are faced with premium veneer and backed with a polymer resin-impregnated moisture resistant material. Parsons, Workbench, and Picnic are 1 1/2" thick and include a 3/32" solid wood edgeband. Miter tables are 3 1/2" thick and include a 1/4" solid wood edgeband. See the following pages for table style specific specifications.

TABLE LEGS AND APRON

Veneer tops pair with solid hardwood legs and aprons. Cherry Veneers use Cherry solids, Maple veneers use Maple solids, and Walnut and Rift Oak veneers use Ash solids. See the following pages for table style specific specifications.

PERIMETER POWER MODULE

Perimeter power modules are 5 1/2"W x 2"H and available in white or black. Unit includes a smooth single-piece cover with cutouts for (2) power and (2) charging USB ports. Each enclosure is rated for 15 amp, 125 volt. Units can be specified with 10' standard plug or 6' hardwire conduit option. Unit is field installed. UL Listed. USB charging ports are 2.1 amps per port.

GLIDES

Glides provide 1 1/8" of vertical leveling adjustment. Glide bottom is durable nonrust nylon.

FINISH

Natural veneer is subject to nature's quality control. Each species will exhibit differences in grain pattern and tone. This is to be expected and, in fact, contributes to the beauty and individuality of each product. Flat Cut veneers emphasize the variations of wood by exhibiting cathedrals in the grain pattern. Quarter Cut and Rift Cut veneers are a premium cut that maintains variations in the grain but without cathedral patterns. Stratawood is a natural, FSC®-certified reconstituted veneer that is designed to exhibit a consistent grain pattern and is available in either a straight grain or cathedral pattern.

Our proprietary wood finish system utilizes a combination of topcoats engineered for the various applications found in the furniture industry. It is exceptionally clear and durable, and allows the beauty of wood to show through. The durability, depth, clarity, and beauty of our wood finishes meet the high expectations of our customers, and meet or exceed indoor air quality (IAQ) standards. All colors and species are not available on all products. Please refer to front cover of price lists for availability of finishes.

CLEANING FINISH

Dust with damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Note: Do not use furniture polishes containing oil, wax, or silicone, which can produce an oily film or haze.

TECHNICAL SPECIFICATIONS

Tops – 1 1/2" thick with 3/32" solidwood bands available in square edge

Solidwood Aprons – 3" high x 1 1/4" thick


Solidwood Legs – 4 1/2" wide x 4 1/2" thick

Occasional Table Legs – 3 1/2" wide x 3 1/2" thick


INSTALL

Ships knocked down. Top ships with aprons attached. Legs bolt on in field.


29 High Tables



42 High Tables



Occasional




TECHNICAL SPECIFICATIONS

Tops – 1 1/2" thick with 3/32" solidwood bands available in square edge
Solidwood Aprons – 3" high x 1 1/4" thick
Solidwood Legs – 3 1/2" wide x 4 1/2" thick
Solidwood Leg Crossrail – 3 1/2" high x 1 1/4" thick
Solidwood Horizontal Stretcher – 3" high x 2 1/2" thick


INSTALL

Ships knocked down. Top ships with aprons attached. Leg assemblies and horizontal stretcher attach in field.


29 High Tables



36 High Tables



42 High Tables




TECHNICAL SPECIFICATIONS

Tops – 1 1/2" thick with 3/32" solidwood bands available in square edge
Solidwood Aprons – 3" high x 1 1/4" thick
Solidwood Legs – 3 1/2" wide x 3 1/2" thick
Solidwood Leg Crossrail – 3 1/2" high x 1 1/4" thick
Solidwood Horizontal Stretcher – 3" high x 2 1/2" thick


INSTALL

Ships knocked down. Top ships with aprons attached. Leg assemblies and horizontal stretcher attach in field.

29 High Tables



42 High Tables




TECHNICAL SPECIFICATIONS


Tops – 3 1/2" thick with 1/4" solidwood bands available in square edge
 Top edge built up with 2" wide x 2 3/4" high solidwood rails
 Matched waterfall veneer from top to end panels
 Removable access panels on each end panel provide 2" wire management cavity
 Steel brackets reinforce miter connection.

**TABLES ARE SHIPPED IN ONE COMPLETE PIECE AND CANNOT BE DISASSEMBLED.
 CONFIRM ELEVATOR/DOORS/HALLWAYS FOR CLEARANCE.**


29 High Tables



36 High Console



42 High Tables



TECHNICAL SPECIFICATIONS | OCCASIONAL AND CONSOLE TABLES

Tops – 1 1/2" thick with 3/32" solidwood bands available in square edge
 Matched waterfall veneer from top to end panels
 4" high horizontal veneer stretcher




INSTALL

Ships assembled.

Occasional Tables

Console Tables



	D	W	H	model number	veneer 2	veneer 3	veneer 4
29H STANDARD HEIGHT 	42	72	29 1/2	GABTRT29H4272-WW	7,538	8,293	8,669
	42	96	29 1/2	GABTRT29H4296-WW	9,178	10,097	10,557
	48	72	29 1/2	GABTRT29H4872-WW	7,821	8,604	8,996
	48	96	29 1/2	GABTRT29H4896-WW	9,667	10,635	11,119
42H BAR HEIGHT 	42	72	42	GABTRT42H4272-WW	8,291	9,122	9,536
	42	96	42	GABTRT42H4296-WW	10,097	11,108	11,613
	48	72	42	GABTRT42H4872-WW	8,605	9,468	9,897
	48	96	42	GABTRT42H4896-WW	10,633	11,697	12,229
OCCASIONAL 	24	24	21	GABTRT21H2424-WW	2,394	2,636	2,754
	36	36	17	GABTRT17H3636-WW	2,704	2,975	3,111
	42	42	17	GABTRT17H4242-WW	3,014	3,317	3,468
	24	54	17	GABTRT17H2454-WW	2,928	3,222	3,369

PRODUCT INFO

Ships knocked down.

TO ORDER PLEASE SPECIFY THE FOLLOWING:




1. MODEL NUMBER
2. FINISH
3. TOP FINISH

See inside front cover for required option codes

Example

GABTRT29H4272-WW.NT629.OP

GABTRT29H4272-WW	NT629	OP
MODEL NUMBER	FINISH	TOP FINISH

	D	W	H	model number	veneer 2	veneer 3	veneer 4
29H STANDARD HEIGHT 	42	72	29 1/2	GBBTRT29H4272-WW	7,538	8,293	8,669
	42	96	29 1/2	GBBTRT29H4296-WW	9,178	10,097	10,557
	42	120	29 1/2	GBBTRT29H42120-WW	11,476	12,626	13,200
	48	72	29 1/2	GBBTRT29H4872-WW	7,821	8,604	8,996
	48	96	29 1/2	GBBTRT29H4896-WW	9,667	10,635	11,119
	48	120	29 1/2	GBBTRT29H48120-WW	12,245	13,471	14,083
36H COUNTER HEIGHT 	48	96	36	GBBTRT36H4896-WW	10,151	11,168	11,676
42H BAR HEIGHT 	42	72	42	GBBTRT42H4272-WW	8,291	9,122	9,536
	42	96	42	GBBTRT42H4296-WW	10,097	11,108	11,613
	48	72	42	GBBTRT42H4872-WW	8,605	9,468	9,897
	48	96	42	GBBTRT42H4896-WW	10,633	11,697	12,229

PRODUCT INFO

Ships knocked down.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. FINISH
- 3. TOP FINISH

See inside front cover for required option codes

Example

GBBTRT29H4272-WW.NT629.OP
 GBBTRT29H4272-WW NT629 OP
MODEL NUMBER FINISH TOP FINISH

	D	W	H	model number	veneer 2	veneer 3	veneer 4
29H STANDARD HEIGHT 	42	72	29 1/2	GCBTRT29H4272-WW	7,538	8,293	8,669
	42	96	29 1/2	GCBTRT29H4296-WW	9,178	10,097	10,557
	42	120	29 1/2	GCBTRT29H42120-WW	11,476	12,626	13,200
	48	72	29 1/2	GCBTRT29H4872-WW	7,821	8,604	8,996
	48	96	29 1/2	GCBTRT29H4896-WW	9,667	10,635	11,119
	48	120	29 1/2	GCBTRT29H48120-WW	12,245	13,471	14,083

42H BAR HEIGHT 	42	72	42	GCBTRT42H4272-WW	8,291	9,122	9,536
	42	96	42	GCBTRT42H4296-WW	10,097	11,108	11,613
	48	72	42	GCBTRT42H4872-WW	8,605	9,468	9,897
	48	96	42	GCBTRT42H4896-WW	10,633	11,697	12,229

PRODUCT INFO

Ships knocked down.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. TOP FINISH

See inside front cover for required option codes

Example

GCBTRT29H4272-WW.NT629.OP
 GCBTRT29H4272-WW NT629 OP
 MODEL NUMBER FINISH TOP FINISH

	D	W	H	model number	veneer 2	veneer 3	veneer 4
29H STANDARD HEIGHT 	30	72	29 1/2	GMBTRT29H3072-WW	9,538	10,493	10,970
	30	96	29 1/2	GMBTRT29H3096-WW	10,971	12,071	12,617
	36	72	29 1/2	GMBTRT29H3672-WW	10,071	11,079	11,584
	36	96	29 1/2	GMBTRT29H3696-WW	11,581	12,740	13,320
	42	72	29 1/2	GMBTRT29H4272-WW	10,599	11,659	12,190
	42	96	29 1/2	GMBTRT29H4296-WW	12,187	13,407	14,017

PRODUCT INFO

Tables are shipped in one complete piece and cannot be disassembled. Confirm elevator/doors/hallways for clearance.




TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. FINISH

See inside front cover for required option codes

Example

GMBTRT29H3072-WW.NT629
 GMBTRT29H3072-WW NT629
 MODEL NUMBER FINISH

	D	W	H	model number	veneer 2	veneer 3	veneer 4
42H BAR HEIGHT 	30	72	42	GMBTRT42H3072-WW	10,599	11,659	12,190
	30	96	42	GMBTRT42H3096-WW	12,187	13,407	14,017
	36	72	42	GMBTRT42H3672-WW	11,191	12,311	12,871
	36	96	42	GMBTRT42H3696-WW	12,867	14,155	14,798
	42	72	42	GMBTRT42H4272-WW	11,780	12,960	13,548
	42	96	42	GMBTRT42H4296-WW	13,543	14,899	15,576
OCCASIONAL 	24	24	21	GMBTRT21H2424-WW	6,806	7,488	7,828
	36	36	17	GMBTRT17H3636-WW	2,704	2,975	3,111
	42	42	17	GMBTRT17H4242-WW	3,014	3,317	3,468
	24	54	17	GMBTRT17H2454-WW	2,928	3,222	3,369
CONSOLE 	20	60	36	GMBTRT36H2060-WW	3,372	3,688	3,849

PRODUCT INFO

Tables are shipped in one complete piece and cannot be disassembled. Confirm elevator/doors/hallways for clearance.




TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. TOP FINISH (OCCASIONAL & CONSOLE ONLY)

See inside front cover for required option codes

Example

GMBTRT42H3072-WW.NT629.OP
 GMBTRT42H3072-WW NT629
 MODEL NUMBER FINISH

	D	W	H	model number	list
POWER UNITS	3	5 1/2	2	GDAPPM-EEU	514
 STANDARD PLUG HARDWIRE	3	5 1/2	2	GDAPPM-EEU-HW	514
<ul style="list-style-type: none"> • For use with Workbench and Picnic Tables mounted in front of aprons. • Includes 2 USB power and 2 power. 					
POWER UNITS WITH SPACER	3	5 1/2	2	GDAPPLW-EEU	522
 STANDARD PLUG HARDWIRE	3	5 1/2	2	GDAPPLW-EEU-HW	522
<ul style="list-style-type: none"> • For use with Parsons and Miter Tables mounted behind aprons. • Includes 2 USB power and 2 power. 					
WIRE MANAGER CHANNEL	1	1	20	GD2HBS-WIREMGR	964
	<ul style="list-style-type: none"> • Polished stainless steel channel or optional powder coats. • Used to manage wires to the floor. • Requires field installation, and runs down the leg of the table. 				

<p>PRODUCT INFO</p> <p>Power units include 10-ft standard plug or 6-ft hardwire cord.</p>	<p>TO ORDER PLEASE SPECIFY THE FOLLOWING:</p> <ol style="list-style-type: none"> <input type="text"/> MODEL NUMBER <input type="text"/> PERIMETER PWR COLOR <table border="0" style="font-size: small;"> <tr> <td>WH</td> <td>White</td> </tr> <tr> <td>BK</td> <td>Black</td> </tr> </table> <input type="text"/> HARDWARE COLOR (WIRE MANAGER CHANNEL ONLY) <p>See inside front cover for required option codes</p> <p>Example</p> <hr/> <p style="font-size: x-small;">GDAPPM-EEU.NT629.OP GDAPPM-EEU _____ WH _____ MODEL NUMBER PERIMETER PWR COLOR</p>	WH	White	BK	Black
WH	White				
BK	Black				

model number	weight	cubes	locks	page
GABTRT17H2454-WW				13
GABTRT17H3636-WW				13
GABTRT17H4242-WW				13
GABTRT21H2424-WW				13
GABTRT29H4272-WW				13
GABTRT29H4296-WW				13
GABTRT29H4872-WW				13
GABTRT29H4896-WW				13
GABTRT42H4272-WW				13
GABTRT42H4296-WW				13
GABTRT42H4872-WW				13
GABTRT42H4896-WW				13
GBBTRT29H4272-WW				14
GBBTRT29H4296-WW				14
GBBTRT29H4872-WW				14
GBBTRT29H4896-WW				14
GBBTRT29H42120-WW				14
GBBTRT29H48120-WW				14
GBBTRT36H4896-WW				14
GBBTRT42H4272-WW				14
GBBTRT42H4296-WW				14
GBBTRT42H4872-WW				14
GBBTRT42H4896-WW				14
GCBTRT29H4272-WW				15
GCBTRT29H4296-WW				15
GCBTRT29H4872-WW				15
GCBTRT29H4896-WW				15
GCBTRT29H42120-WW				15
GCBTRT29H48120-WW				15
GCBTRT42H4272-WW				15
GCBTRT42H4296-WW				15
GCBTRT42H4872-WW				15
GCBTRT42H4896-WW				15
GD2HBS-WIREMGR				18
GDAPPM-EEU				18
GDAPPM-EEU-HW				18
GDAPPMLW-EEU				18
GDAPPMLW-EEU-HW				18
GMBTRT17H2454-WW				17
GMBTRT17H3636-WW				17
GMBTRT17H4242-WW				17
GMBTRT21H2424-WW				17
GMBTRT29H3072-WW				16
GMBTRT29H3096-WW				16

model number	weight	cubes	locks	page
GMBTRT29H3672-WW				16
GMBTRT29H3696-WW				16
GMBTRT29H4272-WW				16
GMBTRT29H4296-WW				16
GMBTRT36H2060-WW				17
GMBTRT42H3072-WW				17
GMBTRT42H3096-WW				17
GMBTRT42H3672-WW				17
GMBTRT42H3696-WW				17
GMBTRT42H4272-WW				17
GMBTRT42H4296-WW				17

Gunlocke®

One Gunlocke Drive
Wayland, NY 14572
800 828 6300

GUNLOCKE.COM

FORM #G1065.A3 (5/24)