BRIEFING™

Price & Specification Guide

PDF updated May 6, 2024

Gunlocke[®]

VENEER 1

STRATAWOOD FLAT CUT CHERRY

A. Cinnamon/Biltmore*	EC260
B. Lowell Ash*	EC394
C. Medium Red*	EC512
D. Light*	EC701
E. Shaker*	EC774
F. Burnished*	EC777
G. Clear*	EC700
(*Use OP TopFin Only)	

STRATAWOOD FLAT CUT WALNUT

H. Florence*	ET579
I. Light*	ET601
J. Skyline*	ET625
K. Nutmeg*	ET629
L. Pinnacle *	ET679
M. Sumatra*	ET693
N. Ebony*	ET509
O. Clear*	ET600
(*Use OP TopFin Only)	

STRATAWOOD RIFT CUT OAK

P. Light*	EF301
Q. Dark*	EF331
R. Phantom Ecru*	EF912
S. Fawn Cypress*	EF108
T. Clear*	EF300
(*Use OP TopFin Only)	







VENEER 2

NATURAL FC CHERRY

 A. Cinnamon/Biltmore
 NC260

 B. Lowell Ash
 NC394

 C. Medium Red
 NC512

 D. Light
 NC701

 E. Shaker
 NC774

 F. Burnished
 NC777

NATURAL FC MAPLE

G. Natural NE800 H. Harvest NE856

NATURAL FC WALNUT

 I. Florence
 NT579

 J. Light
 NT601

 K. Skyline
 NT625

 L. Nutmeg
 NT629

 M. Pinnacle
 NT679

 N. Sumatra
 NT693

 O. Ebony
 NT509

 (Use OP TopFin Only)



VENEER 3

NATURAL QC WALNUT

 A. Florence
 QT579

 B. Light
 QT601

 C. Skyline
 QT625

 D. Nutmeg
 QT629

 E. Pinnacle
 QT679

 F. Sumatra
 QT693

 G. Ebony
 QT509

 (Use OP TopFin Only)

NATURAL RIFT CUT OAK

H. Light RF301
I. Dark RF331
J. Phantom Ecru RF912
(Use OP TopFin Only)

K. Fawn Cypress RF108



VENEER 2

STRATAWOOD CHERRY

Α.	Cinnamon/Biltmore	SC260
В.	Lowell Ash	SC394
C.	Clear	SC700
D.	Light	SC701
E.	Shaker	SC774

E. Shaker SC774F. Burnished SC777

STRATAWOOD MAPLE

G.	Belair	SE934
Н.	Beigewood	SE878
I.	Field Elm	SE599
J.	Clear Maple	SE800
K.	Harvest	SE856
L.	Phantom Ecru (Use OP TopFin Only)	SE912

STRATAWOOD WALNUT

Μ.	Florence	ST579
N.	Light	ST601
0.	Skyline	ST625
P.	Pinnacle	ST679
Q.	Sumatra	ST693

STRATAWOOD OAK

R.	Clear	SF300
S.	Dark	SF331

STRATAWOOD SILVER OAK

T.	Clear	SB100
U.	Portico Teak	SB150

STRATAWOOD WASHED WALNUT


V.	Clear	SW600
W.	Smoked Onyx	SW697
Χ.	Smoked Grav	SW612



METAL FINISHES

Α.	Designer White	PJW
В.	Polished	PC/PA/PS
C.	Silver	PR6
D.	Titanium	P8T*
E.	Solar Black	P8X*
F.	Black	P71
G.	Pyrite	PJE
Н.	Matte Gold	P8G
I.	Bullseye	PJF*
J.	Regatta	P8M*

^{*}Only available on Occasional Tables



LAMINATES

WOODGRAIN

Α.	Lowell Ash	LLA1
В.	Natural Recon	LNR1
C.	Phantom Ecru	LPE1
D.	Portico Teak	LPT1
E.	Skyline Walnut	LSW1
F.	Beigewood	LWBE
G.	Field Elm	LWFE
Н.	Pinnacle Walnut	PINC
l.	Fawn Cypress	LFC1
J.	Natural Maple	LWD
K.	Harvest Maple	C
L.	Shaker Cherry	LW7C
M.	Biltmore Cherry	COGN
N.	Florence Walnut	LFW1
0.	Kingswood Walnut	LKI1
P.	NeoWalnut	LNU1

SOLID

Q. Veranda Teak

 R. Designer White 15051
 LDW1

 S. Loft
 LM11

 T. Flint
 LM16

 U. Black
 P

LVT1



GLASS ETCHED/GLOSS

 A. Ice White
 GWH1 / GWH2

 B. Black
 GBK1 / GBK2

 C. Muslin
 GML1 / GML2

 D. Beige
 GBG1 / GBG2

 E. Flint
 GFL1 / GFL2

 F. Loft
 GL01 / GL02

Note: Gloss glass is available only on vertical applications and whiteboards. Etched glass is available only on horizontal tops.



SOLID SURFACE

A. Designer White B. Frosty White C. Night Stars D. Masoned Concrete	SDW4 SFW3 SNS5 SMC2	A	В	C
E. Monte Amiata	SMA1	D	E	

WOOD + LAMINATE

FDGF	DETAIL	(OPTIONAL)

Square	SQ
Knife	(Add \$562) KN

WOOD ONLY

Square ½" Edge	(Add \$337) SQM
Double Flute ½" Edge	(Add \$337) DFM
Tri-Oval ½" Edge	(Add \$337) TOM
Knife ½" Edge	(Add \$899) KNM
Taper ½" Edge	(Add \$899) TPM

BACK PANEL

No Back Panel	E	3N
Finished Back Panel Included	(Add \$843) E	3Y

WIRE MANAGEMENT

Yes	WY
No	WN

FLAMMABILITY

CTB 117 Flammability Rating

LOCKS

Locks Yes, Random	
Matte Silver Keying	
(Factory Installed)	(Add +\$158) LYSTD
Locks Yes,	
Omit Lock Core	
(Field Installed)	(Add +\$158) LYOMT
Locks No	LN

KEYING

Random Matte Silver Keying	
(Factory Installed)	STD
Omit Lock Core (Field Installed)	OMT

PERIMETER AND BEZEL-MOUNT POWER COLOR

WH
BK
SV

PULL OPTIONS

Silea Pull Black (P71)	PP71
Silea Pull Silver (PR6)	PPR6
Silea Pull Matte Gold (P8G)	PP8G
Silea Pull Pyrite (PJE)	PPJE
Silea Pull Designer White (PJW)	PPJW
Medley Arch Black (P71)	HARB
Medley Arch Silver (PR6)	HARS
Medley Arette Black (P71)	HATB
Medley Arette Silver (PR6)	HATS
Trio Linear Black (P71)	HLEB
Trio Linear Silver (PR6)	HLES
Trio Bar Black (P71)	HBRB
Trio Bar Silver (PR6)	HBRS
Modern Black (P71)	MP71
Modern Silver (PR6)	MPR6
Modern Matte Gold (P8G)	MP8G
Modern Pyrite (PJE)	MPJE
Modern Designer White (PJW)	MPJW

TOP FINISH

Open Pore Low Sheen	OP
Full Fill ClearTech™	FF
Full Fill Top ≤ 120" Length (+\$282)	
Full Fill Top > 120" Length (+\$450)	

FSC CERTIFIED

Standard - No FSC	Χ
FSC Certified (5% upcharge)	F

FSC TACKBOARD

FSC Mixed Credit	FSC
(Upcharge – See Tack & Cushion Pricing)	

FSC Not Required NR

U

EDGE DETAIL (OPTIONAL)

Wood and Laminate (1	³ / ₁₆ " thick)
2 mm Square SQ	Knife KN
	*Add +\$562

^{*} Square and Knife only available edges on laminate



^{*1/2&}quot; Edgeband options only available on Rectangular and Round Tops

BEAM COLOR

Silver | PR6 Black | P71

BACK PANEL

No Back Panel I BN

Finished Back Panel Included I BY (Add \$843)

WIRE MANAGEMENT

Yes | WY

FLAMMABILITY

CTB 117 Flammability Rating | **U**CTB 133 Flammability Rating | **U3 (Add \$142)**

LOCKS

Locks Yes, Random Matte Silver Keying (Factory Installed) | LYSTD (Add \$158) Locks Yes, Omit Lock Core (Field Installed) | LYOMT (Add \$158)

Locks No | LN

KEYING

Random Matte Silver Keying (Factory Installed) | **STD** Omit Lock Core (Field Installed) | **OMT**

EDGE DETAIL (STANDARD)

Glass and Solid Surface (1/2" plus 1" plywood subtop)



HINGED GLASS DOOR COLOR

Beige | GBG Black | GBK Flint | GFL Loft | GLO Muslin | GML Designer White | GWH

BASE COLOR ON OCCASIONAL TABLES

Black | P71
Silver | PR6
Matte Gold | P8G
Pyrite | PJE
Designer White | PJW
Solar Black | P8X
Titanium | P8T
Bullseye | PJF
Regatta | P8M
Polished Chrome | PC (Add \$225)

PERIMETER AND BEZEL-MOUNT POWER COLOR

White | **WH**Black | **BK**Silver | **SV**

CUSHION UPHOLSTERY

Fabric + Leathers | G1-G45 | L1-L10

TABLE OF CONTENTS

General Information	Bases	
Conditions of Sale	Expandable Panel Base	
GSA Terms & Conditions	Miter Bases	
Warranty5	¹ / ₂ Taper Bases	
Delivery Information6	Geo Bases	108
Veneers & Finishes	Metal Y Bases	109
Matariala 0 Finishaa	Leg Bases	110
Materials & Finishes8	Metal Ribbon Y Bases	111
Locks & Keying	Cylinder Base	112
Product Reference11-48	Full Taper Bases	113
Technical Specifications	Metal X Bases	114-115
Scope of Line Reference	Metal Post X Bases	116
	Metal Ribbon X Bases	117
Breadth of Line and Top Shapes	Disc Base	118
Table Base Matrix	Metal T-Bases	119
Floor Monument and Technology Locations 36-45	Table Legs	120
Training Tables	Wire Management Base	
Conference Table Tops	Steel Worksurface Support	
36" Rectangular Tops 50-51	• •	
42" and 48" Rectangular Tops 52-53	Media Tables	
54" and 60" Rectangular Tops 54-55	Tops	
36" Arc Boat Tops	Miter Bases with Media Wall	
42" and 48" Arc Boat Tops	Metal Y-Bases with Media Wall	127
54" and 60" Arc Boat Tops 60-61	Height-Adjustable Bases with Media Wall	128
36" Soft Rectangular Tops	Wall-Mounted Miter Bases	129
42" and 48" Soft Rectangular Tops	Wall-Mounted Metal Y-Bases	130
Ellipse Tops	Finished Back Whiteboard	131
Round Tops	Bar Height Collaboration Tables	133-138
·	Table Tops	
Soft Square Tops	Table Bases	
Technology Components73-101		
Technology Matrix	Training Tables	139-147
Perimeter Power	Rectangular Training Tops	140
Bezel Mount Power	Corner Training Tops	141
Daisy Chain Components	Half Round Training Tops	142
Tech Module	Training Table Bases	143-145
Single Tech Port	Modesty Panel	146
Double Tech Port80	Accessories	147
Extron Cable Cubby81	Ancillary	1/10-162
Extron Cable Retractor	Credenza Cushions	
Extron Cable Retractor Installation Tips	Credenzas	
Converge Technology Trough		
Compatible Jacks85	Whiteboards.	
Extron Compatibility	Hospitality Cart	
Extron Single Space Plates 87-89	Technology Cart	
Extron Double Space Plates	Miscellaneous	162
Wire Management	Occasional Tables	163-164
Cable Retractor	Occasional Tables	164
Grommet	Fabric Grade Pricing	166-167
	_	
Byrne Data Jacks	Weights + Cubes	168-179
Power Cable Kit		
Training Table Power		
4-Trac Electrical System		
/I_Irac Accessories and Electrical 100 101		

INTRODUCTION

The Gunlocke Company is dedicated to providing the finest products and service possible. This price list reflects that commitment. Included is a current listing of our casegood models.

Seating and Lounge are presented in a separate price list. Contact your Gunlocke Customer Services Representative for more information, (800) 828-6300.

Designed for easy use, each page of this price list, and the inside front cover fold out provide all information required to order a product correctly. Should additional information be needed, contact your Gunlocke customer service representative.

PRICING

Prices shown cover standard product specifications. Any changes or alterations, other than those listed, will be subject to an additional charge. Prices include cartoning and freight. Authorization and pricing must be secured in advance for orders or contracts calling for large quantities, indefinite quantities, or extended delivery dates. Prices are subject to change without notice; the most current prices are published on http://www.gunlocke.com.

ORDERING

To expedite order entry and to assure proper service, email or fax all orders directly to:

The Gunlocke Company

Attn: Order Entry One Gunlocke Drive Wayland, New York 14572

585-728-5111 585-728-8350 FAX 800-828-6300 www.gunlocke.com

Gunlocke will not be responsible for duplicate orders if purchase orders are left unmarked.

ACKNOWLEDGMENT

Each order will be acknowledged by Gunlocke. Customers should check each acknowledgment for accuracy and immediately notify Gunlocke of any discrepancies. The printed acknowledgment is the final agreement between The Gunlocke Company and the customer, superseding all previous communications regarding the order.

SPECIFICATION CHANGES

Gunlocke reserves the right to change specifications for the improvement of products at any time, without notice.

ORDER CHANGES

Gunlocke is not required to accept changes in orders after confirmation. Reasonable changes are subject to additional charges for labor, material and administrative costs.

Order changes of acknowledgment may result in re-scheduling of product.

RETURNED MERCHANDISE

No merchandise may by returned without prior authorization.

SHOWROOMS

For all showroom locations and tour information, please reference the showrooms page online at: www.gunlocke.com/inspiration/showrooms

CANCELLATIONS

Cancellation of orders cannot be accepted since every order is manufactured according to customer specifications.

STORAGE

If delivery cannot be made and products are ready, Gunlocke will transfer products to a storage facility and products will be invoiced at that time. The customer is responsible for storage charges and assumes and bears all risks associated with the storage of that product.

TERMS

Net 30 days from date of invoice. A service charge of eighteen percent (18%) per year or .0004931% per day, compounded monthly, will be added to balance due beyond the thirtieth day. Products are shipped FOB factory, freight prepaid and allowed. Title passes to purchaser and Gunlocke's responsibility ceases when shipment is accepted for transportation by a carrier. A full explanation of all payment terms is found on order and invoice forms.

ORDERING INFORMATION

1a.Intended use: The furniture on this schedule is intended for use by Government executives (or equivalent military rank) in the Executive, Judicial and Legislative Branches of the Federal Government. To help customers make a good purchasing decision based on their needs and budget, GSA has established four grades of furniture. Grade (1) includes furniture that tends to be the most expensive on this schedule, grade (2) furniture tends to be more moderately priced and grades (3) and (4) furniture tend to be affordably priced when compared to grades (1) and (2). Some pieces of furniture on this schedule may be significantly higher in price than GSA Traditional and Contemporary Executive Special Order Program furniture. The ordering agency or service is responsible for determining furniture appropriate for use in its offices which will fit within its budget and comply with applicable Federal or internal agency procurement regulations. Please see reverse for GSA terms and conditions.

GSA/FEDERAL CONTRACT INFORMATION:

Model numbers identified with the following verbiage "When purchased separately without a configurable TAA compliant end product, not on GSA contract" is to mean that these configurable parts or components:

- Have no functionality or capability without being integrated into an end product; and
- Are considered Open Market if purchased without a configurable TAA compliant end product.

Grade 1 All exposed solid parts such as top rims, base rails etc. (except decorative accents, inlays and painted parts) shall be the same species as the face veneer. Top and bottom edges of drawer fronts shall be solid wood in the same species as the face veneers. Drawer sides and backs shall be solid wood.

Grade 2 Exposed wood panel trim and trim on tops shall be the same wood species as the face veneer on the top. Some or all other exposed solid parts, such as base rails can be an alternative wood species (such as poplar or gum) different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction.

Grade 3 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Credentials is grade 3.

Grade 4 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be composite wood material construction such as MDF. Silea and Briefing are grade 4.

ITEMS ON GSA CONTRACT

Please note, in order to verify if an item is on GSA Contract or is "Open Market," please use Compass quoting which is updated in real time with all GSA contract changes. If you need additional assistance, please contact your local sales representative

12 YEAR WARRANTY

Subject to the limitations set forth below. The Gunlocke Company warrants to the original purchaser all product in this price list to be free from defects in material and workmanship for a twelve year period from the date of shipment. This 12-year warranty applies to all products sold and installed by a Gunlocke authorized agent for normal commercial single shift service. Gunlocke will repair, or at its option, replace defective merchandise, free of charge. The following components not manufactured by Gunlocke have the following warranties:

- High wear components such as casters and glides are warrantied for five years after date of shipment to original owner.
- Electrical components are warrantied 10 years from date of manufacture with exception of lamps and ballasts which are not warrantied. This includes Fluorescent Tasklights.
- LED tasklights are warrantied for 3 years from date of shipment to original
 owner.
- Drawer suspensions are warrantied for lifetime of product after shipment to original owner.
- Personal Corners including covering (leather) are warrantied for three years of single shift and normal use after shipment to original owner.
- Height adjustable electrical components are warrantied for five years of single shift and normal use after shipment to original owner.

Any non-standard material selected by the customer is not warrantied. Neither does this warranty apply to damage resulting from accident, alteration, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. That is, Gunlocke's warranty is only valid if products are given proper use and care. Gunlocke assumes no responsibility for product damages resulting from improper installation or user modification.

WOOD FURNITURE

Wood owes its inherent beauty to variations in color, grain, and texture, and therefore, these variations are not considered defects. There may be minor variations from one piece of furniture to the next even though they are finished at the same time. Exposure to light and the aging process will cause a darkening of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. The Gunlocke Company does not guarantee the exact matching of grain, pattern, and color.

These finishes do not cover any of the natural characteristics of the wood, including nature's colorations, pitch pockets, and the variations of steambent wood. Merchandise will not be replaced because of these natural variations. It is expressly understood and agreed that the buyer's sole and exclusive remedy for any and all losses or damages resulting from nonconforming goods, or from any other cause, shall be repair or replacement of defective parts, and that Gunlocke shall not be liable for damages or injury to persons or property, nor for replacement of the entire commercial unit, if repair or replacement of defective parts can reasonably render the unit conforming.

All warranty claims must be made in writing by the original owner. Owner may be required to produce the invoice or other evidence to establish that a claim is within the warranty period. Warranty claims may be submitted on the Gunlocke website.

As stated and illustrated on the website, serial numbers are required to process a warranty claim. No person, firm or corporation is authorized to assume for Gunlocke any liability in connection with the sale or installation of Gunlocke products except as stated above.

All other warranties, expressed or implied, are excluded. Gunlocke shall not be liable for incidental or consequential damages of any sort.

Within the Continental USA, all orders above \$20,000 list are shipped FOB factory, freight prepaid and allowed. All orders less than \$20,000 list will be subject to a \$200 net freight charge. Products shipped to Alaska and Hawaii FOB factory, freight prepaid and allowed to port of embarkation. Customer is responsible for freight charges from port of embarkation to final destination.

An anticipated shipping date is indicated on the order acknowledgment. Gunlocke cannot accept responsibility for shipping delays caused by outside sources or unforeseen problems. Delay of shipments requested by customers must be approved by Gunlocke. Any resultant storage charges will be charged to the customer.

Gunlocke may await completion of the entire order and ship all at once or may make partial shipments from time to time at its sole discretion unless the customer requests in writing that partial shipments are needed and Gunlocke approves the specific shipping schedule. Additional charges may apply.

Gunlocke is not liable for any delay or failure to deliver or perform due to strikes, lock-outs, or other labor or transportation difficulties, delay of sources or supply, accidents, fires, acts of God, or any other causes of like or unlike nature beyond the control of Gunlocke.

LIABILITY

Gunlocke products and their packaging are tendered to a transportation company only after passing rigid quality control inspection. At that time, title to the product is passed to the purchaser. However the transportation company assumes all liability from acceptance of shipment through its delivery. That is, Gunlocke's liability ceases at the time of shipment.

FILING OF CLAIMS

All claims for damage or loss must be submitted via our website within 15 days after receipt of merchandise. Do not return freight damaged merchandise to Gunlocke. Follow the steps below to expedite processing and resolution of claims.

For Visible Damage

- Make damage notation on delivery receipt and have driver sign. Do not reject or refuse the shipment.
- Immediately contact Gunlocke Traffic Department at 585-728-8268.
- Hold damaged carton and all interior packing for carrier's inspection. These materials will be needed to substantiate the claim.

For Concealed Damage

- 1. Open cartons within 15 days of receipt and inspect.
- 2. Follow steps 2 and 3 as listed under Visible Damage.
- Do not remove product from delivered destination.

For Loss

- Be sure loss notation is made on delivery receipt and have driver sign.
- 2. Contact Gunlocke Traffic Department at 585-728-8268.

Should transportation company seek to limit its liability on concealed, loss, or damage claims, please contact Gunlocke's traffic department. After a thorough investigation of the claim, the traffic department will provide you with guidance in corresponding with the carrier.

Returned merchandise, regardless of delivery method, will not be accepted unless specifically authorized by Gunlocke.

For Damage or Loss of Parcel Post or UPS Shipment

Notify the Gunlocke traffic department immediately at 585-728-8268.

NORMAL DELIVERY

All normal ground transportation by Gunlocke will be made on a dock-to-dock basis. The Gunlocke traffic department will determine the recommended method of shipment according to the ship to destination. If the delivery on a shipment takes longer than 2 hours to be unloaded, an additional charge will be billed at \$60/hour at 15 minute increments. Gunlocke reserves the absolute right to determine the method of shipping unless special delivery instructions have been previously approved.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

If a guaranteed delivery time is needed please call Gunlocke Traffic Department at 585-728-8268 for a quote as additional charges will apply. Weekend or after hours deliveries are subject to additional charges.

WEEKEND DELIVERY

A \$500 charge will apply on weekend delivery after 3:00 PM Friday through Sunday evenings.

DROP SHIP / JOB SITE DELIVERY

Orders under \$50,000 list will incur a \$125 charge for ship to locations other than a designated dealer warehouse.

INSIDE DELIVERY

Inside delivery must be noted on order. A minimum \$100 charge will apply.

SPECIAL DELIVERY

Please contact the Gunlocke traffic department for special delivery services such as inside delivery, weekend or after hour deliveries, reconsignment or other special needs. These are billable services.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

DOCK RESTRICTIONS

Gunlocke trailers are 53' x 102"; when attached to truck cab the total length is 75'. If delivery dock will not accommodate trucks of this sizes, the Gunlocke traffic department must be contacted prior to shipping. Alternate arrangements can be made; additional charges may apply.

VENEERS

All exposed wood surfaces utilize flat cut, rift cut, or straight grain Stratawood (FSC reconstituted veneer), flat cut Cherry, Maple, Walnut veneers, quarter cut Walnut, or Rift Oak veneers. Stratawood veneer is made from rapidly renewable wood veneer, which provides a repeatable grain pattern. Stratawood veneers are available in flat cut Cherry, flat cut Walnut, or Rift Oak at veneer 1 pricing and in straight grain Cherry, Maple, Walnut, Oak, Silver Oak, or Washed Walnut at veneer 2 pricing. Veneers can be specified in vertical or horizontal orientation. All veneers are carefully selected and matched to assure balance and consistency.

SPECIALTY FINISHES

- Submit a color sample block (minimum size 3" x 3") to Gunlocke so that a finish formulation can be developed to match the special finish and color.
- Review the approval sample provided by Gunlocke.
- Written approval and sign off is required for Gunlocke Customer Service.
- Once written approval and sign off is received, the special finish order will be acknowledged.

Note: See our Website at Gunlocke.com for special finish request forms.

All Casegoods & Tables Purchase Orders:

- 10% list upcharge per wood unit to specified veneer option receiving special finish.
- \$250 net formulation fee for special finish.

Veneer 1

Stratawood Flat Cut Cherry
Stratawood Flat Cut Walnut
Stratawood Rift Cut Oak

Veneer 2

Natural Flat Cut Cherry

Natural Flat Cut Maple

Natural Flat Cut Walnut

Stratawood Straight Grain Cherry

Stratawood Straight Grain Maple

Stratawood Straight Grain Oak

Stratawood Straight Grain Silver Oak

Stratawood Straight Grain Walnut

Stratawood Flat Cut Washed Walnut

Veneer 3

Natural Quarter Cut Walnut
Natural Rift Cut Oak

The plastic laminate offering includes 11 woodgrain and 3 solid laminate options from Wilsonart. Laminate tops are high-pressure laminate (HPL), and chassis/storage components are thermally fused laminate (TFL). Laminate edgebands are 2mm thick and are color matched to the laminate option chosen.

Laminates	Description	Option Code	Supplier Name	Supplier Code	Edgeband (ABS, PVC)	Gunlocke Finish Match*
WOODGRAIN	Lowell Ash	LLA1	Wilsonart	7994-12	ABS	NC394
WOODGITAIN	Natural Recon	LNR1	Wilsonart	7996-12	ABS	RF301
	Phantom Ecru	LPE1	Wilsonart	8212-12	ABS	RF912
	Portico Teak	LPT1	Wilsonart	8210K-12	ABS	SB150
	Skyline Walnut	LSW1	Wilsonart	7964K-12	ABS	QT625
	Pinnacle Walnut	PINC	Wilsonart	7992-38	PVC	NT679
	Fawn Cypress	LFC1	Wilsonart	8208K-12	ABS	RF108
	Natural Maple	LWD	Wilsonart	11021-38	PVC	NE800
	Harvest Maple	C	Wilsonart	7953-38	PVC	NE856
	Shaker Cherry	LW7C	Wilsonart	7935-38 7935K-07	PVC	NC774
	Biltmore Cherry	COGN	Wilsonart	7933K-07 7924K-07	PVC	NC260
	Veranda Teak	LVT1	Wilsonart	8209K-12	ABS	SB100
	Kingswood Walnut	LKI1	Wilsonart	8218-38	ABS	N/A
	Florence Walnut	LFW1	Wilsonart	7993-38	ABS	NT579
	Neo Walnut	LNU1	Wilsonart	7991-38	ABS	N/A
	Neo wamut	LNUI	wiisonari	7991-36	ADS	IN/A
SOLID	Designer White 15051	LDW1	Wilsonart	15051-60	ABS	WPSW
	Loft - Grey Cloud	LM11	Wilsonart	15034-60	ABS	WPLF
	Charcoal/Flint	LM16	Wilsonart	10592-38	PVC	WPFT
	Black	Р				
GLASS	Ice White	GWH2				
	Black	GBK2				
	Muslin	GML2				
	Flint	GFL2				
	Loft	GLO2				
	Beige	GBG2				
	Clear Ribbed Glass	RB				
SOLID SURFACE	Designer White	SDW4				
	Frosty White	SFW3				
	Night Stars	SNS5				
	Masoned Concrete	SMC2				
	Monte Amiata	SMA1				

^{*} See cross reference above for Gunlocke wood / paint finish match. Although these are good matches, they are not exact matches due to grain pattern and sheen variation from laminate to veneer. They coordinate throughout a floorplate, but we recommend they not be utilized in the same office.

Note: Gunlocke does not guarantee an exact finish match to the plastic laminates listed above.

Locks are standard on all below worksurface storage units. Closets and overhead storage are optional locking.

STANDARD OPTIONS

• Random Keying: Key(s) arbitrarily assigned and installed at the factory. Factory installed locks are silver.

Note: When the random option is selected, some units may be shipped with the same key number.

• Omit Lock Core: The factory will omit lock cores. Removable lock core kits with specific key numbers must be ordered to facilitate keying alike in the field. A lock program must be specified. Field installed locks are available in Matte Silver, Black, Pyrite, Matte Gold, and Designer White.

KEYING

Random Matte Silver Keying (Factory Installed)	STD	
Omit Lock Core (Field Installed)	OMT	(If option is chosen, a field installed lock program must be specified)

LOCK PROGRAM (FIELD INSTALLED ONLY)

Random Keying	X
Specified Keying	X101 - X225
Sequential Keving	SEQ/101 - SEQ/225

KEYING COLOR (FIELD INSTALLED ONLY)

Matte Silver	MTS
Black	BLK
Matte Gold	MGD
Pyrite	PYT
Designer White	PJW

REPLACING LOCK CORES

- Lock must be in the unlocked position.
- Insert core removal key and pull core straight out.
- Insert new core with core removable key, hold core into lock and withdraw core removal key.
- Retain original core for future use.

FIELD INSTALLED LOCK PROGRAMS

For field installed locks, the "Omit Lock Core" option must be chosen. Then, specify lock model based on total quantity of lock cores within each office. To ensure ease of ordering for a variety of situations, lock cores can be specified in 3 ways – Random, Specified or Sequential.

LOCKING MODELS	DESCRIPTION	LIST
GLKFE1	1 core, 2 keys	\$17
GLKFE2	2 core, 2 keys	\$22
GLKFE3	3 core, 2 keys	\$27
GLKFE4	4 core, 2 keys	\$31

Note: When purchased separately without a configurable TAA compliant end product, not on GSA contract.

Note: One core removal key minimum per order. One additional core removal key per 25 lock cores will be shipped.

MASTER KEY

One key available	GLKMSTR	\$10
to authorized dealers		

Note: When purchased separately without a configurable TAA compliant end product, not on GSA contract.

KEY NUMBERS 101-225 ARE AVAILABLE.

Orders without key numbers will be specified at random.

RANDOM KEYING (FIELD INSTALLED)

The Random Keying option is provided for instances where there are multiple orders or phases to a project and the offices need to be keyed alike but the key numbering is not required. With the random keying option, key numbers are not specified. However, the core kits will be in sequential order from a random starting point.

SPECIFIED KEYING (FIELD INSTALLED)

The Specified Keying option is provided for instances where there is a specific key number desired for all of the cores ordered

SEQUENTIAL KEYING (FIELD INSTALLED)

The Sequential Keying option is provided for instances when there are multiple orders or phases to a project and it is imperative that key numbers are not duplicated..

RANDOM KEYING EXAMPLE

• There are 18 offices which have 3 black locks that need to be keyed alike, but the key number is not important.

Model String:

GLKFE3. BLK. X. 18

Model Color Program # of Offices

SPECIFIED KEYING EXAMPLE

• There are 6 offices which have 2 silver locks that need to be keyed alike with the key number 202.

Model String:

GLKFE2. MTS. X202. 6

Model Color Program # of Offices

SEQUENTIAL KEYING EXAMPLE

• A multiple phase project has 100 offices - 60 in the first phase with 4 locks, 40 in the second phase with 3 locks. No key number can be duplicated.

Model String (First Phase):

GLKFE4. PYT. SEQ/101. 60

Model String (Second Phase)

GLKFE3. PYT. SEQ/161. 40

Model Color Program # of Offices

Briefing 02/24

PRODUCT REFERENCE

roduct Reference11-	.48
Technical Specifications	-16
Scope of Line Reference	'-18
Breadth of Line and Top Shapes 19	-26
Table Base Matrix	-35
Floor Monument and Technology Locations 36	-45
Training Tables 46	-48

REFERENCE Briefing

Technical specifications

VENEERS

All exposed wood surfaces utilize flat cut, rift cut, or straight grain Stratawood (FSC reconstituted veneer), flat cut Cherry, Maple, Walnut veneers, quarter cut Walnut, or Rift Oak veneers. Stratawood veneer is made from rapidly renewable wood veneer, which provides a repeatable grain pattern. Stratawood veneers are available in flat cut Cherry, flat cut Walnut, or Rift Oak at veneer 1 pricing and in straight grain Cherry, Maple, Walnut, Oak, Silver Oak, or Washed Walnut at veneer 2 pricing. Veneers can be specified in vertical or horizontal orientation. All veneers are carefully selected and matched to assure balance and consistency.

VENEER TOPS

Wood veneer tops feature 3-ply construction and are comprised of a premium 1.125" thick substrate. Tops are available with an optional square or knife edge profile. Square edge tops are 45 lb. density particleboard and knife edge tops are premium MDF construction. Tops are faced with premium veneer and backed with a polymer resin impregnated moisture resistant material. Multi-piece tops are connected with 1/8" thick plastic splines for vertical alignment and steel mechanical fasteners for horizontal alignment to firmly connect the tops end to end. Rectangular tops utilize solid wood edgebands that are species matched except for Rift Cut Oak which is paired with solid ash hardwoods. Non-rectangular tops utilize matching 1mm edgebands that are doubled up for added durability for total thickness of 2mm.

LAMINATE TOPS

The standard laminate offering includes solid and woodgrain laminates from Wilsonart. Laminate tops feature a high pressure laminate (HPL), a balanced 3-ply construction and are comprised of a 1.125" thick substrate. Tops are available with a square edge and are made with 45 lb. density particleboard. Laminate tops have a 2mm matching vinyl edgeband on all sides. Chassis and storage components feature a thermally fused laminate (TFL). For complete technical specifications, visit www.wilsonart.com.

SOLID SURFACE TOPS

Solid surface tops with plywood subtops are a total of 1 1/2" thick. Tops are constructed with 1/2" solid surface material applied to premium 1" plywood. The solid surface has a matte finish. The plywood subtop is 1" thick, faced and backed with a phenolic backer for a balanced construction. Sub top edges are beveled and painted black. Multi-piece subtops are connected with 1/8" thick plastic splines for vertical alignment and steel mechanical fasteners for horizontal alignment to firmly connect the subtops end to end.

BACK PAINTED GLASS TOPS

Back painted glass tops with plywood subtops are a total of 1 ½" thick. The back painted glass top is ½" thick low tempered iron with the top surface soft acid etched. Glass edge is square, aris polished. The plywood subtop is 1" thick, faced and backed with a phenolic backer for a balanced construction. Sub top edges are beveled and painted black. Multi-piece subtops are connected with ½" thick plastic splines for vertical alignment and steel mechanical fasteners for horizontal alignment to firmly connect the subtops end to end.

BACK PAINTED GLASS DOORS & WHITEBOARDS

Back painted glass doors and white-boards are captured by an extruded aluminum mitered frame. The frame is low profile allowing only 1/16" visible frame around the perimeter of the glass from the front view. Back painted glass is 4mm thick and whiteboard applications include a steel backer for use with magnets. Back painted glass used in vertical applications has a clear glossy finish for use as a writable surface. These units can be used with dry-erase markers. 6 magnets are included with each whiteboard. Whiteboards are mounted to the wall with a z-bracket connection.

TECHNOLOGY PORTS

Recessed in table top, unit is available as double door and single door port. Cover flips up to access power and data ports. Veneer tops are available with wood, a powder coat finish or polished aluminum doors. Laminate, back painted glass and solid surface tops are available with a powder coat finish or polished aluminum

door option. Hinged port doors are on a dampening hinge for smooth open/close. Wood port doors are a close veneer match to top, but not an exact match. The sheet metal port assembly that houses the power and Extron components is black powder coated sheet metal. Power units are powder coated sheet metal enclosure and rated for 15 amp, 125 volt with circuit breaker. Units can be specified with 10' grounded standard plug or 6' hardwire conduit option. Unit is field installed. UL Listed. Each USB simplex includes (2) 1 amp USB ports.

- Double port units include (6) simplex power/USB power outlets and
 (2) double space Extron AAP plates or
 (4) single space Extron AAP plates.
- Single port units include (3) simplex power/USB power outlets and (1) double space Extron AAP plate or (2) single space Extron AAP plates.

Extron units are ordered separately. For complete specifications on the Extron AAP plates reference the Extron website, Architectural Connectivity http://www.extron.com/product/index.aspx.

50" TECHNOLOGY TROUGH RECESSED IN TABLE TOP

Unit is 11 5/16" D x 49 3/8" W, powder coated in your choice of silver, black, pyrite, matte gold or designer white finish. Includes (2) nominal 10"sliding doors. Doors are elevated 1/2" to accommodate cords entering and exiting wire access opening. Each standard unit includes (12) AC power outlets, (20) jack openings, (2) AAP Extron blank plates. Each 50" trough includes (4) power enclosures that contain (3) simplex receptacles per enclosure. Each enclosure is rated for 15 amp, 125 volt with circuit breaker. Units can be specified with 10' grounded standard plug or 6' hardwire conduit option. Each 50" trough includes (4) power supply cords. Numerous jack options available, see ordering page for available options. Unit is field installed. UL Listed

PERIMETER POWER

Perimeter Power units are available in three sizes and are offered as surface mount, under worksurface mount, and clamp mount units. Available in black, white or silver, power units incorporate a combination of power, USB power, and data integration. Each enclosure

is rated for 15 amp, 125 volt. Units can be specified with 10' standard plug or 6' hardwire conduit option. Unit is field installed. Standard plug and hardwire units are UL listed. Daisy chain units are UL recognized. Check local codes for acceptance. USB charging ports are 2.1 amps per port. For information on each model, reference the "Power Units" page in the price book.

TRIO BEZEL MOUNT POWER

Available in black, white or silver, power units incorporate a combination of power, USB power, and data integration. Each enclosure is rated for 15 amp, 125 volt. Units can be specified with 10' standard plug or 6' hardwire conduit option. Unit is field installed. Standard plug and hardwire units are UL listed. Daisy chain units are UL recognized. Check local codes for acceptance. USB charging ports are 2.1 amps per port.

TECH MODULE POWER

Available in black or silver, power units incorporate a combination of power, USB power, data integration and QI wireless charging option. Each enclosure is rated for 15 amp, 125 volt. Units can be specified with 10' standard plug or 6' hardwire conduit option. Unit is field installed. UL Listed. USB charging ports are 2.1 amps per port.

Qi charging is available on Corded and Hardwire versions.

- Includes 3 Qi charging coils (5 watts each) for wireless charging.
- Units have LED indicator lights below the lid's surface.
- Units house power and charging USB inside. All units are Qi certified.

CABLE CUBBY

The Extron Cable Cubby® Series is the AV industry's gold standard for conference table AV connectivity, AC power, and cable management. Units include an 9.5' power cord. These sophisticated yet durable, furniture-mountable enclosures blend seamlessly with any furniture and room décor, virtually disappearing into the surface when closed. Cable Cubby Series enclosures are engineered for fast assembly and installation on the job site. A simple, elegant integrated clamp system secures Cable Cubby Series enclosures to the furniture surface without the

need for tools or additional parts. These versatile modular enclosures accommodate Extron Retractor Series or Retractor Series XL patented, variable-speed cable retraction modules, AV cables, or AAP™ AV Connectivity Modules. They can be easily customized to your exact needs using the online Extron Cable Cubby Builder. In addition, Extron has unique enclosures that best accommodate high end environments and special circumstances when cutting into the surface is not an option.

POWER CABLE KIT

Convenient way to connect all power cords to a single power source. Unit includes 10' power in feed conduit. The power cable kit is rated for 20 amps per circuit allowing the use of 2 circuits with 2 line conductors, 1 neutral and 1 ground. The line conductors, neutral and ground are all 12 AWG. The kit can be wired in both single and 3-phase configurations, 240/120V, 208/120V, respectively. UL Listed, to be installed by certified electrician.

METAL X / Y BASES

Metal X and Y bases are constructed of cast aluminum feet mounted to a 2.25" diameter steel column. The cast feet are bolted to the steel column. Top plates are welded to the steel column. Y bases include an extruded aluminum horizontal stretcher mounted at same height as feet, which is also bolted to the column. All components ship knocked down for field installation. (See base dimension and floor monument locations for additional information) Optional wire management grommets may be specified. When option is specified an oval cutout is included in the column below the top plate and above the feet connection. A plastic grommet cover is included in the cutouts. Cast aluminum feet and extruded aluminum horizontal stretchers are polished aluminum and steel columns are chrome finish. Powder coat finish options are also available. An optional extruded aluminum beam assembly may be added to Y bases for horizontal wire management beneath the top to each column. The beam assembly is required for larger bases. The beam consists of extruded aluminum 1 1/2"W x 3" H beam in a powder coat finish. All beams include standard plastic wire managers

mounted along the inside face of beams. Base ships knocked down.

METAL RIBBON BASES

Ribbon bases are constructed of 3/8" thick x 3" wide steel. All welds are buffed and polished for a seamless aesthetic. The top frame is constructed of 1.5" wide x 3" high steel tubing. The top frame assembly is powder coated and welded to the base below to provide a strong durable base assembly. (See base dimension and floor monument locations for additional information.) Ships fully assembled. Available in a powder coat or polished stainless finish.

MITER BASES

Miter bases are constructed of 3/4" thick 3-ply veneer panels or painted MDF. Outer panels are mitered in corners and securely fastened together with a clamex connector and 1.5" steel vertical tubing for added strength. Removable wire management panels are connected with spring clips. Steel beam attachment brackets and screws included to attach base to aluminum frame. Bottom is open for managing wires from floor monument to table top. (See base dimension and floor monument locations for additional information.) Each base assembly includes 2 extruded aluminum beams running along the length. The beams and bases are assembled prior to installing the table top. This allows the top to be installed last preventing damage to the table top. The beam consists of extruded aluminum 1 1/2"W x 3" H beam in a powder coat finish. All beams include standard plastic wire managers mounted along the inside face of beams. Bases are available in veneer MDF. Bases and beams ships knocked down.

MITER HEIGHT ADJUSTABLE BASES

Miter bases are constructed of ³/₄" thick 3-ply veneer panels or painted MDF. Outer panels are mitered in corners and securely fastened together with a clamex connector and 1.5" steel vertical tubing for added strength. Removable wire management panels are connected with spring clips. An integrated steel structural assembly is designed into the base to tie together the aluminum beams, height adjustable motors, and the miter base. Bottom is open for managing wires from floor monument to table top. (See base

REFERENCE Briefing

Technical specifications

dimension and floor monument locations for additional information) Each base assembly includes 2 extruded aluminum beams running along the length. The beams, height adjustable components, bases are assembled via integrated steel assembly prior to installing the table top. This allows the top to be installed last preventing damage to the table top. The beam consists of extruded aluminum 1 1/2"W x 3" H beam in a powder coat finish. All beams include standard plastic wire managers mounted along the inside face of beams. Bases are available in veneer MDF. Bases and beams ships knocked down. Height adjustable components include:

- Qty (4) height adjustable lifting columns
- Qty (1) control box
- Qty (1) memory handset with 3 pre-set buttons, up/down buttons, and digital height readout.
- Qty (4) 6' cables connect lifting columns to control box
- Qty (1) 10' standard plug power cable to connect control box to power source

Lifting columns are rated for 225 lbs dynamic load per column. Height range is 29" to 45". Each control box is powered by 120V / 60Hz. 4 lifting columns may draw approximately 3.31 amps total maximum under full load. Standby power is 0.1W.

EXPANDABLE BASES

Expandable bases are constructed of 3/4" thick 3-ply veneer, laminate, or painted MDF panels. Panels are securely fastened together using cam-lock fasteners and dowels and 1.5" steel vertical tubing for added strength. The base includes inner panels that can be repositioned using bolts into an insert to gain additional wire management and floor core capacity within the base. Removable wire management panels are connected with spring clips. Bottom is open for managing wires from floor monument to table top. (See base dimension and floor monument locations for additional information.) Each base assembly includes 2 extruded aluminum beams running along the length. Steel beam attachment brackets and screws included to attach base to aluminum beams. The beams and bases are assembled prior to installing the table top. This allows the top to be

installed last preventing damage to the table top. The beam consists of extruded aluminum 1 ½"W x 3" H beam in a powder coat finish. All beams include standard plastic wire managers mounted along the inside face of beams. Bases are available in veneer or laminate MDF. Bases and beams ships knocked down.

TAPER BASES

Taper bases are constructed of 1/8" plywood bent panels and 3/4" thick MDF. Panels are securely fastened together with steel angle brackets, wood screws, and solid wood sticks. Removable wire management panel connected with keku fasteners. Steel beam attachment brackets and screws included to attach base to aluminum frame. Bottom includes cutout for managing wires from floor monument to table top. (See base dimension and floor monument locations for additional information.) Each base assembly includes 2 extruded aluminum triangular beams running along the length. The beams and bases are assembled prior to installing the table top. This allows the top to be installed last preventing damage to the table top. The beam consists of extruded aluminum 1 ¹/₂"W x 3"H beam, silver or black. Beams are assembled at ends, with steel angle brackets and screws. All beams include standard plastic wire managers mounted along the inside face of beams. Ships knocked down.

GEO BASE

Geo base is constructed of 3/4" thick 3-ply panels. Panels are securely fastened together with mini-fix connectors, wood biscuits and steel angle brackets. Removable wire management panel connected with keku fasteners. Panel includes routed reveal along top edge for easy removal. Steel attachment bracket and screws included to attach base to aluminum frame. Bottom includes 3" x 11" cutout for managing wires from floor monument to table top. Bottom of base elevated 2 3/8" from floor to accommodate height of floor monument. (See base dimension info for additional information)

LEG BASES

Leg bases are constructed of 1 1/2"W x 3"H steel tubing. The leg is hollow for wire management with an access hole on the inside top of the leg. The bottom of

the leg has a beveled cutback and open for managing wires from floor monument to table top. (See base dimension and floor monument locations for additional information.) Each base assembly includes 2 extruded aluminum beams running along the length. The beams and bases are assembled prior to installing the table top. This allows the top to be installed last preventing damage to the table top. The beam consists of extruded aluminum 1 1/2"W x 3"H beam in a powder coat finish. All beams include standard plastic wire managers mounted along the inside face of beams. Leg Bases are available in chrome or a powder coat finish. 4 legs are included on bases up to 120"W. Larger bases include a veneer, paint, or laminate wire management center base with a removable access door. On smaller table tops (rounds, soft square tops) each individual leg screws through top plate to the bottom of the top. An optional veneer, paint, or laminate wire management center base with a removable access door may be ordered separately on larger tops to cover floor cores. Bases and beams ships knocked down.

CYLINDER AND HALF CYLINDER BASES

Inner material consists of a wood composite tube. Top and bottom panels are a 3/4" particleboard glued and pinned to the composite tube. Top and bottom panels include appropriate cutouts for routing wires from the top to the floor for wire management models. The cylinder core is faced with a 2-ply material utilizing an outer plain sliced select veneer on a 1/28" popular cross band. This 2-ply face material is attached to the cylinder care with permanent bond PVA glue. A 3/4" sub-top is attached to the base with screws and provides an attachment method to connect the base to the top. The sub-top is pre-bored for screws for easy attachment to top. Glides with 1 1/8" of adjustment are included for leveling.

TRAINING TABLES

Available in wood or laminate tops. Training Tables are available with a flip top base on casters or a fixed top base on glides. Bases are constructed of aluminum feet mounted to a 2.25" diameter steel column. The cast feet are bolted to the steel column. Top plates are welded

Technical specifications

to the steel column. Includes an extruded aluminum horizontal stretcher below the top plate for lateral support, which is also bolted to the column. All components ship knocked down for field installation. The flip mechanism is bolted to each top plate. The flip top base includes a single handle that activates a plastic coated steel cable connected to a folding mechanism that allows the top to pivot 90 degrees to facilitate nesting. The mechanism locks the top in the horizontal and vertical position and the handle must be compressed to unlock. Optional wire management grommets may be specified in the vertical columns. When option is specified an oval cutout is included in the column below the top plate and above the feet connection. A plastic grommet cover is included in the cutouts. Cast aluminum feet and extruded aluminum horizontal stretchers are polished aluminum and steel columns are chrome finish. Base ships knocked down. Modesty panels connect to bottom of the worksurface with a hinged metal steel bracket which allows the panel to pivot and remain in a vertical position when the table is flipped up for nesting. Corner Tops are designed to be used in conjunction with rectangular tops to create U-configurations. The 90 degree corners are attached in the field with metal steel brackets and threaded knobs that attach to the steel inserts on the bottom of the worksurface for easy removal without tools. Connection hardware included with corner unit. Rectangular, Hexagon, and Half Round Tops include steel threaded inserts that are located on bottom of all tops to mount removable ganging mechanism. Ganging mechanism must be ordered separately.

OCCASIONAL TABLES

Occasional table tops are available in wood or laminate and are 1/2" thick. Tops are 3-ply construction on a MDF substrate and are profiled with a knife edge. Bases are constructed of a 1 1/4" diameter solid steel column bolted to a 3/16" disc base. Bases are available in a range of powder coat finishes or polished chrome. Base ships knocked down.

CREDENZAS ON RIBBON BASE

Available in low seated, standard, and buffet heights. Credenza chassis are made with veneer end panels and fronts which are constructed with 3/4" thick bal-

anced 3-ply panels. Panels are securely fastened together with cam fasteners in conjunction with pressed hardwood biscuits are securely adhered with PVA (white polyvinyl acetate) glue. Credenza tops are ordered separately. Wood and laminate tops are 3/4" thick. Back painted glass and solid surface tops are 1/2" thick. Ribbon Base Credenzas include a 3/8" thick x 3" wide powder coat or polished stainless steel foot that runs front to back on unit. The foot raises the credenza 4 3/16" off the floor. All hinged doors include touch latches. All adjustable shelves are standard doors. Each unit is equipped with a minimum of four adjustable glides.

CREDENZAS TO FLOOR

Available in standard and buffet heights. Credenza chassis are made with veneer end panels and fronts which are constructed with ³/₄" thick balanced 3-ply panels. Panels are securely fastened together with cam fasteners in conjunction with pressed hardwood biscuits that are securely adhered with PVA (white polyvinyl acetate) glue. Credenza tops are ordered separately. Wood and laminate tops are ³/₄" thick. Back painted glass and solid surface tops are ¹/₂" thick.

- (SP1) Storage Pedestal with Shelf 1 adjustable shelf. Hinged door front can be left or right handed depending on specified location. Standard height internal dimensions 21 1/2"D x 22 1/2"W x 26 1/4"H, Buffet height internal dimensions 21 1/2"D x 22 1/2"W x 32 1/2"H.
- (SP4) Drawer Storage Pedestal –
 4 extendable drawers behind a hinged door. Hinged door front can be left or right handed depending on specified location. Box drawers are mounted on soft close suspensions. Box drawer internal dimensions are 14"D x 19 5/16"W x 3 1/4"H
- (SPU) Utility Pedestal Includes a vented back panel. May be used for AV Rack, Refrigerator or Trash/Recycle bin (ordered separately. Standard Height Internal Dimensions 21 1/2"D x 22 1/2"W x 26 1/4"H. Buffet Height Internal Dimensions 21 1/2"D x 22 1/2"W x 33 1/4"H.

MEDIA TABLES

Available in wood, laminate, back painted glass, and solid surface tops. Media wall is constructed of ³/₄" thick 3-ply veneer

panels. Outer panels are mitered in corners and securely fastened together with clamex connectors and solid wood sticks are glued in corners for added strength. Removable wire management panels are connected with keku fasteners. Steel beam attachment brackets and screws included to attach base to aluminum frame. Bottom is open for managing wires from floor monument to table top. (See base dimension and floor monument locations for additional information.) The face of the media wall includes a 10"H x 12 3/8"W cutout for managing TV cables. TV mount is NOT included. Designed for use with low-profile, fixed TV wall mount brackets - non-articulating. The TV mount is field installed to the face of the media wall. The media wall is 54"W and is for use with 50" flat screen TV's and smaller. Each base assembly includes 2 extruded aluminum triangular beams running along the length. The beams, base, and media wall are assembled prior to installing the table top. This allows the top to be installed last preventing damage to the table top. The beam consists of extruded aluminum 1 1/2"W x 3"H beam, silver or black. Beams are assembled at ends with steel angle brackets and screws. All beams include standard plastic wire managers mounted along the inside face of beams. In freestanding applications, a back painted glass whiteboard with steel backer is attached to back of media wall. See whiteboard specs for additional information. A metal Y base may be substituted in place of miter base. Ships knocked down.

BAR HEIGHT COLLABORATIVE TABLE BASES

Available in wood, laminate, back painted glass, and solid surface tops. Wood and laminate tops are 1 1/2" thick with the edge rabitted to 1/2" visible thickness over base and 1" concealed into base. Back painted glass and solid surface tops are 1/2" thick with 1" plywood subtop. Miter bases are constructed of 3/4" thick 3-ply veneer panels or painted MDF. Outer panels are mitered in corners and securely fastened together with clamex connectors and solid wood sticks are glued in corners for added strength. Removable wire management panels are connected with keku fasteners. Steel

REFERENCE

Technical specifications

beam attachment brackets and screws included to attach base to aluminum frame. Bottom is open for managing wires from floor monument to table top. (See base dimension and floor monument locations for additional information.) Each base assembly includes 2 extruded aluminum triangular beams running along the length. The beams and bases are assembled prior to installing the table top. This allows the top to be installed last preventing damage to the table top. The beam consists of extruded aluminum 1 ¹/₂"W x 3"H beam, silver or black. Beams are assembled at ends with steel angle brackets and screws. All beams include standard plastic wire managers mounted along the inside face of beams. Ships knocked down.

DRAWERS

All drawers are constructed of four sides and a bottom, which are attached to a drawer front with screws for easy removal. Drawer fronts feature matched veneer within each pedestal set. The drawer side material is 3-ply 12mm vinyl wrapped particleboard and are miterfold construction. The bottom material is a 3-ply substrate consisting of vinyl wrapped high density fiberboard core.

SUSPENSIONS

Suspensions utilize cold rolled steel, zinc plated, high-grade drawer suspensions. Box drawers are full extension, featuring precision steel ball bearings for a smoother, quieter range of motion and are load rated for 120lbs. File drawers are full extension, featuring precision steel ball bearings for increased weight capacity and are load rated for 120 lbs. Lateral file suspensions are load rated for 150lbs. and include an anti-tip mechanism that prevents both drawers from being opened at the same time. All suspensions are soft close and are warranted for the lifetime of the product.

HINGES

Doors with metal pulls include a 105° hinge with an integrated soft-close mechanism. Doors with touch latch utilize a 110° hinge. Hinges are fully adjustable.

LOCKS AND KEYING

Locks are standard on all desks, credenzas, returns, modular pedestals,

and storage units. Locks are optional on closets and overhead cabinets. Each pedestal is independently locked. Keying is available either random (factory installed), or omit (field installed). When "Random Keying" is chosen, the factory will assign key(s) arbitrarily. Factory installed lock cores will be matte silver. When "Omit Lock Core" is chosen, the factory will omit lock cores and locks will be field installed. A keying program must be chosen - Random, Specified, or Sequential – to specify keys. Field installed locks will be available in matte silver, black, pyrite, and matte gold.

FINISH

Natural veneer is subject to nature's quality control. Each species will exhibit differences in grain pattern and tone. This is to be expected and, in fact, contributes to the beauty and individuality of each product. Flat Cut veneers emphasize the variations of wood by exhibiting cathedrals in the grain pattern. Quarter Cut and Rift Cut veneers are a premium cut that maintains variations in the grain but without cathedral patterns. Stratawood is a natural, FSC®-certified reconstituted veneer that is designed to exhibit a consistent grain pattern and is available in either a straight grain or cathedral pattern.

Our proprietary wood finish system utilizes a combination of topcoats engineered for the various applications found in the furniture industry. It is exceptionally clear and durable, and allows the beauty of wood to show through. The durability, depth, clarity, and beauty of our wood finishes meet the high expectations of our customers, and meet or exceed indoor air quality (IAQ) standards. All colors and species are not available on all products. Please refer to front cover of price lists for availability of finishes.

CLEANING WOOD FINISH

Dust with damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Do not use furniture polishes containing oil, wax, or silicone, which can produce and oily film or haze.

CLEANING LAMINATE

Dust with damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Note: Do not use furniture polishes containing oil, wax or silicone, which can produce an oily film or haze.

CLEANING GLASS

Dust with damp cloth. Remove fingerprints or soiling with glass cleaner; use any common glass cleaner on the market. Spray glass cleaner onto the glass and wipe clean using a soft cloth.

CLEANING SOLID SURFACE

Solid surface tops should be cleaned with warm soapy water, or ammonia-based household cleaner. Do not use window cleaner as they can leave a waxy build-up.

TABLE TOPS



BASES



Expandable Base



Miter Base



 $^{1}/_{2}$ Taper Base



Geo Base



Metal Y Base



Leg Base



Metal Ribbon Y Base

BASES FOR SMALL TOPS



Cylinder Base



Full Taper Base



Metal X Base



Metal Post X Base



Metal Ribbon X Base



Disc Base



Metal T Base

MEDIA TABLE / MEDIA WALL



Media Table Top



Wood Miter Base Media Wall



Metal Y Base Media Wall



Height Adjustable Media Wall



Wood Miter Base No Media



Metal Y Base No Media

BAR HEIGHT COLLABORATION TABLES







TRAINING TOPS







Corner



Half Round

TRAINING BASES



Flip Base with Casters For Rectangular Tops



Fixed Base with Glides For Rectangular Tops




Flip Base with Casters For Half Round Tops




Fixed Base with Glides For Half Round Tops

CREDENZAS & ANCILLARY



Credenzas on Ribbon Base with Wood Doors



Credenzas on Ribbon Base with Glass Doors



Credenza to Floor



Credenza to Floor with Glass Doors



Buffet Credenza with Drawers



Hospitality Cart



Tech Cart



Nested Tables




End Table




Laptop Table

Whiteboards


BREADTH OF LINE



Rectangular



Arc Boat




Soft Rectangle

Primary Use:

Conference room table tops for board rooms, staff conference rooms, and meeting rooms.

Grain Direction:

All wood on Briefing tops run short grain, grain running the depth of top. All laminate tops run long grain, grain running the width of top.



Example: Grain running depth of top

Example: Grain running width of top

seating d x w	capacity	veneer grain direction	laminate grain direction
36 x 72	4 - 6	depth	width
36 x 84	4 - 6	depth	width
36 x 96	6 - 8	depth	width
42 x 72	4 - 6	depth	width
42 x 84	4 - 6	depth	width
42 x 96	6 - 8	depth	width
42 x 108	6 - 8	depth	width
42 x 120	8 - 10	depth	width
48 x 72	4 - 6	depth	width
48 x 84	4 - 6	depth	width
48 x 96	6 - 8	depth	width
48 x 108	6 - 8	depth	width
48 x 120	8 - 10	depth	width
48 x 144	10 - 12	depth	width
48 x 168	12 - 14	depth	width
48 x 192	14 - 16	depth	width
54 x 120	8 - 10	depth	width
54 x 144	10 - 12	depth	width
54 x 168	12 - 14	depth	width
54 x 192	14 - 16	depth	width
54 x 216	16 - 18	depth	width
54 x 240	18 - 20	depth	width
60 x 120	8 - 10	depth	width
60 x 144	10 - 12	depth	width
60 x 168	12 - 14	depth	width
60 x 192	14 - 16	depth	width
60 x 216	16 - 18	depth	width
60 x 240	18 - 20	depth	width

TOP SHAPES

Rectangular, soft rectangular, and arc boat tops


RECTANGULAR, SOFT RECTANGULAR, AND ARC BOAT TOPS - WOOD

	36	42	48	54	60
72					
84					
96					
108					
120		*Option for 1 or 2-piece top	*Option for 1 or 2-piece top		
144					
168					
192					
216					
240					

RECTANGULAR, SOFT RECTANGULAR, AND ARC BOAT TOPS - LAMINATE, GLASS AND SOLID SURFACE

	36	42	48	54	60
72					
84					
96					
80					
20		*Option for 1 or 2-piece top	*Option for 1 or 2-piece top		
44					
68					
92					
16					
40					

BREADTH OF LINE




Primary Use:

Conference room table tops for video conference, meeting rooms, and staff conference rooms.

Grain Direction:

All wood on Briefing tops run short grain, grain running the depth of top. All laminate tops run long grain, grain running the width of top.




	d x w	seating capacity	veneer grain direction	laminate grain direction
Ellipse				
	36 x 72	4 - 6	depth	width
	42 x 84	6 - 8	depth	width
	48 x 96	6 - 8	depth	width
	48 x 108	6 - 8	depth	width

Ellipse tops


ELLIPSE

	WOOD	LAMINATE	GLASS/SOLID SURFACE
36 X 72			
42 X 84			
48 X 96			
48 X 108			

BREADTH OF LINE



	d x w	seating capacity	veneer grain direction	laminate grain direction
	30 x 30	2 - 3	-	_
-	36 x 36	2 - 3	-	_
-	42 x 42	3 - 4	-	_
-	48 x 48	4 - 5	-	_
_	54 x 54	4 - 5	=	=
	60 x 60	5 - 6	=	=
	66 x 66	5 - 7	=	=
	72 x 72	6 - 8	=	=
_	78 x 78	7 - 9	=	=
_	84 x 84	8 - 10	-	_



Soft Square

Primary Use:

Conference room table tops for video conference, meeting rooms, and staff conference rooms,


TOP SHAPES

Round and soft square tops


ROUND AND SOFT SQUARE

	WOOD	LAMINATE	GLASS/SOLID SURFACE	
30				
36				
42				
48				
54				
60				
66				
72				
78				
84				

BREADTH OF LINE



Collaborative Bar Height



Media Table

Primary Use:

Conference room table tops for video conference, quick touchdown areas, and staff conference rooms.

Grain Direction:

All wood on Briefing tops run short grain, grain running the depth of top. All laminate tops run long grain, grain running the width of top.



Example: Grain running depth of top



Example: Grain running width of top

	d x w	seating capacity	veneer grain direction	laminate grain direction
Collaborati	ve Bar Height			
	30 x 72	4 - 6	depth	width
	30 x 96	6 - 8	depth	width
	30 x 120	8 - 10	depth	width
	30 x 144	10 - 12	depth	width
	36 x 72	4 - 6	depth	width
	36 x 96	6 - 8	depth	width
	36 x 120	8 - 10	depth	width
	36 x 144	10 - 12	depth	width
	42 x 72	4 - 6	depth	width
	42 x 96	6 - 8	depth	width
	42 x 120	8 - 10	depth	width
	42 x 144	10 - 12	depth	width
	48 x 72	4 - 6	depth	width
	48 x 96	6 - 8	depth	width
	48 x 120	8 - 10	depth	width
	48 x 144	10 - 12	depth	width


Media Tables

42/48 x 72	4 - 6	depth	width	
42/48 x 84	4 - 6	depth	width	
42/48 x 96	6 - 8	depth	width	

TOP SHAPES

Collaborative bar height and media table tops

COLLABORATIVE (BAR HEIGHT) - WOOD, LAMINATE, GLASS AND SOLID SURFACE



MEDIA TABLES - WOOD, LAMINATE, GLASS AND SOLID SURFACE




TABLE BASE MATRIX

Briefing offers numerous product options and surface material choices across a wide range of workplace applications. The result is a universal tables platform encompassing everything needed to address customer application, style, material, and budget needs.

		height
		materials
		center base
		center base style
Rectangular Tops	Arc Boat Tops	Soft Rectangular Tops
GD2TRT3672-W	GD2TAB3672-W	GD2TSRT3672-W
GD2TRT3684-W	GD2TAB3684-W	GD2TSRT3684-W
GD2TRT3696-W	GD2TAB3696-W	GD2TSRT3696-W
GD2TRT4272-W	GD2TAB4272-W	GD2TSRT4272-W
GD2TRT4284-W	GD2TAB4284-W	GD2TSRT4284-W
GD2TRT4296-W	GD2TAB4296-W	GD2TSRT4296-W
GD2TRT42108-W	GD2TAB42108-W	GD2TSRT42108-W
GD2TRT42120-W	GD2TAB42120-W	GD2TSRT42120-W
GD2TRT42120M-W	GD2TAB42120M-W	GD2TSRT42120M-W
GD2TRT4872-W	GD2TAB4872-W	GD2TSRT4872-W
GD2TRT4884-W	GD2TAB4884-W	GD2TSRT4884-W
GD2TRT4896-W	GD2TAB4896-W	GD2TSRT4896-W
GD2TRT48108-W	GD2TAB48108-W	GD2TSRT48108-W
GD2TRT48120-W	GD2TAB48120-W	GD2TSRT48120-W
GD2TRT48120M-W	GD2TAB48120M-W	GD2TSRT48120M-W
GD2TRT48144-W	GD2TAB48144-W	
GD2TRT48168-W	GD2TAB48168-W	
GD2TRT48192-W	GD2TAB48192-W	
GD2TRT54120-W	GD2TAB54120-W	
GD2TRT54144-W	GD2TAB54144-W	
GD2TRT54168-W	GD2TAB54168-W	
GD2TRT54192-W	GD2TAB54192-W	
GD2TRT54216-W	GD2TAB54216-W	
GD2TRT54240-W	GD2TAB54240-W	
GD2TRT60120-W	GD2TAB60120-W	
GD2TRT60144-W	GD2TAB60144-W	
GD2TRT60168-W	GD2TAB60168-W	
GD2TRT60192-W	GD2TAB60192-W	
GD2TRT60216-W	GD2TAB60216-W	
GD2TRT60240-W	GD2TAB60240-W	

Ellipse Tops
GD2TEL3672-W
GD2TEL4284-W
GD2TEL4896-W
GD2TEL48108-W

WOOD BASES				
standard height	standard height	BAR height	standard height	standard height
wood, lam	wood	wood	wood	wood
starting at 168				
matching	matching	n/a	matching	matching
Expandable Base	Miter Base	Miter Base	1/2 Taper Base	Geo Base
GD2EXBS72-CW	GD2MBS72-CW	GD2MBT72-CW	n/a	n/a
GD2EXBS84-CW	GD2MBS84-CW	GD2MBT84-CW	n/a	n/a
GD2EXBS96-CW	GD2MBS96-CW	GD2MBT96-CW	n/a	n/a
GD2EXBS72-AW	GD2MBS72-AW	GD2MBT72-AW	n/a	n/a
GD2EXBS84-AW	GD2MBS84-AW	GD2MBT84-AW	n/a	n/a
GD2EXBS96-AW	GD2MBS96-AW	GD2MBT96-AW	GD2TBS96-AW	GD2GBS96-AW
GD2EXBS108-AW	GD2MBS108-AW	GD2MBT108-AW	GD2TBS108-AW	GD2GBS108-AW
GD2EXBS120-AW	GD2MBS120-AW	GD2MBT120-AW	GD2TBS120-AW	GD2GBS120-AW
GD2EXBS120-AW	GD2MBS120-AW	GD2MBT120-AW	GD2TBS120-AW	GD2GBS120-AW
GD2EXBS72-AW	GD2MBS72-AW	GD2MBT72-AW	n/a	n/a
GD2EXBS84-AW	GD2MBS84-AW	GD2MBT84-AW	n/a	n/a
GD2EXBS96-AW	GD2MBS96-AW	GD2MBT96-AW	GD2TBS96-AW	GD2GBS96-AW
GD2EXBS108-AW	GD2MBS108-AW	GD2MBT108-AW	GD2TBS108-AW	GD2GBS108-AW
GD2EXBS120-AW	GD2MBS120-AW	GD2MBT120-AW	GD2TBS120-AW	GD2GBS120-AW
GD2EXBS120-AW	GD2MBS120-AW	GD2MBT120-AW	GD2TBS120-AW	GD2GBS120-AW
GD2EXBS144-AW	GD2MBS144-AW	n/a	GD2TBS144-AW	GD2GBS144-AW
GD2EXBS168-AW	GD2MBS168-AW	n/a	GD2TBS168-AW	GD2GBS168-AW
GD2EXBS192-AW	GD2MBS192-AW	n/a	GD2TBS192-AW	GD2GBS192-AW
GD2EXBS120-BW	GD2MBS120-BW	n/a	n/a	GD2GBS120-BW
GD2EXBS144-BW	GD2MBS144-BW	n/a	n/a	GD2GBS144-BW
GD2EXBS168-BW	GD2MBS168-BW	n/a	n/a	GD2GBS168-BW
GD2EXBS192-BW	GD2MBS192-BW	n/a	n/a	GD2GBS192-BW
GD2EXBS216-BW	GD2MBS216-BW	n/a	n/a	GD2GBS216-BW
GD2EXBS240-BW	GD2MBS240-BW	n/a	n/a	GD2GBS240-BW
GD2EXBS120-BW	GD2MBS120-BW	n/a	GD2TBS120-BW	GD2GBS120-BW
GD2EXBS144-BW	GD2MBS144-BW	n/a	GD2TBS144-BW	GD2GBS144-BW
GD2EXBS168-BW	GD2MBS168-BW	n/a	GD2TBS168-BW	GD2GBS168-BW
GD2EXBS192-BW	GD2MBS192-BW	n/a	GD2TBS192-BW	GD2GBS192-BW
GD2EXBS216-BW	GD2MBS216-BW	n/a	GD2TBS216-BW	GD2GBS216-BW
GD2EXBS240-BW	GD2MBS240-BW	n/a	GD2TBS240-BW	GD2GBS240-BW

Expandable Base	Miter Base	Miter Base	1/2 Taper Base	Geo Base
GD2EXBS72-CW	GD2MBS72-CW	GD2MBT72-CW	n/a	n/a
GD2EXBS84-AW	GD2MBS84-AW	GD2MBT84-AW	n/a	n/a
GD2EXBS96-AW	GD2MBS96-AW	GD2MBT96-AW	n/a	GD2GBS96-AW
GD2EXBS108-AW	GD2MBS108-AW	GD2MBT108-AW	n/a	GD2GBS108-AW

TABLE BASE MATRIX

Briefing offers numerous product options and surface material choices across a wide range of workplace applications. The result is a universal tables platform encompassing everything needed to address customer application, style, material, and budget needs.

			height
			materials
			center base
			center base style
	Rectangular Tops	Arc Boat Tops	Soft Rectangular Tops
	GD2TRT3672-W	GD2TAB3672-W	GD2TSRT3672-W
	GD2TRT3684-W	GD2TAB3684-W	GD2TSRT3684-W
	GD2TRT3696-W	GD2TAB3696-W	GD2TSRT3696-W
	GD2TRT4272-W	GD2TAB4272-W	GD2TSRT4272-W
	GD2TRT4284-W	GD2TAB4284-W	GD2TSRT4284-W
	GD2TRT4296-W	GD2TAB4296-W	GD2TSRT4296-W
	GD2TRT42108-W	GD2TAB42108-W	GD2TSRT42108-W
	GD2TRT42120-W	GD2TAB42120-W	GD2TSRT42120-W
/	GD2TRT42120M-W	GD2TAB42120M-W	GD2TSRT42120M-W
	GD2TRT4872-W	GD2TAB4872-W	GD2TSRT4872-W
	GD2TRT4884-W	GD2TAB4884-W	GD2TSRT4884-W
	GD2TRT4896-W	GD2TAB4896-W	GD2TSRT4896-W
	GD2TRT48108-W	GD2TAB48108-W	GD2TSRT48108-W
	GD2TRT48120-W	GD2TAB48120-W	GD2TSRT48120-W
	GD2TRT48120M-W	GD2TAB48120M-W	GD2TSRT48120M-W
	GD2TRT48144-W	GD2TAB48144-W	
	GD2TRT48168-W	GD2TAB48168-W	
	GD2TRT48192-W	GD2TAB48192-W	
	GD2TRT54120-W	GD2TAB54120-W	
	GD2TRT54144-W	GD2TAB54144-W	
	GD2TRT54168-W	GD2TAB54168-W	
	GD2TRT54192-W	GD2TAB54192-W	
	GD2TRT54216-W	GD2TAB54216-W	
	GD2TRT54240-W	GD2TAB54240-W	
	GD2TRT60120-W	GD2TAB60120-W	
	GD2TRT60144-W	GD2TAB60144-W	
	GD2TRT60168-W	GD2TAB60168-W	
	GD2TRT60192-W	GD2TAB60192-W	
	GD2TRT60216-W	GD2TAB60216-W	
	GD2TRT60240-W	GD2TAB60240-W	

Ellipse Tops
GD2TEL3672-W
GD2TEL4284-W
GD2TEL4896-W
GD2TEL48108-W

METAL BASES			
standard height	BAR height	standard height	standard height
Metal	Metal	Metal	Metal
starting at 144	n/a	starting at 144	n/a
matching	n/a	panel	n/a
Metal Y Base	Metal Y Base	Leg Base	Ribbon Base
GG2YBS72-A + optional beam	GG2YBT72-A + optional beam	GD2LBS72-A	GD2HBS72-C
GG2YBS84-A + optional beam	GG2YBT84-A + optional beam	GD2LBS84-A	GD2HBS84-C
GG2YBS96-A + optional beam	GG2YBT96-A + optional beam	GD2LBS96-A	GD2HBS96-C
GG2YBS72-A + optional beam	GG2YBT72-A + optional beam	GD2LBS72-A	GD2HBS72-A
GG2YBS84-A + optional beam	GG2YBT84-A + optional beam	GD2LBS84-A	GD2HBS84-A
GG2YBS96-A + optional beam	GG2YBT96-A + optional beam	GD2LBS96-A	GD2HBS96-A
GG2YBS108-A + beam required	n/a	GD2LBS108-A	GD2HBS108-A
GG2YBS120-A + beam required	n/a	GD2LBS120-A	GD2HBS120-A
GG2YBS120-A + beam required	n/a	GD2LBS120-A	GD2HBS120-A
GG2YBS72-A + optional beam	GG2YBT72-A + optional beam	GD2LBS72-A	GD2HBS72-A
GG2YBS84-A + optional beam	GG2YBT84-A + optional beam	GD2LBS84-A	GD2HBS84-A
GG2YBS96-A + optional beam	GG2YBT96-A + optional beam	GD2LBS96-A	GD2HBS96-A
GG2YBS108-A + beam required	n/a	GD2LBS108-A	GD2HBS108-A
GG2YBS120-A + beam required	n/a	GD2LBS120-A	GD2HBS120-A
GG2YBS120-A + beam required	n/a	GD2LBS120-A	GD2HBS120-A
GG2YBS144-A + beam required	n/a	GD2LBS144-AW	n/a
GG2YBS168-A + beam required	n/a	GD2LBS168-AW	n/a
GG2YBS192-A + beam required	n/a	GD2LBS192-AW	n/a
n/a	n/a	GD2LBS120-B	n/a
n/a	n/a	GD2LBS144-BW	n/a
n/a	n/a	GD2LBS168-BW	n/a
n/a	n/a	GD2LBS192-BW	n/a
n/a	n/a	GD2LBS216-BW	n/a
n/a	n/a	GD2LBS240-BW	n/a
n/a	n/a	GD2LBS120-B	n/a
n/a	n/a	GD2LBS144-BW	n/a
n/a	n/a	GD2LBS168-BW	n/a
n/a	n/a	GD2LBS192-BW	n/a
n/a	n/a	GD2LBS216-BW	n/a
n/a	n/a	GD2LBS240-BW	n/a

Expandable Base	Miter Base	Miter Base	1/2 Taper Base
n/a	n/a	GD2LBS72-A	GD2HBS72-C
GG2YBS72-A** + optional beam	GG2YBT72-A** + optional beam	GD2LBS84-A	GD2HBS84-A
GG2YBS84-A** + optional beam	GG2YBT84-A** + optional beam	GD2LBS96-A	GD2HBS96-A
GG2YBS96-A** + beam req'd	GG2YBT96-A** + beam req'd	GD2LBS108-A	GD2HBS108-A

^{**}down one size vs rectangular

Briefing 02/24

TABLE BASE MATRIX

Briefing offers numerous product options and surface material choices across a wide range of workplace applications. The result is a universal tables platform encompassing everything needed to address customer application, style, material, and budget needs.

	height
	materials
	Round Tops
	GD2TRD30-W
	GD2TRD36-W
	GD2TRD42-W
	GD2TRD48-W
	GD2TRD54-W
	GD2TRD60-W
	GD2TRD66-W
	GD2TRD72-W
	GD2TRD78-W
	GD2TRD84-W

	Soft Square Tops
	GD2TSSQ30-W
	GD2TSSQ36-W
	GD2TSSQ42-W
	GD2TSSQ48-W
	GD2TSSQ54-W
	GD2TSSQ60-W
	GD2TSSQ66-W
	GD2TSSQ72-W
	GD2TSSQ78-W
	GD2TSSQ84-W

	WOOD BASES				
standard height	lounge height	standard height			
wood, lam	wood	wood			
Cylinder Base	Full Taper Base	Full Taper Base			
n/a	n/a	n/a			
GG2BSWCYL18-W	n/a	n/a			
GG2BSWCYL18-W	GD2TBL-AW	GD2TBS-AW			
GG2BSWCYL18-W	GD2TBL-AW	GD2TBS-AW			
GG2BSWCYL24-W	GD2TBL-BW	GD2TBS-BW			
GG2BSWCYL24-W	GD2TBL-BW	GD2TBS-BW			
GG2BSWCYL36-W	n/a	GD2TBS-DW			
GG2BSWCYL36-W	n/a	GD2TBS-DW			
GG2BSWCYL48-W	n/a	GD2TBS-EW			
GG2BSWCYL48-W	n/a	GD2TBS-EW			

Cylinder Base	Full Taper Base	Full Taper Base
n/a	n/a	n/a
GG2BSWCYL18-W	n/a	n/a
GG2BSWCYL24-W	GD2TBL-BW	GD2TBS-BW
GG2BSWCYL24-W	GD2TBL-BW	GD2TBS-BW
GG2BSWCYL36-W	n/a	GD2TBS-DW
GG2BSWCYL36-W	n/a	GD2TBS-DW
GG2BSWCYL48-W	n/a	GD2TBS-EW
GG2BSWCYL48-W	n/a	GD2TBS-EW
n/a	n/a	n/a
n/a	n/a	n/a

TABLE BASE MATRIX

Briefing offers numerous product options and surface material choices across a wide range of workplace applications. The result is a universal tables platform encompassing everything needed to address customer application, style, material, and budget needs.

	height
	materials
	Round Tops
	GD2TRD30-W
	GD2TRD36-W
	GD2TRD42-W
	GD2TRD48-W
	GD2TRD54-W
	GD2TRD60-W
	GD2TRD66-W
	GD2TRD72-W
	GD2TRD78-W
	GD2TRD84-W

Soft Square Tops
GD2TSSQ30-W
GD2TSSQ36-W
GD2TSSQ42-W
GD2TSSQ48-W
GD2TSSQ54-W
GD2TSSQ60-W
GD2TSSQ66-W
GD2TSSQ72-W
GD2TSSQ78-W
GD2TSSQ84-W

	METAL BASES							
lounge height	standard height	BAR height	lounge height	standard height	standard height	BAR height	standard height	
metal	metal	metal	metal	metal	metal	metal	metal	
Metal X Base	Metal X Base	Metal X Base	Ribbon X Base	Ribbon X Base	Disc Base	Disc Base	Leg Base	
GG2XBL26-LD	GG2XBS26-LD	GG2XBT26-LD	n/a	n/a	GG2MDISC18-LD	n/a	GD2LBS-LEG qty 4	
GG2XBL26-LD	GG2XBS26-LD	GG2XBT26-LD	GD2HBL-C	GD2HBS-C	GG2MDISC18-LD	GG2MDISC24B-LD	GD2LBS-LEG qty 4	
GG2XBL33-LD	GG2XBS33-LD	GG2XBT33-LD	GD2HBL-A	GD2HBS-A	GG2MDISC24-LD	GG2MDISC24B-LD	GD2LBS-LEG qty 4	
GG2XBL38-LD	GG2XBS38-LD	GG2XBT38-LD	GD2HBL-A	GD2HBS-A	GG2MDISC24-LD	n/a	GD2LBS-LEG qty 4	
GG2XBL38-LD	GG2XBS38-LD	GG2XBT38-LD	GD2HBL-B	GD2HBS-B	n/a	n/a	GD2LBS-LEG qty 4	
n/a	GG2XBS38-4LD	n/a	GD2HBL-B	GD2HBS-B	n/a	n/a	GD2LBS-LEG qty 4 + stiffener	
n/a	GG2XBS46-4LD	n/a	n/a	GD2HBS-D	n/a	n/a	GD2LBS-LEG qty 4 + stiffener	
n/a	GG2XBS46-4LD	n/a	n/a	GD2HBS-D	n/a	n/a	GD2LBS-LEG qty 4 + stiffener	
n/a	GG2XBS58-4LD	n/a	n/a	GD2HBS-E	n/a	n/a	GD2LBS-LEG qty 4 + stiffener	
n/a	GG2XBS58-4LD	n/a	n/a	GD2HBS-E	n/a	n/a	GD2LBS-LEG qty 4 + stiffener	

Metal X Base	Metal X Base	Metal X Base	Ribbon X Base	Ribbon X Base	Disc Base	Disc Base	Leg Base
GG2XBL33-LD	GG2XBS33-LD	GG2XBT33-LD	n/a	n/a	GG2MDISC24-LD	GG2MDISC24B-LD	GD2LBS-LEG qty 4
GG2XBL38-LD	GG2XBS38-LD	GG2XBT38-LD	GD2HBL-A	GD2HBS-A	GG2MDISC24-LD	n/a	GD2LBS-LEG qty 4
GG2XBL38-LD	GG2XBS38-LD	GG2XBT38-LD	GD2HBL-B	GD2HBS-B	n/a	n/a	GD2LBS-LEG qty 4
n/a	GG2XBS38-4LD	n/a	GD2HBL-B	GD2HBS-B	n/a	n/a	GD2LBS-LEG qty 4
n/a	GG2XBS46-4LD	n/a	n/a	GD2HBS-D	n/a	n/a	GD2LBS-LEG qty 4 + stiffener
n/a	GG2XBS46-4LD	n/a	n/a	GD2HBS-D	n/a	n/a	GD2LBS-LEG qty 4 + stiffener
n/a	GG2XBS58-4LD	n/a	n/a	GD2HBS-E	n/a	n/a	GD2LBS-LEG qty 4 + stiffener
n/a	GG2XBS58-4LD	n/a	n/a	GD2HBS-E	n/a	n/a	GD2LBS-LEG qty 4 + stiffener
n/a	n/a	n/a	n/a	n/a	n/a	n/a	GD2LBS-LEG qty 4 + stiffener
n/a	n/a	n/a	n/a	n/a	n/a	n/a	GD2LBS-LEG qty 4 + stiffener


REFERENCE

Floor monument and technology locations on base

FLOOR MONUMENT LOCATION

d x w

Metal Y Base



center of

base B

center of

base C

102 ¹/₈

124 ¹/₄

150 ¹/₄

174 ¹/₄

Rectangular, Arc Boat, and Soft Rectangular Tops					
	36 x 72	14 ⁷ /8	-	57 ¹ /8	
	36 x 84	15 ⁷ /8	-	68 ¹ / ₈	
	36 x 96	17 ⁷ /8	-	78 ¹ / ₈	
	42 x 72	14 ⁷ /8	=	57 ¹ /8	
	42 x 84	15 ⁷ /8	=	68 ¹ / ₈	
	42 x 96	17 ⁷ /8	=	78 ¹ / ₈	
	42 x 108	17 ⁷ /8	=	90 1/8	
	42 x 120	17 ⁷ /8	=	102 ¹ /8	
	42 x 144	19 ³ / ₄	72	124 ¹ / ₄	
	42 x 168	17 ³ / ₄	84	150 ¹ / ₄	
	42 x 192	17 ³ / ₄	96	174 ¹ / ₄	
	48 x 72	14 ⁷ /8	_	57 ¹ / ₈	
	48 x 84	15 ⁷ /8	-	68 ¹ / ₈	
	48 x 96	17 ⁷ /8	-	78 ¹ / ₈	
	48 x 108	17 ⁷ /8	-	90 1/8	

17 ⁷/8

 $19^{3}/_{4}$

 $17^{3}/_{4}$

17 3/4


72

84

96

center of

base A



Ellipse Tops - No miter beam assembly

36 x 72	14 ⁷ /8	57 ¹ / ₈
42 x 84	15 ⁷ /8	60 ¹ / ₈
48 x 96	17 ⁷ /8	78 ¹ / ₈
48 x 108	23 ⁷ /8	84 1/8

Ellipse Tops - With miter beam assembly

42 x 84	20 ⁷ / ₈	63 ¹ / ₈	
48 x 96	21 ⁷ /8	74 1/8	
48 x 108	23 7/8	84 1/8	

TECHNOLOGY LOCATIONS ON BASE

48 x 120

48 x 144


48 x 168

48 x 192

Metal Y Base Wire Management


Wire Management (WY) option available in vertical columns. When specified, a grommet access hole will be included below top plate and above horizontal stretcher.

- Grommet hole diameter is 1 ½ in.
- Tube inner diameter is ~2 in.




FLOOR MONUMENT LOCATION

Ribbon Y Base



		center of	center of
	d x w	base A	base B
Rectangular, Arc I	Boat, and Soft Rect	angular Tops	
	36 x 72	26 1/2	45 ¹ / ₂
	36 x 84	26 ¹ / ₂	57 ¹ / ₂
	36 x 96	26 1/2	69 1/2
	42 x 72	28 ³ / ₈	46 ⁵ /8
	42 x 84	28 ³ / ₈	55 ⁵ /8
	42 x 96	28 ³ / ₈	67 ⁵ /8
	42 x 108	28 ³ / ₈	79 ⁵ /8
	42 x 120	28 ³ / ₈	91 ⁵ /8
	48 x 72	28 ³ / ₈	46 ⁵ / ₈
	48 x 84	28 ³ / ₈	55 ⁵ /8
	48 x 96	28 3/8	67 ⁵ /8
	48 x 108	28 ³ / ₈	79 ⁵ /8
	48 x 120	28 ³ / ₈	91 ⁵ /8




	d x w	center of base A	center of base B
Ellipse Tops			
	36 x 72	26 1/2	45 ¹ / ₂
	42 x 84	26 1/2	57 ¹ / ₂
	48 x 96	28 ³ / ₈	67 ⁵ /8
	48 x 108	28 ³ / ₈	79 ⁵ / ₈

TECHNOLOGY LOCATIONS ON BASE

Ribbon Y Base Wire Management

An add-on Wire Management Accessory is available. Accessory is self-adhesive and can be mounted on any of the vertical members.




REFERENCE

Floor monument and technology locations on base

FLOOR MONUMENT LOCATION

1/2 Taper Base



	d x w	base A	base B	base C
Rectangular,	Arc Boat, and	d Soft Rectan	gular Tops	
	42 x 96	22 1/2	_	73 1/2
	42 x 108	22 ¹ / ₂	=	85 ¹ / ₂
	42 x 120	22 ¹ / ₂	_	97 1/2

42 x 120	22 1/2	-	97 1/2
48 x 96	22 1/2	-	73 1/2
48 x 108	22 1/2	-	85 ¹ / ₂
48 x 120	22 1/2	-	97 ¹ / ₂
48 x 144	22 1/2	72	121 ¹ / ₂
48 x 168	21 ⁷ /8	84	146 ¹ /8
48 x 192	21 ⁷ /8	96	170 ¹ /8
54 x 120	21 ¹ / ₂	-	98 ¹ / ₂
54 x 144	21 ¹ / ₂	-	122 ¹ / ₂

54 x 144	21 ¹ / ₂	-	122 1/2
54 x 168	21 ¹ / ₂	84	146 ¹ / ₂
54 x 192	21 ¹ / ₂	96	170 ¹ / ₂
54 x 216	24 ¹ / ₄	108	191 ¹ / ₂
54 x 240	24 ¹ / ₄	120	216
60 x 120	21 1/2	_	98 1/2
60 x 144	21 ¹ / ₂	-	122 1/2
60 x 168	21 ¹ / ₂	84	146 ¹ / ₂
60 x 192	21 ¹ / ₂	96	170 ¹ / ₂

60 x 216	24 ¹ / ₄	108	191 ¹ / ₂
60 x 240	24 1/4	120	216


B B

	d x w	center of base A	center of base B
Ellipse Tops			
	48 x 96	22 1/2	73 1/2
	48 x 108	22 1/2	85 1/2

TECHNOLOGY LOCATIONS ON BASE


Center Base Wire Management

• Door can be removed to access wire management.




End Base Wire Management

• Door can be removed to access wire management.



FLOOR MONUMENT LOCATION


Miter Base



	center of	center of	center of
d x w	base A	base B	base C

Rectangular, Arc Boat, and	Soft Rectangular	Tops
----------------------------	------------------	------

Arc Boat, and Soft Rectangular Tops				
36 x 72	21 ¹ /8	-	50 ⁷ /8	
36 x 84	21 ¹ /8	-	62 ⁷ /8	
36 x 96	21 ¹ / ₈	-	74 ⁷ /8	
42 x 72	21 1/8	=	50 ⁷ /8	
42 x 84	21 ¹ / ₈	-	62 ⁷ / ₈	
42 x 96	21 ¹ / ₈	-	74 ⁷ / ₈	
42 x 108	21 ¹ / ₈	-	86 ⁷ / ₈	
42 x 120	21 1/8	-	98 ⁷ /8	
48 x 72	21 ¹ /8	-	50 ⁷ /8	
48 x 84	21 1/8	-	62 ⁷ /8	
48 x 96	21 1/8	=	74 ⁷ /8	
48 x 108	21 1/8	-	86 ⁷ /8	
48 x 120	21 1/8	-	98 ⁷ /8	
48 x 144	21 ¹ / ₈	-	122 ⁷ /8	
48 x 168	19 ⁵ /8	84	149 ³ / ₈	
48 x 192	21 ¹ / ₈	96	170 ⁷ /8	
54 x 120	21 ¹ /8	_	98 ⁷ / ₈	
54 x 144	21 ¹ / ₈	-	122 ⁷ /8	
54 x 168	19 ⁵ /8	84	149 ³ / ₈	
54 x 192	21 ¹ / ₈	96	170 ⁷ /8	
54 x 216	21 1/4	108	194 ³ / ₄	
54 x 240	21 1/4	120	220	
60 x 120	21 1/8	_	98 ⁷ / ₈	
60 x 144	21 1/8	=	122 ⁷ /8	
60 x 168	19 ⁵ /8	84	149 ³ / ₈	
60 x 192	21 1/8	96	171 ³ /8	
60 x 216	21 1/4	108	194 ³ / ₄	
60 x 240	21 ¹ / ₄	120	220	



		-
- ⊢IIi	ipse ⁻	lons
	POO	OPO

36 x 72	21 1/8	50 ⁷ /8
42 x 84	21 ¹ / ₈	62 ⁷ /8
48 x 96	21 ¹ / ₈	74 ⁷ /8
48 x 108	21 1/8	98 ⁷ /8


TECHNOLOGY LOCATIONS ON BASE

Center Base Wire Management

• Door can be removed to access wire management.









End Base Wire Management

• Door can be removed to access wire management.








REFERENCE


Floor monument and technology locations on base

FLOOR MONUMENT LOCATION

Expandable Base



	d x w	center of base A	center of base B	center of base C
Rectangular	Arc Boat, and	Soft Rectan	gular Tops	
	36 x 72	22 ¹ / ₄	_	49 ³ / ₄
	36 x 84	22 ¹ / ₄	_	61 ³ / ₄
	36 x 96	22 1/4	-	73 ³ / ₄
	42 x 72	22 1/4	_	49 ³ / ₄
	42 x 84	22 1/4	_	61 ³ / ₄
	42 x 96	22 1/4	_	73 3/4
	42 x 108	22 1/4	_	85 ³ / ₄
	42 x 120	22 1/4	-	97 ³ / ₄
	48 x 72	22 1/4	_	49 ³ / ₄
	48 x 84	22 1/4	_	61 ³ / ₄
	48 x 96	22 1/4	_	73 3/4
	48 x 108	22 1/4	_	85 ³ / ₄
	48 x 120	22 1/4	_	97 3/4
	48 x 144	22 1/4	_	121 ³ / ₄
	48 x 168	22 ¹ / ₄	84	145 ³ / ₄
	48 x 192	22 1/4	96	169 ³ / ₄
	54 x 120	22 1/4	_	97 ³ / ₄
	54 x 144	22 1/4	-	121 ³ / ₄
	54 x 168	22 1/4	84	145 ³ / ₄
	54 x 192	22 1/4	96	169 ³ / ₄
	54 x 216	22 1/4	108	193 ³ / ₄
	54 x 240	22 1/4	120	217 3/4
	60 x 120	22 1/4	_	97 ³ / ₄
	60 x 144	22 1/4	_	121 3/4
	60 x 168	22 1/4	84	145 ³ / ₄
	60 x 192	22 1/4	96	169 ³ / ₄
	60 x 216	22 1/4	108	193 ³ / ₄
	60 x 240	22 1/4	120	217 3/4



	d x w	center of base A	center of base B
Ellipse Tops			
	36 x 72	22 1/4	49 3/4
	42 x 84	22 ¹ / ₄	61 ³ / ₄
	48 x 96	22 ¹ / ₄	73 ³ / ₄
	48 x 108	22 1/4	85 ³ / ₄

TECHNOLOGY LOCATIONS ON BASE


Center Base Wire Management

• Door can be removed to access wire management.













• Door can be removed to access wire management.

End Base Wire Management





One Side Expanded

Both Sides Expanded


C

Expanded




FLOOR MONUMENT LOCATION

Geo Base



	d x w	center of base A	center of base B	center of base C
Rectangular, Arc Boat, and Soft Rectangular Tops				
	36 x 96	18 3/4	_	78
	42 x 96	18 ³ / ₄	_	78
	42 x 108	19	-	89 1/4
	42 x 120	19	_	101 ¹ / ₄
	48 x 96	18 ³ / ₄	-	78
	48 x 108	19	_	89 ¹ / ₄
	48 x 120	19	=	101 ¹ / ₄
	48 x 144	19	_	124 ¹ / ₂
	48 x 168	20 1/4	84	148 1/4
	48 x 192	20 1/4	96	171 ³ / ₄
	54 x 120	20 1/4	-	99 3/4
	54 x 144	20 1/4	-	124 1/4
	54 x 168	20 1/4	84	148 1/4
	54 x 192	20 1/4	96	171 ³ / ₄
	54 x 240	21 1/4	120	219 ¹ / ₄
	60 x 120	20 1/4	-	99 ³ / ₄
	60 x 144	20 1/4	-	124 ¹ / ₄
	60 x 168	20 1/4	84	148 ¹ / ₄
	60 x 192	20 1/4	96	171 ³ / ₄
	60 x 240	20 1/4	120	219 ¹ / ₄




	d x w	center of base A	center of base B
Ellipse Tops			
	48 x 96	18 ³ / ₄	78
	48 x 108	19	89 1/4


TECHNOLOGY LOCATIONS ON BASE

Center Base Wire Management

• Door can be removed to access wire management.



End Base Wire Management




Gunlocke

= Shaded area represents wire management location in base.

FLOOR MONUMENT LOCATION


Leg Base



d x w	base A	base B	base C
	center of	center of	center of

Rectangular,

36 x 72 19 1/2 - 52 1/2 36 x 84 19 1/2 - 64 1/2 36 x 96 19 1/2 - 76 1/2 42 x 72 19 1/2 - 64 1/2 42 x 84 19 1/2 - 64 1/2 42 x 96 19 1/2 - 76 1/2 42 x 108 19 1/2 - 88 1/2 42 x 120 19 1/2 - 52 1/2 48 x 72 19 1/2 - 52 1/2 48 x 84 19 1/2 - 52 1/2 48 x 96 19 1/2 - 64 1/2 48 x 108 19 1/2 - 76 1/2 48 x 120 19 1/2 - 100 1/2 48 x 144 19 1/2 72 125 3/4 48 x 168 19 1/2 84 148 1/2 48 x 192 19 1/2 96 172 1/2 54 x 120 19 1/2 72 125 3/4 54 x 168 19 1/2 84 148 1/2 54 x 216 19 1/2 96 172 1/2 54 x 240 19 1/2	Arc Boat, and	d Soft Recta	ngular Tops	3
36 x 96 19 1/2 - 76 1/2 42 x 72 19 1/2 - 52 1/2 42 x 84 19 1/2 - 64 1/2 42 x 96 19 1/2 - 76 1/2 42 x 108 19 1/2 - 88 1/2 42 x 120 19 1/2 - 88 1/2 48 x 72 19 1/2 - 52 1/2 48 x 84 19 1/2 - 64 1/2 48 x 96 19 1/2 - 64 1/2 48 x 108 19 1/2 - 88 1/2 48 x 120 19 1/2 - 100 1/2 48 x 144 19 1/2 72 125 3/4 48 x 192 19 1/2 96 172 1/2 54 x 120 19 1/2 96 172 1/2 54 x 120 19 1/2 72 125 3/4 54 x 168 19 1/2 84 148 1/2 54 x 168 19 1/2 96 172 1/2 54 x 216 19 1/2 108 196 1/2 54 x 240 19 1/2 108 196 1/2 60 x 120 19	36 x 72	19 ¹ / ₂	=	52 ¹ / ₂
42 x 72 19 1/2 - 52 1/2 42 x 84 19 1/2 - 64 1/2 42 x 96 19 1/2 - 76 1/2 42 x 108 19 1/2 - 88 1/2 42 x 120 19 1/2 - 172 1/2 48 x 72 19 1/2 - 52 1/2 48 x 84 19 1/2 - 64 1/2 48 x 96 19 1/2 - 64 1/2 48 x 108 19 1/2 - 88 1/2 48 x 120 19 1/2 - 100 1/2 48 x 144 19 1/2 72 125 3/4 48 x 168 19 1/2 84 148 1/2 48 x 120 19 1/2 96 172 1/2 54 x 120 19 1/2 72 125 3/4 54 x 120 19 1/2 72 125 3/4 54 x 168 19 1/2 84 148 1/2 54 x 216 19 1/2 108 196 1/2 54 x 240 19 1/2 108 196 1/2 60 x 120 19 1/2 72 125 3/4 60 x 168 <td< td=""><td>36 x 84</td><td>19 ¹/₂</td><td>=</td><td>64 ¹/₂</td></td<>	36 x 84	19 ¹ / ₂	=	64 ¹ / ₂
42 x 84 19 1/2 - 64 1/2 42 x 96 19 1/2 - 76 1/2 42 x 108 19 1/2 - 88 1/2 42 x 120 19 1/2 - 172 1/2 48 x 72 19 1/2 - 52 1/2 48 x 84 19 1/2 - 64 1/2 48 x 96 19 1/2 - 64 1/2 48 x 108 19 1/2 - 88 1/2 48 x 120 19 1/2 - 100 1/2 48 x 144 19 1/2 72 125 3/4 48 x 168 19 1/2 84 148 1/2 48 x 192 19 1/2 96 172 1/2 54 x 120 19 1/2 72 125 3/4 54 x 168 19 1/2 72 125 3/4 54 x 168 19 1/2 84 148 1/2 54 x 216 19 1/2 108 196 1/2 54 x 240 19 1/2 108 196 1/2 60 x 120 19 1/2 72 125 3/4 60 x 168 19 1/2 72 125 3/4 60 x 168	36 x 96	19 ¹ / ₂	-	76 ¹ / ₂
42 x 96 19 1/2 - 76 1/2 42 x 108 19 1/2 - 88 1/2 42 x 120 19 1/2 - 172 1/2 48 x 72 19 1/2 - 52 1/2 48 x 84 19 1/2 - 64 1/2 48 x 96 19 1/2 - 64 1/2 48 x 108 19 1/2 - 88 1/2 48 x 120 19 1/2 - 100 1/2 48 x 144 19 1/2 72 125 3/4 48 x 168 19 1/2 84 148 1/2 48 x 192 19 1/2 96 172 1/2 54 x 120 19 1/2 - 100 1/2 54 x 144 19 1/2 72 125 3/4 54 x 168 19 1/2 84 148 1/2 54 x 192 19 1/2 96 172 1/2 54 x 216 19 1/2 108 196 1/2 54 x 240 19 1/2 120 220 1/2 60 x 120 19 1/2 72 125 3/4 60 x 168 19 1/2 72 125 3/4 60 x 168	42 x 72	19 ¹ / ₂	_	52 ¹ / ₂
42 x 108 19 1/2 - 88 1/2 42 x 120 19 1/2 - 172 1/2 48 x 72 19 1/2 - 52 1/2 48 x 84 19 1/2 - 64 1/2 48 x 96 19 1/2 - 76 1/2 48 x 108 19 1/2 - 88 1/2 48 x 120 19 1/2 - 100 1/2 48 x 144 19 1/2 72 125 3/4 48 x 168 19 1/2 84 148 1/2 48 x 192 19 1/2 96 172 1/2 54 x 120 19 1/2 - 100 1/2 54 x 144 19 1/2 72 125 3/4 54 x 168 19 1/2 84 148 1/2 54 x 192 19 1/2 96 172 1/2 54 x 216 19 1/2 108 196 1/2 54 x 240 19 1/2 120 220 1/2 60 x 120 19 1/2 72 125 3/4 60 x 168 19 1/2 72 125 3/4 60 x 192 19 1/2 96 172 1/2 60 x 216	42 x 84	19 ¹ / ₂	-	64 ¹ / ₂
42 x 120 19 1/2 - 172 1/2 48 x 72 19 1/2 - 52 1/2 48 x 84 19 1/2 - 64 1/2 48 x 96 19 1/2 - 76 1/2 48 x 108 19 1/2 - 88 1/2 48 x 120 19 1/2 - 100 1/2 48 x 144 19 1/2 72 125 3/4 48 x 168 19 1/2 84 148 1/2 48 x 192 19 1/2 96 172 1/2 54 x 120 19 1/2 - 100 1/2 54 x 144 19 1/2 72 125 3/4 54 x 168 19 1/2 84 148 1/2 54 x 192 19 1/2 96 172 1/2 54 x 216 19 1/2 108 196 1/2 54 x 240 19 1/2 120 220 1/2 60 x 120 19 1/2 - 100 1/2 60 x 144 19 1/2 72 125 3/4 60 x 168 19 1/2 84 148 1/2 60 x 192 19 1/2 96 172 1/2 60 x 216	42 x 96	19 ¹ / ₂	-	76 ¹ / ₂
48 x 72 19 1/2 - 52 1/2 48 x 84 19 1/2 - 64 1/2 48 x 96 19 1/2 - 76 1/2 48 x 108 19 1/2 - 88 1/2 48 x 120 19 1/2 - 100 1/2 48 x 144 19 1/2 72 125 3/4 48 x 168 19 1/2 84 148 1/2 48 x 192 19 1/2 96 172 1/2 54 x 120 19 1/2 - 100 1/2 54 x 144 19 1/2 72 125 3/4 54 x 168 19 1/2 84 148 1/2 54 x 192 19 1/2 96 172 1/2 54 x 216 19 1/2 108 196 1/2 54 x 240 19 1/2 120 220 1/2 60 x 120 19 1/2 72 125 3/4 60 x 144 19 1/2 72 125 3/4 60 x 168 19 1/2 84 148 1/2 60 x 168 19 1/2 96 172 1/2 60 x 216 19 1/2 108 196 1/2	42 x 108	19 ¹ / ₂	=	88 1/2
48 x 84 19 1/2 - 64 1/2 48 x 96 19 1/2 - 76 1/2 48 x 108 19 1/2 - 88 1/2 48 x 120 19 1/2 - 100 1/2 48 x 144 19 1/2 72 125 3/4 48 x 168 19 1/2 84 148 1/2 48 x 192 19 1/2 96 172 1/2 54 x 120 19 1/2 - 100 1/2 54 x 144 19 1/2 72 125 3/4 54 x 168 19 1/2 84 148 1/2 54 x 192 19 1/2 96 172 1/2 54 x 216 19 1/2 108 196 1/2 54 x 240 19 1/2 120 220 1/2 60 x 120 19 1/2 - 100 1/2 60 x 144 19 1/2 72 125 3/4 60 x 168 19 1/2 84 148 1/2 60 x 192 19 1/2 96 172 1/2 60 x 216 19 1/2 108 196 1/2	42 x 120	19 ¹ / ₂	_	172 ¹ / ₂
48 x 96 19 1/2 - 76 1/2 48 x 108 19 1/2 - 88 1/2 48 x 120 19 1/2 - 100 1/2 48 x 144 19 1/2 72 125 3/4 48 x 168 19 1/2 84 148 1/2 48 x 192 19 1/2 96 172 1/2 54 x 120 19 1/2 - 100 1/2 54 x 144 19 1/2 72 125 3/4 54 x 168 19 1/2 84 148 1/2 54 x 192 19 1/2 96 172 1/2 54 x 216 19 1/2 108 196 1/2 54 x 240 19 1/2 120 220 1/2 60 x 120 19 1/2 - 100 1/2 60 x 144 19 1/2 72 125 3/4 60 x 168 19 1/2 84 148 1/2 60 x 192 19 1/2 96 172 1/2 60 x 216 19 1/2 108 196 1/2	48 x 72	19 ¹ / ₂	_	52 ¹ / ₂
48 x 108 19 1/2 - 88 1/2 48 x 120 19 1/2 - 100 1/2 48 x 144 19 1/2 72 125 3/4 48 x 168 19 1/2 84 148 1/2 48 x 192 19 1/2 96 172 1/2 54 x 120 19 1/2 - 100 1/2 54 x 144 19 1/2 72 125 3/4 54 x 168 19 1/2 84 148 1/2 54 x 192 19 1/2 96 172 1/2 54 x 216 19 1/2 108 196 1/2 54 x 240 19 1/2 120 220 1/2 60 x 120 19 1/2 - 100 1/2 60 x 144 19 1/2 72 125 3/4 60 x 168 19 1/2 84 148 1/2 60 x 192 19 1/2 96 172 1/2 60 x 216 19 1/2 108 196 1/2	48 x 84	19 ¹ / ₂	=	64 ¹ / ₂
48 x 120 19 ½ - 100 ½ 48 x 144 19 ½ 72 125 ¾ 48 x 168 19 ½ 84 148 ½ 48 x 192 19 ½ 96 172 ½ 54 x 120 19 ½ - 100 ½ 54 x 144 19 ½ 72 125 ¾ 54 x 168 19 ½ 84 148 ½ 54 x 192 19 ½ 96 172 ½ 54 x 216 19 ½ 108 196 ½ 54 x 240 19 ½ 120 220 ½ 60 x 120 19 ½ - 100 ½ 60 x 144 19 ½ 72 125 ¾ 60 x 168 19 ½ 84 148 ½ 60 x 192 19 ½ 96 172 ½ 60 x 216 19 ½ 96 172 ½ 60 x 216 19 ½ 108 196 ½	48 x 96	19 ¹ / ₂	_	76 ¹ / ₂
48 x 144 19 1/2 72 125 3/4 48 x 168 19 1/2 84 148 1/2 48 x 192 19 1/2 96 172 1/2 54 x 120 19 1/2 - 100 1/2 54 x 144 19 1/2 72 125 3/4 54 x 168 19 1/2 84 148 1/2 54 x 192 19 1/2 96 172 1/2 54 x 216 19 1/2 108 196 1/2 54 x 240 19 1/2 120 220 1/2 60 x 120 19 1/2 - 100 1/2 60 x 144 19 1/2 72 125 3/4 60 x 168 19 1/2 84 148 1/2 60 x 192 19 1/2 96 172 1/2 60 x 216 19 1/2 108 196 1/2	48 x 108	19 ¹ / ₂	=	88 1/2
48 x 168 19 ½ 84 148 ½ 48 x 192 19 ½ 96 172 ½ 54 x 120 19 ½ - 100 ½ 54 x 144 19 ½ 72 125 ¾ 54 x 168 19 ½ 84 148 ½ 54 x 192 19 ½ 96 172 ½ 54 x 216 19 ½ 108 196 ½ 54 x 240 19 ½ 120 220 ½ 60 x 120 19 ½ - 100 ½ 60 x 144 19 ½ 72 125 ¾ 60 x 168 19 ½ 84 148 ½ 60 x 192 19 ½ 96 172 ½ 60 x 216 19 ½ 108 196 ½	48 x 120	19 ¹ / ₂	=	100 ¹ / ₂
48 x 192 19 ½ 96 172 ½ 54 x 120 19 ½ - 100 ½ 54 x 144 19 ½ 72 125 ¾ 54 x 168 19 ½ 84 148 ½ 54 x 192 19 ½ 96 172 ½ 54 x 216 19 ½ 108 196 ½ 54 x 240 19 ½ 120 220 ½ 60 x 120 19 ½ - 100 ½ 60 x 144 19 ½ 72 125 ¾ 60 x 168 19 ½ 84 148 ½ 60 x 192 19 ½ 96 172 ½ 60 x 216 19 ½ 108 196 ½	48 x 144	19 ¹ / ₂	72	125 ³ / ₄
54 x 120 19 ½ - 100 ½ 54 x 144 19 ½ 72 125 ¾ 54 x 168 19 ½ 84 148 ½ 54 x 192 19 ½ 96 172 ½ 54 x 216 19 ½ 108 196 ½ 54 x 240 19 ½ 120 220 ½ 60 x 120 19 ½ - 100 ½ 60 x 144 19 ½ 72 125 ¾ 60 x 168 19 ½ 84 148 ½ 60 x 192 19 ½ 96 172 ½ 60 x 216 19 ½ 108 196 ½	48 x 168	19 ¹ / ₂	84	148 ¹ / ₂
54 x 144 19 ½ 72 125 ¾ 54 x 168 19 ½ 84 148 ½ 54 x 192 19 ½ 96 172 ½ 54 x 216 19 ½ 108 196 ½ 54 x 240 19 ½ 120 220 ½ 60 x 120 19 ½ - 100 ½ 60 x 144 19 ½ 72 125 ¾ 60 x 168 19 ½ 84 148 ½ 60 x 192 19 ½ 96 172 ½ 60 x 216 19 ½ 108 196 ½	48 x 192	19 ¹ / ₂	96	172 ¹ / ₂
54 x 168 19 ½ 84 148 ½ 54 x 192 19 ½ 96 172 ½ 54 x 216 19 ½ 108 196 ½ 54 x 240 19 ½ 120 220 ½ 60 x 120 19 ½ - 100 ½ 60 x 144 19 ½ 72 125 ¾ 60 x 168 19 ½ 84 148 ½ 60 x 192 19 ½ 96 172 ½ 60 x 216 19 ½ 108 196 ½	54 x 120	19 ¹ / ₂	_	100 ¹ / ₂
54 x 192 19 ½ 96 172 ½ 54 x 216 19 ½ 108 196 ½ 54 x 240 19 ½ 120 220 ½ 60 x 120 19 ½ - 100 ½ 60 x 144 19 ½ 72 125 ¾ 60 x 168 19 ½ 84 148 ½ 60 x 192 19 ½ 96 172 ½ 60 x 216 19 ½ 108 196 ½	54 x 144	19 ¹ / ₂	72	125 ³ / ₄
54 x 216 19 ½ 108 196 ½ 54 x 240 19 ½ 120 220 ½ 60 x 120 19 ½ - 100 ½ 60 x 144 19 ½ 72 125 ¾ 60 x 168 19 ½ 84 148 ½ 60 x 192 19 ½ 96 172 ½ 60 x 216 19 ½ 108 196 ½	54 x 168	19 ¹ / ₂	84	148 ¹ / ₂
54 x 240 19 ½ 120 220 ½ 60 x 120 19 ½ - 100 ½ 60 x 144 19 ½ 72 125 ¾ 60 x 168 19 ½ 84 148 ½ 60 x 192 19 ½ 96 172 ½ 60 x 216 19 ½ 108 196 ½	54 x 192	19 ¹ / ₂	96	172 ¹ / ₂
60 x 120 19 ½ - 100 ½ 60 x 144 19 ½ 72 125 ¾ 60 x 168 19 ½ 84 148 ½ 60 x 192 19 ½ 96 172 ½ 60 x 216 19 ½ 108 196 ½	54 x 216	19 ¹ / ₂	108	196 ¹ / ₂
60 x 144 19 ½ 72 125 ¾ 60 x 168 19 ½ 84 148 ½ 60 x 192 19 ½ 96 172 ½ 60 x 216 19 ½ 108 196 ½	54 x 240	19 ¹ / ₂	120	220 1/2
60 x 168 19 ½ 84 148 ½ 60 x 192 19 ½ 96 172 ½ 60 x 216 19 ½ 108 196 ½	60 x 120	19 ¹ / ₂	_	100 ¹ / ₂
60 x 192 19 1/2 96 172 1/2 60 x 216 19 1/2 108 196 1/2	60 x 144	19 ¹ / ₂	72	125 ³ / ₄
60 x 216 19 ¹ / ₂ 108 196 ¹ / ₂	60 x 168	19 ¹ / ₂	84	148 ¹ / ₂
	60 x 192	19 ¹ / ₂	96	172 ¹ / ₂
60 x 240 19 ¹ / ₂ 120 220 ¹ / ₂	60 x 216	19 ¹ / ₂	108	196 ¹ / ₂
	60 x 240	19 ¹ / ₂	120	220 ¹ / ₂




	d x w	center of base A	center of base B
Ellipse Tops			
	36 x 72	19 ¹ / ₂	52 1/2
	42 x 84	19 ¹ / ₂	64 1/2
	48 x 96	19 ¹ / ₂	76 ¹ / ₂
	48 x 108	19 ¹ / ₂	88 1/2

TECHNOLOGY LOCATIONS ON BASE

Center Base Wire Management

• Door can be removed to access wire management.



End Base Wire Management



Technology locations on base

TECHNOLOGY LOCATIONS ON BASE

Metal X Base

X Wire Management Wire Management (WY) option available in vertical columns. When specified a

in vertical columns. When specified, a grommet access hole will be included below top plate and above horizontal stretcher.

- \bullet Grommet hole diameter is 1 $^{1}\!/_{\!4}$ in.
- Tube inner diameter is \sim 2 in.




Non-Wire Management Base (shown as reference)




Ribbon X base

Ribbon X Wire Management An add-on Wire Management Accessory is available. Accessory is self-adhesive and can be mounted on any of the vertical members.



Full Taper Base

Full taper base Wire Management




= Shaded area represents wire management location in base.

Floor monument and technology locations on base

FLOOR MONUMENT LOCATION

Media Table Miter Base



	center of	center of
d x w	base A	base B


Media Table Tops From Wall to Base

42/48 x 72	3	59 ⁹ / ₁₆
42/48 x 84	3	71 ⁹ /16
42/48 x 96	3	83 ⁹ / ₁₆

TECHNOLOGY LOCATIONS ON BASE


Media Table Wire Management

• Door can be removed to access wire management.



FLOOR MONUMENT LOCATION


Collaboration Bar Height Base



TECHNOLOGY LOCATIONS ON BASE

Collaborative Base Wire Management

• Door can be removed to access wire management.



Training tables

HOW TO SPECIFY

Gunlocke's Briefing Table Series has been designed to address the needs of the constantly changing multi-purpose conference area. This simple, intuitive design enables the user to efficiently manage the everyday demands of setting up and reconfiguring a meeting room. The nesting feature and flip top options provide a quick transition to storage with minimization of space. Briefing provides reconfigurable modularity and flexibility of use.

TABLE FUNCTIONALITY AND BASE MATERIAL

Briefing tables are available with both a fixed top and a flip top. The flip top incorporates a flip mechanism that allows the table to transition quickly to storage with minimization of space. Briefing metal bases are available in a polished aluminum finish and incorporate wire management capabilities.

MODESTY PANEL


Modesty panel option are available for both fixed and flip top Briefing Tables. Modesty panel will be 7 H" high and a H" shorter than the overall width of the specified top. All modesty panels are hinged and pivot out of the way when the flip top mechanism is actuated to vertical position.


CONNECTIVITY

The Briefing table leg incorporates wire management capabilities. The leg channel serves to conceal power/data cords; the opening at the base of the cast leg allows plug passage to external power/data sources. Table top power/data access is offered in an exposed power option.

EXPOSED POWER / PORT LOCATION

Briefing tables are available with an exposed power cutout, rectangular in shape. The drawings below indicate the standard table top surface placement for the power. The exposed power drawings below indicate the standard top surface placement for the power. The exposed power units are always centered as shown, with distance from edge determined by the top shape specified.






top size	Х
20"	5.75
24"	5.75
30"	7.375
36"	10.375


WIRE MANAGEMENT

The Briefing extruded metal horizontal support beam includes a plastic wire manager. The leg incorporates wire management capabilities by means of a removable grommet. The leg channel serves to conceal power/data cords; the opening at the base of the cast leg allows plug passage to external power/data sources.

- Grommet hole diameter is 1 1/4 in.
- Tube inner diameter is ~2 in.



GRAIN DIRECTION



GRAIN DIRECTION GANGING CONFIGURATIONS





TABLE GANGING

Briefing tables are available with an optional ganging device used to connect multiple tables. The ganging device swivels out of the way when not in use. Briefing tables are pre-drilled and include inserts to accept ganging devices.




Training tables

FLIP TOP NESTING

To address the needs of the constantly changing multi-purpose conference area, Briefing provides reconfigurability, modularity and flexibility of use. The simple, intuitive design enables the user to efficiently manage the everyday demands of setting up and reconfiguring a meeting room. The nesting feature and flip top options provide a quick transition to storage with minimization of space.

- Center of leg is always 8.875" from edge of worksurface.
- Based on tube thickness, this drives 7.75" from tube face to edge of worksurface.



BASED ON 60" TABLETOP

Briefing 02/24

CONFERENCE TABLE TOPS

Conference Table Tops	49-71
36" Rectangular Tops	50-51
42" and 48" Rectangular Tops	52-53
54" and 60" Rectangular Tops	54-55
36" Arc Boat Tops	56-57
42" and 48" Arc Boat Tops	58-59
54" and 60" Arc Boat Tops	60-61
36" Soft Rectangular Tops	62-63
42" and 48" Soft Rectangular Tops	64-65
Ellipse Tops	66-67
Round Tops	68-69
Soft Square Tops	70-71

	D	W	model number + type	veneer 1	veneer 2	veneer 3	laminate	solid surfac	glass
36" RECTANGULAR	36	72	GD2TRT3672-	1,998	2,198	2,398	1,715	7,544	6,287
	36	84	GD2TRT3684-	2,311	2,543	2,774	1,982	8,727	7,273
	36	96	GD2TRT3696-	2,743	3,018	3,292	2,352	10,353	8,629

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

- L = Laminate
- S = Solid Surface
- G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE **DETAIL**

4. TOP FINISH

5. TECHNOLOGY CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY CUTOUT

See inside front cover for required option codes

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY CUTOUT

Example

GD2TRT3672-W.X.NC260SQ.OP.C1E

GD2TRT3672-W

26"	DEF	тц	TO	20

technology cutout option	cutout option code	description	36 × 72	36 x 84	36 x 96	technology model # required	quantity
No Technolo	gy Cutout						
	GN	No Technology Cutout	•	•	•	GN	N/A
1 Technolog	y Cutout						
	C1E	1 Bezel Mnt Power	•	•	•	ACTRIOBZL-EEEUD	1

Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.

PORT DOOR MATERIAL UPCHARGES:

SV Veneer (Add \$225 per cutout) Veneer doors ship with top

Multi-piece <u>veneer</u> tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are <u>only</u> available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

	D	W	model number + type	veneer 1	veneer 2	veneer 3	laminate	solid surface	glass
42" RECTANGULAR	42	72	GD2TRT4272-	3,034	3,338	3,641	2,432	11,464	9,551
	42	84	GD2TRT4284-	3,629	3,992	4,355	2,906	13,706	11,421
	42	96	GD2TRT4296-	3,796	4,176	4,556	3,040	14,333	11,944
	42	108	GD2TRT42108-	4,676	5,144	5,612	3,747	17,661	14,718
	42	120	GD2TRT42120-	5,049	5,554	6,059	4,040	19,062	15,888
	42	120	GD2TRT42120M	5,049	5,554	6,059	4,040	19,062	15,888
48" RECTANGULAR	48	72	GD2TRT4872-	3,330	3,663	3,996	2,666	12,579	10,484
	48	84	GD2TRT4884-	3,992	4,392	4,791	3,198	15,077	12,565
	48	96	GD2TRT4896-	4,297	4,727	5,157	3,442	16,226	13,521
	48	108	GD2TRT48108-	5,130	5,643	6,156	4,111	19,371	16,141
	48	120	GD2TRT48120-	5,867	6,454	7,041	4,699	22,153	18,459
	48	120	GD2TRT48120M- L	5,867	6,454	7,041	4,699	22,153	18,459
	48	144	GD2TRT48144-	7,239	7,963	8,687	5,797	27,338	22,779
	48	168	GD2TRT48168-	8,210	9,031	9,852	6,578	31,007	25,839
	48	192	GD2TRT48192-	9,727	10,700	11,673	7,791	36,733	30,611

Note: 120" Tops available as one or two piece tops. Use 120M Model for two piece top.

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood

L = Laminate

S = Solid Surface

G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE DETAIL

4. TOP FINISH

5. TECHNOLOGY CUTOUT LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY

NOLOGY CUTOUT

See inside front cover for required option codes

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY CUTOUT

Example

GD2TRT4272-W.X.NC260SQ.OP.C1E

Briefing 02/24

42" AND 48" RECTANGULAR TOPS

53

02/24				42"	DEP	тнт	OPS	3			48	8" DE	РТН	то	PS				
technology cutout option	cutout option code	description	42 × 72	42 × 84	42 × 96	42 × 108	42 × 120	$42 \times 120(M)$	48 × 72	48 × 84	78 × 96	48 × 108	48 × 120	48 × 120/M)	48 × 144	70 2 400	40 × 100	technology model # required	qty
No Techno	logy Cuto	ut																	
	GN	No Technology Cutout	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• GN	N/A
1 Technolo	gy Cutout																		
-	C1E	1 Bezel Mnt Power	•	•	•	•	•		•	•	•	•	•					ACTRIOBZL-EEEUD	. 1
0	C1SA C1SV	1 Single port, alum door 1 Single port, veneer door (Wood Tops Only)	•	•	•	•	•		•	•	•	•	•					GD2PORTS	1
	C1DA C1DV	1 Double port, alum door 1 Double port, veneer door (Wood Tops Only)	•	•	•	•	•		•	•	•	•	•					GD2PORTD	1
0	C1TM	1 Tech Module	•	•	•	•	•		•	•	•	•	•					ACTMEL	1
2 Technolo	gy Cutout	s																	
0 0	C2SA C2SV	2 Single ports, alum door 2 Single ports, veneer door (Wood Tops Only)				•	•	•				•	•	•	•	•	•	• GD2PORTS	2
0 0	C2DA C2DV	2 Double ports, alum door 2 Double ports, veneer door (Wood Tops Only)				•	•	•				•	•	•	•	•	•	• GD2PORTD	2
0 0	C2CS*	2 Cable Cubby 1200's				•	•	•				•	•	•	•	•	•	• AC-CC1202	2
0 0	C2CD*	2 Cable Cubby 1400's				•	•	•				•	•	•	•	•	•	• AC-CC1402	2
0 0	С2ТМ	2 Tech modules				•	•	•				•	•	•	•	•	•	• ACTMEL	2
3 Technolo	gy Cutout	s																	
0 0 0	C3SA C3SV	3 Single ports, alum door 3 Single ports, veneer door (Wood Tops Only)													•	•	•	• GD2PORTS	3
000	C3DDDA C3DDDV	3 Double ports, alum door 3 Double ports, veneer door (Wood Tops Only)													•	•	•	• GD2PORTD	3
0 0 0	C3CS*	3 Cable Cubby 1200's														•	•	• AC-CC1202	3
0 0 0	C3CD*	3 Cable Cubby 1400's														•	•	• AC-CC1402	3
0 0 0	СЗТМ	3 Tech modules													•	•	•	ACTMEL	3
1 Trough C	utout	1			1		1												
·	PDTG	Power/Data Trough						•						•	•			GD2TPTR-50BNK	1
2 Trough C	utouts	I.			1										1				1
	PDTG	Power/Data Trough															•	GD2TPTR-50BNK	2
		IL.																1	

Note: Above options are for cutout only; technology unit ordered separately on pages 75-84.

PORT DOOR MATERIAL UPCHARGES:

SV Veneer (Add \$225 per cutout) Veneer doors ship with top

Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are <u>only</u> available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

^{*}Cable Cubbies for use with expandable base only.

	D	W	model number + type	veneer 1	veneer 2	veneer 3	laminate	solid surface	glass
54" RECTANGULAR	54	120	GD2TRT54120-	6,465	7,112	7,758	5,177	24,405	20,339
	54	144	GD2TRT54144-	7,789	8,568	9,347	6,243	29,420	24,516
	54	168	GD2TRT54168-	9,368	10,305	11,242	7,503	35,374	29,476
	54	192	GD2TRT54192-	10,993	12,093	13,192	8,806	41,517	34,597
	54	216	GD2TRT54216-	12,893	14,183	15,472	10,329	48,695	40,578
	54	240	GD2TRT54240- L	16,232	17,856	19,479	13,003	61,301	51,084
60" RECTANGULAR	60	120	GD2TRT60120- L	7,181	7,900	8,618	5,753	27,122	22,599
	60	144	GD2TRT60144-	9,104	10,015	10,925	7,295	34,381	28,652
	60	168	GD2TRT60168-	11,251	12,377	13,502	9,011	42,488	35,406
	60	192	GD2TRT60192-	12,847	14,132	15,417	10,290	48,514	40,430
	60	216	GD2TRT60216- L	15,478	17,026	18,574	12,399	58,459	48,715
	60	240	GD2TRT60240- L	17,330	19,063	20,796	13,883	65,452	54,542

PRODUCT INFO

Note:

Type must be specified as part of model number.

- W = Wood Veneer
- L = Laminate
- S = Solid Surface
- G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE DETAIL

4. TOP FINISH

5. TECHNOLOGY CUTOUT LAMINATE

1. MODEL NUMBER + L

2. FSC

2. 1 30

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY CUTOUT

See inside front cover for required option codes

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY CUTOUT

Example

GD2TRT54120-W.X.NC260SQ.OP.C1E

| GD2TRT54120-W | X | NC260 | SQ | OP | CIE | | CIE |

54" AND 60" RECTANGULAR TOPS

				54"	DEP	тн т	OPS		 60	0" D	EPT	нтс	PS		1	
technology cutout option	cutout option code	description	54 × 120	54 × 144	54 × 168	54 × 192	54 × 216	54 × 240	60 × 120	60 × 144	60 × 168	60 × 192	60 × 216	60 × 240	technology model # required	qty
No Techno	logy Cut	out														
	GN	No Technology Cutout	•	•	•	•	•	•	•	•	•	•	•	•	GN	N/A
1 Technolo	gy Cuto	ut										-			I	
0	C1E	1 Bezel Mnt Power	•						•						ACTRIOBZL-EEEUD	1
	C1SA C1SV	1 Single port, alum door 1 Single port, veneer door (Wood Tops Only)	•						•						GD2PORTS	1
	C1DA C1DV	1 Double port, alum door 1 Double port, veneer door (Wood Tops Only)	•						•						GD2PORTD	1
0	С1ТМ	1 Tech Module	•						•						ACTMEL	1
2 Technolo	gy Cuto	uts														
0 0	C2SA C2SV	2 Single ports, alum door 2 Single ports, veneer door (Wood Tops Only)	•	•	•	•	•	•	•	•	•	•	•	•	GD2PORTS	2
0 0	C2DA C2DV	2 Double ports, alum door 2 Double ports, veneer door (Wood Tops Only)		•	•	•	•	•		•	•	•	•	•	GD2PORTD	2
0 0	C2CS*	2 Cable Cubby 1200's	•	•	•	•	•	•	•	•	•	•	•	•	AC-CC1202	2
0 0	C2CD*	2 Cable Cubby 1400's	•	•	•	•	•	•	•	•	•	•	•	•	AC-CC1402	2
0 0	С2ТМ	2 Tech modules	•	•	•	•	•	•	•	•	•	•	•	•	ACTMEL	2
3 Technolo	gy Cuto	uts														
0 0 0	C3SA C3SV	3 Single ports, alum door 3 Single ports, veneer door (Wood Tops Only)		•	•	•	•	•		•	•	•	•	•	GD2PORTS	3
000	C3DA C3DV	3 Double ports, alum door 3 Double ports, veneer door (Wood Tops Only)		•	•	•	•	•		•	•	•	•	•	GD2PORTD	3
0 0 0	C3CS*	3 Cable Cubby 1200's			•	•	•	•			•	•	•		AC-CC1202	3
0 0 0	C3CD*	3 Cable Cubby 1400's			•	•	•	•			•	•	•		AC-CC1402	3
0 0 0	СЗТМ	3 Tech modules		•	•	•	•	•		•	•	•	•	•	ACTMEL	3
5 Technolo	gy Cuto	uts														
0 0 0 0 0	C5SA C5SV	5 Single ports, alum door 5 Single ports, veneer door (Wood Tops Only)					•	•					•	•	GD2PORTS	5
0 0 0 0 0	С5ТМ	5 Tech modules					•	•					•	•	ACTMEL	5
1 Trough C	utout															
	PDTG	Power/Data Trough	•	•					•	•					GD2TPTR-50BNK	1
2 Trough C	utouts															
	PDTG	Power/Data Trough			•	•	•	•			•	•	•	•	GD2TPTR-50BNK	2

Note: Above options are for cutout only; technology unit ordered separately on pages 75-84.

PORT DOOR MATERIAL UPCHARGES:

SV Veneer (Add \$225 per cutout) Veneer doors ship with top

Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are <u>only</u> available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

^{*}Cable Cubbies for use with expandable base only.

ce

	Center D	End D	W	model number + type	veneer 1	veneer 2	veneer 3	laminate	solid surfac	glass
36" ARC BOAT	36	33 1/2	72	GD2TAB3672-	2,295	2,525	2,754	1,973	8,676	7,230
	36	32 1/2	84	GD2TAB3684-	2,656	2,922	3,188	2,280	10,039	8,366
	36	31	96	GD2TAB3696-	3,153	3,469	3,784	2,704	11,907	9,922

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

- L = Laminate
- S = Solid Surface
- G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE DETAIL

4. TOP FINISH

5. TECHNOLOGY CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

. ----

4. EDGE DETAIL

5. TECHNOLOGY CUTOUT

See inside front cover for required option codes

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY CUTOUT

Example

GD2TAB3672-W.X.NC260SQ.OP.C1E

			36" [EPTH 1	горѕ		
technology cutout option	cutout option code	description	36 x 72	36 x 84	36 x 96	technology model # required	quantity
No Technology	/ Cutout						
	GN	No Technology Cutout	•	•	•	GN	N/A
1 Technology (Cutout						
	C1E	1 Bezel Mnt Power	•	•	•	ACTRIOBZL-EEEUD	1

Note: Above options are for cutout only, technology unit ordered separately on page 76.

PORT DOOR MATERIAL UPCHARGES:

SV Veneer (Add \$225 per cutout) Veneer doors ship with top

Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are <u>only</u> available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

	Center D	End D	W	model number + type	veneer 1	veneer 2	veneer 3	laminate	solid surface	glass
42" ARC BOAT	42	39 1/2	72	GD2TAB4272-	3,491	3,841	4,190	2,796	13,184	10,984
	42	38 1/2	84	GD2TAB4284-	4,173	4,591	5,008	3,345	15,762	13,136
	42	39 3/4	96	GD2TAB4296-	4,365	4,802	5,238	3,498	16,479	13,732
	42	39	108	GD2TAB42108-	5,379	5,917	6,455	4,310	20,310	16,924
	42	38 1/4	120	GD2TAB42120-	5,805	6,386	6,966	4,649	21,921	18,268
	42	38 1/4	120	GD2TAB42120M-	5,805	6,386	6,966	4,649	21,921	18,268
48" ARC BOAT	48	47	72	GD2TAB4872-	3,832	4,216	4,599	3,068	14,468	12,055
	48	46 ¹ / ₂	84	GD2TAB4884-	4,592	5,052	5,511	3,678	17,337	14,447
	48	45 ³ / ₄	96	GD2TAB4896-	4,941	5,436	5,930	3,955	18,657	15,546
	48	45	108	GD2TAB48108-	5,897	6,487	7,077	4,726	22,280	18,565
	48	44 1/4	120	GD2TAB48120-	6,745	7,420	8,094	5,404	25,473	21,230
	48	45	120	GD2TAB48120M- L	6,745	7,420	8,094	5,404	25,473	21,230
	48	43 ³ / ₄	144	GD2TAB48144-	8,325	9,158	9,990	6,671	31,438	26,197
	48	42 ¹ / ₄	168	GD2TAB48168-	9,443	10,388	11,332	7,564	35,663	29,718
	48	42 ¹ / ₄	192	GD2TAB48192-	11,184	12,303	13,421	8,961	42,245	35,202

Note: 120" Tops available as one or two piece tops. Use 120M Model for two piece top.

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

- L = Laminate
- S = Solid Surface
- G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE DETAIL

4. TOP FINISH

5. TECHNOLOGY CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

2. 1 00

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY CUTOUT

See inside front cover for required option codes

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY CUTOUT

Example

GD2TAB4272-W.X.NC260SQ.OP.C1E

				42"	DEP	тнт	OPS	5				48"	DEF	тн	тор	s				
technology cutout option	cutout option code	description	42 × 72	42 × 84	42 × 96	42 × 108	42 × 120	42 × 120(M)		48 × 72	48 × 84	48 × 96	48 × 108	48 × 120	48 × 120(M)	48 × 144	48 × 168	48 × 192	technology model # required	qty
No Technol	ogy Cutou	t	,						, ,											
	GN	No Technology Cutout	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	GN	N/A
1 Technolog	gy Cutout								_ '										1	
	C1E	1 Bezel Mnt Power	•	•	•	•	•			•	•	•	•	•					ACTRIOBZL-EEEUD	. 1
	C1SA C1SV	1 Single port, alum door 1 Single port, veneer door (Wood Tops Only)	•	•	•	•	•			•	•	•	•	•					GD2PORTS-	1
	C1DA C1DV	1 Double port, alum door 1 Double port, veneer door (Wood Tops Only)	•	•	•	•	•			•	•	•	•	•					GD2PORTD-	1
	C1TM	1 Tech Module	•	•	•	•	•			•	•	•	•	•					ACTMEL-	1
2 Technolo	gy Cutouts	;							_ '											
0 0	C2SA C2SV	2 Single ports, alum door 2 Single ports, veneer door (Wood Tops Only)				•	•	•					•	•	•	•	•	•	GD2PORTS-	2
	C2DA C2DV	2 Double ports, alum door 2 Double ports, veneer door (Wood Tops Only)				•	•	•					•	•	•	•	•	•	GD2PORTD-	2
0 0	C2CS*	2 Cable Cubby 1200's				•	•	•					•	•	•	•	•	•	AC-CC1202-	2
	C2CD*	2 Cable Cubby 1400's				•	•	•					•	•	•	•	•	•	AC-CC1402-	2
0 0	С2ТМ	2 Tech Modules				•	•	•					•	•	•	•	•	•	ACTMEL-	2
3 Technolog	gy Cutouts								_											
0 0 0	C3SA C3SV	3 Single ports, alum door 3 Single ports, veneer door (Wood Tops Only)														•	•	•	GD2PORTS-	3
	C3DA C3DV	3 Double ports, alum door 3 Double ports, veneer door (Wood Tops Only)														•	•	•	GD2PORTD-	3
0 0 0	C3CS*	3 Cable Cubby 1200's															•	•	AC-CC1202-	3
0 0 0	C3CD*	3 Cable Cubby 1400's															•	•	AC-CC1402-	3
0 0 0	СЗТМ	3 Tech Modules														•	•	•	ACTMEL-	3
1 Trough Co	utout	-							_											
	PDTG	Power/Data Trough						•							•	•			GD2TPTR-50BNK-	1
2 Trough Co	utouts	1	-		-		-	-	_								-			
	PDTG	Power/Data Trough															•	•	GD2TPTR-50BNK-	2

 $\textbf{Note:} \ \ \textbf{Above options are for cutout only, technology unit ordered separately on pages 75-84.}$

PORT DOOR MATERIAL UPCHARGES:

SV Veneer (Add \$225 per cutout) Veneer doors ship with top

Multi-piece $\underline{\text{veneer}}$ tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are <u>only</u> available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

^{*}Cable Cubbies for use with expandable base only.

	Center D	End D	W	model number + type	veneer 1	veneer 2	veneer 3	laminate	solid surface	glass
54" ARC BOAT	54	52	120	GD2TAB54120-	7,432	8,176	8,919	5,955	28,068	23,388
	54	51	144	GD2TAB54144-	8,958	9,854	10,750	7,178	33,831	28,193
	54	49 3/4	168	GD2TAB54168-	10,773	11,851	12,928	8,628	40,678	33,899
	54	48 1/2	192	GD2TAB54192-	12,643	13,908	15,172	10,126	47,748	39,788
	54	46 ³ / ₄	216	GD2TAB54216-	14,829	16,312	17,795	11,878	56,001	46,667
	54	44 3/4	240	GD2TAB54240-	18,666	20,533	22,400	14,953	70,500	58,749
60" ARC BOAT	60	58 ¹ / ₄	120	GD2TAB60120-	8,258	9,084	9,910	6,617	31,191	25,991
	60	57 ¹ / ₄	144	GD2TAB60144-	10,471	11,519	12,566	8,389	39,538	32,946
	60	56	168	GD2TAB60168-	12,938	14,232	15,526	10,363	48,864	40,718
	60	54 1/2	192	GD2TAB60192-	14,774	16,252	17,729	11,833	55,795	46,495
	60	52 ³ / ₄	216	GD2TAB60216-	17,800	19,580	21,360	14,261	67,225	56,021
	60	51	240	GD2TAB60240-	19,929	21,922	23,915	15,967	75,267	62,723

PRODUCT INFO

Note:

Type must be specified as part of model number.

- W = Wood Veneer
- L = Laminate
- S = Solid Surface
- G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE **DETAIL**

4. TOP FINISH

5. TECHNOLOGY CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY

CUTOUT

2. TOP FINISH

1. MODEL NUMBER + S

SOLID SURFACE

3. TECHNOLOGY CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY CUTOUT

See inside front cover for required option codes

Example

GD2TAB54120-W.X.NC260SQ.OP.C1E

GD2TAB54120-W

02/24 54" DEPTH TOPS

02/24				54	" DEP	тн тс	PS	,	1		60"	DEPT	н тор	s			
technology cutout option	cutout option code	description	54 × 120	54 × 144	54 × 168	54 × 192	54 x 216	54 × 240		60 × 120	60 × 144	60 × 168	60 × 192	60 × 216	60 × 240	technology model # required	qty
No Technol	GN Cut	No Technology Cutout	•	•	•	•	•	•		•	•	•	•	•	•	GN	N/A
1 Technolog	gy Cuto	ut							J								
	C1E	1 Bezel Mnt Power	•							•						ACTRIOBZL-EEEUD	_ 1
	C1SA C1SV	1 Single port, alum door 1 Single port, veneer door (Wood Tops Only)	•							•						GD2PORTS-	1
	C1DA C1DV	1 Double port, alum door 1 Double port, veneer door (Wood Tops Only)	•							•						GD2PORTD-	1
	C1TM	1 Tech Module	•							•						ACTMEL-	1
2 Technolog	gy Cuto	uts							•								
0 0	C2SA C2SV	2 Single ports, alum door 2 Single ports, veneer door (Wood Tops Only)	•	•	•	•	•	•		•	•	•	•	•	•	GD2PORTS-	2
	C2DA C2DV	2 Double ports, alum door 2 Double ports, veneer door (Wood Tops Only)		•	•	•	•	•			•	•	•	•	•	GD2PORTD-	2
0 0	C2CS*	2 Cable Cubby 1200's	•	•	•	•	•	•		•	•	•	•	•	•	AC-CC1202-	2
0 0	C2CD*	2 Cable Cubby 1400's	•	•	•	•	•	•		•	•	•	•	•	•	AC-CC1402-	2
0 0	С2ТМ	2 Tech Modules	•	•	•	•	•	•		•	•	•	•	•	•	ACTMEL-	2
3 Technolog	gy Cuto	uts							•								
0 0 0	C3SA C3SV	3 Single ports, alum door 3 Single ports, veneer door (Wood Tops Only)		•	•	•	•	•			•	•	•	•	•	GD2PORTS-	3
	C3DA C3DV	3 Double ports, alum door 3 Double ports, veneer door (Wood Tops Only)		•	•	•	•	•			•	•	•	•	•	GD2PORTD-	3
0 0 0	C3CS*	3 Cable Cubby 1200's			•	•	•	•				•	•	•	•	AC-CC1202-	3
0 0 0	C3CD*	3 Cable Cubby 1400's			•	•	•	•				•	•	•	•	AC-CC1402-	3
0 0 0	СЗТМ	3 Tech Modules		•	•	•	•	•			•	•	•	•	•	ACTMEL-	3
5 Technolog	gy Cuto	uts															
0 0 0 0 0	C5SA C5SV	5 Single ports, alum door 5 Single ports, veneer door (Wood Tops Only)					•	•						•	•	GD2PORTS-	5
0 0 0 0 0	С5ТМ	5 Tech Modules					•	•						•	•	ACTMEL-	5
1 Trough Cu	utout								-								
	PDTG	Power/Data Trough	•	•						•	•					GD2TPTR-50BNK-	1
2 Trough Cu	utouts	-														,	
	PDTG	Power/Data Trough			•	•	•	•				•	•	•	•	GD2TPTR-50BNK-	2
							1		J							1	

Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.

PORT DOOR MATERIAL UPCHARGES:

SV Veneer (Add \$225 per cutout) Veneer doors ship with top

Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are <u>only</u> available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

^{*}Cable Cubbies for use with expandable base only.

	D	W	model number + type	veneer 1	veneer 2	veneer 3	laminate	solid surfac	glass
36" SOFT RECT TOPS	36	72	GD2TSRT3672-	2,295	2,525	2,754	1,973	8,676	7,230
	36	84	GD2TSRT3684-	2,656	2,922	3,188	2,280	10,039	8,366
	36	96	GD2TSRT3696-	3,153	3,469	3,784	2,704	11,907	9,922

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

- L = Laminate
- S = Solid Surface
- G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE **DETAIL**

4. TOP FINISH

5. TECHNOLOGY CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY

CUTOUT

2. TOP FINISH

SOLID SURFACE

1. MODEL NUMBER + S

3. TECHNOLOGY CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY CUTOUT

See inside front cover for required option codes

Example

GD2TSRT3672-W.X.NC260SQ.OP.C1E

GD2TSRT3672-W CIE

			36" D	EPTH	TOPS		
technology	cutout					technology	
cutout	option code	description	36 × 72	36 × 84	36 × 96	model # required	qty
No Technol	ogy Cut	out					
	GN	No Technology Cutout	•	•	•	GN	N/A
1 Technolog	av Cutoi	ut					
	C1E	1 Bezel Mnt Power	•	•	•	ACTRIOBZL-EEEUD	1

Note: Above options are for cutout only, technology unit ordered separately on page 76.

PORT DOOR MATERIAL UPCHARGES:

SV Veneer (Add \$225 per cutout) Veneer doors ship with top

Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are <u>only</u> available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

	D	W	model number + type	veneer 1	veneer 2	veneer 3	laminate	solid surface	glass
42" SOFT RECT TOPS	42	72	GD2TSRT4272-	3,491	3,841	4,190	2,796	13,184	10,984
	42	84	GD2TSRT4284-	4,173	4,591	5,008	3,345	15,762	13,136
	42	96	GD2TSRT4296-	4,365	4,802	5,238	3,498	16,479	13,732
	42	108	GD2TSRT42108-	5,379	5,917	6,455	4,310	20,310	16,924
	42	120	GD2TSRT42120-	5,805	6,386	6,966	4,649	21,921	18,268
	42	120	GD2TSRT42120M-	5,805	6,386	6,966	4,649	21,921	18,268
48" SOFT RECT TOPS	48	72	GD2TSRT4872-	3,832	4,216	4,599	3,068	14,468	12,055
	48	84	GD2TSRT4884-	4,592	5,052	5,511	3,678	17,337	14,447
	48	96	GD2TSRT4896-	4,941	5,436	5,930	3,955	18,657	15,546
	48	108	GD2TSRT48108-	5,897	6,487	7,077	4,726	22,280	18,565
	48	120	GD2TSRT48120-	6,745	7,420	8,094	5,404	25,473	21,230
	48	120	GD2TSRT48120M- L	6,745	7,420	8,094	5,404	25,473	21,230

Note: 120" Tops available as one or two piece tops. Use 120M Model for two piece top.

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

- L = Laminate
- S = Solid Surface
- G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE DETAIL

4. TOP FINISH

5. TECHNOLOGY CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

2. 1 30

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY CUTOUT

See inside front cover for required option codes

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY CUTOUT

Example

GD2TSRT4272-W.X.NC260SQ.OP.C1E

42" AND 48" SOFT RECTANGULAR TOPS

				42"	DEP	тнт	OPS	3	48" DEPTH TOPS				нт	OPS			
technology cutout option	cutout option code	description	42 × 72	42 × 84	42 × 96	42 × 108	42 × 120	42 × 120(M)		48 × 72	48 × 84	48 × 96	48 × 108	48 × 120	48 × 120(M)	technology model # required	qty
No Techno	logy Cuto	ut															
	GN	No Technology Cutout	•	•	•	•	•	•		•	•	•	•	•	•	GN	N/A
1 Technolo	gy Cutout																
	C1E	1 Bezel Mnt Power	•	•	•	•	•			•	•	•	•	•		ACTRIOBZL-EEEUD	1
	C1SA C1SV	1 Single port, alum door 1 Single port, veneer door (Wood Tops Only)	•	•	•	•	•			•	•	•	•	•		GD2PORTS-	1
	C1DA C1DV	1 Double port, alum door 1 Double port, veneer door (Wood Tops Only)	•	•	•	•	•			•	•	•	•	•		GD2PORTD-	1
0	C1TM	1 Tech Module	•	•	•	•	•			•	•	•	•	•		ACTMEL-	1
2 Technolo	gy Cutout	s				-	1		J L				1				
	C2SA C2SV	2 Single ports, alum door 2 Single ports, veneer door (Wood Tops Only)				•	•	•					•	•	•	GD2PORTS-	2
	C2DA C2DV	2 Double ports, alum door 2 Double ports, veneer door (Wood Tops Only)				•	•	•					•	•	•	GD2PORTD-	2
0 0	C2CS*	2 Cable Cubby 1200's				•	•	•					•	•	•	AC-CC1202-	2
	C2CD*	2 Cable Cubby 1400's				•	•	•					•	•	•	AC-CC1402-	2
0 0	С2ТМ	2 Tech Modules				•	•	•					•	•	•	ACTMEL-	2
Trough Cu	tout																
	PDTG	Power/Data Trough						•							•	GD2TPTR-50BNK-	1

Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.

PORT DOOR MATERIAL UPCHARGES:

SV Veneer (Add \$225 per cutout) Veneer doors ship with top

Multi-piece <u>veneer</u> tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are <u>only</u> available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.


^{*}Cable Cubbies for use with expandable base only.

ELLIPSE TOPS

	D	W	model number + type	veneer 1	veneer 2	veneer 3	laminate	solid surface	glass
ELLIPSE	36	72	GD2TEL3672-	2,295	2,525	2,754	1,973	8,676	7,230
	42	84	GD2TEL4284-	4,173	4,591	5,008	3,345	15,762	13,136
	48	96	GD2TEL4896-	4,941	5,436	5,930	3,955	18,657	15,546
	48	108	GD2TEL48108-	5,792	6,372	6,951	4,643	21,875	18,229

Ellipse Tops are recommended for use with Metal Y Bases for maximum leg clearance.


If Mitered Beam Assembly will NOT be used with Metal Y Base, then use standard recommended base size.





GD2TEL4896-W GG2YBS96-A

If Mitered Beam Assembly will be used with Metal Y Base, then recommend using a 12" smaller Base and Beam Assembly due to additional top support provided by Beam Assembly.





GD2TEL4896-W GG2YBS84-A GD2YBEAM84

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

- L = Laminate
- S = Solid Surface
- G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- 1. MODEL NUMBER + W
- 2. FSC
- 3. TOP FINISH + EDGE DETAIL
- 4. TOP FINISH
- 5. TECHNOLOGY CUTOUT

LAMINATE

- 1. MODEL NUMBER + L
- 2. FSC
- 3. TOP FINISH
- 4. EDGE DETAIL
- 5. TECHNOLOGY CUTOUT

See inside front cover for required option codes

SOLID SURFACE

- 1. MODEL NUMBER + S
- 2. TOP FINISH
- 3. TECHNOLOGY CUTOUT

GLASS

- 1. MODEL NUMBER + G
- 2. TOP FINISH
- 3. TECHNOLOGY CUTOUT

Example

GD2TEL3672-W

technology cutout option	cutout option code	description	36 x 72	42 x 84	48 x 96	48 x 108	technology model # required	quantity
	GN	No Technology Cutout	•	•	•	•	GN	N/A
1 Technology C	Cutout		ı	T	ı	Г		
	C1E	1 Bezel Mnt Power	•	•	•	•	ACTRIOBZL-EEEUD	1
	C1SA C1SV	1 Single port, alum door 1 Single port, veneer door (Wood Tops Only)		•	•	•	GD2PORTS	1
	C1DA C1DV	1 Double port, alum door 1 Double port, veneer door (Wood Tops Only)		•	•	•	GD2PORTD	1
	C1TM	1 Tech Module		•	•	•	ACTMEL	1

Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.

PORT DOOR MATERIAL UPCHARGES:

SV Veneer (Add \$225 per cutout) Veneer doors ship with top

Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are <u>only</u> available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

ROUND TOPS

	Dia	model number + type	veneer 1	veneer 2	veneer 3	laminate	solid surface	glass
ROUND	30	GD2TRD30-	2,350	2,585	2,820	2,018	6,937	5,781
	36	GD2TRD36-	2,586	2,845	3,104	2,218	7,635	6,361
	42	GD2TRD42-	2,808	3,089	3,370	2,251	8,297	6,914
	48	GD2TRD48-	3,673	4,041	4,408	2,942	10,849	9,041
	54	GD2TRD54-	4,490	4,939	5,388	3,596	13,256	11,046
	60	GD2TRD60-	5,463	6,010	6,556	4,375	16,126	13,441
	66	GD2TRD66-	6,282	6,911	7,539	5,033	18,554	15,461
	72	GD2TRD72-	7,226	7,949	8,672	5,788	21,337	17,780
	78	GD2TRD78-	7,949	8,744	9,539	6,368	23,472	19,558
	84	GD2TRD84-	8,745	9,620	10,494	7,004	25,819	21,515

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

- L = Laminate
- S = Solid Surface
- G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE **DETAIL**

4. TOP FINISH

5. TECHNOLOGY CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY

CUTOUT

3. TECHNOLOGY

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY CUTOUT

See inside front cover for required option codes

Example

GD2TRD30-W

				_	_	_	_	_	_	_	_	_	7	
technology cutout option	cutout option code	description	30 × 30	36 x 36	42 × 42	48 x 48	54 x 54	09 × 09	99 x 99	72 × 72	78 × 78	84 x 84	technology model # required	qty
No Tools and a	0.44			I	ı	I		ı	I	l				
No Technolog	GN	No Technology Cutout	•	•	•	•	•	•	•	•	•	•	GN	N/A
1 Technology	Cutout													
o o	C1G	Grommet Uno Bezel Mnt Power	•	•	•	•							ACUNOBZL	1
	C1E	1 Bezel Mnt Power					•	•	•	•	•	•	ACTRIOBZL-EEEUD	1
	C1SA	1 Single port, alum door					•	•	•	•	•	•	GD2PORTS-	1
	С1ТМ	1 Tech Module					•	•	•	•	•	•	ACTMEL-	1
2 Technology	Cutouts													
	C2E	2 Trio Bezel Mnt Power							•	•	•	•	ACTRIOBZL-EEEUD	2
	C2SA C2SV	2 Single ports, alum door 2 Single ports, veneer door (Wood Tops Only)							•	•	•	•	GD2PORTS-	2
	С2ТМ	2 Tech Modules							•	•	•	•	ACTMEL-	2

Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.

PORT DOOR MATERIAL UPCHARGES:

SV Veneer (Add \$225 per cutout) Veneer doors ship with top

Multi-piece <u>veneer</u> tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are <u>only</u> available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

ce

SOFT SQUARE TOPS

	D	W	model number + type	veneer 1	veneer 2	veneer 3	laminate	solid surfac	glass
SOFT SQUARE	30	30	GD2TSSQ30-	2,350	2,585	2,820	2,018	6,937	5,781
	36	36	GD2TSSQ36-	2,586	2,845	3,104	2,218	7,635	6,361
	42	42	GD2TSSQ42-	2,808	3,089	3,370	2,251	8,297	6,914
	48	48	GD2TSSQ48-	3,673	4,041	4,408	2,942	10,849	9,041
	54	54	GD2TSSQ54-	4,490	4,939	5,388	3,596	13,256	11,046
	60	60	GD2TSSQ60-	5,463	6,010	6,556	4,375	16,126	13,441
	66	66	GD2TSSQ66-	6,282	6,911	7,539	5,033	18,554	15,461
	72	72	GD2TSSQ72-	7,226	7,949	8,672	5,788	21,337	17,780
	78	78	GD2TSSQ78-	7,949	8,744	9,539	6,368	23,472	19,558
	84	84	GD2TSSQ84-	8,745	9,620	10,494	7,004	25,819	21,515

PRODUCT INFO

Note:

Type must be specified as part of model number.

 $W = Wood\ Veneer$

- L = Laminate
- S = Solid Surface
- G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE DETAIL

4. TOP FINISH

5. TECHNOLOGY CUTOUT LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY

CUTOUT

See inside front cover for required option codes

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY CUTOUT

Example

GD2TSSQ30-W.X.NC260SQ.OP.C1G

technology cutout option	cutout option code	description	30 × 30	36 × 36	42 × 42	48 x 48	54 x 54	09 × 09	99 × 99	72 x 72	78 x 78	84 x 84	technology model # required	qty
No Technolo	gy Cutout													
	GN	No Technology Cutout	•	•	•	•	•	•	•	•	•	•	GN	N/A
1 Technology	y Cutout													
	C1G	Grommet Uno Bezel Mnt Power	•	•	•	•							ACUNOBZL	1
	C1E	1 Bezel Mnt Power					•	•	•	•	•	•	ACTRIOBZL-EEEUD	1
	C1SA	1 Single port, alum door					•	•	•	•	•	•	GD2PORTS-	1
	C1TM	1 Tech Module					•	•	•	•	•	•	ACTMEL-	1
2 Technology	y Cutouts		•		•									
	C2E	2 Trio Bezel Mnt Power							•	•	•	•	ACTRIOBZL-EEEUD	2
	C2SA C2SV	2 Single ports, alum door 2 Single ports, veneer door (Wood Tops Only)							•	•	•	•	GD2PORTS-	2
0 0	С2ТМ	2 Tech Modules							•	•	•	•	ACTMEL-	2

Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.

PORT DOOR MATERIAL UPCHARGES:

SV Veneer (Add \$225 per cutout) Veneer doors ship with top

Multi-piece veneer tops will not have port locations on seams. This will ensure the veneer door grain will best match the top. The result is that the port location for the "C2" option (2 tech cutouts) will not be equally spaced. They will fall in the outer locations of the "C3" option (3 tech cutouts).

Veneer doors are <u>only</u> available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

Briefing 02/24

TECHNOLOGY

echnology Components/	3-101
Technology Matrix	74
Perimeter Power	75-77
Bezel Mount Power	76
Daisy Chain Components	77
Tech Module	78
Single Tech Port	79
Double Tech Port	80
Extron Cable Cubby	81
Extron Cable Retractor	82
Extron Cable Retractor Installation Tips	83
Converge Technology Trough	84
Compatible Jacks	85
Extron Compatibility	86
Extron Single Space Plates	87-89
Extron Double Space Plates	90-91
Wire Management	92
Cable Retractor	93
Grommet	94
Byrne Data Jacks	95
Power Cable Kit	96
Training Table Power	97
4-Trac Electrical System	98-99
4-Trac Accessories and Electrical	0-101

TECHNOLOGY MATRIX

		Retractable		
Technology Option	Technology	Cable Option	Finish Options	Price
	USB and Power			
	*Trio model comes with			
Perimeter Power	data jack blank	N/A	Silver, Black and White	\$
	USB, Power and Data			
Bezel Mount Power	Jack Blank	N/A	Silver, Black and White	\$\$
	USB Power, Extron AAP-			
	Cutout or Qi Wireless	Yes - See Cable Retractors		
Tech Module	Charging	Page 82	Silver and Black	\$\$\$
			Black, Silver, White,	
			Gold, Pyrite, Polished	
	Power, Optional USB	Yes - See Cable Retractors	Aluminum or Matching	
Tech Port	and Extron AAP-Cutouts	Page 82	Veneer	\$\$\$\$
	Power, USB and Extron	Yes - See Extron Cable		
Extron Cable Cubby	AAP-Cutouts	Retractors Page 82	Silver and Black	\$\$\$\$\$
	Power, USB and Extron	Yes - See Cable Retractors	Black, Silver, White, Gold	
Technology Trough	AAP-Cutouts	Page 82	and Pyrite	\$\$\$\$\$\$

PERIMETER POWER MODULE

	D	W	Н	model number	list
STANDARD PLUG	2 3/4	4 1/8	1 ³ / ₄	ACPUNDER-EU	426
8 30	IncludesUSB is c	2 USB plus 1 harging	Power		
	2 3/4	6 ¹ / ₂	1 ³ / ₄	GDAPPM-EEU	514
	 Includes 	2 USB plus 2	Power		
	2 3/4	8	1 ³ / ₄	ACTRIOUNDER-EEEUD	572
-1-C1 B			a plus 3 Power DATA JACKS F	OR EXPOSED POWER, page 95.	
ARDWIRED	2 3/4	4 ¹ /8	1 3/4	ACPUNDER-EU-HW	426
ES ad	• Includes	2 USB plus 1	Power		
	2 ³ / ₄	6 ¹ / ₂	1 3/4	GDAPPM-EEU-HW	514
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	• Includes	2 USB plus 2	Power		
* * *	2 3/4	8	1 ³ / ₄ a plus 3 Power	ACTRIOUNDER-EEEUD-HW	572
AISY CHAIN	2 ³ / ₄	4 ¹ / ₈ 2 USB plus 1	1 ³ / ₄	OR EXPOSED POWER, page 95. ACUNOUNDER-PS	426
	2 ³ / ₄	6 ¹ / ₂	1 ³ / ₄	ACDUOUNDER-PS	508
0= 0= B	• Includes	2 USB plus 2	Power		
	2 3/4	8	1 3/4	ACTRIOUNDER-PS	572
p= p= p= 图		2 USB, 1 Data d with BYRNE		OR EXPOSED POWER, page 95.	
RODUCT INFO	TO ORD	ER PLEAS	E SPECIFY	THE FOLLOWING:	
o' Standard plug or 6' ardwire power source (Infeed and chains must be ordered separately. See page 77.	1. MODEL N 2. POWER I BK Blar SV Silv WH Wh	JNIT COLOR ck er	* You can mix a	chain up to 8 units per infeed. uny combination of the Uno, Duo or 2 outlets or 3 outlets). The limit is	
standard plug and hardwire inits are UL listed. Daisy chain units are UL	Example 	S BK			
recognized. Check local codes for acceptance.	ACUNOUNDER-		WT-001-00		

MODEL NUMBER

POWER UNIT COLOR

	D	W	Н	model number	list
STANDARD PLUG	2 ³ / ₄	4 ¹ /8	1 3/4	ACUNOBZL-EU	444
• B	• Includes • USB is c	2 USB plus 1 harging	Power		
	2 ³ / ₄	6 ¹ / ₂	1 ³ / ₄	ACDUOBZL-EEU	527
B	• Includes	2 USB plus 2	Power		
	2 3/4	8	1 3/4	ACTRIOBZL-EEEUD	606
<u> </u>		2 USB, 1 Data d with BYRNE		DR EXPOSED POWER, page 95.	
HARDWIRED	2 ³ / ₄	4 ¹ / ₈	1 ³ / ₄	ACUNOBZL-EU-HW	444
0, 8	• Includes	2 USB plus 1	Power		
	2 3/4	6 1/2	1 3/4	ACDUOBZL-EEU-HW	527
: : B	• Includes	2 USB plus 2	Power		
	2 3/4	8	1 ³ / ₄	ACTRIOBZL-EEEUD-HW	606
	• includes	2 USB, 1 Data	a pius 3 Power		
DAISY CHAIN	2 3/4	4 1/8	1 3/4	ACUNOBZL-PS	444
: 3	Includes	2 USB plus 1	Power		
	2 3/4	6 1/2	1 3/4	ACDUOBZL-PS	527
B	• Includes	2 USB plus 2	Power		
0	2 ³ / ₄	8	1 ³ / ₄	ACTRIOBZL-PS	606
<u> </u>		2 USB, 1 Data d with BYRNE		OR EXPOSED POWER, page 95.	
PRODUCT INFO	TO ORE	ER PLEAS	E SPECIFY	THE FOLLOWING:	
10' Standard plug or 6' hardwire power source • Infeed and chains must be ordered separately. See page 77.	1. MODEL I 2. POWER I BK Bla SV Silv WH Wh	UNIT COLOR ck er			
Standard plug and hardwire units are UL listed.	Example				
Daisy chain units are UL recognized. Check local codes for acceptance.	ACUNOUNDER-F ACUNOUNDER MODEL NUMBER	-PS BK	NIT COLOR		


DAISY CHAIN

DAISY CHAIN COMPONENTS FOR PERIMETER AND BEZEL MOUNT POWER

	D	W	Н	model number	list
INFEED		12		ACDKPWRIN-PS	822

- Uno, Duo, Trio Daisy Chain Infeed, Std Plug
- The total length of this infeed is 144.4".
- From the plug in Cord to box is 108".
- Box to perimeter plug is 29".
- You can daisychain up to 8 units per infeed.
- You can mix any combination of the Uno, Duo or Trio (1 outlet, 2 outlets or 3 outlets). The limit is 8 total units.


Note: This cannot be used with 4-track system. It can be used with power cable kit to allow single/double/tech modules to be used in conjunction with perimeter and bezel mount power modules.



ACDKPWRJ84-PS

• Uno, Duo, Trio Daisy Chain Jumper 84"

84



1

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

1 ³/₄


ACDKPWRIN-PS
ACDKPWRIN-PS
MODEL NUMBER

Gunlocke


193

D W model number list STANDARD PLUG **ACTMEL-S** 836 • Includes 3 Power and Extron, Standard Plug, Silver · Extron plates must be ordered separately. • USB charging. Note: These are double Extron units. **ACTMEL-B** 836 • Includes 3 Power and Extron, Standard Plug, Black • Extron plates must be ordered separately. • USB charging. Note: These are double Extron units. STANDARD PLUG with Optional Wireless Charging **ACTMELQI-S** 1,252 • Includes 3 Power, USB and Qi Wireless Charging, Standard Plug, Fog (Silver) **ACTMELQI-B** 1,252 • Includes 3 Power, USB and Qi Wireless Charging, Standard Plug, Black **HARDWIRED ACTMEL-SHW** 836 Includes 3 Power and Extron, Hardwired, Silver Extron plates must be ordered separately. · USB charging. Note: These are double Extron units. **ACTMEL-BHW** 836 • Includes 3 Power and Extron, Hardwired, Black · Extron plates must be ordered separately. USB charging. Note: These are double Extron units. **HARDWIRED** with Optional **ACTMELQI-SHW Wireless Charging** 1,252 • Includes 3 Power, USB and Qi Wireless Charging, Hardwired, Fog (Silver) USB charging. Note: These are double Extron units. **ACTMELQI-BHW** 1,252 • Includes 3 Power, USB and Qi Wireless Charging, Hardwired, Black • USB charging. Note: These are double Extron units. TO ORDER PLEASE SPECIFY THE FOLLOWING: PRODUCT INFO 1. MODEL NUMBER Unit includes 10' power in feed conduit. Standard plug and hardwire units are UL listed. Check local codes for acceptance. Example ACTMEL-S MODEL NUMBER

	D	W	Н	model number	list		
STANDARD PLUG	15 ¹ / ₄	8 3/4	4	GD2PORTS-A	2,191		
		3 power plus lates must be d		ch port ately. See pages 87-91.			
	15 ¹ / ₄	8 ³ / ₄	4	GD2PORTS-B	2,374		
				implex and 1 Extron in each port ately. See pages 87-91.			
HARDWIRED	15 ¹ / ₄	8 3/4	4	GD2PORTS-A-HW	2,191		
	 Includes 3 power plus 1 Extron in each port Extron plates must be ordered separately. See pages 87-91. 						
	15 ¹ / ₄	8 3/4	4	GD2PORTS-B-HW	2,374		
	• Extron p	 Includes 2 power plus 1 USB power simplex and 1 Extron in each port Extron plates must be ordered separately. See pages 87-91. USB charging. 					
	Note:			,	RIPLE		



Veneer doors are included with table tops.



PRODUCT INFO

10' Standard plug or 6' hardwire power source Standard plug and hardwire units are UL listed. Check local codes for acceptance.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. HARDWARE COLOR OPTION

P71 Black
PR6 Silver
P8G Matte Gold
PJE Pyrite
PJW Designer White

V Veneer Doors (included with top); the option pick for the table top must be either SV or DV

PA Polished Aluminum (+\$225)


Example

	D	W	Н	model number	list
STANDARD PLUG	15 ¹ / ₄	19 ¹/ ₄	4	GD2PORTD-A	3,652
		6 power plus 2 lates must be o		h port tely. See pages 87-91.	
	15 ¹ / ₄	19 ¹ / ₄	4	GD2PORTD-B	3,836
	• Includes	4 nower plus 2	LISB nower a	nd 2 Extron in each port	
				nd 2 Extron in each port tely. See pages 87-91.	
HARDWIRED					3,652
HARDWIRED	• Extron pl	19 ¹ / ₄ 6 power plus 2	rdered separa 4 P Extron in eac	tely. See pages 87-91. GD2PORTD-A-HW	3,652

- Extron plates must be ordered separately. See pages 87-91.
- USB charging.

Note:

Veneer doors are included with table tops.



PRODUCT INFO

10' Standard plug or 6' hardwire power source Standard plug and hardwire units are UL listed. Check local codes for acceptance.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. HARDWARE COLOR OPTION

P71 Black
PR6 Silver
P8G Matte Gold
PJE Pyrite
PJW Designer White

V Veneer Doors (included with top); the option pick for the table top must be either SV or DV

PA Polished Aluminum (+\$225)

Example

| GD2PORTD-A.P71 | GD2PORTD-A | P71 | MODEL NUMBER | HARDWARE COLOR OPTION |

W Н model number list STANDARD PLUG Single-Sided 3,495 AC-CC1202-BK • Includes 2 Power, 2 USB, and Extron, Standard Plug, Black · Extron plates must be ordered separately. · USB charging. AC-CC1202-A 3,495 • Includes 2 Power, 2 USB, and Extron, Standard Plug, Brushed Aluminum · Extron plates must be ordered separately. USB charging. Double-Sided AC-CC1402-BK 6,838 Includes 4 Power, 4 USB, and 2 Extron, Standard Plug, Black Extron plates must be ordered separately. USB charging. AC-CC1402-A 6,838 • Includes 4 Power, 4 USB, and 2 Extron, Standard Plug, Brushed Aluminum • Extron plates must be ordered separately. · USB charging. **HARDWIRED** Single-Sided AC-CC1202-BKHW 3,495 • Includes 2 Power, 2 USB, and Extron, Hardwired, Black · Extron plates must be ordered separately. · USB charging. AC-CC1202-AHW 3,495 • Includes 2 Power, 2 USB, and Extron, Hardwired, Brushed Aluminum · Extron plates must be ordered separately. • USB charging. Double-Sided AC-CC1402-BKHW 6,838 Includes 2 Power, 2 USB, and Extron, Hardwired, Black · Extron plates must be ordered separately. USB charging. AC-CC1402-AHW 6,838 • Includes 4 Power, 4 USB, and 2 Extron, Hardwired, Brushed Aluminum Extron plates must be ordered separately. USB charging Extron AAP Blank Plate can accommodate three retractable modules, three AAP modules or eight AV Cables Cable Cubby 1202 Cable Cubby 1402 PRODUCT INFO TO ORDER PLEASE SPECIFY THE FOLLOWING: 1. MODEL NUMBER 10' Standard plug or 6' hardwire power source. Expandable Panel Base is required for use with these cable cubbies. Example Standard plug and hardwire units are UL listed. Check local codes for acceptance. AC-CC1202-BK

Gunlocke 81

MODEL NUMBER

EXTRON CABLE CUBBY RETRACTORS

for use with extron cable cubbies only

	D	W	Н	model number	list
НДМІ	4 3/4	1 ¹ / ₄	22 ³ / ₄	AC-RS-2HDMI	1,783
M.	• HDMI C	able Retractor			
NETWORK	4 ³ / ₄	1 ¹ / ₄	22 ³ / ₄	AC-RS-2NETWORK	1,783
A STATE OF THE STA	• 3 Feet	CAT6 Cable F	Retractor		
VGA	4 3/4	1 1/4	22 3/4	AC-RS-2VGA-A	1,976
-	VGA Ca3 Feet	ble Retractor			
FILLER	1	1	1/4	AC-RS-FILLER	304

AC-RS-BRACKET

HORIZONTAL MOUNTING BRACKET



- 1 1 1/2

 Hold Three Retractor Modules
- Required for Horizontal Mounting

Horizontal Bracket Mounting Holes Slotted Hole End Caps

136

PRODUCT INFO

- Cable Cubby 1200 and 1400 have a retractor capacity of 3.
- Retractors can be mounted horizontal, vertical or angular (see page 83).
- Cables pull out to 5' in length.
- Simple push-button release retracts cable into Cable Cubby enclosure after use.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER


Example


ACEXP-HDMI-BK


ACEXP-HDMI-BK

MODEL NUMBER


MOUNTING ORIENTATION







PIGTAILS



*To make connections to devices under the table, Retractor Series have 6 feet (1.8 m) of pigtail from the exit of the cable retainer (see the illustration). Depending on the retractor mounting and the location of the devices, you may require patch cables to extend the reach of the pigtail.


If you need to connect to devices further than the pigtails allow, contact your Extron representative or go to www.extron.com for a full line of patch cables.

	D	W	Н	model number	list
STANDARD PLUG	11 ⁵ / ₁₆	51 ¹ / ₈	5 ¹ /8	GD2TPTR-50BNK	6,805
			blanks, 8 powe ordered separa	r, 4 <u>dual</u> USB power (8 total), 8 data ja tely.	ack blanks
HARDWIRED	11 ⁵ / ₁₆	51 ¹ /8	5 ¹ /8	GD2TPTR-50BNK-HW	6,805
	• Includes	4 Extron AAP	blanks 8 powe	r 4 dual USB power (8 total) 8 data ia	ick hlanks



- Includes 4 Extron AAP blanks, 8 power, 4 <u>dual</u> USB power (8 total), 8 data jack blanks
- Extron plates must be ordered separately.

POWER CORD QUANTITY AND LOCATIONS



Note: Each 50" Trough includes (4) power supply cords.

STANDARD CONFIGURATION

POWER

Α





EXTRON AAP DOUBLE BLANK PLATE (70-090-12)

В

Each 50" technology trough specified can be populated with 4 Extron AAP Blanks. See page 87-91 for options to customize trough.

BLANK C









Each 50" technology trough specified can be populated with (8) of the Leviton components listed to the right. Price listed is per jack.

Specify model number from the list below:

compor	ory jack nents	model number	list price	quantity (specify 2)
	RJ-45	AC-45	96	
	RJ-11	AC-11	58	
	Blank	AC-BNK	68	

TOTAL (20)

PRODUCT INFO

84

Units can be specified with 10' standard plug or 6' hardwire conduit. Standard plug and hardwire units are UL listed. Check local codes for acceptance.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

2. HARDWARE COLOR OPTION

P71 Black PJE Pyrite PJW Designer White PR6 Silver P8G Matte Gold

HARDWARE COLOR OPTION

Example


GD2TPTR-50BNK

MODEL NUMBER

JACK COMPATIBILITY


Additional flexibility is provided in the Converge technology solution by offering a range of technology solutions in the jack openings.

Blank jack openings may be populated in the field with any of the following manufacturers jacks:



Converge Jack Cutout Size

Example




The large technology port blank jacks (4) shown above can be populated with any of the jacks including RJ45, CAT5, CAT5e, and CAT6 from the manufacturers listed below. The Leviton RJ-45 connectors are CAT6.

Extron	AAP Double Space Plate	www.extron.com	1 800 633-9876
manufacturer	product	website	phone
SIEMON	Max Keystone	www.siemon.com	1 866 474-1197
PANDUIT	NetKey	www.panduit.com	1 800 777-3300
LEVITON (standard in Converge)	Quick Port	www.leviton.com	1 800 824-3005
AMP/TYCO (NETCONNECT)	SL Series & 110	www.ampnetconnect.com	1 800 553-0938
manufacturer	jack series	website	phone

EXTRON COMPATIBILITY

Extron offers a wide range of technology solutions to meet specific technology requirements. Contact Extron for a complete list of options.




EXTRON TEAMWORK®


Extron TeamWork® offers a pre-configured collaborative system designed for fast, easy implementation with minimal setup. Allowing for groups of 4 to 6 users to share content by connecting the "Show Me" cable to a laptop or tablet. As soon as a signal is detected, power is automatically directed to the video display. Users can switch the display automatically to another device by pressing the "Share" button on the "Show Me" cable, and the switcher automatically displays the appropriate input on the video display. TeamWork® systems works with most flat panel displays, laptops, and tablets.

Extron TeamWork® system must be ordered directly from Extron. Visit www.extron.com or call 1-800-633-9876 for more information.

Gunlocke recommends an Extron APP double space cable organizer with TeamWork® to help keep the wires untangled and organized. Model AC-7054211.



EXTRON SINGLE SPACE PLATES



PRODUCT INFO

Note: Plates do not come with the connecting cable.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

AC-7009011 AC-7009011 MODEL NUMBER

	D	W	Н	model number	list
	1 ¹ / ₂	3 1/2	5/8	AC-7049113	376
		ate, includes 2 art Number: 70		Pdwn CAT6 SIEMON	
	1 1/2	3 1/2	5/8	AC-7049114	376
	_	ate, includes 2 art Number: 70		Pdwn CAT6 Otronics	
	1 ¹ / ₂	3 1/2	5/8	AC-7049115	376
		ate, includes 2 art Number: 70		Pdwn CAT6 Leviton	
	1 1/2	3 1/2	⁵ /8	AC-7049116	376
		ate, includes 2 art Number: 70		Pdwn CAT6 Panduit	
	1 1/2	3 1/2	5/8	AC-7016111	543
	_	ate, includes 1 art Number: 70	audio plus 1 \)-161-11	/GA	
\rightarrow	1 1/2	3 1/2	5/8	AC-7061602	285
0 0 0	• Extron Pa	ate, HDMI plat art Number: 70 n plates open r)-616-02		
	7.11 EXTIG	ED DI EAC		TUE FOLLOWING.	

PRODUCT INFO

Note: Plates do not come with the connecting cable.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

AC-7049113 AC-7049113 MODEL NUMBER

EXTRON SINGLE SPACE PLATES



	\sim	ы	10	Γ IN	IEC
\neg	v	Dι	,,,	1 111	Γ


Note: Plates do not come with the connecting cable.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

AC-7067712 AC-7067712 MODEL NUMBER



PRODUCT INFO

Note: Plates do not come with the connecting cable.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

AC-7009012 AC-7009012 MODEL NUMBER

EXTRON DOUBLE SPACE PLATES

 D	W	Н	model number	list			
1 1/2	3 1/2	1 ³ /8	AC-7026701	450			
		ass through set 0-267-01; 70-27	0-01				
1 ¹ / ₂	3 1/2	1 ³ /8	AC-7054211	450			
	 Double Plate, Cable organizer Extron Part Number: 70-542-11 						
1 ¹ / ₂	3 1/2	1 ³ /8	AC-70107602	747			
	Super Plate, ind art Number: 70		1 VGA, 1 audio, and 1 USB				
• All Extro	n plates open	market					

PRODUCT INFO

Note: Plates do not come with the connecting cable.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

AC-7026701 AC-7026701 MODEL NUMBER

WIRE MANAGEMENT

W model number list **WIRE CLIP AC-WIRECLIP** 72

• Wire clip with screws

• If used on training table, tables to run a wire down the leg. These are plastic.



1/4 **GD2HBS-WIREMGR** 964

- Vertical Wire Manager for Bases
- Used on ribbon bases to run wire down to the floor; this is stainless steel.



 $1/_{4}$ **ACPPUNDER-MGR** 206

- Perimeter Power Cord Manager Beneath Beam
- · Used on bases with beam so you can run wire from the inside of the beam to the outside of the table for undermount units. This is sheet metal that is painted.



 $1^{1/2}$ 3 1/16 30 **CVSPINE** 659

- Can be used for tables to manage cords to floor.
- Used for table with legs. Run wires to the floor from the middle of the table. This is plastic.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. HARDWARE COLOR (GD2HBS-WIREMGR ONLY)

P71 Black PR6 Silver P8G Matte Gold PJE Pyrite Designer White PJW

Polished Stainless (+\$225)

Example

GD2HBS-WIREMGR MODEL NUMBER

HARDWARE COLOR

	D	W	Н	model number	list
	4 3/4	1 1/4	22 ³ / ₄	AC-CR-HDMI	1,177
	• HDMI Ca	able Retractor	with Mounting B	racket	
ORK	4 ³ / ₄	1 ¹ / ₄	22 ³ / ₄	AC-CR-CAT6	1,177
	• CAT6 Ca	able Retractor	with Mounting Br	racket	
	1	1	1/4	AC-CR-VGA	1,177
	1 • VGA Cab		1/4 vith Mounting Bra		1,177

PRODUCT INFO

- For use with the tech module, single port, double port or technology trough.
- Cables pull out to 5' in length.
- Retractors attach to the underside of any worksurface and are able to stack.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

AC-CR-HDMI
AC-CR-HDMI
MODEL NUMBER

GROMMET

 D	W	Н	model number	list
2 1/2	5	1	GS2GMT	178



• Silea EH Rectangular Grommet

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. HARDWARE COLOR

P71 Black
PR6 Silver
P8G Matte Gold
PJE Pyrite
PJW Designer White

Example

BYRNE DATA JACKS FOR EXPOSED POWER


	D	W	Н	model number	list
IDMI	1	1	1/4	ACEXP-HDMI-BK	189
	 Connects 			aptops, etc.) to remote displays. h.	
GA	1	1	1/4	ACEXP-VGA-BK	189
	 Connects 			aptops, etc.) to remote displays.	
AT5E	1	1	1/4	ACEXP-CAT5E-BK	189
	Pre-termi			remote access to network connections	s allowing surface acces
AT6E	1	1	1/4	ACEXP-CAT6-BK	189
	 Pre-termi 			remote access to network connections	s allowing surface acces
SB	1	1	1/4	ACEXP-USB-BK	189
SB	• USB-A A	dapter insert,	black	ACEXP-USB-BK e access to USB. Female / Male conn	
	• USB-A A • Provides	dapter insert, an extension,	black allowing surfac		
PRODUCT INFO	• USB-A A • Provides	dapter insert, an extension,	black allowing surfac	e access to USB. Female / Male conr	
	• USB-A A • Provides	dapter insert, an extension,	black allowing surfac	e access to USB. Female / Male conr	
	• USB-A A • Provides TO ORD 1. MODEL N	dapter insert, an extension, ER PLEAS UMBER	black allowing surfac	e access to USB. Female / Male conr	

W model number list

POWER CABLE KIT WITH 6 RECEPTACLE OUTLETS

172 **CVPWRKT6** 836






- Provides enough receptacles for all port and (1) technology trough options.
- Power cable kit must be specified with <u>standard plug technology units</u>. (Example: GD2PORTD-A). Technology unit electric cords plug into receptacle outlets of power cable kit.
- Power cable kit is hardwired to power source

POWER CABLE KIT WITH 12 RECEPTACLE OUTLETS 244 **CVPWRKT12** 1,469





- Provides enough receptacles for (2) technology trough options.
- Power cable kit must be specified with <u>standard plug technology units</u>. (Example: GD2PORTD-A quantity 2). Technology unit electric cords plug into receptacle outlets of power cable kit.
- Power cable kit is hardwired to power source

PRODUCT INFO

note:

- To be installed by certified electrician
- Convenient way to connect all power cords to a single power source
- Includes 10' power in feed conduit
- The power cable kit is rated for 20 amps per circuit allowing the use of 2 circuits with 2 line conductors, 1 neutral and 1 ground. The line conductors, neutral and ground are all 12 AWG. The kit can be wired in both single and 3-phase configurations, 240/120V, 208/120V, respectively.
- UL Listed

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

CVPWRKT6

CVPWRKT6

MODEL NUMBER

TRAINING TABLE POWER

	D	W	Н	model number	list		
TANDARD PLUG	6 1/2	4 1/2	1 1/2	AC-PWRDU2E-S	636		
	IncludesUSB cha		s, and 2 Power, S	Silver			
	Note: Used with BYRNE DATA JACKS FOR EXPOSED POWER, page 95.						
	6 1/2	4 1/2	1 1/2	AC-PWRDU2E-B	636		
	IncludesUSB cha		3, and 2 Power, E	Black			
ARDWIRED	6 1/2	4 1/2	1 ¹ / ₂	AC-PWRDU2E-SHW	636		
	IncludesUSB cha		3, and 2 Power, S	Silver, Hardwired			
G	6 1/2	4 1/2	1 1/2	AC-PWRDU2E-BHW	636		
	IncludesUSB cha		3, and 2 Power, E	Black, Hardwired			
TERLINK	6 1/2	4 1/2	1 1/2	AC-PWRD3E-SIQ	636		
	 Includes 1 Data and 3 Power, Silver, Interlink USB charging. You can daisychain up to 8 units per infeed. You can mix any combination of the Uno, Duo or Trio (1 outlet, 2 outlets or 3 outlets). The limit is 8 total un 						
	6 1/2	4 1/2	1 1/2	AC-PWRD3E-BIQ	636		
_	• You can	daisychain up mix any combir		Duo or Trio (1 outlet, 2 outlets or 3 out			
	You canYou can2 1/2	daisychain up mix any combir 72	nation of the Uno,		lets). The limit is 8 total ui 785		
	You canYou can2 1/2	daisychain up mix any combir	nation of the Uno,	Duo or Trio (1 outlet, 2 outlets or 3 out			
	You canYou can2 1/2	daisychain up mix any combir 72	nation of the Uno,	Duo or Trio (1 outlet, 2 outlets or 3 out			
	• You can • You can 2 1/2 • Interlink	daisychain up mix any combir 72 72" Infeed, Std	nation of the Uno, 1 ¹ / ₂ Plug	Duo or Trio (1 outlet, 2 outlets or 3 out AC-PWRIN-IQ	785		
RODUCT INFO	• You can • You can 2 1/2 • Interlink 1 1/2 • Interlink	daisychain up mix any combir 72 72" Infeed, Std 36	nation of the Uno, 1 1/2 Plug 1 1/8	Duo or Trio (1 outlet, 2 outlets or 3 out AC-PWRIN-IQ	785		
' standard plug or hardwire power source andard plug and hardwire its are UL listed. Interlink its are UL recognized. neck local codes for	• You can • You can 2 1/2 • Interlink 1 1/2 • Interlink	daisychain up mix any combir 72 72" Infeed, Std 36 36" Jumper	nation of the Uno, 1 1/2 Plug 1 1/8	Duo or Trio (1 outlet, 2 outlets or 3 out AC-PWRIN-IQ AC-PWRJ36-IQ	785		
RODUCT INFO 'standard plug or hardwire power source andard plug and hardwire hits are UL listed. Interlink hits are UL recognized. heck local codes for ceptance.	You can You can You can 2 1/2 Interlink 1 1/2 Interlink	daisychain up mix any combir 72 72" Infeed, Std 36 36" Jumper	nation of the Uno, 1 1/2 Plug 1 1/8	Duo or Trio (1 outlet, 2 outlets or 3 out AC-PWRIN-IQ AC-PWRJ36-IQ	785		
standard plug or hardwire power source undard plug and hardwire its are UL listed. Interlink its are UL recognized. eck local codes for	• You can • You can • You can 2 1/2 • Interlink 1 1/2 • Interlink TO ORE 1. MODEL N	daisychain up mix any combir 72 72" Infeed, Std 36 36" Jumper DER PLEAS	nation of the Uno, 1 1/2 Plug 1 1/8	Duo or Trio (1 outlet, 2 outlets or 3 out AC-PWRIN-IQ AC-PWRJ36-IQ	785		

ELECTRICAL SYSTEM

Briefing Tables are available in 3 electrical in-feed options: corded standard plug, hardwire with quick disconnect, or hardwire. Installation and use of electrical systems, the number of receptacles per circuit, and connections to the building power supply should be in compliance with all local and national electrical codes. Verify code requirements before ordering. Wire harnesses and snap connectors are not allowed in Chicago. Customer must furnish electrical wiring components in cases where the Briefing electrical system does not meet code.

The ports offered in Briefing Tables can plug directly into a floor or wall outlet. However, if you plan to daisy-chain the tables or don't have access to power for each of the tables you can order the electrical system based on Byrne 4-Trac in addition to the ports or grommets. All the components of this system are UL listed (UL 183) with the exception of the standard plug power in-feed that is UL recognized (UL 1286).

All flexible parts are metal conduit with the exception of the last section of the power in feed with plug.


Please check with the local authorities for compliance with the electrical requirements for your market and always use a certified electrician for the installation.

HOW TO ORDER

- 1. Determine the required amps for the setup and decide if you are going to use one or two circuits. You need to use a certified electrician for circuit load estimates and install.
- 2. Select the Modular Power units for each of the tables. If you use 2 circuits order "Duplex Circuit 2", two per table and replace the "Circuit 1 duplex" that ships standard with the Modular Power on half of the total number of tables.
- 3. Select a power in-feed (plug, hardwire, rotating entry).

4-TRAC SYSTEM

The 4-Trac electrical system is rated for 20amp per circuit however, according to the National Electrical Code for continuous use, one should budget for 16amp per circuit. The total length of the circuit should not exceed 300" and 13 duplexes. However, some units such as projectors, desktop computers and monitors can draw more current and limit further the number of units you can plug in a circuit. Please consult with your local electrician to determine the best solution for your needs.



POWER IN-FEED

Power In-feed allows you to bring power from a floor or wall mounted power box. All of the 3 solutions below do not restrict the tables to connect in a certain sequence:

POWER IN-FEED HARDWIRE

This unit has 4-wires at one end and a modular connector at the other end.

The modular end connects to a duplex receptacle installed under the table top. This is a 20 amp, 2-circuit unit



ROTATING POWER IN-FEED WITH QUICK DISCONNECT

This unit replaces a wall outlet to allow for quick disconnect from the wall. Can be used in place of the power in-feed hardwire if the code requires a hard wire connection to the building. This is a 20 amp, 2-circuit unit. Includes a 72" jumper, which connects to a duplex receptacle installed under the table top.



POWER IN-FEED WITH PLUG

This unit has a standard plug at one end and a modular connector at the other end. The modular end connects to a duplex receptacle installed under the table top. This is a 20 amp, 1-circuit unit; it will not fit in a 15 amp power outlet.



4-WIRE H CONNECTOR

This unit can be used when you need to bring power to a series of daisy chained tables somewhere else than the at the ends of the chain. This acts as a T-splitter and connects to 3 jumpers (two from the tables and one from the power source). This is usually used in conjunction with one of the 3 power solutions listed above.



JUMPER

Is used to connect: table-table, table-corner-table, H-connector to rotating power in feed.



MODULAR POWER

Attaches under the table top and stays with the top when the table is moved, flipped or nested. The unit has a power duplex at each end. The standard configuration is Circuit 1 only. Using a single circuit allows for non-sequential configuration but reduces the number of tables that can be daisy chained. If you need to connect more tables that share a single power in-feed you need to alternate the tables to include Circuit 2 (e.g. 4 tables in a row will be configure as follows: Table 1 C1, Table 2 C2, Table 3 C1, Table 4 C2). To alternate circuits you can buy the standard Modular Power for the table size you need and then buy separate Circuit 2 duplexes (you need 2 per table) and replace these in the field. You would also need to keep track of the tables sequence to make sure you alternate Circuit 1 and 2 – the tables become sequential now.



MODULAR POWER	
CIRCUIT 1 DUPLEXES INCLUDED	
annununganununun -	

D	W	Н	model number	list
1 ³ / ₄	44 ³ / ₈	1	AC-PWR60-4T	256
1 3/4	50 ³ / ₈	1	AC-PWR66-4T	262
1 3/4	56 ³ / ₈	1	AC-PWR72-4T	273
1 3/4	62 3/8	1	AC-PWR78-4T	284
1 3/4	68 ³ / ₈	1	AC-PWR84-4T	293

MODULAR POWER
ROUND TOPS CIRCUIT 1 DUPLEXES INCLUDED
annuming muniming

1 3/4	45 ³ / ₈	1	AC-PWRZ48-4T	237
1 3/4	56 ³ / ₈	1	AC-PWRZ60-4T	256
1 3/4	68 ³ / ₈	1	AC-PWRZ72-4T	273

PRODUCT INFO

Comes with clips to help secure to worksurface.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

AC-GANGTT
AC-GANGTT
MODEL NUMBER

4-TRAC ELECTRICAL SYSTEM

D	W	Н	model number	list
1 ³ / ₄	72	1	AC-PWRINSP	319
• Standard	l plug			
1 3/4	72	1	AC-PWRINHW	319
 Hardwire 				
1 3/4	72	1	AC-PWRINQD	319
			ksurface.	
1 ³ /4	16 ³ / ₈	1	AC-PWRJTT-4T	116
•Table to T	able			
1 3/4	27 1/4	1	AC-PWRJET-4T	123
• End Tabl	e/ Corner Table	9		
1 ³ / ₄	5 ⁹ / ₁₆	1	AC-PWRDP2	81
Optional				
1 ¹ / ₂ • Optional			AC-PWRHCON with Circuit 1 duplexes only	85
		be ordered sep	parately and swapped out in the field	
		be ordered sep	parately and swapped out in the field AC-PWRDPDB	42
• Circuit 2	duplexes may			
Circuit 2 1 ⁵ / ₈ Optional	duplexes may	3/4		
Circuit 2 1 ⁵ / ₈ Optional	1 ⁵ / ₈	3/4	AC-PWRDPDB	
Circuit 2 1 ⁵ / ₈ Optional TO ORD	1 ⁵ / ₈	3/4	AC-PWRDPDB	
Circuit 2 1 ⁵ / ₈ Optional TO ORD	1 ⁵ / ₈	3/4	AC-PWRDPDB	
Circuit 2 1 ⁵ / ₈ Optional TO ORD	1 ⁵ / ₈	3/4	AC-PWRDPDB	
Circuit 2 1 ⁵ / ₈ Optional TO ORD	1 ⁵ / ₈	3/4	AC-PWRDPDB	
Circuit 2 1 ⁵ / ₈ Optional TO ORD	1 ⁵ / ₈	3/4	AC-PWRDPDB	
Circuit 2 1 ⁵ / ₈ Optional TO ORD	1 ⁵ / ₈	3/4	AC-PWRDPDB	
Circuit 2 1 ⁵ / ₈ Optional TO ORD	1 ⁵ / ₈	3/4	AC-PWRDPDB	
	1 3/4 • Standard 1 3/4 • Hardwire 1 3/4 • Hardwire • Comes w 1 3/4 • Table to T 1 3/4 • End Tabl 1 3/4 • Optional	1 3/4 72 • Standard plug 1 3/4 72 • Hardwire 1 3/4 72 • Hardwire Quick-disconr • Comes with clips to help 1 3/4 16 3/8 • Table to Table 1 3/4 27 1/4 • End Table/ Corner Table 1 3/4 5 9/16 • Optional 1 1/2 1 5/8 • Optional • All modular power units	1 3/4 72 1 • Standard plug 1 3/4 72 1 • Hardwire 1 3/4 72 1 • Hardwire Quick-disconnect • Comes with clips to help secure to wor 1 3/4 16 3/8 1 • Table to Table 1 3/4 27 1/4 1 • End Table/ Corner Table 1 3/4 5 9/16 1 • Optional	1 ³/₄ 72 1 AC-PWRINSP • Standard plug 1 ³/₄ 72 1 AC-PWRINHW • Hardwire 1 ³/₄ 72 1 AC-PWRINQD • Hardwire Quick-disconnect • Comes with clips to help secure to worksurface. • Comes with clips to help secure to worksurface. • Table to Table 1 ³/₄ 27 ¹/₄ 1 AC-PWRJTT-4T • End Table/ Corner Table 1 ³/₄ 5 ²/₃ 1 AC-PWRDP2 • Optional • All modular power units ship standard with Circuit 1 duplexes only

AC-PWRINSP MODEL NUMBER

103

Bases103-122
Expandable Panel Base104
Miter Bases
¹ / ₂ Taper Bases
Geo Bases
Metal Y Bases
Leg Bases
Metal Ribbon Y Bases
Cylinder Base
Full Taper Bases
Metal X Bases
Metal Post X Bases
Metal Ribbon X Bases
Disc Base
Metal T-Bases
Table Legs
Wire Management Base121
Steel Worksurface Support

Standard height

	for use with top sizes	D	W	Н	model number + type	veneer 1	veneer 2	veneer 3	laminate
STANDARD HEIGHT	36 x 72	20 ³ / ₄	35 ³ / ₄	27 ⁵ / ₈	GD2EXBS72-C	4,293	4,723	5,152	3,581
The Parks	36 x 84	20 3/4	47 ³ / ₄	27 ⁵ /8	GD2EXBS84-C	4,530	4,983	5,436	3,818
	36 x 96	20 3/4	59 ³ / ₄	27 ⁵ / ₈	GD2EXBS96-C	4,768	5,245	5,722	4,056

STANDARD HEIGHT



42/48 x 72	24 3/4	35 ³ / ₄	27 ⁵ /8	GD2EXBS72-A 5,490 6,039 6,588 4,539
42/48 x 84	24 3/4	47 ³ / ₄	27 ⁵ /8	GD2EXBS84-A 5,727 6,300 6,873 4,776
42/48 x 96	24 3/4	59 ³ / ₄	27 ⁵ /8	GD2EXBS96-A 5,965 6,562 7,158 5,014
42/48 x 108	24 3/4	71 ³ / ₄	27 ⁵ /8	GD2EXBS108-A 6,202 6,823 7,443 5,251
42/48 x 120	24 3/4	83 3/4	27 ⁵ /8	GD2EXBS120-A 6,436 7,080 7,724 5,485
42/48 x 144	24 3/4	107 ³ / ₄	27 ⁵ /8	GD2EXBS144-A 6,910 7,601 8,292 5,959
42/48 x 168	24 3/4	131 ³ / ₄	27 ⁵ /8	GD2EXBS168-A 9,772 10,750 11,727 8,347
42/48 x 192	24 3/4	155 ³ / ₄	27 ⁵ /8	GD2EXBS192-A 10,242 11,267 12,291 8,817
-				

STANDARD HEIGHT



54/60 x 120	29 ³ / ₄	83 3/4	27 ⁵ /8	GD2EXBS120-B 7,631 8,395 9,158 6,443
54/60 x 144	29 ³ / ₄	107 ³ / ₄	27 ⁵ /8	GD2EXBS144-B 8,105 8,916 9,726 6,917
54/60 x 168	29 ³ / ₄	131 ³ / ₄	27 ⁵ /8	GD2EXBS168-B 11,566 12,723 13,880 9,783
54/60 x 192	29 ³ / ₄	155 ³ / ₄	27 ⁵ /8	GD2EXBS192-B 12,036 13,240 14,444 10,253
54/60 x 216	29 ³ / ₄	179 ³ / ₄	27 ⁵ /8	GD2EXBS216-B 12,514 13,766 15,017 10,731
54/60 x 240	29 ³ / ₄	203 ³ / ₄	27 ⁵ /8	GD2EXBS240-B 12,986 14,285 15,584 11,203

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD LAMINATE

1. MODEL NUMBER + W 1. MODEL NUMBER + L

2. FSC
 2. FSC
 3. FINISH
 3. FINISH

 4. BEAM COLOR
 4. BEAM COLOR

 P71 Black
 P71 Black

 PR6 Silver
 PR6 Silver

See inside front cover for required option codes

Example

GD2MBS72-C.X.NC260.P71

MITER BASE

Standard height

STANDARD	HEIGHT

for use with top sizes	D	W	Н	model number + type	veneer 1	veneer 2	veneer 3
36 x 72	20 1/2	35 ³ / ₄	27 ⁵ / ₈	GD2MBS72-C	4,693	5,163	5,632
36 x 84	20 1/2	47 ³ / ₄	27 ⁵ /8	GD2MBS84-C	4,930	5,423	5,916
36 x 96	20 1/2	59 ³ / ₄	27 ⁵ /8	GD2MBS96-C	5,168	5,685	6,202

STANDARD HEIGHT



42/48 x 72	24 ³ / ₄	35 ³ / ₄	27 ⁵ / ₈	GD2MBS72-A	6,021	6,624	7,226
42/48 x 84	24 3/4	47 ³ / ₄	27 5/8	GD2MBS84-A	6,258	6,884	7,510
42/48 x 96	24 ³ / ₄	59 ³ / ₄	27 ⁵ / ₈	GD2MBS96-A	6,496	7,146	7,796
42/48 x 108	24 3/4	71 ³ / ₄	27 5/8	GD2MBS108-A	6,733	7,407	8,080
42/48 x 120	24 3/4	83 3/4	27 5/8	GD2MBS120-A	6,967	7,664	8,361
42/48 x 144	24 3/4	107 3/4	27 5/8	GD2MBS144-A	7,441	8,186	8,930
42/48 x 168	24 3/4	131 ³ / ₄	27 5/8	GD2MBS168-A	10,569	11,626	12,683
42/48 x 192	24 3/4	155 ³ / ₄	27 5/8	GD2MBS192-A	11,039	12,143	13,247

STANDARD HEIGHT



54/60 x 120	29 ³ / ₄	83 ³ / ₄	27 ⁵ / ₈	GD2MBS120-B	8,294	9,124	9,953
54/60 x 144	29 ³ / ₄	107 ³ / ₄	27 ⁵ / ₈	GD2MBS144-B	8,768	9,645	10,522
54/60 x 168	29 ³ / ₄	131 ³ / ₄	27 ⁵ / ₈	GD2MBS168-B	12,562	13,819	15,075
54/60 x 192	29 ³ / ₄	155 ³ / ₄	27 ⁵ / ₈	GD2MBS192-B	13,032	14,336	15,639
54/60 x 216	29 ³ / ₄	179 ³ / ₄	27 ⁵ / ₈	GD2MBS216-B	13,510	14,861	16,212
54/60 x 240	29 ³ / ₄	203 3/4	27 ⁵ /8	GD2MBS240-B	13,982	15,381	16,779

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- 1. MODEL NUMBER + W
- 2. FSC
- 3. FINISH
- 4. BEAM COLOR

P71 Black PR6 Silver

See inside front cover for required option codes

Example

GD2MBS72-C.X.NC260.P71

Bar height

for use with top sizes	D	W	Н	model number + type	veneer 1	veneer 2	veneer 3
36 x 72	20 ¹ / ₂	35 ³ / ₄	41 ¹ /8	GD2MBT72-C	5,490	6,039	6,588
36 x 84	20 1/2	47 3/4	41 ¹ /8	GD2MBT84-C	5,727	6,300	6,873
36 x 96	20 1/2	59 ³ / ₄	41 ¹ / ₈	GD2MBT96-C	5.965	6.562	7.158

BAR HEIGHT

BAR HEIGHT



42/48 x 72	24 ³ / ₄	35 ³ / ₄	41 ¹ / ₈	GD2MBT72-A	6,818	7,500	8,182
42/48 x 84	24 ³ / ₄	47 ³ / ₄	41 ¹ / ₈	GD2MBT84-A	7,055	7,761	8,466
42/48 x 96	24 ³ / ₄	59 ³ / ₄	41 ¹ /8	GD2MBT96-A	7,293	8,023	8,752
42/48 x 108	24 ³ / ₄	71 ³ / ₄	41 ¹ /8	GD2MBT108-A	7,530	8,283	9,036
42/48 x 120	24 ³ / ₄	83 3/4	41 ¹ /8	GD2MBT120-A	7,764	8,541	9,317

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- 1. MODEL NUMBER + W
- 2. FSC
- 3. FINISH
- 4. BEAM COLOR

P71 Black PR6 Silver

See inside front cover for required option codes

Example

GD2MBT72-C.X.NC260.P71

	for use with top sizes	D	W	Н	model number	veneer 1	veneer 2	veneer 3
STANDARD HEIGHT	42/48 x 96	28 ¹ / ₄	61 ³ / ₄	27 1/2	GD2TBS96-AW	9,151	10,067	10,982
	42/48 x 108	28 1/4	73 ³ / ₄	27 1/2	GD2TBS108-AW	9,388	10,327	11,266
	42/48 x 120	28 1/4	85 ³ / ₄	27 1/2	GD2TBS120-AW	9,622	10,585	11,547
	42/48 x 144	28 1/4	109 3/4	27 1/2	GD2TBS144-AW	10,096	11,106	12,116
	42/48 x 168	28 1/4	133 3/4	27 1/2	GD2TBS168-AW	14,553	16,009	17,464
	42/48 x 192	29 1/8	168 ¹ / ₈	27 1/2	GD2TBS192-AW	15,023	16,526	18,028
STANDARD HEIGHT	54/60 x 120	33 ¹ / ₄	94 ¹ /8	27 ¹ / ₂	GD2TBS120-BW	10,948	12,043	13,138
	54/60 x 144	33 1/4	118 ¹ /8	27 1/2	GD2TBS144-BW	11,422	12,565	13,707
	54/60 x 168	33 1/4	142 ¹ /8	27 1/2	GD2TBS168-BW	16,542	18,197	19,851
	54/60 x 192	33 1/4	166 ¹ /8	27 1/2	GD2TBS192-BW	17,012	18,714	20,415
	54/60 x 216	33 1/4	190 ¹ /8	27 1/2	GD2TBS216-BW	17,490	19,239	20,988
	54/60 x 240	33 1/4	214 ¹ /8	27 ¹ / ₂	GD2TBS240-BW	17,962	19,759	21,555

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. FSC
- 3. FINISH
- 4. BEAM COLOR

P71 Black PR6 Silver

See inside front cover for required option codes

Example

GD2TBS96-AW.X.NC260.P71

 $\begin{array}{c|cccc} \text{GD2TBS96-AW} & & \text{X} & \text{NC260} & \text{P71} \\ \hline \text{MODEL NUMBER} & & \text{FSC} & & \hline \text{FINISH} & & \hline \text{BEAM COLO} \\ \end{array}$

Standard height

Briefing 02/24

21,555

19,759

Standard neight								
	for use with top sizes	D	W	Н	model number	veneer 1	veneer 2	veneer 3
STANDARD HEIGHT	42/48 x 72	24	62 ³ / ₄	27 ⁵ /8	GD2GBS96-AW	9,151	10,067	10,982
	42/48 x 84	24	74 ³ / ₄	27 5/8	GD2GBS108-AW	9,388	10,327	11,266
	42/48 x 96	24	86 3/4	27 5/8	GD2GBS120-AW	9,622	10,585	11,547
	42/48 x 108	24	110 ³ / ₄	27 5/8	GD2GBS144-AW	10,096	11,106	12,116
	42/48 x 120	24	134 ³ / ₄	27 ⁵ / ₈	GD2GBS168-AW	14,553	16,009	17,464
	42/48 x 144	24	158 ³ / ₄	27 ⁵ / ₈	GD2GBS192-AW	15,023	16,526	18,028
STANDARD HEIGHT	54/60 x 120	29	88 ³ / ₄	27 ⁵ /8	GD2GBS120-BW	10,948	12,043	13,138
	54/60 x 144	29	112 ³ / ₄	27 ⁵ /8	GD2GBS144-BW	11,422	12,565	13,707
	54/60 x 168	29	136 ³ / ₄	27 ⁵ /8	GD2GBS168-BW	16,542	18,197	19,851
	54/60 x 192	29	160 ³ / ₄	27 ⁵ /8	GD2GBS192-BW	17,012	18,714	20,415
	54/60 x 216	29	184 ³ / ₄	27 ⁵ /8	GD2GBS216-BW	17,490	19,239	20,988

27 ⁵/₈

GD2GBS240-BW

17,962

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. FSC
- 3. FINISH

54/60 x 240

29

208 3/4

4. BEAM COLOR

P71 Black PR6 Silver

See inside front cover for required option codes


Example

GD2GBS96-AW.X.NC260.P71

 $\begin{array}{c|cccc} \text{GD2GBS96-AW} & & \text{X} & \text{NC260} & \text{P71} \\ \hline \text{MODEL NUMBER} & & \text{FSC} & & \hline \text{FINISH} & & \hline \text{BEAM COLO} \\ \end{array}$

Φ		es
nSe	_	Siz
õ	₹	go

STANDARD HEIGHT



for with top	D	W	Н	model number	list	
00/40/40 70	00.31	00.1/	07.21	00000070 4	0.004	
36/42/48 x 72	33 3/8	62 1/8	27 3/4	GG2YBS72-A	2,331	
36/42/48 x 84	33 3/8	72 1/8	27 3/4	GG2YBS84-A	2,411	
36/42/48 x 96	33 ³ / ₈	80 1/8	27 3/4	GG2YBS96-A	2,480	
42/48 x 108	33 ³ / ₈	92 1/8	27 3/4	GG2YBS108-A	2,597	
42/48 x 120	33 ³ / ₈	104 ¹ / ₈	27 3/4	GG2YBS120-A	2,699	
42/48 x 144	33 ³ / ₈	124 ¹ / ₂	27 3/4	GG2YBS144-A	4,079	
42/48 x 168	33 ³ / ₈	152 ¹ / ₂	27 3/4	GG2YBS168-A	4,219	
42/48 x 192	33 ³ / ₈	176 ¹ / ₂	27 3/4	GG2YBS192-A	4,341	

SPEC NOTE: 144, 168, 192 models include a center base with vertical column. These size bases DO NOT accommodate a center technology unit in the table top, directly over the center base.

BAR HEIGHT



36/42/48 x 72	33 ³ / ₈	62 ¹ / ₈	40 3/4	GG2YBT72-A	2,543
36/42/48 x 84	33 ³ / ₈	72 ¹ /8	40 3/4	GG2YBT84-A	2,620
36/42/48 x 96	33 ³ /8	80 ¹ /8	40 ³ / ₄	GG2YBT96-A	2,693

ADD-ON MITERED BEAM ASSEMBLY



36/42/48 x 72	24 ³ / ₄	54 ⁷ / ₈	3 1/8	GG2YBEAM72-A	1,756	
36/42/48 x 84	24 ³ / ₄	64 ⁷ /8	3 1/8	GG2YBEAM84-A	1,993	
36/42/48 x 96	24 ³ / ₄	72 ⁷ /8	3 1/8	GG2YBEAM96-A	2,231	
42/48 x 108	24 ³ / ₄	84 ⁷ /8	3 1/8	GG2YBEAM108-A	2,468	
42/48 x 120	24 ³ / ₄	96 ⁷ /8	3 1/8	GG2YBEAM120-A	2,702	
42/48 x 144	24 ³ / ₄	117 ¹ /8	3 1/8	GG2YBEAM144-A	3,703	
42/48 x 168	24 ³ / ₄	145 ¹ /8	3 1/8	GG2YBEAM168-A	4,175	
42/48 x 192	24 ³ / ₄	169 ¹ /8	3 1/8	GG2YBEAM192-A	4,645	

- Required for tops above 108" widths only
- Reference table matrix on page 31.

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

• Base ships knocked down

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

FOR BASE MODELS

- 1. MODEL NUMBER
- 2. HARDWARE COLOR

P71 Black PR6 Silver

P8G Matte Gold PJE Pyrite

PJW Designer White PA Polished Aluminum (+\$225)

3. WIRE MANAGEMENT

WN No Wire Management WY Yes Wire Management

See inside front cover for required option codes

Example

GG2YBS72-A.P71.WN

GG2YBS72-A MODEL NUMBER

HARDWARE COLOR

WIRE MANAGEMENT

FOR BEAM ASSEMBLY MODELS

- 1. MODEL NUMBER
- 2. BEAM COLOR

P71 Black PR6 Silver

P8G Matte Gold

PJE Pyrite

PJW Designer White

Standard height

	for use with top sizes	D	W	Н	model number + type	metal	metal w/ veneer 1 center base	metal w/ veneer 2 center base	metal w/ veneer 3 center base	metal w/ laminate center base
STANDARD HEIGHT	42/48 x 72	24 ³ / ₄	37 ¹ / ₄	27 1/2	GD2LBS72-A	5,572				
The second second	42/48 x 84	24 3/4	49 1/4	27 1/2	GD2LBS84-A	5,809				
	42/48 x 96	24 3/4	61 1/4	27 1/2	GD2LBS96-A	6,047				
	42/48 x 108	24 3/4	73 1/4	27 1/2	GD2LBS108-A	6,284				
	42/48 x 120	24 3/4	85 ¹ / ₄	27 1/2	GD2LBS120-A	6,518				
W-17-30	42/48 x 144	24 ³ / ₄	112	27 1/2	GD2LBS144-A		9,384	10,323	11,261	8,907
	42/48 x 168	24 ³ / ₄	133 ¹ / ₄	27 1/2	GD2LBS168-A		9,856	10,842	11,828	9,379
	42/48 x 192	24 ³ / ₄	157 ¹ / ₄	27 1/2	GD2LBS192-A		10,326	11,359	12,392	9,849
STANDARD HEIGHT	54/60 x 120	29 3/4	85 ¹ / ₄	27 1/2	GD2LBS120-B	7,735				

STANDARD HEIGHT





ν	

54/60 x 144	29 3/4	112	27 1/2	GD2LBS144-B	11,198	12,318	13,438	10,603
54/60 x 168	29 3/4	133 ¹ / ₄	27 1/2	GD2LBS168-B	11,670	12,837	14,004	11,075
54/60 x 192	29 3/4	157 ¹ / ₄	27 1/2	GD2LBS192-B	12,140	13,354	14,568	11,545
54/60 x 216	29 3/4	181 ¹ / ₄	27 1/2	GD2LBS216-B	12,618	13,880	15,142	12,023
54/60 x 240	29 3/4	205 1/4	27 1/2	GD2LBS240-B	13,090	14,399	15,708	12,495

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

For models up to 120" For models 144" and above **METAL** WOOD LAMINATE 1. MODEL NUMBER 1. MODEL NUMBER + W 1. MODEL NUMBER + L 2. HARDWARE COLOR 2. FSC 2. FSC P71 Black 3. FINISH 3. FINISH PR6 Silver 4. HARDWARE COLOR 4. HARDWARE COLOR P8G Matte Gold PJE Pyrite P71 Black P71 Black PJW Designer White PR6 Silver PR6 Silver

PC Polished Chrome P8G Matte Gold P8G Matte Gold PJE Pyrite PJE Pyrite (+\$225)PJW Designer White PJW Designer White 3. BEAM COLOR PC Polished Chrome PC Polished Chrome P71 Black (+\$225) (+\$225)PR6 Silver 5. BEAM COLOR 5. BEAM COLOR P8G Matte Gold

PJE Pyrite P71 Black P71 Black PJW Designer White PR6 Silver PR6 Silver P8G Matte Gold P8G Matte Gold PJE Pyrite PJE Pyrite PJW Designer White PJW Designer White

See inside front cover for required option codes

Example

GD2LBS144-A NC260 FSC FINISH HARDWARE COLOR BEAM COLOR

10,225

Φ
use
ے د
_ ∓
.2 ≥
₽ ≥

36 x 96

for u with top	D	W	Н	model number	list	
36 x 72	28 1/2	46 ¹ / ₈	27 ¹ / ₂	GD2HBS72-C	9,589	
36 x 84	28 1/2	58 ¹ / ₈	27 1/2	GD2HBS84-C	9,910	

GD2HBS96-C

27 1/2

STANDARD HEIGHT



STANDARD HEIGHT



42/48 x 72	32 1/8	46	27 1/2	GD2HBS72-A	10,546
42/48 x 84	32 1/8	58	27 1/2	GD2HBS84-A	10,867
42/48 x 96	32 1/8	70	27 1/2	GD2HBS96-A	11,184
42/48 x 108	32 1/8	82	27 1/2	GD2HBS108-A	11,507
42/48 x 120	32 1/8	94	27 1/2	GD2HBS120-A	11,823

WIRE MANAGER

1

 $28^{1/2}$

70 1/8

1/4

1

GD2HBS-WIREMGR

964



PRODUCT INFO

- Base includes a welded top frame assembly.
- Ships assembled as onepiece.
- See Product Reference for floor core locations and wire access information.
- Ribbon base is 3" wide x ³/8" thick stainless steel.
- Wire manager adheres with double sided tape on the inside of the ribbon base.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. HARDWARE COLOR

P71 Black PR6 Silver

P8G Matte Gold

PJE Pyrite
PJW Designer White

PS Polished Stainless (+\$225)

See inside front cover for required option codes

Example

GD2HBS72-C.P71

GD2HBS72-C

	for use with top sizes	Dia.	Н	model number + type	veneer 1	veneer 2	veneer 3	laminate
STANDARD HEIGHT	36/42/48	18	27 ⁷ /8	GG2BSWCYL18-	2,155	2,371	2,586	1,687
	54/60	24	27 ⁷ /8	GG2BSWCYL24-	2,845	3,130	3,414	2,242
	66/72	36	27 ⁷ /8	GG2BSWCYL36-	3,265	3,592	3,918	2,575
	78/84	48	27 ⁷ /8	GG2BSWCYL48-	3,747	4,122	4,497	2,966

[•] Reference table matrix on page 33.

STANDARD HEIGHT WITH WIRE MANAGEMENT



36/42/48	18	27 ⁷ /8	GG2BSWCYL18WM-	3,476	3,824	4,172	2,747
54/60	24	27 ⁷ /8	GG2BSWCYL24WM-	3,648	4,013	4,378	2,883
66/72	36	27 ⁷ /8	GG2BSWCYL36WM-	4,007	4,408	4,809	3,172
78/84	48	27 ⁷ /8	GG2BSWCYL48WM-	4,403	4,844	5,284	3,489

[•] Reference table matrix on page 33.

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD LAMINATE

1. MODEL NUMBER + W 1. MODEL NUMBER + L

2. FSC
 2. FSC
 3. FINISH
 3. FINISH

See inside front cover for required option codes

Example

GG2BSWCYL18-W.X.NC260

 GG2BSWCYL18-W
 X
 NC26

 MODEL NUMBER
 FSC
 FINISH

	for use with top sizes	Dia.	н	model number	veneer 1	veneer 2	veneer 3
LOUNGE HEIGHT	42/48	22	24 1/4	GD2TBL-AW	3,666	4,033	4,400
	54/60	28	24 1/4	GD2TBL-BW	3,858	4,244	4,630



• Reference table matrix on page 33.

STANDARD HEIGHT



42/48	22	27 1/2	GD2TBS-AW	3,858	4,244	4,630
54/60	28	27 1/2	GD2TBS-BW	4,048	4,453	4,858
66/72	30	27 ¹ / ₂	GD2TBS-DW	4,446	4,891	5,336
78/84	34	27 1/2	GD2TBS-EW	4,888	5,377	5,866

• Reference table matrix on page 33.

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. FSC
- 3. FINISH

See inside front cover for required option codes

Example

GD2TBL-AW.X.NC260

 GD2TBL-AW
 X
 NC260

 MODEL NUMBER
 FSC
 FINISH

list

1,141

1,232

	5 <u>≥</u> 5	D	W	Н	model number
LOUNGE HEIGHT	30/36	26	26	24 ¹ / ₄	GG2XBL26-LD
	42	32 3/4	32 ³ / ₄	24 1/4	GG2XBL33-LD
	48/54	38 1/4	38 1/4	24 1/4	GG2XBL38-LD

LOUNGE HEIGHT WITH WIRE MANAGEMENT



30/36	26	26	24 1/4	GG2XBL26M-LD	1,257
42	32 3/4	32 3/4	24 1/4	GG2XBL33M-LD	1,356
48/54	38 1/4	38 1/4	24 1/4	GG2XBL38M-LD	1,458

STANDARD HEIGHT



30/36	26	26	27 3/4	GG2XBS26-LD	1,188
42	32 ³ / ₄	32 3/4	27 ³ / ₄	GG2XBS33-LD	1,279
48/54	38 1/4	38 1/4	27 ³ / ₄	GG2XBS38-LD	1,370

STANDARD HEIGHT WITH WIRE MANAGEMENT



30/36	26	26	27 3/4	GG2XBS26M-LD	1,304
42	32 ³ / ₄	32 ³ / ₄	27 3/4	GG2XBS33M-LD	1,406
48/54	38 1/4	38 1/4	27 3/4	GG2XBS38M-LD	1,507

STANDARD HEIGHT WITH CASTERS



30/36	26	26	27 3/4	GG2XBS26-ST	1,424
42	32 ³ / ₄	32 ³ / ₄	27 3/4	GG2XBS33-ST	1,514
48/54	38 1/4	38 1/4	27 3/4	GG2XBS38-ST	1,604

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

• Bases shipped knocked down.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. HARDWARE COLOR

P71 Black

PR6 Silver

P8G Matte Gold

PJE Pyrite

PJW Designer White

PA Polished Aluminum (+\$225)

Example

GG2XBL26-LD.P71

GG2XBL26-LD

for use with top sizes	D	W	Н	model number	list	
30/36	26	26	40 ³ / ₄	GG2XBT26-LD	1,232	
42	32 3/4	32 3/4	40 3/4	GG2XBT33-LD	1,322	
48/54	38 1/4	38 1/4	40 3/4	GG2XBT38-LD	1.414	

BAR HEIGHT

BAR HEIGHT WITH WIRE MANAGEMENT



30/36	26	26	40 3/4	GG2XBT26M-LD	1,356
42	32 ³ / ₄	32 3/4	40 3/4	GG2XBT33M-LD	1,458
48/54	38 1/4	38 1/4	40 3/4	GG2XBT38M-LD	1,558

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

• Bases shipped knocked down.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. HARDWARE COLOR

P71 Black

PR6 Silver

P8G Matte Gold

PJE Pyrite

PJW Designer White

PA Polished Aluminum (+\$225)

Example

GG2XBT26-LD.P71

GG2XBT26-LD

	for use with top sizes	D	W	Н	model number	list	
STANDARD HEIGHT	60	32 ³ / ₄	32 ³ / ₄	27 ³ / ₄	GG2XBS38-4LD	2,888	
	66,72	40 3/4	40 3/4	27 3/4	GG2XBS46-4LD	3,076	
	78,84	48 3/4	48 3/4	27 3/4	GG2XBS58-4LD	3,267	
STANDARD HEIGHT	60	32 ³ / ₄	32 ³ / ₄	27 ³ / ₄	GG2XBS38M-4LD	3,176	
WITH WIRE MANAGEMENT	66,72	40 ³ / ₄	40 ³ / ₄	27 ³ / ₄	GG2XBS46M-4LD	3,384	
	78,84	48 ³ / ₄	48 ³ / ₄	27 ³ / ₄	GG2XBS58M-4LD	3,592	

See Product Reference for floor core locations and wire access information.

• Bases shipped knocked down.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. HARDWARE COLOR

P71 Black

PR6 Silver

P8G Matte Gold

PJE Pyrite

PJW Designer White

PA Polished Aluminum (+\$225)

Example

GG2XBS38-4LD.P71

GG2XBS38-4LD

	for use with top sizes	D	W	Н	model number	list
LOUNGE HEIGHT	36	24 3/4	24 ³ / ₄	24 1/4	GD2HBL-C	6,507
	42,48	28 ⁹ / ₁₆	28 ⁹ / ₁₆	24 1/4	GD2HBL-A	6,766
	54,60	33 1/16	33 1/16	24 1/4	GD2HBL-B	7,460
STANDARD HEIGHT	36	24 3/4	24 ³ / ₄	27 1/2	GD2HBS-C	6,849
	42,48	28 1/2	28 1/2	27 1/2	GD2HBS-A	7,125
	54,60	34 1/4	34 1/4	27 1/2	GD2HBS-B	7,853
	66,72	46 1/4	46 1/4	27 1/2	GD2HBS-D	8,639
	78,84	58 ¹ / ₄	58 1/4	27 1/2	GD2HBS-E	9,502
WIRE MANAGER		1	1	¹ / ₄	GD2HBS-WIREMGR	964
		•	•			

- Base includes a welded top frame assembly.
- Ships assembled as onepiece.
- See Product Reference for floor core locations and wire access information.
- Wire manager adheres with double sided tape on the inside of the ribbon base.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. HARDWARE COLOR

P71 Black

PR6 Silver P8G Matte Gold

PJE Pyrite

PJW Designer White

PS Polished Stainless (+\$225)

Example

GD2HBL-C.P71

GD2HBL-C

for use with top size	D	W	Н	model number	list
30,36	18	18	27 ³ / ₄	GG2MDISC18-LD	1,301
42,48	24	24	27 ³ / ₄	GG2MDISC24-LD	1,526



BAR HEIGHT	36,42	24	24	41	GG2MDISC24B-LD	1,865	

118

See Product Reference for floor core locations and wire access information.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. HARDWARE COLOR

P71 Black

PR6 Silver

P8G Matte Gold PJE Pyrite

PJW Designer White

PC Polished Chrome (+\$225)

HARDWARE COLOR

Example

GG2MDISC18-LD.P71

GG2MDISC18-LD

MODEL NUMBER



for use	with	top sizes

STANDARD HEIGHT



for wit top	D	W	Н	model number	list
24D	6	19 ⁷ /8	27 ⁵ / ₈	GG2MTL20T-LD	742
30/36D	6	25 ⁷ /8	27 5/8	GG2MTL26T-LD	789
42D	8	32 ⁵ /8	27 ⁵ / ₈	GG2MTL33T-LD	826
48D	12	38 ¹ / ₈	27 ⁵ / ₈	GG2MTL38T-LD	875

STANDARD HEIGHT WITH CASTERS



24D	6	19 ⁷ /8	27 ⁵ /8	GG2MTL20T-ST	923
30/36D	6	25 ⁷ / ₈	27 ⁵ / ₈	GG2MTL26T-ST	970

Table Width	# Bases Required	Inset From End	Center Bases
60" Width	2	10	-
66" Width	2	10	-
72" Width	2	10	-
78" Width	2	13	-
84" Width	2	15	-
90" Width	3	10	Centered
96" Width	3	10	Centered
108" Width	3	10	Centered
120" Width	3	13	Centered
132" Width	3	15	Centered
144" Width	4	13	Equally Spaced
156" Width	4	13	Equally Spaced
168" Width	4	15	Equally Spaced

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. HARDWARE COLOR

P71 Black

PR6 Silver

P8G Matte Gold

PJE Pyrite

PJW Designer White

PA Polished Aluminum (+\$225)

Example

GG2MTL20T-LD.P71

GG2MTL20T-LD

MODEL NUMBER

HARDWARE COLOR

	for use with top sizes	D	W	Н	model number	list	
2" ROUND METAL LEG With Caster	42,48	2	2	27 3/4	GG2MTLLEG2-ST	456	
2" ROUND METAL LEG	42,48	2	2	27 ¹ /2	GG2MTLLEG2-GD	395	
WITH GLIDE	42,40			21 /2	GGZWITELEGZ-GD	393	
LEG BASE	42,48	13	1 ¹ / ₂	27 5/8	GD2LBS-LEG	607	

See Product Reference for floor core locations and wire access information.

• When specifying legs for use with tops over a 48" span 1 stiffener bar will be needed. For any two piece round tops, 4 stiffener bars will be needed. See page 122 for ordering code.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. HARDWARE COLOR

P71 Black

PR6 Silver

P8G Matte Gold PJE Pyrite

PJW Designer White

PC Polished Chrome (+\$225)

Example

GG2MTLLEG2-ST.P71

GG2MTLLEG2-ST

MODEL NUMBER


HARDWARE COLOR

WIRE MANAGEMENT BASE

for use with 4 leg base

	D	W	Н	model number + type	veneer 1	veneer 2	veneer 3	laminate
18 x 18 CUBE	18	18	27 ¹ / ₂	GD2WMBS-1818	2,390	2,629	2,868	1,913







PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LAMINATE

1. MODEL NUMBER + W

1. MODEL NUMBER + L

2. FSC

2. FSC

3. FINISH

3. FINISH

Example

GD2WMBS-1818-W.X.NC260

GD2WMBS-1818-W MODEL NUMBER + TYPE FSC FINISH

	D	W	Н	model number	iii sit
	2 1/2	30	1 1/2	ACMWS30	70
	2 1/2	36	1 ¹ /2	ACMWS36	75
	2 1/2	41	1 1/2	ACMWS41	76
	2 1/2	47	1 ¹ /2	ACMWS47	77
	2 1/2	53	1 ¹ / ₂	ACMWS53	78
	2 1/2	59	1 ¹ /2	ACMWS59	79
•	2 1/2	65	1 1/2	ACMWS65	80
	2 1/2	71	1 ¹ / ₂	ACMWS71	81
	2 1/2	83	1 ¹ / ₂	ACMWS83	121

Use supports on worksurfaces that span 48" unsupported without a full modesty panel.

Calculate total distance between kneewell panels or bases and subtract 6". Use closest available model size.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

ACMWS30

ACMWS30 MODEL NUMBER Briefing 02/24

MEDIA TABLES

Media Tables
Tops
Miter Bases with Media Wall
Metal Y-Bases with Media Wall
Height-Adjustable Bases with Media Wall128
Wall-Mounted Miter Bases129
Wall-Mounted Metal Y-Bases
Finished Back Whiteboard

MEDIA TABLE TOPS

	D	W	model number + type	veneer 1	veneer 2	veneer 3	laminate	solid surface	glass
MEDIA TABLE TOPS	42/48	72	GD2MTT424872-	3,832	4,216	4,599	3,068	14,468	12,055
	42/48	84	GD2MTT424884-	4,592	5,052	5,511	3,678	17,337	14,447
	42/48	96	GD2MTT424896	4,941	5,436	5,930	3,955	18,657	15,546

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

- L = Laminate
- S = Solid Surface
- G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE **DETAIL**

4. TOP FINISH

5. TECHNOLOGY CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY

CUTOUT

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY CUTOUT

See inside front cover for required option codes

Example

GD2MTT424872-W.X.NC260SQ.OP.C1SA

GD2MTT424872-W

0

C1DA

C1DV

C1TM

GD2PORTD-__

ACTMEL-___

1

1

42/4R"	DEPTH	TOPS

technology cutout option	cutout option code	description	42/48 x 72	42/48 x 84	42/48 x 96	technology model required	quantity
	GN	No Technology Cutout	•	•	•	GN	N/A
1 Technology	Cutout						
	C1E	1 Bezel Mnt Power	•	•	•	ACTRIOBZL-EEEUD	1
	C1SA C1SV	1 Single port, alum door 1 Single port, veneer door (Wood Tops Only)	•	•	•	GD2PORTS	1

Note: Above options are for cutout only, technology unit ordered separately on pages 75-84. Add \$225 for veneer door option.


1 Double port, alum door

1 Tech Module

1 Double port, veneer door (Wood Tops Only)

Miter base | unfinished back

	for use with top sizes	D	W	Н	model number	veneer 1	veneer 2	veneer 3
STANDARD HEIGHT	42/48 x 72	61	54	62	GD2MBSW72-W	7,078	7,786	8,494
	42/48 x 84	73	54	62	GD2MBSW84-W	7,315	8,047	8,778
	42/48 x 96	85	54	62	GD2MBSW96-W	7,549	8,304	9,059



BAR HEIGHT



42/48 x 72	61	54	75 ¹ / ₂	GD2MBTW72-W	7,812	8,594	9,375
42/48 x 84	73	54	75 ¹ / ₂	GD2MBTW84-W	8,049	8,854	9,659
42/48 x 96	85	54	75 ¹ / ₂	GD2MBTW96-W	8,283	9,112	9,940

Note: Recommended television size is 42-50" flat screen

See page 131 for Finished Back Whiteboard

PRODUCT INFO

- \bullet TV mount is \underline{NOT} included.
- Media table designed for use with low profile <u>FIXED</u> TV wall mounts.

(non-articulating)

See product reference for ${\rm TV}$ mount recommendations.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. FSC
- 3. FINISH
- 4. BEAM COLOR

P71 Black PR6 Silver

See inside front cover for required option codes

Example

GD2MBSW72-W.X.NC260.P71

 $\begin{array}{c|cccc} \text{GD2MBSW72-W} & & \text{X} & & \text{NC260} \\ \hline \text{MODEL NUMBER} & & \text{FSC} & & \text{FINISH} & & \text{BEAM COLOR} \\ \end{array}$

STANDARD HEIGHT

- P

MEDIA TABLE BASE

Metal Y Base | unfinished back

for use with top sizes	D	W	Н	model number	veneer 1	veneer 2	veneer 3
42/48 x 72	61	54	62	GD2YBSW72-W	6,049	6,654	7,259
42/48 x 84	73	54	62	GD2YBSW84-W	6,286	6,915	7,544
42/48 x 96	85	54	62	GD2YBSW96-W	6,520	7,172	7,824

BAR HEIGHT



42/48 x 72	61	54	75 ¹ / ₂	GD2YBTW72-W	6,534	7,188	7,841
42/48 x 84	73	54	75 ¹ / ₂	GD2YBTW84-W	6,771	7,449	8,126
42/48 x 96	85	54	75 ¹ / ₂	GD2YBTW96-W	7,005	7,706	8,406

Note: Recommended television size is 42-50" flat screen

See page 131 for Finished Back Whiteboard

PRODUCT INFO

- \bullet TV mount is \underline{NOT} included.
- Media table designed for use with low profile <u>FIXED</u> TV wall mounts.

(non-articulating)

See product reference for TV mount recommendations.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. FSC
- 3. WOOD FINISH
- 4. BASE FINISH

P71 Black

PR6 Silver

P8G Matte Gold

PJE Pyrite

PJW Designer White

PA Polished Aluminum (+\$225)

5. BEAM COLOR

P71 Black

PR6 Silver

P8G Matte Gold

PJE Pyrite

PJW Designer White

6. WIRE MANAGEMENT

WN No Wire Management WY Wire Management Yes

See inside front cover for required option codes

Example

GD2YBSW72-W.X.NC260.P71.P71.WN

GD2YBSW72-W X NC260 P71 P71 WN

Height adjustable | unfinished back

	for use with top sizes	D	W	Н	model number	veneer 1	veneer 2	veneer 3
WOOD MITER BASE	42/48 x 72	61	54	75 ¹ / ₂	GD2MBAW72-W	18,570	20,427	22,284
	42/48 x 84	73	54	75 ¹ / ₂	GD2MBAW84-W	18,807	20,688	22,569
	42/48 x 96	85	54	75 ¹ / ₂	GD2MBAW96-W	19,041	20,946	22,850

Note: Recommended television size is 42-50" flat screen

See page 131 for Finished Back Whiteboard



PRODUCT INFO

- \bullet TV mount is \underline{NOT} included.
- Media table designed for use with low profile <u>FIXED</u> TV wall mounts.

(non-articulating)

See product reference for ${\rm TV}$ mount recommendations.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. FSC
- 3. WOOD FINISH
- 4. BEAM COLOR

P71 Black PR6 Silver

See inside front cover for required option codes

Example

GD2MBSW72-W.X.NC260.P71

 $\begin{array}{c|cccc} \text{GD2MBSW72-W} & & \text{X} & & \text{NC260} \\ \hline \text{MODEL NUMBER} & & \text{FSC} & & \hline{\text{FINISH}} & & \text{BEAM COLOR} \\ \end{array}$

129

Wall mounted | no media wall

	for use with top sizes	D	W	Н	model number	veneer 1	veneer 2	veneer 3
WOOD MITER BASE	42/48 x 72	24 ³ / ₄	54	27 ¹ / ₂	GD2MBSN72-W	4,364	4,801	5,237
STANDARD HEIGHT	42/48 x 84	24 3/4	54	27 1/2	GD2MBSN84-W	4,601	5,062	5,522
	42/48 x 96	24 3/4	54	27 1/2	GD2MBSN96-W	4,835	5,319	5,802



WOOD MITER BASE BAR HEIGHT



42/48 x 72	24 3/4	54	41 ¹ /8	GD2MBTN72-W	4,763	5,240	5,716
42/48 x 84	24 ³ / ₄	54	41 ¹ /8	GD2MBTN84-W	5,000	5,500	6,000
42/48 x 96	24 ³ / ₄	54	41 ¹ /8	GD2MBTN96-W	5,234	5,758	6,281

PRODUCT INFO

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. FSC
- 3. WOOD FINISH
- 4. BEAM COLOR

P71 Black PR6 Silver

See inside front cover for required option codes

Example

GD2MBSN72-W.X.NC260.P71

 GD2MBSN72-W
 X
 NC260
 P71

 MODEL NUMBER
 FSC
 FINISH
 BEAM COLOR

Wall mounted | no media wall

for use with top sizes

METAL Y BASE STANDARD HEIGHT



テンス	D	VV	П	modernumber	1151
42/48 x 72	61	54	27 3/4	GD2YBSN72	3,335
42/48 x 84	73	54	27 3/4	GD2YBSN84	3,572
42/48 x 96	85	54	27 3/4	GD2YBSN96	3,806

METAL Y BASE BAR HEIGHT



42/48 x 72	61	54	40 3/4	GD2YBTN72	3,485
42/48 x 84	73	54	40 3/4	GD2YBTN84	3,722
42/48 x 96	85	54	40 3/4	GD2YBTN96	3,956

PRODUCT INFO

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

2. BASE FINISH

P71 Black

PR6 Silver

P8G Matte Gold

PJE Pyrite
PJW Designer White

Polished Aluminum (+\$225) PA

3. BEAM COLOR

P71 Black

PR6 Silver

P8G Matte Gold

PJE Pyrite

PJW Designer White

4. WIRE MANAGEMENT

WN No Wire Management Yes Wire Management

See inside front cover for required option codes

Example

GD2YBSN72 BASE FINISH BEAM COLOR WIRE MANAGEMENT MODEL NUMBER

MEDIA TABLE WHITEBOARD

Create Finished Back

D W H model number				list			
61	54	62	GD2C-MTWS-WHTBRD	4,363			
61	54	75 ¹ / ₂	GD2C-MTWT-WHTBRD	5,083			
	61	61 54	61 54 62	61 54 62 GD2C-MTWS-WHTBRD	61 54 62 GD2C-MTWS-WHTBRD 4,363		

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. GLASS COLOR

See inside front cover for required option codes

Example

 $\frac{\text{GD2C-MTWS-WHTBRD.GWH2}}{\text{GD2C-MTWS-WHTBRD}} \qquad \frac{\text{GWH2}}{\text{GLASS COLOR}}$

Briefing 02/24

BAR HEIGHT COLLABORATION TABLES

Bar Height Collaboration Tables	 133-138
Table Tops	 . 134-137
Table Bases	 138

	D	W	model number + type	veneer 1	veneer 2	veneer 3	laminate	solid surface	glass
30" TOP	30	72	GD2PTT3072-	1,699	1,869	2,039	1,457	6,411	5,341
	30	96	GD2PTT3096-	2,330	2,563	2,796	1,999	8,803	7,335
	30	120	GD2PTT30120-	3,051	3,357	3,662	2,620	11,528	9,607
	30	144	GD2PTT30144-	3,676	4,044	4,412	3,154	13,886	11,571
36" TOP	36	72	GD2PTT3672-	1,998	2,198	2,398	1,715	7,544	6,287
	36	96	GD2PTT3696-	2,743	3,018	3,292	2,352	10,353	8,629
	36	120	GD2PTT36120-	3,593	3,953	4,312	3,083	13,565	11,304
	36	144	GD2PTT36144-	4,326	4,759	5,192	3,713	16,329	13,610

Note:

Type must be specified as part of model number.

W = Wood Veneer

- L = Laminate
- S = Solid Surface
- G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE DETAIL

4. TECHNOLOGY CUTOUT

LAMINATE

1. MODEL NUMBER + L

2. FSC

2. 1 00

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY CUTOUT

See inside front cover for required option codes

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY CUTOUT

Example

GD2PTT3072-W.X.NC260SQ.OP.C1E

BAR-HEIGHT COLLABORATION TABLE TOPS

			30" DEPTH TOPS					36"	DEPTI	н тор	s		
technology cutout option	cutout option code	description	30 × 72	30 × 96	30 × 120	30 × 144		36 × 72	36 × 96	36 × 120	36 × 144	technology model required	qty
No Technolog	y Cutout			I			Г					I	
	GN	No Technology Cutout	•	•	•	•		•	•	•	•	GN	N/A
1 Technology	Cutout												
	C1E	1 Bezel Mnt Power	•	•	•	•		•	•	•	•	ACTRIOBZL	1
2 Technology	Cutouts												
	C2E	2 Bezel Mnt Power			•	•				•	•	ACTRIOBZL	2

Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.

PORT DOOR MATERIAL UPCHARGES:

SV Veneer (Add \$225 per cutout) Veneer doors ship with top

Veneer doors are <u>only</u> available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

	D	W	model number + type	veneer 1	veneer 2	veneer 3	laminate	solid surface	glass
42" TOP	42	72	GD2PTT4272-	3,034	3,338	3,641	2,432	11,464	9,551
	42	96	GD2PTT4296-	3,796	4,176	4,556	3,040	14,333	11,944
	42	120	GD2PTT42120-	5,049	5,554	6,059	4,040	19,062	15,888
	42	144	GD2PTT42144-	6,226	6,849	7,472	4,986	23,504	19,585

Note:

Type must be specified as part of model number.

W = Wood Veneer

- L = Laminate
- S = Solid Surface
- G = Glass

Spec Tip

Technology selection for cutout only. Insert cutout option code from matrix on the next page.

Glass and solid surface units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. TOP FINISH + EDGE **DETAIL**

CUTOUT

4. TECHNOLOGY

LAMINATE

1. MODEL NUMBER + L

2. FSC

3. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY CUTOUT

See inside front cover for required option codes

SOLID SURFACE

1. MODEL NUMBER + S

2. TOP FINISH

3. TECHNOLOGY CUTOUT

GLASS

1. MODEL NUMBER + G

2. TOP FINISH

3. TECHNOLOGY CUTOUT

Example

GD2PTT4272-.X.NC215.SQ.OP.C1E

GD2PTT4272-CIE

			42	" DEP	тн то	PS		
technology cutout option	cutout option code	description	42 × 72	42 × 96	42 × 120	42 × 144	technology model required	qty
No Technolog	gy Cutout							
	GN	No Technology Cutout	•	•	•	•	GN	N/A
1 Technology	Cutout							
	C1E	1 Bezel Mnt Power	•	•	•	•	ACTRIOBZL	1
	C1SA C1SV	1 Single port, alum door 1 Single port, veneer door (Wood Tops Only)	•	•	•	•	GDATPS	1
0	C1TM	1 Tech Module	•	•	•	•	ACTMEL	1
2 Technology	Cutouts							
	C2EE	2 Bezel Mnt Power			•	•	ACTRIOBZL	2
	C2SSA C2SSV	2 Single ports, alum door 2 Single ports, veneer door (Wood Tops Only)			•	•	GDATPS	2
0 0	С2ТМ	2 Tech Modules			•	•	ACTMEL	2

Note: Above options are for cutout only, technology unit ordered separately on pages 75-84.

PORT DOOR MATERIAL UPCHARGES:

SV Veneer (Add \$225 per cutout) Veneer doors ship with top

Veneer doors are <u>only</u> available with veneer tops. Note: Gunlocke does not guarantee an exact finish match for veneer doors. Although the finish is a good match, they are not exact matches.

COLLABORATION TABLE BASES

Bar height

	D	W	Н	model number + type	veneer 1	veneer 2	veneer 3
30" BASE	30	72	40 ³ / ₄	GD2PBS3072-	6,866	7,553	8,240
	30	96	40 3/4	GD2PBS3096-	7,336	8,070	8,804
	30	120	40 ³ / ₄	GD2PBS30120-	7,811	8,593	9,374
	30	144	40 3/4	GD2PBS30144-	10,516	11,568	12,620
	• 144" wi	idth include	s center base	9			

36" BASE



36	72	40 3/4	GD2PBS3672-	7,914	8,706	9,497
36	96	40 3/4	GD2PBS3696-	8,384	9,223	10,061
36	120	40 3/4	GD2PBS36120-	8,859	9,745	10,631
36	144	40 ³ / ₄	GD2PBS36144-	11,358	12,494	13,630

• 144" width includes center base

42" BASE



42	72	40 ³ / ₄	GD2PBS4272-	8,730	9,603	10,476
42	96	40 ³ / ₄	GD2PBS4296-	9,200	10,120	11,040
42	120	40 ³ / ₄	GD2PBS42120-	9,675	10,643	11,610
42	144	40 ³ / ₄	GD2PBS42144-	12,463	13,710	14,956

• 144" width includes center base

PRODUCT INFO

See Product Reference for floor core locations and wire access information.

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- 1. MODEL NUMBER + W
- 2. FSC
- 3. FINISH
- 4. BEAM COLOR

P71 Black PR6 Silver

See inside front cover for required option codes

Example

GD2PBS3072-W.X.NC260.P71

 $\begin{array}{c|cccc} \text{GD2PBS3072-W} & & \text{X} & & \text{NC260} \\ \hline \text{MODEL NUMBER} & & \text{FSC} & & \hline{\text{FINISH}} & & \\ \end{array} \begin{array}{c} \text{P71} \\ \hline \text{BEAM COLO} \end{array}$

TRAINING TABLES

Training Tables
Rectangular Training Tops140
Corner Training Tops
Half Round Training Tops
Training Table Bases
Modesty Panel
Accessories

RECTANGULAR TRAINING TOPS

				veneer 1	eer 2	eer 3	laminate
	D	W	model number + type	ven	veneer	veneer	lam
20" RECTANGULAR	20	60	GG2TRT2060-	1,524	1,677	1,829	1,395
	20	66	GG2TRT2066- L	1,584	1,743	1,901	1,450
	20	72	GG2TRT2072- L	1,640	1,804	1,968	1,502
	20	78	GG2TRT2078- L	1,701	1,872	2,042	1,558
	20	84	GG2TRT2084-	1,764	1,941	2,117	1,613
24" RECTANGULAR	24	60	GG2TRT2460-	1,606	1,767	1,928	1,470
	24	66	GG2TRT2466-	1,665	1,832	1,998	1,525
	24	72	GG2TRT2472-	1,728	1,901	2,074	1,579
	24	78	GG2TRT2478-	1,790	1,969	2,148	1,637
	24	84	GG2TRT2484-	1,857	2,043	2,229	1,697
30" RECTANGULAR	30	60	GG2TRT3060-	1,694	1,864	2,033	1,554
	30	66	GG2TRT3066-	1,725	1,898	2,070	1,578
	30	72	GG2TRT3072- L	1,809	1,990	2,171	1,656
	30	78	GG2TRT3078- L	1,923	2,116	2,308	1,759
	30	84	GG2TRT3084-	2,022	2,225	2,427	1,851
36" RECTANGULAR	36	60	GG2TRT3660-	1,788	1,967	2,146	1,637
	36	66	GG2TRT3666-	1,875	2,063	2,250	1,718
	36	72	GG2TRT3672	1,998	2,198	2,398	1,831
	36	78	GG2TRT3678- L	2,037	2,241	2,445	1,865
	36	84	GG2TRT3684-	2,311	2,543	2,774	2,115

PRODUCT INFO

Spec Tip

Technology selection for cutout only.

For Technology options see pages 98-101

Pre-bored both ends for ganging brackets.

TO ORDER PLEASE SPECIFY THE FOLLOWING: LAMINATE

WOOD

1. MODEL NUMBER + W

1. MODEL NUMBER + L

2. FSC

2. FSC

3. TOP FINISH + EDGE DETAIL

3. TOP FINISH

4. TOP FINISH

4. EDGE DETAIL

5. TECHNOLOGY

5. TECHNOLOGY CUTOUT

CUTOUT

6. TECHNOLOGY OPTION

Grommet


Grommet PTC Power/Data Port 6. TECHNOLOGY OPTION PTC Power/Data Port

See inside front cover for required option codes

Example

GG2TRT2060-W NC260 EDGE DETAIL TECHNOLOGY OPTION TOP FINISH

	D	W	model number + type	veneer 1	veneer 2	veneer 3	laminate
CORNER TOPS	20	20	GG2TCR20-	1,398	1,538	1,678	1,281
	24	24	GG2TCR24-	1,474	1,622	1,769	1,348
	30	30	GG2TCR30-	1,554	1,710	1,865	1,422
	36	36	GG2TCR36-	1,640	1,804	1,968	1,501
\							



PRODUCT INFO

Spec Tip

Flat brackets included.

Ganging brackets not needed

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

LAMINATE

1. MODEL NUMBER + W

1. MODEL NUMBER + L

2. FSC

2. FSC

3. TOP FINISH + EDGE

3. TOP FINISH

DETAIL

4. EDGE DETAIL

4. TOP FINISH

See inside front cover for required option codes

Example

GG2TCR20-W.X.NC260SQ.OP

 GG2TCR20-W
 X
 NC260
 SQ
 OP

 MODEL NUMBER
 FSC
 FINISH
 EDGE DETAIL
 TOP FINISH

HALF ROUND TRAINING TABLE TOPS

	D	W	model number + type	veneer 1	veneer 2	veneer 3	laminate
HALF ROUND	24	48	GG2THR2448-	1,524	1,677	1,829	1,395
	30	60	GG2THR3060-	1,606	1,767	1,928	1,470
USER SIDE	36	72	GG2THR3672	1,694	1,864	2,033	1,554
\ \							



PRODUCT INFO

Spec Tip

Technology selection for cutout only.

For Technology options see pages 98-101

Ganging brackets not needed

TO ORDER PLEASE SPECIFY THE FOLLOWING: LAMINATE

WOOD

1. MODEL NUMBER + W

1. MODEL NUMBER + L

2. FSC

2. FSC

3. TOP FINISH + EDGE

3. TOP FINISH

DETAIL 4. TOP FINISH 4. EDGE DETAIL

5. TECHNOLOGY CUTOUT

5. TECHNOLOGY CUTOUT

6. TECHNOLOGY OPTION

Grommet

Grommet PTC Power/Data Port 6. TECHNOLOGY OPTION PTC Power/Data Port

See inside front cover for required option codes

Example

GG2THR2448-W NC260 EDGE DETAIL TOP FINISH TECHNOLOGY CUTOUT TECHNOLOGY OPTION

FLIP BASE WITH CASTERS

For rectangular training table tops

	for use with top sizes	5	\ A/		model number	liot
		D	W	Н	model number	list
20/24" BASE	20/24 x 60	17 ¹ / ₂	53	27 ³ / ₄	GG2TBF2460	2,796
	20/24 x 66	17 ¹ / ₂	59	27 ³ / ₄	GG2TBF2466	2,822
	20/24 x 72	17 ¹ / ₂	65	27 ³ / ₄	GG2TBF2472	2,851
	20/24 x 78	17 ¹ / ₂	71	27 ³ / ₄	GG2TBF2478	2,876
	20/24 x 84	17 ¹ /2	77	27 ³ / ₄	GG2TBF2484	2,903
30" BASE	30 x 60	22 ³ / ₄	56	27 ³ / ₄	GG2TBF3060	2,868
	30 x 66	22 3/4	62	27 3/4	GG2TBF3066	2,896
	30 x 72	22 3/4	68	27 ³ / ₄	GG2TBF3072	2,923
	30 x 78	22 3/4	74	27 ³ / ₄	GG2TBF3078	2,949
	30 x 84	22 3/4	80	27 ³ / ₄	GG2TBF3084	2,976
36" BASE	36 × 60	28 ⁹ / ₁₆	59 ³ / ₈	27 ³ / ₄	GG2TBF3660	3,011
EQ.	36 x 66	28 ⁹ / ₁₆	65 ³ / ₈	27 ³ / ₄	GG2TBF3666	3,039
	36 x 72	28 ⁹ / ₁₆	71 ³ / ₈	27 3/4	GG2TBF3672	3,068
	36 x 78	28 ⁹ / ₁₆	77 3/8	27 3/4	GG2TBF3678	3,097
	36 x 84	28 ⁹ / ₁₆	83 3/8	27 3/4	GG2TBF3684	3,127
504						

PRODUCT INFO

- Includes 4 locking casters.
- Includes flip mechanism to allow tables to nest.
- See Product Reference for nesting dimensions.
- Base is aluminum.
- Base ships knocked down.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. HARDWARE COLOR

P71 Black

PR6 Silver

Matte Gold P8G

PJE

Pyrite Designer White PJW

PΑ Polished Aluminum (+\$225)

3. WIRE MANAGEMENT

No Wire Management

Yes Wire Management

Note: Wire Management option recommended for use with:

- Any table that contains a power infeed when modular power system is used
- Managing power cords of technology unit to floor in nonmodular power system applications

Example

GG2TBF2460.P71.WN

GG2TBF2460 MODEL NUMBER HARDWARE COLORS WIRE MANAGEMENT

list

FIXED BASE WITH GLIDES

For rectangular training table tops

for use with	top sizes
-----------------	-----------

D

20/24" BASE



20/24 x 60	17 ¹ / ₂	53	27 ³ / ₄	GG2TBX2460	1,959
20/24 x 66	17 ¹ / ₂	59	27 ³ / ₄	GG2TBX2466	1,976
20/24 x 72	17 ¹ / ₂	65	27 ³ / ₄	GG2TBX2472	1,995
20/24 x 78	17 ¹ / ₂	71	27 ³ / ₄	GG2TBX2478	2,013
20/24 x 84	17 ¹ / ₂	77	27 ³ / ₄	GG2TBX2484	2,031

model number

30" BASE



30 x 60	22 3/4	56	27 ³ / ₄	GG2TBX3060	2,008
30 x 66	22 3/4	62	27 ³ / ₄	GG2TBX3066	2,028
30 x 72	22 3/4	68	27 3/4	GG2TBX3072	2,046
30 x 78	22 3/4	74	27 3/4	GG2TBX3078	2,067
30 x 84	22 3/4	80	27 ³ / ₄	GG2TBX3084	2,083

36" BASE



36 x 60	28 ⁹ / ₁₆	59 ³ / ₈	27 3/4	GG2TBX3660	2,108
36 x 66	28 ⁹ / ₁₆	65 ³ / ₈	27 3/4	GG2TBX3666	2,128
36 x 72	28 ⁹ / ₁₆	71 ³ /8	27 3/4	GG2TBX3672	2,145
36 x 78	28 ⁹ / ₁₆	77 ³ / ₈	27 3/4	GG2TBX3678	2,169
36 x 84	28 ⁹ / ₁₆	83 3/8	27 3/4	GG2TBX3684	2,188

PRODUCT INFO

- Fixed Table only. Does not flip.
- See Product Reference for nesting dimensions.
- Base ships knocked down.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. HARDWARE COLOR

P71 Black

PR6 Silver

P8G Matte Gold

PJE

Pyrite

PJW Designer White

PΑ Polished Aluminum (+\$225)

3. WIRE MANAGEMENT

No Wire Management

Yes Wire Management

Note: Wire Management option recommended for use with:

- Any table that contains a power infeed when modular power system is used
- Managing power cords of technology unit to floor in nonmodular power system applications

Example

GG2TBX2460.P71.WN

GG2TBX2460 MODEL NUMBER

HARDWARE COLORS

WIRE MANAGEMENT

For Round Tops

FLIP	BASE	



for use with top sizes	D	W	н	model number	list
24 x 48	17 ¹ /2	39 ⁹ /16	27 ³ / ₄	GG2TBZF2448	2,516
30 x 60	22 ³ / ₄	52 ³ / ₄	27 ³ / ₄	GG2TBZF3060	2,868
36 x 72	28 ⁹ / ₁₆	60 ⁹ /16	27 ³ / ₄	GG2TBZF3672	3,068

FIXED BASE WITH GLIDES



24 x 48	17 ¹ / ₂	39 ⁹ / ₁₆	27 3/4	GG2TBZX2448	1,761
30 x 60	22 ³ / ₄	52 ³ / ₄	27 3/4	GG2TBZX3060	2,008
36 x 72	28 ⁹ / ₁₆	60 ⁹ /16	27 ³ / ₄	GG2TBZX3672	2,145

PRODUCT INFO

- Flip Tables include 4 locking casters and flip mechanism to allow tables to nest.
- See Product Reference for nesting dimensions.
- Fixed Tables do not flip.
- Base ships knocked down.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 1. MODEL NUMBER
- 2. HARDWARE COLOR

P71 Black

PR6 Silver

P8G Matte Gold

PJE Pyrite

PJW Designer White

PA Polished Aluminum (+\$225)

3. WIRE MANAGEMENT

WN No Wire Management

WY Yes Wire Management

Note: Wire Management option recommended for use with:

- \bullet Any table that contains a power infeed when modular power system is used
- Managing power cords of technology unit to floor in non-modular power system applications

Example

GG2TBZF2448.P71.WN

 GG2TBZF2448
 P71
 WN

 MODEL NUMBER
 HARDWARE COLORS
 WIRE MANAGEMENT

For training tables

D W H model number + type	
MODESTY PANEL 3/4 59 1/2 7 1/2 GG2TMH60- 1,109 1,220 1,33	1 826
³/ ₄ 65 ¹/ ₂ 7 ¹/ ₂ GG2TMH66- ∟ 1,168 1,285 1,40	2 869
3/4 71 1/2 7 1/2 GG2TMH72- 1,230 1,353 1,47	916
³/ ₄ 77 ¹/ ₂ 7 ¹/ ₂ GG2TMH78- ∟⊥ 1,291 1,421 1,55	959
³/ ₄ 83 ¹/ ₂ 7 ¹/ ₂ GG2TMH84- □□ 1,356 1,492 1,62	3 1,008

- · Modesty panel is hinged for flip mechanism
- \bullet Inset is ~7 inches back edge of worksurface to back edge of modesty panel.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD LAMINATE

1. MODEL NUMBER + W 1. MODEL NUMBER + L

2. FSC
 2. FSC
 3. FINISH
 3. FINISH

See inside front cover for required option codes

Example

GG2TMH60-W.X.NC260

 GG2TMH60-W
 X
 NC260

 MODEL NUMBER
 FSC
 FINISH

	D	W	Н	model number	list
GANGING BRACKET	1 3/4	5 ¹ / ₂	1/4	AC-GANGTT	234
QUANTITY 2)	• Must be	ordered separ	ately		
			ch table to table	e connection	
VIRE MANAGER	7/8	47	1 ³ / ₄	AC-TWM	92
	• Profile v	iew:			
PRODUCT INFO	TO ORE	DER PLEAS	E SPECIFY	THE FOLLOWING:	

1. MODEL NUMBER

Example

AC-GANGTT
AC-GANGTT
MODEL NUMBER

ANCILLARY

Ancillary149-162
Credenza Cushions
Credenzas
Whiteboards
Hospitality Cart
Technology Cart
Miscellaneous

CREDENZA CUSHIONS

For low height credenza

				de				
	D	W	Н	model number	1	2	3	COM/4
PED CUSHION	23 3/4	36	1 1/2	GDACRED-CUSH36	728	746	770	788



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

2. UPHOLSTERY

3. FLAMMABILITY

For standard flammability rating, please specify
CTB117, for California 133
and Boston fire-code
treatment, please specify CTB113

OPTION CODES:

U = CTB117 U3 = CTB133 (Add +\$142)

See inside front cover for required option codes

Example

GDACRED-CUSH36.APX15.U

GDACRED-CUSH36 APX15 U

GDACRED-RIMMBER UPHOLSTERY FLAMMABILITY

	D	W	model number + type	veneer 1	veneer 2	veneer 3	laminate	solid surface	glass
CREDENZA TOPS	24	48	GD2CWR2448-	1,201	1,322	1,442	1,030	4,539	3,783
	24	72	GD2CWR2472-	1,600	1,760	1,920	1,464	6,044	5,037
	24	90	GD2CWR2490-	1,844	2,029	2,213	1,688	6,959	5,799
	24	96	GD2CWR2496-	1,922	2,115	2,307	1,761	7,262	6,050
	24	108	GD2CWR24108-	2,241	2,466	2,690	2,053	8,467	7,055
	24	120	GD2CWR24120-	2,565	2,822	3,078	2,350	9,690	8,076

- Square Edge only
- Top thickness:

Wood $1 \frac{3}{16}$ Laminate $1 \frac{3}{16}$ Glass $\frac{1}{2}$ Solid Surface $\frac{1}{2}$

PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

- L = Laminate
- S = Solid Surface

G = Glass

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

LAMINATE

TE

SOLID SURFACE

GLASS

- MODEL NUMBER + W
 FSC
- 1. MODEL NUMBER + L 2. FSC
- MODEL NUMBER + S
 TOP FINISH

1. MODEL NUMBER + G

2. TOP FINISH

- 3. TOP FINISH + EDGE DETAIL
- 3. TOP FINISH + EDGE DETAIL
- 4. TOP FINISH

See inside front cover for required option codes

Example

GD2CWR2448-W.X.NC260SQ.OP


CREDENZAS ON RIBBON BASE

Wood, laminate, or paint doors

	D	W	Н	model number + type	veneer	veneer	veneer	laminate
4 doors	24	72	20	GD2CLF72-	8,012	8,814	9,615	6,464
5 doors	24	90	20	GD2CLF90-	8,257	9,083	9,909	6,349
6 doors	24	108	20	GD2CLF108-	9,508	10,459	11,410	N/A
	5 doors	4 doors 24 5 doors 24	4 doors 24 72 5 doors 24 90	4 doors 24 72 20 5 doors 24 90 20	4 doors 24 72 20 GD2CLF72- 5 doors 24 90 20 GD2CLF90-	4 doors 24 72 20 GD2CLF72-	D W H model number + type E E E 4 doors 24 72 20 GD2CLF72-	D W H model number + type E

^{• 13 &}lt;sup>1</sup>/₂ inside height

STANDARD HEIGHT



4 doors	24	72	27 1/2	GD2CSF72-	8,892	9,782	10,671	7,168
5 doors	24	90	27 1/2	GD2CSF90-	9,198	10,118	11,038	7,103
6 doors	24	108	27 1/2	GD2CSF108-	10,382	11,421	12,459	N/A

^{• 23 1/2} inside height with 1 shelf

BUFFET HEIGHT



4 doors	24	72	35 ³ / ₄	GD2CBF72-	10,087	11,096	12,105	8,124
5 doors	24	90	35 ³ / ₄	GD2CBF90-	10,113	11,125	12,136	7,836
6 doors	24	108	35 ³ / ₄	GD2CBF108-	11,067	12,174	13,281	N/A

^{• 30} inside height with 1 shelf

Ribbon base detail:



PRODUCT INFO

- All doors are touch latch
- External top required
- Ribbon Base is 4 3/16" tall
- Ribbon base is 3" wide x $^3/8$ " thick
- Finished back panel

Units shipped as separate packages and require field assembly.

- Material for ribbon base.
- Top ordered separately.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W

2. FSC

3. FINISH

J. 1 IIVIJII

4. HARDWARE COLOR

P71 Black
PR6 Silver
P8G Matte Gold
PJE Pyrite
PJW Designer White

PS Polished Stainless (+\$225)

5. LOCKING

LAMINATE

- 1. MODEL NUMBER + L
- 2. FSC
- 3. FINISH CHASSIS
- 4. FINISH FRONT

5. HARDWARE COLOR

P71 Black
PR6 Silver
P8G Matte Gold
PJE Pyrite
PJW Designer White

PS Polished Stainless (+\$225)

LYSTD

6. LOCKING

See inside front cover for required option codes

Example

 GD2CLF72-W.X.NC260.P71.LYSTD


 GD2CLF72-W
 X
 NC260
 P71


 MODEL NUMBER + TYPE
 FSC
 FINISH
 HARDWARE

CREDENZAS ON RIBBON BASE

Glass doors

	D	W	Н	model number + type	veneer 1	veneer 2	veneer 3
LOW HEIGHT	24	72	20	GD2CLF72- L G	9,712	10,684	11,655
	24	90	20	GD2CLF90- G	10,273	11,301	12,328
	24	108	20	GD2CLF108- L G	11,841	13,026	14,210
STANDARD HEIGHT	24	120 144	27 ¹ / ₂ 27 ¹ / ₂	GD2CSF72- L G GD2CSF90- L G	10,814 11,456	11,896 12,602	12,977
	24	168	27 1/2	GD2CSF108- ∟ G	12,939	14,233	15,527
BUFFET HEIGHT	24	120	35 ³ / ₄	GD2CBF72- L G	12,312	13,544	14,775
	24	144	35 ³ / ₄	GD2CBF90- G	12,606	13,867	15,128
	24	168	35 ³ / ₄	GD2CBF108- L G	13,794	15,174	16,553





PRODUCT INFO

- All doors are touch latch
- External top required
- \bullet Ribbon Base is 4 $^3/16"$ tall
- Ribbon base is 3" wide x
- K" thick polished finish
- Finished back panel

Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- 1. MODEL NUMBER + WG
- 2. FSC
- 3. FINISH
- 4. GLASS COLOR
- 5. HARDWARE COLOR

P71 Black

PR6 Silver

P8G Matte Gold

PJE Pyrite

PJW Designer White PS Polished Stainless (+\$225)

6. LOCKING

See inside front cover for required option codes (GLASS DOORS DO NOT LOCK)

Example

 GD2CLF72-WG.X.NC260.GWH2.P71
 GD2CLF72-WG
 X
 NC260
 GWH2
 P71

 MODEL NUMBER + TYPE
 FSC
 FINISH
 GLASS COLOR
 HARDWARE

CREDENZAS TO FLOOR

72" Wide

	D	W	Н	model number + type	veneer	veneer 2	veneer	laminate
	24	48	27 1/2	GD2CSS48-	5,566	6,123	6,680	4,900
	24	72	27 1/2	GD2CSS72-	8,478	9,326	10,174	7,124
3	24	96	27 1/2	GD2CSS96-	9,945	10,940	11,934	9,459

STANDARD HEIGHT



2	4 48	35 ³ / ₄	GD2CBS48-	6,175	6,793	7,410	5,435
2	4 72	35 ³ / ₄	GD2CBS72-	9,815	10,797	11,778	7,905
2	4 96	35 ³ / ₄	GD2CBS96-	10,978	12,076	13,174	10,498

BUFFET HEIGHT




Storage Pedestal
1 adjustable shelf
(No upcharge)
Shown without door



Storage Pedestal 4 drawers (No upcharge) Shown without door



SPU
Utility Pedestal
Vented back panel
(No upcharge)
Shown without door.
May be Used for AV
Rack, Refrigerator or
Trash/Recycling bin
(ordered separately)



SPU INSIDE DIMENSIONS
Standard Height Buffet Height

PRODUCT INFO

- All doors are touch latch
- External top required
- 48" 2 Door Unit
- 72" 3 Door Unit
- 96" 4 Door Unit

Laminate units shipped as separate packages and require field assembly.

 Finished back covers entire width of unit (no cutout is added when used with an SP4 pedestal).

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- 1. MODEL NUMBER + W
- 2. FSC
- 3. FINISH
- 4. PEDESTAL LOCATION 1
- 5. PEDESTAL LOCATION 2
- 6. PEDESTAL LOCATION 3 (72" AND 96" ONLY)
- 7. PEDESTAL LOCATION 4 (96" ONLY)
- 8. FINISHED BACK PANEL
- 9. LOCKING

LAMINATE

- 1. MODEL NUMBER + L
- 2. FSC
- 3. FINISH CHASSIS
- 4. FINISH FRONT
- 5. PEDESTAL LOCATION 1
- 6. PEDESTAL LOCATION 2
- 7. PEDESTAL LOCATION 3 (72" AND 96" ONLY)
- 8. PEDESTAL LOCATION 4 (96" ONLY)
- 9. FINISHED BACK PANEL (NOT FOR USE WITH SPU PEDESTALS)
- 10. LOCKING (EACH DOOR LOCKS, NOT EACH DOOR SET)

See inside front cover for required option codes

Example


GD2CSS72-W.X.NC260.SP1.SP4.SP1.BN.LYSTD GD2CSS72-W NC260 SP1 SP4 SP1 BN LYSTD PEDESTAL LOCATION 3 MODEL NUMBER + TYPE FSC FINISH PEDESTAL PEDESTAL FINISHED LOCKING (WHERE APPLICABLE)

CREDENZAS TO FLOOR

Glass Doors

	D	W	Н	model number + type	venee	venee	venee	
	24	48	27 1/2	GD2CSS48- L G	6,957	7,653	8,349	
<i>></i> ///	24	72	27 1/2	GD2CSS72- L G	10,679	11,747	12,815	
1/1/3	24	96	27 1/2	GD2CSS96- L G	12,528	13,781	15,034	
6								





BUFFET HEIGHTGLASS DOORS

24	48	35 ³ / ₄	GD2CBS48- L G	7,715	8,487	9,258
24	72	35 ³ / ₄	GD2CBS72- L G	12,363	13,600	14,836
24	96	35 ³ / ₄	GD2CBS96- L G	13,821	15,204	16,586



SP1 Storage Pedestal 1 adjustable shelf (No upcharge) Shown without door.



SP4
Storage Pedestal
4 drawers
(No upcharge)
Shown without door.



SPU
Utility Pedestal
Vented back panel
(No upcharge)
Shown without door.
May be Used for AV
Rack, Refrigerator or
Trash/Recycling bin
(ordered separately).

PRODUCT INFO

- All doors are touch latch
- \bullet External top required
- 48" 2 Door Unit
- 72" 3 Door Unit
- 96" 4 Door Unit
- Finished back covers entire width of unit (no cutout is added when used with an SP4 pedestal).

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- 1. MODEL NUMBER + WG
- 2. FSC
- 3. FINISH
- 4. GLASS COLOR
- 5. PEDESTAL LOCATION 1
- 6. PEDESTAL LOCATION 2
- 7. PEDESTAL LOCATION 3 (72" AND 96" ONLY)
- 8. PEDESTAL LOCATION 4 (96" ONLY)
- 9. FINISHED BACK PANEL (NOT FOR USE WITH SPU PEDESTALS)
- 10. LOCKING (GLASS DOORS DO NOT LOCK)

See inside front cover for required option codes

Example

GD2CSS72-WG.X.NC260.GWH2.SP1.SP4.SP1.BN.LYSTD

GD2CSS72-W NC260 GWH2 SP1 SP4 SP1 BN LYSTD GLASS PEDESTAL LOCATION 1 PEDESTAL LOCATION 2 PEDESTAL LOCATION 3 FINISHED BACK PANEL MODEL NUMBER + TYPE FSC FINISH LOCKING (WHERE APPLICABLE)

BUFFET CREDENZA WITH DRAWERS

	D	W	Н	model number + type	veneer 1	veneer 2	veneer 3	laminate	_
BUFFET HEIGHT	24	72	34 ³ / ₄	GD2CB2472	11,052	12,158	13,263	8,854	



PRODUCT INFO

- All doors are touch latch
- External top included
- Non-locking finished back included.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

LAMINATE

1. MODEL NUMBER + W

1. MODEL NUMBER + L

2. FSC

2. FSC

3. TOP FINISH & EDGE DETAIL

3. TOP FINISH

4. CHASSIS & DOOR

4. CHASSIS FINISH
5. DOOR FRONT FINISH

FINISH

6. EDGE DETAIL

5. TOP FINISH6. PULL OPTION

7. PULL OPTION

7. DRAWER OPTION

8. DRAWER OPTION

See inside front cover for required option codes

Example

GD2CB2472-W.X.NC260SQ.NC260.OP.PP71.VW

GDZCB2472-W X NC260 SQ NC260 OP PP71 VW

MODEL NUMBER + TYPE FSC FINISH EDGE DETAIL CHASSIS & TOP FINISH PULL OPTION DRAWER OPTION DOOR FINISH

HORIZONTAL WALL MOUNT



D	W	Н	model number	list	
1/2	48	48	ACWHT48H48W-G	3,472	
1/2	60	48	ACWHT48H60W-G	4,153	
1/2	72	48	ACWHT48H72W-G	4,843	
1/2	96	48	ACWHT48H96W-G	6,209	

VERTICAL WALL MOUNT



1/2	36	96	ACWHT84H36W-G	4,565
1/2	48	96	ACWHT84H48W-G	6,028

TOP OF MEDIA TABLE



1/2	54	8	ACWHT8H54W-G	1,916
1/2	54	22	ACWHT22H54W-G	2,286

• Can be used in combination with vertical mount whiteboards to surround Media Tables in applications where Media Wall is against office wall.

PRODUCT INFO

- Units are magnetic
- Ships with 6 magnets
- Frame is clear anodized aluminum

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example

ACWHT48H48W-G ACWHT48H48W-G MODEL NUMBER

HOSPITALITY CA	ART		Briefing 02/24			
	D	W	Н	model number + type	solid surface	glass
HOSPITALITY CART	20 ³ / ₄	36	1/2	GD2CHT2036	2,914	2,428

TOP

PRODUCT INFO

Note:

Type must be specified as part of model number

S = Solid Surface

G = Glass

TO ORDER PLEASE SPECIFY THE FOLLOWING:

SOLID SURFACE

GLASS

1. MODEL NUMBER + S

1. MODEL NUMBER + G

2. TOP FINISH

2. TOP FINISH

See inside front cover for required option codes

Example

GD2CHT2036-G.GWH1


GD2CHT2036-G MODEL NUMBER GWH1 TOP FINISH

HOSPITALITY CART

Wood chassis

159

	D	W	Н	model number + type	veneer	veneer	veneer	laminat	_
HOSPITALITY CART	20 ³ / ₄	36	35 ¹ / ₂	GD2CHC2036- L	4,389	4,828	5,267	3,516	



Shown without door

Top: drawer

Bottom: 1 adjustable shelf

PRODUCT INFO

- Includes 4 locking casters
- Doors are touch latch
- Order top separately.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD LAMINATE

1. MODEL NUMBER + W 1. MODEL NUMBER + L

2. FSC 2. FSC

3. FINISH4. DRAWERS3. FINISH CHASSIS4. FINISH FRONT

5. DRAWERS

See inside front cover for required option codes

Example

GD2CHC2036-W.X.NC260.VW

 GD2CHC2036-W
 X
 NC260
 VW

 MODEL NUMBER
 FSC
 FINISH
 DRAWER

Briefing 02/24

Top

	D	W	model number + type	veneer 1	veneer 2	veneer 3	laminate	solid surfa	glass	_
TECHNOLOGY CART	20	24	GD2CTT2024-	997	1,097	1,197	970	2,738	2,286	



PRODUCT INFO

Note:

Type must be specified as part of model number.

W = Wood Veneer

L = Laminate

S = Solid Surface

G = Glass

Spec Tip

Technology selection for cutout only.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

LAMINATE

SOLID SURFACE

GLASS

1. MODEL NUMBER + W

1. MODEL NUMBER + L

4. GROMMET

1. MODEL NUMBER + S

1. MODEL NUMBER + G

2. FSC

2. FSC

2. TOP FINISH

2. TOP FINISH

3. TOP FINISH

3. TOP FINISH

3. GROMMET

3. GROMMET

4. TOP FINISH5. GROMMET

See inside front cover for required option codes

Example

GD2CTT2024-W.X.NC260.OP.C1E

 GD2CTT2024-W
 X
 NC260
 OP
 CIE

 MODEL NUMBER
 FSC
 FINISH
 TOP FINISH
 GROMMET


Wood Chassis

	D	W	Н	model number	veneer 1	veneer 2	veneer 3	laminate
TECHNOLOGY CART	20	24	35 ¹ / ₂	GD2CTC2024-	3,831	4,215	4,598	3,069

WOOD CHASSIS



· Laptop Tray I Hinged Door



Shown without door Top: Open Shelf

Bottom: 1 adjustable shelf Optional AV Rack

PRODUCT INFO

- Includes 4 locking casters
- Doors are touch latch
- Order top separately.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD LAMINATE

1. MODEL NUMBER + W 1. MODEL NUMBER + L

2. FSC 2. FSC

3. FINISH 3. FINISH CHASSIS 4. LOCKS 4. FINISH FRONT 5. KEYING 5. LOCKS

6. KEYING

See inside front cover for required option codes

Example

GD2CTC2024-W

	D	W	Н	model number	list
PULL-OUT TRASH/ RECYCLE BIN	18 1/2	17	17 ⁷ /8	AC-RCYBIN	1,055
SLIDE OUT AV RACK	21 ⁵ / ₈ • For use v	19 ¹ / ₄ with Credenza:	22 ⁷ /8 s. Only 1 AV Rac	CVAVRACK sk may be used per Credenza to p	3,733 revent tipping.
FIXED AV RACK	11 ³ / ₈ • For use v	19 ¹ / ₄ with units on ca	15 ¹⁵ / ₁₆ asters.	AC-AVRACKFX	639
CUTLERY TRAY	14 1/2	19 ³ / ₈	3 1/4	AC-TRAY	273

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

Example


AC-RCYBIN

AC-RCYBIN

MODEL NUMBER

OCCASIONAL TABLES

Occasional Tables	 	 . 163-164
Occasional Tables	 	 164



PRODUCT INFO

Top thickness: Wood ³/₄" Laminate ³/₄" Glass ¹/₂" Solid Surface ¹/₂"

Top includes inserts for connection to base.

Tops include a knife edge standard.

Units shipped as separate packages and require field assembly.

GM2LTRD18H24-W

MODEL NUMBER + TYPE

FSC

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD LAMINATE **SOLID SURFACE** 1. MODEL NUMBER + L 1. MODEL NUMBER + W 1. MODEL NUMBER + S 2. FSC 2. FSC 2. FINISH 3. FINISH 3. FINISH 3. HARDWARE OPTION 4. TOP FINISH 4. HARDWARE OPTION P71 Black PR6 Silver Black 5. HARDWARE OPTION P71 P8G Matte Gold PR6 Silver P71 Black PJE Pyrite P8G Matte Gold PR6 PJW Designer White Silver PJE Pyrite P8X Solar Black P8G Matte Gold Designer White PJW Titanium PJE Pyrite P8T Solar Black P8X PJW Designer White PJF Bullseye P8T Titanium P8X Solar Black **P8M** Regatta PJF Bullseye Polished Chrome (add \$225) P8T Titanium PC P8M Regatta PJF Bullseye PC Polished Chrome (add \$225) P8M Regatta PC Polished Chrome (add \$225) Example GM2LTRD18H24-W.X.NC260.OP.P71

HARDWARE OPTION

TOP FINISH

model number	1	2	3	COM/4	5	6	7	8	9	10	11	12	13	14	15	16
GDACRED-CUSH36	728	746	770	788	818	843	868	893	919	949	973	1.002	1.035	1.061	1.093	1.127

FABRIC GRADE PRICING

L5 model number 17 18 19 20 21 22 23 24 25 26 27 col L1 L2 L3 L4 GDACRED-CUSH36 $1,161 \quad 1,184 \quad 1,219 \quad 1,247 \quad 1,280 \quad 1,313 \quad 1,376 \quad 1,441 \quad 1,507 \quad 1,571 \quad 1,634$ 788 990 1,210 1,426 1,648 1,844

WEIGHTS + CUBES

model number	weight	cubes	locks	page	model number	weight	cubes	locks	page
AC-7009011	1 lb.	0.1	_	87	ACDUOUNDER-PS	3 lbs.	0.2	_	75
AC-7009012	1 lb.	0.1	_	90	ACEXP-CAT5E-BK	1 lb.	0.2	_	95
AC-7010011	1 lb.	0.1	_	90	ACEXP-CAT6-BK	1 lb.	0.2	—	95
AC-7010111	1 lb.	0.1	_	87	ACEXP-HDMI-BK	1 lb.	0.2	_	95
AC-7010113	1 lb.	0.1	_	87	ACEXP-USB-BK	1 lb.	0.2	_	95
AC-7010173	1 lb.	0.1	_	87	ACEXP-VGA-BK	1 lb.	0.2	_	95
AC-7010314	1 lb.	0.1	_	90	AC-GANGTT	2 lbs.	0.1	_	147
AC-7016111	1 lb.	0.1	_	88	ACMWS30	3 lbs.	0.4	_	122
AC-7026701	1 lb.	0.1	_	91	ACMWS36	4 lbs.	0.5	_	122
AC-7041111	1 lb.	0.1	_	87	ACMWS41	4 lbs.	0.5	_	122
AC-7045412	1 lb.	0.1	_	89	ACMWS47	5 lbs.	0.6	_	122
AC-7046411	1 lb.	0.1	_	90	ACMWS53	5 lbs.	0.7	_	122
AC-7049111	1 lb.	0.1	_	87	ACMWS59	6 lbs.	0.7	_	122
AC-7049112	1 lb.	0.1	_	87	ACMWS65	7 lbs.	0.8	_	122
AC-7049113	1 lb.	0.1	_	88	ACMWS71	7 lbs.	0.9	_	122
AC-7049114	1 lb.	0.1	_	88	ACMWS83	8 lbs.	1.0	_	122
AC-7049115	1 lb.	0.1	_	88	ACPPUNDER-MGR	3 lbs.	0.2	_	92
AC-7049116	1 lb.	0.1	_	88	ACPUNDER-EU	2 lbs.	0.1	_	75
AC-7054211	1 lb.	0.1	_	91	ACPUNDER-EU-HW	2 lbs.	0.1	_	75
AC-7061602	1 lb.	0.1	_	88	AC-PWR60-4T	5 lbs.	0.7	_	100
AC-7067712	1 lb.	0.1	_	89	AC-PWR66-4T	6 lbs.	0.7	_	100
AC-70107602	1 lb.	0.1	_	91	AC-PWR72-4T	7 lbs.	0.7	_	100
AC-AVRACKFX	2 lbs.	3.8	_	162	AC-PWR78-4T	8 lbs.	0.8	_	100
AC-CC1202-A	3 lbs.	0.7	_	81	AC-PWR84-4T	9 lbs.	0.8	_	100
AC-CC1202-AHW	3 lbs.	0.7	_	81	AC-PWRD3E-BIQ	3 lbs.	0.3	_	97
AC-CC1202-BK	3 lbs.	0.7	_	81	AC-PWRD3E-SIQ	3 lbs.	0.3	_	97
AC-CC1202-BKHW	3 lbs.	0.7	_	81	AC-PWRDP2	1 lb.	0.2	_	101
AC-CC1402-A	5 lbs.	0.9	_	81	AC-PWRDPDB	1 lb.	0.2	_	101
AC-CC1402-AHW	5 lbs.	0.9	_	81	AC-PWRDU2E-B	3 lbs.	0.3	_	97
AC-CC1402-BK	5 lbs.	0.9	_	81	AC-PWRDU2E-BHW	3 lbs.	0.3	_	97
AC-CC1402-BKHW	5 lbs.	0.9	_	81	AC-PWRDU2E-S	3 lbs.	0.3	_	97
AC-CR-CAT6	3 lbs.	1.0	_	93	AC-PWRDU2E-SHW	3 lbs.	0.3	_	97
AC-CR-HDMI	3 lbs.	1.0	_	93	AC-PWRHCON	1 lb.	0.2	_	101
AC-CR-USB	3 lbs.	1.0	_	93	AC-PWRINHW	5 lbs.	0.9	_	101
AC-CR-VGA	3 lbs.	1.0	_	93	AC-PWRIN-IQ	5 lbs.	0.7	_	97
ACDKPWRIN-PS	5 lbs.	0.7	_	77	AC-PWRINQD	5 lbs.	0.9	_	101
ACDKPWRJ36-PS	3 lbs.	0.7	_	77	AC-PWRINSP	5 lbs.	0.9	_	101
ACDKPWRJ48-PS	4 lbs.	0.7	_	77	AC-PWRJ36-IQ	3 lbs.	0.7	_	97
ACDKPWRJ60-PS	5 lbs.	0.9	_	77	AC-PWRJET-4T	2 lbs.	0.9	_	101
ACDKPWRJ72-PS	7 lbs.	0.9	_	77	AC-PWRJTT-4T	2 lbs.	0.9	_	101
ACDKPWRJ84-PS	9 lbs.	0.9	_	77	AC-PWRZ48-4T	4 lbs.	0.7	_	100
ACDUOBZL-EEU	3 lbs.	0.2	_	76	AC-PWRZ60-4T	5 lbs.	0.7	_	100
ACDUOBZL-EEU-HW	3 lbs.	0.2	_	76	AC-PWRZ72-4T	5 lbs.	0.7	_	100
ACDUOBZL-PS	3 lbs.	0.2	_	76	AC-RCYBIN	15 lbs.	3.6	_	162

model number	weight	cubes	locks	page	model number	weight	cubes	locks	page
AC-RS-2HDMI	6 lbs.	0.7	_	82	GD2CBF90-W	387 lbs.	51.1	_	152
AC-RS-2NETWORK	6 lbs.	0.7	_	82	GD2CBF90-WG	387 lbs.	51.1	_	153
AC-RS-2VGA-A	6 lbs.	0.7	_	82	GD2CBF108-W	439 lbs.	60.6	_	152
AC-RS-BRACKET	1 lb.	0.4	_	82	GD2CBF108-WG	439 lbs.	60.6	_	153
AC-RS-FILLER	6 lbs.	0.4	_	82	GD2CBS48-L	223 lbs.	31.5	_	154
ACTMEL-B	3 lbs.	0.5	_	78	GD2CBS48-W	190 lbs.	30.3	_	154
ACTMEL-BHW	3 lbs.	0.5	_	78	GD2CBS48-WG	190 lbs.	30.3	_	155
ACTMELQI-B	3 lbs.	0.5	_	78	GD2CBS72-L	334 lbs.	47.1	_	154
ACTMELQI-BHW	3 lbs.	0.5	_	78	GD2CBS72-W	285 lbs.	44.5	3	154
ACTMELQI-S	3 lbs.	0.5	_	78	GD2CBS72-WG	285 lbs.	44.5	3	155
ACTMELQI-SHW	3 lbs.	0.5	_	78	GD2CBS96-L	445 lbs.	62.7	_	154
ACTMEL-S	3 lbs.	0.5	_	78	GD2CBS96-W	380 lbs.	58.8	4	154
ACTMEL-SHW	3 lbs.	0.5	_	78	GD2CBS96-WG	380 lbs.	58.8	4	155
AC-TRAY	2 lbs.	1.7	_	162	GD2CHC2036-L	160 lbs.	24.1	_	159
ACTRIOBZL-EEEUD	4 lbs.	0.3	_	76	GD2CHC2036-W	160 lbs.	24.1	_	159
ACTRIOBZL-EEEUD-HW	4 lbs.	0.3	_	76	GD2CHT2036-G	32 lbs.	1.8	_	158
ACTRIOBZL-PS	3 lbs.	0.3	_	76	GD2CHT2036-S	32 lbs.	1.8	_	158
ACTRIOUNDER-EEEUD	4 lbs.	0.3	_	75	GD2CLF72-L	203 lbs.	24.7	_	152
ACTRIOUNDER-EEEUD-H	HW 4 lbs.	0.3	_	75	GD2CLF72-W	203 lbs.	24.7	2	152
ACTRIOUNDER-PS	3 lbs.	0.3	_	75	GD2CLF72-WG	203 lbs.	24.7	2	153
AC-TWM	2 lbs.	0.6	_	147	GD2CLF90-L	273 lbs.	30.7	_	152
ACUNOBZL-EU	2 lbs.	0.1	_	76	GD2CLF90-W	273 lbs.	30.7	3	152
ACUNOBZL-EU-HW	2 lbs.	0.1	_	76	GD2CLF90-WG	273 lbs.	30.7	3	153
ACUNOBZL-PS	3 lbs.	0.1	_	76	GD2CLF108-W	303 lbs.	36.4	3	152
ACUNOUNDER-PS	3 lbs.	0.1	_	75	GD2CLF108-WG	303 lbs.	36.4	3	153
ACWHT8H54W-G	15 lbs.	10.9	_	157	GD2C-MTWS-WHTBRD	64.3 lbs.	101.0	_	131
ACWHT22H54W-G	35 lbs.	24.7	_	157	GD2C-MTWT-WHTBRD	80.8 lbs.	123.0	_	131
ACWHT48H48W-G	55 lbs.	45.2	_	157	GD2CSF72-L	266 lbs.	32.9	_	152
ACWHT48H60W-G	70 lbs.	55.8	_	157	GD2CSF72-W	265 lbs.	32.9	_	152
ACWHT48H72W-G	80 lbs.	66.4	_	157	GD2CSF72-WG	265 lbs.	32.9	_	153
ACWHT48H96W-G	105 lbs.	87.7	_	157	GD2CSF90-L	302 lbs.	40.9	_	152
ACWHT84H36W-G	75 lbs.	58.9	_	157	GD2CSF90-W	350 lbs.	40.9	_	152
ACWHT84H48W-G	95 lbs.	77.0	_	157	GD2CSF90-WG	350 lbs.	40.9	_	153
AC-WIRECLIP	1 lb.	0.2	_	92	GD2CSF108-W	393 lbs.	48.5	_	152
CVAVRACK	2 lbs.	7.6	_	162	GD2CSF108-WG	393 lbs.	48.5	_	153
CVPWRKT6	5 lbs.	0.9	_	96	GD2CSS48-L	194 lbs.	30.7	_	154
CVPWRKT12	6 lbs.	0.9	_	96	GD2CSS48-W	168 lbs.	24.7	_	154
CVSPINE	2 lbs.	2.2	_	92	GD2CSS48-WG	168 lbs.	24.7	_	155
GD2CB2472-L	354 lbs.	49.3	_	156	GD2CSS72-L	291 lbs.	45.9	_	154
GD2CB2472-W	354 lbs.	49.3	_	156	GD2CSS72-W	252 lbs.	36.3	3	154
GD2CBF72-L	313 lbs.	41.1	_	152	GD2CSS72-WG	252 lbs.	36.3	3	155
GD2CBF72-W	295 lbs.	41.1	_	152	GD2CSS96-L	388 lbs.	61.1	_	154
GD2CBF72-WG	295 lbs.	41.1	_	153	GD2CSS96-W	336 lbs.	48.0	4	154
GD2CBF90-L	393 lbs.	51.1	_	152	GD2CSS96-WG	336 lbs.	48.0	4	155

WEIGHTS + CUBES

model number	weight	cubes	locks	page	model number	weight	cubes	locks	page
GD2CTC2024-L	125 lbs.	15.0	_	161	GD2EXBS120-AL	116 lbs.	16.2	_	104
GD2CTC2024-W	125 lbs.	15.0	1	161	GD2EXBS120-AW	116 lbs.	18.6	_	104
GD2CTT2024-G	22 lbs.	1.3	_	160	GD2EXBS120-BL	125 lbs.	18.6	_	104
GD2CTT2024-L	15 lbs.	1.5	_	160	GD2EXBS120-BW	125 lbs.	18.6	_	104
GD2CTT2024-S	22 lbs.	1.3	_	160	GD2EXBS144-AL	123 lbs.	16.9	_	104
GD2CTT2024-W	15 lbs.	1.5	_	160	GD2EXBS144-AW	123 lbs.	19.3	_	104
GD2CWR2448-G	52 lbs.	2.8	_	151	GD2EXBS144-BL	132 lbs.	19.3	_	104
GD2CWR2448-L	36 lbs.	3.3	_	151	GD2EXBS144-BW	132 lbs.	19.3	_	104
GD2CWR2448-S	52 lbs.	2.8	_	151	GD2EXBS168-AL	183 lbs.	23.4	_	104
GD2CWR2448-W	36 lbs.	3.3	_	151	GD2EXBS168-AW	183 lbs.	23.4	_	104
GD2CWR2472-G	78 lbs.	4.1	_	151	GD2EXBS168-BL	198 lbs.	26.9	_	104
GD2CWR2472-L	53 lbs.	4.9	_	151	GD2EXBS168-BW	198 lbs.	26.9	_	104
GD2CWR2472-S	78 lbs.	4.1	_	151	GD2EXBS192-AL	190 lbs.	24.2	_	104
GD2CWR2472-W	53 lbs.	4.9	_	151	GD2EXBS192-AW	190 lbs.	24.2	_	104
GD2CWR2490-G	97 lbs.	5.1	_	151	GD2EXBS192-BL	205 lbs.	27.6	_	104
GD2CWR2490-L	67 lbs.	6.1	_	151	GD2EXBS192-BW	205 lbs.	27.6	_	104
GD2CWR2490-S	97 lbs.	5.1	_	151	GD2EXBS216-BL	212 lbs.	28.4	_	104
GD2CWR2490-W	67 lbs.	6.1	_	151	GD2EXBS216-BW	212 lbs.	28.4	_	104
GD2CWR2496-G	104 lbs.	5.4	_	151	GD2EXBS240-BL	219 lbs.	29.1	_	104
GD2CWR2496-L	71 lbs.	6.5	_	151	GD2EXBS240-BW	219 lbs.	29.1	_	104
GD2CWR2496-S	104 lbs.	5.4	_	151	GD2GBS96-AW	83 lbs.	18.9	_	108
GD2CWR2496-W	71 lbs.	6.5	_	151	GD2GBS108-AW	86 lbs.	19.3	_	108
GD2CWR24108-G	117 lbs.	6.1	_	151	GD2GBS120-AW	90 lbs.	19.7	_	108
GD2CWR24108-L	80 lbs.	7.3	_	151	GD2GBS120-BW	106 lbs.	22.8	_	108
GD2CWR24108-S	117 lbs.	6.1	_	151	GD2GBS144-AW	97 lbs.	20.4	_	108
GD2CWR24108-W	80 lbs.	7.3	_	151	GD2GBS144-BW	113 lbs.	23.6	_	108
GD2CWR24120-G	130 lbs.	6.7	_	151	GD2GBS168-AW	135 lbs.	33.3	_	108
GD2CWR24120-L	89 lbs.	8.0	_	151	GD2GBS168-BW	159 lbs.	38.6	_	108
GD2CWR24120-S	130 lbs.	6.7	_	151	GD2GBS192-AW	142 lbs.	34.0	_	108
GD2CWR24120-W	89 lbs.	8.0	_	151	GD2GBS192-BW	166 lbs.	39.4	_	108
GD2EXBS72-AL	102 lbs.	14.7	_	104	GD2GBS216-BW	173 lbs.	40.1	_	108
GD2EXBS72-AW	102 lbs.	17.1	_	104	GD2GBS240-BW	180 lbs.	40.9	_	108
GD2EXBS72-CL	52 lbs.	12.7	_	104	GD2HBL-A	65 lbs.	15.7	_	117
GD2EXBS72-CW	52 lbs.	12.7	_	104	GD2HBL-B	73 lbs.	20.5	_	117
GD2EXBS84-AL	106 lbs.	15.0	_	104	GD2HBL-C	59 lbs.	12.1	_	117
GD2EXBS84-AW	106 lbs.	17.5	_	104	GD2HBS72-A	115 lbs.	29.0	_	111
GD2EXBS84-CL	56 lbs.	13.1	_	104	GD2HBS72-C	110 lbs.	27.5	-	111
GD2EXBS84-CW	56 lbs.	13.1	_	104	GD2HBS84-A	125 lbs.	36.1	_	111
GD2EXBS96-AL	109 lbs.	15.4	_	104	GD2HBS84-C	120 lbs.	34.3	_	111
GD2EXBS96-AW	109 lbs.	17.8	_	104	GD2HBS96-A	135 lbs.	43.2	_	111
GD2EXBS96-CL	59 lbs.	13.5	_	104	GD2HBS96-C	130 lbs.	41.0	_	111
GD2EXBS96-CW	59 lbs.	13.5	_	104	GD2HBS108-A	140 lbs.	50.3	_	111
GD2EXBS108-AL	112 lbs.	15.8	-	104	GD2HBS120-A	150 lbs.	57.4	_	111
GD2EXBS108-AW	112 lbs.	18.2	_	104	GD2HBS-A	68 lbs.	17.7	_	117

model number	weight	cubes	locks	page	model number	weight	cubes	locks	page
GD2HBS-B	78 lbs.	24.7	_	117	GD2MBS192-BW	185 lbs.	27.0	_	105
GD2HBS-C	62 lbs.	13.7	_	117	GD2MBS216-BW	192 lbs.	27.8	_	105
GD2HBS-E	103 lbs.	68.4	_	117	GD2MBS240-BW	199 lbs.	28.5	_	105
GD2HBS-WIREMGR	3 lbs.	0.2	– 92	, 111, 117	GD2MBSN72-W	68 lbs.	7.6	_	129
GD2LBS72-A	45 lbs.	4.5	_	110	GD2MBSN84-W	71 lbs.	8.0	_	129
GD2LBS84-A	49 lbs.	4.9	_	110	GD2MBSN96-W	75 lbs.	8.4	_	129
GD2LBS96-A	52 lbs.	5.3	_	110	GD2MBSW72-W	166 lbs.	28.0	_	126
GD2LBS108-A	55 lbs.	5.6	_	110	GD2MBSW84-W	169 lbs.	28.4	_	126
GD2LBS120-A	59 lbs.	6.0	_	110	GD2MBSW96-W	173 lbs.	28.8	_	126
GD2LBS120-B	69 lbs.	6.5	_	110	GD2MBT72-AW	150 lbs.	21.2	_	106
GD2LBS144-AL	111 lbs.	13.1	_	110	GD2MBT72-CW	140 lbs.	18.3	_	106
GD2LBS144-AW	111 lbs.	13.1	_	110	GD2MBT84-AW	154 lbs.	21.5	_	106
GD2LBS144-BL	126 lbs.	13.5	_	110	GD2MBT84-CW	144 lbs.	18.7	_	106
GD2LBS144-BW	126 lbs.	13.5	_	110	GD2MBT96-AW	157 lbs.	21.9	_	106
GD2LBS168-AL	117 lbs.	13.8	_	110	GD2MBT96-CW	147 lbs.	19.0	_	106
GD2LBS168-AW	117 lbs.	13.8	_	110	GD2MBT108-AW	160 lbs.	22.3	_	106
GD2LBS168-BL	132 lbs.	14.2	_	110	GD2MBT120-AW	164 lbs.	22.7	_	106
GD2LBS168-BW	132 lbs.	14.2	_	110	GD2MBTN72-W	91 lbs.	9.4	_	129
GD2LBS192-AL	124 lbs.	14.5	_	110	GD2MBTN84-W	94 lbs.	9.7	_	129
GD2LBS192-AW	124 lbs.	14.5	_	110	GD2MBTN96-W	98 lbs.	10.1	_	129
GD2LBS192-BL	139 lbs.	15.0	_	110	GD2MBTW72-W	209 lbs.	34.4	_	126
GD2LBS192-BW	139 lbs.	15.0	_	110	GD2MBTW84-W	212 lbs.	34.8	_	126
GD2LBS216-BL	146 lbs.	15.7	_	110	GD2MBTW96-W	216 lbs.	35.2	_	126
GD2LBS216-BW	146 lbs.	15.7	_	110	GD2MTT424872-G	233 lbs.	81.9	_	124
GD2LBS240-BL	153 lbs.	16.5	_	110	GD2MTT424872-L	107 lbs.	9.3	_	124
GD2LBS240-BW	153 lbs.	16.5	_	110	GD2MTT424872-S	233 lbs.	22.1	_	124
GD2LBS-LEG	15 lbs.	0.5	_	120	GD2MTT424872-W	107 lbs.	9.3	_	124
GD2MBAW72-W	271 lbs.	37.9	_	128	GD2MTT424884-G	273 lbs.	95.1	_	124
GD2MBAW84-W	274 lbs.	38.3	_	128	GD2MTT424884-L	125 lbs.	10.8	_	124
GD2MBAW96-W	278 lbs.	38.6	_	128	GD2MTT424884-S	273 lbs.	25.7	_	124
GD2MBS72-AW	88 lbs.	15.7	_	105	GD2MTT424884-W	125 lbs.	10.8	_	124
GD2MBS72-CW	80 lbs.	13.6	_	105	GD2MTT424896-G	313 lbs.	108.3	_	124
GD2MBS84-AW	92 lbs.	16.1	_	105	GD2MTT424896-L	142 lbs.	12.2	_	124
GD2MBS84-CW	84 lbs.	14.0	_	105	GD2MTT424896-S	313 lbs.	29.3	_	124
GD2MBS96-AW	95 lbs.	16.5	_	105	GD2MTT424896-W	142 lbs.	12.2	_	124
GD2MBS96-CW	87 lbs.	14.4	_	105	GD2PBS3072-P	164 lbs.	16.1	_	138
GD2MBS108-AW	98 lbs.	16.8	_	105	GD2PBS3072-W	164 lbs.	16.1	_	138
GD2MBS120-AW	102 lbs.	17.2	_	105	GD2PBS3096-W	172 lbs.	16.8	_	138
GD2MBS120-BW	110 lbs.	19.8	_	105	GD2PBS3672-W	182 lbs.	18.6	_	138
GD2MBS144-AW	109 lbs.	18.0	_	105	GD2PBS3696-W	190 lbs.	19.3	_	138
GD2MBS144-BW	117 lbs.	20.5	_	105	GD2PBS4272-W	199 lbs.	21.1	_	138
GD2MBS168-AW	165 lbs.	22.9	_	105	GD2PBS4296-W	207 lbs.	21.8	_	138
GD2MBS168-BW	178 lbs.	26.3	_	105	GD2PBS30120-W	179 lbs.	17.6	_	138
GD2MBS192-AW	172 lbs.	23.7	_	105	GD2PBS30144-W	248 lbs.	9.1	_	138
					-				

WEIGHTS + CUBES

model number	weight	cubes	locks	page	model number	weight	cubes	locks	page
GD2PBS36120-W	197 lbs.	20.1	_	138	GD2PTT36120-G	291 lbs.	105.7	_	134
GD2PBS36144-W	280 lbs.	10.5	_	138	GD2PTT36120-L	133 lbs.	11.6	_	134
GD2PBS42120-W	214 lbs.	22.6	_	138	GD2PTT36120-S	291 lbs.	27.7	_	134
GD2PBS42144-W	311 lbs.	11.9	_	138	GD2PTT36120-W	133 lbs.	11.6	_	134
GD2PORTD-A	16 lbs.	1.3	_	80	GD2PTT36144-G	350 lbs.	66.0	_	134
GD2PORTD-A-HW	16 lbs.	1.3	_	80	GD2PTT36144-L	160 lbs.	9.1	_	134
GD2PORTD-B	16 lbs.	1.3	_	80	GD2PTT36144-S	350 lbs.	19.2	_	134
GD2PORTD-B-HW	16 lbs.	1.3	_	80	GD2PTT36144-W	160 lbs.	9.1	_	134
GD2PORTS-A	10 lbs.	0.9	_	79	GD2PTT42120-G	341 lbs.	120.2	_	136
GD2PORTS-A-HW	10 lbs.	0.9	_	79	GD2PTT42120-L	156 lbs.	13.4	_	136
GD2PORTS-B	10 lbs.	0.9	_	79	GD2PTT42120-S	341 lbs.	32.1	_	136
GD2PORTS-B-HW	10 lbs.	0.9	_	79	GD2PTT42120-W	156 lbs.	13.4	_	136
GD2PTT3072-G	143 lbs.	55.5	_	134	GD2PTT42144-G	410 lbs.	75.1	_	136
GD2PTT3072-L	67 lbs.	6.0	_	134	GD2PTT42144-L	187 lbs.	10.5	_	136
GD2PTT3072-S	143 lbs.	14.1	_	134	GD2PTT42144-S	410 lbs.	22.3	_	136
GD2PTT3072-W	67 lbs.	6.0	_	134	GD2PTT42144-W	187 lbs.	8.7	_	136
GD2PTT3096-G	192 lbs.	73.4	_	134	GD2TAB3672-G	173 lbs.	64.3	_	56
GD2PTT3096-L	89 lbs.	7.9	_	134	GD2TAB3672-L	80 lbs.	7.1	_	56
GD2PTT3096-S	192 lbs.	18.7	_	134	GD2TAB3672-S	173 lbs.	16.8	_	56
GD2PTT3096-W	89 lbs.	7.9	_	134	GD2TAB3672-W	80 lbs.	7.1	_	56
GD2PTT3672-G	173 lbs.	64.3	_	134	GD2TAB3684-G	203 lbs.	74.7	_	56
GD2PTT3672-L	80 lbs.	7.1	_	134	GD2TAB3684-L	93 lbs.	8.2	_	56
GD2PTT3672-S	173 lbs.	16.8	_	134	GD2TAB3684-S	203 lbs.	19.5	_	56
GD2PTT3672-W	80 lbs.	7.1	_	134	GD2TAB3684-W	93 lbs.	8.2	_	56
GD2PTT3696-G	232 lbs.	85.0	_	134	GD2TAB3696-G	232 lbs.	85.0	_	56
GD2PTT3696-L	107 lbs.	9.4	_	134	GD2TAB3696-L	107 lbs.	9.4	_	56
GD2PTT3696-S	232 lbs.	22.2	_	134	GD2TAB3696-S	232 lbs.	22.2	_	56
GD2PTT3696-W	107 lbs.	9.4	_	134	GD2TAB3696-W	107 lbs.	9.4	_	56
GD2PTT4272-G	203 lbs.	73.1	_	136	GD2TAB4272-G	203 lbs.	73.1	_	58
GD2PTT4272-L	93 lbs.	8.2	_	136	GD2TAB4272-L	93 lbs.	8.2	_	58
GD2PTT4272-S	203 lbs.	19.4	_	136	GD2TAB4272-S	203 lbs.	19.4	_	58
GD2PTT4272-W	93 lbs.	8.2	_	136	GD2TAB4272-W	93 lbs.	8.2	_	58
GD2PTT4296-G	272 lbs.	96.7	_	136	GD2TAB4284-G	238 lbs.	84.9	_	58
GD2PTT4296-L	125 lbs.	10.8	_	136	GD2TAB4284-L	109 lbs.	9.5	_	58
GD2PTT4296-S	272 lbs.	25.8	_	136	GD2TAB4284-S	238 lbs.	22.6	_	58
GD2PTT4296-W	125 lbs.	10.8	_	136	GD2TAB4284-W	109 lbs.	9.5	_	58
GD2PTT30120-G	240 lbs.	91.3	_	134	GD2TAB4296-G	272 lbs.	96.7	_	58
GD2PTT30120-L	111 lbs.	9.8	_	134	GD2TAB4296-L	125 lbs.	10.8	_	58
GD2PTT30120-S	240 lbs.	23.3	_	134	GD2TAB4296-S	272 lbs.	25.8	_	58
GD2PTT30120-W	111 lbs.	9.8	_	134	GD2TAB4296-W	125 lbs.	10.8	_	58
GD2PTT30144-G	289 lbs.	56.9	_	134	GD2TAB4872-G	233 lbs.	81.9	_	58
GD2PTT30144-L	133 lbs.	7.7	_	134	GD2TAB4872-L	107 lbs.	9.3	_	58
GD2PTT30144-S	289 lbs.	16.2	_	134	GD2TAB4872-S	233 lbs.	22.1	_	58
GD2PTT30144-W	133 lbs.	7.7	_	134	GD2TAB4872-W	107 lbs.	9.3	_	58

GDZTAB4884-G	model number	weight	cubes	locks	page	model number	weight	cubes	locks	page
GDZTAB4884-S	GD2TAB4884-G	273 lbs.	95.1	_	58	GD2TAB54120-G	442 lbs.	54.7	_	60
GDZTAB4884-W 125 lbs. 10.8 - 58 GDZTAB54120-W 200 lbs. 9.3 - 60 GDZTAB4896-G 313 lbs. 10.8 - 58 GDZTAB54144-G 532 lbs. 64.9 - 60 GDZTAB4896-S 313 lbs. 29.3 - 58 GDZTAB54144-L 240 lbs. 11.0 - 60 GDZTAB4896-S 313 lbs. 29.3 - 58 GDZTAB54144-K 532 lbs. 11.0 - 60 GDZTAB4896-W 142 lbs. 12.2 - 58 GDZTAB54144-K 240 lbs. 11.0 - 60 GDZTAB42108-L 140 lbs. 12.1 - 58 GDZTAB54144-K 240 lbs. 11.0 - 60 GDZTAB42108-L 140 lbs. 12.1 - 58 GDZTAB5418-G 621 lbs. 75.1 - 60 GDZTAB42108-L 140 lbs. 12.1 - 58 GDZTAB5418-G 621 lbs. 75.1 - 60 GDZTAB42108-C 307 lbs. 28.9 - 58 GDZTAB5418-S 621 lbs. 25.2 - 60 GDZTAB42108-C 341 lbs. 10.2 - 58 GDZTAB5418-W 280 lbs. 10.8 - 60 GDZTAB42100-W 140 lbs. 12.1 - 58 GDZTAB54192-W 280 lbs. 10.8 - 60 GDZTAB42100-W 156 lbs. 13.4 - 58 GDZTAB54192-C 711 lbs. 85.4 - 60 GDZTAB42100-W 156 lbs. 8.8 - 58 GDZTAB54192-W 280 lbs. 14.5 - 60 GDZTAB42100-W 156 lbs. 8.8 - 58 GDZTAB54192-W 280 lbs. 14.5 - 60 GDZTAB42120-W 156 lbs. 8.8 - 58 GDZTAB54192-W 300 lbs. 13.6 - 60 GDZTAB42120-W 156 lbs. 13.4 - 58 GDZTAB54192-W 300 lbs. 13.6 - 60 GDZTAB42120-W 156 lbs. 13.4 - 58 GDZTAB54192-W 300 lbs. 13.6 - 60 GDZTAB42120-W 156 lbs. 13.4 - 58 GDZTAB54192-W 300 lbs. 13.6 - 60 GDZTAB42120-W 156 lbs. 13.7 - 58 GDZTAB54192-W 300 lbs. 13.6 - 60 GDZTAB48100-W 150 lbs. 13.7 - 58 GDZTAB54100-W 300 lbs. 13.7 - 58 GDZTAB54100-W 400 lbs. 15.0 - 60 GDZTAB48100-W 178 lbs. 15.2 - 58 GDZTAB54210-W 400 lbs. 15.0 - 60 GDZTAB48100-W 178 lbs. 15.2 - 58 GDZTAB54210-W 400 lbs. 15.0 - 60 GDZTAB48100-W 178 lbs. 15.2 - 58 GDZTAB54210-W 222 lbs. 10.3 - 60 GDZTAB48100-W 178 lbs. 15.2 - 58 GDZTAB54100-W 222 lbs. 10.3 - 60 GDZTAB48100-W 178 lbs. 15.2 - 58 GDZTAB56100-W 222 lbs. 10.3 - 60 GDZTAB48100-W 178 lbs. 15.2 - 58 GDZTAB56100-W 222 lbs. 10.3 - 60 GDZTAB48100-W 178 lbs. 15.2 - 58 GDZTAB56100-W 222 lbs. 10.3 - 60 GDZTAB48100-W 178 lbs. 15.2 - 58 GDZTAB56100-W 222 lbs. 10.3 - 60 GDZTAB48100-W 178 lbs. 15.2 - 58 GDZTAB56100-W 222 lbs. 10.3 - 60 GDZTAB48100-W 178 lbs. 15.2 - 58 GDZTAB56100-W 222 lbs. 10.3 - 60 GDZTAB48100-W 178 lbs. 15.2 - 58 GDZTAB56100-W	GD2TAB4884-L	125 lbs.	10.8	_	58	GD2TAB54120-L	200 lbs.	9.3	_	60
GD2TAB4896-G	GD2TAB4884-S	273 lbs.	25.7	_	58	GD2TAB54120-S	442 lbs.	18.3	_	60
GDZTAB4896-L	GD2TAB4884-W	125 lbs.	10.8	_	58	GD2TAB54120-W	200 lbs.	9.3	_	60
GDZTAB4896-S 313 lbs. 29.3 - 58 GDZTAB54144-S 532 lbs. 21.8 - 60 GDZTAB4896-W 142 lbs. 12.2 - 58 GDZTAB54144-W 240 lbs. 11.0 - 60 GDZTAB42108-C 307 lbs. 12.1 - 58 GDZTAB54168-L 220 lbs. 75.1 - 60 GDZTAB42108-S 307 lbs. 28.9 - 58 GDZTAB54168-L 220 lbs. 12.8 -	GD2TAB4896-G	313 lbs.	108.3	_	58	GD2TAB54144-G	532 lbs.	64.9	_	60
GDZTAB4898-W	GD2TAB4896-L	142 lbs.	12.2	_	58	GD2TAB54144-L	240 lbs.	11.0	_	60
GDZTAB42108-G S07 ibs. 108.4 - 58 GDZTAB54168-G 621 ibs. 75.1 - 60 GDZTAB42108-L 140 ibs. 12.1 - 58 GDZTAB54168-L 280 ibs. 12.8 - 60 GDZTAB42108-W 140 ibs. 12.1 - 58 GDZTAB54168-S 621 ibs. 25.2 - 60 GDZTAB42109-W 140 ibs. 12.1 - 58 GDZTAB54168-S 621 ibs. 25.2 - 60 GDZTAB42120-G 341 ibs. 12.0 - 58 GDZTAB54168-S 621 ibs. 25.2 - 60 GDZTAB42120-L 156 ibs. 13.4 - 58 GDZTAB54192-G 711 ibs. 85.4 - 60 GDZTAB42120M-G 341 ibs. 63.0 - 58 GDZTAB54192-S 771 ibs. 28.7 - 60 GDZTAB42120M-W 156 ibs. 8.8 - 58 GDZTAB54192-S 771 ibs. 28.7 - 60 GDZTAB42120M-W 156 ibs. 8.8 - 58 GDZTAB54192-S 341 ibs. 32.1 - 58 GDZTAB54192-S 341 ibs. 32.1 - 58 GDZTAB54192-S 341 ibs. 32.1 - 58 GDZTAB54192-W 360 ibs. 13.6 - 60 GDZTAB48108-G 352 ibs. 121.5 - 58 GDZTAB54216-W 360 ibs. 13.6 - 60 GDZTAB48108-G 352 ibs. 13.7 - 58 GDZTAB54210-W 360 ibs. 13.6 - 60 GDZTAB548108-W 160 ibs. 13.7 - 58 GDZTAB54210-W 400 ibs. 15.0 - 60 GDZTAB48108-W 160 ibs. 13.7 - 58 GDZTAB54240-G 890 ibs. 26.6 - 60 GDZTAB548100-W 178 ibs. 15.2 - 58 GDZTAB54240-W 400 ibs. 15.0 - 60 GDZTAB548100-W 178 ibs. 15.2 - 58 GDZTAB60120-G 493 ibs. 20.3 - 60 GDZTAB68120-W 178 ibs. 15.2 - 58 GDZTAB60120-G 493 ibs. 22.1 - 60 GDZTAB68120-W 178 ibs. 15.2 - 58 GDZTAB60120-G 493 ibs. 22.1 - 60 GDZTAB68120-W 178 ibs. 15.2 - 58 GDZTAB60144-G 593 ibs. 27.9 - 60 GDZTAB68120-W 222 ibs. 10.3 - 60 GDZTAB68144-G 593 ibs. 27.9 - 60 GDZTAB68168-G 692 ibs. 17.4 - 60 GDZTAB68168-W 211 - 60 GDZTAB60168-G 692 ibs. 17	GD2TAB4896-S	313 lbs.	29.3	_	58	GD2TAB54144-S	532 lbs.	21.8	_	60
GD2TAB42108-L	GD2TAB4896-W	142 lbs.	12.2	_	58	GD2TAB54144-W	240 lbs.	11.0	_	60
GDZTAB42108-S 307 lbs. 28.9 - 58 GDZTAB54168-S 621 lbs. 25.2 - 60 GDZTAB42108-W 140 lbs. 12.1 - 58 GDZTAB54168-W 280 lbs. 10.8 - 60 GDZTAB42120-C 341 lbs. 120.2 - 58 GDZTAB54192-G 711 lbs. 85.4 - 60 GDZTAB42120M-G 341 lbs. 63.0 - 58 GDZTAB54192-G 711 lbs. 85.4 - 60 GDZTAB42120M-G 341 lbs. 63.0 - 58 GDZTAB54192-S 711 lbs. 85.4 - 60 GDZTAB42120M-G 341 lbs. 63.0 - 58 GDZTAB54192-S 711 lbs. 28.7 - 60 GDZTAB42120M-K 156 lbs. 8.8 - 58 GDZTAB54192-W 320 lbs. 11.2 - 60 GDZTAB42120M-W 156 lbs. 8.8 - 58 GDZTAB54192-W 320 lbs. 16.8 - 60 GDZTAB42120-W 156 lbs. 13.4 - 58 GDZTAB54216-G 803 lbs. 61.8 - 60 GDZTAB48108-G 352 lbs. 121.5 - 58 GDZTAB54216-S 803 lbs. 24.2 - 60 GDZTAB48108-G 352 lbs. 13.7 - 58 GDZTAB54216-W 360 lbs. 13.6 - 60 GDZTAB48108-W 160 lbs. 13.7 - 58 GDZTAB54240-G 890 lbs. 66.1 - 60 GDZTAB48108-W 160 lbs. 13.7 - 58 GDZTAB54240-G 890 lbs. 66.6 - 60 GDZTAB48120-W 160 lbs. 13.7 - 58 GDZTAB54240-W 400 lbs. 15.0 - 60 GDZTAB48120-W 178 lbs. 10.0 - 58 GDZTAB54240-W 400 lbs. 15.0 - 60 GDZTAB48120-W 178 lbs. 10.0 - 58 GDZTAB5420-W 222 lbs. 10.3 - 60 GDZTAB48120-W 178 lbs. 15.2 - 58 GDZTAB60120-W 222 lbs. 10.3 -	GD2TAB42108-G	307 lbs.	108.4	_	58	GD2TAB54168-G	621 lbs.	75.1	_	60
GD2TAB42108-W	GD2TAB42108-L	140 lbs.	12.1	_	58	GD2TAB54168-L	280 lbs.	12.8	_	60
GD2TAB42120-G 341 lbs. 120.2 - 58	GD2TAB42108-S	307 lbs.	28.9	_	58	GD2TAB54168-S	621 lbs.	25.2	_	60
GDZTAB42120-L 156 lbs. 13.4 - 58 GDZTAB54192-L 320 lbs. 14.5 - 60 GDZTAB42120M-G 341 lbs. 63.0 - 58 GDZTAB54192-S 711 lbs. 28.7 - 60 GDZTAB42120M-L 156 lbs. 8.8 - 58 GDZTAB54192-W 320 lbs. 12.2 - 60 GDZTAB42120M-W 156 lbs. 8.8 - 58 GDZTAB54192-W 320 lbs. 12.2 - 60 GDZTAB42120M-W 156 lbs. 8.8 - 58 GDZTAB54192-W 320 lbs. 12.2 -	GD2TAB42108-W	140 lbs.	12.1	_	58	GD2TAB54168-W	280 lbs.	10.8	_	60
GDZTAB42120M-G 341 lbs. 63.0 - 58 GDZTAB54192-S 711 lbs. 29.7 - 60 GDZTAB42120M-L 156 lbs. 8.8 - 58 GDZTAB54192-W 320 lbs. 12.2 - 60 GDZTAB42120M-W 156 lbs. 8.8 - 58 GDZTAB54192-W 320 lbs. 61.8 - 60 GDZTAB42120M-W 156 lbs. 8.8 - 58 GDZTAB54216-G 803 lbs. 61.8 - 60 GDZTAB42120W 156 lbs. 32.1 - 58 GDZTAB54216-S 803 lbs. 24.2 - 60 GDZTAB42120-S 341 lbs. 32.1 - 58 GDZTAB54216-S 803 lbs. 24.2 - 60 GDZTAB42120-W 156 lbs. 13.4 - 58 GDZTAB54216-W 360 lbs. 13.6 - 60 GDZTAB48108-G 352 lbs. 121.5 - 58 GDZTAB54216-W 360 lbs. 13.6 - 60 GDZTAB48108-L 160 lbs. 13.7 - 58 GDZTAB54216-W 360 lbs. 15.0 - 60 GDZTAB48108-W 160 lbs. 13.7 - 58 GDZTAB54240-L 400 lbs. 15.0 - 60 GDZTAB48108-W 160 lbs. 13.7 - 58 GDZTAB54240-W 400 lbs. 15.0 - 60 GDZTAB48120-G 392 lbs. 134.7 - 58 GDZTAB54240-W 400 lbs. 15.0 - 60 GDZTAB48120-L 178 lbs. 15.2 - 58 GDZTAB60120-L 222 lbs. 10.3 - 60 GDZTAB48120M-W 178 lbs. 15.2 - 58 GDZTAB60120-L 222 lbs. 10.3 - 60 GDZTAB48120M-W 178 lbs. 10.0 - 58 GDZTAB60120-W 222 lbs. 10.3 - 60 GDZTAB48120M-W 178 lbs. 10.0 - 58 GDZTAB6014-L 267 lbs. 12.2 - 60 GDZTAB48120-W 178 lbs. 15.2 - 58 GDZTAB6014-L 267 lbs. 12.2 - 60 GDZTAB48120-W 178 lbs. 15.2 - 58 GDZTAB6014-L 267 lbs. 12.2 - 60 GDZTAB48120-W 178 lbs. 15.2 - 58 GDZTAB6014-L 267 lbs. 12.2 - 60 GDZTAB48120-W 178 lbs. 15.2 - 58 GDZTAB6014-W 267 lbs. 12.2 - 60 GDZTAB48120-W 178 lbs. 15.2 - 58 GDZTAB6014-W 267 lbs. 12.2 - 60 GDZTAB4814-G 471 lbs. 58.6 - 58 GDZTAB6018-W 311 lbs. 14.1 - 60 GDZTAB4814-W 213 lbs. 9.9 - 58 GDZTAB6018-W 311 lbs. 14.1 - 60 GDZTAB4814-W 213 lbs. 9.9 - 58 GDZTAB6018-W 311 lbs. 14.1 - 60 GDZTAB48168-G 550 lbs. 67.8 - 58 GDZTAB6018-W 311 lbs. 14.1 - 60 GDZTAB48168-W 249 lbs. 11.4 - 58 GDZTAB6018-W 311 lbs. 14.1 - 60 GDZTAB48168-W 249 lbs. 11.4 - 58 GDZTAB6018-W 311 lbs. 14.1 - 60 GDZTAB48168-W 249 lbs. 11.4 - 58 GDZTAB6018-W 311 lbs. 11.9 - 60 GDZTAB48168-W 249 lbs. 11.4 - 58 GDZTAB6018-W 356 lbs. 16.0 - 60 GDZTAB48168-W 249 lbs. 11.4 - 58 GDZTAB6018-W 356 lbs. 16.0 - 60 GDZTAB48168-W 249 lbs. 11.4 - 58 GDZTAB60192-W 356 lbs. 15.5 - 60 GDZTAB48168-W 2	GD2TAB42120-G	341 lbs.	120.2	_	58	GD2TAB54192-G	711 lbs.	85.4	_	60
GD2TAB42120M-L 156 lbs.	GD2TAB42120-L	156 lbs.	13.4	_	58	GD2TAB54192-L	320 lbs.	14.5	_	60
GD2TAB42120M-S 341 lbs. 18.7 - 58 GD2TAB42120M-W 156 lbs. 8.8 - 58 GD2TAB42120-S 341 lbs. 32.1 - 58 GD2TAB42120-W 156 lbs. 13.4 - 58 GD2TAB42120-W 156 lbs. 13.4 - 58 GD2TAB42120-W 360 lbs. 13.6 - 60 GD2TAB48108-G 352 lbs. 121.5 - 58 GD2TAB54216-W 360 lbs. 13.6 - 60 GD2TAB48108-G 352 lbs. 121.5 - 58 GD2TAB54240-G 890 lbs. 68.1 - 60 GD2TAB48108-L 160 lbs. 13.7 - 58 GD2TAB54240-L 400 lbs. 15.0 - 60 GD2TAB48108-W 160 lbs. 13.7 - 58 GD2TAB54240-W 400 lbs. 15.0 - 60 GD2TAB48108-W 160 lbs. 13.7 - 58 GD2TAB54240-W 400 lbs. 15.0 - 60 GD2TAB48120-G 392 lbs. 134.7 - 58 GD2TAB54240-W 400 lbs. 15.0 - 60 GD2TAB48120-G 392 lbs. 70.6 - 58 GD2TAB54240-W 400 lbs. 15.0 - 60 GD2TAB48120M-G 392 lbs. 70.6 - 58 GD2TAB54240-W 400 lbs. 15.0 - 60 GD2TAB48120M-L 178 lbs. 10.0 - 58 GD2TAB560120-G 493 lbs. 20.3 - 60 GD2TAB48120M-L 178 lbs. 10.0 - 58 GD2TAB560120-W 222 lbs. 10.3 - 60 GD2TAB48120M-W 178 lbs. 10.0 - 58 GD2TAB560144-G 593 lbs. 21.3 - 60 GD2TAB48120-W 178 lbs. 15.2 - 58 GD2TAB560144-W 267 lbs. 12.2 - 60 GD2TAB48144-G 471 lbs. 19.4 - 58 GD2TAB56018-L 311 lbs. 14.1 - 60 GD2TAB48144-W 213 lbs. 9.9 - 58 GD2TAB56018-W 311 lbs. 14.1 - 60 GD2TAB48188-G 550 lbs. 67.8 - 58 GD2TAB60192-G 792 lbs. 33.7 - 60 GD2TAB48168-S 550 lbs. 22.5 - 58 GD2TAB60192-G 792 lbs. 33.7 - 60 GD2TAB48168-S 550 lbs. 22.5 - 58 GD2TAB60192-G 792 lbs. 33.7 - 60 GD2TAB48168-S 550 lbs. 22.5 - 58 GD2TAB60192-G 792 lbs. 33.7 - 60 GD2TAB48168-S 550 lbs. 22.5 - 58 GD2TAB6019	GD2TAB42120M-G	341 lbs.	63.0	_	58	GD2TAB54192-S	711 lbs.	28.7	_	60
GD2TAB42120M-W 156 lbs. 8.8 - 58 GD2TAB54216-L 360 lbs. 13.6 - 60 GD2TAB42120-S 341 lbs. 32.1 - 58 GD2TAB54216-S 803 lbs. 24.2 - 60 GD2TAB48108-G 352 lbs. 121.5 - 58 GD2TAB54216-W 360 lbs. 13.6 - 60 GD2TAB48108-G 352 lbs. 121.5 - 58 GD2TAB54216-W 360 lbs. 13.6 - 60 GD2TAB48108-L 160 lbs. 13.7 - 58 GD2TAB54240-G 890 lbs. 68.1 - 60 GD2TAB48108-S 352 lbs. 32.9 - 58 GD2TAB54240-L 400 lbs. 15.0 - 60 GD2TAB48108-W 160 lbs. 13.7 - 58 GD2TAB54240-W 400 lbs. 15.0 - 60 GD2TAB48120-G 392 lbs. 134.7 - 58 GD2TAB54240-W 400 lbs. 15.0 - 60 GD2TAB48120-L 178 lbs. 15.2 - 58 GD2TAB560120-G 493 lbs. 60.0 - 60 GD2TAB48120-L 178 lbs. 15.2 - 58 GD2TAB60120-L 222 lbs. 10.3 - 60 GD2TAB48120M-L 178 lbs. 10.0 - 58 GD2TAB60120-W 222 lbs. 10.3 - 60 GD2TAB48120M-W 178 lbs. 10.0 - 58 GD2TAB60120-W 222 lbs. 10.3 - 60 GD2TAB48120M-W 178 lbs. 10.0 - 58 GD2TAB60144-G 593 lbs. 71.3 - 60 GD2TAB48120M-W 178 lbs. 15.2 - 58 GD2TAB60144-G 593 lbs. 71.3 - 60 GD2TAB48120-W 178 lbs. 15.2 - 58 GD2TAB60144-L 267 lbs. 12.2 - 60 GD2TAB48120-W 178 lbs. 15.2 - 58 GD2TAB60144-W 267 lbs. 12.2 - 60 GD2TAB48144-G 471 lbs. 58.6 - 58 GD2TAB60144-S 593 lbs. 24.1 - 60 GD2TAB48144-G 471 lbs. 58.6 - 58 GD2TAB60168-G 692 lbs. 82.5 - 60 GD2TAB48144-W 213 lbs. 9.9 - 58 GD2TAB60168-G 692 lbs. 82.5 - 60 GD2TAB48144-W 213 lbs. 9.9 - 58 GD2TAB60168-G 692 lbs. 27.9 - 60 GD2TAB48168-G 550 lbs. 67.8 - 58 GD2TAB60192-G 792 lbs. 31.8 - 60 GD2TAB48168-G 550 lbs. 67.8 - 58 GD2TAB60192-G 792 lbs. 31.8 - 60 GD2TAB48168-W 249 lbs. 11.4 - 58 GD2TAB601	GD2TAB42120M-L	156 lbs.	8.8	_	58	GD2TAB54192-W	320 lbs.	12.2	_	60
GD2TAB42120-S 341 lbs. 32.1 - 58 GD2TAB54216-S 803 lbs. 24.2 - 60 60 GD2TAB42120-W 156 lbs. 13.4 - 58 GD2TAB54216-W 360 lbs. 13.6 - 60 GD2TAB48108-G 352 lbs. 121.5 - 58 GD2TAB54216-W 360 lbs. 13.6 - 60 GD2TAB48108-L 160 lbs. 13.7 - 58 GD2TAB54240-L 400 lbs. 15.0 - 60 GD2TAB48108-S 352 lbs. 32.9 - 58 GD2TAB54240-S 890 lbs. 26.6 - 60 GD2TAB48108-W 160 lbs. 13.7 - 58 GD2TAB54240-W 400 lbs. 15.0 - 60 GD2TAB48120-G 392 lbs. 13.4 - 58 GD2TAB660120-G 493 lbs. 60.0 - 60 GD2TAB48120-L 178 lbs. 15.2 - 58 GD2TAB60120-G 493 lbs. 60.0 - 60 GD2TAB48120-L 178 lbs. 15.2 - 58 GD2TAB60120-W 222 lbs. 10.3 - 60 GD2TAB48120M-G 392 lbs. 70.6 - 58 GD2TAB60120-W 222 lbs. 10.3 - 60 GD2TAB48120M-W 178 lbs. 10.0 - 58 GD2TAB60120-W 222 lbs. 10.3 - 60 GD2TAB48120M-W 178 lbs. 10.0 - 58 GD2TAB60144-G 593 lbs. 71.3 - 60 GD2TAB48120-W 178 lbs. 15.2 - 58 GD2TAB60144-L 267 lbs. 12.2 - 60 GD2TAB48120-W 178 lbs. 15.2 - 58 GD2TAB60144-W 267 lbs. 12.2 - 60 GD2TAB48144-G 471 lbs. 58.6 - 58 GD2TAB60144-W 267 lbs. 12.2 - 60 GD2TAB48144-G 471 lbs. 58.6 - 58 GD2TAB60168-G 692 lbs. 82.5 - 60 GD2TAB48144-W 213 lbs. 9.9 - 58 GD2TAB60168-L 311 lbs. 14.1 - 60 GD2TAB48144-W 213 lbs. 9.9 - 58 GD2TAB60168-C 692 lbs. 27.9 - 60 GD2TAB48168-G 550 lbs. 67.8 - 58 GD2TAB60192-C 792 lbs. 93.7 - 60 GD2TAB48168-B 550 lbs. 67.8 - 58 GD2TAB60192-C 792 lbs. 93.7 -	GD2TAB42120M-S	341 lbs.	18.7	_	58	GD2TAB54216-G	803 lbs.	61.8	_	60
GD2TAB42120-W 156 lbs. 13.4 - 58 GD2TAB54216-W 360 lbs. 13.6 - 60 GD2TAB48108-G 352 lbs. 121.5 - 58 GD2TAB54240-G 890 lbs. 68.1 - 60 GD2TAB48108-L 160 lbs. 13.7 - 58 GD2TAB54240-L 400 lbs. 15.0 - 60 GD2TAB48108-S 352 lbs. 32.9 - 58 GD2TAB54240-S 890 lbs. 26.6 - 60 GD2TAB48108-W 160 lbs. 13.7 - 58 GD2TAB54240-W 400 lbs. 15.0 - 60 GD2TAB548120-G 392 lbs. 134.7 - 58 GD2TAB60120-G 493 lbs. 60.0 - 60 GD2TAB48120-L 178 lbs. 15.2 - 58 GD2TAB60120-L 222 lbs. 10.3 - 60 GD2TAB48120M-G 392 lbs. 70.6 - 58 GD2TAB60120-L 222 lbs. 10.3 - 60 GD2TAB48120M-S 392 lbs. 21.3 - 58 GD2TAB60120-W 232 lbs. 10.3 - 60 GD2TAB48120M-W 178 lbs. 10.0 - 58 GD2TAB60144-G 593 lbs. 71.3 - 60 GD2TAB48120-W 178 lbs. 15.2 - 58 GD2TAB60144-G	GD2TAB42120M-W	156 lbs.	8.8	_	58	GD2TAB54216-L	360 lbs.	13.6	_	60
GD2TAB48108-G 352 lbs. 121.5 - 58 GD2TAB54240-G 890 lbs. 68.1 - 60 60 60 60 60 60 60	GD2TAB42120-S	341 lbs.	32.1	_	58	GD2TAB54216-S	803 lbs.	24.2	_	60
GD2TAB48108-L 160 lbs. 13.7 — 58 GD2TAB54240-L 400 lbs. 15.0 — 60 GD2TAB48108-S 352 lbs. 32.9 — 58 GD2TAB54240-S 890 lbs. 26.6 — 60 GD2TAB48108-W 160 lbs. 13.7 — 58 GD2TAB54240-W 400 lbs. 15.0 — 60 GD2TAB48120-G 392 lbs. 134.7 — 58 GD2TAB60120-G 493 lbs. 60.0 — 60 GD2TAB48120-L 178 lbs. 15.2 — 58 GD2TAB60120-L 222 lbs. 10.3 — 60 GD2TAB48120M-G 392 lbs. 70.6 — 58 GD2TAB60120-W 222 lbs. 10.3 — 60 GD2TAB48120M-L 178 lbs. 10.0 — 58 GD2TAB60120-W 222 lbs. 10.3 — 60 GD2TAB48120M-W 176 lbs. 10.0 — 58 GD2TAB60120-W 222 lbs. 10.3 — 60	GD2TAB42120-W	156 lbs.	13.4	_	58	GD2TAB54216-W	360 lbs.	13.6	_	60
GD2TAB48108-S 352 lbs. 32.9 - 58 GD2TAB48108-W 160 lbs. 13.7 - 58 GD2TAB48108-W 400 lbs. 15.0 - 60 GD2TAB48120-G 392 lbs. 134.7 - 58 GD2TAB60120-G 493 lbs. 60.0 - 60 GD2TAB48120-L 178 lbs. 15.2 - 58 GD2TAB60120-L 222 lbs. 10.3 - 60 GD2TAB48120M-G 392 lbs. 70.6 - 58 GD2TAB60120-S 493 lbs. 20.3 - 60 GD2TAB48120M-L 178 lbs. 10.0 - 58 GD2TAB60120-W 222 lbs. 10.3 - 60 GD2TAB48120M-S 392 lbs. 21.3 - 58 GD2TAB60120-W 222 lbs. 10.3 - 60 GD2TAB48120M-W 178 lbs. 10.0 - 58 GD2TAB60144-G 593 lbs. 71.3 - 60 GD2TAB48120-W 178 lbs. 15.2 - 58 <	GD2TAB48108-G	352 lbs.	121.5	_	58	GD2TAB54240-G	890 lbs.	68.1	_	60
GD2TAB48108-W 160 lbs. 13.7 — 58 GD2TAB54240-W 400 lbs. 15.0 — 60 GD2TAB48120-G 392 lbs. 134.7 — 58 GD2TAB60120-G 493 lbs. 60.0 — 60 GD2TAB48120-L 178 lbs. 15.2 — 58 GD2TAB60120-L 222 lbs. 10.3 — 60 GD2TAB48120M-G 392 lbs. 70.6 — 58 GD2TAB60120-S 493 lbs. 20.3 — 60 GD2TAB48120M-L 178 lbs. 10.0 — 58 GD2TAB60120-W 222 lbs. 10.3 — 60 GD2TAB48120M-S 392 lbs. 21.3 — 58 GD2TAB60144-G 593 lbs. 71.3 — 60 GD2TAB48120M-W 178 lbs. 10.0 — 58 GD2TAB60144-L 267 lbs. 12.2 — 60 GD2TAB48120-W 178 lbs. 15.2 — 58 GD2TAB60144-W 267 lbs. 12.2 — 60	GD2TAB48108-L	160 lbs.	13.7	_	58	GD2TAB54240-L	400 lbs.	15.0	_	60
GD2TAB48120-G 392 lbs. 134.7 — 58 GD2TAB60120-G 493 lbs. 60.0 — 60 GD2TAB48120-L 178 lbs. 15.2 — 58 GD2TAB60120-L 222 lbs. 10.3 — 60 GD2TAB48120M-G 392 lbs. 70.6 — 58 GD2TAB60120-W 222 lbs. 10.3 — 60 GD2TAB48120M-L 178 lbs. 10.0 — 58 GD2TAB60120-W 222 lbs. 10.3 — 60 GD2TAB48120M-S 392 lbs. 21.3 — 58 GD2TAB60144-G 593 lbs. 71.3 — 60 GD2TAB48120-W 178 lbs. 10.0 — 58 GD2TAB60144-L 267 lbs. 12.2 — 60 GD2TAB48120-W 178 lbs. 15.2 — 58 GD2TAB60144-W 267 lbs. 12.2 — 60 GD2TAB48144-G 471 lbs. 58.6 — 58 GD2TAB60168-G 692 lbs. 82.5 — 60	GD2TAB48108-S	352 lbs.	32.9	_	58	GD2TAB54240-S	890 lbs.	26.6	_	60
GDZTAB48120-L 178 lbs. 15.2 — 58 GDZTAB60120-L 222 lbs. 10.3 — 60 GDZTAB48120M-G 392 lbs. 70.6 — 58 GDZTAB660120-S 493 lbs. 20.3 — 60 GDZTAB48120M-L 178 lbs. 10.0 — 58 GDZTAB60120-W 222 lbs. 10.3 — 60 GDZTAB48120M-S 392 lbs. 21.3 — 58 GDZTAB60144-G 593 lbs. 71.3 — 60 GDZTAB48120M-W 178 lbs. 10.0 — 58 GDZTAB60144-L 267 lbs. 12.2 — 60 GDZTAB48120-W 178 lbs. 15.2 — 58 GDZTAB60144-W 267 lbs. 12.2 — 60 GDZTAB48140-G 471 lbs. 58.6 — 58 GDZTAB60168-G 692 lbs. 82.5 — 60 GDZTAB48144-W 213 lbs. 9.9 — 58 GDZTAB60168-L 311 lbs. 14.1 — 60	GD2TAB48108-W	160 lbs.	13.7	_	58	GD2TAB54240-W	400 lbs.	15.0	_	60
GD2TAB48120M-G 392 lbs. 70.6 — 58 GD2TAB60120-S 493 lbs. 20.3 — 60 GD2TAB48120M-L 178 lbs. 10.0 — 58 GD2TAB60120-W 222 lbs. 10.3 — 60 GD2TAB48120M-S 392 lbs. 21.3 — 58 GD2TAB60144-G 593 lbs. 71.3 — 60 GD2TAB48120M-W 178 lbs. 10.0 — 58 GD2TAB60144-L 267 lbs. 12.2 — 60 GD2TAB48120-S 392 lbs. 36.5 — 58 GD2TAB60144-S 593 lbs. 24.1 — 60 GD2TAB48120-W 178 lbs. 15.2 — 58 GD2TAB60144-W 267 lbs. 12.2 — 60 GD2TAB48144-G 471 lbs. 58.6 — 58 GD2TAB60168-G 692 lbs. 82.5 — 60 GD2TAB48144-L 213 lbs. 9.9 — 58 GD2TAB60168-L 311 lbs. 14.1 — 60	GD2TAB48120-G	392 lbs.	134.7	_	58	GD2TAB60120-G	493 lbs.	60.0	_	60
GD2TAB48120M-L 178 lbs. 10.0 — 58 GD2TAB60120-W 222 lbs. 10.3 — 60 GD2TAB48120M-S 392 lbs. 21.3 — 58 GD2TAB60144-G 593 lbs. 71.3 — 60 GD2TAB48120M-W 178 lbs. 10.0 — 58 GD2TAB60144-L 267 lbs. 12.2 — 60 GD2TAB48120-S 392 lbs. 36.5 — 58 GD2TAB60144-L 267 lbs. 12.2 — 60 GD2TAB48120-W 178 lbs. 15.2 — 58 GD2TAB60144-W 267 lbs. 12.2 — 60 GD2TAB48144-G 471 lbs. 58.6 — 58 GD2TAB60168-G 692 lbs. 82.5 — 60 GD2TAB48144-L 213 lbs. 9.9 — 58 GD2TAB60168-L 311 lbs. 14.1 — 60 GD2TAB48144-W 213 lbs. 9.9 — 58 GD2TAB60168-S 692 lbs. 27.9 — 60	GD2TAB48120-L	178 lbs.	15.2	_	58	GD2TAB60120-L	222 lbs.	10.3	_	60
GD2TAB48120M-S 392 lbs. 21.3 — 58 GD2TAB60144-G 593 lbs. 71.3 — 60 GD2TAB48120M-W 178 lbs. 10.0 — 58 GD2TAB60144-L 267 lbs. 12.2 — 60 GD2TAB48120-S 392 lbs. 36.5 — 58 GD2TAB60144-S 593 lbs. 24.1 — 60 GD2TAB48120-W 178 lbs. 15.2 — 58 GD2TAB60144-W 267 lbs. 12.2 — 60 GD2TAB48144-G 471 lbs. 58.6 — 58 GD2TAB60168-G 692 lbs. 82.5 — 60 GD2TAB48144-L 213 lbs. 9.9 — 58 GD2TAB60168-L 311 lbs. 14.1 — 60 GD2TAB48144-W 213 lbs. 9.9 — 58 GD2TAB60168-S 692 lbs. 27.9 — 60 GD2TAB48168-G 550 lbs. 67.8 — 58 GD2TAB60168-W 311 lbs. 11.9 — 60	GD2TAB48120M-G	392 lbs.	70.6	_	58	GD2TAB60120-S	493 lbs.	20.3	_	60
GD2TAB48120M-W 178 lbs. 10.0 - 58 GD2TAB60144-L 267 lbs. 12.2 - 60 GD2TAB48120-S 392 lbs. 36.5 - 58 GD2TAB60144-S 593 lbs. 24.1 - 60 GD2TAB48120-W 178 lbs. 15.2 - 58 GD2TAB60144-W 267 lbs. 12.2 - 60 GD2TAB48144-G 471 lbs. 58.6 - 58 GD2TAB60168-G 692 lbs. 82.5 - 60 GD2TAB48144-L 213 lbs. 9.9 - 58 GD2TAB60168-L 311 lbs. 14.1 - 60 GD2TAB48144-S 471 lbs. 19.4 - 58 GD2TAB60168-S 692 lbs. 27.9 - 60 GD2TAB48168-G 550 lbs. 9.9 - 58 GD2TAB60168-W 311 lbs. 11.9 - 60 GD2TAB48168-G 550 lbs. 67.8 - 58 GD2TAB60192-G 792 lbs. 93.7 - 60 <	GD2TAB48120M-L	178 lbs.	10.0	_	58	GD2TAB60120-W	222 lbs.	10.3	_	60
GD2TAB48120-S 392 lbs. 36.5 — 58 GD2TAB60144-S 593 lbs. 24.1 — 60 GD2TAB48120-W 178 lbs. 15.2 — 58 GD2TAB60144-W 267 lbs. 12.2 — 60 GD2TAB48144-G 471 lbs. 58.6 — 58 GD2TAB60168-G 692 lbs. 82.5 — 60 GD2TAB48144-L 213 lbs. 9.9 — 58 GD2TAB60168-L 311 lbs. 14.1 — 60 GD2TAB48144-S 471 lbs. 19.4 — 58 GD2TAB60168-S 692 lbs. 27.9 — 60 GD2TAB48168-G 550 lbs. 9.9 — 58 GD2TAB60168-W 311 lbs. 11.9 — 60 GD2TAB48168-G 550 lbs. 67.8 — 58 GD2TAB60192-G 792 lbs. 93.7 — 60 GD2TAB48168-S 550 lbs. 22.5 — 58 GD2TAB60192-L 356 lbs. 16.0 — 60 <t< td=""><td>GD2TAB48120M-S</td><td>392 lbs.</td><td>21.3</td><td>_</td><td>58</td><td>GD2TAB60144-G</td><td>593 lbs.</td><td>71.3</td><td>_</td><td>60</td></t<>	GD2TAB48120M-S	392 lbs.	21.3	_	58	GD2TAB60144-G	593 lbs.	71.3	_	60
GD2TAB48120-W 178 lbs. 15.2 — 58 GD2TAB60144-W 267 lbs. 12.2 — 60 GD2TAB48144-G 471 lbs. 58.6 — 58 GD2TAB60168-G 692 lbs. 82.5 — 60 GD2TAB48144-L 213 lbs. 9.9 — 58 GD2TAB60168-L 311 lbs. 14.1 — 60 GD2TAB48144-S 471 lbs. 19.4 — 58 GD2TAB60168-S 692 lbs. 27.9 — 60 GD2TAB48144-W 213 lbs. 9.9 — 58 GD2TAB60168-W 311 lbs. 11.9 — 60 GD2TAB48168-G 550 lbs. 67.8 — 58 GD2TAB60192-G 792 lbs. 93.7 — 60 GD2TAB48168-L 249 lbs. 11.4 — 58 GD2TAB60192-L 356 lbs. 16.0 — 60 GD2TAB48168-W 249 lbs. 11.4 — 58 GD2TAB60192-W 356 lbs. 13.5 — 60 <t< td=""><td>GD2TAB48120M-W</td><td>178 lbs.</td><td>10.0</td><td>_</td><td>58</td><td>GD2TAB60144-L</td><td>267 lbs.</td><td>12.2</td><td>_</td><td>60</td></t<>	GD2TAB48120M-W	178 lbs.	10.0	_	58	GD2TAB60144-L	267 lbs.	12.2	_	60
GD2TAB48144-G 471 lbs. 58.6 — 58 GD2TAB60168-G 692 lbs. 82.5 — 60 GD2TAB48144-L 213 lbs. 9.9 — 58 GD2TAB60168-L 311 lbs. 14.1 — 60 GD2TAB48144-S 471 lbs. 19.4 — 58 GD2TAB60168-S 692 lbs. 27.9 — 60 GD2TAB48144-W 213 lbs. 9.9 — 58 GD2TAB60168-W 311 lbs. 11.9 — 60 GD2TAB48168-G 550 lbs. 67.8 — 58 GD2TAB60192-G 792 lbs. 93.7 — 60 GD2TAB48168-L 249 lbs. 11.4 — 58 GD2TAB60192-L 356 lbs. 16.0 — 60 GD2TAB48168-S 550 lbs. 22.5 — 58 GD2TAB60192-S 792 lbs. 31.8 — 60 GD2TAB48168-W 249 lbs. 11.4 — 58 GD2TAB60192-W 356 lbs. 13.5 — 60 <t< td=""><td>GD2TAB48120-S</td><td>392 lbs.</td><td>36.5</td><td>_</td><td>58</td><td>GD2TAB60144-S</td><td>593 lbs.</td><td>24.1</td><td>_</td><td>60</td></t<>	GD2TAB48120-S	392 lbs.	36.5	_	58	GD2TAB60144-S	593 lbs.	24.1	_	60
GD2TAB48144-L 213 lbs. 9.9 - 58 GD2TAB60168-L 311 lbs. 14.1 - 60 GD2TAB48144-S 471 lbs. 19.4 - 58 GD2TAB60168-S 692 lbs. 27.9 - 60 GD2TAB48144-W 213 lbs. 9.9 - 58 GD2TAB60168-W 311 lbs. 11.9 - 60 GD2TAB48168-G 550 lbs. 67.8 - 58 GD2TAB60192-G 792 lbs. 93.7 - 60 GD2TAB48168-L 249 lbs. 11.4 - 58 GD2TAB60192-L 356 lbs. 16.0 - 60 GD2TAB48168-S 550 lbs. 22.5 - 58 GD2TAB60192-L 356 lbs. 11.8 - 60 GD2TAB48168-W 249 lbs. 11.4 - 58 GD2TAB60192-S 792 lbs. 31.8 - 60 GD2TAB48192-G 630 lbs. 77.0 - 58 GD2TAB60216-G 895 lbs. 67.9 - 60 <t< td=""><td>GD2TAB48120-W</td><td>178 lbs.</td><td>15.2</td><td>_</td><td>58</td><td>GD2TAB60144-W</td><td>267 lbs.</td><td>12.2</td><td>_</td><td>60</td></t<>	GD2TAB48120-W	178 lbs.	15.2	_	58	GD2TAB60144-W	267 lbs.	12.2	_	60
GD2TAB48144-S 471 lbs. 19.4 — 58 GD2TAB60168-S 692 lbs. 27.9 — 60 GD2TAB48144-W 213 lbs. 9.9 — 58 GD2TAB60168-W 311 lbs. 11.9 — 60 GD2TAB48168-G 550 lbs. 67.8 — 58 GD2TAB60192-G 792 lbs. 93.7 — 60 GD2TAB48168-L 249 lbs. 11.4 — 58 GD2TAB60192-L 356 lbs. 16.0 — 60 GD2TAB48168-S 550 lbs. 22.5 — 58 GD2TAB60192-S 792 lbs. 31.8 — 60 GD2TAB48168-W 249 lbs. 11.4 — 58 GD2TAB60192-S 792 lbs. 31.8 — 60 GD2TAB48192-G 630 lbs. 77.0 — 58 GD2TAB60192-W 356 lbs. 13.5 — 60 GD2TAB48192-L 285 lbs. 13.0 — 58 GD2TAB60216-L 400 lbs. 15.1 — 60 <	GD2TAB48144-G	471 lbs.	58.6	_	58	GD2TAB60168-G	692 lbs.	82.5	_	60
GD2TAB48144-W 213 lbs. 9.9 - 58 GD2TAB60168-W 311 lbs. 11.9 - 60 GD2TAB48168-G 550 lbs. 67.8 - 58 GD2TAB60192-G 792 lbs. 93.7 - 60 GD2TAB48168-L 249 lbs. 11.4 - 58 GD2TAB60192-L 356 lbs. 16.0 - 60 GD2TAB48168-S 550 lbs. 22.5 - 58 GD2TAB60192-S 792 lbs. 31.8 - 60 GD2TAB48168-W 249 lbs. 11.4 - 58 GD2TAB60192-S 792 lbs. 31.8 - 60 GD2TAB48192-G 630 lbs. 77.0 - 58 GD2TAB60192-W 356 lbs. 13.5 - 60 GD2TAB48192-L 285 lbs. 13.0 - 58 GD2TAB60216-G 895 lbs. 67.9 - 60 GD2TAB48192-S 630 lbs. 25.5 - 58 GD2TAB60216-L 400 lbs. 15.1 - 60 <	GD2TAB48144-L	213 lbs.	9.9	_	58	GD2TAB60168-L	311 lbs.	14.1	_	60
GD2TAB48168-G 550 lbs. 67.8 — 58 GD2TAB60192-G 792 lbs. 93.7 — 60 GD2TAB48168-L 249 lbs. 11.4 — 58 GD2TAB60192-L 356 lbs. 16.0 — 60 GD2TAB48168-S 550 lbs. 22.5 — 58 GD2TAB60192-S 792 lbs. 31.8 — 60 GD2TAB48168-W 249 lbs. 11.4 — 58 GD2TAB60192-W 356 lbs. 13.5 — 60 GD2TAB48192-G 630 lbs. 77.0 — 58 GD2TAB60216-G 895 lbs. 67.9 — 60 GD2TAB48192-L 285 lbs. 13.0 — 58 GD2TAB60216-L 400 lbs. 15.1 — 60 GD2TAB48192-S 630 lbs. 25.5 — 58 GD2TAB60216-S 895 lbs. 26.8 — 60	GD2TAB48144-S	471 lbs.	19.4	_	58	GD2TAB60168-S	692 lbs.	27.9	_	60
GD2TAB48168-L 249 lbs. 11.4 - 58 GD2TAB60192-L 356 lbs. 16.0 - 60 GD2TAB48168-S 550 lbs. 22.5 - 58 GD2TAB60192-S 792 lbs. 31.8 - 60 GD2TAB48168-W 249 lbs. 11.4 - 58 GD2TAB60192-W 356 lbs. 13.5 - 60 GD2TAB48192-G 630 lbs. 77.0 - 58 GD2TAB60216-G 895 lbs. 67.9 - 60 GD2TAB48192-L 285 lbs. 13.0 - 58 GD2TAB60216-L 400 lbs. 15.1 - 60 GD2TAB48192-S 630 lbs. 25.5 - 58 GD2TAB60216-S 895 lbs. 26.8 - 60	GD2TAB48144-W	213 lbs.	9.9	_	58	GD2TAB60168-W	311 lbs.	11.9	_	60
GD2TAB48168-S 550 lbs. 22.5 — 58 GD2TAB60192-S 792 lbs. 31.8 — 60 GD2TAB48168-W 249 lbs. 11.4 — 58 GD2TAB60192-W 356 lbs. 13.5 — 60 GD2TAB48192-G 630 lbs. 77.0 — 58 GD2TAB60216-G 895 lbs. 67.9 — 60 GD2TAB48192-L 285 lbs. 13.0 — 58 GD2TAB60216-L 400 lbs. 15.1 — 60 GD2TAB48192-S 630 lbs. 25.5 — 58 GD2TAB60216-S 895 lbs. 26.8 — 60	GD2TAB48168-G	550 lbs.	67.8	_	58	GD2TAB60192-G	792 lbs.	93.7	_	60
GD2TAB48168-W 249 lbs. 11.4 — 58 GD2TAB60192-W 356 lbs. 13.5 — 60 GD2TAB48192-G 630 lbs. 77.0 — 58 GD2TAB60216-G 895 lbs. 67.9 — 60 GD2TAB48192-L 285 lbs. 13.0 — 58 GD2TAB60216-L 400 lbs. 15.1 — 60 GD2TAB48192-S 630 lbs. 25.5 — 58 GD2TAB60216-S 895 lbs. 26.8 — 60	GD2TAB48168-L	249 lbs.	11.4	_	58	GD2TAB60192-L	356 lbs.	16.0	_	60
GD2TAB48192-G 630 lbs. 77.0 - 58 GD2TAB60216-G 895 lbs. 67.9 - 60 GD2TAB48192-L 285 lbs. 13.0 - 58 GD2TAB60216-L 400 lbs. 15.1 - 60 GD2TAB48192-S 630 lbs. 25.5 - 58 GD2TAB60216-S 895 lbs. 26.8 - 60	GD2TAB48168-S	550 lbs.	22.5	_	58	GD2TAB60192-S	792 lbs.	31.8	_	60
GD2TAB48192-L 285 lbs. 13.0 — 58 GD2TAB60216-L 400 lbs. 15.1 — 60 GD2TAB48192-S 630 lbs. 25.5 — 58 GD2TAB60216-S 895 lbs. 26.8 — 60	GD2TAB48168-W	249 lbs.	11.4	_	58	GD2TAB60192-W	356 lbs.	13.5	_	60
GD2TAB48192-S 630 lbs. 25.5 - 58 GD2TAB60216-S 895 lbs. 26.8 - 60	GD2TAB48192-G	630 lbs.	77.0	_	58	GD2TAB60216-G	895 lbs.	67.9	_	60
	GD2TAB48192-L	285 lbs.	13.0	_	58	GD2TAB60216-L	400 lbs.	15.1	_	60
GD2TAB48192-W 285 lbs. 13.0 - 58 GD2TAB60216-W 400 lbs. 15.1 - 60	GD2TAB48192-S	630 lbs.	25.5	_	58	GD2TAB60216-S	895 lbs.	26.8	_	60
	GD2TAB48192-W	285 lbs.	13.0	_	58	GD2TAB60216-W	400 lbs.	15.1	_	60

WEIGHTS + CUBES

model number	weight	cubes	locks	page	model number	weight	cubes	locks	page
GD2TAB60240-G	992 lbs.	74.8	_	60	GD2TRD36-G	85 lbs.	33.3	_	68
GD2TAB60240-L	445 lbs.	16.6	_	60	GD2TRD36-L	40 lbs.	3.7	_	68
GD2TAB60240-S	992 lbs.	29.5	_	60	GD2TRD36-S	85 lbs.	8.6	_	68
GD2TAB60240-W	445 lbs.	16.6	_	60	GD2TRD36-W	40 lbs.	3.7	_	68
GD2TBL-AW	247 lbs.	15.3	_	113	GD2TRD42-G	117 lbs.	43.7	_	68
GD2TBL-BW	273 lbs.	20.6	_	113	GD2TRD42-L	54 lbs.	4.9	_	68
GD2TBS96-AW	105 lbs.	30.2	_	107	GD2TRD42-S	117 lbs.	11.5	_	68
GD2TBS108-AW	109 lbs.	30.6	_	107	GD2TRD42-W	54 lbs.	4.9	_	68
GD2TBS120-AW	113 lbs.	31.0	_	107	GD2TRD48-G	154 lbs.	55.6	_	68
GD2TBS120-BW	125 lbs.	35.6	_	107	GD2TRD48-L	71 lbs.	6.3	_	68
GD2TBS144-AW	119 lbs.	31.7	_	107	GD2TRD48-S	154 lbs.	14.9	_	68
GD2TBS144-BW	131 lbs.	36.3	_	107	GD2TRD48-W	71 lbs.	6.3	_	68
GD2TBS168-AW	176 lbs.	47.2	_	107	GD2TRD54-G	196 lbs.	68.8	_	68
GD2TBS168-BW	194 lbs.	54.0	_	107	GD2TRD54-L	90 lbs.	5.3	_	68
GD2TBS192-AW	184 lbs.	47.9	_	107	GD2TRD54-S	196 lbs.	18.7	_	68
GD2TBS192-BW	202 lbs.	54.8	_	107	GD2TRD54-W	90 lbs.	5.3	_	68
GD2TBS216-BW	207 lbs.	55.5	_	107	GD2TRD60-G	244 lbs.	83.5	_	68
GD2TBS240-BW	214 lbs.	56.3	_	107	GD2TRD60-L	111 lbs.	6.5	_	68
GD2TBS-AW	250 lbs.	16.7	_	113	GD2TRD60-S	244 lbs.	23.0	_	68
GD2TBS-BW	277 lbs.	22.7	_	113	GD2TRD60-W	111 lbs.	6.5	_	68
GD2TBS-DW	312 lbs.	29.9	_	113	GD2TRD66-G	296 lbs.	56.7	_	68
GD2TBS-EW	352 lbs.	38.5	_	113	GD2TRD66-L	135 lbs.	7.7	_	68
GD2TEL3672-G	173 lbs.	64.3	_	66	GD2TRD66-S	296 lbs.	16.5	_	68
GD2TEL3672-L	80 lbs.	7.1	_	66	GD2TRD66-W	135 lbs.	7.7	_	68
GD2TEL3672-S	173 lbs.	16.8	_	66	GD2TRD72-G	354 lbs.	66.2	_	68
GD2TEL3672-W	80 lbs.	7.1	_	66	GD2TRD72-L	160 lbs.	9.1	_	68
GD2TEL4284-G	238 lbs.	84.9	_	66	GD2TRD72-S	354 lbs.	19.5	_	68
GD2TEL4284-L	109 lbs.	9.5	_	66	GD2TRD72-W	160 lbs.	9.1	_	68
GD2TEL4284-S	238 lbs.	22.6	_	66	GD2TRD78-G	416 lbs.	76.4	_	68
GD2TEL4284-W	109 lbs.	9.5	_	66	GD2TRD78-L	188 lbs.	10.6	_	68
GD2TEL4896-G	313 lbs.	108.3	_	66	GD2TRD78-S	416 lbs.	22.7	_	68
GD2TEL4896-L	142 lbs.	12.2	_	66	GD2TRD78-W	188 lbs.	10.6	_	68
GD2TEL4896-S	313 lbs.	29.3	_	66	GD2TRD84-G	484 lbs.	87.4	_	68
GD2TEL4896-W	142 lbs.	12.2	_	66	GD2TRD84-L	218 lbs.	12.2	_	68
GD2TEL48108-G	352 lbs.	121.5	_	66	GD2TRD84-S	484 lbs.	26.2	_	68
GD2TEL48108-L	160 lbs.	13.7	_	66	GD2TRD84-W	218 lbs.	12.2	_	68
GD2TEL48108-S	352 lbs.	32.9	_	66	GD2TRT3672-G	173 lbs.	64.3	_	50
GD2TEL48108-W	160 lbs.	13.7	_	66	GD2TRT3672-L	80 lbs.	7.1	_	50
GD2TPTR-50BNK	30 lbs.	3.6	_	84	GD2TRT3672-S	173 lbs.	16.8	_	50
GD2TPTR-50BNK-HW	30 lbs.	3.6	_	84	GD2TRT3672-W	80 lbs.	7.1	_	50
GD2TRD30-G	58 lbs.	24.3	_	68	GD2TRT3684-G	203 lbs.	74.7	_	50
GD2TRD30-L	28 lbs.	2.6	_	68	GD2TRT3684-L	93 lbs.	8.2	_	50
GD2TRD30-S	58 lbs.	6.0	_	68	GD2TRT3684-S	203 lbs.	19.5	_	50
GD2TRD30-W	28 lbs.	2.6	_	68	GD2TRT3684-W	93 lbs.	8.2	_	50
<u> </u>					<u> </u>				

model number	weight	cubes	locks	page	model number	weight	cubes	locks	page
GD2TRT3696-G	232 lbs.	85.0	_	50	GD2TRT48120-G	392 lbs.	134.7	_	52
GD2TRT3696-L	107 lbs.	9.4	_	50	GD2TRT48120-L	178 lbs.	15.2	_	52
GD2TRT3696-S	232 lbs.	22.2	_	50	GD2TRT48120M-G	392 lbs.	70.6	_	52
GD2TRT3696-W	107 lbs.	9.4	_	50	GD2TRT48120M-L	178 lbs.	10.0	_	52
GD2TRT4272-G	203 lbs.	73.1	_	52	GD2TRT48120M-S	392 lbs.	21.3	_	52
GD2TRT4272-L	93 lbs.	8.2	_	52	GD2TRT48120M-W	178 lbs.	10.0	_	52
GD2TRT4272-S	203 lbs.	19.4		52	GD2TRT48120-S	392 lbs.	36.5	_	52
GD2TRT4272-W	93 lbs.	8.2	_	52	GD2TRT48120-W	178 lbs.	15.2	_	52
GD2TRT4284-G	238 lbs.	84.9	_	52	GD2TRT48144-G	471 lbs.	58.6	_	52
GD2TRT4284-L	109 lbs.	9.5	_	52	GD2TRT48144-L	213 lbs.	9.9	_	52
GD2TRT4284-S	238 lbs.	22.6	_	52	GD2TRT48144-S	471 lbs.	19.4	_	52
GD2TRT4284-W	109 lbs.	9.5	_	52	GD2TRT48144-W	213 lbs.	9.9	_	52
GD2TRT4296-G	272 lbs.	96.7	_	52	GD2TRT48168-G	550 lbs.	67.8	_	52
GD2TRT4296-L	125 lbs.	10.8	_	52	GD2TRT48168-L	249 lbs.	11.4	_	52
GD2TRT4296-S	272 lbs.	25.8	_	52	GD2TRT48168-S	550 lbs.	22.5	_	52
GD2TRT4296-W	125 lbs.	10.8	_	52	GD2TRT48168-W	249 lbs.	11.4	_	52
GD2TRT4872-G	233 lbs.	81.9	_	52	GD2TRT48192-G	630 lbs.	77.0	_	52
GD2TRT4872-L	107 lbs.	9.3	_	52	GD2TRT48192-L	285 lbs.	13.0	_	52
GD2TRT4872-S	233 lbs.	22.1	_	52	GD2TRT48192-S	630 lbs.	25.5	_	52
GD2TRT4872-W	107 lbs.	9.3	_	52	GD2TRT48192-W	285 lbs.	13.0	_	52
GD2TRT4884-G	273 lbs.	95.1	_	52	GD2TRT54120-G	442 lbs.	54.7	_	54
GD2TRT4884-L	125 lbs.	10.8	_	52	GD2TRT54120-L	200 lbs.	9.3	_	54
GD2TRT4884-S	273 lbs.	25.7	_	52	GD2TRT54120-S	442 lbs.	18.3	_	54
GD2TRT4884-W	125 lbs.	10.8	_	52	GD2TRT54120-W	200 lbs.	9.3	_	54
GD2TRT4896-G	313 lbs.	108.3	_	52	GD2TRT54144-G	532 lbs.	64.9	_	54
GD2TRT4896-L	142 lbs.	12.2	_	52	GD2TRT54144-L	240 lbs.	11.0	_	54
GD2TRT4896-S	313 lbs.	29.3	_	52	GD2TRT54144-S	532 lbs.	21.8	_	54
GD2TRT4896-W	142 lbs.	12.2	_	52	GD2TRT54144-W	240 lbs.	11.0	_	54
GD2TRT42108-G	307 lbs.	108.4	_	52	GD2TRT54168-G	621 lbs.	75.1	_	54
GD2TRT42108-L	140 lbs.	12.1	_	52	GD2TRT54168-L	280 lbs.	12.8	_	54
GD2TRT42108-S	307 lbs.	28.9	_	52	GD2TRT54168-S	621 lbs.	25.2	_	54
GD2TRT42108-W	140 lbs.	12.1	_	52	GD2TRT54168-W	280 lbs.	10.8	_	54
GD2TRT42120-G	341 lbs.	120.2	_	52	GD2TRT54192-G	711 lbs.	85.4	_	54
GD2TRT42120-L	156 lbs.	13.4	_	52	GD2TRT54192-L	320 lbs.	14.5	_	54
GD2TRT42120M-G	341 lbs.	63.0	_	52	GD2TRT54192-S	711 lbs.	28.7	_	54
GD2TRT42120M-L	156 lbs.	8.8	_	52	GD2TRT54192-W	320 lbs.	12.2	_	54
GD2TRT42120M-S	341 lbs.	18.7	_	52	GD2TRT54216-G	803 lbs.	61.8	_	54
GD2TRT42120M-W	156 lbs.	8.8	_	52	GD2TRT54216-L	360 lbs.	13.6	_	54
GD2TRT42120-S	341 lbs.	32.1	_	52	GD2TRT54216-S	803 lbs.	24.2	_	54
GD2TRT42120-W	156 lbs.	13.4	_	52	GD2TRT54216-W	360 lbs.	13.6	_	54
GD2TRT48108-G	352 lbs.	121.5	_	52	GD2TRT54240-G	890 lbs.	68.1	_	54
GD2TRT48108-L	160 lbs.	13.7	_	52	GD2TRT54240-L	400 lbs.	15.0	_	54
GD2TRT48108-S	352 lbs.	32.9	_	52	GD2TRT54240-S	890 lbs.	26.6	_	54
GD2TRT48108-W	160 lbs.	13.7	_	52	GD2TRT54240-W	400 lbs.	15.0	_	54

WEIGHTS + CUBES

model number	weight	cubes	locks	page	model number	weight	cubes	locks	page
GD2TRT60120-G	493 lbs.	60.0	_	54	GD2TSRT4296-G	272 lbs.	96.7	_	64
GD2TRT60120-L	222 lbs.	10.3	_	54	GD2TSRT4296-L	125 lbs.	10.8	_	64
GD2TRT60120-S	493 lbs.	20.3	_	54	GD2TSRT4296-S	272 lbs.	25.8	_	64
GD2TRT60120-W	222 lbs.	10.3	_	54	GD2TSRT4296-W	125 lbs.	10.8	_	64
GD2TRT60144-G	593 lbs.	71.3	_	54	GD2TSRT4872-G	233 lbs.	81.9	_	64
GD2TRT60144-L	267 lbs.	12.2	_	54	GD2TSRT4872-L	107 lbs.	9.3	_	64
GD2TRT60144-S	593 lbs.	24.1	_	54	GD2TSRT4872-S	233 lbs.	22.1	_	64
GD2TRT60144-W	267 lbs.	12.2	_	54	GD2TSRT4872-W	107 lbs.	9.3	_	64
GD2TRT60168-G	692 lbs.	82.5	_	54	GD2TSRT4884-G	273 lbs.	95.1	_	64
GD2TRT60168-L	311 lbs.	14.1	_	54	GD2TSRT4884-L	125 lbs.	10.8	_	64
GD2TRT60168-S	692 lbs.	27.9	_	54	GD2TSRT4884-S	273 lbs.	25.7	_	64
GD2TRT60168-W	311 lbs.	11.9	_	54	GD2TSRT4884-W	125 lbs.	10.8	_	64
GD2TRT60192-G	792 lbs.	93.7	_	54	GD2TSRT4896-G	313 lbs.	108.3	_	64
GD2TRT60192-L	356 lbs.	16.0	_	54	GD2TSRT4896-L	142 lbs.	12.2	_	64
GD2TRT60192-S	792 lbs.	31.8	_	54	GD2TSRT4896-S	313 lbs.	29.3	_	64
GD2TRT60192-W	356 lbs.	13.5	_	54	GD2TSRT4896-W	142 lbs.	12.2	_	64
GD2TRT60216-G	895 lbs.	67.9	_	54	GD2TSRT42108-G	307 lbs.	108.4	_	64
GD2TRT60216-L	400 lbs.	15.1	_	54	GD2TSRT42108-L	140 lbs.	12.1	_	64
GD2TRT60216-S	895 lbs.	26.8	_	54	GD2TSRT42108-S	307 lbs.	28.9	_	64
GD2TRT60216-W	400 lbs.	15.1	_	54	GD2TSRT42108-W	140 lbs.	12.1	_	64
GD2TRT60240-G	992 lbs.	74.8	_	54	GD2TSRT42120-G	341 lbs.	120.2	_	64
GD2TRT60240-L	445 lbs.	16.6	_	54	GD2TSRT42120-L	156 lbs.	13.4	_	64
GD2TRT60240-S	992 lbs.	29.5	_	54	GD2TSRT42120M-G	341 lbs.	63.0	_	64
GD2TRT60240-W	445 lbs.	16.6	_	54	GD2TSRT42120M-L	156 lbs.	8.8	_	64
GD2TSRT3672-G	173 lbs.	64.3	_	62	GD2TSRT42120M-S	341 lbs.	18.7	_	64
GD2TSRT3672-L	80 lbs.	7.1	_	62	GD2TSRT42120M-W	156 lbs.	8.8	_	64
GD2TSRT3672-S	173 lbs.	16.8	_	62	GD2TSRT42120-S	341 lbs.	32.1	_	64
GD2TSRT3672-W	80 lbs.	7.1	_	62	GD2TSRT42120-W	156 lbs.	13.4	_	64
GD2TSRT3684-G	203 lbs.	74.7	_	62	GD2TSRT48108-G	352 lbs.	121.5	_	64
GD2TSRT3684-L	93 lbs.	8.2	_	62	GD2TSRT48108-L	160 lbs.	13.7	_	64
GD2TSRT3684-S	203 lbs.	19.5	_	62	GD2TSRT48108-S	352 lbs.	32.9	_	64
GD2TSRT3684-W	93 lbs.	8.2	_	62	GD2TSRT48108-W	160 lbs.	13.7	_	64
GD2TSRT3696-G	232 lbs.	85.0	_	62	GD2TSRT48120-G	392 lbs.	134.7	_	64
GD2TSRT3696-L	107 lbs.	9.4	_	62	GD2TSRT48120-L	178 lbs.	15.2	_	64
GD2TSRT3696-S	232 lbs.	22.2	_	62	GD2TSRT48120M-G	392 lbs.	70.6	_	64
GD2TSRT3696-W	107 lbs.	9.4	_	62	GD2TSRT48120M-L	178 lbs.	10.0	_	64
GD2TSRT4272-G	203 lbs.	73.1	_	64	GD2TSRT48120M-S	392 lbs.	21.3	_	64
GD2TSRT4272-L	93 lbs.	8.2	_	64	GD2TSRT48120M-W	178 lbs.	10.0	_	64
GD2TSRT4272-S	203 lbs.	19.4	_	64	GD2TSRT48120-S	392 lbs.	36.5	_	64
GD2TSRT4272-W	93 lbs.	8.2	_	64	GD2TSRT48120-W	178 lbs.	15.2	_	64
GD2TSRT4284-G	238 lbs.	84.9	_	64	GD2TSSQ30-G	58 lbs.	24.3	_	70
GD2TSRT4284-L	109 lbs.	9.5	_	64	GD2TSSQ30-L	28 lbs.	2.6	_	70
GD2TSRT4284-S	238 lbs.	22.6	_	64	GD2TSSQ30-S	58 lbs.	6.0	_	70
GD2TSRT4284-W	109 lbs.	9.5	_	64	GD2TSSQ30-W	28 lbs.	2.6	-	70
·	· · · · · · · · · · · · · · · · · · ·								

model number	weight	cubes	locks	page	model number	weight	cubes	locks	page
GD2TSSQ36-G	85 lbs.	33.3	_	70	GD2YBTN72	84 lbs.	8.1	_	130
GD2TSSQ36-L	40 lbs.	3.7	_	70	GD2YBTN84	87 lbs.	8.5	_	130
GD2TSSQ36-S	85 lbs.	8.6	_	70	GD2YBTN96	91 lbs.	8.9	_	130
GD2TSSQ36-W	40 lbs.	3.7	_	70	GD2YBTW72-W	202 lbs.	33.2	_	127
GD2TSSQ42-G	117 lbs.	43.7	_	70	GD2YBTW84-W	205 lbs.	33.5	_	127
GD2TSSQ42-L	54 lbs.	4.9	_	70	GD2YBTW96-W	209 lbs.	33.9	_	127
GD2TSSQ42-S	117 lbs.	11.5	_	70	GDACRED-CUSH36	3 lbs.	3.0	_	150
GD2TSSQ42-W	54 lbs.	4.9	_	70	GDAPPM-EEU	3 lbs.	0.2	_	75
GD2TSSQ48-G	154 lbs.	55.6	_	70	GDAPPM-EEU-HW	3 lbs.	0.2	_	75
GD2TSSQ48-L	71 lbs.	6.3	_	70	GG2BSWCYL18-L	245 lbs.	13.4	_	112
GD2TSSQ48-S	154 lbs.	14.9	_	70	GG2BSWCYL18-W	245 lbs.	13.4	_	112
GD2TSSQ48-W	71 lbs.	6.3	_	70	GG2BSWCYL18WM-L	245 lbs.	13.4	_	112
GD2TSSQ54-G	196 lbs.	68.8	_	70	GG2BSWCYL18WM-W	245 lbs.	13.4	_	112
GD2TSSQ54-L	90 lbs.	5.3	_	70	GG2BSWCYL24-L	260 lbs.	18.5	_	112
GD2TSSQ54-S	196 lbs.	18.7	_	70	GG2BSWCYL24-W	260 lbs.	18.5	_	112
GD2TSSQ54-W	90 lbs.	5.3	_	70	GG2BSWCYL24WM-L	260 lbs.	18.5	_	112
GD2TSSQ60-G	244 lbs.	83.5	_	70	GG2BSWCYL24WM-W	260 lbs.	18.5	_	112
GD2TSSQ60-L	111 lbs.	6.5	_	70	GG2BSWCYL36-L	295 lbs.	32.7	_	112
GD2TSSQ60-S	244 lbs.	23.0	_	70	GG2BSWCYL36-W	295 lbs.	32.7	_	112
GD2TSSQ60-W	111 lbs.	6.5	_	70	GG2BSWCYL36WM-L	300 lbs.	32.7	_	112
GD2TSSQ66-G	296 lbs.	56.7	_	70	GG2BSWCYL36WM-W	300 lbs.	32.7	_	112
GD2TSSQ66-L	135 lbs.	7.7	_	70	GG2BSWCYL48-L	315 lbs.	52.0	_	112
GD2TSSQ66-S	296 lbs.	16.5	_	70	GG2BSWCYL48-W	315 lbs.	52.0	_	112
GD2TSSQ66-W	135 lbs.	7.7	_	70	GG2BSWCYL48WM-L	315 lbs.	52.0	_	112
GD2TSSQ72-G	354 lbs.	66.2	_	70	GG2BSWCYL48WM-W	315 lbs.	52.0	_	112
GD2TSSQ72-L	160 lbs.	9.1	_	70	GG2MDISC18-LD	40 lbs.	7.8	_	118
GD2TSSQ72-S	354 lbs.	19.5	_	70	GG2MDISC24B-LD	58 lbs.	19.0	_	118
GD2TSSQ72-W	160 lbs.	9.1	_	70	GG2MDISC24-LD	50 lbs.	13.0	_	118
GD2TSSQ78-G	416 lbs.	76.4	_	70	GG2MTL20T-LD	25 lbs.	2.6	_	119
GD2TSSQ78-L	188 lbs.	10.6	_	70	GG2MTL20T-ST	26 lbs.	2.6	_	119
GD2TSSQ78-S	416 lbs.	22.7	_	70	GG2MTL26T-LD	28 lbs.	2.6	_	119
GD2TSSQ78-W	188 lbs.	10.6	_	70	GG2MTL26T-ST	32 lbs.	2.6	_	119
GD2TSSQ84-G	484 lbs.	87.4	_	70	GG2MTL33T-LD	31 lbs.	2.6	_	119
GD2TSSQ84-L	218 lbs.	12.2	_	70	GG2MTL38T-LD	35 lbs.	2.6	_	119
GD2TSSQ84-S	484 lbs.	26.2	_	70	GG2MTLLEG2-GD	10 lbs.	0.4	_	120
GD2TSSQ84-W	218 lbs.	12.2	_	70	GG2MTLLEG2-ST	10 lbs.	0.4	_	120
GD2WMBS-1818-L	45 lbs.	7.9	_	121	GG2TBF2460	20 lbs.	4.8	_	143
GD2WMBS-1818-W	45 lbs.	7.9	_	121	GG2TBF2466	21 lbs.	5.3	_	143
GD2YBSN72	79 lbs.	7.0	_	130	GG2TBF2472	22 lbs.	5.8	_	143
GD2YBSN84	82 lbs.	7.4	_	130	GG2TBF2478	23 lbs.	6.3	_	143
GD2YBSN96	86 lbs.	7.8	_	130	GG2TBF2484	24 lbs.	6.8	_	143
GD2YBSW72-W	177 lbs.	27.5	_	127	GG2TBF3060	22 lbs.	5.0	_	143
GD2YBSW84-W	180 lbs.	27.8	_	127	GG2TBF3066	23 lbs.	5.5	_	143
GD2YBSW96-W	184 lbs.	28.2	_	127	GG2TBF3072	24 lbs.	6.0	_	143

WEIGHTS + CUBES

model number	weight	cubes	locks	page	model number	weight	cubes	locks	page
GG2TBF3078	25 lbs.	6.5	_	143	GG2TMH66-L	10 lbs.	1.6	_	146
GG2TBF3084	26 lbs.	7.0	_	143	GG2TMH66-W	10 lbs.	1.6	_	146
GG2TBF3660	24 lbs.	5.3	_	143	GG2TMH72-L	10 lbs.	1.7	_	146
GG2TBF3666	25 lbs.	5.8	_	143	GG2TMH72-W	10 lbs.	1.7	_	146
GG2TBF3672	26 lbs.	6.3	_	143	GG2TMH78-L	11 lbs.	1.8	_	146
GG2TBF3678	27 lbs.	6.8	_	143	GG2TMH78-W	11 lbs.	1.8	_	146
GG2TBF3684	28 lbs.	7.3	_	143	GG2TMH84-L	12 lbs.	2.0	_	146
GG2TBX2460	20 lbs.	4.8	_	144	GG2TMH84-W	12 lbs.	2.0	_	146
GG2TBX2466	21 lbs.	5.3	_	144	GG2TRT2060-L	37 lbs.	3.5	_	140
GG2TBX2472	22 lbs.	5.8	_	144	GG2TRT2060-W	37 lbs.	3.5	_	140
GG2TBX2478	23 lbs.	6.3	_	144	GG2TRT2066-L	41 lbs.	3.8	_	140
GG2TBX2484	24 lbs.	6.8	_	144	GG2TRT2066-W	41 lbs.	3.8	_	140
GG2TBX3060	22 lbs.	5.0	_	144	GG2TRT2072-L	44 lbs.	4.2	_	140
GG2TBX3066	23 lbs.	5.5	_	144	GG2TRT2072-W	44 lbs.	4.2	_	140
GG2TBX3072	24 lbs.	6.0	_	144	GG2TRT2078-L	48 lbs.	4.5	_	140
GG2TBX3078	25 lbs.	6.5	_	144	GG2TRT2078-W	48 lbs.	4.5	_	140
GG2TBX3084	26 lbs.	7.0	_	144	GG2TRT2084-L	52 lbs.	4.8	_	140
GG2TBX3660	24 lbs.	5.3	_	144	GG2TRT2084-W	52 lbs.	4.8	_	140
GG2TBX3666	25 lbs.	5.8	_	144	GG2TRT2460-L	44 lbs.	4.1	_	140
GG2TBX3672	26 lbs.	6.3	_	144	GG2TRT2460-W	44 lbs.	4.1	_	140
GG2TBX3678	27 lbs.	6.8	_	144	GG2TRT2466-L	49 lbs.	4.5	_	140
GG2TBX3684	28 lbs.	7.3	_	144	GG2TRT2466-W	49 lbs.	4.5	_	140
GG2TBZF2448	17 lbs.	3.6	_	145	GG2TRT2472-L	53 lbs.	4.9	_	140
GG2TBZF3060	19 lbs.	4.7	_	145	GG2TRT2472-W	53 lbs.	4.9	_	140
GG2TBZF3672	21 lbs.	5.3	_	145	GG2TRT2478-L	58 lbs.	5.3	_	140
GG2TBZX2448	17 lbs.	3.6	_	145	GG2TRT2478-W	58 lbs.	5.3	_	140
GG2TBZX3060	19 lbs.	4.7	_	145	GG2TRT2484-L	62 lbs.	5.7	_	140
GG2TBZX3672	21 lbs.	5.3	_	145	GG2TRT2484-W	62 lbs.	5.7	_	140
GG2TCR20-L	12 lbs.	1.3	_	141	GG2TRT3060-L	56 lbs.	5.0	_	140
GG2TCR20-W	12 lbs.	1.3	_	141	GG2TRT3060-W	56 lbs.	5.0	_	140
GG2TCR24-L	18 lbs.	1.8	_	141	GG2TRT3066-L	61 lbs.	5.5	_	140
GG2TCR24-W	18 lbs.	1.8	_	141	GG2TRT3066-W	61 lbs.	5.5	_	140
GG2TCR30-L	28 lbs.	2.6	_	141	GG2TRT3072-L	67 lbs.	6.0	_	140
GG2TCR30-W	28 lbs.	2.6	_	141	GG2TRT3072-W	67 lbs.	6.0	_	140
GG2TCR36-L	40 lbs.	3.7	_	141	GG2TRT3078-L	72 lbs.	6.5	_	140
GG2TCR36-W	40 lbs.	3.7	_	141	GG2TRT3078-W	72 lbs.	6.5	_	140
GG2THR2448-L	36 lbs.	3.3	_	142	GG2TRT3084-L	78 lbs.	7.0	_	140
GG2THR2448-W	36 lbs.	3.3	_	142	GG2TRT3084-W	78 lbs.	7.0	_	140
GG2THR3060-L	56 lbs.	5.0	_	142	GG2TRT3660-L	67 lbs.	6.0	_	140
GG2THR3060-W	56 lbs.	5.0	_	142	GG2TRT3660-W	67 lbs.	6.0	_	140
GG2THR3672-L	80 lbs.	7.1	_	142	GG2TRT3666-L	73 lbs.	6.5	_	140
GG2THR3672-W	80 lbs.	7.1	_	142	GG2TRT3666-W	73 lbs.	6.5	_	140
GG2TMH60-L	9 lbs.	1.4	_	146	GG2TRT3672-L	80 lbs.	7.1	_	140
GG2TMH60-W	9 lbs.	1.4	_	146	GG2TRT3672-W	80 lbs.	7.1	_	140
<u> </u>									

model number	weight	cubes	locks	page
GG2TRT3678-L	87 lbs.	7.7	_	140
GG2TRT3678-W	87 lbs.	7.7	_	140
GG2TRT3684-L	93 lbs.	8.2	_	140
GG2TRT3684-W	93 lbs.	8.2	_	140
GG2XBL26-LD	22 lbs.	2.3	_	114
GG2XBL26M-LD	31 lbs.	2.3	_	114
GG2XBL33-LD	28 lbs.	2.3	_	114
GG2XBL33M-LD	35 lbs.	2.3	_	114
GG2XBL38-LD	36 lbs.	2.3	_	114
GG2XBL38M-LD	37 lbs.	2.3	_	114
GG2XBS26-LD	23 lbs.	2.6	_	114
GG2XBS26M-LD	32 lbs.	2.6	_	114
GG2XBS26-ST	25 lbs.	2.6	_	114
GG2XBS33-LD	29 lbs.	2.6	_	114
GG2XBS33M-LD	36 lbs.	2.6	_	114
GG2XBS33-ST	30 lbs.	2.6	_	114
GG2XBS38-4LD	52 lbs.	2.6	_	116
GG2XBS38-LD	37 lbs.	2.6	_	114
GG2XBS38M-4LD	53 lbs.	2.6	_	116
GG2XBS38M-LD	38 lbs.	2.6	_	114
GG2XBS38-ST	39 lbs.	2.6	_	114
GG2XBS46-4LD	58 lbs.	2.6	_	116
GG2XBS46M-4LD	59 lbs.	2.6	_	116
GG2XBS58-4LD	63 lbs.	2.6	_	116
GG2XBS58M-4LD	64 lbs.	2.6	_	116
GG2XBT26-LD	24 lbs.	3.7	_	115
GG2XBT26M-LD	33 lbs.	3.7	_	115
GG2XBT33-LD	30 lbs.	3.7	_	115
GG2XBT33M-LD	37 lbs.	3.7	_	115
GG2XBT38-LD	38 lbs.	3.7	_	115
GG2XBT38M-LD	39 lbs.	3.7	_	115
GG2YBEAM72-A	40 lbs.	4.6	_	109
GG2YBEAM84-A	43 lbs.	4.9	_	109
GG2YBEAM96-A	45 lbs.	5.2	_	109
GG2YBEAM108-A	48 lbs.	5.6	_	109
GG2YBEAM120-A	52 lbs.	5.9	_	109
GG2YBEAM144-A	69 lbs.	8.8	_	109
GG2YBEAM168-A	77 lbs.	9.6	_	109
GG2YBEAM192-A	84 lbs.	10.4	_	109
GG2YBS72-A	70 lbs.	5.5	_	109
GG2YBS84-A	72 lbs.	6.3		109
GG2YBS96-A	75 lbs.	7.0		109
GG2YBS108-A	77 lbs.	8.0		109
GG2YBS120-A	80 lbs.	9.0		109

model number	weight	cubes	locks	page
GG2YBS144-A	100 lbs.	5.2	_	109
GG2YBS168-A	108 lbs.	6.4	_	109
GG2YBS192-A	115 lbs.	7.4	_	109
GG2YBT72-A	75 lbs.	5.5	_	109
GG2YBT84-A	77 lbs.	6.3	_	109
GG2YBT96-A	80 lbs.	7.0	_	109
GM2ETRD18H24-L	16 lbs.	1.5	_	164
GM2ETRD18H24-S	25 lbs.	1.5	_	164
GM2ETRD18H24-W	16 lbs.	1.5	_	164
GM2LTRD18H24-L	16 lbs.	6.0	_	164
GM2LTRD18H24-S	25 lbs.	6.0	_	164
GM2LTRD18H24-W	16 lbs.	6.0	_	164
GM2NTRD18H19-L	15 lbs.	1.5	_	164
GM2NTRD18H19-S	24 lbs.	1.5	_	164
GM2NTRD18H19-W	15 lbs.	1.5	_	164
GM2NTRD30H15-L	33 lbs.	3.6	_	164
GM2NTRD30H15-S	56 lbs.	3.5	_	164
GM2NTRD30H15-W	33 lbs.	3.6	_	164
GM2NTRS1824H17-L	23 lbs.	2.0	_	164
GM2NTRS1824H17-S	34 lbs.	1.9	_	164
GM2NTRS1824H17-W	23 lbs.	2.0	_	164
GS2GMT	1 lb.	0.2	_	94

Gunlocke

One Gunlocke Drive Wayland, NY 14572 800 828 6300

GUNLOCKE.COM FORM #G1062.A3 (5/24)