TYLER SWIVEL SEATING
LIST PRICES EFFECTIVE
FEBRUARY 1, 2024

GSA TYLER SWIVEL SEATING





GSA Contract Number 47QSMA22D08P9

2 0 2 4



TYLER SWIVEL SEATING | TABLE OF CONTENTS

Mailing Address: HBF PO Box 8 Hickory NC 28603-0008 Shipping Address: HBF

900 - 12th Street Drive NW Hickory NC 28601-4763 **Contact:**

Phone: 1.855.HBF.2020 828.328.2064

Fax: 828.485.2690
Info: hbfservice@hbf.com
www.hbf.com

Order Processing:

Phone: 1.855.HBF.2020 828.328.2064 Fax: 828.485.2690

hbforders@hbf.com

GENERAL INFORMATION	PAGE
ANSI/BIFMA e3-2014e Furniture Sustainability	5
Casters	9
COM/COL Ordering Requirements	3
Combinations of Upholstery Applications	4
Dimension Guide	5
GSA	6
HBF Textiles Graded Product	8
High Performance Products	6
Product Material Options	7
Indoor Advantage™ Gold Certified	5
Seating Ordering Procedure	2
Special Code Compliance – CAL 117	4
Spring Down Cushions	6
Statement of Line	11
Yardage Requirements	2
SWIVEL SEATING	
Tyler	10



Coverings

All upholstered items may be ordered using HBF Textiles, HBF Leathers, or coverings provided by the customer. Prices listed as COM refer to Customer's Own Material. Prices listed as COL refer to Customer's Own Leather. Prices listed as GRADE refer to HBF Textiles and/or HBF Leather.

Yardage requirements shown in the price list are based on non-directional 54" wide material. The following conversion chart should be used to determine yardage requirements when COM is 54" wide or less and/or has a repeat of 2" or more. Add together the vertical and horizontal repeat to determine which column should be used as a reference.

Fabric Width	Plain Fabric		11"-20" Repeat			31"-35" Repeat	36"-40" Repeat	41"-45" Repeat
54"	+ 0%	+10%	+15%	. +20%	.+25%	. +30%	+35%	. +40%
51"-53"	15%	20%	25%	30%	35%	40%	45%	50%
48"-50"	30%	35%	40%	45%	50%	55%	60%	65%
45"-47"	45%	50%	55%	60%	65%	70%	75%	80%
36"-44"	60%	65%	70%	75%	80%	85%	90%	95%

To determine the possibility of reduced yardage requirements for orders of thirty (30) or more units, please contact The HBF Client Experience Team. HBF reserves the right to request additional yardage of COM/COL at customer expense based on repeat and/or pattern size, and number of rolls.

All COM/COL's must be approved for application before the purchase order is submitted to HBF. Please contact The HBF Client Experience Team at hbfservice@hbf.com to verify that your COM/COL fabric has been approved. If it has not, please request COM/COL approval testing via www.hbf.com under COM/COL Request. Failure to submit a COM/COL for testing may result in additional expenses or rejection of COM/COL. For any repeat and/or pattern size not listed, please contact The HBF Client Experience Team for a yardage requirement quotation.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM/COL materials. All responsibility for COM/COL shipments is between the purchaser and the textile source. HBF reserves the right to reject any COM or COL. HBF assumes no responsibility for suitability or wearability of COM/COL. Difficult COM/COL may be subject to additional charge if additional labor costs are incurred. HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations. Orders specifying COM/COL will not be scheduled for production until all approved COM(s)/COL(s) are received by HBF. To ensure proper COM/COL expediting, please tag fabric/leather roll(s) with the following information: 1. Purchasing dealer name and purchase order number 2. HBF acknowledgement number, if available 3. Other pertinent information which will enable proper COM/COL identification.

When sending COL for use on one of our upholstered pieces, please send eighteen (18) square feet of leather for each yard of 54" plain fabric required for that item.

2

Coverings (Continued)

COM/COL ORDERING REQUIREMENTS:

Prior to acceptance of order specifying COM/COL, a memo sample must be submitted to HBF for determination of suitability. All COM's and COL's must be rolled separately, on individual tubes. Multiple fabrics rolled on the same tube will not be accepted.

For ease of expediting your COM/COL order, we require the following information:

1. Fabric description Shipping Address: HBF

2. Fabric source

900 12th Street Drive NW

3. Order line, product name or number

Hickory, NC 28601-4763

- 4. Fabric color
- 5. A swatch of the covering
- 6. Special application instructions, if any

If COM/COL is of a type requiring choices of seam placement, face side, position of design or repeat; these instructions must be clearly stated on the original order.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM materials. All responsibility for COM shipments is between the purchaser and the textile source.

HBF reserves the right to reject any COM or COL. HBF assumes no responsibility for suitability or wearability of COM/COL. Difficult COM/COL may be subject to additional charge if additional labor costs are incurred.

HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations.

Orders specifying COM/COL will not be scheduled for production until all approved COM/COL is received by HBF.

To ensure proper COM/COL expediting, please tag fabric/leather with the following information:

- 1. Purchasing dealer name and purchase order number
- 2. HBF acknowledgement number, if available
- 3. Other pertinent information which will enable proper COM/COL identification

3



Combination of Upholstery Applications

All seating ordered with combination upholstery application (fabric, leather) that **is not** offered as standard is subject to a \$103 List Upholstery upcharge and will be entered and processed as a special model, in addition to the following pricing conditions:

- 1. Combinations using HBF Textiles and COM will be priced at the COM price. The cost of the portion of the HBF Textiles used, will be entered as a miscellaneous charge on the furniture order.
- 2. Combinations using HBF Textiles and HBF Leathers, or COM and HBF Leathers, will be priced at the appropriate Leather I-V price.
- 3. Combinations using HBF Textiles and COL, two COL's, or COM and COL, will be priced at the COL price. The cost of the portion of the HBF Textiles used, will be entered as a miscellaneous charge on the furniture order.
- 4. Combinations using two HBF Textiles will be invoiced at higher grade price.
- 5. When specifying combination of upholstery applications, a sketch indicating placement of textiles and direction of applications must accompany the purchase order.

Special Code Compliance

California #117-2013

Unless otherwise specified, foam used in all HBF seating products complies with these guidelines.

Boston Fire Code New York Port Authority

Please contact HBF Customer Service if compliance is required for these special codes.



ANSI/BIFMA e3-2014e LEVEL Furniture Sustainability Standard Certification

A majority of HBF's products have met the necessary qualifications to achieve LEVEL® certification. LEVEL® is the multi-attribute sustainability certification based on the ANSI/BIFMA e3 Furniture Sustainability Standard. The standard and certification were created to deliver the most open and transparent means of evaluating and communicating the environmental and social impacts of furniture products in the built environment. Taking into account a company's social actions, energy usage, material selection and human and ecosystem health impacts, LEVEL® addresses how a product is sustainable from multiple perspectives. The organization, facilities, and products are audited on an annual basis to ensure ongoing compliance and improvement.

With LEVEL®, customers can make informed choices about sustainable commercial office furniture. The LEVEL® mark identifies that a product has been vetted by an independent third party certifier and its numeric marking of 1, 2, or 3 indicates the threshold of certification the product has achieved. A majority of HBF's seating, occasional tables, and conference lines are LEVEL® certified. Please download the certificates from our product pages for the complete details. For more information about the ANSI/BIFMA LEVEL® standard, visit www.levelcertified.org.

ANSI/BIFMA Performance Standards

Our seating products meet or exceed ANSI/BIFMA weight performance standards of 275 lbs. (124.7 kg.) unless otherwise noted.

Indoor Advantage™ Gold Certified

All HBF seating products are Indoor Advantage™ Gold certified.

SCS Global Services, a reputable third-party certification and assessment body of environmental, sustainability and safety claims since 1984, has developed internationally recognized standards and certification programs to assist businesses with improving their environmental efforts, social accountability and product performance.


The advantages of holding Indoor Air Quality certification are substantial: in addition to improving indoor working environments and meeting qualifications for the LEED-CI EQ 4.5 credit for office furniture as well as the BIFMA Standard for Low-Emitting Office Furniture Systems & Seating M-7.1, there is the added assurance of knowing that the company's entire breadth of products is held to such rigorous standards.

For more information regarding Indoor Advantage™, please visit: http://www.scsglobalservices.com.

Please contact the HBF Client Experience Team for pricing and lead time information.

5

Dimension Guide



GSA/Federal Contract Information:

GSA Contract Number 47QSMA22D08P9

Model numbers identified with the following verbiage "When purchased separately without a configurable TAA compliant end product, not on GSA contract" is to mean that these configurable parts or components:

- Have no functionality or capability without being integrated into an end product; and
- Are considered Open Market if purchased without a configurable TAA compliant end product.

HBF High Performance Products

HBF and HBF Textiles have long been leaders in contract furnishings and known for industry-leading product design coupled with the highest quality construction, comfort and aesthetic beauty.

Now these same principals are the cornerstones of HBF Healthcare high performance products. We have consulted with healthcare designers and clients to provide products and options for interiors that will provide quality sustainable design solutions for the future. These effective solutions will address the unique interactions required by any high-use facility. Visit www.hbf.com for additional high performance product information.

Seating Product High Performance Options:

- Guest and Lounge Seating
- Arm Caps
- Moisture Barrier
- Wipe Out Clean Out
- Tandem Seating
- Wall Saver Legs

6

- Replaceable Components
- Upholstery Products from HBF Textiles

Spring Down Cushions

Optional spring down cushions are available on most loose cushion HBF lounge seating. List upcharges are:

Chair \$108 Loveseat \$194 Sofa \$297

POWDER COAT:



P8X Solar Black

METAL:



PAL Polished Aluminum

Screen images are intended as a guide only and should not be regarded as absolutely correct. For exact color/texture, please visit www.hbf.com to request an actual sample.



Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
Blink Denim Wash* Walkabout Zippy	Look-see Remember Rush*	Caddy Corner* Checkmate Cuddle Up Picnic Plaid Upbeat	Chenille Striae Crumpled Paper Dot Grid Habu Poppy Skim Coat	Fourfold* Uptown	All Terrain Bunny Cloverleaf Comfort Zone Happy Camper Here & There Knitwork Laugh Lines Moody Moss Notable Grain Sherpa Well-Loved

Grade G	Grade H	Grade J	Grade K	Grade L	Grade M
Beetle Curtain Wall Dashing Equation* Folded Lines High Rise Honest* Inherent Matriarch Pebbled Scribble XS Stardust Upscale	Air Mail* Captain Bubble Crafted Felt Chubby Baby Intersection Lawn Chair Madam Dottie Soft Angles 2.0 Upstart Uptick	Abito Argyle Boucle Belgian Meadow Brushed Canvas Digital Bloom 2.0 Enriched Boucle Glint Lava Rock Quill Scribble XL Sir Stripe-a-lot Tattoo Toile Tessellations Tête-à-Tête Tickled Herring Twist	Afghan Cherished Knit Complex Crosstweed Double Stitch Gather Grateful Grid Heartfelt Merci Boucle Moving Blanket Moving Forward Night Earth Pepper Blend Polygone Quilted Comfort Sideways Sister Solid	Agate Stripe Goosebumps Hipster Landscape Blur Ms. Quilty 2.0 Smart* Sweater Velvet Mix Woven Memory	Crafted Cloud Eccentric Flirt Poodle

Leather I	Leather II	Leather III	Leather IV	Leather V	Leather VI
Clutch	Vivace II	Aviator	Free Way	Wild West	Modern Patina Upper Crust

Casters

Double wheel medium casters (A) are standard on Tyler Series swivel products.

9

Optional soft wheel casters (B) are available on Tyler Series swivel products. This must be specified on product orders.







Tyler Series Specifications					
Collection Details	Arms Armless Synchro-Tilt				
Bases	Five prong metal base is available in either Solar Black Powder Coat or Polished Aluminum (for an additional upcharge).				
Casters	Double Wheel Casters				



10



TYLER FINISH

MID BACK ARMLESS SWIVEL CHAIR

HSC021-011



OH 39-43¹/₄ DED 18" OW 24³/₄ DEW 21" OD 24¹/₄ R 123/4" SH* 16³/₄-21 SD 19³/₄

HIGH BACK ARMLESS SWIVEL CHAIR

HSC021-021



DED 18"

DEW 21"

R 123/4"

OH 43¹/2-47³/₄ OW 24³/₄ OD 26¹/₄ SH* 16³/₄-21 SD 19³/₄

MID BACK SWIVEL CHAIR WITH ARMS

HSC021-031



OH 39-43¹/4 AH 25-29¹/4 OW 24³/4 WBA 20¹/4 OD 24¹/4 DED 18" SH* 16³/4-21 DEW 22³/4" SD 19³/4 R 12³/4"

HIGH BACK SWIVEL CHAIR WITH ARMS

HSC021-041



OH 43¹/₂-47³/₄ OW 24³/₄ OD 26¹/₄ SH* 16³/₄-21 SD 19³/₄ AH 25-29¹/₄ WBA 20¹/₄ DED 18" DEW 223/4" SOLAR BLACK - P8X


POLISHED ALUMINUM - PAL

CASTERS

MEDIUM CASTERS

SOFT CASTERS

DIMENSIONS



ОН	Overall Height
OW	Overall Width
OD	Overall Depth
SH*	Seat Height
SD	Seat Depth

АН	Arm Height
WBA	Width Between Arms
DED	Desk Entry Depth
DEW	Desk Entry Width
R	Radius

All dimensions in inches.

 * Reflects the nominal seat height to the top of cushion welt.

 $^{\ast}\mathrm{Arm}$ and base metal finishing will always match.



HBF

Dimensions

Tyler HSC021-011 OH 39-43¹/₄ AH OW 2⁴/₃/₄ WBA OD 2⁴/₄ DED 18 SH 16³/₄-21 DEW 21 SD 19³/₄ R 12³/₄ Shipping Weight 40 Cube 17.76

Mid Back | Synchro-Tilt | Armless | Upholstered Seat and Back | Five-prong Metal Base | Casters

ANSI/BIFMA LEVEL* Furniture Sustainability Standard certified $\mathbf{Indoor} \ \mathbf{Advantage}^{\bowtie} \ \mathbf{certified}$

Fabric Placement:	(To Calculat	e, Begin with I	Base Price and add Upcharges)	Base Price:	1620	
Upholstery:	Back Upholstery:	Seat Uphol	stery:			
COM/COL 1680	COM/COL 3	60 COM/	COL 30			
Grade A 1640	Grade A 1	.0 Grade	A 10			
Grade B 1660	Grade B 2	20 Grade	B 20			
Grade C 1680	Grade C 3	Grade	C 30			
Grade D 1710	Grade D 4	5 Grade	D 45			
Grade E 1730	Grade E 5	Grade	E 55			
Grade F 1750	Grade F 6	65 Grade	F 65			
Grade G 1790	Grade G 8	Grade	G 85			
Grade H 1820	Grade H 1	.00 Grade	H 100			
Grade J 1840	Grade J 1	.10 Grade	J 110			
Grade K 1880		.30 Grade				
Grade L 1950	Grade L 1	.65 Grade				
Grade M 2040		210 Grade				
Leather I 2190		285 Leathe				
Leather II 2350		Leathe				
Leather III 2510		45 Leathe				
Leather IV 2670		Leathe				
Leather V 2830		Leathe				
Leather VI 2990	Leather VI 6	Leathe	· VI 685			
Upholstery Requires:	Upholstery Rec (Per Applicatio		stery Requires			
Fabric: 2 Yards		Yard Fabric:				
Leather: 36 Sq. Ft.	Leather: 18	Sq. Ft. Leathe	:: 18 Sq. Ft.			
				Total Requ	uired	
				Upholstery		Yar
				1 2	Leather: 36	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	BASE FINISH	CASTER
NOMBER	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	Options for metal finish:	DWCM = Double Wheel -
	Back upholstery	Seat upholstery	U = Cal 117	P8X = Solar Black Powder Coat PAL = Polished Aluminum +\$200	Medium Casters DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		- Tonsica Training (\$200	Soft Casters +\$100
•	•	•	•	•	

 $HSC021-011. BackFabric. SeatFabric. Flammability. Base. \ Caster$

Example: HSC021-011.950-88.950-88.U.P8X.DWCM

12



Dimensions

Tyler HSC021-021



OH 43½-47¾ AH
OW 24¾ WBA
OD 26¼ DED 18
SH 16¾-21 DEW 21
SD 19¾ R 12¾
Shipping Weight 40
Cube 22.50

High Back | Synchro-Tilt | Armless | Upholstered Seat and Back | Five-prong Metal Base | Casters

ANSI/BIFMA LEVEL* Furniture Sustainability Standard certified $\mathbf{Indoor} \ \mathbf{Advantage}^{\bowtie} \ \mathbf{certified}$

Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price:	1725
Upholstery:	Back Upholstery:	Seat Upholstery:		
COM/COL 1800	COM/COL 45	COM/COL 30		
Grade A 1750	Grade A 15	Grade A 10		
Grade B 1775	Grade B 30	Grade B 20		
Grade C 1800	Grade C 45	Grade C 30		
Grade D 1825	Grade D 55	Grade D 45		
Grade E 1850	Grade E 70	Grade E 55		
Grade F 1880	Grade F 90	Grade F 65		
Grade G 1915	Grade G 105	Grade G 85		
Grade H 1950	Grade H 125	Grade H 100		
Grade J 1975	Grade J 140	Grade J 110		
Grade K 2025	Grade K 170	Grade K 130		
Grade L 2100	Grade L 210	Grade L 165		
Grade M 2200	Grade M 265	Grade M 210		
Leather I 2370	Leather I 360	Leather I 285		
Leather II 2550	Leather II 460	Leather II 365		
Leather III 2730	Leather III 560	Leather III 445		
Leather IV 2910	Leather IV 660	Leather IV 525		
Leather V 3090	Leather V 760	Leather V 605		
Leather VI 3270	Leather VI 860	Leather VI 685		
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):		
	**	* **		
Fabric: 2¼ Yards	Fabric: 1¼ Yards	Fabric: 1 Yard		
Leather: 40½ Sq. Ft.	Leather: 22½ Sq. Ft.	Leather: 18 Sq. Ft.		
			Total R	equired
			Upholst	<i>ery:</i> Fabric: 2¼ Ya
			*	Leather: 40½ Sq

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	BASE FINISH	CASTER
	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	Options for metal finish:	DWCM = Double Wheel -
	Back upholstery	Seat upholstery	U = Cal 117	P8X = Solar Black Powder Coat PAL = Polished Aluminum +\$200	Medium Casters DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com			Soft Casters +\$100

 $HSC021-021. BackFabric. SeatFabric. Flammability. Base. \ Caster$

Example: HSC021-021.950-88.950-88.U.P8X.DWCM

13



List Prices Dimensions

Tyler HSC021-031		
	OH 39-43¼ AH 2	25-291/4
A	OW 24¾ WBA 2	201/4
	OD 241/4 DED 1	18
	SH 16¾-21 DEW 2	223/4
	SD 19¾ R 1	12¾
	Shipping Weight	46
	Cube	17.76

Mid Back | Synchro-Tilt | Arms | Upholstered Seat and Back | Five-prong Metal Base | Casters

ANSI/BIFMA LEVEL* Furniture Sustainability Standard certified $\mathbf{Indoor} \ \mathbf{Advantage}^{\bowtie} \ \mathbf{certified}$

Fabric Placement:	(To Calculate, Begi	in with Base Price and add Upcharges)	Base Price:	1820	
Upholstery:	Back Upholstery:	Seat Upholstery:			
COM/COL 1880	COM/COL 30	COM/COL 30			
Grade A 1840	Grade A 10	Grade A 10			
Grade B 1860	Grade B 20	Grade B 20			
Grade C 1880	Grade C 30	Grade C 30			
Grade D 1910	Grade D 45	Grade D 45			
Grade E 1930	Grade E 55	Grade E 55			
Grade F 1950	Grade F 65	Grade F 65			
Grade G 1990	Grade G 85	Grade G 85			
Grade H 2020	Grade H 100	Grade H 100			
Grade J 2040	Grade J 110	Grade J 110			
Grade K 2080	Grade K 130	Grade K 130			
Grade L 2150	Grade L 165	Grade L 165			
Grade M 2240	Grade M 210	Grade M 210			
Leather I 2390	Leather I 285	Leather I 285			
Leather II 2550	Leather II 365	Leather II 365			
Leather III 2710	Leather III 445	Leather III 445			
Leather IV 2870	Leather IV 525	Leather IV 525			
Leather V 3030	Leather V 605	Leather V 605			
Leather VI 3190	Leather VI 685	Leather VI 685			
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):			
Fabric: 2 Yards	Fabric: 1 Yard	Fabric: 1 Yard			
Leather: 36 Sq. Ft.	Leather: 18 Sq. Ft.	Leather: 18 Sq. Ft.			
			Total Requ	ired	
			Upholstery		Yar
			Cpsosiery	Leather: 36	Sq.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	BASE FINISH	CASTER
, cmbbn	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	Options for metal finish:	DWCM = Double Wheel -
	Back upholstery	Seat upholstery	U = Cal 117	P8X = Solar Black Powder Coat PAL = Polished Aluminum +\$200	Medium Casters DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Note: Arm finish follows base choice finish.	Soft Casters +\$100
•	•	•		•	

 $HSC021-031. \ BackFabric. SeatFabric. Flammability. \ Base. \ Caster$

Example: HSC021-031.950-88.950-88.U.P8X.DWCM

14



List Prices Dimensions

Tyler HSC021-041



OH 43½-47¾ AH 25-29¼
OW 24¾ WBA 20¼
OD 26¼ DED 18
SH 16¾-21 DEW 22¾
SD 19¾ R 12¾

Shipping Weight 46
Cube 22.50

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified Indoor Advantage™ certified

High Back | Synchro-Tilt | Arms | Upholstered Seat and Back | Five-prong Metal Base | Casters

Fabric Placement:	(To Calculate, Begi	n with Base Price and add Upcharges)	Base Price: 1925
Upholstery:	Back Upholstery:	Seat Upholstery:	
COM/COL 2000	COM/COL 45	COM/COL 30	
Grade A 1950	Grade A 15	Grade A 10	
Grade B 1975	Grade B 30	Grade B 20	
Grade C 2000	Grade C 45	Grade C 30	
Grade D 2025	Grade D 55	Grade D 45	
Grade E 2050	Grade E 70	Grade E 55	
Grade F 2080	Grade F 90	Grade F 65	
Grade G 2115	Grade G 105	Grade G 85	
Grade H 2150	Grade H 125	Grade H 100	
Grade J 2175	Grade J 140	Grade J 110	
Grade K 2225	Grade K 170	Grade K 130	
Grade L 2300	Grade L 210	Grade L 165	
Grade M 2400	Grade M 265	Grade M 210	
Leather I 2570	Leather I 360	Leather I 285	
Leather II 2750	Leather II 460	Leather II 365	
Leather III 2930	Leather III 560	Leather III 445	
Leather IV 3110	Leather IV 660	Leather IV 525	
Leather V 3290	Leather V 760	Leather V 605	
Leather VI 3470	Leather VI 860	Leather VI 685	
Upholstery Requires:	Upholstery Requires (Per Application):	Upholstery Requires (Per Application):	
Fabric: 2¼ Yards	Fabric: 1¼ Yards	Fabric: 1 Yard	
Leather: 40½ Sq. Ft.	Leather: 22½ Sq. Ft.	Leather: 18 Sq. Ft.	
			Total Required
			Upholstery: Fabric: 21/4 Yard
			Leather: 40½ Sq. F

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL Number	TEXTILES	TEXTILES	FLAMMABILITY	BASE FINISH	CASTER
	Indicate fabric choice for:	Indicate fabric choice for:	Indicate flammability:	Options for metal finish:	DWCM = Double Wheel -
	Back upholstery	Seat upholstery	U = Cal 117	P8X = Solar Black Powder Coat PAL = Polished Aluminum +\$200	Medium Casters DWCS = Double Wheel -
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		Note: Arm finish follows base choice finish.	Soft Casters +\$100
•	•				

 $HSC021-041. BackFabric. SeatFabric. Flammability. Base. \ Caster$

Example: HSC021-041.950-88.950-88.U.P8X.DWCM

15