

DOVE SWIVEL SEATING
LIST PRICES EFFECTIVE
DECEMBER 2023

DOVE SWIVEL
SEATING



STATE OF NORTH CAROLINA

2 0 2 3



Mailing Address: HBF PO Box 8 Hickory NC 28603-0008	Shipping Address: HBF 900 - 12th Street Drive NW Hickory NC 28601-4763	Contact: Phone: 1.855.HBF.2020 828.328.2064 Fax: 828.485.2690 Info: hbfservice@hbf.com www.hbf.com	Order Processing: Phone: 1.855.HBF.2020 828.328.2064 Fax: 828.485.2690 hbforders@hbf.com
--	---	--	---

GENERAL INFORMATION	PAGE
ANSI/BIFMA e3-2014e Furniture Sustainability.....	5
Casters	8
COM Ordering Requirements.....	2
Combinations of Upholstery Applications	4
Dimension Guide	5
GSA	6
HBF Textiles Graded Product	7
High Performance Products	6
Indoor Advantage™ Gold certified.....	5
Product Material Options	6
Seating Ordering Procedure	2
Special Code Compliance – CAL 117.....	4
Spring Down Cushions.....	6
Veneer Options.....	6
Yardage Requirements.....	2
SWIVEL SEATING	
Dove	9



Coverings

All upholstered items may be ordered using HBF Textiles, HBF Leathers, or coverings provided by the customer. Prices listed as COM refer to Customer's Own Material, which includes textiles and leather. Prices listed as GRADE refer to HBF Textiles and/or HBF Leather.

Yardage requirements shown in the price list are based on non-directional 54" wide material. The following conversion chart should be used to determine yardage requirements when COM textile is 54" wide or less and/or has a repeat of 2" or more. Add together the vertical and horizontal repeat to determine which column should be used as a reference.

Fabric Width	Plain Fabric	2"-10" Repeat	11"-20" Repeat	21"-25" Repeat	26"-30" Repeat	31"-35" Repeat	36"-40" Repeat	41"-45" Repeat
54"	+ 0%	+10%	+15%	+20%	+25%	+30%	+35%	+40%
51"-53"	15%	20%	25%	30%	35%	40%	45%	50%
48"-50"	30%	35%	40%	45%	50%	55%	60%	65%
45"-47"	45%	50%	55%	60%	65%	70%	75%	80%
36"-44"	60%	65%	70%	75%	80%	85%	90%	95%

To determine the possibility of reduced yardage requirements for orders of thirty (30) or more units, please contact The HBF Client Experience Team. HBF reserves the right to request additional yardage of COM at customer expense based on repeat and/or pattern size, and number of rolls.

All COM's must be approved for application before the purchase order is submitted to HBF. Please contact The HBF Client Experience Team at hbfservice@hbf.com to verify that your COM fabric has been approved. If it has not, please request COM approval testing via www.hbf.com under COM Request. Failure to submit a COM for testing may result in additional expenses or rejection of COM. For any repeat and/or pattern size not listed, please contact The HBF Client Experience Team for a yardage requirement quotation.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM materials. All responsibility for COM shipments is between the purchaser and the textile/leather source. HBF reserves the right to reject any COM. HBF assumes no responsibility for suitability or wearability of COM. Difficult COM may be subject to additional charge if additional labor costs are incurred. HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations. Orders specifying COM will not be scheduled for production until all approved COM(s) are received by HBF. To ensure proper COM expediting, please tag fabric/leather roll(s) with the following information: 1. Purchasing dealer name and purchase order number 2. HBF acknowledgment number, if available 3. Other pertinent information which will enable proper COM identification.

When sending COM leather for use on one of our upholstered pieces, please send eighteen (18) square feet of leather for each yard of 54" plain fabric required for that item.



Coverings (Continued)

COM ORDERING REQUIREMENTS:

Prior to acceptance of order specifying COM, a memo sample must be submitted to HBF for determination of suitability. All COM's must be rolled separately, on individual tubes. Multiple materials rolled on the same tube will not be accepted.

For ease of expediting your COM order, we require the following information:

- | | |
|---|------------------------------|
| 1. Material description | Shipping Address: HBF |
| 2. Material source | 900 12th Street Drive NW |
| 3. Order line, product name or number | Hickory, NC 28601-4763 |
| 4. Material color | |
| 5. A swatch of the covering | |
| 6. Special application instructions, if any | |

If COM is of a type requiring choices of seam placement, face side, position of design or repeat; these instructions must be clearly stated on the original order.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM materials. All responsibility for COM shipments is between the purchaser and the textile/leather source.

HBF reserves the right to reject any COM. HBF assumes no responsibility for suitability or wearability of COM. Difficult COM may be subject to additional charge if additional labor costs are incurred.

HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations.

Orders specifying COM will not be scheduled for production until all approved COM is received by HBF.

To ensure proper COM expediting, please tag textile/leather with the following information:

1. Purchasing dealer name and purchase order number
2. HBF acknowledgement number, if available
3. Other pertinent information which will enable proper COM identification



Combination of Upholstery Applications

All seating ordered with combination upholstery application (fabric, leather) that **is not** offered as standard is subject to a **\$103 List Upholstery upcharge** and will be entered and processed as a special model, in addition to the following pricing conditions:

1. Combinations using HBF Textiles and COM will be priced at the COM price. The cost of the portion of the HBF Textiles used, will be entered as a miscellaneous charge on the furniture order.
2. Combinations using HBF Textiles and HBF Leathers, or COM and HBF Leathers, will be priced at the appropriate Leather I-V price.
3. Combinations using two HBF Textiles will be invoiced at higher grade price.
4. When specifying custom contrasting welt and arm cap, only the same coated fabric or leather can be used. The contrasting welt and arm cap will require 3 yards of coated fabric or 45 sq ft. or 1 full hide of leather per chair. This minimum amount yields the equivalent of 20 chairs. To reduce waste, it is our recommendation that a minimum of 10 chairs with contrasting welt and arm cap is ordered.

Please submit a Dual Fabric Application Form when selecting a combination of textiles or leathers.

Yardage requirements shown below must be used:

A) Single fabric or leather for back and seat:

Yardage: 2.5 yds.

Leather: 45.0 sq.ft. / 1 full hide

B) Single coated fabric or leather for contrasting welt and arm cap:

Yardage: 3 yds.

Leather: 45.0 sq.ft. / 1 full hide

Special Code Compliance

California #117-2013

Unless otherwise specified, foam used in all HBF seating products complies with these guidelines.

Boston Fire Code

New York Port Authority

Please contact the HBF Client Experience Team if compliance is required for these special codes.

**ANSI/BIFMA e3-2014e
LEVEL Furniture
Sustainability Standard
Certification**

A majority of HBF’s products have met the necessary qualifications to achieve LEVEL® certification. LEVEL® is the multi-attribute sustainability certification based on the ANSI/BIFMA e3 Furniture Sustainability Standard. The standard and certification were created to deliver the most open and transparent means of evaluating and communicating the environmental and social impacts of furniture products in the built environment. Taking into account a company’s social actions, energy usage, material selection and human and ecosystem health impacts, LEVEL® addresses how a product is sustainable from multiple perspectives. The organization, facilities, and products are audited on an annual basis to ensure ongoing compliance and improvement.

With LEVEL®, customers can make informed choices about sustainable commercial office furniture. The LEVEL® mark identifies that a product has been vetted by an independent third party certifier and its numeric marking of 1, 2, or 3 indicates the threshold of certification the product has achieved. A majority of HBF’s seating, occasional tables, and conference lines are LEVEL® certified. Please download the certificates from our product pages for the complete details. For more information about the ANSI/BIFMA LEVEL® standard, visit www.levelcertified.org.

**ANSI/BIFMA Performance
Standards**

Our seating products meet or exceed ANSI/BIFMA weight performance standards of 275 lbs. (124.7 kg.) unless otherwise noted.

**Indoor Advantage™
Gold Certified**

All HBF seating products are Indoor Advantage™ Gold certified.


SCS Global Services, a reputable third-party certification and assessment body of environmental, sustainability and safety claims since 1984, has developed internationally recognized standards and certification programs to assist businesses with improving their environmental efforts, social accountability and product performance.

The advantages of holding Indoor Air Quality certification are substantial: in addition to improving indoor working environments and meeting qualifications for the LEED-CI EQ 4.5 credit for office furniture as well as the BIFMA Standard for Low-Emitting Office Furniture Systems & Seating M-7.1, there is the added assurance of knowing that the company’s entire breadth of products is held to such rigorous standards.

For more information regarding Indoor Advantage™, please visit: <http://www.scsglobalservices.com>.

Please contact the HBF Client Experience Team for pricing and lead time information.

Dimension Guide





GSA/Federal Contract Information:

GSA Contract Number 47QSMA22D08P9

Model numbers identified with the following verbiage “When purchased separately without a configurable TAA compliant end product, not on GSA contract” is to mean that these configurable parts or components:

- Have no functionality or capability without being integrated into an end product; and
- Are considered **Open Market** if purchased without a configurable TAA compliant end product.

HBF High Performance Products

HBF and HBF Textiles have long been leaders in contract furnishings and known for industry-leading product design coupled with the highest quality construction, comfort and aesthetic beauty.

Now these same principals are the cornerstones of HBF Healthcare high performance products. We have consulted with healthcare designers and clients to provide products and options for interiors that will provide quality sustainable design solutions for the future. These effective solutions will address the unique interactions required by any high-use facility. Visit www.hbf.com for additional high performance product information.

Seating Product High Performance Options:

- Guest and Lounge Seating
- Arm Caps
- Moisture Barrier
- Wipe Out - Clean Out
- Tandem Seating
- Wall Saver Legs
- Replaceable Components
- Upholstery Products from HBF Textiles

Spring Down Cushions

Optional spring down cushions are available on most loose cushion HBF lounge seating. List upcharges are:

Chair	\$108
Loveseat	\$194
Sofa	\$297

Veneer and Finishes

Wood owes its inherent beauty to variations in color, grain, and texture; therefore, these variations are not considered defects. Due to the natural color and grain variances of wood substance the final finish color, texture and grain may vary from one furniture piece to another even though they are finished at the same time. Exposure to light and the aging process will cause changes in surface color of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. HBF does not guarantee the exact matching of grain, pattern and color.

An upcharge of **5% Net** COM per seating unit, with a minimum upcharge of **\$500 Net** per order, will apply for any custom wood finish.

Refer to the following page for product material options.

Material Options

METAL:



Polished Aluminum

Screen images are intended as a guide only and should not be regarded as absolutely correct. For exact color/texture, please visit www.hbf.com to request an actual sample.



Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
Blink Denim Wash* Walkabout Zippy	Look-see Remember Rush*	Caddy Corner* Checkmate Cuddle Up Picnic Plaid Upbeat	Chenille Striae Crumpled Paper Dot Grid Habu Poppy Skim Coat	Fourfold* Uptown	All Terrain Bunny Cloverleaf Comfort Zone Happy Camper Here & There Knitwork Laugh Lines Moody Moss Notable Grain Sherpa Well-Loved

Grade G	Grade H	Grade J	Grade K	Grade L	Grade M
Beetle Curtain Wall Dashing Equation* Folded Lines High Rise Honest* Inherent Matriarch Pebbled Scribble XS Stardust Upscale	Air Mail* Captain Bubble Crafted Felt Chubby Baby Intersection Lawn Chair Madam Dottie Soft Angles 2.0 Upstart Uptick	Abito Argyle Boucle Belgian Meadow Brushed Canvas Digital Bloom 2.0 Enriched Boucle Glint Lava Rock Quill Scribble XL Sir Stripe-a-lot Tattoo Toile Tessellations Tête-à-Tête Tickled Herring Twist	Afghan Cherished Knit Complex Crosstweed Double Stitch Gather Grateful Grid Heartfelt Merci Boucle Moving Blanket Moving Forward Night Earth Pepper Blend Polygone Quilted Comfort Sideways Sister Solid	Agate Stripe Goosebumps Hipster Landscape Blur Ms. Quilty 2.0 Smart* Sweater Velvet Mix Woven Memory	Crafted Cloud Eccentric Flirt Poodle

Leather I	Leather II	Leather III	Leather IV	Leather V	Leather VI
Clutch	Vivace II	Aviator	Free Way	Wild West	Modern Patina Upper Crust


*Some or all colors to be discontinued in 2024

Casters


Double wheel medium casters (A) are standard on Dove Series swivel products.

Optional soft wheel casters (B) are available on Dove Series swivel products.
This must be specified on product orders.

(A)
Double Wheel
Wheel Diameter 2"



(B)
Soft Wheel
Wheel Diameter 2"



Dove Series Specifications

Collection Details	Mid Back High Back
Adjustments	Synchro-tilt mechanism is standard on all Dove chairs. Easy to use adjustments for seat height, seat depth and tilt tension and lock are also standard.
Bases	Five-prong polished aluminum.
Arms	Fixed: Polished aluminum arm with a black urethane arm cap or an upholstered arm cap. Adjustable: Polished aluminum arm with a black urethane adjustable arm cap.
Upholstery Specification Guidelines	<p>The aesthetic of Dove Series chairs is defined by a graceful curvature and a flowing profile combined with meticulous attention to upholstery detailing.</p> <p>The sleek profile of the chair is rendered with a clean tightly fitted back with no blind stitching detail when leather is specified for upholstery. All COM leather products will require pre-testing prior to being accepted for upholstery; please submit a sample for testing before placing your order.</p> <p>In order to maintain the exquisite profile, Dove chairs specified with upholstered, coated fabric etc., will be upholstered with two curved, blind stitch details on the back as shown below.</p>



**Leather Only
No Stitching Detail
HSV210-011**



**Upholstery, Coated Fabric, Etc.
Blind Stitch Detail
HSV210-021**

Dual Applications / Custom Contrasting

When specifying custom contrasting welt and arm cap, only the same coated fabric or leather can be used. The contrasting welt and arm cap will require 3 yards of coated fabric or 45 sq ft. or 1 full hide of leather per chair. This minimum amount yields the equivalent of 20 chairs. To reduce waste, it is our recommendation that a minimum of 10 chairs with contrasting welt and arm cap is ordered.

Please submit a Dual Fabric Application Form when selecting a combination of textiles or leathers.

Yardage requirements shown below must be used:

A) Single fabric or leather for back and seat:

Yardage: 2.5 yds.


Leather: 45.0 sq.ft. / 1 full hide

B) Single coated fabric or leather for contrasting welt and arm cap:

Yardage: 3 yds.

Leather: 45.0 sq.ft. / 1 full hide



		List Prices	Sq.Ft.	Yards	Dimensions						
Dove HSV210-011 Leather											
	Grade A	N/A	Grade G	N/A	COL/Leather I	4020	45	OH	37	AH	25½
	Grade B	N/A	Grade H	N/A	Leather II	4220		OW	24½	WBA	19
	Grade C	N/A	Grade J	N/A	Leather III	4420		OD	26½	DED	7
	Grade D	N/A	Grade K	N/A	Leather IV	4620		SH	17¾	DEW	24¼
	Grade E	N/A	Grade L	N/A	Leather V	4820		SD	20	R	17¼-22½
	Grade F	N/A	Grade M	N/A	Leather VI	5020		Shipping Weight 63			
					Cube 25						

Mid Back | Polished Aluminum Arm with Black Urethane Arm Cap | Five-Prong Polished Aluminum Base

Available in Leather Only | Double Wheel Casters

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified
Indoor Advantage™ certified**Total Required Upholstery without contrasting welt and arm cap:** Fabric: 2½ Yards | Leather: 45 Sq. Ft.**Total Required Upholstery with additional contrasting welt and arm cap option:** Coated fabric: 5 Yards | Leather: 45 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	TEXTILES	FLAMMABILITY	OPTIONS FOR ARMS	CASTER
	Indicate fabric choice: <i>See options for fabrics at www.hbftextiles.com</i> If contrasted textiles are selected, please submit the Dual Fabric Application Form which may be quoted as a special	Indicate flammability: U = Cal 117	AURAC = Polished Aluminum Arm with Adjustable Urethane Arm Cap +\$100 UPAC = Polished Aluminum Arm with Upholstered Arm Cap +\$179 <i>Note: Add ¼ yd. COM</i> URAC = Polished Aluminum Arm with Urethane Arm Cap	DWCM = Double Wheel Casters, Medium DWCS = Double Wheel Casters, Soft +\$106


HSV210-011.Leather.Flammability.Arm.Caster Example: HSV210-011.709-11.U.UPAC.DWCM



List Prices

Sq.Ft. Yards Dimensions

Dove HSV210-021 Fabric, Coated Fabric



COM	3220	Grade G	3350	COL/Leather I	N/A
Grade A	3165	Grade H	3390	Leather II	N/A
Grade B	3195	Grade J	3415	Leather III	N/A
Grade C	3220	Grade K	3470	Leather IV	N/A
Grade D	3250	Grade L	3555	Leather V	N/A
Grade E	3275	Grade M	3665	Leather VI	N/A
Grade F	3310				

2½	OH	37	AH	25½
	OW	24½	WBA	19
	OD	26½	DED	7
	SH	17¾	DEW	24¼
	SD	20	R	17¼-22½
	Shipping Weight		60	
	Cube		25	

Mid Back | Polished Aluminum with Black Urethane Arm Cap | Five-Prong Polished Aluminum Base

Available in Fabric and Coated Fabric Only | Double Wheel Casters

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified
Indoor Advantage™ certified**Total Required Upholstery without contrasting welt and arm cap:** Fabric: 2½ Yards | Leather: 45 Sq. Ft.**Total Required Upholstery with additional contrasting welt and arm cap option:** Coated fabric: 5 Yards | Leather: 45 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	TEXTILES	FLAMMABILITY	OPTIONS FOR ARMS	CASTER
	Indicate fabric choice: <i>See options for fabrics at www.hbftextiles.com</i> If contrasted textiles are selected, please submit the Dual Fabric Application Form which may be quoted as a special	Indicate flammability: U = Cal 117	AURAC = Polished Aluminum Arm with Adjustable Urethane Arm Cap +\$100 UPAC = Polished Aluminum Arm with Upholstered Arm Cap +\$179 <i>Note: Add ¼ yd. COM</i> URAC = Polished Aluminum Arm with Urethane Arm Cap	DWCM = Double Wheel Casters, Medium DWCS = Double Wheel Casters, Soft +\$106

HSV210-021.Fabric.Flammability.Arm.Caster Example: HSV210-021.950-88.U.UPAC.DWCM




Dove Series Specifications

Upholstery Specification Guidelines



Leather Only
No Stitching Detail
HSV210-031




Upholstery, Coated Fabric, Etc.
Blind Stitch Detail
HSV210-041

List Prices

Sq.Ft. Yards Dimensions

Dove HSV210-031 Leather



COM	N/A	Grade G	N/A	COL/Leather I	4355
Grade A	N/A	Grade H	N/A	Leather II	4555
Grade B	N/A	Grade J	N/A	Leather III	4755
Grade C	N/A	Grade K	N/A	Leather IV	4955
Grade D	N/A	Grade L	N/A	Leather V	5155
Grade E	N/A	Grade M	N/A	Leather VI	5355
Grade F	N/A				

Sq.Ft.	45	OH	41	AH	25½
Yards		OW	24½	WBA	19
Dimensions		OD	26½	DED	7
		SH	17¾	DEW	24¼
		SD	20	R	17¼-22½
		Shipping Weight	66		
		Cube	25		

High Back | Polished Aluminum with Black Urethane Arm Cap | Five-Prong Polished Aluminum Base

Available in Leather Only | Double Wheel Casters

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified
Indoor Advantage™ certified

Total Required Upholstery without contrasting welt and arm cap: Fabric: 2½ Yards | Leather: 45 Sq. Ft.

Total Required Upholstery with additional contrasting welt and arm cap option: Coated fabric: 5 Yards | Leather: 45 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	TEXTILES	FLAMMABILITY	OPTIONS FOR ARMS	CASTER
	Indicate fabric choice: <i>See options for fabrics at www.hbftextiles.com</i> If contrasted textiles are selected, please submit the Dual Fabric Application Form which may be quoted as a special	Indicate flammability: U = Cal 117	AURAC = Polished Aluminum Arm with Adjustable Urethane Arm Cap +\$100 UPAC = Polished Aluminum Arm with Upholstered Arm Cap +\$179 <i>Note: Add ¼ yd. COM</i> URAC = Polished Aluminum Arm with Urethane Arm Cap	DWCM = Double Wheel Casters, Medium DWCS = Double Wheel Casters, Soft +\$106



HSV210-031.L Leather.Flammability.Arm.Caster Example: HSV210-031.709-11.U.UPAC.DWCM



List Prices

Sq.Ft. Yards Dimensions

Dove HSV210-041 Fabric, Coated Fabric



COM	3,475	Grade G	3,685	COL/Leather I	N/A
Grade A	3,500	Grade H	3,725	Leather II	N/A
Grade B	3,530	Grade J	3,750	Leather III	N/A
Grade C	3,555	Grade K	3,805	Leather IV	N/A
Grade D	3,585	Grade L	3,890	Leather V	N/A
Grade E	3,610	Grade M	4,000	Leather VI	N/A
Grade F	3,645				

2½	OH	41	AH	25½
	OW	24½	WBA	19
	OD	26½	DED	7
	SH	17¾	DEW	24¼
	SD	20	R	17¼-22½

Shipping Weight 64
Cube 25

High Back | Polished Aluminum with Black Urethane Arm Cap | Five-Prong Polished Aluminum Base

Available in Fabric and Coated Fabric Only | Double Wheel Casters

ANSI/BIFMA LEVEL® Furniture Sustainability Standard certified
Indoor Advantage™ certified**Total Required Upholstery without contrasting welt and arm cap:** Fabric: 2½ Yards | Leather: 45 Sq. Ft.**Total Required Upholstery with additional contrasting welt and arm cap option:** Coated fabric: 5 Yards | Leather: 45 Sq. Ft.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	TEXTILES	FLAMMABILITY	OPTIONS FOR ARMS	CASTER
	Indicate fabric choice: <i>See options for fabrics at www.hbftextiles.com</i> If contrasted textiles are selected, please submit the Dual Fabric Application Form which may be quoted as a special	Indicate flammability: <input type="checkbox"/> U = Cal 117	<input type="checkbox"/> AURAC = Polished Aluminum Arm with Adjustable Urethane Arm Cap +\$100 <input type="checkbox"/> UPAC = Polished Aluminum Arm with Upholstered Arm Cap +\$179 <i>Note: Add ¼ yd. COM</i> <input type="checkbox"/> URAC = Polished Aluminum Arm with Urethane Arm Cap	<input type="checkbox"/> DWCM = Double Wheel Casters, Medium <input type="checkbox"/> DWCS = Double Wheel Casters, Soft +\$106

HSV210-041.Fabric.Flammability.Arm.Caster Example: HSV210-041.950-88.U.UPAC.DWCM