PRICING EFFECTIVE JUNE 2025

Effective August 23, 2025, Gunlocke will apply a 3% surcharge to all orders.

CREDENTIALS™

Price & Specification Guide

PDF updated August 8, 2025

Gunlocke®

VENEER 2 (SELECT)

NATURAL FC CHERRY A. Cinnamon/Biltmore NC260 B. Lowell Ash NC394 C. Medium Red NC512 D. Light NC701 E. Shaker NC774 F. Burnished NC777 NATURAL FC MAPLE G. Natural NE800 H. Harvest NE856 NATURAL FC WALNUT I. Florence NT579 J. Light NT601 K. Skyline NT625 L. Nutmeg NT629 M. Pinnacle NT679 N. Sumatra NT693 O. Ebony NT509 (Use OP TopFin Only)



VENEER 3 (PREMIUM)

NATURAL QC WALNUT A. Florence B. Light C. Skyline D. Nutmeg E. Pinnacle	QT579 QT601 QT625 QT629 QT679	A	В	С
F. Sumatra G. Ebony (Use OP TopFin Only)	QT693 QT509		H W H	
NATURAL RIFT CUT OAK				
H. Light	RF301	D	ELECTION STATE	Francisco de la constitución de
I. Dark	RF331			
J. Phantom Ecru (Use OP TopFin Only)	RF912		建2003和基金科。	
K. Fawn Cypress	RF108	G	Н	

Effective August 23, 2025, Gunlocke will apply a 3% surcharge to all orders.

ORDERING OPTION CODES

TOP FINISH		DESKTOP OPTION		LOCKS	
Open Pore Low Sheen	OP	Standard Veneer	TVN	Locks Yes Locks No	LY LN
		Faux Leather Inlay			
		White (+\$1,826)	TLW		
PULLS		Black (+\$1,826)	TLB	KEYING	
Metal Pull - Champagne Silver	MPS	Chocolate (+\$1,826)	TLC	Field Installed Locks	FL
Metal Pull - Dark Bronze	MPZ	Back Painted Glass Insert		FACTORY-INSTALLED	
Integral Wood Pull	FPW	Ice White, Acid Etched (+\$2,554)	TGW	Random Key Numbers	
		Black, Acid Etched (+\$2,554)	TGB	Silver	RMS
PENCIL LIP COLOR		Muslin, Acid Etched (+\$2,554)	TGM	Black	RMB
Pencil Lip - Champagne Silver	PLS			Designated Key Numbers	
Pencil Lip - Dark Bronze	PLZ	PERSONAL CORNER		Specify a number between:	
		LEATHER		Silver	FT100TAS - FT150TAS
		White	CWH	Black	FT100TA - FT150TA
BACK PAINTED GLASS		Black	CBL		
DOORS/TACKZONE		Chocolate	CCH	055.5550	
Ice White	WH	Onocolato	0011	GRAIN DIRECTION	
Black	BK	VINYL		Standard Veneer Direction	VLG
Muslin	ML	White	VWH	Cross/Short Veneer Direction	n VST
		Black	VBL		
		Chocolate	VCH		
BACK PAINTED GLASS TOPS				MAGNETIC ACCESSO	RIES
Ice White, Acid Etched	TWH			PAINT COLOR	
Black, Acid Etched	TBK	MODESTY PANEL SET #1		White	AWH
Muslin, Acid Etched	TML	No Mod Required (deduct \$-902)	MN	Black	ABK
		Finished Modesty Panel	MY	Muslin	AML
		MODESTY PANEL SET #2		OFFICE NUMBER	
		TROUGH BRIDGES		Specify a number	0FC1-0FC199
		No Mod Required (deduct \$-1,479)	MN	to identify each office	01 01-01-0199
		140 1410a 110quilou (ucuuci \$\psi\$ 1,473)	IVIIV	,	

ΑP


Wall Access Panel

PRODUCT DETAILS

Credentials
06/25

PULLS

Metal Pull - Champagne Silver



Integral Wood Pull







LEATHER DETAILS

Leather Desk Inlay

Leather Tray for Overhead Cubby

Leather Box Drawer Insert







MISC. DETAILS

Grommet

Printer Pedestal

Height Adjustable Desk







TABLE OF CONTENTS

General Information	2-6
Conditions of Sale	2
GSA Terms & Conditions	3
Warranty	5
Delivery Information	6
Veneers & Finishes	7
Edge Detail & Pull Options	8
Pedestal Legend	9
Filing	10-11
Product Reference	13-30
Features + Advantages	
Technical Specifications	
Height Reference	
Desktop Leather Inlay and Glass Insert Locations .	
Worksurface Veneer Grain Directions	
Grommets & Trough Locations	
Metal Pull Locations	
Integral Wood Pull Locations	
Specification Tips	
Wire Management	
Product Specifications	
Unitized Casegoods	. 31-103
Freestanding Table Desks	
Double Pedestal Desks	39
Single Pedestal Desks	40-41
Extensions	42-49
Runoff Desks	50-55
Bridges	
Credenza & Return Components	
Pedestals	62-73
Layers Pedestals	74-85
Modesty / Access / Support Panels	86-91
Brackets / Storage	92-96
Mobile Pedestals	97
Cushions	98
Trough Inserts	99
Height Adjustable Desks	. 100-103
Storage	105-115
Lateral Files	
Bookcases	108
Hinged Door Cabinets	109
Closets	
Storage Box	114
Litility Cobinete	445

Overheads
Single Wall Mount Overheads
Double High Wall Mount Overheads
Tackboards
Back Painted Glass Whiteboards
Wood Magnetic Tackzone
Shelves for Segmented Tackzone
Miscellaneous
Round Tables & Bases
Accessories
Fabric Grade Pricing
Weights + Cubes

INTRODUCTION

The Gunlocke Company is dedicated to providing the finest products and service possible. This price list reflects that commitment. Included is a current listing of our casegood models.

Seating and Lounge are presented in a separate price list. Contact your Gunlocke Customer Services Representative for more information, (800) 828-6300.

Designed for easy use, each page of this price list, and the inside front cover fold out provide all information required to order a product correctly. Should additional information be needed, contact your Gunlocke customer service representative.

PRICING

Prices shown cover standard product specifications. Any changes or alterations, other than those listed, will be subject to an additional charge. Prices include cartoning and freight. Authorization and pricing must be secured in advance for orders or contracts calling for large quantities, indefinite quantities, or extended delivery dates. Prices are subject to change without notice; the most current prices are published on http://www.gunlocke.com.

ORDERING

To expedite order entry and to assure proper service, email or fax all orders directly to:

The Gunlocke Company

Attn: Order Entry One Gunlocke Drive Wayland, New York 14572 585-728-5111 585-728-8350 FAX 800-828-6300 www.gunlocke.com

Gunlocke will not be responsible for duplicate orders if purchase orders are left unmarked.

ACKNOWLEDGMENT

Each order will be acknowledged by Gunlocke. Customers should check each acknowledgment for accuracy and immediately notify Gunlocke of any discrepancies. The printed acknowledgment is the final agreement between The Gunlocke Company and the customer, superseding all previous communications regarding the order.

SPECIFICATION CHANGES

Gunlocke reserves the right to change specifications for the improvement of products at any time, without notice.

ORDER CHANGES

Gunlocke is not required to accept changes in orders after confirmation. Reasonable changes are subject to additional charges for labor, material and administra-

Order changes of acknowledgment may result in re-scheduling of product.

RETURNED MERCHANDISE

No merchandise may by returned without prior authorization.

SHOWROOMS

For all showroom locations and tour information, please reference the showrooms page online at: www.gunlocke.com/inspiration/showrooms

CANCELLATIONS

Cancellation of orders cannot be accepted since every order is manufactured according to customer specifications.

STORAGE

If delivery cannot be made and products are ready, Gunlocke will transfer products to a storage facility and products will be invoiced at that time. The customer is responsible for storage charges and assumes and bears all risks associated with the storage of that product.

TERMS

Net 30 days from date of invoice. A service charge of eighteen percent (18%) per year or .0004931% per day, compounded monthly, will be added to balance due beyond the thirtieth day. Products are shipped FOB factory, freight prepaid and allowed. Title passes to purchaser and Gunlocke's responsibility ceases when shipment is accepted for transportation by a carrier. A full explanation of all payment terms is found on order and invoice forms.

ORDERING INFORMATION

1a.Intended use: The furniture on this schedule is intended for use by Government executives (or equivalent military rank) in the Executive, Judicial and Legislative Branches of the Federal Government. To help customers make a good purchasing decision based on their needs and budget, GSA has established four grades of furniture. Grade (1) includes furniture that tends to be the most expensive on this schedule, grade (2) furniture tends to be more moderately priced and grades (3) and (4) furniture tend to be affordably priced when compared to grades (1) and (2). Some pieces of furniture on this schedule may be significantly higher in price than GSA Traditional and Contemporary Executive Special Order Program furniture. The ordering agency or service is responsible for determining furniture appropriate for use in its offices which will fit within its budget and comply with applicable Federal or internal agency procurement regulations. Please see reverse for GSA terms and conditions.

GSA/FEDERAL CONTRACT INFORMATION:

Model numbers identified with the following verbiage "When purchased separately without a configurable TAA compliant end product, not on GSA contract" is to mean that these configurable parts or components:

- Have no functionality or capability without being integrated into an end product; and
- Are considered Open Market if purchased without a configurable TAA compliant end product.

Grade 1 All exposed solid parts such as top rims, base rails etc. (except decorative accents, inlays and painted parts) shall be the same species as the face veneer. Top and bottom edges of drawer fronts shall be solid wood in the same species as the face veneers. Drawer sides and backs shall be solid wood.

Grade 2 Exposed wood panel trim and trim on tops shall be the same wood species as the face veneer on the top. Some or all other exposed solid parts, such as base rails can be an alternative wood species (such as poplar or gum) different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Silea is grade 2.

Grade 3 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Medley, Kennsington, Credentials, and all tables are grade 3.

Grade 4 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be composite wood material construction such as MDF. Trio is grade 4.

ITEMS ON GSA CONTRACT

Please note, in order to verify if an item is on GSA Contract or is "Open Market," please use Compass quoting which is updated in real time with all GSA contract changes. If you need additional assistance, please contact your local sales representative.

For more information visit: https://www.allsteeloffice.com/insights/ sustainability/product-certifications.

12 YEAR WARRANTY

Subject to the limitations set forth below. The Gunlocke Company warrants to the original purchaser all product in this price list to be free from defects in material and workmanship for a twelve year period from the date of shipment. This 12-year warranty applies to all products sold and installed by a Gunlocke authorized agent for normal commercial single shift service. Gunlocke will repair, or at its option, replace defective merchandise, free of charge. The following components not manufactured by Gunlocke have the following warranties:

- High wear components such as casters and glides are warrantied for five years after date of shipment to original owner.
- Electrical components warrantied 10 years from date of manufacture with exception of lamps and ballasts which are not warrantied. This includes Fluorescent Tasklights.
- LED tasklights are warrantied for 3 years from date of shipment to original owner.
- Drawer suspensions are warrantied for lifetime of product after shipment to original owner.
- Personal corners including covering (leather) are warrantied for three years of single shift and normal use after shipment to original owner.
- Height adjustable electrical components are warrantied for five years of single shift and normal use after shipment to original owner.

Any non-standard material selected by the customer is not warrantied. Neither does this warranty apply to damage resulting from accident, alteration, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. That is, Gunlocke's warranty is only valid if products are given proper use and care. Gunlocke assumes no responsibility for product damages resulting from improper installation or user modification.

WOOD FURNITURE

Wood owes its inherent beauty to variations in color, grain, and texture, and therefore, these variations are not considered defects. There may be minor variations from one piece of furniture to the next even though they are finished at the same time. Exposure to light and the aging process will cause a darkening of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. The Gunlocke Company does not guarantee the exact matching of grain, pattern, and color.

These finishes do not cover any of the natural characteristics of the wood, including nature's colorations, pitch pockets, and the variations of steambent wood. Merchandise will not be replaced because of these natural variations.

It is expressly understood and agreed that the buyer's sole and exclusive remedy for any and all losses or damages resulting from nonconforming goods, or from any other cause, shall be repair or replacement of defective parts, and that Gunlocke shall not be liable for damages or injury to persons or property, nor for replacement of the entire commercial unit, if repair or replacement of defective parts can reasonably render the unit conforming.

All warranty claims must be made in writing by the original owner. Owner may be required to produce the invoice or other evidence to establish that a claim is within the warranty period. Warranty claims may be submitted on the Gunlocke website.

As stated and illustrated on the website, serial numbers are required to process a warranty claim. No person, firm or corporation is authorized to assume for Gunlocke any liability in connection with the sale or installation of Gunlocke products except as stated above.

All other warranties, expressed or implied, are excluded. Gunlocke shall not be liable for incidental or consequential damages of any sort.

Within the Continental USA, all orders above \$20,000 list are shipped FOB factory, freight prepaid and allowed. All orders less than \$20,000 list will be subject to a 5% list freight charge. Products shipped to Alaska and Hawaii FOB factory, freight prepaid and allowed to port of embarkation. Customer is responsible for freight charges from port of embarkation to final destination.

An anticipated shipping date is indicated on the order acknowledgment. Gunlocke cannot accept responsibility for shipping delays caused by outside sources or unforeseen problems. Delay of shipments requested by customers must be approved by Gunlocke. Any resultant storage charges will be charged to the customer.

Gunlocke may await completion of the entire order and ship all at once or may make partial shipments from time to time at its sole discretion unless the customer requests in writing that partial shipments are needed and Gunlocke approves the specific shipping schedule. Additional charges may apply.

Gunlocke is not liable for any delay or failure to deliver or perform due to strikes, lock-outs, or other labor or transportation difficulties, delay of sources or supply, accidents, fires, acts of God, or any other causes of like or unlike nature beyond the control of Gunlocke.

LIABILITY

Gunlocke products and their packaging are tendered to a transportation company only after passing rigid quality control inspection. At that time, title to the product is passed to the purchaser. However the transportation company assumes all liability from acceptance of shipment through its delivery. That is, Gunlocke's liability ceases at the time of shipment.

FILING OF CLAIMS

All claims for damage or loss must be submitted via our website within 15 days after receipt of merchandise. Do not return freight damaged merchandise to Gunlocke. Follow the steps below to expedite processing and resolution of claims.

For Visible Damage

- Make damage notation on delivery receipt and have driver sign. Do not reject or refuse the shipment.
- 2. Immediately contact Gunlocke Traffic Department at 585-728-8268.
- Hold damaged carton and all interior packing for carrier's inspection. These materials will be needed to substantiate the claim.

For Concealed Damage

- 1. Open cartons within 15 days of receipt and inspect.
- 2. Follow steps 2, and 3 as listed under Visible Damage.
- 3. Do not remove product from delivered destination.

For Loss

- 1. Be sure loss notation is made on delivery receipt and have driver sign.
- 2. Contact Gunlocke Traffic Department at 585-728-8268.

Should transportation company seek to limit its liability on concealed, loss, or damage claims, please contact Gunlocke's traffic department. After a thorough investigation of the claim, the traffic department will provide you with guidance in corresponding with the carrier.

Returned merchandise, regardless of delivery method, will not be accepted unless specifically authorized by Gunlocke.

For Damage or Loss of Parcel Post or UPS Shipment

Notify the Gunlocke traffic department immediately at 585-728-8268.

NORMAL DELIVERY

All normal ground transportation by Gunlocke will be made on a dock-to-dock basis. The Gunlocke traffic department will determine the recommended method of shipment according to the ship to destination. If the delivery on a shipment takes longer than 2 hours to be unloaded, an additional charge will be billed at \$60/hour at 15 minute increments. Gunlocke reserves the absolute right to determine the method of shipping unless special delivery instructions have been previously approved.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

If a guaranteed delivery time is needed please call Gunlocke Traffic Department at 585-728-8268 for a quote as additional charges will apply. Weekend or after hours deliveries are subject to additional charges.

WEEKEND DELIVERY

A \$500 charge will apply on weekend delivery after 3:00 PM Friday through Sunday evenings.

DROP SHIP / JOB SITE DELIVERY

Orders under \$50,000 list will incur a \$125 charge for ship to locations other than a designated dealer warehouse.

INSIDE DELIVERY

Inside delivery must be noted on order. A minimum \$100 charge will apply.

SPECIAL DELIVERY

Please contact the Gunlocke traffic department for special delivery services such as inside delivery, weekend or after hour deliveries, reconsignment or other special needs. These are billable services.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

DOCK RESTRICTIONS

Gunlocke trailers are 53' x 102"; when attached to truck cab the total length is 75'. If delivery dock will not accommodate trucks of this sizes, the Gunlocke traffic department must be contacted prior to shipping. Alternate arrangements can be made; additional charges may apply.

CREDENTIALS CASEGOODS

Credentials is offered in three select veneers and two premium veneers. All exposed surfaces utilize select plain sliced Cherry, Maple or Walnut veneers or premium Quarter Cut Walnut or Rift Cut Oak veneers.

Specialty Finishes:

- Gunlocke so that a finish formulation can be developed to match the special finish and color.
- Review the approval sample provided by Gunlocke.
- Written approval and sign off is required for Gunlocke customer service.
- Once written approval and sign off is received, the special finish order will be acknowledged.

Note: See our Website at Gunlocke.com for special finish request forms.

All Casegoods & Tables Purchase Orders:

- 10% list upcharge per wood unit to base veneer option receiving special finish.
- \$250 net formulation fee for special finish.

Note: This procedure and related costs apply to new and previously formulated special finishes. Special finish orders may receive additional lead time.

CREDENTIALS VENEERS

veneer 2 (select)

	Rift Cut Oak	
	Quarter Cut Walnut	
veneer 3 (premium)		
	Plain Sliced Walnut	
	Plain Sliced Maple	
	Plain Sliced Cherry	
veneer 2 (select)		


NOTE: For FSC Certified Product add "FSC" to beginning of finish option code. Example: FSCNC260. A 5% list upcharge will be applied per unit ordered with FSC option.

EDGE DETAILS – square	profiles/cope

PULL OPTIONS


Credentials is available in a metal pull and an integral wood finger pull. The metal pull is available in an annodized silver and dark bronze finish.

METAL PULL




PEDESTAL LEGEND

NOTE: Left hand pedestals shown below.



LAYERS HEIGHT



MOBILE PEDESTAL

-Optional Face Lock



FILING Reference Credentials

STANDARD FILING OPTIONS **WOOD PEDESTALS**

15 wide file drawers

- A. Letter side to side
- B. Legal side to side

18 wide file drawers

- C. Letter side to side
- D. Legal side to side
- E. Letter front to back

30 wide file drawers

- F. Letter side to side
- G. Legal side to side














- H. Letter front to back











36 wide file drawers

- I. Letter side to side
- J. Legal side to side
- K. Letter front to back
- L. Legal front to back









Credentials

FILING Reference

INSIDE DRAWER DIMENSIONS

WOOD DRAWERS

Pedestal width	Drawer type	D	W	Н
15 letter width	24 box	14 ¹ / ₁₆	11 ³ /8	3 1/4
	24 file	17 ¹ / ₁₆	11 ³ /8	9 1/8
18 letter width	30 box	14 ¹ / ₁₆	14 ³ /8	3 1/4
	30 file	17 ¹ / ₁₆	14 ³ / ₈	9 1/8
30 width	box	14 ¹ / ₁₆	26 ³ /8	3 1/4
	lateral	17 ¹ / ₁₆	26 ³ /8	9 1/8
36 width	box	14 ¹ / ₁₆	323/8	3 1/4
	lateral	17 ¹ / ₁₆	323/8	9 1/8

LOCKS & KEYING

Locks are standard on all below worksurface storage units. Two lock options are available. When the factory installed lock option is selected lock cores are installed at the factory. Note: when the random option is selected some units may be shipped with the same key number. When the field installed lock option is selected each unit is shipped with an empty lock cylinder. Locks are Silver or Black.

factory installed locks option code

Option 1

silver random keys	RMS
black random keys	RMB
Option 2	Specify a number between
SILVER Designated Keys	100TAS - 150TAS
BLACK Designated Keys	100TA - 150TA

Field installed locks are also available. When field installed locks are specified each unit is shipped with an empty lock cylinder. A separate line item must be ordered to receive the numbered lock cores for field installation. Field installed locks are available at an additional charge of \$12 list per lock core.

Field installed lock core set, specify model # and key number (add \$12 list per core):

	model number	Specify a number between
SILVER Designated Keys	ACLCKFLD	100TAS - 200TAS
BLACK Designated Keys	ACLCKFLD	100TA - 200TA

Note: Add \$12 list per lock core.

Credentials 06/25

PRODUCT REFERENCE

Pro	duct Reference13-	30
	Features + Advantages	-15
	Technical Specifications	-18
	Height Reference	19
	Desktop Leather Inlay and Glass Insert Locations	20
	Worksurface Veneer Grain Directions	-22
	Grommets & Trough Locations	-24
	Metal Pull Locations	25
	Integral Wood Pull Locations	26
	Specification Tips	27
	Wire Management	-29
	Product Specifications	30

CTVI E/DECICN	Hand selected veneer	
STYLE/DESIGN		Quarter cut walnut and plain sliced cherry, maple, and walnutRift cut oak
	Refined aesthetic	Clean, modern design
		Layering and various planes
		Refined details
		Integral wood pull or metal pull
		 Mitered worksurfaces with waterfall veneer
		Optional locking on all units
	High end material selection	• Stone
		• Leather
		Back painted glass
		Stainless steel desk base
		Dark bronze and champagne silver hardware
PLANNING FLEXIBILITY	Large breadth of line	Numerous components can be used together to create a
TEANNING TEENIDIETT	zaige zioaaan ei mie	variety of planning requirements for size and storage
FUNCTIONALITY	Accessory track/trough system	Provides sit-to-stand solution in office
		Electric driven system with three preset heights
		Height range of 29.5"-42"
		Integrated in mitered wood base
		 Charcoal black metal shroud for clean aesthetic in up position
STORAGE	Soft close hardware	Hidden bottom mount suspension on soft close drawers
		Soft close hinges on all doors
	Cantilevered worksurfaces	Provides unique aesthetic and conferencing end
	Magnetic tackzone	Backpainted glass and wood tackzone provide magnetic
		surface for posting papers and magnetic accessories
	Hidden box drawers	Provides clean lines and fewer fronts
		 Includes veneered front
		Optional leather inserts
	Overhead door options	Hinged, soft lift, or sliding door overheads
	Various pedestal options	Drawers, doors, open shelves, printer storage, and trash can

ATTRIBUTE	FEATURE	ADVANTAGE		
TECHNOLOGY INTEGRATION	Wire management	Worksurface trough with pencil lipFlush grommet with door options		
	Wall access	 Optional hinged wall access panels provide simple, clean wire management 		
	Lighting	Standard high efficiency LED tasklightingRecessed into bottom of overhead for clean aesthetic		
	Worksurface power	 Power unit can be installed beneath grommet, in worksurface trough or in kneespace for easy access 		
SUSTAINABILITY	Design for the environment	 FSC certified products available LEED IEQ 4.5 compliant finish High percentage of recycled content: 66% post industrial and 9% post consumer yielding an RC value factor of 42% Energy Efficient LED task lighting 		
DURABILITY	Drawer system	 Dowel construction—strength Superior filing capability—extruded file rail integral to drawer UV finish on drawers—scratch and chemical resistant 5-sided drawers—can adjust or remove in field without unloading drawers 		
	12-year warranty	Backed by Gunlocke's 12-year warranty		

VENEERS

All exposed wood surfaces utilize select Plain Sliced Cherry, Maple, Walnut veneers or premium Quarter Cut Walnut, or Rift Cut Oak veneers. These veneers are carefully selected and slip matched to assure balance and consistency.

WOOD TOPS

Wood veneer tops feature a balanced 3-ply construction and are 1 1/2" thick. Each top has a 3/32" thick external solidwood band on all sides.

Standard tops are constructed of 45 lb particleboard.

Tops connect to the chassis with wood screws through the inset top panel of the pedestals and steel angle brackets.

CHASSIS/PEDESTAL CONSTRUCTION

All wood pedestals are made with veneer end panels and fronts which are constructed with 3/4" thick balanced 3-ply panels. End panels are connected with an inset top, back, and bottom panel which is made of 3/4" thick 3-ply particle board. Panels are securely fastened together with cam fasteners in conjunction with solid wood dowels that are securely adhered with PVA (white polyvinyl acetate) glue. A 1 ¹/₁₆"H x 2 ⁷/₁₆"W 3-ply particle board is mounted to the underside of the inset bottom panel. A threaded steel glide plate is attached to the hardwood stretcher to provide a durable connection between the glide and the bottom of pedestal. The glide plate is 10-gauge or 0.134" thick steel.

Steel glide plates are attached to single end panels with screws. End panels are pre-bored to accept the stem of the glide. The threaded steel glide plate provides a durable connection from glide to bottom of unit end panel.

Each unit is equipped with a minimum of four adjustable glides.

OVERHEAD/STORAGE CONSTRUCTION

All wood panels are constructed with 1" thick balanced 3-ply panels. The top, end, and bottom panels are securely fastened together with wooden dowels that are adhered with PVA (white polyvinyl acetate) glue. This construction method eliminates any visible assembly fasteners.

Wall mount cabinets are mounted to the wall with a spade and "Z" bracket attachment method. Steel barrel nuts and spade brackets are securely mounted through the back of wall mount cabinets. All units ship with a steel Z bracket. This bracket is mounted to the wall by field installers. Installers are responsible for selecting and supplying appropriate fasteners for wall conditions.

Units with hinged doors include 95° soft close hinges. Hinges are fully adjustable.

LAYERS UNITS

All layers runoffs and bridges include a wood box to sit on the low height credenza unit. Layers box includes a protective non-skid strip on bottom edge to protect lower worksurface. Layers units provide 7 ³/₄" of height difference.

GLIDES

Glides provide 1 ¹/₈" of vertical leveling adjustment. Glide bottom is durable nonrust nylon.

DRAWERS

All drawers are constructed of four sides and a bottom, which are attached to a drawer front with screws for easy removal. Drawer fronts feature matched veneer within each pedestal set.

The drawer side material is vinyl-clad particleboard, finished with a roll-coated 7-level UV cured polyester/acrylic finish that provides a high level of chemical and scratch resistance. The drawers are fastened together at each corner with dowel joinery for maximum drawer

strength. The bottom material is a 3-ply substrate consisting of medium density fiberboard core with a melamine face and backer.

Optional leather organization trays are available for all box drawers.

PULLS

Units are available in a continuous metal pull or an integral wood pull.

The drawer front on credenza and return pedestals overlay the worksurface for an uninterrupted appearance. The drawer front on the desk pedestals are below the worksurface to keep main worksurface clean.

Integral wood pull is on a 35° bevel and provides a seamless wood look to the station.

Continuous metal pull is an anodized aluminum pull available in a dark bronze or champagne silver finish. The metal pull on pedestal fronts aligns with metal pull on 24D closets. The metal pull on overhead doors aligns with metal pull on 18D closets.

SUSPENSIONS

Credentials casegoods utilizes zinccoated steel, high-grade drawer suspensions which feature an integrated soft close mechanism. The suspensions are bottom mount and are concealed under the drawer body for a cleaner appearance when opening/closing drawers. Box drawer suspensions are 15" depth full extension and are load rated for 100 lb static load, 90 lb dynamic load. File and lateral file drawers are 18" depth full extension and are load rated for 150 lb static load, 135 lb dynamic load. Lateral files include an anti-tip mechanism that prevents more than one drawer from being opened at the same time.

HINGES

Units with hinged doors include 95° soft close hinges. Hinges are fully adjustable.

FILING

The file hanging system is an integral part of the drawer. A highly durable black plastic extrusion is securely fastened into a route on the top of the drawer. The plastic extrusion and steel folder rails allow side to side and front to back filing in file and lateral file drawers. The plastic extrusion was designed to promote optimum filing capacity within the drawer while providing a durable, reliable and maintenance free filing system. (See filing capability section for technical information on drawer dimensions.)

LOCKS

Silver or black face locks are optional on all desks, credenzas, returns, modular pedestals, and storage units. Each pedestal is independently locked. Lock plugs are either factory or field installed.

KEYING

Keying is available either factory or field installed. Factory installed keying offers two options: random or designated. When the random keying option is selected an arbitrary key number will be assigned to the unit. Note: some furniture units may have like key numbers when random keying is selected. When the designated keying option is selected a key number must be specified between 100TAS-150TAS for silver lock core and 100TA-150TA for black lock cores. All keys are solid brass. When the field installed keying option is selected, a lock cylinder will not be included in the furniture unit.

WIRE MANAGEMENT

Wire management capabilities include optional worksurface grommets and worksurface troughs. Chassis include wire cutouts in kneewell for seamless wire management between pedestals and adjoining units.

Trough worksurfaces provide a 1" wire management gap on the back edge of the worksurface. An anodized aluminum pencil lip is included with each trough worksurface. The tackzone sits below the worksurface on the top edge of the pedestal end panels. A trough worksurface is REQUIRED for all tackzone applications.

Under worksurface wire managers (Model #ACWM) are sold separately to conceal wires between pedestals. These units house and manage wire horizontally around a station.

Wall access is accommodated in credenza, bridge and return units. Two options are available. (1) No modesty panel provides direct access to wall. (2) The hinged access panel option provides access to the wall as needed, creates a cavity behind the panel to mount a power strip (not provided) and houses cords behind panel. The panel hinges and clips on and off to provide occasional access as needed.

POWER UNIT

A power unit may be ordered separately to add integrated power to the station. The unit includes 3 power outlets – 2 power outlets on top surface and 1 power outlet on the end. Ships with 6 ft power cord with standard plug. UL listed.

The unit can be mounted in various applications: 1) to bottom of worksurface beneath grommets, 2) to bottom of worksurface in trough opening, 3) as power strip inside wall access panels or kneespace.

GROMMET

3.250" x 5.875" rectangular grommet. Grommet bezel is inset flush to top of worksurface. Includes a hinged door that is on a dampening hinge for smooth open/ close. Door material may be specified as wood veneer or back painted glass.

LIGHTING

Recessed low-profile LED overhead lighting is standard and INCLUDED in all overhead cabinets. They do NOT need to be purchased separately. LED lighting provides high efficiency, low energy lighting with a long life. All LED light strips are encased in a silver aluminum extrusion and include a built-in microswitch to turn the light on/off. Lights are field installed. All units include a 10' cord with a standard plug. Light temperature is 3200K.

MONITOR ARM

Monitor arm is EVO2. Monitor arm is silver finish. Monitor arm can be mounted inside grommet hole, desktop trough, or clamped to edge of desk.

Product specs are listed below:

Vertical range: +/- 5.2" from horizontal

Horizontal range: 18.6"

Rotation: 360° at two joints, 180° from

center

Monitor tilt: 90° up, 20° down from center

Monitor pivot: Landscape to portrait

Monitor compatibility: VESA monitor compatible - 75mm & 100mm VESA adapters included

Cable management: Cables are managed beneath arm

Mounting options: Desk clamp, grommet mount, or trough mount

Monitor weight: 7-20lbs

ACCESSORIES

All accessories include imbedded magnets and can be positioned anywhere on wood tackzone and back painted glass tackzone. The accessories provide quick access to files, pencils, and other work utensils. Units are painted standard white, muslin, and black to match glass colors.

PERSONAL CORNER + DESKPADS

Personal corners can be used between two perpendicular worksurfaces to create an ergonomic corner for user. Deskpads are used in-line. All units are wrapped in leather or vinyl. The bottom surface has a felt lining to protect the worksurface. The chassis is made from 10-gauge aluminum. Personal corners are 36"W x 12 1/2"D. Deskpads are 36"W x 18"D. Units are designed to fit over 1 1/2" thick worksurfaces. Desk inlays are Dolce faux leather and are available in three colors.

ORGANIZATIONAL TRAYS

Leather organization trays can be used in box drawers and in cubby of 1H overheads. All units are wrapped in leather. The bottom surface has a protective felt lining.

STAINLESS STEEL BASE

Stainless steel base units include a brushed stainless base. Unit is constructed of 1 ½" square stainless steel tubing. Units are fully welded for seamless construction.

Three top options are available – 1) wood top, 2) stone top, 3) back painted glass top. Units with a wood top are rabbetted into base with a 1/2" top exposed on all sides. Back painted glass tops and stone tops include a recessed plywood subtop for glass/stone. Stone tops include a template for stone so it can be purchased locally.

TACKBOARDS

Tackboards are constructed of $^{7}/_{8}$ " thick material comprised of a $^{1}/_{8}$ " thick hardboard glued in between a layer of $^{3}/_{8}$ " thick pressboard on each side. The fabric is precisely aligned and fitted to the tackboard and adhered to the rigid hardboard with staples.

A trough worksurface is REQUIRED for all tackzone applications.

BACK PAINTED GLASS

Doors and tackzone back painted glass units are captured by an extruded aluminum mitered frame which is powder coated to match. Frame is ³/₄" thick and 1 ³/₄" high. The frame is low profile allowing only ¹/₁₆" visible frame around the perimeter of the glass from the front view. Back painted glass is 4mm thick and is available on doors, and in the "tackzone" of overhead storage. Tackzone glass units are magnetized with a steel backer. These units can also act as a whiteboard with use of dryerase markers. 6 magnets are included with each magnetized whiteboard.

Worksurfaces and desktop inserts in back painted glass are frameless and are acid etched to eliminate fingerprinting.

A trough worksurface is REQUIRED for all tackzone applications.

CLEANING BACK PAINTED GLASS

All back painted glass should be cleaned with a soft lint free cloth and non-ammonia based cleaner only.

FINISH

Natural veneer is subject to nature's quality control. Each species will exhibit differences in grain pattern and tone. This is to be expected and, in fact, contributes to the beauty and individuality of each product. Flat Cut veneers emphasize the variations of wood by exhibiting cathedrals in the grain pattern. Quarter Cut and Rift Cut veneers are a premium cut that maintains variations in the grain but without cathedral patterns. Stratawood is a natural, FSC®-certified reconstituted veneer that is designed to exhibit a consistent grain pattern and is available in either a straight grain or cathedral pattern.

Our proprietary wood finish system utilizes a combination of topcoats engineered for the various applications found in the furniture industry. It is exceptionally clear and durable, and allows the beauty of wood to show through. The durability, depth, clarity, and beauty of our wood finishes meet the high expectations of our customers, and meet or exceed indoor air quality (IAQ) standards. All colors and species are not available on all products. Please refer to front cover of price lists for availability of finishes.


CLEANING FINISH


Regular dusting and occasional cleaning are recommended to maintain your wood finish. To clean, dampen a soft cloth with luke warm water and gently wipe the wood in the direction of the grain. A mild solution of Murphy's oil soap and water may also be used. Avoid cleaners with oil, waxes, or silicones as they may create a hazy look.


STANDARD UNIT HEIGHTS FOR CREDENTIALS:


unit	height
Worksurface	1 1/2
Layers Pedestal	20 3/16
Layers Pedestal + Worksurface	21 11/16
2H Pedestal	27 15/16
2H Pedestal + Worksurface	29 ⁷ / ₁₆

unit	height
3H Storage	43 7/16
4H Storage	57 ⁷ / ₁₆
5H Storage	75 ¹⁵ / ₁₆
6H Storage	84 7/16
1H Overhead	19 ¹ / ₂
2H Overhead	28









Layers Height Credenza 2 High Overhead

Desks and Extensions are available with a Faux Leather inlay or a back painted glass insert.


option picks

Standard Veneer	TVN
Faux Leather Inlay	
White (+\$1,826)	TLW
Black (+\$1,826)	TLB
Chocolate (+\$1,826)	TLC
Back Painted Glass Insert (Acid Etched)	
Ice White (+\$2,554)	TGW
Black (+\$2,554)	TGB
Muslin (+\$2,554)	TGM



Freestanding Desk with Modesty Panel Base (LH desk shown)

Ex. GA2DTRM3672L-3WW



Freestanding Double Pedestal Desks & Freestanding Miter Base Desk Ex. GA2DRO3672-32WW GA2DTRR3672-WW



Freestanding Desk with Height Adjustable Base (LH desk shown)

Ex. GA2DTRA3672L-WW



Single Pedestal Desks & All Extension Desks (LH desk shown)

Ex. GA2DRO3672L-3WW


WORKSURFACE VENEER GRAIN DIRECTIONS:

Note: All vertical faces on chassis and storage are vertical grain.

FREESTANDING DESK


Freestanding Desk – short grain Full Base Credenza – short grain

L STATION



Single Pedestal Desk / Extension – long grain Modular Return – short grain

U STATION




Single Pedestal Desk / Extension – long grain Bridge –short grain Modular Credenza –long grain

WORKSURFACE VENEER GRAIN DIRECTIONS:


Note: All vertical faces on chassis and storage are vertical grain.

LAYERS WORKWALL L STATION

Layers Mitered Runoff Desk – long grain Layers Full Bank Credenza – short grain




WORKWALL U STATION




Mitered Runoff Desk –short grain Modular Credenza – long grain Modular Return – short grain

Credentials worksurfaces are available with an optional grommet.


- Grommet is recessed into worksurface and includes a dampening mechanism for smooth open / close.
- · Grommet door cover is available in veneer or back painted glass.
- A 1" slot is included for cords and/or monitor arm clamps.




Grommet shown in Single Pedestal Desk with Monitor Arm




Grommet door closed




Grommet door open



Grommet dimensions




Top view shown with power unit – ACPWRT. (De-emphasized) ACPWRT must be ordered separately (shown without door)




The worksurface trough is integral to the design and configuration of the product.

- The trough provides a 1 11/16" gap for cords, power access, and monitor arm clamping.
- All trough worksurfaces include a metal pencil lip.
- The tackzone is recessed into trough area below worksurface level and sits on end panel of pedestal/chassis.




A trough worksurface is REQUIRED in ALL tackzone applications.

- The trough can be on a single worksurface or span across multiple units.
- In situations where the trough spans multiple units, each individual unit MUST be specified with a trough worksurface.




Metal pull locations are shown below.

Left hand units shown where applicable.




Integral wood pull locations are shown below.

Left hand units shown where applicable.



STEP 1: SELECT CONFIGURATION




STEP 2: BEGIN WITH DESKING COMPONENTS

- Desk, extensions, runoffs, and full bank credenzas are unitized
- Credenzas and returns are built from modular components which must be specified separately

STEP 3: BE SURE TO SPECIFY TROUGH LOCATIONS ALONG ENTIRE LENGTH OF TACKZONE

• Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough



STEP 4: ADD FREESTANDING STORAGE

• Lateral files, bookcases, closets, storage box, and utility cabinets

STEP 5: ADD OVERHEADS AND TACKZONE

- Fabric tackboard, magnetic glass whiteboards, and wood tackzones are available
- Recessed tasklights are INCLUDED with all overhead cabinets


STEP 6: INSERT ACCESSORIES

• Leather box drawer inserts, power units, magnetic accessories, monitor arms, etc.

STEP 7: OFFICE # OPTION


- An office # option is included on all models ("OFC1" through "OFC199")
- Each individual office must be specified with its own unique office #
- \bullet All components for each office must be specified with the same office $\mbox{\tt\#}$ option

GROMMET SPECIFICATIONS




GROMMET LOCATIONS


Credenzas, Returns, Bridges




Pedestal Desks and Run-offs; Miter Desks, Extensions, and Run-offs; Slab Base Extensions and Run-offs




Stainless Metal Base Desks, Extensions, and Runoffs




Layers Run-off Tops



Height Adjustable Desks




Height Adjustable Extensions




GROMMET LOCATIONS


Modesty Panel Base Desks



Modesty Panel Base Extensions (No Trough)



Modesty Panel Base Extensions (Trough End)



HEIGHT ADJUSTABLE WORKSURFACES

Worksurfaces are actual widths. A 1" clearance gap is required for any height adjustable top on all sides. Moving worksurfaces can collide with other components. It is important to ensure free range of motion prior to operating the table. Please contact Gunlocke's Tailored Solutions department (GUNTS) for special worksurface size requirements if standard models do not provide 1" gaps. Adjacent worksurfaces need to be self supporting. A wall mount bracket may be used.


HEIGHT ADJUSTABLE BASE

Electric height adjustable base unit is available in a 2-Stage lifting column with an offset C-Leg design. The height adjustable base is a compact 2-part lifting column. A lifting column is an electric linear actuator integrated into a stable guide. The sophisticated motor system is completely hidden inside the column. The control box is powered by 110-120V /60Hz. Standby power is 0.1 Watts. Height range is 29" to 45". Lifting columns are rated for 225 lbs. dynamic load per column and are connected to tops using steel support brackets. Pedestals taller than 24 H" when placed under the height adjustable table will limit range in lowest position.

HEIGHT ADJUSTABLE COMPONENTS

Height adjustable components include:

- Qty (2) height adjustable lifting columns
- Qty (1) control box
- Qty (5) keypad options from basic to premium
- Qty (2) cables connecting lifting columns to control box
- Qty (1) standard plug power cable to connect control box to power source



apply a 3% surcharge to all orders.


Credentials 06/25

UNITIZED CASEGOODS

Unitized Casegoods	-103
Freestanding Table Desks	2-38
Double Pedestal Desks	. 39
Single Pedestal Desks4	0-41
Extensions	2-49
Runoff Desks	0-55
Bridges	6-57
Credenza & Return Components5	8-61
Pedestals6	2-73
Layers Pedestals	4-85
Modesty / Access / Support Panels8	6-91
Brackets / Storage	2-96
Mobile Pedestals	. 97
Cushions	. 98
Trough Inserts	. 99
Height Adjustable Desks	-103

Stainless metal base

		D	W	Н	model number	veneer 2	veneer 3
WOOD TOP							
	>	30	72	29 ⁷ / ₁₆	GA2DTRL3072-W	10,771	11,750
]	36	72	29 ⁷ / ₁₆	GA2DTRL3672-W	11,102	12,111
	User Side	36	78	29 ⁷ / ₁₆	GA2DTRL3678-W	11,437	12,475
		36	84	29 ⁷ / ₁₆	GA2DTRL3684-W	11,778	12,848



[•] Optional 10" height modesty panel with 6" overhang

PRODUCT INFO

Stainless base is 1.5" square stainless tube with brushed finish

Fully welded seamless assembly

1.5" worksurface is rabbeted into stainless base assembly - H" top thickness is visible on all sides

short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP FINISH TYPE
4.	MODESTY
5.	GROMMET
6.	OFFICE #

See set 1 below for grommet option codes

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GLSV** = left grommet, silver bezel, veneer door

See inside front cover for required option codes

NC215

FINISH

Example

GA2DTRL3072-W.NC215.OP.MY.GN.OFC1

GA2DTRL3072-W MODEL NUMBER

TOP FINISH MY MODESTY GN OFC1
GROMMET OFFICE#

FREESTANDING TABLE DESKS

Stainless metal base

		D	W	Н	model number	list
GLASS TOP						
	\geq	30	72	29 ⁷ / ₁₆	GA2DTRL3072-G	18,404
		36	72	29 ⁷ / ₁₆	GA2DTRL3672-G	18,972
	User Side	36	78	29 ⁷ / ₁₆	GA2DTRL3678-G	19,543
		36	84	29 ⁷ / ₁₆	GA2DTRL3684-G	20,130




[•]Back painted glass is 1/2" thick.

STONE TOP

(stone top ordered separately)





30	72	29 7/16	GA2DTRL3072-S	8,978
36	72	29 7/16	GA2DTRL3672-S	9,258
36	78	29 7/16	GA2DTRL3678-S	9,534
36	84	29 ⁷ / ₁₆	GA2DTRL3684-S	9,821

- Gunlocke will provide a template for the stone to be sourced locally.
 Contact GUNCS for template.
- Template is for 2cm (3/4") thick stone top.

PRODUCT INFO

Stainless base is 1.5" square stainless tube with brushed finish

Fully welded seamless assembly

Includes a 1" plywood subtop





See inside front cover for required option codes

 Example
 GA2DTRL3072-G.TWH.0FC1

 GA2DTRL3072-G
 TWH
 OFC1

 MODEL NUMBER
 BACK PAINTED GLASS COLOR
 OFFICE #

Modesty panel base

	D	W	Н	model number	veneer 2	veneer 3
PEDESTAL LEFT						
	36	72	29 ⁷ / ₁₆	GA2DTRM3672L-3WW	9,672	10,552
	36	78	29 ⁷ /16	GA2DTRM3678L-3WW	9,961	10,866
User Side	36	84	29 ⁷ /16	GA2DTRM3684L-3WW	10,261	11,194



- 15" overhang on conference end
- Pedestal is 18" width w/ hidden upper box drawer

Approach Side

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER	See set 2 below for grommet option codes
2.	FINISH	No Grommet GN
3.	TOP FINISH TYPE	Left GL (Add +\$212)
4.	DESKTOP INSERT	= add grommet bezel color and door finish to complete option pick.
5.	PULL	
6.	GROMMET	SV = silver bezel, veneer door BV = black bezel, veneer door
7.	LOCKING	WG = silver bezel, white glass door MG = silver bezel, muslin glass door
8.	KEYING	BG = black bezel, black glass door
9.	OFFICE #	Example: GLSV = left grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2DTRM3672L-3WW.NC215.OP.TVN.MPS.GN.LY.RMS.OFC1

GA2DTRM3672L-3WW	NC215	OP	TVN	MPS	GN	LY	RMS	OFC1
MODEL NUMBER	FINISH	TOP	DESKTOP	PULL	GROMMET	LOCKING	KEYING	OFFICE #

06/25

FREESTANDING TABLE DESKS

Modesty panel base

		D	W	Н	model number	veneer 2	veneer 3
PEDESTAL RIGHT							
		36	72	29 ⁷ / ₁₆	GA2DTRM3672R-3WW	9,672	10,552
F		36	78	29 ⁷ / ₁₆	GA2DTRM3678R-3WW	9,961	10,866
User Sic	de -	36	84	29 ⁷ / ₁₆	GA2DTRM3684R-3WW	10,261	11,194


- 10" overhang approach side
- 15" overhang on conference end
- Pedestal is 18" width w/ hidden upper box drawer

Approach Side

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

 GA2DTRM3672R-3WW.NC215.OP.TVN.MPS.GN.LY.RMS.OFC1
 MPS
 GN
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 TOP
 DESKTOP FINISH
 PULL
 GROMMET
 LOCKING
 KEYING
 OFFICE

FREESTANDING TABLE DESKS

Height adjustable base

Credentials

CONFERENCE END LEFT



Approach Side



- 6" overhang approach side
- 12" overhang on conference end
- · Provides sit-to-stand electric height adjustment
- · Height adjustable mechanism is integrated into a wood base
- Includes black metal shroud to conceal height adjustable hardware when in raised position
- 29" to 45" height adjustment range

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP FINISH TYPE
4.	DESKTOP INSERT
5.	GROMMET
6.	OFFICE #

See set 3 below for grommet option codes

No Grommet GN **GR** ___ (Add +\$212) Right

= add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door BV = black bezel, veneer door **WG** = silver bezel, white glass door **MG** = silver bezel, muslin glass door BG = black bezel, black glass door

Example: **GRSV** = right grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2DTRAK3672L-WW.NC215.OP.TVN.GN.OFC1

GA2DTRAK3672L-WW NC215 OP TVN GN OFC1 MODEL NUMBER TOP FINISH

06/25

FREESTANDING TABLE DESKS

Height adjustable base

	D	W	Н	model number	veneer 2	veneer 3
CONFERENCE END RIGHT						
	36	72	29 ⁷ / ₁₆	GA2DTRAK3672R-WW	15,402	16,802
	36	78	29 ⁷ /16	GA2DTRAK3678R-WW	15,927	17,375
User Side	36	84	29 ⁷ /16	GA2DTRAK3684R-WW	16,465	17,962
0001 0100						



Approach Side

- 6" overhang approach side
- 12" overhang on conference end
- Provides sit-to-stand electric height adjustment
- Height adjustable mechanism is integrated into a wood base
- Includes black metal shroud to conceal height adjustable hardware when in raised position
- 29" to 45" height adjustment range

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See set 2 below for grommet option codes

No Grommet **GN**Left **GL** (Add +\$212)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GLSV** = left grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2DTRAK3672R-WW.NC215.OP.TVN.GN.OFC1

Miter end panel base

NON-HAN	DED
Miter	Miter
Wilton	
	User Side
•	User side

D	W	Н	model number	veneer 2	veneer 3
36	72	29 ⁷ / ₁₆	GA2DTRR3672-WW	7,726	8,428
36	78	29 ⁷ / ₁₆	GA2DTRR3678-WW	7,960	8,683
36	84	29 ⁷ / ₁₆	GA2DTRR3684-WW	8,198	8,944

• 10" height modesty panel standard with 6" overhang

Approach Side

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP FINISH TYPE
4.	DESKTOP INSERT
5.	GROMMET
6.	OFFICE #

See set 1 below for grommet option codes

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GLSV** = left grommet, silver bezel,

Example


GA2DTRR3672-WW.NC215.OP.TVN.GN.OFC1


 GA2DTRR3672-WW
 NC215
 OP
 TVN
 GN
 OFC1

 MODEL NUMBER
 FINISH
 TOP FINISH
 DESKTOP INSERT
 GROMMET
 OFFICE#

DOUBLE PEDESTAL DESKS







- Full modesty panel with 6" overhang
- -3 pedestals include hidden upper box drawer
- 72" and 78" width units include 15" width pedestal
- 84" width units include 18" width pedestal

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER	See set 1 below for grommet option codes		
2.	FINISH	No Grommet GN		
3.	TOP FINISH TYPE	Left GL (Add +\$212) Right GR (Add +\$212)		
4.	DESKTOP INSERT	Left & Right GB (Add +\$423)		
5.	PULL	= add grommet bezel color and door finis		
6.	GROMMET	to complete option pick.		
7.	LOCKING	SV = silver bezel, veneer door BV = black bezel, veneer door		
8.	KEYING	WG = silver bezel, white glass door		
9.	OFFICE #	MG = silver bezel, muslin glass door BG = black bezel, black glass door		

See inside front cover for required option codes

Example

GA2DRO3672-32WW.NC215.OP.TVN.MPS.GN.LY.RMS.OFC1


MODEL NUMBER	FINISH	TOP	DESKTOP	PULL	GROMMET	LOCKING	KEYING	OFFICE #
GA2DRO3672-32WW	NC215	OP	TVN	MPS	GN	LY	RMS	OFC1

Example: GLSV = left grommet, silver bezel, veneer door


SINGLE PEDESTAL DESKS


Left hand

	D	W	Н	model number	veneer 2	veneer 3
PEDESTAL LEFT						
NO TROUGH	30	72	29 ⁷ / ₁₆	GA2DRO3072L-3WW	8,741	9,536
	36	72	29 ⁷ /16	GA2DRO3672L-3WW	9,010	9,828
	36	78	29 ⁷ /16	GA2DRO3678L-3WW	9,280	10,123
User Side	36	84	29 ⁷ /16	GA2DRO3684L-3WW	9,562	10,430



PEDESTAL LEFT TROUGH RIGHT END





30	72	29 7/16	GA2DRO3072TL-3WW	8,741	9,536
36	72	29 ⁷ / ₁₆	GA2DRO3672TL-3WW	9,010	9,828
36	78	29 ⁷ / ₁₆	GA2DRO3678TL-3WW	9,280	10,123
36	84	29 ⁷ / ₁₆	GA2DRO3684TL-3WW	9,562	10,430

- Full modesty panel with 6" overhang
- -3 pedestals include hidden upper box drawer
- 72" and 78" width units include 15" width pedestal
- 84" width units include 18" width pedestal
- Trough end units are required when a tackzone spans over the end of the desk worksurface
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough. Single Pedestal desks have 6" overhang, deducting 6" from the overall trough insert length.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER	See set 1 below for grommet option codes
2.	FINISH	No Grommet GN
3.	TOP FINISH TYPE	Right GR (Add +\$212)
4.	DESKTOP INSERT	Left & Right GB (Add +\$423)
5.	PULL	= add grommet bezel color and door finish
6.	GROMMET	to complete option pick.
7.	LOCKING	SV = silver bezel, veneer door BV = black bezel, veneer door
8.	KEYING	WG = silver bezel, white glass door
9.	PENCIL LIP COLOR (TROUGH ONLY)	MG = silver bezel, muslin glass door BG = black bezel, black glass door
10.	OFFICE #	Example: GLSV = left grommet, silver bezel.

See inside front cover for required option codes

Example

GA2DRO3072L-3WW.NC215.OP.TVN.MPS.GN.LY.RMS.OFC1

MODEL NUMBER	FINISH	TOP	DESKTOP	PULL	GROMMET	LOCKING	KEYING	OFFICE #
GA2DRO3072L-3WW	NC215	OP	TVN	MPS	GN	LY	RMS	OFC1

veneer door

SINGLE PEDESTAL DESKS

See set 1 below for grommet option codes

GN

GL

GR

GB

= add grommet bezel color and door finish

(Add +\$212)

__ (Add +\$212)

_ (Add +\$423)

No Grommet

Left & Right

to complete option pick. SV = silver bezel, veneer door BV = black bezel, veneer door WG = silver bezel, white glass door MG = silver bezel, muslin glass door BG = black bezel, black glass door Example: GLSV = left grommet, silver bezel, veneer door

Left


Right

Right hand

PEDESTAL RIGHT
NO TROUGH




D	W	Н	model number	veneer 2	veneer 3
30	72	29 ⁷ / ₁₆	GA2DRO3072R-3WW	8,741	9,536
36	72	29 ⁷ /16	GA2DRO3672R-3WW	9,010	9,828
36	78	29 ⁷ / ₁₆	GA2DRO3678R-3WW	9,280	10,123
36	84	29 ⁷ /16	GA2DRO3684R-3WW	9,562	10,430



PEDESTAL RIGHT TROUGH LEFT END





30	72	29 ⁷ / ₁₆	GA2DRO3072TR-3WW	8,741	9,536
36	72	29 ⁷ / ₁₆	GA2DRO3672TR-3WW	9,010	9,828
36	78	29 ⁷ / ₁₆	GA2DRO3678TR-3WW	9,280	10,123
36	84	29 ⁷ / ₁₆	GA2DRO3684TR-3WW	9,562	10,430

- Full modesty panel with 6" overhang
- -3 pedestals include hidden upper box drawer
- 72" and 78" width units include 15" width pedestal
- 84" width units include 18" width pedestal
- Trough end units are required when a tackzone spans over the end of the desk worksurface
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough. Single Pedestal desks have 6" overhang, deducting 6" from the overall trough insert length.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP FINISH TYPE
4.	DESKTOP INSERT
5.	PULL
6.	GROMMET
7.	LOCKING
8.	KEYING
9.	PENCIL LIP COLOR (TROUGH ONLY)
10.	OFFICE #

See inside front cover for required option codes

Example

GA2DRO3072R-3WW.NC215.OP.TVN.MPS.GN.LY.RMS.OFC1 GA2DRO3072R-3WW NC215 ΩP TVN

MPS GN RMS OFC1 DESKTOP INSERT PULL GROMMET LOCKING

EXTENSIONS

Left hand | stainless metal base

		D	W	Н	model number	veneer 2	veneer 3
BASE LEFT							
NO TROUGH		30	72	29 ⁷ / ₁₆	GA2XRL3072L-W	9,694	10,576
		36	72	29 ⁷ / ₁₆	GA2XRL3672L-W	9,992	10,900
	TII	36	78	29 ⁷ / ₁₆	GA2XRL3678L-W	10,293	11,227
	User Side	36	84	29 ⁷ / ₁₆	GA2XRL3684L-W	10,601	11,564

BASE LEFT Trough right end



30	72	29 ⁷ / ₁₆	GA2XRL3072TL-W	9,694	10,576
36	72	29 ⁷ / ₁₆	GA2XRL3672TL-W	9,992	10,900
36	78	29 ⁷ / ₁₆	GA2XRL3678TL-W	10,293	11,227
36	84	29 ⁷ / ₁₆	GA2XRL3684TL-W	10,601	11,564

- Optional 10" height modesty panel with 6" overhang
- Trough end units are required when a tackzone spans over the end of the desk worksurface.
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Stainless base is 1.5" square stainless tube with brushed finish

1.5" worksurface is rabbeted into stainless base assembly.

1/2" top thickness is visible on all sides

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP FINISH TYPE
4.	DESKTOP INSERT
5.	MODESTY
6.	GROMMET
7.	PENCIL LIP COLOR (TROUGH ONLY)
8.	OFFICE #

See set 3 below for grommet option codes

No Grommet **GN**Right **GR** ___ (Add +\$212)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door BV = black bezel, veneer door WG = silver bezel, white glass door MG = silver bezel, muslin glass door BG = black bezel, black glass door

Example: **GRSV** = right grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2XRL3072L-W.NC215.OP.TVN.MY.GN.OFC1

 GA2XRL3072L-W
 NC215
 OP
 TVN
 MY
 GN
 OFC

 MODEL NUMBER
 FINISH
 TOP FINISH
 DESKTOP INSERT
 MODESTY
 GROMMET
 OFFICE

Right hand | stainless metal base

		D	W	Н	model number	veneer 2	veneer 3
BASE RIGHT							
NO TROUGH		30	72	29 ⁷ /16	GA2XRL3072R-W	9,694	10,576
		36	72	29 ⁷ /16	GA2XRL3672R-W	9,992	10,900
		36	78	29 ⁷ / ₁₆	GA2XRL3678R-W	10,293	11,227
\mathcal{A}	User Side	36	84	29 ⁷ / ₁₆	GA2XRL3684R-W	10,601	11,564

BASE RIGHT TROUGH LEFT END



30	72	29 7/16	GA2XRL3072TR-W	9,694	10,576
36	72	29 ⁷ /16	GA2XRL3672TR-W	9,992	10,900
36	78	29 ⁷ / ₁₆	GA2XRL3678TR-W	10,293	11,227
36	84	29 ⁷ / ₁₆	GA2XRL3684TR-W	10,601	11,564

- Optional 10" height modesty panel with 6" overhang
- Trough end units are required when a tackzone spans over the end of the desk worksurface.
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Stainless base is 1.5" square stainless tube with brushed finish

1.5" worksurface is rabbeted into stainless base assembly.

1/2" top thickness is visible on all sides

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP FINISH TYPE
4.	DESKTOP INSERT
5.	MODESTY
6.	GROMMET
7.	PENCIL LIP COLOR (TROUGH ONLY)
8.	OFFICE #

See set 2 below for grommet option codes

No Grommet **GN**Left **GL** ___ (Add +\$212)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GLSV** = left grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2XRL3072R-W.NC215.OP.TVN.MY.GN.OFC1


 $\frac{\text{GA2XRL3072R-W}}{\text{MODEL NUMBER}} \qquad \frac{\text{NC215}}{\text{FiNISH}} \qquad \frac{\text{OP}}{\text{TOP}} \qquad \frac{\text{TVN}}{\text{DESKTOP}} \qquad \frac{\text{MY}}{\text{MODESTY}} \qquad \frac{\text{GN}}{\text{GROMMET}} \qquad \frac{\text{OFC1}}{\text{OFFICE}}$

EXTENSIONS

Left hand | modesty panel base

		D	W	Н	model number	veneer 2	veneer 3
BASE LEFT							
NO TROUGH		30	72	29 ⁷ / ₁₆	GA2XRM3072L-W	7,974	8,699
	a	36	72	29 ⁷ / ₁₆	GA2XRM3672L-W	8,221	8,968
		36	78	29 ⁷ / ₁₆	GA2XRM3678L-W	8,466	9,236
	User Side	36	84	29 ⁷ / ₁₆	GA2XRM3684L-W	8,721	9,513

BASE LEFT TROUGH RIGHT END



30	72	29 7/16	GA2XRM3072TL-W	7,974	8,699
36	72	29 ⁷ / ₁₆	GA2XRM3672TL-W	8,221	8,968
36	78	29 ⁷ / ₁₆	GA2XRM3678TL-W	8,466	9,236
36	84	29 ⁷ / ₁₆	GA2XRM3684TL-W	8,721	9,513


- 10" overhang approach side
- 15" overhang on conference end
- Trough end units are required when a tackzone spans over the end of the desk worksurface.
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See set 3 below for grommet option codes No Grommet GN

No Grommet GN
Right GR (Add +\$212)

= add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GRSV** = right grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2XRM3072L-W.NC215.OP.TVN.GN.OFC


 GA2XRM3072LW
 NC215
 OP
 TVN
 GN
 OFC1

 MODEL NUMBER
 FINISH
 TOP
 DESKTOP
 GROMMET
 OFFICE

Right hand | modesty panel base

		D	W	Н	model number	veneer 2	veneer 3
BASE RIGHT							
NO TROUGH		30	72	29 ⁷ /16	GA2XRM3072R-W	7,974	8,699
		36	72	29 ⁷ /16	GA2XRM3672R-W	8,221	8,968
		36	78	29 ⁷ /16	GA2XRM3678R-W	8,466	9,236
	User Side	36	84	29 ⁷ / ₁₆	GA2XRM3684R-W	8,721	9,513

BASE RIGHT TROUGH LEFT END



30	72	29 7/16	GA2XRM3072TR-W	7,974	8,699
36	72	29 ⁷ / ₁₆	GA2XRM3672TR-W	8,221	8,968
36	78	29 ⁷ / ₁₆	GA2XRM3678TR-W	8,466	9,236
36	84	29 ⁷ / ₁₆	GA2XRM3684TR-W	8,721	9,513

- 10" overhang approach side
- 15" overhang on conference end
- Trough end units are required when a tackzone spans over the end of the desk worksurface.
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP FINISH TYPE
4.	DESKTOP INSERT
5.	GROMMET
6.	PENCIL LIP COLOR (TROUGH ONLY)
7.	OFFICE #

See set 2 below for grommet option codes

No Grommet GN GL (Add +\$212)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GLSV** = left grommet, silver bezel, veneer door

See inside front cover for required option codes


Example

GA2XRM3072R-W.NC215.OP.TVN.GN.OFC1

 GA2XRM3072R-W
 NC215
 OP
 TVN
 GN
 OFC1

 MODEL NUMBER
 FINISH
 TOP FINISH
 DESKTOP INSERT
 GROMMET
 OFFICE

	D	W	Н	model number	veneer 2	veneer 3
CONFERENCE END LEFT						
NO TROUGH	30	72	29 ⁷ / ₁₆	GA2XRAK3072L-W	14,428	15,739
	36	72	29 ⁷ / ₁₆	GA2XRAK3672L-W	14,936	16,293
	36	78	29 ⁷ / ₁₆	GA2XRAK3678L-W	15,444	16,846
User Side	36	84	29 ⁷ / ₁₆	GA2XRAK3684L-W	15,966	17,418



CONFERENCE END LEFT TROUGH RIGHT END





30	72	29 ⁷ / ₁₆	GA2XRAK3072TL-W	14,428	15,739
36	72	29 ⁷ / ₁₆	GA2XRAK3672TL-W	14,936	16,293
36	78	29 ⁷ / ₁₆	GA2XRAK3678TL-W	15,444	16,846
36	84	29 ⁷ /16	GA2XRAK3684TL-W	15,966	17,418

- 10" overhang approach side
- 15" overhang on conference end
- Trough end units are required when a tackzone spans over the end of the desk worksurface.
- Trough units include a metal pencil lip
- Provides sit-to-stand electric height adjustment
- Height adjustable mechanism is integrated into a wood base
- Includes black metal shroud to conceal height adjustable hardware when in raised position
- 29" to 45" height adjustment range
- If attaching to a bridge, specify bridge model for use with height adjustable extensions
- If attaching to a return, a 3" shorter width modesty or wall access panel must be used on return

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP FINISH TYPE
4.	DESKTOP INSERT
5.	GROMMET
6.	PENCIL LIP COLOR (TROUGH ONLY)
7.	OFFICE #

See set 3 below for grommet option codes

No Grommet GN
Right GR ___ (Add +\$212)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GRSV** = right grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2XRAK3072L-W.NC215.OP.TVN.GN.OFC1

 GAZXRAK3072L-W
 NC215
 OP
 TVN
 GN
 OFC1

 MODEL NUMBER
 FINISH
 TOP
 DESKTOP
 GROMMET
 OFFICE

06/25

Right hand | height adjustable base


	D	W	Н	model number	veneer 2	veneer 3
CONFERENCE END RIGHT						
NO TROUGH	30	72	29 ⁷ / ₁₆	GA2XRAK3072R-W	14,428	15,739
	36	72	29 ⁷ / ₁₆	GA2XRAK3672R-W	14,936	16,293
	36	78	29 ⁷ / ₁₆	GA2XRAK3678R-W	15,444	16,846
User Side	36	84	29 ⁷ / ₁₆	GA2XRAK3684R-W	15,966	17,418



CONFERENCE END RIGHT TROUGH LEFT END



User Side



30	72	29 ⁷ / ₁₆	GA2XRAK3072TR-W	14,428	15,739
36	72	29 ⁷ / ₁₆	GA2XRAK3672TR-W	14,936	16,293
36	78	29 ⁷ / ₁₆	GA2XRAK3678TR-W	15,444	16,846
36	84	29 ⁷ /16	GA2XRAK3684TR-W	15,966	17,418

- 10" overhang approach side
- 15" overhang on conference end
- Trough end units are required when a tackzone spans over the end of the desk worksurface.
- · Trough units include a metal pencil lip
- Provides sit-to-stand electric height adjustment
- Height adjustable mechanism is integrated into a wood base
- Includes black metal shroud to conceal height adjustable hardware when in raised position
- 29" to 45" height adjustment range
- If attaching to a bridge, specify bridge model for use with height adjustable extensions
- If attaching to a return, a 3" shorter width modesty or wall access panel must be used on return

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP FINISH TYPE
4.	DESKTOP INSERT
5.	GROMMET
6.	PENCIL LIP COLOR (TROUGH ONLY)
7.	OFFICE #

See set 2 below for grommet option codes

No Grommet GN
Left GL (Add +\$212)

= add grommet bezel color and door finish

to complete option pick.

SV = silver bezel, veneer door

BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GLSV** = left grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2XRAK3072R-W.NC215.OP.TVN.GN.OFC

 GA2XRAK3072R-W
 NC215
 OP
 TVN
 GN
 OFC1

 MODEL NUMBER
 FINISH
 TOP FINISH
 DESKTOP INSERT
 GROMMET
 OFFICE

EXTENSIONS

Left hand | miter end panel base

D	W	Н	model number	veneer 2	veneer 3
30	72	29 ⁷ / ₁₆	GA2XRR3072L-W	7,290	7,952
36	72	29 ⁷ / ₁₆	GA2XRR3672L-W	7,515	8,197
36	78	29 ⁷ / ₁₆	GA2XRR3678L-W	7,742	8,446
36	84	29 ⁷ /16	GA2XRR3684L-W	7,973	8,697
	36	30 72 36 72 36 78	30 72 29 ⁷ / ₁₆ 36 72 29 ⁷ / ₁₆ 36 78 29 ⁷ / ₁₆	30 72 29 ⁷ / ₁₆ GA2XRR3072L-W 36 72 29 ⁷ / ₁₆ GA2XRR3672L-W 36 78 29 ⁷ / ₁₆ GA2XRR3678L-W	30 72 29 ⁷ / ₁₆ GA2XRR3072L-W 7,290 36 72 29 ⁷ / ₁₆ GA2XRR3672L-W 7,515 36 78 29 ⁷ / ₁₆ GA2XRR3678L-W 7,742

BASE LEFT TROUGH RIGHT END



30	72	29 7/16	GA2XRR3072TL-W	7,290	7,952
36	72	29 ⁷ / ₁₆	GA2XRR3672TL-W	7,515	8,197
36	78	29 ⁷ / ₁₆	GA2XRR3678TL-W	7,742	8,446
36	84	29 ⁷ / ₁₆	GA2XRR3684TL-W	7,973	8,697

- 6" overhang approach side
- Trough end units are required when a tackzone spans over the end of the desk worksurface.
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP FINISH TYPE
4.	DESKTOP INSERT
5.	GROMMET
6.	PENCIL LIP COLOR (TROUGH ONLY)
7.	OFFICE #

See set 3 below for grommet option codes

No Grommet GN
Right GR ___ (Add +\$212)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door BV = black bezel, veneer door WG = silver bezel, white glass door MG = silver bezel, muslin glass door BG = black bezel, black glass door

Example: **GRSV** = right grommet, silver bezel, veneer door

See inside front cover for required option codes


Example

GA2XRR3072L-W.NC215.OP.TVN.GN.OFC1

Right hand | miter end panel base

		D	W	Н	model number	veneer 2	veneer 3
BASE RIGHT							
NO TROUGH		30	72	29 ⁷ / ₁₆	GA2XRR3072R-W	7,290	7,952
	Miter	36	72	29 ⁷ / ₁₆	GA2XRR3672R-W	7,515	8,197
		36	78	29 ⁷ / ₁₆	GA2XRR3678R-W	7,742	8,446
	User Side	36	84	29 ⁷ / ₁₆	GA2XRR3684R-W	7,973	8,697

BASE RIGHT TROUGH LEFT END



30	72	29 7/16	GA2XRR3072TR-W	7,290	7,952
36	72	29 ⁷ / ₁₆	GA2XRR3672TR-W	7,515	8,197
36	78	29 ⁷ / ₁₆	GA2XRR3678TR-W	7,742	8,446
36	84	29 ⁷ / ₁₆	GA2XRR3684TR-W	7,973	8,697

- 6" overhang approach side
- Trough end units are required when a tackzone spans over the end of the desk worksurface.
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP FINISH TYPE
4.	DESKTOP INSERT
5.	GROMMET
6.	PENCIL LIP COLOR (TROUGH ONLY)
7.	OFFICE #

See set 2 below for grommet option codes

No Grommet GN
Left GL (Add +\$212)

= add grommet bezel color and door finish

to complete option pick.

SV = silver bezel, veneer door

BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GLSV** = left grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2XRR3072R-W.NC215.OP.TVN.GN.OFC1

 GA2XRR3072R-W
 NC215
 OP
 TVN
 GN
 OFC1

 MODEL NUMBER
 FINISH
 TOP
 DESKTOP INSERT
 GROMMET
 OFFICE # INSERT

Left hand | stainless metal base

		D	W	Н	model number	veneer 2	veneer 3
STANDARD							
BASE LEFT		30	48	29 ⁷ / ₁₆	GA2RRL3048L-W	8,237	8,986
		30	54	29 ⁷ /16	GA2RRL3054L-W	8,484	9,256
	User Side	36	54	29 ⁷ /16	GA2RRL3654L-W	8,741	9,536
		36	60	29 ⁷ /16	GA2RRL3660L-W	9,003	9,821

[•] Optional 10" height modesty panel with 6" overhang

LAYERS OVERLAPPING BASE LEFT



User Side

30	72	29 7/16	GA2RLRL3072L-W	8,652	9,438
30	78	29 ⁷ / ₁₆	GA2RLRL3078L-W	9,086	9,912
36	78	29 ⁷ / ₁₆	GA2RLRL3678L-W	9,539	10,405
36	84	29 ⁷ / ₁₆	GA2RLRL3684L-W	10,014	10,924

- Optional 10" height modesty panel with 6" overhang
- Layers units overlap low height credenza worksurfaces
- · Includes layers box
- Unit is free-floating on lower credenza worksurface
- Includes pencil lip on end of unit

PRODUCT INFO

Stainless base is 1.5" square stainless tube with brushed finish

1.5" worksurface is rabbeted into stainless base assembly - H" top thickness is visible on all sides

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See set 3 below for grommet option codes

No Grommet GN
Right GR (Add +\$212)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door BV = black bezel, veneer door WG = silver bezel, white glass door MG = silver bezel, muslin glass door BG = black bezel, black glass door

Example: **GRSV** = right grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2RRL3048L-W.NC215.OP.TVN.MY.GN.PLS.OFC1

 GA2RRL3048L-W
 NC215
 OP
 TVN
 MY
 GN
 PLS
 OFC1

 MODEL NUMBER
 FINISH
 TOP
 DESKTOP
 MODESTY
 GROMMET
 PENCIL LIP
 OFFICE #

 INISH
 TINISH
 INISH
 TINISH
 TINISH
 TOP
 DESKTOP
 MODESTY
 GROMMET
 PENCIL LIP
 OFFICE #

06/25

Right hand | stainless metal base

		D	W	Н	model number	veneer 2	veneer 3
STANDARD							
BASE RIGHT		30	48	29 ⁷ / ₁₆	GA2RRL3048R-W	8,237	8,986
		30	54	29 ⁷ /16	GA2RRL3054R-W	8,484	9,256
	User Side	36	54	29 ⁷ / ₁₆	GA2RRL3654R-W	8,741	9,536
4		36	60	29 ⁷ / ₁₆	GA2RRL3660R-W	9,003	9,821

[•] Optional 10" height modesty panel with 6" overhang

LAYERS OVERLAPPING **BASE RIGHT**



30	72	29 7/16	GA2RLRL3072R-W	8,652	9,438
30	78	29 ⁷ / ₁₆	GA2RLRL3078R-W	9,086	9,912
36	78	29 ⁷ / ₁₆	GA2RLRL3678R-W	9,539	10,405
36	84	29 ⁷ / ₁₆	GA2RLRL3684R-W	10,014	10,924

- Optional 10" height modesty panel with 6" overhang
- · Layers units overlap low height credenza worksurfaces
- · Includes layers box
- · Unit is free-floating on lower credenza worksurface
- Includes pencil lip on end of unit

PRODUCT INFO

Stainless base is 1.5" square stainless tube with brushed finish

1.5" worksurface is rabbeted into stainless base assembly -H" top thickness is visible on all sides

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP FINISH TYPE
4.	MODESTY
5.	GROMMET
6.	PENCIL LIP COLOR (LAYERS ONLY)
7.	OFFICE #

See set 2 below for grommet option codes

No Grommet GN **GL** ___ (Add +\$212) Left = add grommet bezel color and door finish

to complete option pick. SV = silver bezel, veneer door

BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door BG = black bezel, black glass door

Example: **GLSV** = left grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2RRL3048R-W.NC215.OP.TVN.MY.GN.PLS.OFC1

GA2RRL3048R-W NC215 OP MODEL NUMBER

Left hand | miter panel base

		D	W	Н	model number	veneer 2	veneer 3
STANDARD							
BASE LEFT		30	48	29 ⁷ / ₁₆	GA2RRR3048L-W	6,195	6,759
Miter		30	54	29 ⁷ / ₁₆	GA2RRR3054L-W	6,383	6,962
		36	54	29 ⁷ / ₁₆	GA2RRR3654L-W	6,573	7,171
	User Side	36	60	29 ⁷ / ₁₆	GA2RRR3660L-W	6,770	7,385

^{• 6&}quot; overhang approach side

LAYERS OVERLAPPING

BASE LEFT




30	72	29 ⁷ / ₁₆	GA2RLRR3072L-W	6,508	7,100
30	78	29 ⁷ / ₁₆	GA2RLRR3078L-W	6,831	7,452
36	78	29 ⁷ / ₁₆	GA2RLRR3678L-W	7,171	7,822
36	84	29 ⁷ / ₁₆	GA2RLRR3684L-W	7,532	8,216

- 6" overhang approach side
- · Layers units overlap low height credenza worksurfaces
- · Includes layers box
- · Unit is free-floating on lower credenza worksurface
- Includes pencil lip on end of unit

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See set 3 below for grommet option codes GN

Credentials

GR ___ (Add +\$212) Right = add grommet bezel color and door finish to complete option pick. SV = silver bezel, veneer door

BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door BG = black bezel, black glass door

No Grommet

Example: GRSV = right grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2RRR3048L-W.NC215.OP.TVN.GNS.PLS.OFC1

GA2RRR3048L-W NC215 OP


RUNOFF DESKS

Right hand | miter panel base

		D	W	Н	model number	veneer 2	veneer 3
STANDARD							
BASE RIGHT	N Alder in	30	48	29 ⁷ / ₁₆	GA2RRR3048R-W	6,195	6,759
	Miter	30	54	29 ⁷ / ₁₆	GA2RRR3054R-W	6,383	6,962
	User Side	36	54	29 ⁷ / ₁₆	GA2RRR3654R-W	6,573	7,171
V		36	60	29 ⁷ / ₁₆	GA2RRR3660R-W	6,770	7,385

^{• 6&}quot; overhang approach side

LAYERS OVERLAPPING **BASE RIGHT**



30	72	29 ⁷ / ₁₆	GA2RLRR3072R-W	6,508	7,100
30	78	29 ⁷ / ₁₆	GA2RLRR3078R-W	6,831	7,452
36	78	29 ⁷ / ₁₆	GA2RLRR3678R-W	7,171	7,822
36	84	29 ⁷ / ₁₆	GA2RLRR3684R-W	7,532	8,216

- 6" overhang approach side
- · Layers units overlap low height credenza worksurfaces
- · Includes layers box
- · Unit is free-floating on lower credenza worksurface
- Includes pencil lip on end of unit

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP FINISH TYPE
4.	GROMMET
5.	PENCIL LIP COLOR (LAYERS ONLY)
6.	OFFICE #

See set 2 below for grommet option codes

No Grommet GN **GL** ___ (Add +\$212) Left

= add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door BG = black bezel, black glass door

Example: **GLSV** = left grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2RRR3048R-W.NC215.OP.TVN.GN.PLS.OFC1

GA2RRR3048R-W NC215 OP

RUNOFF DESKS

Left hand | pedestal

		D	W	Н	model number	veneer 2	veneer 3
STANDARD							
PEDESTAL LEFT		30	48	29 ⁷ / ₁₆	GA2RRO3048L-3W	7,429	8,104
		30	54	29 ⁷ / ₁₆	GA2RRO3054L-3W	7,649	8,344
		36	54	29 ⁷ / ₁₆	GA2RRO3654L-3W	7,879	8,595
	User Side	36	60	29 ⁷ /16	GA2RRO3660L-3W	8,117	8,855



- 6" overhang approach side
- -3 pedestals include hidden upper box drawer
- All units include 15" width pedestal

LAYERS OVERLAPPING PEDESTAL LEFT







Approach Side

- 6" overhang approach side
- -3 pedestals include hidden upper box drawer
- All units include 15" width pedestal
- Layers units overlap low height credenza worksurfaces
- · Includes layers box
- Unit is free-floating on lower credenza worksurface
- Includes pencil lip on end of unit

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER	See set 3 below f	or grommet option codes		
2.	FINISH	No Grommet	GN (Add #040)		
3.	TOP FINISH TYPE	Right	GR (Add +\$212)		
4.	PULL	= add gromme to complete option	et bezel color and door finish		
5.	MODESTY				
6.	GROMMET	SV = silver bezel, veneer door BV = black bezel, veneer door WG = silver bezel, white glass door MG = silver bezel, muslin glass door			
7.	PENCIL LIP COLOR (LAYERS ONLY)				
8.	LOCKING		l, black glass door		
9.	KEYING		= right grommet, silver bezel,		
10.	OFFICE #	veneer	eneer door		
- '					

See inside front cover for required option codes

Example

GA2RRO3048L-3W.NC215.OP.TVN.MPS.MY.GN.PLS.LY.RMS.OFC1 GA2RRO3048L-3W NC215 OP TVN MPS PLS LY RMS OFC1

RUNOFF DESKS

Right hand | pedestal

		D	W	Н	model number	veneer 2	veneer 3
STANDARD							
PEDESTAL RIGHT	Т	30	48	29 ⁷ / ₁₆	GA2RRO3048R-3W	7,429	8,104
		30	54	29 ⁷ / ₁₆	GA2RRO3054R-3W	7,649	8,344
	I I :: 0: -l -	36	54	29 ⁷ / ₁₆	GA2RRO3654R-3W	7,879	8,595
	User Side	36	60	29 ⁷ / ₁₆	GA2RRO3660R-3W	8,117	8,855





Approach Side

- 6" overhang approach side
- -3 pedestals include hidden upper box drawer
- All units include 15" width pedestal

LAYERS OVERLAPPING PEDESTAL RIGHT







30	72	29 ⁷ / ₁₆	GA2RLRO3072R-3W	7,802	8,511
30	78	29 ⁷ / ₁₆	GA2RLRO3078R-3W	8,191	8,936
36	78	29 ⁷ / ₁₆	GA2RLRO3678R-3W	8,597	9,378
36	84	29 ⁷ / ₁₆	GA2RLRO3684R-3W	9,030	9,850

- 6" overhang approach side
- -3 pedestals include hidden upper box drawer
- All units include 15" width pedestal
- Layers units overlap low height credenza worksurfaces
- · Includes layers box
- Unit is free-floating on lower credenza worksurface

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP FINISH TYPE
4.	PULL
5.	MODESTY
6.	GROMMET
7.	PENCIL LIP COLOR (LAYERS ONLY)
8.	LOCKING
9.	KEYING
10.	OFFICE #
_ '	

See inside front cover for required option codes

Example

GA2RRO3048R-3W.NC215.OP.TVN.MPS.GN.PLS.LY.RMS.OFC1 GA2RRO3048R-3W NC215 TVN

OP

MPS

No Grommet

to complete option pick. SV = silver bezel, veneer door BV = black bezel, veneer door WG = silver bezel, white glass door MG = silver bezel, muslin glass door BG = black bezel, black glass door Example: GLSV = left grommet, silver bezel, veneer door

Left

RMS

OFC1

See set 2 below for grommet option codes

GL

= add grommet bezel color and door finish

_ (Add +\$212)

Standard

	D	W	Н	model number	veneer 2	veneer 3
STANDARD						
	24	42	29 ⁷ / ₁₆	GA2BRG2442-WW	3,376	3,683
	24	48	29 ⁷ / ₁₆	GA2BRG2448-WW	3,474	3,790
	24	54	29 ⁷ / ₁₆	GA2BRG2454-WW	3,572	3,896

[•] Optional no modesty panel (deduct -\$-902) or full height modesty panel

FOR USE WITH HEIGHT ADJUSTABLE EXTENSIONS



24	42	29 7/16	GA2BRG2442A-WW	3,376	3,683
24	48	29 ⁷ / ₁₆	GA2BRG2448A-WW	3,474	3,790
24	54	29 ⁷ / ₁₆	GA2BRG2454A-WW	3,572	3,896

[•] Optional no modesty panel (deduct -\$-902) or full height modesty panel

LAYERS FOR USE WITH STANDARD OR HEIGHT ADJUSTABLE DESKS/EXTENSIONS



24	66	29 ⁷ / ₁₆	GA2BLRG2466-W	3,552	3,874
24	72	29 ⁷ / ₁₆	GA2BLRG2472-W	3,647	3,978
24	78	29 ⁷ / ₁₆	GA2BLRG2478-W	3,753	4,094

- No modesty panel
- Layers units overlap low height credenza worksurfaces
- · Includes layers box
- Unit is free-floating on lower credenza worksurface

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See set 4 below for grommet option codes

No Grommet **GN**Center **GC** ___ (Add +\$212)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GCSV** = center grommet, silver bezel, veneer door

See inside front cover for required option codes

Example

GA2BRG2442-WW.NC215.OP.MY.GN.OFC1


GA2BRG2442-WW NC215 OP

MODEL NUMBER FINISH TOP

EINISH

BRIDGES

Trough back



D	W	Н	model number	veneer 2	veneer 3
21 ¹ / ₄	42	29 ⁷ / ₁₆	GA2BRG2442T-WW	4,383	4,781
21 ¹ / ₄	48	29 ⁷ / ₁₆	GA2BRG2448T-WW	4,477	4,884
21 ¹ / ₄	54	29 ⁷ / ₁₆	GA2BRG2454T-WW	4,581	4,997

- Optional no modesty panel (deduct -\$-1,479) or wall access panel
- Trough back units are required when a tackzone spans over the back of the worksurface
- Trough units include a metal pencil lip

FOR USE WITH HEIGHT ADJUSTABLE EXTENSIONS



21 1/4	42	29 ⁷ / ₁₆	GA2BRG2442TA-WW	4,383	4,781
21 1/4	48	29 7/16	GA2BRG2448TA-WW	4,477	4,884
21 1/4	54	29 7/16	GA2BRG2454TA-WW	4,581	4,997


- Optional no modesty panel (deduct -\$-1,479) or wall access panel
- Trough back units are required when a tackzone spans over the back of the worksurface
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

 GA2BRG2442T-WW.NC215.OP.MY.PLS.OFC1

 GA2BRG2442T-WW
 NC215
 OP
 MY
 PLS
 OFC1

 MODEL NUMBER
 FINISH
 TOP
 MODESTY
 PENCIL LIP
 OFFICE #

 FINISH
 TOP
 MODESTY
 PENCIL LIP
 OFFICE #

Standard & trough back

	D	W	Н	model number	veneer 2	veneer 3
STANDARD						
	24	60	1 1/2	GA2CWR2460-W	2,117	2,308
	24	66	1 1/2	GA2CWR2466-W	2,228	2,431
	24	72	1 1/2	GA2CWR2472-W	2,349	2,562
	24	78	1 1/2	GA2CWR2478-W	2,464	2,688
	24	84	1 1/2	GA2CWR2484-W	2,587	2,822
	24	90	1 1/2	GA2CWR2490-W	2,718	2,964
	24	96	1 ¹ / ₂	GA2CWR2496-W	2,850	3,109
	24	102	1 ¹ / ₂	GA2CWR24102-W	3,053	3,331
	24	108	1 ¹ / ₂	GA2CWR24108-W	3,327	3,629
	24	114	1 ¹ / ₂	GA2CWR24114-W	3,625	3,954
	24	120	1 ¹ / ₂	GA2CWR24120-W	3,955	4,314
TROUGH BACK						
Trough	24	60	1 1/2	GA2CWR2460T-W	2,117	2,308
	24	66	1 1/2	GA2CWR2466T-W	2,228	2,431
	24	72	1 1/2	GA2CWR2472T-W	2,349	2,562
	24	78	1 1/2	GA2CWR2478T-W	2,464	2,688
	24	84	1 1/2	GA2CWR2484T-W	2,587	2,822
	24	90	1 1/2	GA2CWR2490T-W	2,718	2,964
	24	96	1 1/2	GA2CWR2496T-W	2,850	3,109
	24	102	1 1/2	GA2CWR24102T-W	3,053	3,331
	24	108	1 1/2	GA2CWR24108T-W	3,327	3,629
	24	114	1 1/2	GA2CWR24114T-W	3,625	3,954
	24	120	1 1/2	GA2CWR24120T-W	3,955	4,314


- Trough back units are required when a tackzone spans over the back of the worksurface
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See set 5 below for grommet option codes

No Grommet
Left
Right
GR (Add +\$212)
GR (Add +\$212)
GR (Add +\$4212)
GB (Add +\$423)

___ = add grommet bezel color and door finish to complete option pick.

BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

SV = silver bezel, veneer door

Example: **GCSV** = center grommet, silver bezel, veneer door

Example

GA2CWR2460-W.NC215.OP.GN.PLS.OFC1

| GA2CWR2460-W | NC215 | OP | GN | PLS | OFC1 | MODEL NUMBER | FINISH | TOP | GROMMET | PENCIL LIP | OFFICE | O

06/25

CREDENZA WORKSURFACES

Trough end

					110	Jugii enu
	D	W	Н	model number	veneer 2	veneer 3
TROUGH LEFT END						
Trough	24	60	1 1/2	GA2CWR2460TL-W	2,117	2,308
	24	66	1 ¹ / ₂	GA2CWR2466TL-W	2,228	2,431
	24	72	1 ¹ / ₂	GA2CWR2472TL-W	2,349	2,562
	24	78	1 ¹ / ₂	GA2CWR2478TL-W	2,464	2,688
	24	84	1 ¹ / ₂	GA2CWR2484TL-W	2,587	2,822
	24	90	1 ¹ / ₂	GA2CWR2490TL-W	2,718	2,964
	24	96	1 ¹ / ₂	GA2CWR2496TL-W	2,850	3,109
	24	102	1 ¹ / ₂	GA2CWR24102TL-W	3,053	3,331
	24	108	1 ¹ /2	GA2CWR24108TL-W	3,327	3,629
	24	114	1 ¹ / ₂	GA2CWR24114TL-W	3,625	3,954
	24	120	1 ¹ / ₂	GA2CWR24120TL-W	3,955	4,314
	• T	rough left	t end units	are required when a tack zone spans over the left end	of the worksurface.	
	• T	rough un	its include	a metal pencil lip		
TROUGH RIGHT END	24	60	1 ¹ / ₂	GA2CWR2460TR-W	2,117	2,308
Trough	24	66	1 ¹ / ₂	GA2CWR2466TR-W	2,228	2,431
	24	72	1 1/2	GA2CWR2472TR-W	2,349	2,562



•	Trough back units are required when a tackzone spans over the back of the worksurface

GA2CWR2478TR-W

GA2CWR2484TR-W

GA2CWR2490TR-W

GA2CWR2496TR-W

GA2CWR24102TR-W

GA2CWR24108TR-W

GA2CWR24114TR-W


GA2CWR24120TR-W

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Long grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See set 5 below for grommet option codes

2,464

2,587

2,718

2,850

3,053

3,327

3,625

3,955

2,688

2,822

2,964

3,109

3,331

3,629

3,954

4,314

No Grommet GN Left GL (Add +\$212) __ (Add +\$212) Right GR Left & Right GB_ _ (Add +\$423)

= add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door **BV** = black bezel, veneer door **WG** = silver bezel, white glass door MG = silver bezel, muslin glass door BG = black bezel, black glass door

Example: GCSV = center grommet, silver

Example

24

24

24

24

24

24

24

78

84

90

96

102

108

114

120

1 1/2

1 1/2

 $1^{1/2}$

 $1^{1/2}$

1 1/2

1 1/2

 $1^{1/2}$

1 1/2

GA2CWR2460TL-W.NC215.OP.GN.PLS.OFC1

GA2CWR2460TL-W NC215 PLS OFC1 GROMMET PENCIL LIP OFFICE #

[•] Trough units include a metal pencil lip

Standard

	D	W	Н	model number	veneer 2	veneer 3
STANDARD						
	24	42	1 ¹ / ₂	GA2RWR2442-W	1,816	1,981
	24	48	1 ¹ / ₂	GA2RWR2448-W	1,909	2,083
	24	54	1 ¹ / ₂	GA2RWR2454-W	2,012	2,194
	24	60	1 ¹ / ₂	GA2RWR2460-W	2,117	2,308
	24	66	1 ¹ / ₂	GA2RWR2466-W	2,228	2,431
	24	72	1 ¹ / ₂	GA2RWR2472-W	2,349	2,562

PRODUCT INFO

Short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See set 5 below for grommet option codes

No Grommet Left	GN GL (Add +\$212)
Right	GR (Add +\$212)
Left & Right	GB (Add +\$423)

___ = add grommet bezel color and door finish to complete option pick.

SV = silver bezel, veneer door
BV = black bezel, veneer door
WG = silver bezel, white glass door
MG = silver bezel, muslin glass door
BG = black bezel, black glass door

Example: **GCSV** = center grommet, silver bezel, veneer door

Example

GA2RWR2442-W.NC215.OP.GN.OFC1

 GA2RWR2442-W
 NC215
 OP
 GN
 OFC1

 MODEL NUMBER
 FINISH
 TOP FINISH
 GROMMET
 OFFICE

RETURN WORKSURFACES

Trough back

	D	W	Н	model number	veneer 2	veneer 3
TROUGH BACK						
Trough	24	42	1 1/2	GA2RWR2442T-W	1,816	1,981
Hough	24	48	1 1/2	GA2RWR2448T-W	1,909	2,083
	24	54	1 ¹ / ₂	GA2RWR2454T-W	2,012	2,194
	24	60	1 ¹ / ₂	GA2RWR2460T-W	2,117	2,308
	24	66	1 ¹ / ₂	GA2RWR2466T-W	2,228	2,431
	24	72	1 1/2	GA2RWR2472T-W	2.349	2.562


- Trough back units are required when a tackzone spans over the back of the worksurface
- Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

short grain veneer on worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

 Example

 GA2RWR2442T-W.NC215.OP.PLS.OFC1

 GA2RWR2442T-W
 NC215
 OP
 PLS
 OFC1

 MODEL NUMBER
 FINISH
 TOP
 PENCIL LIP
 OFFICE #

	D	W	Н	model number	veneer 2	veneer 3
15" WIDTH False Pedestals	24	15	27 ¹⁵ / ₁₆	GA2MPW2415L-LW	1,508	1,645
	• F	or use v		ndard or trough back worksurfaces nodesty panel applications		
		15 or use v		GA2MPW2415L-XBW dard or trough back worksurfaces access panel or full back panel applications	1,578	1,722
		6 ¹ / ₂ or use v		GA2MPW2415L-XEW dard or trough left end worksurfaces odesty or full back panel applications	1,578	1,722

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

• Aligns with wall access panel on adjoining bridge or return

MODEL NUMBER 1. **FINISH** 2. OFFICE #

See inside front cover for required option codes

Example

GA2MPW2415L-LW.NC215.OFC1

 GA2MPW2415L-LW
 NC215
 OFC1

 MODEL NUMBER
 FINISH
 OFFICE #

Full height | left hand

	D	W	Н	model number	veneer 2	veneer 3
15" WIDTH						
FILE FILE	24 7/8	15	27 ¹⁵ / ₁₆	GA2MPW2415L-2W	3,965	4,325
B						
BOX BOX FILE	24 ⁷ /8	15	27 ¹⁵ / ₁₆	GA2MPW2415L-3W	3,965	4,325
18" WIDTH						
FILE FILE	24 ⁷ / ₈	18	27 ¹⁵ / ₁₆	GA2MPW2418L-2W	4,167	4,546
Ê						
BOX BOX FILE	24 7/8	18	27 ¹⁵ / ₁₆	GA2MPW2418L-3W	4,167	4,546


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-3 and -7 pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

 Example

 GA2MPW2415L-2W.NC215.MPS.LY.RMS.OFC1

 GA2MPW2415L-2W
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #


	D	W	Н	model number	veneer 2	veneer 3		
30" WIDTH								
LATERAL FILE	24 ⁷ /8	30	27 ¹⁵ / ₁₆	GA2MPW2430L-4W	4,520	4,931		
	• 0	otional						
BOX BOX LATERAL FILE	24 7/8	30	27 ¹⁵ / ₁₆	GA2MPW2430L-7W	4,520	4,931		
	• 0	otional	face lock					
HINGED DOOR	24 ⁷ /8	30	27 15/16	GA2MPW2430L-5W	3,965	4,325		
OPEN SHELF	24 7/8	30	27 15/16	GA2MPW2430L-SHW	3,554	3,876		
	Optional face lock							
PRINTER	24 ⁷ /8	30	27 ¹⁵ / ₁₆	GA2MPW2430L-PW	4,187	4,568		
TRASH RECEPTACLE	24 ⁷ /8	30	27 ¹⁵ / ₁₆	GA2MPW2430L-TW	4,187	4,568		
	• In							
FILE FILE +	24 ⁷ /8	30	27 ¹⁵ / ₁₆	GA2MPW2430L-23W	7,136	7,784		
BOX BOX FILE	Optional face lock							
OPEN CUBBY BOX	24 ⁷ /8	30	27 ¹⁵ / ₁₆	GA2MPW2430L-BW	4,389	4,787		
LATERAL FILE	Optional face lock							

PRODUCT INFO

Hinged door cabinets do not lock

-B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MPW2430L-4W.NC215.MPS.LY.RMS.OFC1

 GA2MPW2430L-4W
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #


	D	W	Н	model number	veneer 2	veneer 3	
36" WIDTH							
LATERAL FILE	24 ⁷ /8	36	27 ¹⁵ / ₁₆	GA2MPW2436L-4W	5,067	5,528	
	• 0	otional					
BOX BOX LATERAL FILE	24 ⁷ /8	36	27 15/16	GA2MPW2436L-7W	5,067	5,528	
	• 01	otional	face lock				
HINGED DOOR	24 ⁷ / ₈	36	27 15/16	GA2MPW2436L-5W	4,444	4,848	
OPEN SHELF	24 ⁷ / ₈	36	27 15/16	GA2MPW2436L-SHW	3,977	4,338	
	• 01	otional					
PRINTER	24 ⁷ / ₈	36	27 ¹⁵ / ₁₆	GA2MPW2436L-PW	4,689	5,115	
TRASH RECEPTACLE	24 ⁷ / ₈	36	27 ¹⁵ / ₁₆	GA2MPW2436L-TW	4,689	5,115	
	• Ind	cludes					
FILE FILE +	24 ⁷ /8	36	27 ¹⁵ / ₁₆	GA2MPW2436L-23W	7,495	8,176	
BOX BOX FILE	Optional face lock						
OPEN CUBBY BOX	24 ⁷ / ₈	36	27 ¹⁵ / ₁₆	GA2MPW2436L-BW	4,914	5,361	
LATERAL FILE	Optional face lock						

PRODUCT INFO

Hinged door cabinets do not lock

-B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MPW2436L-4W.NC215.MPS.LY.RMS.OFC1

 $\frac{\text{GA2MPW2436L-4W}}{\text{MODEL NUMBER}} \qquad \frac{\text{NC215}}{\text{Finish}} \qquad \frac{\text{MPS}}{\text{PULL}} \qquad \frac{\text{LY}}{\text{LOCKING}} \qquad \frac{\text{RMS}}{\text{KeYING}} \qquad \frac{\text{OFC1}}{\text{OFFICe} \#}$

Full height | left hand

	D	W	Н	model number	veneer 2	veneer 3
45" WIDTH HINGED DOOR + FILE FILE	24 ⁷ /8	45	27 ¹⁵ / ₁₆	GA2MPW2445L-52W	7,136	7,784
LATERAL FILE +	24 7/8	45	27 ¹⁵ / ₁₆	GA2MPW2445L-43W	7,637	8,331
BOX BOX FILE						
BOX BOX LATERAL FILE +	24 7/8	45	27 ¹⁵ / ₁₆	GA2MPW2445L-72W	7,637	8,331
FILE FILE						
54" WIDTH HINGED DOOR +	24 ⁷ / ₈	54	27 ¹⁵ / ₁₆	GA2MPW2454L-52W	7,744	8,448
FILE FILE						<u> </u>
LATERAL FILE +	24 ⁷ /8	54	27 ¹⁵ / ₁₆	GA2MPW2454L-43W	8,307	9,062
BOX BOX FILE						
BOX BOX LATERAL FILE +	24 ⁷ / ₈	54	27 ¹⁵ / ₁₆	GA2MPW2454L-72W	8,307	9,062
FILE FILE						


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-3 and -7 pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

 Example

 GA2MPW2445L-52W.NC215.MPS.LY.RMS.OFC1

 GA2MPW2445L-52W
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

PEDESTALS

Full height | left hand

	D	W	Н	model number	veneer 2	veneer 3
60" WIDTH LATERAL FILE	24 ⁷ /8	60	27 ¹⁵ /16	GA2MPW2460L-44W	8,141	8,881
HINGED DOOR	24 7/8	60	27 ¹⁵ / ₁₆	GA2MPW2460L-55W	7,136	7,784
OPEN CUBBY BOX LATERAL FILE	24 7/8	60	27 15/16	GA2MPW2460L-BBW	7,895	8,613


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

 Example

 GA2MPW2460L-44W.NC215.MPS.LY.RMS.OFC1

 GA2MPW2460L-44W
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

	D	W	Н	model number	veneer 2	veneer 3
15" WIDTH FALSE PEDESTALS	24	15	27 ¹⁵ / ₁₆	GA2MPW2415R-LW	1,508	1,645
	• F	or use v		ndard or trough back worksurfaces modesty panel applications		
		15 or use v		GA2MPW2415R-XBW dard or trough back worksurfaces access or full back panel applications	1,578	1,722
		6 ¹ / ₂ or use v	vith: stand	GA2MPW2415R-XEW dard or trough left end worksurfaces odesty or full back panel applications	1,578	1,722

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

• Aligns with wall access panel on adjoining bridge or return

MODEL NUMBER 1. 2. **FINISH** OFFICE #

See inside front cover for required option codes

Example

GA2MPW2415R-LW.NC215.OFC1

 GA2MPW2415R-LW
 NC215
 OFC1

 MODEL NUMBER
 FINISH
 OFFICE #

PEDESTALS

Full height | right hand

	D	W	Н	model number	veneer 2	veneer 3
15" WIDTH FILE FILE	24 7/8	15	27 ¹⁵ /16	GA2MPW2415R-2W	3,965	4,325
BOX BOX FILE	24 7/8	15	27 ¹⁵ / ₁₆	GA2MPW2415R-3W	3,965	4,325
18" WIDTH FILE FILE	24 7/8	18	27 ¹⁵ / ₁₆	GA2MPW2418R-2W	4,167	4,546
BOX BOX FILE	24 7/8	18	27 ¹⁵ / ₁₆	GA2MPW2418R-3W	4,167	4,546


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-3 and -7 pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

 GA2MPW2415R-2W.NC215.MPS.LY.RMS.OFC1

 GA2MPW2415R-2W
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

Full height | right hand

	D	W	Н	model number	veneer 2	veneer 3
30" WIDTH						
LATERAL FILE	24 ⁷ /8	30	27 ¹⁵ / ₁₆	GA2MPW2430R-4W	4,520	4,931
BOX BOX LATERAL FILE	24 ⁷ /8	30	27 ¹⁵ / ₁₆	GA2MPW2430R-7W	4,520	4,931
HINGED DOOR	24 7/8	30	27 ¹⁵ / ₁₆	GA2MPW2430R-5W	3,965	4,325
OPEN SHELF	24 ⁷ /8	30	27 ¹⁵ / ₁₆	GA2MPW2430R-SHW	3,554	3,876
PRINTER	24 ⁷ /8	30	27 ¹⁵ / ₁₆	GA2MPW2430R-PW	4,187	4,568
TRASH RECEPTACLE	24 ⁷ /8	30	27 ¹⁵ / ₁₆	GA2MPW2430R-TW	4,187	4,568
	• Ind	cludes	quantity (2) tras	h cans		
FILE FILE +	24 7/8	30	27 15/16	GA2MPW2430R-32W	7,136	7,784
BOX BOX FILE						
OPEN CUBBY BOX	24 ⁷ /8	30	27 ¹⁵ / ₁₆	GA2MPW2430R-BW	4,389	4,787
LATERAL FILE						


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

 Example

 GA2MPW2430R-4W.Nc215.MPS.LY.RMS.OFC1

 GA2MPW2430R-4W
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

PEDESTALS

Full height | right hand

	D	W	Н	model number	veneer 2	veneer 3
36" WIDTH						
LATERAL FILE	24 ⁷ / ₈	36	27 ¹⁵ / ₁₆	GA2MPW2436R-4W	5,067	5,528
BOX BOX LATERAL FILE	24 ⁷ / ₈	36	27 ¹⁵ / ₁₆	GA2MPW2436R-7W	5,067	5,528
HINGED DOOR	24 ⁷ / ₈	36	27 ¹⁵ / ₁₆	GA2MPW2436R-5W	4,444	4,848
OPEN SHELF	24 ⁷ /8	36	27 ¹⁵ / ₁₆	GA2MPW2436R-SHW	3,977	4,338
PRINTER	24 ⁷ / ₈	36	27 ¹⁵ / ₁₆	GA2MPW2436R-PW	4,689	5,115
TRASH RECEPTACLE	24 ⁷ /8	36	27 ¹⁵ / ₁₆	GA2MPW2436R-TW	4,689	5,115
	• Ind	cludes	quantity (2) tras	h cans		
BOX BOX FILE+	24 ⁷ / ₈	36	27 ¹⁵ / ₁₆	GA2MPW2436R-32W	7,495	8,176
FILE FILE						
OPEN CUBBY BOX	24 ⁷ / ₈	36	27 ¹⁵ / ₁₆	GA2MPW2436R-BW	4,914	5,361
LATERAL FILE						


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

 GA2MPW2436R-4W.NC215.MPS.LY.RMS.OFC1

 GA2MPW2436R-4W
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

Full height | right hand

	D	W	Н	model number	veneer 2	veneer 3
45" WIDTH						
HINGED DOOR +	24 ⁷ /8	45	27 15/16	GA2MPW2445R-25W	7,136	7,784
FILE FILE						
LATERAL FILE +	24 ⁷ /8	45	27 15/16	GA2MPW2445R-34W	7,637	8,331
BOX BOX FILE						
BOX BOX LATERAL FILE +	24 7/8	45	27 ¹⁵ / ₁₆	GA2MPW2445R-27W	7,637	8,331
54" WIDTH						
HINGED DOOR +	24 ⁷ /8	54	27 ¹⁵ / ₁₆	GA2MPW2454R-25W	7,744	8,448
FILE FILE	24 /0		21 /10	GAZIII WZ4541125W	7,777	0,440
LATERAL FILE +	24 ⁷ /8	54	27 15/16	GA2MPW2454R-34W	8,307	9,062
BOX BOX FILE BOX BOX LATERAL FILE +	24 7/8	54	27 ¹⁵ /16	GA2MPW2454R-27W	8,307	9,062
PRODUCT INFO	IO OR	DER		SPECIFY THE FOLLOWING:		
All pedestals have optional	1.			L NUMBER		
face locks	2. 3.		FINISH	1		
Hinged door cabinets do not	4.		LOCKI	ING		
lock	5.		KEYIN	IG		
-3 and -7 pedestals include hidden upper box drawer	6.		OFFIC	E #		
	See insid	le fron	t cover for re	quired option codes		
	Example)				
	GA2MPW2445 GA2MPW244 MODEL NUMBE	45R-25W		DFC1 MPS		
	ODLL NUMBE		i inion I	EGGING NEIMG GITTEF		

PEDESTALS

Full height | right hand

	D	W	Н	model number	veneer 2	veneer 3
60" WIDTH LATERAL FILE	24 7/8	60	27 ¹⁵ /16	GA2MPW2460R-44W	8,141	8,881
HINGED DOOR	24 7/8	60	27 ¹⁵ /16	GA2MPW2460R-55W	7,136	7,784
OPEN CUBBY BOX LATERAL FILE	24 7/8	60	27 15/16	GA2MPW2460R-BBW	7,895	8,613


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-BB pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

 Example

 GA2MPW2460R-44W.NC215.MPS.LY.RMS.OFC1

 GA2MPW2460R-44W
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

Low height | left hand

	D	W	Н	model number	veneer 2	veneer 3
15" WIDTH						
FALSE PEDESTALS	24	15	20 ³ / ₁₆	GA2MLPW2415L-LW	1,435	1,565
	• F	or use v	dard or trough back worksurfaces odesty panel applications			
Ţ	24 • F	15 or use v		GA2MLPW2415L-XBW dard or trough back worksurfaces access panel or full back panel applications	1,498	1,634

Low height | left hand

	D	W	Н	model number	veneer 2	veneer 3
15" WIDTH						
BOX FILE	24 ⁷ / ₈	15	20 3/16	GA2MLPW2415L-AW	3,766	4,108
18" WIDTH						
BOX FILE	24 7/8	18	20 ³ / ₁₆	GA2MLPW2418L-AW	3,958	4,318


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

 Example

 GA2MLPW2415L-AW.NC215.MPS.LY.RMS.OFC1

 GA2MLPW2415L-AW
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

Low height | left hand


	D	W	Н	model number	veneer 2	veneer 3
30" WIDTH						
BOX LATERAL FILE	24 7/8	30	20 ³ / ₁₆	GA2MLPW2430L-BW	4,298	4,688
	• O¢	otional				
HINGED DOOR	24 7/8	30	20 ³ / ₁₆	GA2MLPW2430L-5W	3,766	4,108
OPEN SHELF	24 7/8	30	20 ³ / ₁₆	GA2MLPW2430L-SHW	3,374	3,681
PRINTER	24 7/8	30	20 ³ / ₁₆	GA2MLPW2430L-PW	3,977	4,338
TRASH RECEPTACLE	24 ⁷ / ₈	30	20 ³ / ₁₆ quantity (2) tra	GA2MLPW2430L-TW ash cans	6,171	6,732

PRODUCT INFO

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MLPW2430L-BW.NC215.MPS.LY.RMS.OFC1

 $\frac{\text{GA2MLPW2430L-BW}}{\text{MODEL NUMBER}} \quad \frac{\text{NC215}}{\text{Finish}} \quad \frac{\text{MPS}}{\text{PULL}} \quad \frac{\text{LY}}{\text{LOCKING}} \quad \frac{\text{RMS}}{\text{KeYING}} \quad \frac{\text{OFC1}}{\text{OFFIce ℓ}}$

Low height | left hand


	D	W	Н	model number	veneer 2	veneer 3
36" WIDTH BOX LATERAL FILE	24 ⁷ /8	36 ptional	20 ³ / ₁₆ face lock	GA2MLPW2436L-BW	4,810	5,247
HINGED DOOR	24 7/8	36	20 3/16	GA2MLPW2436L-5W	4,220	4,604
OPEN SHELF	24 7/8	36	20 3/16	GA2MLPW2436L-SHW	3,783	4,127
PRINTER	24 7/8	36	20 3/16	GA2MLPW2436L-PW	4,459	4,864
TRASH RECEPTACLE	24 ⁷ / ₈	36 cludes	20 ³ / ₁₆ quantity (2) tra	GA2MLPW2436L-TW ash cans	4,459	4,864

PRODUCT INFO

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MLPW2436L-BW.NC215.MPS.LY.RMS.OFC1 GA2MLPW2436L-BW NC215 MPS RMS FINISH PULL LOCKING KEYING OFFICE # MODEL NUMBER

OFC1

Credentials

Low height | left hand

	D	W	Н	model number	veneer 2	veneer 3
45" WIDTH						
HINGED DOOR +	24 ⁷ /8	45	20 ³ / ₁₆	GA2MLPW2445L-5AW	6,777	7,393
BOX FILE						
BOX LATERAL FILE +	24 ⁷ /8	45	20 ³ / ₁₆	GA2MLPW2445L-BAW	7,255	7,913
BOX FILE						
54" WIDTH	2.1.71		00.24		7055	
HINGED DOOR + BOX FILE	24 7/8	54	20 ³ / ₁₆	GA2MLPW2454L-5AW	7,355	8,024
BOXTILL						
BOX LATERAL FILE + BOX FILE	24 7/8	54	20 ³ / ₁₆	GA2MLPW2454L-BAW	7,889	8,606


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MLPW2445L-5AW.NC215.MPS.LY.RMS.OFC1

 $\frac{\text{GA2MLPW2445L-SAW}}{\text{MODEL NUMBER}} \qquad \frac{\text{NC215}}{\text{Finish}} \qquad \frac{\text{MPS}}{\text{PULL}} \qquad \frac{\text{LY}}{\text{LOCKING}} \qquad \frac{\text{RMS}}{\text{KEYING}} \qquad \frac{\text{OFC1}}{\text{OFFICE}\,\ell}$

Low height | left hand

	D	W	Н	model number	veneer 2	veneer 3
60" WIDTH						
BOX LATERAL FILE +	24 7/8	60	20 3/16	GA2MLPW2460L-BBW	7,737	8,440
BOX LATERAL FILE						
HINGED DOOR +	24 7/8	60	20 3/16	GA2MLPW2460L-55W	6,777	7,393
HINGED DOOR						

PRODUCT INFO

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MLPW2460L-BBW.NC215.MPS.LY.RMS.OFC1

 $\frac{\mathsf{GA2MLPW2460L\text{-}BBW}}{\mathsf{MODEL\,NUMBER}} \qquad \frac{\mathsf{NC215}}{\mathsf{Finish}} \quad \frac{\mathsf{MPS}}{\mathsf{PULL}} \quad \frac{\mathsf{LY}}{\mathsf{LOCKING}} \quad \frac{\mathsf{RMS}}{\mathsf{KEYING}} \quad \frac{\mathsf{OFC1}}{\mathsf{OFFICE}\,\#}$

Low height | right hand

	D	W	Н	model number	veneer 2	veneer 3
15" WIDTH FALSE PEDESTALS	24	15	20 ³ / ₁₆	GA2MLPW2415R-LW	1,435	1,565
	• Fc	or use w		dard or trough back worksurfaces odesty panel applications		
	24 • Fo	15 or use w		GA2MLPW2415R-XBW dard or trough back worksurfaces access panel or full back panel applications	1,498	1,634

Low height | right hand

	D	W	Н	model number	veneer 2	veneer 3
15" WIDTH						
BOX FILE	24 ⁷ / ₈	15	20 ³ / ₁₆	GA2MLPW2415R-AW	3,766	4,108
18" WIDTH						
BOX FILE	24 ⁷ / ₈	18	20 ³ / ₁₆	GA2MLPW2418R-AW	3,958	4,318


PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

 Example

 GA2MLPW2415R-AW.NC215.MPS.LY.RMS.OFC1

 GA2MLPW2415R-AW
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

Low height | right hand

	D W H model number		model number	veneer 2	veneer 3				
30" WIDTH									
BOX LATERAL FILE	24 7/8	30	20 ³ / ₁₆	GA2MLPW2430R-BW	4,298	4,688			
	• Op	otional	face lock						
HINGED DOOR	24 7/8	30	20 3/16	GA2MLPW2430R-5W	3,766	4,108			
OPEN SHELF	24 ⁷ /8	30	20 ³ /16	GA2MLPW2430R-SHW	3,374	3,681			
PRINTER	24 7/8	30	20 3/16	GA2MLPW2430R-PW	3,977	4,338			
TRASH RECEPTACLE	24 ⁷ / ₈	30	20 ³ /16	GA2MLPW2430R-TW	6,171	6,732			
	• Inc	Includes quantity (2) trash cans							

PRODUCT INFO

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MLPW2430R-BW.NC215.MPS.LY.RMS.OFC1

 $\frac{\text{GA2MLPW2430R-BW}}{\text{MODEL NUMBER}} \qquad \frac{\text{NC215}}{\text{Finish}} \qquad \frac{\text{MPS}}{\text{PULL}} \qquad \frac{\text{LY}}{\text{LOCKING}} \qquad \frac{\text{RMS}}{\text{KEYING}} \qquad \frac{\text{OFC1}}{\text{OFFICE θ}}$

Low height | right hand


	D	W	Н	model number	veneer 2	veneer 3
36" WIDTH BOX LATERAL FILE	24 ⁷ /8	36	20 3/16	GA2MLPW2436R-BW	4,810	5,247
	• Op	otional				
HINGED DOOR	24 7/8	36	20 3/16	GA2MLPW2436R-5W	4,220	4,604
OPEN SHELF	24 7/8	36	20 3/16	GA2MLPW2436R-SHW	3,783	4,127
PRINTER	24 7/8	36	20 ³ / ₁₆	GA2MLPW2436R-PW	4,459	4,864
TRASH RECEPTACLE	24 ⁷ / ₈	36 cludes	20 ³ / ₁₆ quantity (2) tr	GA2MLPW2436R-TW ash cans	4,459	4,864

PRODUCT INFO

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

 GA2MLPW2436R-BW.NC215.MPS.LY.RMS.OFC1
 LY
 RMS
 OFC1

 GA2MLPW2436R-BW
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

Low height | right hand

	D	W	Н	model number	veneer 2	veneer 3
45" WIDTH						
HINGED DOOR +	24 7/8	45	20 ³ / ₁₆	GA2MLPW2445R-A5W	6,777	7,393
BOX FILE						
BOX LATERAL FILE +	24 ⁷ /8	45	20 ³ / ₁₆	GA2MLPW2445R-ABW	7,255	7,913
BOX FILE			20 710	G/12.11.21 1	7,200	7,010
54" WIDTH HINGED DOOR +	24 ⁷ /8	54	20 ³ / ₁₆	GA2MLPW2454R-A5W	7,355	8,024
BOX FILE			20 /10	GAZINEI WZTOTII AOW	7,000	0,024
BOX LATERAL FILE + BOX FILE	24 7/8	54	20 ³ / ₁₆	GA2MLPW2454R-ABW	7,889	8,606
BOX FILE						

PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MLPW2445R-A5W.NC215.MPS.LY.RMS.OFC1

 $\frac{\text{GA2MLPW2445R-A5W}}{\text{MODEL NUMBER}} \qquad \frac{\text{NC215}}{\text{Finish}} \qquad \frac{\text{MPS}}{\text{PULL}} \qquad \frac{\text{LY}}{\text{LOCKING}} \qquad \frac{\text{RMS}}{\text{KeYING}} \qquad \frac{\text{OFC1}}{\text{OFFICe} \#}$

Low height | right hand

	D	W	Н	model number	veneer 2 veneer 3	3
60" WIDTH						
BOX LATERAL FILE +	24 ⁷ / ₈	60	20 3/16	GA2MLPW2460R-BBW	7,737 8,440	
BOX LATERAL FILE						
HINGED DOOR + HINGED DOOR	24 7/8	60	20 3/16	GA2MLPW2460R-55W	6,777 7,393	_

PRODUCT INFO

All pedestals have optional face locks

Hinged door cabinets do not lock

-A and -B pedestals include hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

 Example

 GA2MLPW2460R-BBW.NC215.MPS.LY.RMS.OFC1

 GA2MLPW2460R-BBW
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

Full height

	D	W	Н	model number	veneer 2	veneer 3
FINISHED BACK PANEL						
	3/4	58 ¹ / ₂	27 ¹⁵ / ₁₆	GA2MCF60-W	1,642	1,791
	3/4	64 ¹ / ₂	27 ¹⁵ / ₁₆	GA2MCF66-W	1,732	1,889
	3/4	70 ¹ / ₂	27 ¹⁵ / ₁₆	GA2MCF72-W	1,824	1,990
	3/4	76 ¹ / ₂	27 ¹⁵ / ₁₆	GA2MCF78-W	1,910	2,084
	3/4	82 ¹ / ₂	27 ¹⁵ / ₁₆	GA2MCF84-W	2,010	2,192
	3/4	88 ¹ / ₂	27 ¹⁵ / ₁₆	GA2MCF90-W	2,109	2,300
	3/4	94 1/2	27 ¹⁵ / ₁₆	GA2MCF96-W	2,219	2,421
	3/4	100 ¹ / ₂	27 ¹⁵ / ₁₆	GA2MCF102-W	2,368	2,583
	3/4	106 ¹ / ₂	27 ¹⁵ / ₁₆	GA2MCF108-W	2,534	2,764
	3/4	112 ¹ / ₂	27 ¹⁵ / ₁₆	GA2MCF114-W	2,717	2,963
	3/4	118 ¹ / ₂	27 ¹⁵ / ₁₆	GA2MCF120-W	2,904	3,167

- Specify width to match worksurface width
- Example: 90" worksurface = 90" finished back panel


MODEL NUMBER

LAYERS CREDENZA MODESTY PANELS

Low height

	D	W	Н	model number	veneer 2	veneer 3
FINISHED BACK PANEL						
	3/4	58 ¹ / ₂	20 ³ / ₁₆	GA2MLCF60-W	1,563	1,704
	3/4	64 ¹ / ₂	20 ³ / ₁₆	GA2MLCF66-W	1,642	1,791
	3/4	70 ¹ / ₂	20 ³ / ₁₆	GA2MLCF72-W	1,732	1,889
	3/4	76 ¹ / ₂	20 ³ / ₁₆	GA2MLCF78-W	1,820	1,985
	3/4	82 1/2	20 ³ / ₁₆	GA2MLCF84-W	1,908	2,082
	3/4	88 1/2	20 ³ / ₁₆	GA2MLCF90-W	2,004	2,186
	3/4	94 1/2	20 ³ / ₁₆	GA2MLCF96-W	2,104	2,294
	3/4	100 1/2	20 ³ / ₁₆	GA2MLCF102-W	2,248	2,453
	3/4	106 ¹ / ₂	20 ³ / ₁₆	GA2MLCF108-W	2,409	2,627
	3/4	112 ¹ / ₂	20 ³ / ₁₆	GA2MLCF114-W	2,578	2,812
	3/4	118 ¹ / ₂	20 ³ / ₁₆	GA2MLCF120-W	2,758	3,009

[•] Specify width to match worksurface width



[•] Example: 90" worksurface = 90" finished back panel

Full height

	D	W	Н	model number	veneer 2	veneer 3
WALL ACCESS PANEL						
	5 11/16	24	26 ¹ / ₂	GA2MCA24-W	2,028	2,212
	5 11/16	27	26 ¹ / ₂	GA2MCA27-W	2,094	2,283
	5 11/16	30	26 ¹ / ₂	GA2MCA30-W	2,157	2,353
	5 11/16	33	26 ¹ / ₂	GA2MCA33-W	2,224	2,427
	5 11/16	36	26 ¹ / ₂	GA2MCA36-W	2,295	2,503
	5 11/16	39	26 ¹ / ₂	GA2MCA39-W	2,367	2,582
	5 11/16	42	26 ¹ / ₂	GA2MCA42-W	2,413	2,631
	5 11/16	45	26 ¹ / ₂	GA2MCA45-W	2,464	2,688
	5 11/16	48	26 ¹ / ₂	GA2MCA48-W	2,514	2,742
	5 11/16	51	26 ¹ / ₂	GA2MCA51-W	2,566	2,800
	5 11/16	54	26 ¹ / ₂	GA2MCA54-W	2,615	2,853
	5 11/16	57	26 ¹ / ₂	GA2MCA57-W	2,669	2,911
	5 11/16	60	26 ¹ / ₂	GA2MCA60-W	2,722	2,970
	5 11/16	63	26 ¹ / ₂	GA2MCA63-W	2,778	3,030
	5 11/16	66	26 ¹ / ₂	GA2MCA66-W	2,833	3,090
	5 11/16	69	26 ¹ / ₂	GA2MCA69-W	2,889	3,151
	5 ¹¹ / ₁₆	72	26 ¹ / ₂	GA2MCA72-W	2,945	3,212

- Specify width to match kneewell space between pedestals
- Example: (90" worksurface) (15" LH pedestal) (15" RH pedestal) = 60" wall access panel

RETURN MODESTY PANELS

Full height

	D	W	Н	model number	veneer 2	veneer 3
FINISHED BACK PANEL						
	3/4	38 1/4	27 ¹⁵ / ₁₆	GA2MRF39-W	1,368	1,492
	3/4	41 1/4	27 ¹⁵ / ₁₆	GA2MRF42-W	1,410	1,538
	3/4	44 1/4	27 ¹⁵ / ₁₆	GA2MRF45-W	1,451	1,583
	3/4	47 ¹ / ₄	27 ¹⁵ / ₁₆	GA2MRF48-W	1,486	1,621
	3/4	50 ¹ / ₄	27 ¹⁵ / ₁₆	GA2MRF51-W	1,525	1,663
	3/4	53 ¹ / ₄	27 ¹⁵ / ₁₆	GA2MRF54-W	1,563	1,704
	3/4	56 ¹ / ₄	27 ¹⁵ / ₁₆	GA2MRF57-W	1,603	1,749
	3/4	59 ¹ / ₄	27 ¹⁵ / ₁₆	GA2MRF60-W	1,642	1,791
	3/4	62 ¹ / ₄	27 ¹⁵ / ₁₆	GA2MRF63-W	1,686	1,839
	3/4	65 ¹ / ₄	27 ¹⁵ / ₁₆	GA2MRF66-W	1,732	1,889
	3/4	68 ¹ / ₄	27 ¹⁵ / ₁₆	GA2MRF69-W	1,779	1,941
	3/4	71 ¹ / ₄	27 ¹⁵ / ₁₆	GA2MRF72-W	1,824	1,990

[•] Specify width to match worksurface width

NOTE: A 3" shorter width modesty is required when used with a height adjustable desk.

1. MODEL NUMBER 2. FINISH 3. OFFICE # See inside front cover for required option codes Example GAZMRF39-W.NC215.0FC1 GAZMRF39-W NC215 OFC1

TO ORDER PLEASE SPECIFY THE FOLLOWING:

OFFICE #

MODEL NUMBER

PRODUCT INFO

[•] Example: 60" worksurface = 60" finished back panel

Full height

	D	W	Н	model number	veneer 2	veneer 3
WALL ACCESS PANEL						
N	5 11/16	21	26 ¹ / ₂	GA2MRA21-W	1,970	2,149
	5 11/16	24	26 ¹ / ₂	GA2MRA24-W	2,028	2,212
	5 11/16	27	26 ¹ / ₂	GA2MRA27-W	2,094	2,283
	5 11/16	30	26 ¹ / ₂	GA2MRA30-W	2,157	2,353
	5 11/16	33	26 ¹ / ₂	GA2MRA33-W	2,224	2,427
	5 11/16	36	26 ¹ / ₂	GA2MRA36-W	2,295	2,503
	5 11/16	39	26 ¹ / ₂	GA2MRA39-W	2,367	2,582
	5 11/16	42	26 ¹ / ₂	GA2MRA42-W	2,413	2,631
	5 11/16	45	26 ¹ / ₂	GA2MRA45-W	2,464	2,688
	5 11/16	48	26 ¹ / ₂	GA2MRA48-W	2,514	2,742
	5 11/16	51	26 ¹ / ₂	GA2MRA51-W	2,566	2,800
	5 11/16	54	26 ¹ / ₂	GA2MRA54-W	2,615	2,853
	5 11/16	57	26 ¹ / ₂	GA2MRA57-W	2,669	2,911
	5 11/16	60	26 ¹ / ₂	GA2MRA60-W	2,722	2,970

- Specify width to match kneewell space between pedestals
- Example: (60" worksurface) (15" LH pedestal) = 45" wall access panel

NOTE: A 3" shorter width wall access panel is required when used with a height adjustable desk.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

2. FINISH OFFICE #

See inside front cover for required option codes

Example

GA2MRA21-W.NC215.OFC1

 GA2MRA21-W
 NC215
 OFC1

 MODEL NUMBER
 FINISH
 OFFICE

INTERMEDIATE SUPPORT PANELS


	D	W	Н	model number	veneer 2	veneer 3
FULL HEIGHT INTERMEDIATE SUPPORT FOR USE WITH MODESTY PANEL	3/4	14	27 ½	GA2MSP12-W	905	987
T-SUPPORT FOR USE WITH NO MODESTY PANEL	8	12	27 ½	GA2MSPT12-W	771	841
LAYERS LOW HEIGHT INTERMEDIATE SUPPORT FOR USE WITH MODESTY PANEL	3/4	5 11/16	20 ³ / ₁₆	GA2MLSP12-W	407	443
T-SUPPORT FOR USE WITH NO MODESTY PANEL	8	5 11/16	20 3/16	GA2MLSPT12-W	732	799
PRODUCT INFO	TO OI 1. 2. 3.	RDER I		PECIFY THE FOLLOWING: NUMBER #		
	Examp	le - w.nc215.0F 6	C1 NC215 OF	uired option codes -C1 FICE#		

	D	W	Н	model number	list
WALL MOUNT BRACKET					
	2 1/2	19	1 1/4	MDWLBK24	145
	2 1/2	25	1 ¹ / ₄	MDWLBK30	156



3 1/8	20 ³ / ₁₆	7 1/8	ACWCB20	271
• For use v	vith 24" tops to	provide sup	port on an end condition	
3 1/8	15 ³ / ₁₆	7 1/8	ACWCB15	253

• For use with 24" tops to provide support on center as an alternative to a T-bracket



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER

NOTE: Office # option not required

See inside front cover for required option codes

Example

MDWLBK24
MDWLBK24
MODEL NUMBER

FULL BANK STORAGE CREDENZAS

Trough back

	D	W	Н	model number	veneer 2	veneer 3
60" WIDTH -44	24 ⁷ /8	60	27 ¹⁵ /16	GA2CFS2460T-44WW	10,321	11,259
-55	24 7/8	60	27 ¹⁵ / ₁₆	GA2CFS2460T-55WW	9,292	10,136
72" WIDTH -44	24 7/8	72	27 ¹⁵ / ₁₆	GA2CFS2472T-44WW	11,541	12,589
-55			27 ¹⁵ / ₁₆ ack units are <u>requ</u> its include a meta	GA2CFS2472T-55WW ired when a tackzone spans over the back of the worksurial pencil lip	10,382 face	11,325


NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Short grain veneer on worksurface

Doors do not lock

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

 GA2CFS2460T-44WW.NC215.OP.MPS.MY.LY.RMS.PLS.OFC1
 MY
 LY
 RMS
 PLS
 OFC1

 MODEL NUMBER
 FINISH
 TOP
 PULL
 MODESTY
 LOCKING
 KEYING
 PENCIL LIP
 OFFICE

	D	W	Н	model number	veneer 2	veneer 3
90" WIDTH -444	24 ⁷ /8	90	27 ¹⁵ / ₁₆	GA2CFS2490T-444WW	15,059	16,428
-555	24 7/8	90	27 ¹⁵ / ₁₆	GA2CFS2490T-555WW	13,512	14,739
-454	24 7/8	90	27 15/16	GA2CFS2490T-454WW	14,541	15,863
108" WIDTH -444	24 ⁷ /8	108	27 ¹⁵ / ₁₆	GA2CFS24108T-444WW	17,130	18,688
-555	24 7/8	108	27 ¹⁵ / ₁₆	GA2CFS24108T-555WW	15,394	16,793
-454	24 7/8	108	27 ¹⁵ / ₁₆	GA2CFS24108T-454WW	16,546	18,050
			ack units are <u>re</u> nits include a m	quired when a tackzone spans over the back of the works netal pencil lip	urface	
	NOTE	: Plasti troug		is REQUIRED and must be ordered separately across ent	ire length of	
PRODUCT INFO	то о	RDEF	R PLEASE S	PECIFY THE FOLLOWING:		
Short grain veneer on worksurface	1. 2.		MODEL FINISH	NUMBER		
Doors do not lock	3. 4.		TOP FI	NISH TYPE		
	5. 6.		MODES			
	7.		KEYIN	G		
	8. 9.		PENCII	L LIP COLOR (TROUGH ONLY) E#		
	٠			- "		

Example

See inside front cover for required option codes

LAYERS FULL BANK STORAGE CREDENZAS

Trough back

	D	W	Н	model number	veneer 2	veneer 3
90" WIDTH	0.4.7/	0.0	00.24	0.000 -000 000 010000	10 575	11.000
-SHBB	24 7/8	90	20 ³ / ₁₆	GA2CLFS2490T-SHBBW	13,575	14,809
-BBSH	24 ⁷ / ₈	90	20 ³ / ₁₆	GA2CLFS2490T-BBSHW	13,575	14,809
-SH5B	24 7/8	90	20 ³ / ₁₆	GA2CLFS2490T-SH5BW	13,088	14,277
-B5SH	24 7/8	90	20 ³ /16	GA2CLFS2490T-B5SHW	13,088	14,277
108" WIDTH -SHBB	24 ⁷ /8	108	20 ³ /16	GA2CLFS24108T-SHBBW	15,471	16,877
-BBSH	24 7/8	108	20 ³ / ₁₆	GA2CLFS24108T-BBSHW	15,471	16,877
-SH5B	047/-	100	20.3/	GA2CLFS24108T-SH5BW	14.010	16 075
SHOD	24 7/8	108	20 3/16	GAZCLF3Z41U01-SH3DW	14,919	16,275
-B5SH	24 ⁷ / ₈	108	20 ³ / ₁₆	GA2CLFS24108T-B5SHW	14,919	16,275
			ack units are <u>re</u> nits include a m	<u>quired</u> when a tackzone spans over the back of the worksuetal pencil lip	ırface	
	1	Plastic trough.		REQUIRED and must be ordered separately across entire	e length of	
PRODUCT INFO	TO OR	DER	PLEASE SF	PECIFY THE FOLLOWING:		
Short grain veneer on worksurface	1.		MODEL I	NUMBER		
Doors do not lock	3.			ISH TYPE		
	5.		MODEST	·Y		
	6. 7.		LOCKING	G		
	8.			LIP COLOR (TROUGH ONLY)		
	9.		OFFICE	#		
	See insi	de front	t cover for requ	iired option codes		
	Example	9				
			/.NC215.OP.MPS.MY.LY			
	MODEL NUMB		BW NC215 OP FINISH TOP FINI	PULL MODESTY LOCKING KEYING PENCIL LIP OFFICE #		

Trough back

	D	W	Н	model number	veneer 2	veneer 3
120" WIDTH -BSHB	24 ⁷ /8	120	20 ³ / ₁₆	GA2CLFS24120T-BSHBW	17,839	19,460
-5SH5	24 7/8	120	20 ³ / ₁₆	GA2CLFS24120T-5SH5W	17,839	19,460
-SH55B	24 ⁷ /8	120	20 ³ / ₁₆	GA2CLFS24120T-SH55BW	17,709	19,319
-B55SH	24 7/8	120	20 ³ / ₁₆	GA2CLFS24120T-B55SHW	17,709	19,319
	• Tr	ough ba	ack units are	e required when a tackzone spans over the back of the	worksurface	

• Trough units include a metal pencil lip

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately across entire length of trough.

PRODUCT INFO

Short grain veneer on worksurface

Doors do not lock

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP FINISH TYPE
4.	PULL
5.	MODESTY
6.	LOCKING
7.	KEYING
8.	PENCIL LIP COLOR (TROUGH ONLY)
9.	OFFICE #

See inside front cover for required option codes

Example

GA2CLFS24120T-BSHBW.NC215.OP.MPS.MY.LY.RMS.PLS.OFC1 GA2CLFS24120T-BSHBW NC215 OP MPS

	D	W	Н	model number	veneer 2	veneer 3
18" WIDTH						
BOX FILE	21 3/8	18	21 15/16	GA2MPD1818-AW	4,353	4,748



PRODUCT INFO

Includes 2 locking casters and 2 non-locking casters

Includes inset top panel

Includes hidden box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2MPD1818-AW.NC215.MPS.LY.RMS.OFC1


 GA2MPD1818-AW
 NC215
 CPM
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

					fabric grad	es		
	D	W	Н	model number	1	2	3	COM/4
MOBILE PEDESTAL CUSHIONS								
	19 3/4	17 3/4	1 1/2	GAAMPD-CUSH1818	693	714	741	762
LAYERS CREDENZA CUSHIONS								
FOR STANDARD	23 3/4	30	1 1/2	GAACLPD-CUSH2430	780	811	841	873
WORKSURFACE	23 3/4	36	1 1/2	GAACLPD-CUSH2436	842	882	920	960
LAYERS CREDENZA CUSHIONS								
FOR TROUGH BACK	21	30	1 1/2	GAACLPD-CUSH2130T	780	811	841	873
WORKSURFACES	21	36	1 1/2	GAACLPD-CUSH2136T	842	882	920	960

PRODUCT INFO TO ORDER PLEASE SPECIFY THE FOLLOWING: MODEL NUMBER For standard flammability rating, please speci-1. COM Fabric (yds) fy CTB117, for California 133 and 2. **FABRIC** CUSH1818 0.75 Boston fire-code treatment, please specify CTB113 CUSH2430 1.00 3. **FLAMMABILITY** CUSH2436 1.25 Option Codes: U = CTB117 OFFICE # CUSH2430T 1.00 CUSH2436T1.25 COM Leather (sq ft) CUSH1818 12.75 CUSH2430 17.00 CUSH2436 21.25 CUSH2430T 17.00 See inside front cover for required option codes CUSH2436T 21.25 Example GAAMPD-CUSH1818.FABRIC.U.OFC1 $\frac{\text{GAAMPD-CUSH1818}}{\text{MODEL NUMBER}} \qquad \frac{\text{FABRIC}}{\text{FABRIC}} \qquad \frac{\text{U}}{\text{FLAMMABILITY}} \qquad \frac{\text{OFC1}}{\text{OFFICE}\#}$

	D	W	Н	model number	list
TROUGH INSERT	3	28 ¹ / ₄	3	GAATROUGH30	192
	3	34 ¹ / ₄	3	GAATROUGH36	195
	3	40 ¹ / ₄	3	GAATROUGH42	198
	3	46 ¹ / ₄	3	GAATROUGH48	204
	3	52 ¹ / ₄	3	GAATROUGH54	207
	3	58 ¹ / ₄	3	GAATROUGH60	211
	3	64 ¹ / ₄	3	GAATROUGH66	300
	3	70 ¹ / ₄	3	GAATROUGH72	303
	3	76 ¹ / ₄	3	GAATROUGH78	308
	3	82 ¹ / ₄	3	GAATROUGH84	311
Profile:	3	88 ¹ / ₄	3	GAATROUGH90	317
Tackboard Metal pencil lip	3	94 1/4	3	GAATROUGH96	321
Worksurface	3	100 1/4	3	GAATROUGH102	327
	3	106 ¹ / ₄	3	GAATROUGH108	330
1 11/16 Trough Plastic trough insert	3	112 ¹ / ₄	3	GAATROUGH114	332
	3	118 ¹ / ₄	3	GAATROUGH120	341



EXAMPLE A: 108" back edge of credenza = 108" Trough Insert

EXAMPLE B: (72" back edge of return) + (36" LH end of desk) - (6" Desk overhang) = 102" Trough Insert

NOTE: overhang only needs to be deducted from overall length for single pedestal desks

PRODUCT INFO

Trough insert is black plastic

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER OFFICE #


See inside front cover for required option codes


Example

GAATROUGH30 OFC1 MODEL NUMBER

	for use with top sizes	D	W	Н	model number	list	
BASES	24 x 42	21	42	26 ⁵ /8	BSHAT2142	3,398	
	24 x 48	21	48	26 ⁵ / ₈	BSHAT2148	3,413	
	24 x 54	21	54	26 ⁵ / ₈	BSHAT2154	3,434	
	24 x 60	21	60	26 ⁵ / ₈	BSHAT2160	3,448	
	24 x 66	21	66	26 ⁵ / ₈	BSHAT2166	3,469	
	24 x 72	21	72	26 ⁵ / ₈	BSHAT2172	3,484	

30/36 x 48	27	48	26 ⁵ /8	BSHAT2748	3,448
30/36 x 54	27	54	26 ⁵ /8	BSHAT2754	3,469
30/36 x 60	27	60	26 ⁵ /8	BSHAT2760	3,484
30/36 x 66	27	66	26 ⁵ /8	BSHAT2766	3,506
30/36 x 72	27	72	26 ⁵ /8	BSHAT2772	3,522





Base at tallest height setting

PRODUCT INFO

Not TAA compliant unless ordered with a TAA compliant configurable end product.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER
BASE COLOR

BASE COLOR OPTIONS:

BK Black SV Silver

See inside front cover for required option codes

Example

BSHAT2760.BK

BSHAT2760 BK

MODEL NUMBER BASE COLOR

		D	W	Н	model number	veneer 2	veneer 3
24" TOPS	_	24	42	1 ¹ / ₂	GA2DWRA2442-W	1,816	1,981
		24	48	1 ¹ / ₂	GA2DWRA2448-W	1,909	2,083
		24	54	1 ¹ / ₂	GA2DWRA2454-W	2,012	2,194
		24	60	1 ¹ / ₂	GA2DWRA2460-W	2,117	2,308
		24	66	1 ¹ / ₂	GA2DWRA2466-W	2,228	2,431
		24	72	1 ¹ /2	GA2DWRA2472-W	2,349	2,562

TO ORDER PLEASE SPECIFY THE FOLLOWING: PRODUCT INFO MODEL NUMBER See set 1 below for grommet option codes 1. 2. **FINISH** No Grommet GN (Add +\$212) GL Left 3. **TOP FINISH TYPE** Center GC (Add +\$212) **GRAIN DIRECTION** Right GR (Add +\$212) 4. Both GB (Add +\$423) GROMMET 5. Add grommet bezel color and door finish to OFFICE # 6. complete option pick. SV = silver bezel, veneer door BV = black bezel, veneer door WG = silver bezel, white glass door BG = black bezel, black glass door MG = silver bezel, muslin glass door See inside front cover for required option codes Example: GLSV = left grommet, silver bezel, veneer door Example GA2DWRA2442-W.NC215.OP.VLG.GN.OFC1 NC215 OP TOP FINISH GA2DWRA2442-W

	D	W	Н	model number	veneer 2	veneer 3
30" TOPS	30) 48	1 ¹ / ₂	GA2DWRA3048-W	2,221	2,423
	30	54	1 ¹ / ₂	GA2DWRA3054-W	2,353	2,566
	30) 60	1 ¹ / ₂	GA2DWRA3060-W	2,539	2,769
	30) 66	1 ¹ / ₂	GA2DWRA3066-W	2,702	2,947
	30	72	1 1/2	GA2DWRA3072-W	2,778	3,030
36" TOPS	36	6 48	1 1/2	GA2DWRA3648-W	2,597	2,833
	36	5 54	1 ¹ / ₂	GA2DWRA3654-W	2,744	2,994
	36	60	1 1/2	GA2DWRA3660-W	2,905	3,168
	36	66	1 ¹ / ₂	GA2DWRA3666-W	3,126	3,410
	36	5 72	1 ¹ / ₂	GA2DWRA3672-W	3,195	3,485

PRODUCT INFO TO ORDER PLEASE SPECIFY THE FOLLOWING: See set 1 below for grommet option codes **MODEL NUMBER** 1. 2. No Grommet GN GL (Add +\$212) Left 3. **TOP FINISH TYPE** GR (Add +\$212) GB (Add +\$423) Right 4. **GRAIN DIRECTION** GROMMET 5. Add grommet bezel color and door finish to complete option pick. SV = silver bezel, veneer door BV = black bezel, veneer door OFFICE # 6. WG = silver bezel, white glass doorBG = black bezel, black glass door MG = silver bezel, muslin glass door Example: GLSV = left grommet, silver bezel, See inside front cover for required option codes Example NC215 OP FINISH TOP FINISH GA2DWRA3048-W VLG GN OFC1

GRAIN DIRECTION GROMMET OFFICE #

MODEL NUMBER

HEIGHT ADJUSTABLE MODESTY PANEL

Optional | for use with 30" and 36" Tops

MODESTY PANELS	

D	W	Н	model number	veneer 2	veneer 3
3/4	48	10	GA2DMHA48-W	1,012	1,105
3/4	54	10	GA2DMHA54-W	1,068	1,165
3/4	60	10	GA2DMHA60-W	1,126	1,228
3/4	66	10	GA2DMHA66-W	1,191	1,299
3/4	72	10	GA2DMHA72-W	1,238	1,350

[•] Optional 10" height modesty panel with 6" overhang

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. OFFICE #

See inside front cover for required option codes

Example

GA2DMHA48-W.NC215.OFC1

 GA2DMHA48-W
 NC215
 OFC1

 MODEL NUMBER
 FINISH
 OFFICE #

Credentials

Credentials 06/25

STORAGE

Storage
Lateral Files
Bookcases
Hinged Door Cabinets
Closets110-113
Storage Box
Utility Cabinets
Overheads
Single Wall Mount Overheads
Double High Wall Mount Overheads
Tackboards
Back Painted Glass Whiteboards
Wood Magnetic Tackzone
Shelves for Segmented Tackzone
Miscellaneous
Round Tables & Bases
Accessories138-146
Fabric Grade Pricing
Weights + Cubes

LATERAL FILES

Layers & 2 high

	D	W	Н	model number	veneer 2	veneer 3
30" WIDTH LAYERS						
STANDARD	24 ⁷ / ₈	30	21 11/16	GA2LFSLH2430-WW	5,570	6,075
36" WIDTH LAYERS						
STANDARD	24 ⁷ / ₈	36	21 11/16	GA2LFSLH2436-WW	5,845	6,376
30" WIDTH 2 HIGH						
STANDARD	24 ⁷ /8	30	29 ⁷ / ₁₆	GA2LFS2H2430-WW	5,863	6,395
W/ TROUGH BACK	24 ⁷ /8	30	29 ⁷ / ₁₆	GA2LFS2H2430T-WW	5,863	6,395
			<u> </u>			<u> </u>
36" WIDTH 2 HIGH						
STANDARD	24 7/8	36	29 7/16	GA2LFS2H2436-WW	6,153	6,713
W/ TROUGH BACK	24 7/8	36	29 7/16	GA2LFS2H2436T-WW	6,153	6,713
				required when a tackzone spans over the back a metal pencil lip	of the worksurface	

NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately. Freestanding Lateral Files and Hinged Door Cabinets require their own trough insert.

PRODUCT INFO

All units have a finished back

All pedestals have optional face locks

Layers height includes hidden upper box drawer

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	TOP FINISH TYPE
4.	GRAIN DIRECTION
5.	PULL
6.	LOCKING
7.	KEYING
8.	PENCIL LIP COLOR (TROUGH ONLY)
9.	OFFICE #

-Unitized Full Bank Credenza, Desk, or Extension

match that of adjoining unit.

Example:
Specify "VST" short grain if next to:

Grain Direction: specify grain direction to

Specify "VLG" long grain if next to: -Modular Single Pedestal Credenza, or Return

See inside front cover for required option codes

Example

GA2LFSLH2430-WW.NC215.OP.VLG.MPS.LY.RMS.PLS.OFC1

GA2LFSLH2430-WW NC215 OP VLG MPS LY RMS PLS OFC1

MODEL NUMBER FINISH TO GRAIN PULL LOCKING KEYING PENGIL LIP OFFICE #

3 High | 6 high

			D	W	Н	model number	veneer 2	veneer 3
30" WIDTI	H	3 HIGH	24 ⁷ /8	30	43 ⁷ / ₁₆	GA2LFS3H2430-WW	8,094	8,830
		4 HIGH	24 ⁷ /8	30	57 ⁷ / ₁₆	GA2LFS4H2430-WW	9,938	10,841
		5 HIGH	24 ⁷ /8	30	75 ¹⁵ /16	GA2LFS5H2430-WW	13,384	14,601
		6 HIGH	24 ⁷ /8	30	84 ⁷ / ₁₆	GA2LFS6H2430-WW	14,404	15,713
36" WIDTI	H		7.		7.			
		3 HIGH	24 7/8	36	43 ⁷ / ₁₆	GA2LFS3H2436-WW	8,497	9,270
		4 HIGH	24 7/8	36	57 ⁷ / ₁₆	GA2LFS4H2436-WW	10,435	11,383
		5 HIGH	24 7/8	36	75 ¹⁵ /16	GA2LFS5H2436-WW	14,055	15,333
		6 HIGH	24 ⁷ /8	36	84 ⁷ / ₁₆	GA2LFS6H2436-WW	15,125	16,500
						Lateral Files do not have locks on top doors. These doors are swing hinges.	are equipped	


PRODUCT INFO

All units have a finished back

All pedestals have optional face locks

 $5\mathrm{H}$ and $6\mathrm{H}$ Lateral Files do not lock on top doors.

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

 GA2LFS3H2430-WW.NC215.MPS.LY.RM.OFC1
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

			D	W	Н	model number	veneer 2	veneer 3
30" WIDTH	_	2 HIGH	16 ⁷ /8	30	29 7/16	GA2BKN2H1830-W	3,403	3,713
		3 HIGH	16 ⁷ /8	30	43 ⁷ / ₁₆	GA2BKN3H1830-W	4,085	4,455
		4 HIGH	16 ⁷ /8	30	57 ⁷ / ₁₆	GA2BKN4H1830-W	4,906	5,351
		5 HIGH	16 ⁷ /8	30	75 ¹⁵ / ₁₆	GA2BKN5H1830-W	5,881	6,416
		6 HIGH	16 ⁷ /8	30	84 ⁷ / ₁₆	GA2BKN6H1830-W	7,059	7,701
36" WIDTH		2 HIGH	16 ⁷ /8	36	29 ⁷ / ₁₆	GA2BKN2H1836-W	3,815	4,161
		3 HIGH	16 ⁷ /8	36	43 ⁷ /16	GA2BKN3H1836-W	4,581	4,997
		4 HIGH	16 ⁷ /8	36	57 ⁷ / ₁₆	GA2BKN4H1836-W	5,491	5,990
		5 HIGH	16 ⁷ /8	36	75 ¹⁵ / ₁₆	GA2BKN5H1836-W	6,592	7,191
		6 HIGH	16 ⁷ / ₈	36	84 7/16	GA2BKN6H1836-W	7,911	8,630

PRODUCT INFO

All units have a finished back

6-high bookcases must be attached to wall

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. **FINISH**

MODEL NUMBER

2. 3.

OFFICE #

See inside front cover for required option codes

Example

GA2BKN2H1830-W.NC215.OFC1

GA2BKN2H1830-W NC215 OFC1 MODEL NUMBER

Gunlocke

HINGED DOOR CABINETS

Layers & 2 high

24 ⁷ / ₈	30				
		21 11/16	GA2HDCLH2430-WW	4,233	4,618
		21 /10	GAZIBOLIIZ-00-WW	4,200	4,010
24 ⁷ /8	36	21 ¹¹ /16	GA2HDCLH2436-WW	4,680	5,105
24 ⁷ / ₈	30	29 ⁷ / ₁₆	GA2HDC2H2430-WW	4,459	4,864
24 ⁷ /8	30	29 ⁷ / ₁₆	GA2HDC2H2430T-WW	4,459	4,864
24 7/8	36	29 7/16	GA2HDC2H2436-WW	4,925	5,373
24 ⁷ /8	36	29 ⁷ / ₁₆	GA2HDC2H2436T-WW	4,925	5,373
				he worksurface	
				eestanding Lateral Files	s and
	24 ⁷ / ₈ 24 ⁷ / ₈ 24 ⁷ / ₈ 24 ⁷ / ₈ • Tro NOTE:	24 ⁷ / ₈ 30 24 ⁷ / ₈ 30 24 ⁷ / ₈ 36 24 ⁷ / ₈ 36 • Trough ba • Trough un NOTE: Plastic Hingeo	24 ⁷ / ₈ 30 29 ⁷ / ₁₆ 24 ⁷ / ₈ 30 29 ⁷ / ₁₆ 24 ⁷ / ₈ 36 29 ⁷ / ₁₆ 24 ⁷ / ₈ 36 29 ⁷ / ₁₆ • Trough back units are reference on the company of the company	24 ⁷ / ₈ 30 29 ⁷ / ₁₆ GA2HDC2H2430-WW 24 ⁷ / ₈ 30 29 ⁷ / ₁₆ GA2HDC2H2436-WW 24 ⁷ / ₈ 36 29 ⁷ / ₁₆ GA2HDC2H2436-WW 24 ⁷ / ₈ 36 29 ⁷ / ₁₆ GA2HDC2H2436-WW • Trough back units are required when a tackzone spans over the back of the strong of the spanning	24 7/8 30 29 7/16 GA2HDC2H2430-WW 4,459 24 7/8 30 29 7/16 GA2HDC2H2430T-WW 4,459 24 7/8 36 29 7/16 GA2HDC2H2436-WW 4,925 24 7/8 36 29 7/16 GA2HDC2H2436T-WW 4,925 • Trough back units are required when a tackzone spans over the back of the worksurface • Trough units include a metal pencil lip NOTE: Plastic Trough Insert is REQUIRED and must be ordered separately. Freestanding Lateral Files

PRODUCT INFO

All units have a finished back

Units do not lock

TO ORDER PLEASE SPECIFY THE FOLLOWING:

FINISH
TOP FINISH
GRAIN DIRECTION
PULL
PENCIL LIP COLOR(TROUGH ONLY)
OFFICE #

MODEL NUMBER

Grain Direction: specify grain direction to match that of adjoining unit.

Example:
Specify "VST" short grain if next to: -Unitized Full Bank Credenza, Desk, or Extension

Specify "VLG" long grain if next to:
-Modular Single Pedestal Credenza, or Return

See inside front cover for required option codes

Example

1.

GA2HDCLH2430-WW.NC215.OP.VLG.MPS.PLS.OFC1

GA2HDCLH2430-WW NC215 OP VLG OFC1 GRAIN PULL DIRECTION MODEL NUMBER

17 3/4		D	W	Н	model number	veneer 2	veneer 3
17 3/4	18" WIDTH LEFT HAND						
17 % 18 75 % GA2CLDSH1818L-WW		17 3/4	18	75 ¹⁵ / ₁₆	GA2CLC5H1818L-WW	6,049	6,598
C.LC = Coat hook with (1) adjustable shelf C.LS = (4) adjustable shelves C.LD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves C.LD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves T. 7/4		17 3/4	18	75 ¹⁵ / ₁₆	GA2CLS5H1818L-WW	6,739	7,352
CLS = (4) adjustable shelves		17 3/4	18	75 ¹⁵ / ₁₆	GA2CLD5H1818L-WW	7,534	8,218
**CLD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves 17 3/4		• CL	_C = C	oat hook with (1) adjustable shelf		
17 3/4							
17 3/4	18" WINTH RIGHT HAND	• CL	-D = C	oat hook with (1) adjustable shelf Divider (4) adjustable shelves		
17 3/4 18 75 19/16 GA2CLDSH1818R-WW 7,534 8,214		17 3/4	18	75 ¹⁵ / ₁₆	GA2CLC5H1818R-WW	6,049	6,598
CLC = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves	_	17 ³ / ₄	18	75 ¹⁵ / ₁₆	GA2CLS5H1818R-WW	6,739	7,352
CLS = (4) adjustable shelves CLD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves 17 3/4 24 75 15/16 GA2CLD5H1824L-WW 8,658 9,444 CLD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves 17 3/4 24 75 15/16 GA2CLD5H1824R-WW 8,658 9,444 CLD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves 17 3/4 30 75 15/16 GA2CLD5H1830-WW 9,769 10,655 17 3/4 30 75 15/16 GA2CLD5H1830-WW 10,543 11,500 CLS = (4) adjustable shelves CLD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves CLS = (4) adjustable shelves CLD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves CLS = (4) adjustable shelves CLD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves CLS = (4) adjustable shelves CLD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves PRODUCT INFO All units have a finished back All units have a finished back LI MODEL NUMBER FINISH PULL 4. LOCKING 5. KEYING 0 FFICE # See inside front cover for required option codes Example GAZCLDSHIBBL-WWXMCIBMPS.LYAMS.OPC1		17 ³ / ₄	18	75 ¹⁵ / ₁₆	GA2CLD5H1818R-WW	7,534	8,218
CLS = (4) adjustable shelves CLD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves 17 3/4		• Cl	C = C	oat hook with (1) adjustable shelf		
17 3/4							
17 3/4		• CL	_D = C	oat hook with (1) adjustable shelf Divider (4) adjustable shelves		
CLD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves 17 3/4	24" WIDTH LEFT HAND	17 3/4	24	75 15/ ₁₆	GA2CI D5H1824I -WW	8 658	9 111
17 3/4		-				0,000	3,444
17 3/4		• CL	_D = C	oat hook with (1) adjustable shelf Divider (4) adjustable shelves		
17 3/4							
17 3/4	24" WINTH RIGHT HANN						
CLD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves 17 3/4 30 75 15/16 GA2CLS5H1830-WW 9,769 10,655 17 3/4 30 75 15/16 GA2CLD5H1830-WW 10,543 11,502 CLS = (4) adjustable shelves CLD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves PRODUCT INFO All units have a finished back All units have a finished back All units have optional face locks All units have optional face locks See inside front cover for required option codes Example GAZCLS5H1830-WW 9,769 10,655 GA2CLS5H1830-WW 10,543 11,502 FINISH PULL LOCKING KEYING OFFICE # See inside front cover for required option codes Example GAZCLS5H18181-WW.NC215.MPS.LY.RMS.GFC1	MIDITION IIAND	17 ³ / ₄	24	75 ¹⁵ / ₁₆	GA2CLD5H1824R-WW	8,658	9,444
30" WIDTH 17 3/4 30 75 15/16 GA2CLS5H1830-WW 9,769 10,655 17 3/4 30 75 15/16 GA2CLD5H1830-WW 10,543 11,502 • CLS = (4) adjustable shelves • CLD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves PRODUCT INFO All units have a finished back All units have optional face locks TO ORDER PLEASE SPECIFY THE FOLLOWING: MODEL NUMBER FINISH PULL LOCKING KEYING OFFICE # See inside front cover for required option codes Example GAZCLCSH1818L-WW.NC215.MPS.LY.RMS.OFC1	<u> </u>						
17 3/4 30 75 15/16 GA2CLS5H1830-WW 9,769 10,650 17 3/4 30 75 15/16 GA2CLD5H1830-WW 10,543 11,500 • CLS = (4) adjustable shelves • CLD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves PRODUCT INFO All units have a finished back All units have optional face locks MODEL NUMBER FINISH 3.		• CL	-D = C	oat hook with (1) adjustable shelt Divider (4) adjustable shelves		
17 3/4 30 75 15/16 GA2CLS5H1830-WW 9,769 10,650 17 3/4 30 75 15/16 GA2CLD5H1830-WW 10,543 11,500 • CLS = (4) adjustable shelves • CLD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves PRODUCT INFO All units have a finished back All units have optional face locks MODEL NUMBER FINISH 3.							
PRODUCT INFO All units have a finished back All units have optional face locks TO ORDER PLEASE SPECIFY THE FOLLOWING: MODEL NUMBER FINISH PULL LOCKING KEYING OFFICE # See inside front cover for required option codes Example GA2CLD5H1830-WW 10,543 11,502 FINISH Divider (4) adjustable shelves	30" WIDTH						
CLS = (4) adjustable shelves CLD = Coat hook with (1) adjustable shelf Divider (4) adjustable shelves TO ORDER PLEASE SPECIFY THE FOLLOWING: All units have a finished back All units have optional face locks MODEL NUMBER FINISH PULL LOCKING KEYING OFFICE # See inside front cover for required option codes Example GAZCLCSH1818L-WW.NC215.MPS.LY.RMS.OFC1		17 3/4	30	75 ¹⁵ / ₁₆	GA2CLS5H1830-WW	9,769	10,657
PRODUCT INFO All units have a finished back All units have optional face locks TO ORDER PLEASE SPECIFY THE FOLLOWING: MODEL NUMBER FINISH 9 ULL LOCKING KEYING 6. See inside front cover for required option codes Example GAZCLCSH1818L-WW.NC215.MPS.LY.RMS.OFC1	-	17 3/4	30	75 ¹⁵ / ₁₆	GA2CLD5H1830-WW	10,543	11,502
PRODUCT INFO All units have a finished back All units have optional face locks See inside front cover for required option codes Example GAZCLCSH18IBL-WW.NC215.MPS.LY.RMS.OFC1 TO ORDER PLEASE SPECIFY THE FOLLOWING: MODEL NUMBER FINISH 9 ULL LOCKING KEYING 6 GAZCLCSH18IBL-WW.NC215.MPS.LY.RMS.OFC1		• (1	S _ (1) adjustable sh	olygo		
PRODUCT INFO All units have a finished back All units have optional face locks 1.				-			
All units have a finished back All units have optional face locks 1.					,,		
All units have a finished back All units have optional face locks 1.	PRODUCT INFO	TO OR	DER	PLEASE SI	PECIFY THE FOLLOWING:		
All units have optional face locks 2. FINISH PULL LOCKING KEYING OFFICE # See inside front cover for required option codes Example GAZCLCSH1818L-WW.NC215.MPS.LY.RMS.OFC1							
See inside front cover for required option codes Example GAZCLC5H1818L-WW.NC215.MPS.LY.RMS.OFC1	All units have a finished back				NOMBER		
See inside front cover for required option codes Example GAZCLC5H1818L-WW.NC215.MPS.LY.RMS.OFC1	-	3.		PULL			
See inside front cover for required option codes Example GA2CLC5H1818L-WW.NC215.MPS.LY.RMS.0FC1	face locks	4.		LOCKIN	G		
See inside front cover for required option codes Example GAZCLC5H1818L-WW.NC215.MPS.LY.RMS.0FC1							
Example GA2CLC5H1818L-WW.NC215.MPS.LY.RMS.OFC1		6.		OFFICE	#		
Example Ga2clc5h1818L-ww.nc215.mps.Ly.rms.ofc1							
Example Ga2clc5h1818L-ww.nc215.mps.Ly.rms.ofc1							
GA2CLC5H1818L-WW.NC215.MPS.LY.RMS.OFC1		See insid	de fron	t cover for req	uired option codes		
GA2CLC5H1818L-WW.NC215.MPS.LY.RMS.OFC1		Example	;				
				IC215 MPS I V DMS OF	C1		
GA2CLC5H1818L-WW NC215 MPS LY RMS OFC1							

6 High

D W Н model number veneer 2 veneer 3 18" WIDTH LEFT HAND 17 3/4 18 84 7/16 GA2CLC6H1818L-WW 6,770 7,385 $17^{3}/_{4}$ 84 7/16 GA2CLS6H1818L-WW 7,547 8,232 $17^{3}/_{4}$ 18 84 7/16 GA2CLD6H1818L-WW 8,434 9,200 • CLC = Coat hook with (2) adjustable shelves • CLS = (5) adjustable shelves • CLD = Coat hook with (2) adjustable adjustable shelf | Divide | (5) adjustable shelves 18" WIDTH RIGHT HAND $17^{3}/_{4}$ 18 84 7/16 GA2CLC6H1818R-WW 6,770 7,385 17³/₄ 84 7/16 GA2CLS6H1818R-WW 7,547 8,232 18 17³/₄ 18 84 7/16 GA2CLD6H1818R-WW 8,434 9,200 • CLC = Coat hook with (2) adjustable shelves • CLS = (5) adjustable shelves • CLD = Coat hook with (2) adjustable adjustable shelf | Divide | (5) adjustable shelves 24" WIDTH LEFT HAND 17 3/4 84 7/16 GA2CLD6H1824L-WW 24 9,702 10,584 • CLD = Coat hook with (2) adjustable shelves | Divider | (5) adjustable shelves 24" WIDTH RIGHT HAND $17^{3}/_{4}$ 84 7/16 GA2CLD6H1824R-WW 9,702 10,584 24 • CLD = Coat hook with (2) adjustable shelves | Divider | (5) adjustable shelves **PRODUCT INFO** TO ORDER PLEASE SPECIFY THE FOLLOWING:

All units have a finished back

All units have optional face locks

1. MODEL NUMBER
2. FINISH
3. PULL
4. LOCKING
5. KEYING
6. OFFICE #

See inside front cover for required option codes

Example

GA2CLC6H1818L-WW.NC215.MPS.LY.RMS.OFC1GA2CLC6H1818L-WW NC215 MPS LY

 GA2CLC6H1818L-WW
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE

	D	W	Н	model number	veneer 2	veneer 3
18" WIDTH LEFT HAND						
A	24 ⁷ /8	18	75 ¹⁵ / ₁₆	GA2CLC5H2418L-WW	6,365	6,943
	24 ⁷ /8	18	75 ¹⁵ / ₁₆	GA2CLS5H2418L-WW	7,090	7,734
	24 ⁷ / ₈	18	75 ¹⁵ / ₁₆	GA2CLD5H2418L-WW	7,926	8,646
	• Cl	LC = C	loset rod with ((1) adjustable shelf		
) adjustable sh			
	• Cl	_D = C	loset rod with ((1) adjustable shelf Divider (4) adjustable shelves		
18" WIDTH RIGHT HAND	0.4.71	40	7 E 157	O A O O I O FILIO A LO DI MINI	0.005	0.040
	24 7/8	18	75 ¹⁵ / ₁₆	GA2CLC5H2418R-WW	6,365	6,943
	24 7/8	18	75 ¹⁵ / ₁₆	GA2CLS5H2418R-WW	7,090	7,734
-	24 7/8	18	75 ¹⁵ / ₁₆	GA2CLD5H2418R-WW	7,926	8,646
				(1) adjustable shelf (1) adjustable shelf Divider (4) adjustable shelves		
24" WIDTH LEFT HAND			iodot rod mar ((1) aujustasis siisii 2.11asii (1) aujustasis siisii siisi		
	24 7/8	24	75 ¹⁵ / ₁₆	GA2CLD5H2424L-WW	9,119	9,948
	• Cl	LD = C	loset rod with ((1) adjustable shelf Divider (4) adjustable shelves		
· -						
24" WIDTH RIGHT HAND	24 ⁷ /8	24	75 ¹⁵ /16	GA2CLD5H2424R-WW	9,119	9,948
			70 710	GAZOEDONZ-72-11 WW	3,113	0,040
	• Cl	LD = C	loset rod with ((1) adjustable shelf Divider (4) adjustable shelves		
-						
30" WIDTH	24 ⁷ /8	30	75 ¹⁵ / ₁₆	GA2CLS5H2430-WW	10,281	11,215
	24 7/8	30	75 ⁷⁵ / ₁₆	GA2CLD5H2430-WW	11,097	12,106
			· · · · · · · · · · · · · · · · · · ·			12,100
) adjustable sh	nelves (1) adjustable shelf Divider (4) adjustable shelves		
	• CI	_D = C	ioset rod with (1) adjustable stiell Divider (4) adjustable stielves		
DDODUGT INFO	TO OR			PECIFY THE FOLLOWING:		
PRODUCT INFO		DEK				
All units have a finished back	1. 2.		FINISH	NUMBER		
All units have optional	3.		PULL			
face locks	4.		LOCKIN	IG		
Matalandh baiaktaratakar	5.		KEYING	à		
Metal pull height matches 29H pedestal pulls	6.		OFFICE	: #		
	See insid	de fron	t cover for req	uired option codes		
	Example)				
			ICOJE MDC I V DMC O	Erra		
	GA2CLC5H24 GA2CLC5H2		IC215.MPS.LY.RMS.OI V NC215 M	PS LY RMS OFC1		
	MODEL NUMBE			JLL LOCKING KEYING OFFICE#		

6 High

D W Н model number veneer 2 veneer 3 **18" WIDTH LEFT HAND** 24 ⁷/₈ 18 84 7/16 GA2CLC6H2418L-WW 7,130 7,778 24 7/8 84 7/16 GA2CLS6H2418L-WW 7,944 8,666 $24^{7}/8$ 18 84 7/16 GA2CLD6H2418L-WW 8,878 9,685 • CLC = Closet rod with (2) adjustable shelves • CLS = (5) adjustable shelves • CLD = Closet rod with (2) adjustable adjustable shelf | Divider | (5) adjustable shelves 18" WIDTH RIGHT HAND $24^{7/8}$ 18 84 7/16 GA2CLC6H2418R-WW 7,130 7,778 24 ⁷/₈ 84 7/16 GA2CLS6H2418R-WW 7,944 8,666 18 $24^{7/8}$ 18 84 7/16 GA2CLD6H2418R-WW 8,878 9,685 • CLC = Closet rod with (2) adjustable shelf • CLS = (5) adjustable shelves • CLD = Closet rod with (2) adjustable shelf | Divider | (5) adjustable shelves 24" WIDTH LEFT HAND GA2CLD6H2424L-WW 24 7/8 24 84 7/16 10,205 11,133 • CLD = Closet rod with (2) adjustable shelf | Divider | (5) adjustable shelves 24" WIDTH RIGHT HAND $24^{7}/8$ 24 84 7/16 GA2CLD6H2424R-WW 10,205 11,133 • CLD = Closet rod with (2) adjustable shelf | Divider | (5) adjustable shelves


PRODUCT INFO

All units have a finished back

All units have optional face locks

Metal pull height matches 29H pedestal pulls

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example


 GA2CLC6H2418L-WW.NC215.MPS.LY.RMS.OFC1

 GA2CLC6H2418L-WW
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE A

STORAGE BOX

5 High | 6 high



UTILITY CABINETS

5 High | 6 high

		D	W	Н	model number	veneer 2	veneer 3
5 HIGH							
\bigcap	LEFT HAND	24 ⁷ /8	24	75 ¹⁵ / ₁₆	GA2UTC5H2424L-WW	12,294	13,410
	RIGHT HAND	24 ⁷ /8	24	75 ¹⁵ / ₁₆	GA2UTC5H2424R-WW	12,294	13,410
						, -	
6 HIGH		7,		71			
	LEFT HAND	24 7/8	24	84 ⁷ /16	GA2UTC6H2424L-WW	14,100	15,381
	RIGHT HAND	24 7/8	24	84 ⁷ / ₁₆	GA2UTC6H2424R-WW	14,100	15,381


Note: Tall door hinges off center divider on utility cabinets for side access to integral wood pulls.

PRODUCT INFO

All units have a finished back

All units have optional face locks





See inside front cover for required option codes

 Example

 GA2UTC5H2424L-WW.NC215.MPS.LY.RMS.OFC1

 GA2UTC5H2424L-WW
 NC215
 MPS
 LY
 RMS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 LOCKING
 KEYING
 OFFICE #

12,298

13,414

Hinged | wood doors

Credentials 06/25

	D	W	Н	model number	veneer 2	veneer 3
1 HIGH						
	18	30	19 ¹ / ₂	GA2WCH1H30-WW	4,808	5,245
	18	36	19 ¹ / ₂	GA2WCH1H36-WW	5,024	5,481
_	18	60	19 ¹ / ₂	GA2WCH1H60-WW	8,424	9,189
	18	66	19 ¹ / ₂	GA2WCH1H66-WW	8,796	9,595
	18	72	19 ¹ / ₂	GA2WCH1H72-WW	9,191	10,026
	18	78	19 ¹ / ₂	GA2WCH1H78-WW	9,957	10,862
	18	84	19 ¹ / ₂	GA2WCH1H84-WW	10,395	11,339
	18	90	19 ¹ / ₂	GA2WCH1H90-WW	10,851	11,838
	18	96	19 ¹ / ₂	GA2WCH1H96-WW	11,313	12,342
	18	102	19 ¹ / ₂	GA2WCH1H102-WW	11.793	12.864

GA2WCH1H108-WW

- Units are available in wood integral pull only
- Recessed LED tasklights included

 $19^{1/2}$

18

108

PRODUCT INFO

Doors do not lock

Door widths:

30" = (2) doors

36" = (2) doors60" = (4) doors

66" = (4) doors

72" = (4) doors

78" = (4) doors

84" = (6) doors


90" = (6) doors96" = (6) doors

102" = (6) doors

108" = (6) doors

Hidden cubbies behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2WCH1H30-WW NC215 MPS MODEL NUMBER

06/25

WALL MOUNT OVERHEADS

Hinged | glass doors

	D	W	Н	model number	veneer 2	veneer 3
1 HIGH						
	18	30	19 ¹ / ₂	GA2WCH1H30-WG	5,427	5,920
1/	18	36	19 ¹ / ₂	GA2WCH1H36-WG	5,678	6,194
	18	60	19 ¹ / ₂	GA2WCH1H60-WG	9,486	10,348
	18	72	19 ¹ / ₂	GA2WCH1H72-WG	10,369	11,311
	18	90	19 ¹ / ₂	GA2WCH1H90-WG	12,227	13,338
	18	108	19 1/2	GA2WCH1H108-WG	13.885	15.147

[·] Recessed LED tasklights included

PRODUCT INFO

Doors do not lock

Door widths:

 $30" = (2) \; doors$

36" = (2) doors

60" = (4) doors


72" = (4) doors

90" = (6) doors

108" = (6) doors

Hidden cubbies behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example

GA2WCH1H30-WG.NC215.WH.OFC1

 $\frac{\text{GA2WCH1H30-WG}}{\text{MODEL NUMBER}} \qquad \frac{\text{NC215}}{\text{FINISH}} \qquad \frac{\text{WH}}{\text{GLASS COLOR}} \qquad \frac{\text{OFC1}}{\text{OFFICE \#}}$

Soft lift | wood doors

	D	W	Н	model number	veneer 2	veneer 3
1 HIGH						
	18	60	19 ¹ / ₂	GA2WCF1H60-WW	8,778	9,576
	18	72	19 ¹ / ₂	GA2WCF1H72-WW	9,581	10,451
	18	90	19 ¹ / ₂	GA2WCF1H90-WW	11,313	12,342
	18	108	19 ¹ / ₂	GA2WCF1H108-WW	12,827	13,993

- Units are available in wood integral pull only
- Recessed LED tasklights included

PRODUCT INFO

Doors do not lock

Door widths:

60" = (2) doors 72" = (2) doors

90" = (3) doors

108'' = (3) doors

Hidden cubbies behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. PULL
4. OFFICE#

See inside front cover for required option codes

Example

GA2WCF1H60-WW.NC215.MPS.OFC1

 GA2WCF1H60-WW
 NC215
 MPS
 OFC1

 MODEL NUMBER
 FINISH
 PULL
 OFFICE #

06/25

WALL MOUNT OVERHEADS

Soft lift | glass doors

	D	W	Н	model number	veneer 2	veneer 3
1 HIGH						
	18	60	19 ¹ / ₂	GA2WCF1H60-WG	9,895	10,795
[// ///	18	72	19 ¹ / ₂	GA2WCF1H72-WG	10,819	11,803
	18	90	19 ¹ / ₂	GA2WCF1H90-WG	12,753	13,912
	18	108	19 ¹ / ₂	GA2WCF1H108-WG	14,494	15,812

[•] Recessed LED tasklights included

PRODUCT INFO

Doors do not lock

Door widths:

60" = (2) doors

72" = (2) doors

90" = (3) doors108" = (3) doors

Hidden cubbies behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	GLASS COLOR
4.	OFFICE #

See inside front cover for required option codes

 Example

 Ga2WCF1H60-WG.NC215.WH.OFC1

 GA2WCF1H60-WG
 NC215
 WH
 OFC1

 MODEL NUMBER
 FINISH
 GLASS COLOR
 OFFICE #

Sliding | wood doors

	D) W	Н	model number	veneer 2	veneer 3
1 HIGH						
	18	8 60) 19 ¹ / ₂	GA2WCS1H60-WW	8,778	9,576
	18	8 72	2 19 ¹ / ₂	GA2WCS1H72-WW	9,581	10,451
_	18	8 90) 19 ¹ / ₂	GA2WCS1H90-WW	11,313	12,342
	18	8 108	8 19 ¹ / ₂	GA2WCS1H108-WW	12,827	13,993

- No pulls required
- Recessed LED tasklights included

PRODUCT INFO

Doors do not lock

Door widths: 60" = (1) doors

72" = (1) doors

90" = (2) doors

108" = (2) doors

Hidden cubbies behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. 2. 3.

MODEL NUMBER **FINISH** OFFICE #

See inside front cover for required option codes

Example

GA2WCS1H60-WW NC215 OFC1 MODEL NUMBER

WALL MOUNT OVERHEADS

Sliding | glass doors

1 HIGH

06/25



D	W	Н	model number	veneer 2	veneer 3
18	60	19 ¹ / ₂	GA2WCS1H60-WG	9,895	10,795
18	72	19 ¹ / ₂	GA2WCS1H72-WG	10,819	11,803
18	90	19 ¹ / ₂	GA2WCS1H90-WG	12,753	13,912
18	108	19 ¹ / ₂	GA2WCS1H108-WG	14,494	15,812

[•] Recessed LED tasklights included

PRODUCT INFO

Doors do not lock

Door widths: 60" = (1) doors 72" = (1) doors

90" = (2) doors 108" = (2) doors

Hidden cubbies behind doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH
3.	GLASS COLOR
4.	OFFICE #

See inside front cover for required option codes

 Example

 GA2WCS1H60-WG.NC215.WH.OFC1

 GA2WCS1H60-WG
 NC215
 WH
 OFC1

 MODEL NUMBER
 FINISH
 GLASS COLOR
 OFFICE #

Hinged | wood doors

	D	W	Н	model number	veneer 2	veneer 3
2 HIGH						
	18	30	28	GA2WCH2H30-WW	6,876	7,501
	18	36	28	GA2WCH2H36-WW	7,204	7,858
	18	60	28	GA2WCH2H60-WW	10,236	11,166
	18	66	28	GA2WCH2H66-WW	10,709	11,682
	18	72	28	GA2WCH2H72-WW	11,201	12,219
	18	78	28	GA2WCH2H78-WW	12,075	13,172
	18	84	28	GA2WCH2H84-WW	12,625	13,772
	18	90	28	GA2WCH2H90-WW	13,197	14,397

- Units are available in wood integral pull only
- Recessed LED tasklights included

PRODUCT INFO

Doors do not lock

Door widths: 30" = (2) doors36" = (2) doors

60" = (4) doors

66" = (4) doors

72" = (4) doors

78" = (4) doors

84" = (6) doors

90" = (6) doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

OFC1

MODEL NUMBER 1. **FINISH** 2. PULL 3. OFFICE #

See inside front cover for required option codes

Example

GA2WCH2H30-WW NC215 MPS

FINISH PULL MODEL NUMBER

WALL MOUNT OVERHEADS

Hinged | glass doors

2 HIGH

06/25



	D	W	Н	model number	veneer 2	veneer 3
	18	30	28	GA2WCH2H30-WG	7,808	8,517
	18	36	28	GA2WCH2H36-WG	8,183	8,927
	18	60	28	GA2WCH2H60-WG	11,572	12,623
	18	72	28	GA2WCH2H72-WG	12,679	13,831
	18	90	28	GA2WCH2H90-WG	14,922	16,277
-						

[•] Recessed LED tasklights included

PRODUCT INFO

Doors do not lock

Door widths:

30" = (2) doors

36" = (2) doors

60" = (4) doors

72'' = (4) doors

90" = (6) doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. **MODEL NUMBER** 2. **FINISH GLASS COLOR** 3. OFFICE#

See inside front cover for required option codes

Example

GA2WCH2H30-WG.NC215.WH.OFC1

GA2WCH2H30-WG NC215 GLASS COLOR OFFICE # MODEL NUMBER

Sliding | wood doors

	D	W	Н	model number	veneer 2	veneer 3
2 HIGH						
	18	60	28	GA2WCS2H60-WW	10,682	11,652
	18	72	28	GA2WCS2H72-WW	11,689	12,752
	18	90	28	GA2WCS2H90-WW	13,772	15,023

- No pulls required
- Recessed LED tasklights included

PRODUCT INFO

Doors do not lock

Door widths: 60" = (1) doors72" = (1) doors90" = (2) doors TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER 1. 2. **FINISH** OFFICE # 3.

See inside front cover for required option codes

Example

GA2WCS2H60-WW.NC215.OFC1

GA2WCS2H60-WW NC215 OFC1 MODEL NUMBER

06/25

WALL MOUNT OVERHEADS


Sliding | glass doors

	D	W	Н	model number	veneer 2 veneer 3
2 HIGH					
	18	60	28	GA2WCS2H60-WG	12,084 13,182
	18	72	28	GA2WCS2H72-WG	13,245 14,449
	18	90	28	GA2WCS2H90-WG	15,584 17,000

PRODUCT INFO

Doors do not lock

Door widths: 60" = (1) doors72" = (1) doors90" = (2) doors TO ORDER PLEASE SPECIFY THE FOLLOWING:



See inside front cover for required option codes

Example GA2WCS2H60-WG NC215 OFC1 GLASS COLOR OFFICE # MODEL NUMBER FINISH

[•] Recessed LED tasklights included

							fabric gra	des		
		D	W	Н	yards	model number	1	2	3	COM/4
STANDARD										
		7/8	30	28 1/2	1.25	GAATKW30	1,102	1,132	1,162	1,192
	-	7/8	36	28 1/2	1.25	GAATKW36	1,156	1,192	1,233	1,271
	-	7/8	60	28 1/2	2.00	GAATKW60	1,342	1,401	1,460	1,520
FABRIC	-	7/8	66	28 1/2	2.25	GAATKW66	1,370	1,429	1,488	1,548
	-	7/8	72	28 1/2	2.50	GAATKW72	1,422	1,486	1,555	1,626
	-	7/8	78	28 1/2	2.50	GAATKW78	1,464	1,540	1,615	1,691
	-	7/8	84	28 1/2	2.75	GAATKW84	1,503	1,579	1,654	1,730
	-	7/8	90	28 1/2	3.00	GAATKW90	1,568	1,648	1,733	1,816
	-	7/8	96	28 1/2	3.00	GAATKW96	1,634	1,720	1,811	1,903
	2-PIECE	7/8	102	28 1/2	3.50	GAATKW102	2,255	2,349	2,449	2,547
	2-PIECE	7/8	108	28 1/2	4.00	GAATKW108	2,333	2,436	2,541	2,649
	2-PIECE	7/8	120	28 1/2	4.00	GAATKW120	2,685	2,795	2,907	3,022
	-									

- Dimensioned from full height trough worksurface to bottom of overhead.
- A trough worksurface is required for ALL tackzone.
- Tackboards listed on this page are all standard "railroad".



PRODUCT SPECIFICATIONS:

STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.



SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

See yards listed above for COM fabric requirement

102, 108, and 120 wide tackboards are 2-piece

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FABRIC
3. FSC TACKBOARD
4. OFFICE #

FSC Tackboard Options:

FSC = FSC Required (+5% COM upcharge)
NR = FSC Not Required

COM FABRIC REQUIREMENT

All COM must be shipped prepaid to Gunlocke with package side marked with:

- Dealer Name
- Dealer Purchase Order Number
- Gunlocke Pattern Number

See inside front cover for required option codes

Example

GAATKW30.FABRIC.FSC.OFC1

 GAATKW30
 FABRIC
 FSC
 OFC1

 MODEL NUMBER
 FABRIC
 FSC TACKBOARD
 OFFICE #

06/25

Top of Overhead

						fabric grades			
	D	W	Н	yards	model number	1	2	3	COM/4
TOP OF 1 HIGH OVERHEAD									
	7/8	30	48	1.25	GAATKW1H30	1,342	1,372	1,402	1,432
	7/8	36	48	1.25	GAATKW1H36	1,370	1,406	1,447	1,485
	7/8	42	48	1.50	GAATKW1H42	1,422	1,469	1,512	1,559
FABRIC	7/8	48	48	1.50	GAATKW1H48	1,464	1,511	1,554	1,601

- imensioned from trough worksurface to top of 1 high overhead (or 5 high storage)
- · A trough worksurface is required for ALL tackzone.

TOP OF 2 HIGH OVERHEAD



7/8	30	56 ¹ / ₂	1.75	GAATKW2H30	1,370	1,400	1,430	1,460
7/8	36	56 ¹ / ₂	1.75	GAATKW2H36	1,422	1,458	1,499	1,537
7/8	42	56 ¹ / ₂	1.75	GAATKW2H42	1,464	1,511	1,554	1,601
7/8	48	56 ¹ / ₂	1.75	GAATKW2H48	1,503	1,550	1,593	1,640

- Dimensioned from trough worksurface to top of 2 high overhead (or 6 high storage)
- · A trough worksurface is required for ALL tackzone.
- Tackboards to top of 1H overheads are standard "railroad". Tackboards to top of 2H overheads are "up the roll".

PRODUCT SPECIFICATIONS:

STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

See yards listed above for COM fabric requirement

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER 1. 2. **FABRIC FSC TACKBOARD** 3. OFFICE #

FSC Tackboard Options:

FSC = FSC Required (+5% COM upcharge)
NR = FSC Not Required

COM FABRIC REQUIREMENT

All COM must be shipped prepaid to Gunlocke with package side marked with:

- Dealer Name
- Dealer Purchase Order Number
- · Gunlocke Pattern Number

See inside front cover for required option codes

Example

GAATKW1H30. FABRIC.FSC.OFC1

GAATKW1H30 FABRIC FSC MODEL NUMBER FSC TACKBOARD OFFICE #

							fabric gra	ides		
		D	W	Н	yards	model number	1	2	3	COM/4
STANDARD										
		7/8	30	36 ¹ / ₄	1.25	GAATLKW30	1,156	1,186	1,216	1,246
	-	7/8	36	36 ¹ / ₄	1.25	GAATLKW36	1,342	1,378	1,419	1,457
	-	7/8	60	36 ¹ / ₄	2.00	GAATLKW60	1,370	1,429	1,488	1,548
FABRIC	•	7/8	66	36 ¹ / ₄	2.25	GAATLKW66	1,422	1,481	1,540	1,600
	•	7/8	72	36 ¹ / ₄	2.50	GAATLKW72	1,464	1,528	1,597	1,668
	•	7/8	78	36 ¹ / ₄	2.50	GAATLKW78	1,503	1,579	1,654	1,730
	•	7/8	84	36 ¹ / ₄	2.75	GAATLKW84	1,568	1,644	1,719	1,795
	•	7/8	90	36 ¹ / ₄	3.00	GAATLKW90	1,634	1,714	1,799	1,882
		7/8	96	36 ¹ / ₄	3.00	GAATLKW96	2,255	2,341	2,432	2,524
	2-PIECE	7/8	102	36 ¹ / ₄	3.50	GAATLKW102	2,333	2,427	2,527	2,625
	2-PIECE	7/8	108	36 ¹ / ₄	4.00	GAATLKW108	2,451	2,554	2,659	2,767
	2-PIECE	7/8	120	36 ¹ / ₄	4.00	GAATLKW120	2,735	2,845	2,957	3,072
	-									

- Dimensioned from full height trough worksurface to bottom of overhead.
- A trough worksurface is required for ALL tackzone.
- Tackboards listed on this page are all standard "railroad".

PRODUCT SPECIFICATIONS:



STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.


- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

See yards listed above for COM fabric requirement

102, 108, and 120 wide tackboards are 2-piece

TO ORDER PLEASE SPECIFY THE FOLLOWING:



FSC Tackboard Options:

FSC = FSC Required (+5% COM upcharge)
NR = FSC Not Required

COM FABRIC REQUIREMENT

All COM must be shipped prepaid to Gunlocke with package side marked with:

- Dealer Name
- Dealer Purchase Order Number
- Gunlocke Pattern Number

See inside front cover for required option codes

Example

GAATLKW30.FABRIC.FSC.OFC1


 GAATLKW30
 FABRIC
 FSC
 OFC1

 MODEL NUMBER
 FABRIC
 FSC TACKBOARD
 OFFICE #

Top of Overhead

						fabric grad	des		
	D	W	Н	yards	model number	1	2	3	COM/4
TOP OF 1 HIGH OVERHEAD									
	7/8	30	55 ³ / ₄	1.75	GAATLKW1H30	1,370	1,400	1,430	1,460
	7/8	36	55 ³ / ₄	1.75	GAATLKW1H36	1,422	1,458	1,499	1,537
	7/8	42	55 ³ / ₄	1.75	GAATLKW1H42	1,464	1,511	1,554	1,601
FABRIC	7/8	48	55 ³ / ₄	1.75	GAATLKW1H48	1,503	1,550	1,593	1,640

TOP OF 2 HIGH OVERHEAD



7/8	30	64 1/4	2.00	GAATLKW2H30	1,422	1,452	1,482	1,512
7/8	36	64 1/4	2.00	GAATLKW2H36	1,464	1,500	1,541	1,579
7/8	42	64 1/4	2.00	GAATLKW2H42	1,503	1,550	1,593	1,640
7/8	48	64 1/4	2.00	GAATLKW2H48	1,568	1,615	1,658	1,705

- Dimensioned from trough worksurface to top of 2 high overhead (or 6 high storage)
- A trough worksurface is required for ALL tackzone.
- Layers tackboards to top of 1H and 2H overheads are "up the roll".

PRODUCT SPECIFICATIONS:

STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric
 pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote
 for a special quote.

SPECIA



Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

See yards listed above for COM fabric requirement

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FABRIC
3. FSC TACKBOARD
4. OFFICE #

FSC Tackboard Options:

FSC = FSC Required (+5% COM upcharge)
NR = FSC Not Required

COM FABRIC REQUIREMENT

All COM must be shipped prepaid to Gunlocke with package side marked with:

- Dealer Name
- Dealer Purchase Order Number
- Gunlocke Pattern Number

See inside front cover for required option codes

Example

GAATLKW30.FABRIC.FSC.OFC

 GAATLKW30
 FABRIC
 FSC
 OFC1

 MODEL NUMBER
 FABRIC
 FSC TACKBOARD
 OFFICE #

WHITEBOARDS

Standard

		D	W	Н	model number	list	
STANDARD							
		3/4	30	28 1/2	GAATGW30-GSA	2,077	
		3/4	36	28 ¹ / ₂	GAATGW36-GSA	2,360	
		3/4	60	28 ¹ / ₂	GAATGW60-GSA	3,867	
MAGNETIC		3/4	66	28 1/2	GAATGW66-GSA	4,424	
		3/4	72	28 1/2	GAATGW72-GSA	4,716	
		3/4	78	28 1/2	GAATGW78-GSA	5,229	_
		3/4	84	28 ¹ / ₂	GAATGW84-GSA	5,939	
	2-PIECE	3/4	90	28 1/2	GAATGW90-GSA	6,211	
	2-PIECE	3/4	96	28 1/2	GAATGW96-GSA	6,511	
	2-PIECE	3/4	102	28 ¹ / ₂	GAATGW102-GSA	6,786	
		3/4	108	28 ¹ / ₂	GAATGW108-GSA	7,076	

[•] NOTE: Quantity 6 magnets are included with each unit 72"W and less. Quantity 12 magnets are included with each unit 84"W and greater. Magnets can also be ordered separately.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

OFC1

1. **MODEL NUMBER** 2. **GLASS COLOR** OFFICE #

NOTE: Whiteboards are GSA (TAA) compliant standard.

See inside front cover for required option codes

Example

GAATGW30-GSA GLASS COLOR OFFICE # MODEL NUMBER

	D	W	Н	model number	select	
TOP OF 1 HIGH OVERHEAD						
	3/4	30	48	GAATGW1H30-GSA	3,867	
	3/4	36	48	GAATGW1H36-GSA	4,424	
	3/4	42	48	GAATGW1H42-GSA	4,716	
MAGNETIC	3/4	48	48	GAATGW1H48-GSA	5,229	

- Dimensioned from trough worksurface to top of 1 high overhead (or 5 high storage)
- A trough worksurface is required for ALL tackzone.

TOP OF 2 HIGH OVERHEAD




3/4	30	56 ¹ / ₂	GAATGW2H30-GSA	4,424	
3/4	36	56 ¹ / ₂	GAATGW2H36-GSA	4,716	
3/4	42	56 ¹ / ₂	GAATGW2H42-GSA	5,229	
3/4	48	56 ¹ / ₂	GAATGW2H48-GSA	5,939	

- Dimensioned from trough worksurface to top of 2 high overhead (or 6 high storage)
- A trough worksurface is required for ALL tackzone.
- **NOTE:** Quantity 6 magnets are included with each unit 72"W and less. Quantity 12 magnets are included with each unit 84"W and greater. Magnets can also be ordered separately.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:



NOTE: Whiteboards are GSA (TAA) compliant standard.

See inside front cover for required option codes

Example

GAATGW1H30-GSA.WH.OFC1

GAATGW1H30-GSA WH OFC

MODEL NUMBER GLASS COLOR OFFICE

TOP OF 1 HIGH OVERHEAD	
3/ ₄ 30 48 GAATGW1H30-XGSA 4,445	
3/ ₄ 36 48 GAATGW1H36-XGSA 5,090	
³ / ₄ 42 48 GAATGW1H42-XGSA 5,425	
MAGNETIC 3/4 48 48 GAATGW1H48-XGSA 6,019	

- Dimensioned from trough worksurface to top of 1 high overhead (or 5 high storage)
- A trough worksurface is required for ALL tackzone.

TOP OF 2 HIGH OVERHEAD



MAGNETIC

 3/4	30	56 ¹ / ₂	GAATGW2H30-XGSA	5,090	
3/4	36	56 ¹ / ₂	GAATGW2H36-XGSA	5,425	
3/4	42	56 ¹ / ₂	GAATGW2H42-XGSA	6,019	
3/4	48	56 ¹ / ₂	GAATGW2H48-XGSA	6,828	

- Dimensioned from trough worksurface to top of 2 high overhead (or 6 high storage)
- A trough worksurface is required for ALL tackzone.
- NOTE: Quantity 6 magnets are included with each unit 72"W and less. Quantity 12 magnets are included with each unit 84"W and greater. Magnets can also be ordered separately.
- Shelves must be ordered separately.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:



NOTE: Whiteboards are GSA (TAA) compliant standard.

See inside front cover for required option codes

Example

GAATGW1H30-XGSA.WH.OFC

MODEL NUMBER

GLASS COLOR

OFFICE #

WOOD MAGNETIC TACKZONE

Standard

	D	W	Н	model number	veneer 2	veneer 3
STANDARD						
	7/8	30	28 1/2	GAATWD30	2,292	2,502
	7/8	36	28 ¹ / ₂	GAATWD36	2,434	2,656
	7/8	60	28 ¹ / ₂	GAATWD60	3,288	3,586
MAGNETIC	7/8	66	28 ¹ / ₂	GAATWD66	3,479	3,795
_	7/8	72	28 ¹ / ₂	GAATWD72	3,778	4,122
_	7/8	78	28 ¹ / ₂	GAATWD78	3,895	4,250
_	7/8	84	28 ¹ / ₂	GAATWD84	4,107	4,480
_	7/8	90	28 ¹ / ₂	GAATWD90	4,651	5,073
2-PIECE	7/8	96	28 ¹ / ₂	GAATWD96	4,788	5,223
2-PIECE	7/8	102	28 ¹ / ₂	GAATWD102	4,929	5,377
2-PIECE	7/8	108	28 1/2	GAATWD108	5,199	5,671
2-PIECE	7/8	120	28 1/2	GAATWD120	5,366	5,855

[•] **NOTE:** Quantity 6 magnets are included with each unit 72"W and less. Quantity 12 magnets are included with each unit 84"W and greater. Magnets can also be ordered separately.

TO ORDER PLEASE SPECIFY THE FOLLOWING: 1. MODEL NUMBER FINISH 3. OFFICE # See inside front cover for required option codes Example GAATWD30 NC215 OFC1 MODEL NUMBER FINISH OFFICE # OFC1 MODEL NUMBER FINISH OFFICE

Top of Overhead

	D	W	Н	model number	veneer 2	veneer 3
TOP OF 1 HIGH OVERHEAD						
	⁷ /8	30	48	GAATWD1H30	3,288	3,586
	7/8	36	48	GAATWD1H36	3,479	3,795
	7/8	42	48	GAATWD1H42	3,778	4,122
MAGNETIC	7/8	48	48	GAATWD1H48	3,895	4,250

- Dimensioned from trough worksurface to top of 1 high overhead (or 5 high storage)
- A trough worksurface is required for ALL tackzone.

TOP OF 2 HIGH OVERHEAD



7/8	30	56 ¹ / ₂	GAATWD2H30	3,479	3,795
7/8	36	56 ¹ / ₂	GAATWD2H36	3,778	4,122
7/8	42	56 ¹ / ₂	GAATWD2H42	3,895	4,250
7/8	48	56 ¹ / ₂	GAATWD2H48	4,107	4,480

- Dimensioned from trough worksurface to top of 2 high overhead (or 6 high storage)
- A trough worksurface is required for ALL tackzone.
- NOTE: Quantity 6 magnets are included with each unit 72"W and less. Quantity 12 magnets are included with each unit 84"W and greater. Magnets can also be ordered separately.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. FINISH
3. OFFICE #

See inside front cover for required option codes

Example

GAATWD1H30.NC215.OFC1
GAATWD1H30

MODEL NUMBER

NC215

06/25 Top of Overhead

SEGMENTED WOOD MAGNETIC TACKZONE

	D	W	Н	model number	veneer 2	veneer 3
TOP OF 1 HIGH OVERHEAD						
	7/8	30	48	GAATWD1H30-X	3,781	4,124
	7/8	36	48	GAATWD1H36-X	4,005	4,367
	7/8	42	48	GAATWD1H42-X	4,346	4,740
MAGNETIC	7/8	48	48	GAATWD1H48-X	4,479	4,886

- Dimensioned from trough worksurface to top of 1 high overhead (or 5 high storage)
- A trough worksurface is required for ALL tackzone

TOP OF 2 HIGH OVERHEAD



7/8	30	56 ½	GAATWD2H30-X	4,005	4,367
7/8	36	56 1/2	GAATWD2H36-X	4,346	4,740
7/8	42	56 1/2	GAATWD2H42-X	4,479	4,886
7/8	48	56 1/2	GAATWD2H48-X	4,726	5,156

- Dimensioned from trough worksurface to top of 2 high overhead (or 6 high storage)
- A trough worksurface is required for ALL tackzone.
- NOTE: Quantity 6 magnets are included with each unit 72"W and less. Quantity 12 magnets are included with each unit 84"W and greater. Magnets can also be ordered separately.
- Shelves must be ordered separately.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.	MODEL NUMBER
2.	FINISH

. OFFICE #

See inside front cover for required option codes

Example

GAATWD1H30-X.NC215.OFC1

 GAATWD1H30-X
 NC215
 OFC1

 MODEL NUMBER
 FINISH
 OFFICE

		D	W	Н	model number	veneer 2	veneer 3
WOOD							
		8	30	1	GA2ASF830-W	994	1,084
		8	36	1	GA2ASF836-W	1,069	1,166
		8	42	1	GA2ASF842-W	1,218	1,328
		8	48	1	GA2ASF848-W	1,359	1,482
		8	60	1	GA2ASF860-W	1,549	1,689
		8	66	1	GA2ASF866-W	1,655	1,805
		8	72	1	GA2ASF872-W	1,749	1,907
		8	78	1	GA2ASF878-W	1,834	2,000
		8	84	1	GA2ASF884-W	1,937	2,113
		8	90	1	GA2ASF890-W	2,167	2,365
	2-PIECE	8	96	1	GA2ASF896-W	2,243	2,447
	2-PIECE	8	102	1	GA2ASF8102-W	2,322	2,533
	2-PIECE	8	108	1	GA2ASF8108-W	2,396	2,613
	2-PIECE	8	120	1	GA2ASF8120-W	3,093	3,374
	2-PIECE	8	144	1	GA2ASF8144-W	3,496	3,813

- WHEN PLACING MULTIPLE SHELVES END TO END, PLEASE CONTACT GUNTS FOR A SPECIAL SET OF SHELVES WITH A DOWEL PIN FOR ALIGNMENT SHELF TO SHELF
- · STANDARD 2-PIECE SHELVES INCLUDE DOWEL PIN

PRODUCT INFO	TO ORDER PLEASE SPECIFY THE FOLLOWING: 1. MODEL NUMBER 2. FINISH OFFICE #						
	See inside front cover for required option codes Example						
	GA2ASF830-W.NC215.0FC1 GA2ASF830-W NC215 OFC1						
	MODEL NUMBER FINISH OFFICE #						

	D	W	Н	model number	veneer 2	veneer 3
	42 dia.		1 ¹ / ₂	GA2TRD42-W	5,157	5,625
	48 dia.		1 ¹ / ₂	GA2TRD48-W	6,077	6,628
2-PIECE	54 dia.		1 ¹ / ₂	GA2TRD54-W	7,276	7,937
2-PIECE	60 dia.		1 ¹ / ₂	GA2TRD60-W	7,593	8,283

TO ORDER PLEASE SPECIFY THE FOLLOWING: 1. MODEL NUMBER FINISH

1. MODEL NUMBER
2. FINISH
3. TOP FINISH TYPE
4. OFFICE #

See inside front cover for required option codes

Example

GA2TRD42-W.NC215.OP.OFC1

GA2TRD42-W NC215 OP OFC1

MODEL NUMBER FINISH TOP FINISH

TOP OFFICE FINISH

Replacements

	D	W	Н	model number	list
RECESSED LED TASKLIGHTS					
	5/8	24	5/8	ACLED24-R	870
	⁵ /8	54	⁵ /8	ACLED54-R	1,213
	⁵ /8	72	⁵ /8	ACLED72-R	1,836

Tasklights are INCLUDED with all overhead cabinets.

They do NOT need to be purchased separately.

- LED lighting provides high efficiency, low energy lighting with a long life.
- All LED light strips are encased in a silver aluminum extrusion and include a built-in microswitch to turn the light on/off.
- Lights are field installed.
- All units include a 10' cord with a standard plug.
- Tasklights are recessed into bottom panel of overhead cabinet.
- Light temperature 3200K

PRODUCT INFO See product specs above	TO ORDER PLEASE SPECIFY THE FOLLOWING: 1. MODEL NUMBER
	NOTE: Office # option not required
	See inside front cover for required option codes
	Example
	ACLED24-R
	ACLED24-R MODEL NUMBER

MAGNETS Credentials 06/25

	D	W	Н	model number	list
MAGNETS	³ / ₈ dia.		1/2	SAMAGNET	111
		•	agnets are inc and greater.	cluded with each unit 72"W and	l less. Quantity 12 magnets are included
	 Magnets 	are silver			

See inside front cover for required option codes

TO ORDER PLEASE SPECIFY THE FOLLOWING: MODEL NUMBER

Example SAMAGNET MODEL NUMBER

PRODUCT INFO

WIRE MANAGER Credentials

	D	W	Н	model number	list
BENEATH WORKSURFACE					
WIRE MANAGER	3 1/4	30	1	ACWM	124




PRODUCT INFO	TO ORDER PLEASE SPECIFY THE FOLLOWING: 1. MODEL NUMBER
	NOTE: Office # option not required
	See inside front cover for required option codes
	Soo motes from south for required option south
	Example
	ACWM
	ACWM
	MODEL NUMBER

PERSONAL CORNER & DESKPAD

1,772

	D	W	Н	model number	list
PERSONAL CORNER					
	12 1/2	36	1 ⁷ /8	GAACORNER	1,254





PRODUCT INFO

Designed for 1.5" thick worksurfaces.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1. MODEL NUMBER
2. LEATHER/VINYL COLOR
3. OFFICE #

Leather Color:

CBL = Black CWH = White CCH = Chocolate

Vinyl Color:

VBL = Black VWH = White VCH = Chocolate

See inside front cover for required option codes

Example

GAACORNER.CWH.OFC1

GAACORNER CWH OFC1

MODEL NUMBER EATHER COLOR OFFICE#

veneer 2 veneer 3

823

900

	D	W	Н	model number	list
15" PENCIL TRAY	3	11 ⁵ / ₁₆	1 1/4	ACPT15-GAA	126
18" PENCIL TRAY	3	14 ⁵ /16	1 ¹ /4	ACPT18-GAA	134
					W

2 15/16

21 3/4

CENTER DRAWER



INTERIOR DIMENSIONS

17 ⁵/₈

 $D = 15^{-1/2}$ $W = 18^{-1/4}$ $H = 1^{-3/8}$

PRODUCT INFO

Center drawer includes pencil tray

TO ORDER PLEASE SPECIFY THE FOLLOWING:

. MODEL NUMBER

FINISH

 Finish option not required for pencil trays

GS2CDWSD-

NOTE: Office # option not required

See inside front cover for required option codes

Example

ACCD19.NC215

ACCD19 NC215
MODEL NUMBER FINISH

FILING RAILS

Replacements

	D	W	Н	model number	list
FOR USE WITH					
15" W FILE DRAWERS	1/8	15	1	ACFLR15-AA	47
FOR USE WITH					
18" W FILE DRAWERS	1/8	18	1	ACFLR18-AA	48
FOR USE WITH					
30" W LATERAL FILES	1/8	30	1	ACFLR30-AA	52
FOR USE WITH					
36" W LATERAL FILES	1/8	36	1	ACFLR36-AA	58



PRODUCT INFO	TO ORDER PLEASE SPECIFY THE FOLLOWING: 1. MODEL NUMBER
	NOTE: Office # option not required
	See inside front cover for required option codes
	Example
	ACFLR15-AA
	ACFLR15-AA MODEL NUMBER

D	W	Н	model number	list
9 3/4	9 3/4	12	ACTRASH	992
Quantit	y 2 trash can			
They d	o not need to			
	9 ³ / ₄ Quantit	9 ³ / ₄ 9 ³ / ₄ Quantity 2 trash can	9 ³ / ₄ 9 ³ / ₄ 12 Quantity 2 trash cans are includ	

• Satin brushed aluminum finish

TO ORDER PLEASE SPECIFY THE FOLLOWING: 1. MODEL NUMBER
NOTE: Office # option not required
See inside front cover for required option codes
Example
ACTRASH
ACTRASH MODEL NUMBER

SAMPLE TOP Credentials

	D	W	Н	model number	veneer 2	veneer 3
SAMPLE TOP						
	18	18	1 ¹ /2	GAATOP1818-W	1,664	1,815

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

١.	MODEL NUMBER
2.	FINISH
3.	TOP FINISH TYPE
ı	OFFICE #

See inside front cover for required option codes

 Example

 GAATOP1818-W.NC215.OP.OFC1

 GAATOP1818-W
 NC215
 OP
 OFC1

 MODEL NUMBER
 FINISH
 TOP
 OFFICE #

Credentials 06/25	NOTES

FABRIC GRADE PRICING

Campionism Cam	model number	1	2	3	COM/4	5	6	7	8	9	10	11	12	13	14	15	16
GAACLPD-CUSH2368 842 828 920 960 917 956 929 1.049 1.051 1.052 1.051 1.052 1.0	GAAMPD-CUSH1818	693	714	741	762	796	825	854	887	915	947	977	1,009	1,048	1,077	1,115	1,154
GAACLPD-CUSH2368 842 828 920 960 917 956 929 1.049 1.051 1.052 1.051 1.052 1.0																	
GARCIPP-CUSH1391 78 81 811 814 978 978 926 1.08 1.09	GAACLPD-CUSH2430	780	811	841	873	917	956	992	1,034	1,072	1,115	1,159	1,198	1,251	1,287	1,336	1,387
GAACLPD-CUSH23ST 882 982 980 960 1,01 1,603 1,109 1,210 1,210 1,314 1,320 1,428 1,420 1,520 1,520 1,604 1,000 <	GAACLPD-CUSH2436	842	882	920	960	1,011	1,063	1,109	1,161	1,210	1,261	1,314	1,362	1,428	1,478	1,539	1,604
GAATKW30	GAACLPD-CUSH2130T	780	811	841	873	917	956	992	1,034	1,072	1,115	1,159	1,198	1,251	1,287	1,336	1,387
GAATKW36 1,156 1,192 1,233 1,271 1,321 1,367 1,414 1,464 1,508 1,508 1,610 1,622 1,282 1,283 1,281 1,321 1,321 1,321 1,401 1,400 1,520 1,601 1,602 1,701 1,682 1,701 1,832 1,908 1,908 2,005 2,141 2,243 2,341 2,416 2,523 2,418 2,523 2,418 1,540 1,602 1,701 1,802 1,978 1,609 2,109 2,147 2,235 2,436 2,523 2,629 2,412 2,433 2,417 2,429 2,424 2,432 2,441 2,432 2,432 2,431 2,432 2,432 2,431 2,432 2,432 2,431 2,432	GAACLPD-CUSH2136T	842	882	920	960	1,011	1,063	1,109	1,161	1,210	1,261	1,314	1,362	1,428	1,478	1,539	1,604
GAATKW36 1,156 1,192 1,233 1,271 1,321 1,367 1,414 1,464 1,508 1,508 1,610 1,622 1,282 1,283 1,281 1,321 1,321 1,321 1,401 1,400 1,520 1,601 1,602 1,701 1,682 1,701 1,832 1,908 1,908 2,005 2,141 2,243 2,341 2,416 2,523 2,418 2,523 2,418 1,540 1,602 1,701 1,802 1,978 1,609 2,109 2,147 2,235 2,436 2,523 2,629 2,412 2,433 2,417 2,429 2,424 2,432 2,441 2,432 2,432 2,431 2,432 2,432 2,431 2,432 2,432 2,431 2,432																	
GAATKW660 1,422 1,461 1,660 1,520 1,604 1,682 1,750 1,832 1,988 1,988 1,986 1,986 1,986 1,986 2,016 2,055 2,142 2,143																	
GAATKW66 1,370 1,429 1,489 1,589 1,632 1,710 1,780 1,860 1,960 2,160 2,160 2,171 2,780 2,140 2,240																	
GAATKW72 1,422 1,486 1,555 1,626 1,714 1,804 1,881 1,974 2,059 2,147 2,328 2,325 2,436 2,521 2,629 2,718 GAATKW78 1,464 1,503 1,501 1,631 1,730 1,830 1,931 2,016 2,176 2,277 2,378 2,475 2,502 2,503 2,930 2,937 2,048 2,245 2,417 2,514 2,635 2,630 2,937 3,047 3,249 2,841 2,248 2,837 2,649 2,649 2,940 2,938 2,832 2,480 2,831 2,841 3,243 3,243 2,449 2,449 2,439 2,248 2,349 2,349 2,340 2,341 2,349 2,340 3,343 3,343 3,343 3,430 3,434 3,437 3,538 3,719 3,401 3,401 3,402 3,403 3,403 3,403 3,403 3,403 3,403 3,403 3,404 3,403 3,403																	
GAATKW78 1,464 1,504 1,615 1,691 1,691 1,892 1,979 2,079 2,176 2,277 2,378 2,475 2,503 2,691 2,810 2,937 2,037 2,037 2,630 2,631 2,301 2,930 2,930 2,937 2,030 2,030 2,030 2,131 2,930 2,030 2,133 2,810 2,630 2,502 2,030 2,930 3,930 3,940 3,040 3,930 3,940 3,940 3,940 2,930 2,930 2,930 2,940																	-
GAATKW94 1,503 1,509 1,654 1,730 1,810 1,931 2,916 2,118 2,115 2,417 2,618 2,630 2,830 2,333 2,41 2,459 2,570 2,670 2,810 2,915 3,047 3,185 GAATKW96 1,634 1,720 1,811 1,903 2,040 2,180 2,801 2,802 2,810 2,802 2,803 2,803 3,803 <																	
GAATKW99 1,568 1,648 1,733 1,816 1,927 2,039 2,133 2,241 2,439 2,450 2,670 2,672 2,810 2,915 3,047 3,243 3,248 3,640 2,432 2,837 2,848 3,00 3,245 3,249 2,449 2,457 2,679 2,808 2,918 3,050 3,173 3,304 3,437 3,501 3,171 3,414 3,997 4,160 GAATKW102 2,955 2,949 2,949 2,909 2,933 3,050 3,174 3,320 3,647 4,192 4,191 4,218 4,218 4,918 4,928 4,709 4,837 GAATKW1140 1,342 1,402 1,432 1,472 1,512 1,547 1,584 1,625 1,663 1,709 1,742 1,792 1,832 1,839 GAATKW1143 1,370 1,402 1,482 1,559 1,619 1,628 1,794 1,850 1,912 1,772 1,722 1,729																	
GAATKW96 1,634 1,720 1,811 1,903 2,026 2,143 2,248 2,367 2,480 2,604 2,723 2,837 2,984 3,100 3,245 3,997 4,160 GAATKW108 2,333 2,436 2,541 2,649 2,790 2,933 3,050 3,174 3,307 3,467 3,071 4,011 4,218 4,391 GAATKW120 2,685 2,795 2,907 3,022 1,742 1,521 1,584 1,625 1,668 1,709 1,492 1,492 1,483 1,928 GAATKW1130 1,342 1,402 1,482 1,472 1,512 1,547 1,584 1,625 1,663 1,709 1,742 1,792 1,832 1,880 1,928 GAATKW11430 1,340 1,440 1,485 1,535 1,518 1,628 1,678 1,722 1,772 1,782 1,935 1,982 2,041 2,100 GAATKW11436 1,461 1,510 1,560		-	-														
GAATKW102 2,255 2,349 2,449 2,457 2,679 2,808 2,918 3,050 3,173 3,304 3,558 3,191 3,844 3,997 4,161 GAATKW108 2,333 2,436 2,541 2,649 2,790 3,923 3,653 3,747 3,666 3,744 3,917 4,051 4,218 4,379 GAATKW1400 1,342 1,372 1,402 1,432 1,472 1,512 1,547 1,584 1,625 1,663 1,772 1,742 1,792 1,838 1,288 GAATKW1H36 1,370 1,406 1,447 1,485 1,555 1,619 1,681 1,688 1,628 1,784 1,722 1,824 1,727 1,824 1,727 1,824 1,727 1,824 1,724 1,850 1,914 1,829 1,837 1,818 1,924 1,829 1,937 1,742 1,223 3,939 4,948 1,939 1,820 1,838 1,924 1,930 1,940																	
GAATKW108 2,333 2,436 2,541 2,649 2,790 2,933 3,050 3,194 3,327 3,660 3,744 3,917 4,051 4,218 4,391 GAATKW120 2,685 2,795 2,907 3,022 3,174 3,323 3,633 3,603 3,747 3,666 4,047 4,912 4,931 4,522 4,700 4,887 GAATKW1H30 1,342 1,372 1,402 1,435 1,475 1,512 1,547 1,584 1,625 1,663 1,709 1,742 1,922 1,830 1,928 GAATKW1H36 1,370 1,406 1,417 1,485 1,555 1,518 1,628 1,734 1,794 1,850 1,912 1,972 2,010 2,012 2,107 2,105 2,235 2,335 2,335 2,335 2,335 3,882 1,914 1,974 1,902 1,935 1,883 1,983 1,981 1,974 1,902 2,107 2,105 2,235 2,330																	
GAATKW120 2,685 2,795 2,907 3,022 3,174 3,323 3,453 3,603 3,747 3,896 4,047 4,192 4,381 4,522 4,700 4,887 GAATKW1H30 1,342 1,372 1,402 1,432 1,472 1,512 1,547 1,584 1,625 1,663 1,709 1,422 1,932 1,880 1,928 GAATKW1H36 1,370 1,406 1,447 1,855 1,581 1,628 1,734 1,794 1,825 1,912 1,912 1,912 1,920 2,105 2,105 2,235 2,309 GAATKW1H48 1,464 1,511 1,554 1,601 1,601 1,774 1,836 1,992 1,974 2,029 2,107 2,165 2,207 2,235 2,309 GAATKW2H30 1,470 1,480 1,560 1,661 1,724 1,775 1,812 1,875 1,777 1,824 1,876 1,924 1,980 2,077 2,277 2,277																	
GAATKW1H30 1,342 1,372 1,402 1,432 1,472 1,512 1,547 1,584 1,625 1,663 1,709 1,742 1,792 1,832 1,880 1,928 GAATKW1H36 1,370 1,406 1,447 1,485 1,535 1,581 1,628 1,678 1,722 1,772 1,824 1,872 1,935 1,982 2,041 2,103 GAATKW1H48 1,464 1,511 1,554 1,661 1,661 1,724 1,766 1,836 1,892 1,954 2,007 2,145 2,207 2,277 2,351 GAATKW2H30 1,370 1,400 1,430 1,460 1,500 1,540 1,575 1,612 1,653 1,691 1,737 1,770 1,820 1,860 1,908 1,956 GAATKW2H36 1,422 1,483 1,499 1,537 1,661 1,724 1,776 1,836 1,891 1,954 1,960 1,956 GAATKW2H48 1,503 1,550																	
GAATKW1H36 1,370 1,406 1,447 1,485 1,535 1,581 1,628 1,678 1,722 1,772 1,824 1,872 1,935 1,982 2,041 2,103 GAATKW1H42 1,422 1,469 1,512 1,559 1,619 1,682 1,734 1,794 1,850 1,912 1,914 2,029 2,107 2,165 2,235 2,309 GAATKW1H48 1,464 1,511 1,554 1,601 1,661 1,724 1,776 1,836 1,892 1,954 2,016 2,071 2,149 2,207 2,277 2,351 GAATKW2H30 1,370 1,400 1,400 1,507 1,587 1,633 1,680 1,734 1,774 1,824 1,876 1,981 1,982 1,988 1,481 1,983 1,982 1,981 1,988 1,981 1,974 1,982 1,987 1,981 1,988 1,481 1,486 1,923 1,988 1,491 1,485 1,481 1,481	GAAIKWIZU	2,000	2,793	2,907	3,022	3,174	3,323	3,433	3,003	3,747	3,690	4,047	4,192	4,361	4,322	4,700	4,007
GAATKW1H42 1,422 1,469 1,512 1,559 1,619 1,682 1,734 1,794 1,850 1,912 1,974 2,029 2,107 2,165 2,235 2,309 GAATKW1H48 1,464 1,511 1,554 1,601 1,661 1,724 1,776 1,836 1,892 1,954 2,016 2,071 2,149 2,207 2,277 2,351 GAATKW2H30 1,370 1,400 1,430 1,460 1,500 1,540 1,575 1,612 1,653 1,691 1,737 1,770 1,820 1,960 1,908 1,956 GAATKW2H36 1,422 1,458 1,499 1,537 1,587 1,633 1,680 1,730 1,774 1,824 1,876 1,987 2,031 2,035 2,016 2,071 1,820 1,800 1,909 2,055 GAATKW2H48 1,503 1,554 1,601 1,661 1,726 1,763 1,815 1,875 1,913 1,993 2,055	GAATKW1H30	1,342	1,372	1,402	1,432	1,472	1,512	1,547	1,584	1,625	1,663	1,709	1,742	1,792	1,832	1,880	1,928
GAATKW1H48 1,464 1,511 1,554 1,601 1,661 1,724 1,776 1,836 1,892 1,954 2,016 2,071 2,149 2,207 2,277 2,351 GAATKW2H30 1,370 1,400 1,430 1,460 1,500 1,540 1,575 1,612 1,653 1,691 1,737 1,770 1,860 1,908 1,956 GAATKW2H36 1,422 1,458 1,499 1,537 1,587 1,633 1,680 1,774 1,824 1,876 1,997 2,034 2,093 2,155 GAATKW2H42 1,464 1,511 1,554 1,601 1,661 1,724 1,776 1,836 1,892 1,954 2,016 2,071 2,149 2,207 2,277 2,351 GAATKW2H48 1,503 1,550 1,601 1,661 1,724 1,776 1,836 1,892 1,955 2,016 2,071 2,149 2,207 2,277 2,351 GAATLKW30 1,156	GAATKW1H36	1,370	1,406	1,447	1,485	1,535	1,581	1,628	1,678	1,722	1,772	1,824	1,872	1,935	1,982	2,041	2,103
GAATKW2H30 1,370 1,400 1,430 1,660 1,500 1,540 1,575 1,612 1,653 1,691 1,737 1,770 1,820 1,860 1,908 1,956 GAATKW2H36 1,422 1,458 1,499 1,537 1,587 1,633 1,680 1,730 1,774 1,824 1,876 1,924 1,987 2,034 2,093 2,155 GAATKW2H42 1,464 1,511 1,554 1,601 1,661 1,724 1,776 1,836 1,892 1,954 2,010 2,149 2,034 2,093 2,155 GAATKW2H48 1,503 1,550 1,593 1,640 1,700 1,763 1,815 1,875 1,931 1,993 2,055 2,110 2,148 2,034 2,393 GAATKW340 1,156 1,186 1,216 1,246 1,286 1,326 1,361 1,398 1,439 1,477 1,523 1,556 1,606 1,646 1,694 1,742	GAATKW1H42	1,422	1,469	1,512	1,559	1,619	1,682	1,734	1,794	1,850	1,912	1,974	2,029	2,107	2,165	2,235	2,309
GAATKW2H36	GAATKW1H48	1,464	1,511	1,554	1,601	1,661	1,724	1,776	1,836	1,892	1,954	2,016	2,071	2,149	2,207	2,277	2,351
GAATKW2H36		1.070	1.400	1.400	1.460	1.500	1.540	1.575	1 610	1.650	1 601	1.707	1.770	1.000	1.000	1.000	1.050
GAATLKW30																	
GAATLKW2H48 1,503 1,550 1,593 1,640 1,700 1,763 1,815 1,875 1,931 1,993 2,055 2,110 2,188 2,246 2,316 2,390 GAATLKW30 1,156 1,186 1,216 1,246 1,286 1,326 1,361 1,398 1,439 1,477 1,523 1,556 1,606 1,646 1,694 1,742 GAATLKW36 1,342 1,378 1,419 1,457 1,507 1,553 1,600 1,650 1,694 1,744 1,796 1,844 1,907 1,954 2,013 2,075 GAATLKW60 1,370 1,429 1,488 1,548 1,632 1,710 1,778 1,860 1,936 2,016 2,095 2,174 2,273 2,349 2,446 2,543 GAATLKW66 1,422 1,481 1,540 1,660 1,684 1,762 1,830 1,912 1,988 2,080 2,147 2,226 2,325 2,401 2,498		,															
GAATLKW30																	
GAATLKW36 1,342 1,378 1,419 1,457 1,507 1,553 1,600 1,650 1,694 1,744 1,796 1,844 1,907 1,954 2,013 2,075 GAATLKW60 1,370 1,429 1,488 1,548 1,632 1,710 1,778 1,860 1,936 2,016 2,095 2,174 2,273 2,349 2,446 2,543 GAATLKW66 1,422 1,481 1,540 1,600 1,684 1,762 1,830 1,912 1,988 2,068 2,147 2,226 2,325 2,401 2,498 2,595 GAATLKW72 1,464 1,528 1,597 1,668 1,756 1,846 1,923 2,016 2,101 2,189 2,280 2,367 2,478 2,563 2,671 2,783 GAATLKW78 1,503 1,579 1,654 1,730 1,895 1,996 2,081 2,189 2,381 2,482 2,579 2,700 2,795 2,915 3,042 <th>GAAIKW2H46</th> <th>1,303</th> <th>1,330</th> <th>1,393</th> <th>1,040</th> <th>1,700</th> <th>1,703</th> <th>1,013</th> <th>1,073</th> <th>1,931</th> <th>1,993</th> <th>2,033</th> <th>2,110</th> <th>2,100</th> <th>2,240</th> <th>2,310</th> <th>2,390</th>	GAAIKW2H46	1,303	1,330	1,393	1,040	1,700	1,703	1,013	1,073	1,931	1,993	2,033	2,110	2,100	2,240	2,310	2,390
GAATLKW36 1,342 1,378 1,419 1,457 1,507 1,553 1,600 1,650 1,694 1,744 1,796 1,844 1,907 1,954 2,013 2,075 GAATLKW60 1,370 1,429 1,488 1,548 1,632 1,710 1,778 1,860 1,936 2,016 2,095 2,174 2,273 2,349 2,446 2,543 GAATLKW66 1,422 1,481 1,540 1,600 1,684 1,762 1,830 1,912 1,988 2,068 2,147 2,226 2,325 2,401 2,498 2,595 GAATLKW72 1,464 1,528 1,597 1,668 1,756 1,846 1,923 2,016 2,101 2,189 2,280 2,367 2,478 2,563 2,671 2,783 GAATLKW78 1,503 1,579 1,654 1,730 1,895 1,996 2,081 2,189 2,381 2,482 2,579 2,700 2,795 2,915 3,042 <th>GAATLKW30</th> <th>1,156</th> <th>1,186</th> <th>1,216</th> <th>1,246</th> <th>1,286</th> <th>1,326</th> <th>1,361</th> <th>1,398</th> <th>1,439</th> <th>1,477</th> <th>1,523</th> <th>1,556</th> <th>1,606</th> <th>1,646</th> <th>1,694</th> <th>1,742</th>	GAATLKW30	1,156	1,186	1,216	1,246	1,286	1,326	1,361	1,398	1,439	1,477	1,523	1,556	1,606	1,646	1,694	1,742
GAATLKW66 1,422 1,481 1,540 1,600 1,684 1,762 1,830 1,912 1,988 2,068 2,147 2,226 2,325 2,401 2,498 2,595 GAATLKW72 1,464 1,528 1,597 1,668 1,756 1,846 1,923 2,016 2,101 2,189 2,280 2,367 2,478 2,563 2,671 2,783 GAATLKW78 1,503 1,579 1,654 1,730 1,830 1,931 2,016 2,118 2,215 2,316 2,417 2,514 2,635 2,730 2,850 2,977 GAATLKW84 1,568 1,644 1,719 1,795 1,895 1,996 2,081 2,183 2,280 2,381 2,482 2,579 2,700 2,795 2,915 3,042 GAATLKW90 1,634 1,714 1,799 1,882 1,993 2,105 2,199 2,307 2,413 2,525 2,636 2,738 2,876 2,981 3,113	GAATLKW36	1,342	1,378	1,419	1,457	1,507	1,553	1,600		1,694	1,744	1,796	1,844	1,907	1,954	2,013	2,075
GAATLKW72 1,464 1,528 1,597 1,668 1,756 1,846 1,923 2,016 2,101 2,189 2,280 2,367 2,478 2,563 2,671 2,783 GAATLKW78 1,503 1,579 1,654 1,730 1,830 1,931 2,016 2,118 2,215 2,316 2,417 2,514 2,635 2,730 2,850 2,977 GAATLKW84 1,568 1,644 1,719 1,795 1,895 1,996 2,081 2,183 2,280 2,381 2,482 2,579 2,700 2,795 2,915 3,042 GAATLKW90 1,634 1,714 1,799 1,882 1,993 2,105 2,199 2,307 2,413 2,525 2,636 2,738 2,876 2,981 3,113 3,251 GAATLKW96 2,255 2,341 2,432 2,524 2,647 2,764 2,869 2,988 3,101 3,225 3,344 3,458 3,605 3,797 3,922	GAATLKW60	1,370	1,429	1,488	1,548	1,632	1,710	1,778	1,860	1,936	2,016	2,095	2,174	2,273	2,349	2,446	2,543
GAATLKW78 1,503 1,579 1,654 1,730 1,830 1,931 2,016 2,118 2,215 2,316 2,417 2,514 2,635 2,730 2,850 2,977 GAATLKW84 1,568 1,644 1,719 1,795 1,895 1,996 2,081 2,183 2,280 2,381 2,482 2,579 2,700 2,795 2,915 3,042 GAATLKW90 1,634 1,714 1,799 1,882 1,993 2,105 2,199 2,307 2,413 2,525 2,636 2,738 2,876 2,981 3,113 3,251 GAATLKW96 2,255 2,341 2,432 2,524 2,647 2,764 2,869 2,988 3,101 3,225 3,344 3,458 3,605 3,721 3,866 4,013 GAATLKW102 2,333 2,427 2,527 2,625 2,757 2,886 2,996 3,128 3,515 3,636 3,797 3,922 4,075 4,238 <t< th=""><th>GAATLKW66</th><th>1,422</th><th>1,481</th><th>1,540</th><th>1,600</th><th>1,684</th><th>1,762</th><th>1,830</th><th>1,912</th><th>1,988</th><th>2,068</th><th>2,147</th><th>2,226</th><th>2,325</th><th>2,401</th><th>2,498</th><th>2,595</th></t<>	GAATLKW66	1,422	1,481	1,540	1,600	1,684	1,762	1,830	1,912	1,988	2,068	2,147	2,226	2,325	2,401	2,498	2,595
GAATLKW84 1,568 1,644 1,719 1,795 1,895 1,996 2,081 2,183 2,280 2,381 2,482 2,579 2,700 2,795 2,915 3,042 GAATLKW90 1,634 1,714 1,799 1,882 1,993 2,105 2,199 2,307 2,413 2,525 2,636 2,786 2,786 2,981 3,113 3,251 GAATLKW96 2,255 2,341 2,432 2,524 2,647 2,764 2,869 2,988 3,101 3,225 3,344 3,458 3,605 3,721 3,866 4,013 GAATLKW102 2,333 2,427 2,527 2,625 2,757 2,886 2,996 3,128 3,251 3,382 3,515 3,636 3,797 3,922 4,075 4,238 GAATLKW108 2,451 2,554 2,659 2,767 2,908 3,051 3,445 3,585 3,724 3,862 4,035 4,169 4,336 4,509	GAATLKW72	1,464	1,528	1,597	1,668	1,756	1,846	1,923	2,016	2,101	2,189	2,280	2,367	2,478	2,563	2,671	2,783
GAATLKW90 1,634 1,714 1,799 1,882 1,993 2,105 2,199 2,307 2,413 2,525 2,636 2,738 2,876 2,981 3,113 3,251 GAATLKW96 2,255 2,341 2,432 2,524 2,647 2,764 2,869 2,988 3,101 3,225 3,344 3,458 3,605 3,721 3,866 4,013 GAATLKW102 2,333 2,427 2,527 2,625 2,757 2,886 2,996 3,128 3,251 3,382 3,515 3,636 3,797 3,922 4,075 4,238 GAATLKW108 2,451 2,554 2,659 2,767 2,908 3,051 3,182 3,515 3,636 3,797 3,922 4,075 4,238	GAATLKW78	1,503	1,579	1,654	1,730	1,830	1,931	2,016	2,118	2,215	2,316	2,417	2,514	2,635	2,730	2,850	2,977
GAATLKW96 2,255 2,341 2,432 2,524 2,647 2,764 2,869 2,988 3,101 3,225 3,344 3,458 3,605 3,721 3,866 4,013 GAATLKW102 2,333 2,427 2,527 2,625 2,757 2,886 2,996 3,128 3,251 3,382 3,515 3,636 3,797 3,922 4,075 4,238 GAATLKW108 2,451 2,554 2,659 2,767 2,908 3,051 3,168 3,312 3,445 3,585 3,724 3,862 4,035 4,169 4,336 4,509	GAATLKW84	1,568	1,644	1,719	1,795	1,895	1,996	2,081	2,183	2,280	2,381	2,482	2,579	2,700	2,795	2,915	3,042
GAATLKW102 2,333 2,427 2,527 2,625 2,757 2,886 2,996 3,128 3,251 3,382 3,515 3,636 3,797 3,922 4,075 4,238 GAATLKW108 2,451 2,554 2,659 2,767 2,908 3,051 3,168 3,312 3,445 3,585 3,724 3,862 4,035 4,169 4,336 4,509	GAATLKW90	1,634	1,714	1,799	1,882	1,993	2,105	2,199	2,307	2,413	2,525	2,636	2,738	2,876	2,981	3,113	3,251
GAATLKW108 2,451 2,554 2,659 2,767 2,908 3,051 3,168 3,312 3,445 3,585 3,724 3,862 4,035 4,169 4,336 4,509	GAATLKW96	2,255	2,341	2,432	2,524	2,647	2,764	2,869	2,988	3,101	3,225	3,344	3,458	3,605	3,721	3,866	4,013
	GAATLKW102	2,333	2,427	2,527	2,625	2,757	2,886	2,996	3,128	3,251	3,382	3,515	3,636	3,797	3,922	4,075	4,238
GAATLKW120 2,735 2,845 2,957 3,072 3,224 3,373 3,503 3,653 3,797 3,946 4,097 4,242 4,431 4,572 4,750 4,937	GAATLKW108	2,451	2,554	2,659	2,767	2,908	3,051	3,168	3,312	3,445	3,585	3,724	3,862	4,035	4,169	4,336	4,509
	GAATLKW120	2,735	2,845	2,957	3,072	3,224	3,373	3,503	3,653	3,797	3,946	4,097	4,242	4,431	4,572	4,750	4,937

model number	17	18	19	20	21	22	23	24	25	26	27	col	L1	L2	L3	L4	L5
GAAMPD-CUSH1818	1 195	1 991	1 260	1,294	1 339	1 369	1 449	1 517	1 596	1 668	1 749	762	997	1 249	1,501	1 755	1 984
- CARAMI B COCITION	1,130	1,221	1,200	1,201	1,002	1,000	1,112	1,017	1,000	1,000	-1,712	702	337	1,210	1,001	1,700	-1,501
GAACLPD-CUSH2430	1,440	1,475	1,524	1,573	1,621	1,669	1,767	1,864	1,966	2,063	2,161	873	1,187	1,523	1,858	2,194	2,500
GAACLPD-CUSH2436	1,665	1,711	1,773	1,829	1,892	1,953	2,079	2,201	2,322	2,445	2,570	960	1,348	1,772	2,188	2,610	2,990
GAACLPD-CUSH2130T	1,440	1,475	1,524	1,573	1,621	1,669	1,767	1,864	1,966	2,063	2,161	873	1,187	1,523	1,858	2,194	2,500
GAACLPD-CUSH2136T	1,665	1,711	1,773	1,829	1,892	1,953	2,079	2,201	2,322	2,445	2,570	960	1,348	1,772	2,188	2,610	2,990
GAATKW30	1,738	1,771	1,818	1,864	1,912		2,054	2,146	2,246		2,433						
GAATKW36	1,949	1,993	2,051	2,108	2,169	2,230	2,349	2,463	2,582	2,704	2,823						
GAATKW60	2,610	2,679	2,775	2,866	2,960	3,056	3,247	3,434	3,624	3,816	4,005						
GAATKW66	2,638	2,707	2,803	2,894	2,988	3,084	3,275	3,462	3,652	3,844	4,033						
GAATKW72	2,847	2,927	3,034	3,136	3,246	3,350	3,565	3,774	3,990	4,207	4,418						
GAATKW78	3,056	3,142	3,261	3,377	3,496	3,619	3,856	4,090	4,329	4,569	4,801						
GAATKW84	3,095	3,181	3,300	3,416	3,535	3,658	3,895	4,129	4,368	4,608	4,840						
GAATKW90	3,315	3,412	3,543	3,671	3,799	3,932	4,196	4,453	4,719	4,982	5,238						
GAATKW96	3,537	3,640	3,781	3,918	4,061	4,203	4,490	4,773	5,060	5,343	5,625						
GAATKW102	4,314	4,427	4,585	4,732	4,884	5,040	5,351	5,653	5,964	6,277	6,580						
GAATKW108	4,559	4,680	4,849	5,008	5,174	5,341	5,677	6,005	6,341	6,672	7,000						
GAATKW120	5,068	5,196	5,377	5,549	5,727	5,908	6,265	6,618	6,978	7,333	7,686						
GAATKW1H30	1,978	2,011	2,058	2,104	2,152	2,198	2,294	2,386	2,486	2,579	2,673						
GAATKW1H36	2,163	2,207	2,265	2,322	2,383	2,444	2,563	2,677	2,796	2,918	3,037						
GAATKW1H42	2,380	2,434	2,506	2,573	2,644	2,718	2,862	3,004	3,147	3,288	3,433						
GAATKW1H48	2,422	2,476	2,548	2,615	2,686	2,760	2,904	3,046	3,189	3,330	3,475						
GAATKW2H30	2,006	2,039	2,086	2,132	2,180	2,226	2,322	2,414	2,514	2,607	2,701						
GAATKW2H36	2,215	2,259	2,317	2,374	2,435	2,496	2,615	2,729	2,848	2,970	3,089						
GAATKW2H42	2,422	2,476	2,548	2,615	2,686	2,760	2,904	3,046	3,189	3,330	3,475						
GAATKW2H48	2,461	2,515	2,587	2,654	2,725	2,799	2,943	3,085	3,228	3,369	3,514						
GAATLKW30	1,792	1,825	1,872	1,918	1,966	2,012	2,108	2,200	2,300	2,393	2,487						
GAATLKW36	2,135	2,179	2,237	2,294	2,355	2,416	2,535	2,649	2,768	2,890	3,009						
GAATLKW60	2,638	2,707	2,803	2,894	2,988	3,084	3,275	3,462	3,652	3,844	4,033						
GAATLKW66	2,690	2,759	2,855	2,946	3,040	3,136	3,327	3,514	3,704	3,896	4,085						
GAATLKW72	2,889	2,969	3,076	3,178	3,288	3,392	3,607	3,816	4,032	4,249	4,460						
GAATLKW78	3,095	3,181				3,658		4,129		4,608	4,840						
GAATLKW84	3,160		3,365		3,600		3,960	4,194			4,905						
GAATLKW90	3,381	3,478		-	3,865			4,519		5,048					-		
GAATLKW96	4,158		4,402			4,824				5,964							
GAATLKW102	4,392		4,663		4,962		5,429	5,731			6,658						
GAATLKW108			4,967		5,292			6,123			7,118						
GAATLKW120	5,118			5,599							7,736						
	- , 9	-,,	- ,	-,	- ,	-,	-,	-,	.,	.,					-		

model number	1	2	3	COM/4	5	6	7	8	9	10	11	12	13	14	15	16
GAATLKW1H30	1,370	1,400	1,430	1,460	1,500	1,540	1,575	1,612	1,653	1,691	1,737	1,770	1,820	1,860	1,908	1,956
GAATLKW1H36	1,422	1,458	1,499	1,537	1,587	1,633	1,680	1,730	1,774	1,824	1,876	1,924	1,987	2,034	2,093	2,155
GAATLKW1H42	1,464	1,511	1,554	1,601	1,661	1,724	1,776	1,836	1,892	1,954	2,016	2,071	2,149	2,207	2,277	2,351
GAATLKW1H48	1,503	1,550	1,593	1,640	1,700	1,763	1,815	1,875	1,931	1,993	2,055	2,110	2,188	2,246	2,316	2,390
GAATLKW2H30	1,422	1,452	1,482	1,512	1,552	1,592	1,627	1,664	1,705	1,743	1,789	1,822	1,872	1,912	1,960	2,008
GAATLKW2H36	1,464	1,500	1,541	1,579	1,629	1,675	1,722	1,772	1,816	1,866	1,918	1,966	2,029	2,076	2,135	2,197
GAATLKW2H42	1,503	1,550	1,593	1,640	1,700	1,763	1,815	1,875	1,931	1,993	2,055	2,110	2,188	2,246	2,316	2,390
GAATLKW2H48	1,568	1,615	1,658	1,705	1,765	1,828	1,880	1,940	1,996	2,058	2,120	2,175	2,253	2,311	2,381	2,455

FABRIC GRADE PRICING

model number	17	18	19	20	21	22	23	24	25	26	27	col	L1	L2	L3	L4	L5
GAATLKW1H30	2,006	2,039	2,086	2,132	2,180	2,226	2,322	2,414	2,514	2,607	2,701						
GAATLKW1H36			2,317														
GAATLKW1H42	2,422	2,476	2,548	2,615	2,686	2,760	2,904	3,046	3,189	3,330	3,475						
GAATLKW1H48	2,461	2,515	2,587	2,654	2,725	2,799	2,943	3,085	3,228	3,369	3,514						
GAATLKW2H30	2,058	2,091	2,138	2,184	2,232	2,278	2,374	2,466	2,566	2,659	2,753						
GAATLKW2H36	2,257	2,301	2,359	2,416	2,477	2,538	2,657	2,771	2,890	3,012	3,131						
GAATLKW2H42	2,461	2,515	2,587	2,654	2,725	2,799	2,943	3,085	3,228	3,369	3,514						
GAATLKW2H48	2,526	2,580	2,652	2,719	2,790	2,864	3,008	3,150	3,293	3,434	3,579						

model number	weight	cubes	#locks	page
ACFLR15-AA	1 lb.	0.1	_	144
ACFLR18-AA	1 lb.	0.2	_	144
ACFLR30-AA	1 lb.	0.2	_	144
ACFLR36-AA	1 lb.	0.3	_	144
ACLED24-R	1 lb.	0.2	_	138
ACLED54-R	4 lbs.	0.4	_	138
ACLED72-R	5 lbs.	0.6	_	138
ACPT15-GAA	2 lbs.	0.5	_	143
ACPT18-GAA	2 lbs.	0.5	_	143
ACTRASH	1 lb.	1.4	_	145
ACWCB15	6 lbs.	0.7	_	92
ACWCB20	8 lbs.	0.8	_	92
ACWM	1 lb.	0.6	_	140
BSHAT2142	53 lbs.	5.4	_	100
BSHAT2148	55 lbs.	6.3	_	100
BSHAT2154	57 lbs.	7.1	_	100
BSHAT2160	59 lbs.	7.9	_	100
BSHAT2166	61 lbs.	8.8	_	100
BSHAT2172	63 lbs.	9.6	_	100
BSHAT2748	59 lbs.	7.8	_	100
BSHAT2754	61 lbs.	8.9	_	100
BSHAT2760	63 lbs.	9.9	_	100
BSHAT2766	65 lbs.	10.9	_	100
BSHAT2772	67 lbs.	12.0	_	100
GA2ASF830-W	16 lbs.	0.8	_	136
GA2ASF836-W	17 lbs.	1.0	_	136
GA2ASF842-W	19 lbs.	1.1	_	136
GA2ASF848-W	20 lbs.	1.3	_	136
GA2ASF860-W	22 lbs.	1.6	_	136
GA2ASF866-W	24 lbs.	1.8	_	136
GA2ASF872-W	25 lbs.	1.9	_	136
GA2ASF878-W	26 lbs.	2.1	_	136
GA2ASF884-W	27 lbs.	2.2	_	136
GA2ASF890-W	29 lbs.	2.4	_	136
GA2ASF896-W	30 lbs.	2.5	_	136
GA2ASF8102-W	31 lbs.	2.7	_	136
GA2ASF8108-W	32 lbs.	2.8	_	136
GA2ASF8120-W	35 lbs.	3.1	_	136
GA2ASF8144-W	40 lbs.	3.7	_	136
GA2BKN2H1830-W	126 lbs.	12.3	_	108
GA2BKN2H1836-W	144 lbs.	14.6	-	108
GA2BKN3H1830-W	141 lbs.	17.6	_	108
GA2BKN3H1836-W	159 lbs.	20.8	_	108

model number	weight	cubes	#locks	page
GA2BKN4H1830-W	178 lbs.	22.9	_	108
GA2BKN4H1836-W	201 lbs.	27.1	_	108
GA2BKN5H1830-W	223 lbs.	30.0	_	108
GA2BKN5H1836-W	251 lbs.	35.4	_	108
GA2BKN6H1830-W	251 lbs.	33.2	_	108
GA2BKN6H1836-W	283 lbs.	39.2	_	108
GA2BLRG2466-W	83 lbs.	35.0	_	56
GA2BLRG2472-W	90 lbs.	38.0	_	56
GA2BLRG2478-W	97 lbs.	41.1	_	56
GA2BRG2442A-WW	54 lbs.	22.8	_	56
GA2BRG2442TA-WW	49 lbs.	20.5	_	57
GA2BRG2442T-WW	49 lbs.	20.5	_	57
GA2BRG2442-WW	54 lbs.	22.8	_	56
GA2BRG2448A-WW	60 lbs.	25.8	_	56
GA2BRG2448TA-WW	55 lbs.	23.2	_	57
GA2BRG2448T-WW	55 lbs.	23.2	_	57
GA2BRG2448-WW	60 lbs.	25.8	_	56
GA2BRG2454A-WW	69 lbs.	28.9	_	56
GA2BRG2454TA-WW	61 lbs.	25.9	_	57
GA2BRG2454T-WW	61 lbs.	25.9	_	57
GA2BRG2454-WW	69 lbs.	28.9	_	56
GA2CFS2460T-44WW	335 lbs.	31.4	2	93
GA2CFS2460T-55WW	326 lbs.	31.4	_	93
GA2CFS2472T-44WW	388 lbs.	37.4	2	93
GA2CFS2472T-55WW	380 lbs.	37.4	_	93
GA2CFS2490T-444WW	510 lbs.	46.4	3	94
GA2CFS2490T-454WW	504 lbs.	46.4	2	94
GA2CFS2490T-555WW	492 lbs.	46.4	_	94
GA2CFS24108T-444WW	584 lbs.	55.4	3	94
GA2CFS24108T-454WW	580 lbs.	55.4	2	94
GA2CFS24108T-555WW	572 lbs.	55.4	_	94
GA2CLC5H1818L-WW	174 lbs.	19.9	1	110
GA2CLC5H1818R-WW	174 lbs.	19.9	1	110
GA2CLC5H2418L-WW	217 lbs.	26.7	1	112
GA2CLC5H2418R-WW	217 lbs.	26.7	1	112
GA2CLC6H1818L-WW	207 lbs.	22.0	1	111
GA2CLC6H1818R-WW	197 lbs.	22.0	1	111
GA2CLC6H2418L-WW	248 lbs.	29.6	1	113
GA2CLC6H2418R-WW	248 lbs.	29.6	1	113
GA2CLD5H1818L-WW	220 lbs.	19.9	1	110
GA2CLD5H1818R-WW	220 lbs.	19.9	1	110
GA2CLD5H1824L-WW	254 lbs.	25.6	1	110
GA2CLD5H1824R-WW	254 lbs.	25.6	1	110

model number	weight	cubes	#locks	page
GA2CLD5H1830-WW	299 lbs.	31.3	1	110
GA2CLD5H2418L-WW	294 lbs.	26.7	1	112
GA2CLD5H2418R-WW	294 lbs.	26.7	1	112
GA2CLD5H2424L-WW	335 lbs.	34.4	1	112
GA2CLD5H2424R-WW	335 lbs.	34.4	1	112
GA2CLD5H2430-WW	375 lbs.	42.0	1	112
GA2CLD6H1818L-WW	256 lbs.	22.0	1	111
GA2CLD6H1818R-WW	256 lbs.	22.0	1	111
GA2CLD6H1824L-WW	296 lbs.	28.3	1	111
GA2CLD6H1824R-WW	296 lbs.	28.3	1	111
GA2CLD6H2418L-WW	330 lbs.	29.6	1	113
GA2CLD6H2418R-WW	330 lbs.	29.6	1	113
GA2CLD6H2424L-WW	378 lbs.	38.1	1	113
GA2CLD6H2424R-WW	379 lbs.	38.1	1	113
GA2CLFS2490T-B5SHW	398 lbs.	34.8	1	95
GA2CLFS2490T-BBSHW	448 lbs.	34.8	2	95
GA2CLFS2490T-SH5BW	422 lbs.	34.8	1	95
GA2CLFS2490T-SHBBW	471 lbs.	34.8	2	95
GA2CLFS24108T-B5SHW	485 lbs.	41.5	1	95
GA2CLFS24108T-BBSHW	539 lbs.	41.5	2	95
GA2CLFS24108T-SH5BW	485 lbs.	41.5	1	95
GA2CLFS24108T-SHBBW	539 lbs.	41.5	2	95
GA2CLFS24120T-5SH5W	481 lbs.	46.0	_	96
GA2CLFS24120T-B55SHW	542 lbs.	46.0	1	96
GA2CLFS24120T-BSHBW	579 lbs.	46.0	2	96
GA2CLFS24120T-SH55BW	542 lbs.	46.0	1	96
GA2CLS5H1818L-WW	197 lbs.	19.9	1	110
GA2CLS5H1818R-WW	197 lbs.	19.9	1	110
GA2CLS5H1830-WW	285 lbs.	31.3	1	110
GA2CLS5H2418L-WW	251 lbs.	26.7	1	112
GA2CLS5H2418R-WW	251 lbs.	26.7	1	112
GA2CLS5H2430-WW	346 lbs.	42.0	1	112
GA2CLS6H1818L-WW	230 lbs.	22.0	1	111
GA2CLS6H1818R-WW	220 lbs.	22.0	1	111
GA2CLS6H2418L-WW	282 lbs.	29.6	1	113
GA2CLS6H2418R-WW	282 lbs.	29.6	1	113
GA2CWR2460TL-W	72 lbs.	4.4	_	59
GA2CWR2460TR-W	73 lbs.	4.4	_	59
GA2CWR2460T-W	68 lbs.	4.0	_	58
GA2CWR2460-W	76 lbs.	4.4	_	58
GA2CWR2466TL-W	80 lbs.	4.9	_	59
GA2CWR2466TR-W	80 lbs.	4.9	_	59
GA2CWR2466T-W	74 lbs.	4.4	_	58
-				

model number	weight	cubes	#locks	page
GA2CWR2466-W	83 lbs.	4.9	_	58
GA2CWR2472TL-W	87 lbs.	5.3	_	59
GA2CWR2472TR-W	87 lbs.	5.3	_	59
GA2CWR2472T-W	81 lbs.	4.7	_	58
GA2CWR2472-W	90 lbs.	5.3	_	58
GA2CWR2478TL-W	94 lbs.	5.7	_	59
GA2CWR2478TR-W	94 lbs.	5.7	_	59
GA2CWR2478T-W	87 lbs.	5.1	_	58
GA2CWR2478-W	97 lbs.	5.7	_	58
GA2CWR2484TL-W	101 lbs.	6.1	_	59
GA2CWR2484TR-W	101 lbs.	6.1	_	59
GA2CWR2484T-W	93 lbs.	5.5	_	58
GA2CWR2484-W	104 lbs.	6.1	_	58
GA2CWR2490TL-W	108 lbs.	6.5	_	59
GA2CWR2490TR-W	108 lbs.	6.5	_	59
GA2CWR2490T-W	99 lbs.	5.9	_	58
GA2CWR2490-W	111 lbs.	6.5	_	58
GA2CWR2496TL-W	115 lbs.	7.0	_	59
GA2CWR2496TR-W	115 lbs.	7.0	_	59
GA2CWR2496T-W	107 lbs.	6.3	_	58
GA2CWR2496-W	118 lbs.	7.0	_	58
GA2CWR24102TL-W	122 lbs.	7.4	_	59
GA2CWR24102TR-W	122 lbs.	7.4	_	59
GA2CWR24102T-W	112 lbs.	6.6	_	58
GA2CWR24102-W	125 lbs.	7.4	_	58
GA2CWR24108TL-W	129 lbs.	7.8	_	59
GA2CWR24108TR-W	129 lbs.	7.8	_	59
GA2CWR24108T-W	118 lbs.	7.0	_	58
GA2CWR24108-W	132 lbs.	7.8	_	58
GA2CWR24114TL-W	136 lbs.	8.2	_	59
GA2CWR24114TR-W	136 lbs.	8.2	_	59
GA2CWR24114T-W	125 lbs.	7.4	_	58
GA2CWR24114-W	139 lbs.	8.2	_	58
GA2CWR24120TL-W	143 lbs.	8.6	_	59
GA2CWR24120TR-W	143 lbs.	8.6	_	59
GA2CWR24120T-W	131 lbs.	7.8	_	58
GA2CWR24120-W	146 lbs.	8.6		58
GA2DMHA48-W	8 lbs.	1.3	_	103
GA2DMHA54-W	9 lbs.	1.4		103
GA2DMHA60-W	11 lbs.	1.6		103
GA2DMHA66-W	12 lbs.	1.8		103
GA2DMHA72-W	13 lbs.	1.9		103
GA2DRO3072L-3WW	251 lbs.	46.5	1	40

153

model number	weight	cubes	#locks	page
GA2DRO3072R-3WW	251 lbs.	46.5	1	41
GA2DRO3072TL-3WW	247 lbs.	46.5	1	40
GA2DRO3072TR-3WW	247 lbs.	46.5	1	41
GA2DRO3672-32WW	355 lbs.	54.9	2	39
GA2DRO3672L-3WW	276 lbs.	54.9	1	40
GA2DRO3672R-3WW	276 lbs.	54.9	1	41
GA2DRO3672TL-3WW	267 lbs.	54.9	1	40
GA2DRO3672TR-3WW	267 lbs.	54.9	1	41
GA2DRO3678-32WW	380 lbs.	59.3	2	39
GA2DRO3678L-3WW	286 lbs.	59.3	1	40
GA2DRO3678R-3WW	286 lbs.	59.3	1	41
GA2DRO3678TL-3WW	276 lbs.	59.3	1	40
GA2DRO3678TR-3WW	276 lbs.	59.3	1	41
GA2DRO3684-32WW	405 lbs.	63.7	2	39
GA2DRO3684L-3WW	306 lbs.	63.7	1	40
GA2DRO3684R-3WW	306 lbs.	63.7	1	41
GA2DRO3684TL-3WW	301 lbs.	63.7	1	40
GA2DRO3684TR-3WW	301 lbs.	63.7	1	41
GA2DTRAK3672L-WW	500 lbs.	54.9	_	36
GA2DTRAK3672R-WW	500 lbs.	54.9	_	37
GA2DTRAK3678L-WW	525 lbs.	59.3	_	36
GA2DTRAK3678R-WW	525 lbs.	59.3	_	37
GA2DTRAK3684L-WW	550 lbs.	63.7	_	36
GA2DTRAK3684R-WW	550 lbs.	63.7	_	37
GA2DTRL3072-G	101 lbs.	46.5	_	33
GA2DTRL3072-S	75 lbs.	46.5	_	33
GA2DTRL3072-W	111 lbs.	46.5	_	32
GA2DTRL3672-G	125 lbs.	54.9	_	33
GA2DTRL3672-S	85 lbs.	54.9	_	33
GA2DTRL3672-W	131 lbs.	54.9	_	32
GA2DTRL3678-G	135 lbs.	59.3	_	33
GA2DTRL3678-S	95 lbs.	59.3	_	33
GA2DTRL3678-W	142 lbs.	59.3	_	32
GA2DTRL3684-G	145 lbs.	63.7	_	33
GA2DTRL3684-S	105 lbs.	63.7	_	33
GA2DTRL3684-W	152 lbs.	63.7	_	32
GA2DTRM3672L-3WW	350 lbs.	54.9	1	34
GA2DTRM3672R-3WW	350 lbs.	54.9	1	35
GA2DTRM3678L-3WW	375 lbs.	59.3	1	34
GA2DTRM3678R-3WW	375 lbs.	59.3	1	35
GA2DTRM3684L-3WW	400 lbs.	63.7	1	34
GA2DTRM3684R-3WW	400 lbs.	63.7	1	35
GA2DTRR3672-WW	239 lbs.	54.9	_	38
GA2DTRR3678-WW	264 lbs.	59.3	_	38
-				

model number	weight	cubes	#locks	page
GA2DTRR3684-WW	289 lbs.	63.7	_	38
GA2DWRA2442-W	39 lbs.	3.2	_	101
GA2DWRA2448-W	45 lbs.	3.6	_	101
GA2DWRA2454-W	51 lbs	4.0	_	101
GA2DWRA2460-W	56 lbs.	4.4	_	101
GA2DWRA2466-W	62 lbs.	4.9	_	101
GA2DWRA2472-W	67 lbs.	5.3	_	101
GA2DWRA3048-W	56 lbs.	4.4	_	102
GA2DWRA3054-W	63 lbs.	4.9	_	102
GA2DWRA3060-W	70 lbs.	5.4	_	102
GA2DWRA3066-W	77 lbs.	5.9	_	102
GA2DWRA3072-W	84 lbs.	6.4	_	102
GA2DWRA3648-W	67 lbs.	5.2	_	102
GA2DWRA3654-W	76 lbs.	5.8	_	102
GA2DWRA3660-W	84 lbs.	6.4	_	102
GA2DWRA3666-W	93 lbs.	7.0	_	102
GA2DWRA3672-W	101 lbs.	7.6	_	102
GA2HDC2H2430T-WW	169 lbs.	17.3	_	109
GA2HDC2H2430-WW	169 lbs.	17.3	_	109
GA2HDC2H2436T-WW	195 lbs.	20.4	_	109
GA2HDC2H2436-WW	195 lbs.	20.4	_	109
GA2HDCLH2430-WW	132 lbs.	13.1	_	109
GA2HDCLH2436-WW	152 lbs.	15.5	_	109
GA2LFS2H2430T-WW	177 lbs.	17.3	1	106
GA2LFS2H2430-WW	188 lbs.	17.3	1	106
GA2LFS2H2436T-WW	196 lbs.	20.4	1	106
GA2LFS2H2436-WW	212 lbs.	20.4	1	106
GA2LFS3H2430-WW	259 lbs.	24.7	1	107
GA2LFS3H2436-WW	297 lbs.	29.2	1	107
GA2LFS4H2430-WW	325 lbs.	32.2	1	107
GA2LFS4H2436-WW	364 lbs.	38.0	1	107
GA2LFS5H2430-WW	410 lbs.	42.0	1	107
GA2LFS5H2436-WW	461 lbs.	49.7	1	107
GA2LFS6H2430-WW	454 lbs.	46.5	1	107
GA2LFS6H2436-WW	512 lbs.	55.0	1	107
GA2LFSLH2430-WW	162 lbs.	13.1	1	106
GA2LFSLH2436-WW	172 lbs.	15.5	1	106
GA2MCA24-W	30 lbs.	4.0	_	88
GA2MCA27-W	32 lbs.	4.4	_	88
GA2MCA30-W	34 lbs.	4.9	_	88
GA2MCA33-W	35 lbs.	5.3		88
GA2MCA36-W	37 lbs.	5.8		88
GA2MCA39-W	39 lbs.	6.2		88
GA2MCA42-W	41 lbs.	6.7	_	88

model number	weight	cubes	#locks	page
GA2MCA45-W	43 lbs.	7.1	_	88
GA2MCA48-W	45 lbs.	7.6	_	88
GA2MCA51-W	46 lbs.	8.0	_	88
GA2MCA54-W	48 lbs.	8.5	_	88
GA2MCA57-W	53 lbs.	8.9	_	88
GA2MCA60-W	54 lbs.	9.3	_	88
GA2MCA63-W	56 lbs.	9.8	_	88
GA2MCA66-W	58 lbs.	10.2	_	88
GA2MCA69-W	60 lbs.	10.7	_	88
GA2MCA72-W	62 lbs.	11.1	_	88
GA2MCF60-W	41 lbs.	4.1	_	86
GA2MCF66-W	45 lbs.	4.5	_	86
GA2MCF72-W	48 lbs.	4.9	_	86
GA2MCF78-W	51 lbs.	5.3	_	86
GA2MCF84-W	54 lbs.	5.7	_	86
GA2MCF90-W	58 lbs.	6.1	_	86
GA2MCF96-W	61 lbs.	6.5	_	86
GA2MCF102-W	64 lbs.	6.9	_	86
GA2MCF108-W	67 lbs.	7.4	_	86
GA2MCF114-W	70 lbs.	7.8	_	86
GA2MCF120-W	73 lbs.	8.2	_	86
GA2MLCF60-W	33 lbs.	3.1	_	87
GA2MLCF66-W	35 lbs.	3.4	_	87
GA2MLCF72-W	37 lbs.	3.7	_	87
GA2MLCF78-W	40 lbs.	4.0	_	87
GA2MLCF84-W	42 lbs.	4.3	_	87
GA2MLCF90-W	44 lbs.	4.6	_	87
GA2MLCF96-W	46 lbs.	4.9	_	87
GA2MLCF102-W	49 lbs.	5.2	_	87
GA2MLCF108-W	51 lbs.	5.5	_	87
GA2MLCF114-W	53 lbs.	5.8	_	87
GA2MLCF120-W	57 lbs.	6.1	_	87
GA2MLPW2415L-AW	75 lbs.	6.7	1	75
GA2MLPW2415L-LW	55 lbs.	6.5	_	74
GA2MLPW2415L-XBW	65 lbs.	6.5	_	74
GA2MLPW2415R-AW	75 lbs.	6.7	1	81
GA2MLPW2415R-LW	55 lbs.	6.5		80
GA2MLPW2415R-XBW	65 lbs.	6.5	_	80
GA2MLPW2418L-AW	81 lbs.	7.9	1	75
GA2MLPW2418R-AW	81 lbs.	7.9	1	81
GA2MLPW2430L-5W	89 lbs.	12.3	_	76
GA2MLPW2430L-BW	139 lbs.	12.3	1	76
GA2MLPW2430L-PW	120 lbs.	12.3	1	76
GA2MLPW2430L-SHW	77 lbs.	12.3	_	76

model number	weight	cubes	#locks	page
GA2MLPW2430L-TW	122 lbs.	12.3	1	76
GA2MLPW2430R-5W	89 lbs.	12.3	_	82
GA2MLPW2430R-BW	139 lbs.	12.3	1	82
GA2MLPW2430R-PW	120 lbs.	12.3	1	82
GA2MLPW2430R-SHW	77 lbs.	12.3	_	82
GA2MLPW2430R-TW	122 lbs.	12.3	1	82
GA2MLPW2436L-5W	98 lbs.	14.6	_	77
GA2MLPW2436L-BW	151 lbs.	14.6	1	77
GA2MLPW2436L-PW	130 lbs.	12.3	1	77
GA2MLPW2436L-SHW	87 lbs.	14.6	_	77
GA2MLPW2436L-TW	132 lbs.	12.3	1	77
GA2MLPW2436R-5W	98 lbs.	14.6	_	83
GA2MLPW2436R-BW	151 lbs.	14.6	1	83
GA2MLPW2436R-PW	130 lbs.	12.3	1	83
GA2MLPW2436R-SHW	87 lbs.	14.6	_	83
GA2MLPW2436R-TW	132 lbs.	12.3	1	83
GA2MLPW2445L-5AW	157 lbs.	18.0	1	78
GA2MLPW2445L-BAW	175 lbs.	18.0	2	78
GA2MLPW2445R-A5W	157 lbs.	18.0	1	84
GA2MLPW2445R-ABW	175 lbs.	18.0	2	84
GA2MLPW2454L-5AW	176 lbs.	21.3	1	78
GA2MLPW2454L-BAW	196 lbs.	21.3	2	78
GA2MLPW2454R-A5W	176 lbs.	21.3	1	84
GA2MLPW2454R-ABW	196 lbs.	21.3	2	84
GA2MLPW2460L-55W	173 lbs.	23.6	_	79
GA2MLPW2460L-BBW	209 lbs.	23.6	2	79
GA2MLPW2460R-55W	173 lbs.	23.6	_	85
GA2MLPW2460R-BBW	209 lbs.	23.6	2	85
GA2MLSP12-W	7 lbs.	0.4	_	91
GA2MLSPT12-W	11 lbs.	1.3	_	91
GA2MPD1818-AW	99 lbs.	7.2	1	97
GA2MPW2415L-2W	90 lbs.	9.0	1	63
GA2MPW2415L-3W	93 lbs.	9.0	1	63
GA2MPW2415L-LW	50 lbs.	8.7	_	62
GA2MPW2415L-XBW	71 lbs.	8.7	_	62
GA2MPW2415L-XEW	71 lbs.	8.7	_	62
GA2MPW2415R-2W	90 lbs.	9.0	1	69
GA2MPW2415R-3W	93 lbs.	9.0	1	69
GA2MPW2415R-LW	50 lbs.	8.7	_	68
GA2MPW2415R-XBW	71 lbs.	8.7	_	68
GA2MPW2415R-XEW	71 lbs.	8.7	_	68
GA2MPW2418L-2W	97 lbs.	10.5	1	63
GA2MPW2418L-3W	101 lbs.	10.5	1	63
GA2MPW2418R-2W	97 lbs.	10.5	1	69

model number	weight	cubes	#locks	page
GA2WCH1H108-WG	371 lbs.	30.4	_	117
GA2WCH1H108-WW	330 lbs.	30.4	_	116
GA2WCH2H30-WG	138 lbs.	12.4	_	123
GA2WCH2H30-WW	123 lbs.	12.4	_	122
GA2WCH2H36-WG	156 lbs.	14.7	_	123
GA2WCH2H36-WW	141 lbs.	14.7	_	122
GA2WCH2H60-WG	261 lbs.	23.7	_	123
GA2WCH2H60-WW	231 lbs.	23.7	_	122
GA2WCH2H66-WW	248 lbs.	26.0	_	122
GA2WCH2H72-WG	297 lbs.	28.3	_	123
GA2WCH2H72-WW	266 lbs.	28.3	_	122
GA2WCH2H78-WW	283 lbs.	30.5	_	122
GA2WCH2H84-WW	322 lbs.	32.8	_	122
GA2WCH2H90-WG	385 lbs.	35.0	_	123
GA2WCH2H90-WW	339 lbs.	35.0	_	122
GA2WCS1H60-WG	159 lbs.	17.2	_	121
GA2WCS1H60-WW	164 lbs.	17.2	_	120
GA2WCS1H72-WG	183 lbs.	20.5	_	121
GA2WCS1H72-WW	181 lbs.	20.5	_	120
GA2WCS1H90-WG	223 lbs.	25.4	_	121
GA2WCS1H90-WW	244 lbs.	25.4	_	120
GA2WCS1H108-WG	271 lbs.	30.4	_	121
GA2WCS1H108-WW	275 lbs.	30.4	_	120
GA2WCS2H60-WG	166 lbs.	23.7	_	125
GA2WCS2H60-WW	164 lbs.	23.7	_	124
GA2WCS2H72-WG	190 lbs.	28.3	_	125
GA2WCS2H72-WW	201 lbs.	28.3	_	124
GA2WCS2H90-WG	243 lbs.	35.0	_	125
GA2WCS2H90-WW	259 lbs.	35.0	_	124
GA2XRAK3072L-W	550 lbs.	46.5	_	46
GA2XRAK3072R-W	550 lbs.	46.5	_	47
GA2XRAK3072TL-W	552 lbs.	46.5	_	46
GA2XRAK3072TR-W	552 lbs.	46.5	_	47
GA2XRAK3672L-W	571 lbs.	54.9	_	46
GA2XRAK3672R-W	571 lbs.	54.9	_	47
GA2XRAK3672TL-W	560 lbs.	54.9	_	46
GA2XRAK3672TR-W	560 lbs.	54.9	_	47
GA2XRAK3678L-W	568 lbs.	59.3	_	46
GA2XRAK3678R-W	568 lbs.	59.3	_	47
GA2XRAK3678TL-W	570 lbs.	59.3	_	46
GA2XRAK3678TR-W	570 lbs.	59.3	_	47
GA2XRAK3684L-W	578 lbs.	63.7	_	46
GA2XRAK3684R-W	578 lbs.	63.7	_	47
GA2XRAK3684TL-W	578 lbs.	63.7	_	46

model number	weight	cubes	#locks	page
GA2XRAK3684TR-W	578 lbs.	63.7		47
GA2XRL3072L-W	152 lbs.	46.5		42
GA2XRL3072R-W	152 lbs.	46.5		43
GA2XRL3072TL-W	145 lbs.	46.5		42
GA2XRL3072TR-W	145 lbs.	46.5		43
GA2XRL3672L-W	181 lbs.	54.9		42
GA2XRL3672R-W	181 lbs.	54.9	_	43
GA2XRL3672TL-W	168 lbs.	54.9		42
GA2XRL3672TR-W	168 lbs.	54.9		43
GA2XRL3678L-W	191 lbs.	59.3		42
GA2XRL3678R-W	191 lbs.	59.3	_	43
GA2XRL3678TL-W	178 lbs.	59.3		42
GA2XRL3678TR-W	178 lbs.	59.3		43
GA2XRL3684L-W	200 lbs.	63.7	_	42
GA2XRL3684R-W	200 lbs.	63.7		43
GA2XRL3684TL-W	189 lbs.	63.7		42
GA2XRL3684TR-W	189 lbs.	63.7	_	43
GA2XRM3072L-W	220 lbs.	46.5		44
GA2XRM3072R-W	220 lbs.	46.5		45
GA2XRM3072TL-W	220 lbs.	46.5		44
GA2XRM3072TR-W	220 lbs.	46.5		45
GA2XRM3672L-W	245 lbs.	54.9		44
GA2XRM3672R-W	245 lbs.	54.9		45
GA2XRM3672TL-W	245 lbs.	54.9		44
GA2XRM3672TR-W	245 lbs.	54.9	_	45
GA2XRM3678L-W	265 lbs.	59.3		44
GA2XRM3678R-W	265 lbs.	59.3		45
GA2XRM3678TL-W	265 lbs.	59.3	_	44
GA2XRM3678TR-W	265 lbs.	59.3	_	45
GA2XRM3684L-W	285 lbs.	63.7	_	44
GA2XRM3684R-W	285 lbs.	63.7	_	45
GA2XRM3684TL-W	284 lbs.	63.7	_	44
GA2XRM3684TR-W	284 lbs.	63.7	_	45
GA2XRR3072L-W	190 lbs.	46.5	_	48
GA2XRR3072R-W	190 lbs.	46.5	_	49
GA2XRR3072TL-W	196 lbs.	46.5	_	48
GA2XRR3072TR-W	196 lbs.	46.5	_	49
GA2XRR3672L-W	215 lbs.	54.9	_	48
GA2XRR3672R-W	215 lbs.	54.9	_	49
GA2XRR3672TL-W	230 lbs.	54.9	_	48
GA2XRR3672TR-W	230 lbs.	54.9	_	49
GA2XRR3678L-W	235 lbs.	59.3	_	48
GA2XRR3678R-W	235 lbs.	59.3	_	49
GA2XRR3678TL-W	242 lbs.	59.3		48

model number	weight	cubes	#locks	page
GA2MPW2418R-3W	101 lbs.	10.5	1	69
GA2MPW2430L-4W	135 lbs.	16.5	1	64
GA2MPW2430L-5W	121 lbs.	16.5	_	64
GA2MPW2430L-7W	136 lbs.	16.5	1	64
GA2MPW2430L-23W	172 lbs.	16.5	2	64
GA2MPW2430L-BW	165 lbs.	16.5	1	64
GA2MPW2430L-PW	130 lbs.	16.5	1	64
GA2MPW2430L-SHW	105 lbs.	16.5	_	64
GA2MPW2430L-TW	132 lbs.	16.5	1	64
GA2MPW2430R-4W	135 lbs.	16.5	1	70
GA2MPW2430R-5W	121 lbs.	16.5	_	70
GA2MPW2430R-7W	136 lbs.	16.5	1	70
GA2MPW2430R-32W	172 lbs.	16.5	2	70
GA2MPW2430R-BW	165 lbs.	16.5	1	70
GA2MPW2430R-PW	130 lbs.	16.5	1	70
GA2MPW2430R-SHW	105 lbs.	16.5	_	70
GA2MPW2430R-TW	132 lbs.	16.5	1	70
GA2MPW2436L-4W	142 lbs.	19.5	1	65
GA2MPW2436L-5W	138 lbs.	19.5	_	65
GA2MPW2436L-7W	147 lbs.	19.5	1	65
GA2MPW2436L-23W	187 lbs.	19.5	2	65
GA2MPW2436L-BW	183 lbs.	19.5	1	65
GA2MPW2436L-PW	140 lbs.	19.5	1	65
GA2MPW2436L-SHW	118 lbs.	19.5	_	65
GA2MPW2436L-TW	142 lbs.	19.5	1	65
GA2MPW2436R-4W	142 lbs.	19.5	1	71
GA2MPW2436R-5W	138 lbs.	19.5	_	71
GA2MPW2436R-7W	147 lbs.	19.5	1	71
GA2MPW2436R-32W	187 lbs.	19.5	2	71
GA2MPW2436R-BW	183 lbs.	19.5	1	71
GA2MPW2436R-PW	140 lbs.	19.5	1	71
GA2MPW2436R-SHW	118 lbs.	19.5	_	71
GA2MPW2436R-TW	142 lbs.	19.5	1	71
GA2MPW2445L-43W	203 lbs.	24.0	2	66
GA2MPW2445L-52W	200 lbs.	24.0	1	66
GA2MPW2445L-72W	216 lbs.	24.0	2	66
GA2MPW2445R-25W	200 lbs.	24.0	1	72
GA2MPW2445R-27W	216 lbs.	24.0	2	72
GA2MPW2445R-34W	203 lbs.	24.0	2	72
GA2MPW2454L-43W	232 lbs.	28.4	2	66
GA2MPW2454L-52W	224 lbs.	28.4	1	66
GA2MPW2454L-72W	234 lbs.	28.4	2	66
GA2MPW2454R-25W	224 lbs.	28.4	1	72
GA2MPW2454R-27W	234 lbs.	28.4	2	72

model number	weight	cubes	#locks	page
GA2MPW2454R-34W	232 lbs.	28.4	2	72
GA2MPW2460L-44W	244 lbs.	31.4	2	67
GA2MPW2460L-55W	231 lbs.	31.4	_	67
GA2MPW2460L-BBW	322 lbs.	31.4	2	67
GA2MPW2460R-44W	244 lbs.	31.4	2	73
GA2MPW2460R-55W	231 lbs.	31.4	_	73
GA2MPW2460R-BBW	322 lbs.	31.4	2	73
GA2MRA21-W	28 lbs.	3.6	_	90
GA2MRA24-W	30 lbs.	4.0	_	90
GA2MRA27-W	32 lbs.	4.4	_	90
GA2MRA30-W	34 lbs.	4.9	_	90
GA2MRA33-W	36 lbs.	5.3	_	90
GA2MRA36-W	37 lbs.	5.8	_	90
GA2MRA39-W	39 lbs.	6.2	_	90
GA2MRA42-W	41 lbs.	6.7	_	90
GA2MRA45-W	43 lbs.	7.1	_	90
GA2MRA48-W	45 lbs.	7.6	_	90
GA2MRA51-W	47 lbs.	8.0	_	90
GA2MRA54-W	49 lbs.	8.5	_	90
GA2MRA57-W	51 lbs.	8.9	_	90
GA2MRA60-W	53 lbs.	9.3	_	90
GA2MRF39-W	20 lbs.	2.8	_	89
GA2MRF42-W	22 lbs.	3.0	_	89
GA2MRF45-W	23 lbs.	3.2	_	89
GA2MRF48-W	25 lbs.	3.4	_	89
GA2MRF51-W	26 lbs.	3.6	_	89
GA2MRF54-W	28 lbs.	3.8	_	89
GA2MRF57-W	30 lbs.	4.0	_	89
GA2MRF60-W	32 lbs.	4.2	_	89
GA2MRF63-W	33 lbs.	4.4	_	89
GA2MRF66-W	35 lbs.	4.6	_	89
GA2MRF69-W	36 lbs.	4.8	_	89
GA2MRF72-W	38 lbs.	5.0	_	89
GA2MSP12-W	7 lbs.	0.6	_	91
GA2MSPT12-W	11 lbs.	1.7	_	91
GA2RLRL3072L-W	126 lbs.	46.5	_	50
GA2RLRL3072R-W	126 lbs.	46.5	_	51
GA2RLRL3078L-W	135 lbs.	50.2	_	50
GA2RLRL3078R-W	135 lbs.	50.2	_	51
GA2RLRL3678L-W	160 lbs.	59.3	_	50
GA2RLRL3678R-W	160 lbs.	59.3	_	51
GA2RLRL3684L-W	170 lbs.	63.7	_	50
GA2RLRL3684R-W	170 lbs.	63.7	_	51
GA2RLRO3072L-3W	231 lbs.	46.5	1	54

model number	weight	cubes	#locks	page
GA2RLRO3072R-3W	231 lbs.	46.5	1	55
GA2RLRO3078L-3W	241 lbs.	50.2	1	54
GA2RLRO3078R-3W	241 lbs.	50.2	1	55
GA2RLRO3678L-3W	276 lbs.	59.3	1	54
GA2RLRO3678R-3W	276 lbs.	59.3	1	55
GA2RLRO3684L-3W	287 lbs.	63.7	1	54
GA2RLRO3684R-3W	287 lbs.	63.7	1	55
GA2RLRR3072L-W	126 lbs.	46.5	_	52
GA2RLRR3072R-W	126 lbs.	46.5	_	53
GA2RLRR3078L-W	135 lbs.	50.2	_	52
GA2RLRR3078R-W	135 lbs.	50.2	_	53
GA2RLRR3678L-W	160 lbs.	59.3	_	52
GA2RLRR3678R-W	160 lbs.	59.3	_	53
GA2RLRR3684L-W	170 lbs.	63.7	_	52
GA2RLRR3684R-W	170 lbs.	63.7	_	53
GA2RRL3048L-W	76 lbs.	31.6	_	50
GA2RRL3048R-W	76 lbs.	31.6	_	51
GA2RRL3054L-W	85 lbs.	35.3	_	50
GA2RRL3054R-W	85 lbs.	35.3	_	51
GA2RRL3654L-W	101 lbs.	41.7	_	50
GA2RRL3654R-W	101 lbs.	41.7	_	51
GA2RRL3660L-W	110 lbs.	46.1	_	50
GA2RRL3660R-W	110 lbs.	46.1	_	51
GA2RRO3048L-3W	188 lbs.	31.6	1	54
GA2RRO3048R-3W	188 lbs.	31.6	1	55
GA2RRO3054L-3W	198 lbs.	35.3	1	54
GA2RRO3054R-3W	198 lbs.	35.3	1	55
GA2RRO3654L-3W	225 lbs.	41.7	1	54
GA2RRO3654R-3W	225 lbs.	41.7	1	55
GA2RRO3660L-3W	237 lbs.	46.1	1	54
GA2RRO3660R-3W	237 lbs.	46.1	1	55
GA2RRR3048L-W	133 lbs.	31.6	_	52
GA2RRR3048R-W	133 lbs.	31.6	_	53
GA2RRR3054L-W	143 lbs.	35.3	_	52
GA2RRR3054R-W	143 lbs.	35.3	_	53
GA2RRR3654L-W	167 lbs.	41.7	_	52
GA2RRR3654R-W	167 lbs.	41.7	_	53
GA2RRR3660L-W	179 lbs.	46.1	_	52
GA2RRR3660R-W	179 lbs.	46.1	_	53
GA2RWR2442T-W	49 lbs.	2.8	_	61
GA2RWR2442-W	55 lbs.	3.2	-	60
GA2RWR2448T-W	56 lbs.	3.2	_	61
GA2RWR2448-W	62 lbs.	3.6	_	60
GA2RWR2454T-W	62 lbs.	3.6	_	61

model number	weight	cubes	#locks	page
GA2RWR2454-W	69 lbs.	4.0	_	60
GA2RWR2460T-W	68 lbs.	4.0	_	61
GA2RWR2460-W	76 lbs.	4.4	_	60
GA2RWR2466T-W	75 lbs.	4.4	_	61
GA2RWR2466-W	83 lbs.	4.9	_	60
GA2RWR2472T-W	81 lbs.	4.7	_	61
GA2RWR2472-W	90 lbs.	5.3	_	60
GA2SBH5H2418L-WW	284 lbs.	26.7	2	114
GA2SBH5H2418R-WW	284 lbs.	26.7	2	114
GA2SBH5H2430-WW	384 lbs.	42.0	2	114
GA2SBH6H2418L-WW	315 lbs.	29.6	2	114
GA2SBH6H2418R-WW	315 lbs.	29.6	2	114
GA2SBH6H2430-WW	436 lbs.	46.5	2	114
GA2TRD42-W	79 lbs.	5.3	_	137
GA2TRD48-W	100 lbs.	6.8	_	137
GA2TRD54-W	124 lbs.	8.5	_	137
GA2TRD60-W	150 lbs.	10.3	_	137
GA2UTC5H2424L-WW	413 lbs.	34.4	3	115
GA2UTC5H2424R-WW	413 lbs.	34.4	3	115
GA2UTC6H2424L-WW	461 lbs.	38.1	3	115
GA2UTC6H2424R-WW	461 lbs.	38.1	3	115
GA2WCF1H60-WG	212 lbs.	17.2	_	119
GA2WCF1H60-WW	195 lbs.	17.2	_	118
GA2WCF1H72-WG	246 lbs.	20.5	_	119
GA2WCF1H72-WW	225 lbs.	20.5	_	118
GA2WCF1H90-WG	311 lbs.	25.4	_	119
GA2WCF1H90-WW	286 lbs.	25.4	_	118
GA2WCF1H108-WG	360 lbs.	30.4	_	119
GA2WCF1H108-WW	329 lbs.	30.4	_	118
GA2WCH1H30-WG	117 lbs.	9.0	_	117
GA2WCH1H30-WW	104 lbs.	9.0	_	116
GA2WCH1H36-WG	133 lbs.	10.7	_	117
GA2WCH1H36-WW	119 lbs.	10.7	_	116
GA2WCH1H60-WG	219 lbs.	17.2	_	117
GA2WCH1H60-WW	194 lbs.	17.2	_	116
GA2WCH1H66-WW	209 lbs.	18.9	_	116
GA2WCH1H72-WG	251 lbs.	20.5	_	117
GA2WCH1H72-WW	225 lbs.	20.5	_	116
GA2WCH1H78-WW	239 lbs.	22.1	_	116
GA2WCH1H84-WW	270 lbs.	23.8	_	116
GA2WCH1H90-WG	322 lbs.	25.4	_	117
GA2WCH1H90-WW	285 lbs.	25.4	_	116
GA2WCH1H96-WW	301 lbs.	27.1	_	116
GA2WCH1H102-WW	315 lbs.	28.7	_	116

model number	weight	cubes	#locks	page
GA2XRR3678TR-W	242 lbs.	59.3	_	49
GA2XRR3684L-W	255 lbs.	63.7	_	48
GA2XRR3684R-W	255 lbs.	63.7	_	49
GA2XRR3684TL-W	254 lbs.	63.7	_	48
GA2XRR3684TR-W	254 lbs.	63.7	_	49
GAACLPD-CUSH2130T	10 lbs.	2.1	_	98
GAACLPD-CUSH2136T	10 lbs.	2.4	_	98
GAACLPD-CUSH2430	9 lbs.	2.3	_	98
GAACLPD-CUSH2436	9 lbs.	2.7	_	98
GAACORNER	8 lbs.	1.7	_	141
GAADSKPAD	10 lbs.	2.3	_	141
GAAMPD-CUSH1818	6 lbs.	1.2	_	98
GAATGW1H30-GSA	43 lbs.	3.7	_	131
GAATGW1H30-XGSA	48 lbs.	3.7	_	132
GAATGW1H36-GSA	50 lbs.	4.3	_	131
GAATGW1H36-XGSA	55 lbs.	4.3	_	132
GAATGW1H42-GSA	58 lbs.	5.0	_	131
GAATGW1H42-XGSA	63 lbs.	5.0	_	132
GAATGW1H48-GSA	66 lbs.	5.6	_	131
GAATGW1H48-XGSA	71 lbs.	5.6	_	132
GAATGW2H30-GSA	50 lbs.	4.3	_	131
GAATGW2H30-XGSA	55 lbs.	4.3	_	132
GAATGW2H36-GSA	59 lbs.	5.0	_	131
GAATGW2H36-XGSA	64 lbs.	5.0	_	132
GAATGW2H42-GSA	67 lbs.	5.8	_	131
GAATGW2H42-XGSA	72 lbs.	5.8	_	132
GAATGW2H48-GSA	76 lbs.	6.6	_	131
GAATGW2H48-XGSA	81 lbs.	6.6	_	132
GAATGW30-GSA	28 lbs.	2.3	_	130
GAATGW36-GSA	32 lbs.	2.7	_	130
GAATGW60-GSA	50 lbs.	4.3	_	130
GAATGW66-GSA	55 lbs.	4.7	_	130
GAATGW72-GSA	59 lbs.	5.1	_	130
GAATGW78-GSA	64 lbs.	5.5	_	130
GAATGW84-GSA	68 lbs.	5.9	_	130
GAATGW90-GSA	73 lbs.	6.4	_	130
GAATGW96-GSA	77 lbs.	6.8	_	130
GAATGW102-GSA	82 lbs.	7.2	_	130
GAATGW108-GSA	86 lbs.	7.6	_	130
GAATKW1H30	24 lbs.	3.8	_	127
GAATKW1H36	27 lbs.	4.5	_	127
GAATKW1H42	29 lbs.	5.1	_	127
GAATKW1H48	32 lbs.	5.8	_	127
GAATKW2H30	26 lbs.	4.4	_	127


model number	weight	cubes	#locks	page
GAATKW2H36	29 lbs.	5.2	_	127
GAATKW2H42	33 lbs.	6.0	_	127
GAATKW2H48	36 lbs.	6.8	_	127
GAATKW30	18 lbs.	2.3	_	126
GAATKW36	20 lbs.	2.8	_	126
GAATKW60	26 lbs.	4.5	_	126
GAATKW66	28 lbs.	4.9	_	126
GAATKW72	29 lbs.	5.3	_	126
GAATKW78	31 lbs.	5.7	_	126
GAATKW84	33 lbs.	6.1	_	126
GAATKW90	34 lbs.	6.6	_	126
GAATKW96	36 lbs.	7.0	_	126
GAATKW102	37 lbs.	7.4	_	126
GAATKW108	39 lbs.	7.8	_	126
GAATKW120	42 lbs.	8.7	_	126
GAATLKW1H30	26 lbs.	4.3	_	129
GAATLKW1H36	29 lbs.	5.1	_	129
GAATLKW1H42	33 lbs.	5.9	_	129
GAATLKW1H48	36 lbs.	6.7	_	129
GAATLKW2H30	28 lbs.	5.0	_	129
GAATLKW2H36	32 lbs.	5.9	_	129
GAATLKW2H42	36 lbs.	6.8	_	129
GAATLKW2H48	40 lbs.	7.7	_	129
GAATLKW30	20 lbs.	2.9	_	128
GAATLKW36	22 lbs.	3.4	_	128
GAATLKW60	31 lbs.	5.5	_	128
GAATLKW66	33 lbs.	6.1	_	128
GAATLKW72	35 lbs.	6.6	_	128
GAATLKW78	37 lbs.	7.1	_	128
GAATLKW84	39 lbs.	7.7	_	128
GAATLKW90	41 lbs.	8.2	_	128
GAATLKW96	43 lbs.	8.7	_	128
GAATLKW102	45 lbs.	9.2	_	128
GAATLKW108	47 lbs.	9.8	_	128
GAATLKW120	52 lbs.	10.8	_	128
GAATOP1818-W	20 lbs.	1.0	_	146
GAATROUGH30	3 lbs.	0.6	_	99
GAATROUGH36	3 lbs.	0.7	_	99
GAATROUGH42	4 lbs.	0.9	_	99
GAATROUGH48	4 lbs.	1.0	_	99
GAATROUGH54	5 lbs.	1.1	_	99
GAATROUGH60	5 lbs.	1.2	_	99
GAATROUGH66	6 lbs.	1.4	_	99
GAATROUGH72	6 lbs.	1.5		99

159

model number	weight	cubes	#locks	page
GAATROUGH78	7 lbs.	1.6	_	99
GAATROUGH84	7 lbs.	1.7	_	99
GAATROUGH90	8 lbs.	1.9	_	99
GAATROUGH96	9 lbs.	2.0	_	99
GAATROUGH102	9 lbs.	2.1	_	99
GAATROUGH108	10 lbs.	2.2	_	99
GAATROUGH114	10 lbs.	2.4	_	99
GAATROUGH120	11 lbs.	2.5	_	99
GAATWD1H30	68 lbs.	3.8	_	134
GAATWD1H30-X	68 lbs.	3.8	_	135
GAATWD1H36	80 lbs.	4.5	_	134
GAATWD1H36-X	80 lbs.	4.5	_	135
GAATWD1H42	91 lbs.	5.1	_	134
GAATWD1H42-X	91 lbs.	5.1	_	135
GAATWD1H48	103 lbs.	5.8	_	134
GAATWD1H48-X	103 lbs.	5.8	_	135
GAATWD2H30	78 lbs.	4.4	_	134
GAATWD2H30-X	78 lbs.	4.4	_	135
GAATWD2H36	92 lbs.	5.2	_	134
GAATWD2H36-X	92 lbs.	5.2	_	135
GAATWD2H42	106 lbs.	6.0	_	134
GAATWD2H42-X	106 lbs.	6.0	_	135
GAATWD2H48	120 lbs.	6.8	_	134
GAATWD2H48-X	120 lbs.	6.8	_	135
GAATWD30	45 lbs.	2.3	_	133
GAATWD36	51 lbs.	2.8	_	133
GAATWD60	79 lbs.	4.5	_	133
GAATWD66	86 lbs.	4.9	_	133
GAATWD72	93 lbs.	5.3	_	133
GAATWD78	100 lbs.	5.7	_	133
GAATWD84	107 lbs.	6.1	_	133
GAATWD90	114 lbs.	6.6	_	133
GAATWD96	121 lbs.	7.0	_	133
GAATWD102	127 lbs.	7.4	_	133
GAATWD108	134 lbs.	7.8	_	133
GAATWD120	148 lbs.	8.7	_	133
GS2CDWSD-W	2 lbs.	13.0	_	143
MDWLBK24	2 lbs.	1.2		92
MDWLBK30	2 lbs.	1.2		92
SAMAGNET	1 lb.	0.1	_	139

Credentials 06/25	NOTES

161



Gunlocke®

One Gunlocke Drive Wayland, NY 14572 800 828 6300