

PRICING EFFECTIVE JUNE 2025

SILEA

Price & Specification Guide


PDF updated June 4, 2025

Gunlocke®

VENEER 1


STRATAWOOD FLAT CUT CHERRY

- | | |
|-----------------------|-------|
| A. Cinnamon/Biltmore* | EC260 |
| B. Lowell Ash* | EC394 |
| C. Medium Red* | EC512 |
| D. Light* | EC701 |
| E. Shaker* | EC774 |
| F. Burnished* | EC777 |
| G. Clear* | EC700 |
- (*Use OP TopFin Only)



STRATAWOOD FLAT CUT WALNUT

- | | |
|---------------|-------|
| H. Florence* | ET579 |
| I. Light* | ET601 |
| J. Skyline* | ET625 |
| K. Nutmeg* | ET629 |
| L. Pinnacle * | ET679 |
| M. Sumatra* | ET693 |
| N. Ebony* | ET509 |
| O. Clear* | ET600 |
- (*Use OP TopFin Only)



STRATAWOOD RIFT CUT OAK

- | | |
|------------------|-------|
| P. Light* | EF301 |
| Q. Dark* | EF331 |
| R. Phantom Ecru* | EF912 |
| S. Fawn Cypress* | EF108 |
| T. Clear* | EF300 |
- (*Use OP TopFin Only)



VENEER 2

NATURAL FC CHERRY

A. Cinnamon/Biltmore	NC260
B. Lowell Ash	NC394
C. Medium Red	NC512
D. Light	NC701
E. Shaker	NC774
F. Burnished	NC777

NATURAL FC MAPLE

G. Natural	NE800
H. Harvest	NE856

NATURAL FC WALNUT

I. Florence	NT579
J. Light	NT601
K. Skyline	NT625
L. Nutmeg	NT629
M. Pinnacle	NT679
N. Sumatra	NT693
O. Ebony	NT509
(Use OP TopFin Only)	



VENEER 2

STRATAWOOD CHERRY	Vertical	Horizontal
A. Cinnamon/Biltmore	SC260	HSC260
B. Lowell Ash	SC394	HSC394
C. Clear	SC700	HSC700
D. Light	SC701	HSC701
E. Shaker	SC774	HSC774
F. Burnished	SC777	HSC777

STRATAWOOD MAPLE

G. Belair	SE934	HSE934
H. Beigewood	SE878	HSE878
I. Field Elm	SE599	HSE599
J. Clear Maple	SE800	HSE800
K. Harvest	SE856	HSE856
L. Phantom Ecru (Use OP TopFin Only)	SE912	HSE912

STRATAWOOD WALNUT

M. Florence	ST579	HST579
N. Light	ST601	HST601
O. Skyline	ST625	HST625
P. Pinnacle	ST679	HST679
Q. Sumatra	ST693	HST693

STRATAWOOD OAK














R. Clear	SF300	HSF300
S. Dark	SF331	HSF331

STRATAWOOD SILVER OAK

T. Clear	SB100	HSB100
U. Portico Teak	SB150	HSB150

STRATAWOOD WASHED WALNUT

V. Clear	SW600	
W. Smoked Onyx	SW697	
X. Smoked Grey	SW612	



VENEER 3

NATURAL QC WALNUT

A. Florence	QT579
B. Light	QT601
C. Skyline	QT625
D. Nutmeg	QT629
E. Pinnacle	QT679
F. Sumatra	QT693
G. Ebony	QT509
(Use OP TopFin Only)	

NATURAL RIFT CUT OAK

H. Light	RF301
I. Dark	RF331
J. Phantom Ecrú	RF912
(Use OP TopFin Only)	
K. Fawn Cypress	RF108



LAMINATES

WOODGRAIN

A. Lowell Ash	LLA1
B. Natural Recon	LNR1
C. Phantom Ecrú	LPE1
D. Portico Teak	LPT1
E. Skyline Walnut	LSW1
F. Beigewood	LWBE
G. Field Elm	LWFE
H. Pinnacle Walnut	PINC
I. Fawn Cypress	LFC1
J. Natural Maple	LWD
K. Harvest Maple	C
L. Shaker Cherry	LW7C
M. Biltmore Cherry	COGN
N. Florence Walnut	LFW1
O. Kingswood Walnut	LKI1
P. Natural Walnut	LWNW
Q. NeoWalnut	LNU1
R. Veranda Teak	LVT1


SOLID

S. Designer White 15051	LDW1
T. Loft	LM11
U. Flint	LM16
V. Black	P




GLASS

- | | |
|--------------|------|
| A. Ice White | GWH2 |
| B. Black | GBK2 |
| C. Muslin | GML2 |
| D. Flint | GFL2 |
| E. Loft | GL02 |
| F. Beige | GBG2 |




SOLID SURFACE

- | | |
|---------------------|------|
| A. Designer White | SDW4 |
| B. Frosty White | SFW3 |
| C. Night Stars | SNS5 |
| D. Masoned Concrete | SMC2 |
| E. Monte Amiata | SMA1 |



METAL

- | | |
|-------------------|-----|
| A. Black | P71 |
| B. Silver | PR6 |
| C. Matte Gold | P8G |
| D. Pyrite | PJE |
| E. Designer White | PJW |



General Information		Modular Casegoods	147-201
Conditions of Sale...	2	Desk Worksurface	148-151
GSA Terms & Conditions...	3	Desk Pedestals	152-153
Warranty...	4	Desk Legs	154-158
Delivery Information...	5	Desk Runoff Modesty Panel	159-164
Reference	6-8	24 & 30 Depth Worksurfaces	165-166
Pulls Pull Locations	9-10	24 & 30 Depth Pedestals	167-181
Locks & Keying	11-12	Modular End Panel	182
Product Reference	13-46	Modular L Supports	183
Statement of Line	14-21	Support & Ped Backs	184-194
Features + Advantages	22-23	Layers W/ Laptop Drawer	195
Technical Specs	24-26	Round Tops	196
Filing Reference	27-28	Guitar Pick Top	197
Height Reference	29	Layers Box & Brackets	198-200
Wire Management	30	Modular Pedestal Cushion	201
Grommets	31	Cantilever Height Adjustable Desks and	
Details	32	Smart Storage	203-217
Height Adjustability	33	Cantilever Height Adjustable Desks	204-207
Storage	34	Smart Pedestals	208-209
Surface Mount Cabinets	35	Accessory Trays and Bins For Smart Pedestals	210
Dimensions	36-45	False Pedestals	211
Grain Direction Specification	46	Smart Closets	212-213
Unitized Casegoods	47-74	Smart Lockers	214-215
Double Pedestal Desk	48	Smart Pedestal Power Units For Grommet Cutout	216
Single Pedestal Desk	49-50	Solidwood Desktop Accessories	217
Runoff Desks	51	Storage	219-249
Layers Runoff W/ Layers Box / Laptop Drawer	52-53	Bookcases	220
Double Pedestal Credenza	54	Bookcase / Closet	221
Single Pedestal Credenza	55	Lateral Files	222-223
Full Bank Credenza	56-57	Closets	224-228
Returns	58	Storage Box / Utility Cabinet	229-241
Rectangular Table Desk & Extensions	59-61	Side Access Storage Locker	242-245
Runoffs	62	Mobile Pedestal	246-247
Rectangular Runoff	63	Storage External Tops	248-249
Layers Rectangular Runoff W/ Layers Box /		Wall Mount	251-286
Laptop Drawer	64-65	Cabinets	252-261
Ellipse Table Desk	66	Wall Mount Wall Overhead	262-263
Layers Ellipse Runoff W/ Layers Box	67	Tackboard in Tackzone	264-267
Arc Boat Table Desk	68	Tackboard to Top of Overhead	268-273
Layers Arc Boat Runoff W/Layers Box	69	Glass Whiteboard from Floor	274
Sightline Runoff	70	Wall Mount Wall in Tackzone	275-278
Layers Sightline Runoff W/ Layers Box /		Magnetic Wood to Top of Overhead	279-283
Laptop Drawer	71-72	Shelving for Wall Mount Wall	284-285
Layers Cockpit Runoff W/ Layers Box	73	Floating Shelves	286
Media Top	74	Surface Mount	287-300
Height Adjustable	75-122	Cabinets	288-292
Height Adjustable Split-Top Desks	76-79	Towers	293-298
Freestanding Desk / Extension	80-85	Tackboard	299
Credenza	86-89	External Tops	300
Bridge	90-91	Workwall	301-304
Return	92-95	Workwalls	302-303
L Shape Height Adjustable Spec Tips	96	Workwall Tackboard	304
L Shape Height Adjustable	98-113	Accessories	305-318
Shroud for T-Base	116	LED Tasklighting	306
Layers Bookcase	117	Personal Corner	307
Height Adjustable Base	118	Drawer Filing Rails & Reinforcement Bars	308
Height Adjustable Tops	119	Magnets	309
Wall Mount Cantilever Bracket	120	Counterweights	310
Mixed Material Telescoping Height Adjustable	121	Wire Manager	311
Replacement Height Adjustable Keypads	122	Center Drawer	312
Welcome Desk	123-146	Pencil Tray	313
Working with Welcome Desks	124-127	Grommet	314
Welcome Desk Typical	128-129	Power Unit	315-317
Advanced Height Adjustable Welcome Desk	130-133	3" Dia Field Installed Grommet	318
Advanced Fixed Height Welcome Desk	134-135	Grade Fabric Pricing	320-323
Fixed Height Welcome Desk	136-137	Weights + Cubes	324-360
Welcome Desk Shell	138-139		
Welcome Desk Bridge	140		
Welcome Desk Returns	141		
Welcome Desk Credenzas	142		
Waterfall Transaction Tops	143		
Transaction Tops	144		
Welcome Desk Tackboard	145		
In/Out Storage Unit	146		

INTRODUCTION

The Gunlocke Company is dedicated to providing the finest products and service possible. This price list reflects that commitment. Included is a current listing of our casegood models.

Seating and Lounge are presented in a separate price list. Contact your Gunlocke Customer Services Representative for more information, (800) 828-6300.

Designed for easy use, each page of this price list, and the inside front cover fold out provide all information required to order a product correctly. Should additional information be needed, contact your Gunlocke customer service representative.

PRICING

Prices shown cover standard product specifications. Any changes or alterations, other than those listed, will be subject to an additional charge. Prices include cartoning and freight. Authorization and pricing must be secured in advance for orders or contracts calling for large quantities, indefinite quantities, or extended delivery dates. Prices are subject to change without notice; the most current prices are published on <http://www.gunlocke.com>.

ORDERING

To expedite order entry and to assure proper service, email or fax all orders directly to:

The Gunlocke Company

Attn: Order Entry
One Gunlocke Drive
Wayland, New York 14572

585-728-5111
585-728-8350 FAX
800-828-6300
www.gunlocke.com

Gunlocke will not be responsible for duplicate orders if purchase orders are left unmarked.

ACKNOWLEDGEMENT

Each order will be acknowledged by Gunlocke. Customers should check each acknowledgment for accuracy and immediately notify Gunlocke of any discrepancies. The printed acknowledgment is the final agreement between The Gunlocke Company and the customer, superseding all previous communications regarding the order.

SPECIFICATION CHANGES

Gunlocke reserves the right to change specifications for the improvement of products at any time, without notice.

ORDER CHANGES

Gunlocke is not required to accept changes in orders after confirmation. Reasonable changes are subject to additional charges for labor, material and administrative costs.

Order changes of acknowledgment may result in re-scheduling of product.

RETURNED MERCHANDISE

No merchandise may be returned without prior authorization.

SHOWROOMS

For all showroom locations and tour information, please reference the showrooms page online at: www.gunlocke.com/inspiration/showrooms

CANCELLATIONS

Cancellation of orders cannot be accepted since every order is manufactured according to customer specifications.

STORAGE

If delivery cannot be made and products are ready, Gunlocke will transfer products to a storage facility and products will be invoiced at that time. The customer is responsible for storage charges and assumes and bears all risks associated with the storage of that product.

TERMS

Net 30 days from date of invoice. A service charge of eighteen percent (18%) per year or .0004931% per day, compounded monthly, will be added to balance due beyond the thirtieth day. Products are shipped FOB factory, freight prepaid and allowed. Title passes to purchaser and Gunlocke's responsibility ceases when shipment is accepted for transportation by a carrier. A full explanation of all payment terms is found on order and invoice forms.

ORDERING INFORMATION

1a.Intended use: The furniture on this schedule is intended for use by Government executives (or equivalent military rank) in the Executive, Judicial and Legislative Branches of the Federal Government. To help customers make a good purchasing decision based on their needs and budget, GSA has established four grades of furniture. Grade (1) includes furniture that tends to be the most expensive on this schedule, grade (2) furniture tends to be more moderately priced and grades (3) and (4) furniture tend to be affordably priced when compared to grades (1) and (2). Some pieces of furniture on this schedule may be significantly higher in price than GSA Traditional and Contemporary Executive Special Order Program furniture. The ordering agency or service is responsible for determining furniture appropriate for use in its offices which will fit within its budget and comply with applicable Federal or internal agency procurement regulations. Please see reverse for GSA terms and conditions.

GSA/FEDERAL CONTRACT INFORMATION:

Model numbers identified with the following verbiage "When purchased separately without a configurable TAA compliant end product, not on GSA contract" is to mean that these configurable parts or components:

- Have no functionality or capability without being integrated into an end product; and
- Are considered Open Market if purchased without a configurable TAA compliant end product.

Grade 1 All exposed solid parts such as top rims, base rails etc. (except decorative accents and inlays) shall be the same species as the face veneer. Top and bottom edges of drawer fronts shall be solid wood in the same species as the face veneers. Drawer sides and backs shall be solid wood.

Grade 2 Exposed wood panel trim and trim on tops shall be the same wood species as the face veneer on the top. Some or all other exposed solid parts, such as base rails can be an alternative wood species (such as poplar or gum) different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Silea is grade 2.

Grade 3 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Credentials, and all tables are grade 3.

Grade 4 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be composite wood material construction such as MDF. Trio is grade 4.

ITEMS ON GSA CONTRACT

Please note, in order to verify if an item is on GSA Contract or is "Open Market," please use Compass quoting which is updated in real time with all GSA contract changes. If you need additional assistance, please contact your local sales representative.

For more information visit:

<https://www.allsteeloffice.com/insights/sustainability/product-certifications>.

12 YEAR WARRANTY

Subject to the limitations set forth below. The Gunlocke Company warrants to the original purchaser all product in this price list to be free from defects in material and workmanship for a twelve year period from the date of shipment. This 12-year warranty applies to all products sold and installed by a Gunlocke authorized agent for normal commercial single shift service. Gunlocke will repair, or at its option, replace defective merchandise, free of charge. The following components not manufactured by Gunlocke have the following warranties:

- **High wear components** such as casters and glides are warranted for five years after date of shipment to original owner.
- **Electrical components** are warranted 10 years from date of manufacture with exception of lamps and ballasts which are not warranted. This includes Fluorescent Tasklights.
- **LED tasklights** are warranted for 3 years from date of shipment to original owner.
- **Drawer suspensions** are warranted for lifetime of product after shipment to original owner.
- **Personal corners** including covering (leather) are warranted for three years of single shift and normal use after shipment to original owner.
- **Height adjustable electrical components** are warranted for 7 years of single shift and normal use after shipment to original owner.

Any non-standard material selected by the customer is not warranted. Neither does this warranty apply to damage resulting from accident, alteration, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. That is, Gunlocke's warranty is only valid if products are given proper use and care. Gunlocke assumes no responsibility for product damages resulting from improper installation or user modification.

WOOD FURNITURE

Wood owes its inherent beauty to variations in color, grain, and texture, and therefore, these variations are not considered defects. There may be minor variations from one piece of furniture to the next even though they are finished at the same time. Exposure to light and the aging process will cause a darkening of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. The Gunlocke Company does not guarantee the exact matching of grain, pattern, and color.

These finishes do not cover any of the natural characteristics of the wood, including nature's colorations, pitch pockets, and the variations of steam-bent wood. Merchandise will not be replaced because of these natural variations.

It is expressly understood and agreed that the buyer's sole and exclusive remedy for any and all losses or damages resulting from nonconforming goods, or from any other cause, shall be repair or replacement of defective parts, and that Gunlocke shall not be liable for damages or injury to persons or property, nor for replacement of the entire commercial unit, if repair or replacement of defective parts can reasonably render the unit conforming.

All warranty claims must be made in writing by the original owner. Owner may be required to produce the invoice or other evidence to establish that a claim is within the warranty period. Warranty claims may be submitted on the Gunlocke website.

As stated and illustrated on the website, serial numbers are required to process a warranty claim. No person, firm or corporation is authorized to assume for Gunlocke any liability in connection with the sale or installation of Gunlocke products except as stated above.

All other warranties, expressed or implied, are excluded. Gunlocke shall not be liable for incidental or consequential damages of any sort.

Within the Continental USA, all orders above \$20,000 list are shipped FOB factory, freight prepaid and allowed. All orders less than \$20,000 list will be subject to a \$200 net freight charge. Products shipped to Alaska and Hawaii FOB factory, freight prepaid and allowed to port of embarkation. Customer is responsible for freight charges from port of embarkation to final destination.

An anticipated shipping date is indicated on the order acknowledgment. Gunlocke cannot accept responsibility for shipping delays caused by outside sources or unforeseen problems. Delay of shipments requested by customers must be approved by Gunlocke. Any resultant storage charges will be charged to the customer.

Gunlocke may await completion of the entire order and ship all at once or may make partial shipments from time to time at its sole discretion unless the customer requests in writing that partial shipments are needed and Gunlocke approves the specific shipping schedule. Additional charges may apply.

Gunlocke is not liable for any delay or failure to deliver or perform due to strikes, lock-outs, or other labor or transportation difficulties, delay of sources or supply, accidents, fires, acts of God, or any other causes of like or unlike nature beyond the control of Gunlocke.

LIABILITY

Gunlocke products and their packaging are tendered to a transportation company only after passing rigid quality control inspection. At that time, title to the product is passed to the purchaser. However the transportation company assumes all liability from acceptance of shipment through its delivery. That is, Gunlocke's liability ceases at the time of shipment.

FILING OF CLAIMS

All claims for damage or loss must be submitted via our website within 15 days after receipt of merchandise. Do not return freight damaged merchandise to Gunlocke. Follow the steps below to expedite processing and resolution of claims.

For Visible Damage

1. Make damage notation on delivery receipt and have driver sign. Do not reject or refuse the shipment.
2. Immediately contact Gunlocke Traffic Department at 585-728-8268.
3. Hold damaged carton and all interior packing for carrier's inspection. These materials will be needed to substantiate the claim.

For Concealed Damage

1. Open cartons within 15 days of receipt and inspect.
2. Follow steps 2, and 3 as listed under Visible Damage.
3. Do not remove product from delivered destination.

For Loss

1. Be sure loss notation is made on delivery receipt and have driver sign.
2. Contact Gunlocke Distribution at 585-728-8268.

Should transportation company seek to limit its liability on concealed, loss, or damage claims, please contact Gunlocke's traffic department. After a thorough investigation of the claim, the traffic department will provide you with guidance in corresponding with the carrier.

Returned merchandise, regardless of delivery method, will not be accepted unless specifically authorized by Gunlocke.

For Damage or Loss of Parcel Post or UPS Shipment

Notify Gunlocke distribution immediately at 585-728-8268.

NORMAL DELIVERY

All normal ground transportation by Gunlocke will be made on a dock-to-dock basis. The Gunlocke traffic department will determine the recommended method of shipment according to the ship to destination. If the delivery on a shipment takes longer than 2 hours to be unloaded, an additional charge will be billed at \$60/hour at 15 minute increments. Gunlocke reserves the absolute right to determine the method of shipping unless special delivery instructions have been previously approved.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

If a guaranteed delivery time is needed please call Gunlocke Traffic Department at 585-728-8268 for a quote as additional charges will apply. Weekend or after hours deliveries are subject to additional charges.

WEEKEND DELIVERY

A \$500 charge will apply on weekend delivery after 3:00 PM Friday through Sunday evenings.

DROP SHIP / JOB SITE DELIVERY

Orders under \$50,000 list will incur a \$125 charge for ship to locations other than a designated dealer warehouse.

INSIDE DELIVERY

Inside delivery must be noted on order. A minimum \$100 charge will apply.

SPECIAL DELIVERY

Please contact the Gunlocke traffic department for special delivery services such as inside delivery, weekend or after hour deliveries, reconsignment or other special needs. These are billable services.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

DOCK RESTRICTIONS

Gunlocke trailers are 53' x 102"; when attached to truck cab the total length is 75'. If delivery dock will not accommodate trucks of this sizes, the Gunlocke traffic department must be contacted prior to shipping. Alternate arrangements can be made; additional charges may apply.

REFERENCE

Materials & finishes

Silea

06/25

veneers

All exposed wood surfaces utilize flat cut, rift cut, or straight grain Stratawood (FSC reconstituted veneer), flat cut Cherry, Maple, Walnut veneers, quarter cut Walnut, or Rift Oak veneers. Stratawood veneer is made from rapidly renewable wood veneer, which provides a repeatable grain pattern. Stratawood veneers are available in flat cut Cherry, flat cut Walnut, or Rift Oak at veneer 1 pricing and in straight grain Cherry, Maple, Walnut, Oak, Silver Oak, or Washed Walnut at veneer 2 pricing. Veneers can be specified in vertical or horizontal orientation. All veneers are carefully selected and matched to assure balance and consistency.

SPECIALTY FINISHES

- Submit a color sample block (minimum size 3" x 3") to Gunlocke so that a finish formulation can be developed to match the special finish and color.
- Review the approval sample provided by Gunlocke.
- Written approval and sign off is required for Gunlocke Customer Service.
- Once written approval and sign off is received, the special finish order will be acknowledged.

Note: See our Website at Gunlocke.com for special finish request forms.

All Casegoods & Tables Purchase Orders:

- 10% list upcharge per wood unit to specified veneer option receiving special finish.
- \$250 net formulation fee for special finish.

veneer 1

Stratawood Flat Cut Cherry

Stratawood Flat Cut Walnut

Stratawood Rift Cut Oak

veneer 2

Natural Flat Cut Cherry

Natural Flat Cut Maple

Natural Flat Cut Walnut

Stratawood Straight Grain Cherry

Stratawood Straight Grain Maple

Stratawood Straight Grain Walnut

Stratawood Straight Grain Oak

Stratawood Straight Grain Silver Oak

Stratawood Flat Cut Washed Walnut

veneer 3

Natural Quarter Cut Walnut

Natural Rift Cut Oak

The plastic laminate offering includes 18 woodgrain and 4 solid laminate options from Wilsonart. Laminate tops are high-pressure laminate (HPL), and chassis/storage components are thermally fused laminate (TFL). Laminate edgebands are 2mm thick and are color matched to the laminate option chosen.

Laminates	Description	Option Code	Supplier Name	Supplier Code	Veneer Finish & Cut Match*
WOODGRAIN	Lowell Ash	LLA1	Wilsonart	7994-12	EC394 NC394
	Natural Recon	LNR1	Wilsonart	7996-12	EF301 RF301
	Phantom Ecru	LPE1	Wilsonart	8212-12	EF912 RF912
	Portico Teak	LPT1	Wilsonart	8210K-12	SB150
	Skyline Walnut	LSW1	Wilsonart	7964K-12	QT625
	Field Elm	LWFE	Wilsonart	7999-38	SE599
	Beigewood	LWBE	Wilsonart	7850-60	SE878
	Pinnacle Walnut	PINC	Wilsonart	7992-38	ET679 NT679
	Fawn Cypress	LFC1	Wilsonart	8208K-12	N/A
	Natural Maple	LWD	Wilsonart	11021-38	NE800
	Harvest Maple	C	Wilsonart	7953-38	NE856
	Shaker Cherry	LW7C	Wilsonart	7935K-07	EC774 NC774
	Biltmore Cherry	COGN	Wilsonart	7924K-07	EC260 NC260
	Veranda Teak	LVT1	Wilsonart	8209K-12	SB100
	Kingswood Walnut	LKI1	Wilsonart	8218-38	N/A
	Florence Walnut	LFW1	Wilsonart	7993-38	N/A
	Neo Walnut	LNU1	Wilsonart	7991-38	N/A
	Natural Walnut	LWNW	Wilsonart	7965K-78	ET601 NT601
SOLID	Designer White 15051	LDW1	Wilsonart	15051-60	N/A
	Loft	LM11	Wilsonart	15034-60	N/A
	Flint	LM16	Wilsonart	10592-38	N/A
	Black	P	Wilsonart	1595-60	N/A
GLASS	Ice White	GWH2			
	Black	GBK2			
	Muslin	GML2			
	Flint	GFL2			
	Loft	GLO2			
	Beige	GBG2			
SOLID SURFACE	Designer White	SDW4			
	Frosty White	SFW3			
	Night Stars	SNS5			
	Masoned Concrete	SMC2			
	Monte Amiata	SMA1			

* See cross reference above for Gunlocke wood finish match. Although these are good matches, they are not exact matches due to grain pattern and sheen variation from laminate to veneer. They coordinate throughout a floorplate, but we recommend they not be utilized in the same office.

Note: Gunlocke does not guarantee an exact finish match to the plastic laminates listed above.


REFERENCE

Options

Silea

06/25

EDGE DETAIL

2 mm Square SQ	Medley 1/2" Square SQM	Medley 1/2" Double Flute DFM	Medley 1/2" Trioval TOM	Softened SN
				
* Only edge available for laminate	*Add +\$362	*Add +\$362	*Add +\$362	* Solid Surface Tops only

FSC CERTIFIED

Standard - No FSC	X
FSC Certified (5% upcharge)	F

FSC TACKBOARD

FSC Mixed Credit	FSC
(Upcharge – See Tack & Cushion Pricing)	
FSC Not Required	NR

TOP GRAIN DIRECTION

Long Grain	VLG
Short Grain	VST

- Laminate tops optional grain up to 60", above 60" tops are long grain standard.

DRAWERS

Vinyl Wrapped, with Soft Close suspension	VW
---	-----------

BACK PANEL

No Back Panel	BN
Back Panel Included	BY

POWER UNIT COLOR

Black	BK
Silver	SV
White	WH

POWER UNIT COLOR (For Lounge Level Media)

Black Std Plug	BKSP
Black Hardwire	BKHW
Silver Std Plug	SVSP
Silver Hardwire	SVHW
White Std Plug	WHSP
White Hardwire	WHHW

GLASS COLOR

Ice White	GWH2
Black	GBK2
Muslin	GML2
Flint	GFL2
Loft	GLO2
Beige	GBG2

LOCKS

Locks Yes, Random Matte Silver Keying (Factory Installed)	LYSTD (Add +\$170)
Locks Yes, Omit Lock Core (Field Installed)	LYOMT (Add +\$170)
Locks No	LN

KEYING

Random Matte Silver Keying (Factory Installed)	STD
Omit Lock Core (Field Installed)	OMT

HARDWARE COLOR

Black	P71
Silver	PR6
Matte Gold	P8G
Pyrite	PJE
Designer White	PJW

HEIGHT ADJUSTABLE BASE COLOR (METAL T BASES)

Black (P71)	BK
Silver (PR6)	SV
Designer White (PJW)	PJW

MAGNETIC ACCESSORY

White	AWH
Black	ABK
Muslin	AML

PERSONAL CORNER

Leather	White	CWH
	Black	CBL
	Chocolate	CCH
Vinyl	White	VWH
	Black	VBL
	Chocolate	VCH

CUSHION UPHOLSTERY

Fabric	COM-G27
Leather	COL-L5



TASKLIGHT CORD GROMMET (For Surface Mount Cabinets)

Grommet Included	WY
Grommet No	WN

MODESTY PANEL

Modesty No	MN
Modesty Yes	MY

METAL PULL


Silea Black (P71)	PP71		SILEA
Silea Silver (PR6)	PPR6		
Silea Matte Gold (P8G)	PP8G		
Silea Pyrite (PJE)	PPJE		
Silea Designer White (PJW)	PPJW		
Medley Arch Black (P71)	HARB		MEDLEY ARCH
Medley Arch Silver (PR6)	HARS		
Medley Arette Black (P71)	HATB		MEDLEY ARETTE
Medley Arette Silver (PR6)	HATS		
Trio Linear Black (P71)	HLEB		TRIO LINEAR
Trio Linear Silver (PR6)	HLES		
Trio Bar Black (P71)	HBRB		TRIO BAR
Trio Bar Silver (PR6)	HBRB		
Modern Black (P71)	MP71		MODERN
Modern Silver (PR6)	MPR6		
Modern Matte Gold (P8G)	MP8G		
Modern Pyrite (PJE)	MPJE		
Modern Designer White (PJW)	MPJW		

Integral pulls are available as a standard option in wood only.

INTEGRAL PULL


Integral Pull /Touch Latch Doors
(add \$242 per unit)

FPW




The Silea style metal pull is available in 5 metal finish colors - Silver, Black, Pyrite, Matte Gold, and Designer White. Pulls have the ability to be placed left, right or center with the same drawer front and pull hardware. Pulls are 6" less than the drawer front size with the exception of a 9" pedestal which comes with a 9" pull. Note: This applies to the Silea style pull only. This does not apply to the Arch, Arette, Linear, Bar, or Modern pulls.


CENTERED




CONTINUOUS



LEFT ALIGNED




RIGHT ALIGNED




Choice.
The Silea pull enables you to select drawer pull orientation at the time of installation. Maximum flexibility.

CLOSET LOCATIONS


PEDESTAL LOCATIONS




SILEA




ARCH




ARETTE




LINEAR




BAR




MODERN



SILEA




ARCH




ARETTE



LINEAR



BAR



MODERN

Locks are standard on all below worksurface storage units. Closets and overhead storage are optional locking.

STANDARD OPTIONS

- **Random Keying:** Key(s) arbitrarily assigned and installed at the factory. Factory installed locks are silver.
Note: When the random option is selected, some units may be shipped with the same key number.
- **Omit Lock Core:** The factory will omit lock cores. Removable lock core kits with specific key numbers must be ordered to facilitate keying alike in the field. A lock program must be specified. Field installed locks are available in Matte Silver, Black, Pyrite, Matte Gold, and Designer White.

KEYING

Random Matte Silver Keying (Factory Installed)	STD	
Omit Lock Core (Field Installed)	OMT	(If option is chosen, a field installed lock program must be specified)

LOCK PROGRAM (FIELD INSTALLED ONLY)

Random Keying	X
Specified Keying	X101 - X225
Sequential Keying	SEQ/101 - SEQ/225

KEYING COLOR (FIELD INSTALLED ONLY)

Matte Silver	MTS
Black	BLK
Matte Gold	MGD
Pyrite	PYT
Designer White	PJW

- REPLACING LOCK CORES**
- Lock must be in the unlocked position.
 - Insert core removal key and pull core straight out.
 - Insert new core with core removable key, hold core into lock and withdraw core removal key.
 - Retain original core for future use.

For field installed locks, the "Omit Lock Core" option must be chosen. Then, specify lock model based on total quantity of lock cores within each office. To ensure ease of ordering for a variety of situations, lock cores can be specified in 3 ways – Random, Specified or Sequential.

LOCKING MODELS	DESCRIPTION	LIST
GLKFE1	1 core, 2 keys	\$19
GLKFE2	2 core, 2 keys	\$24
GLKFE3	3 core, 2 keys	\$30
GLKFE4	4 core, 2 keys	\$34
GLKFE5	5 core, 2 keys	\$40

Note: When purchased separately without a configurable TAA compliant end product, not on GSA contract.

Note: One core removal key minimum per order. One additional core removal key per 25 lock cores will be shipped.

MASTER KEY

One key available **GLKMSTR** **\$12**
to authorized dealers

Note: When purchased separately without a configurable TAA compliant end product, not on GSA contract.

KEY NUMBERS 101-225 ARE AVAILABLE.

Orders without key numbers will be specified at random.

RANDOM KEYING (FIELD INSTALLED)

The Random Keying option is provided for instances where there are multiple orders or phases to a project and the offices need to be keyed alike but the key numbering is not required. With the random keying option, key numbers are not specified. However, the core kits will be in sequential order from a random starting point.

SPECIFIED KEYING (FIELD INSTALLED)

The Specified Keying option is provided for instances where there is a specific key number desired for all of the cores ordered.

SEQUENTIAL KEYING (FIELD INSTALLED)

The Sequential Keying option is provided for instances when there are multiple orders or phases to a project and it is imperative that key numbers are not duplicated..

RANDOM KEYING EXAMPLE

- There are 18 offices which have 3 black locks that need to be keyed alike, but the key number is not important.

Model String:

GLKFE3.	BLK.	X.	18
<i>Model</i>	<i>Color</i>	<i>Program</i>	<i># of Offices</i>

SPECIFIED KEYING EXAMPLE

- There are 6 offices which have 2 silver locks that need to be keyed alike with the key number 202.

Model String:

GLKFE2.	MTS.	X202.	6
<i>Model</i>	<i>Color</i>	<i>Program</i>	<i># of Offices</i>

SEQUENTIAL KEYING EXAMPLE

- A multiple phase project has 100 offices - 60 in the first phase with 4 locks, 40 in the second phase with 3 locks. No key number can be duplicated.

Model String (First Phase):

GLKFE4.	PYT.	SEQ/101.	60
----------------	-------------	-----------------	-----------

Model String (Second Phase)

GLKFE3.	PYT.	SEQ/161.	40
<i>Model</i>	<i>Color</i>	<i>Program</i>	<i># of Offices</i>

Product Reference.....13-46

Statement of Line..... 14-21

Features + Advantages..... 22-23

Technical Specs 24-26

Filing Reference..... 27-28

Height Reference.....29

Wire Management.....30

Grommets31

Details32

Height Adjustability.....33

Storage34

Surface Mount Cabinets35

Dimensions36-45


Grain Direction Specification.....46

STATEMENT OF LINE


Unitized

Silea
06/25


DOUBLE PEDESTAL DESK
15" ped




SINGLE PEDESTAL DESK
15" ped




SINGLE PEDESTAL CREDENZA
9" ped




30" ped




DOUBLE PEDESTAL CREDENZA




RETURNS




RUNOFF DESK
15" ped (LH & RH)




RUNOFF DESK
9" ped (LH & RH)




LAYERS RUNOFF DESK
9" ped (LH & RH)




LAYERS RUNOFF DESK W/ LAPTOP DRAWER (LH & RH)




RECTANGULAR TABLE DESK



RECTANGULAR EXTENSION
(LH & RH)




RACETRACK EXTENSION
(LH & RH)



d SHAPE EXTENSION




b SHAPE EXTENSION




LAYERS RECTANGULAR RUNOFF




LAYERS RECTANGULAR RUNOFF W/LAPTOP DRAWER (LH & RH)




SIGHTLINE RUNOFF




LAYERS SIGHTLINE RUNOFF



LAYERS SIGHTLINE RUNOFF W/LAPTOP DRAWER (LH & RH)



LAYERS COCKPIT RUNOFF
(LH & RH)




MEDIA TOP



ELLIPSE TABLE DESK



LAYERS ELLIPSE RUNOFF





ARC BOAT TABLE DESK



LAYERS ARC BOAT RUNOFF




FULL BANK CREDENZA




HEIGHT ADJUSTABLE


CREDENZA W/ END PANELS




CREDENZA DOUBLE PEDESTAL




CREDENZA SINGLE PEDESTAL (LH & RH)




BRIDGE W/ WALL ACCESS PANEL




RETURN W/ END PANEL (LH & RH)




RETURN W/ PEDESTAL (LH & RH)




FREESTANDING DESK W/ FULL MODESTY




EXT DESK W/ FULL MODESTY (LH & RH)




EXT DSK W/ TELESCOPING BASE (LH & RH)



FREESTANDING DESK W/ HALF MODESTY




EXT DESK W/ HALF MODESTY (LH & RH)



WORKSURFACE FOR T-BASE



SHROUD FOR T-BASE



LAYERS BOOKCASE FOR T-BASE




T-BASE




WORKWALL

WALL MOUNTED WORKWALL (3H) (LH & RH)
(Wood only)



FREESTANDING WORKWALL (5 1/2 H) (LH & RH)
(Wood only)



STATEMENT OF LINE

Modular

Silea
06/25

DESK & RUNOFF WORKSURFACE

30 & 36D

Rectangular



Bow



Racetrack



b shape



d shape




24D TOP
Standard




DOUBLE PEDESTAL FULL MODESTY

9" peds




15" peds



SINGLE PEDESTAL FULL MODESTY

(LH & RH)



DESK MODESTY PANEL

10" Height



DESK MODESTY PANEL

Full Height



PEDESTALS 24D Standard Height, Standard Top



(LH & RH)




(LH & RH))



PEDESTALS 24D Standard Top



(LH & RH)



DESK PEDESTALS

9" ped



(LH & RH)



END PANEL

(Full back)




L SUPPORTS

(LH & RH)




SUPPORT PANELS

Standard & Layers




PEDESTAL BACKS

Standard & Layers



MODESTY & WALL ACCESS PANEL



ROUND TOP




GUITAR PICK TOP




CANTILEVER HEIGHT ADJUSTABLE RECTANGULAR DESKS

LEFT & RIGHT HAND




CANTILEVER HEIGHT ADJUSTABLE SIGHTLINE DESKS


42" Depth – Left Hand 42" Depth – Right Hand



SMART PEDESTALS




SMART PEDESTAL ACCESSORY TRAYS AND BINS




FALSE PEDESTALS


For Fixed Desk or Fixed Return




SMART CLOSETS
18" Wide




30" Wide Side Access




18" Wide w/ Glass Doors




30" Wide Side Access w/ Glass Doors




SMART LOCKERS
24" Wide




36" Wide Side Access




24" Wide w/ Glass Doors




36" Wide Side Access w/ Glass Doors



SMART PEDESTAL GROMMET ACCESSORIES
HQ Power w/ Wireless Charging




Bezel Mount Power



SOLIDWOOD DESKTOP ACCESSORIES
Pencil Tray



Pencil Cup



REPLACEMENT HEIGHT ADJUSTABLE KEYPAD ACCESSORIES
Basic Up/Down Keypad



Memory Preset Keypad



Paddle Keypad




Foot Control Keypad




Bluetooth App Control




BOOKCASE - 2H, 3H, 4H, 5H, 6H




BOOKCASE W/ COAT HOOK
BACK (LH & RH)




1/2 OPEN BOOKCASE
1/2 CLOSET W/ DOOR
(LH & RH)




LATERAL FILE - 2H WITH TOP
3H, 4H, 5H, 6H




CLOSET
5H & 6H



CLOSET W/ GLASS
DOOR (LH & RH)
5H & 6H




STORAGE BOX
5H & 6H



STORAGE CABINET



UTILITY CABINET
(LH & RH) 5H & 6H



SIDE ACCESS
STORAGE LOCKER
Standard & Layers Height
(LH & RH)



SIDE ACCESS STORAGE
LOCKER W/GLASS DOOR
Standard & Layers Height
(LH & RH)



EXTERNAL STORAGE TOP



















MOBILE PEDESTAL
W/ TOP




STATEMENT OF LINE

Wall Mount


Silea
06/25

CABINET W/ HINGED DOORS (1H)	CABINET W/ HINGED GLASS DOORS (1H) (Wood only)	CABINET W/ NO DOORS (1H)	CABINET W/ HINGED DOORS (2H)	CABINET W/ HINGED GLASS DOORS (2H) (Wood only)	CABINET W/ NO DOORS (2H)
					
CABINET W/ SLIDING DOORS (1H)		CABINET W/ SLIDING GLASS DOORS (1H) (Wood only)			
 		 			
CABINET W/ SLIDING DOORS (2H)		CABINET W/ SLIDING GLASS DOORS (2H) (Wood only)			
 		 			
WALL OVERHEAD SHELF TRACK BOTTOM (1H)	WALL OVERHEAD SHELF TRACK BOTTOM & CENTER (2H)	TACK ZONE W/ CENTER TRACK (1H)	LAYERS TACK ZONE W/ CENTER TRACK	TACK ZONE (Wood, Glass & Fabric)	
					
8D & 12D SHELF CLIP INTO WALL W/TRACK	FLOATING SHELF	EXTERNAL TOP			
					


CABINET W/ HINGED DOORS (1H)




CABINET W/ HINGED GLASS DOORS (1H)
(Wood only)




CABINET W/ NO DOORS (1H)




CABINET W/ HINGED DOORS (2H)
(Wood only)




CABINET W/ HINGED GLASS DOORS (2H)
(Wood only)



TOWER W/ HINGED DOORS (1H)




TOWER W/ HINGED DOORS (2H)




TOWER W/ NO DOORS (1H)




TOWER W/ NO DOORS (2H)



TOWER W/ GLASS DOORS (1H)
(Wood only)



TOWER W/ GLASS DOORS (2H)
(Wood only)



EXTERNAL SURFACE MOUNT
TOP



ATTRIBUTE	FEATURE	ADVANTAGE
STYLE/DESIGN	Refined Aesthetic Range	• Application solutions for solo, team and community spaces • Empowers design choice through a flexible aesthetic range • Complete integration of components and functionality options • Curated and compatible materials and finish options embrace diverse styling options • Attention to detail • High level of space customization & functionality • Variety of metal pull options, along with integral pull on wood • Interchangeability of materials provide design flexibility
	Hand Selected Veneer	• Quarter cut walnut • Flat cut cherry, maple and walnut • Rift cut oak • Stratawood veneer (horizontal or vertical orientation)
	Mixed Material Solutions	• 11 woodgrain laminates • 3 solid laminates • 6 back painted glass options • 5 solid surface options • 5 metal finish colors
SCALABILITY	Size & Scale	• Flexibility in material options and components allow for a variety of product planning solutions to meet customer requirements • Standard height and layers height • Application versatility from enclosed spaces to team collaborative settings to community gathering areas
	Aesthetic Cost	
FUNCTIONALITY	Unlimited Outcomes	• High-performance workplaces driven by integration, agility, choice, and aesthetic options.
	Integrated Height Adjustability Solutions	• Mixed material, full modesty and half modesty desks & extensions • Sit to stand bridges, returns and credenzas • Shrouded height adjustable t-bases • Layers application sit to stand solutions
	Soft Close Suspensions & Hardware	• Soft close drawers and hinges on all materials
	Magnetic Tack zone	• Back painted glass, wood tack zones provide a magnetic surface for posting papers and magnetic accessories
	Personal Corner	• Creates an ergonomic corner for use
	Collaborative Worksurface Shapes	• Media, sightline and guitar pick tops provide collaborative solutions in the private office or open areas • Integration of private office components that enable effective meeting spaces
	Workwall Solutions	• Progressive meeting office option that allows for collaboration and personalized space • Fits in private office applications or can be pulled into open areas
TECHNOLOGY INTEGRATION	Grommets	• Rectangular grommets in desks and credenzas • Three grommet positions - closed, small opening for cords, larger opening for monitor arms • Cutout can utilize a power unit to bring technology to the surface
	Wall Access Panels	• Hinged wall access panels provide simple, clean wire management and access to cords
	Laptop Drawer	• Incorporated into layers applications under runoff worksurfaces to provide technology storage and power to the user and guest
	Lighting	• Optional high-efficiency LED task lighting • Low energy usage

ATTRIBUTE	FEATURE	ADVANTAGE
TECHNOLOGY INTEGRATION	Grommets	• Rectangular grommets in desks and credenzas • Three grommet positions - closed, small opening for cords, larger opening for monitor arm • Cutout can utilize a power unit to bring power to the surface
	Wall Access Panels	• Hinged wall access panels provide simple, clean wire management and access to cords
	Laptop Tray	• Incorporated into layers applications under runoff worksurfaces to provide technology storage and power to the user and guest
	Lighting	• Optional high-efficiency LED task lighting • Low energy usage
STORAGE	Storage Locker	• Provides side access shelving for easy access for the user • Hidden coat hook and personal storage • Door available in wood and laminate • Back Painted Glass doors serve as a whiteboard with a kickstand for collaborative meetings
	Wall Mount and Surface Mount Overheads	• Hinged and sliding doors • Wood models have back painted glass door option • Mix of open and closed storage
	Hidden Accessory Drawers	• Provides clean lines and fewer fronts • Maximize space usage in drawers
SUSTAINABILITY	Designed for the Environment	• FSC certified products available • FSC reconstituted veneer • SCS Indoor Advantage™ Gold Certification • High percentage of recycled content - greater than 43% • BIFMA level® 3 certified • Contribution to LEED V4 and WELL V1 • Energy Efficient LED Task lighting
DURABILITY	Gunlocke Craftsmanship	• High attention to detail, fit, finish and refinement across all material options
PRICE/VALUE	Budget Flexibility	• Range of basic to premium options and materiality choice provides a broad price range to accommodate solutions without sacrificing design or functionality
	Value	• 12-year warranty • Quality/value built into product throughout the manufacturing process

veneers

All exposed wood surfaces utilize flat cut, rift cut, or straight grain Stratawood (FSC reconstituted veneer), flat cut Cherry, Maple, Walnut veneers, quarter cut Walnut, or Rift Oak veneers. Stratawood veneer is made from rapidly renewable wood veneer, which provides a repeatable grain pattern. Stratawood veneers are available in flat cut Cherry, flat cut Walnut, or Rift Oak at veneer 1 pricing and in straight grain Cherry, Maple, Walnut, Oak, Silver Oak, or Washed Walnut at veneer 2 pricing. Veneers can be specified in vertical or horizontal orientation. All veneers are carefully selected and matched to assure balance and consistency.

veneER TOPS

Wood veneer tops feature 3-ply construction and are comprised of a premium 1.125" thick substrate. Tops are available with a square edge profile and are constructed of 45 lb. density particleboard. Tops are faced with premium veneer and backed with a polymer resin impregnated moisture resistant material. Rectangular tops utilize 2mm solid wood edgebands that are species matched except for Rift Cut Oak which is paired with solid ash hardwoods. Non-rectangular tops utilize matching 1mm edgebands that are doubled up for added durability, creating a total thickness of 2mm.

laminate

The standard laminate offering includes solid and woodgrain laminates from Wilsonart. Laminate tops feature a high pressure laminate (HPL), a balanced 3-ply construction and are comprised of a 1.125" thick substrate. Tops are available with a square edge and are made with 45 lb. density particleboard. Laminate tops have a 2mm matching vinyl edgeband on all sides. Chassis and storage components feature a thermally fused laminate (TFL).

For complete technical specifications, visit www.wilsonart.com.

SOLID SURFACE TOPS

Solid surface tops with plywood subtops are a total of 1.25" thick. Tops are constructed with 0.5" solid surface material applied to premium 0.75" plywood with a built up softened edge detail. Solid surface has a matte finish.

BACK PAINTED GLASS

Back painted glass is captured by an extruded aluminum mitered frame. The frame is low profile, allowing only a 0.063" visible frame around the perimeter of the glass from the front view. Aluminum frames are powder coated to match the color of the glass option chosen. Back painted glass is 4mm thick and whiteboard applications include a steel backer for use with magnets – 6 magnets are included with each whiteboard. Back painted glass has a clear glossy finish for use as a writable surface and can be used with dry-erase markers. Whiteboards are mounted to the wall with a z-bracket connection.

CHASSIS & PEDESTAL CONSTRUCTION

All chassis are constructed with a mixture of 3/4" thick balanced 3-ply panels and 3/4" thick panels. Panels are securely fastened together using cam-lock fasteners and dowels. Steel glide plates are attached to single end panels with screws. End panels are pre-bored to accept the stem of the glide. The threaded steel glide plate provides a durable connection from glide to end panel.

Each unit is equipped with a minimum of four adjustable glides.

OVERHEAD CABINET CONSTRUCTION

All cabinets are constructed with a mixture of 0.75" thick balanced 3-ply panels and 0.75" thick MDF panels. Wood panels are securely attached with hidden fasteners and dowels, and are securely adhered with PVAc-dispersion adhesive. All laminate panels are securely fastened together

using cam-lock fasteners and dowels.

All surface mount cabinets connect to worksurface with double-sided adhesive tape.

Wall mount cabinets are mounted to the wall with a spade and "z" bracket attachment method. Spade brackets are securely mounted through the back of wall mount cabinets. All units ship with a steel z bracket. This bracket is mounted to the wall by field installers. Installers are responsible for selecting and supplying appropriate fasteners for wall conditions.

GLIDES

Glides provide 1.125" of vertical leveling adjustment. Glide bottom is durable non-rust nylon.

TACKBOARDS

Tackboards are constructed of 0.875" thick material comprised of a 0.125" thick hardboard glued in between a layer of 0.375" thick pressboard on each side. The fabric is precisely aligned and fitted to the tackboard and adhered to the rigid hardboard with staples.

DRAWERS

All drawers are constructed of four sides and a bottom, which are attached to a drawer front with screws for easy removal. Drawer fronts feature matched veneer within each pedestal set. The drawer side material is 3-ply 12mm vinyl wrapped particleboard and are miterfold construction. The bottom material is a 3-ply substrate consisting of vinyl wrapped high density fiberboard core.

SUSPENSIONS

Suspensions utilize cold rolled steel, zinc plated, high-grade drawer suspensions. Box drawers are full extension, featuring precision steel ball bearings for a smoother, quieter range of motion and are load rated for 120 lbs. File drawers are full extension, featuring precision steel ball bearings

for increased weight capacity and are load rated for 120 lbs. Lateral file suspensions are load rated for 150 lbs. and include an anti-tip mechanism that prevents both drawers from being opened at the same time. All suspensions are soft close and are warranted for the lifetime of the product.

HINGES

Doors with metal pulls include a 105° hinge with an integrated soft-close mechanism. Doors with touch latch utilize a 110° hinge. Hinges are fully adjustable.

FILING

The file hanging system is an integral part of the drawer. A highly durable black plastic extrusion is securely fastened into a rout on the top of the drawer. The plastic extrusion was designed to promote optimum filing capacity within the drawer while providing a durable, reliable and maintenance free filing system. (See filing capability section for technical information on drawer dimensions).

LOCKS

Locks are standard on all desks, credenzas, returns, modular pedestals, and storage units. Locks are optional on closets and overhead cabinets. Each pedestal is independently locked.

Keying is available either random (factory installed), or omit (field installed).

When "Random Keying" is chosen, the factory will assign key(s) arbitrarily. Factory installed lock cores will be matte silver.

When "Omit Lock Core" is chosen, the factory will omit lock cores and locks will be field installed. A keying program must be chosen - Random, Specified, or Sequential – to specify keys. Field installed locks will be available in matte silver, black, pyrite, and matte gold.

WIRE MANAGEMENT

Wire management capabilities include optional worksurface grommets that can house cords, a monitor arm, or be replaced with a power unit to bring technology to the worksurface. Cavities in the back of pedestals, removable panels, and wall access panels can be used for cord concealment and management.

Under worksurface wire managers (Model # ACWM) are sold separately to conceal wires between pedestals. These units house and manage wires horizontally around a station.

POWER

Power units are available in three sizes and are offered as surface mount, under worksurface mount, and clamp mount units. Available in black, white or silver, power units incorporate a combination of power, USB power, and data integration. Each enclosure is rated for 15 amp, 125 volt. Units can be specified with 10' standard plug or 6' hardwire conduit option. Unit is field installed. UL Listed. USB charging ports are 2.1 amps per port. For information on each model, reference the "Power Units" page in the price book.

MAGNETIC ACCESSORIES

Magnetic accessories include imbedded magnets and can be positioned anywhere on magnetic tackzones and back painted glass tackzones/whiteboards. The accessories provide quick access to files, pencils, and other work utensils.

PERSONAL CORNER & DESKPADS

Personal corners can be used between two perpendicular worksurfaces to create an ergonomic corner for user. Deskpads are used in-line. All units are wrapped in leather or vinyl. The bottom surface has a felt lining to protect the worksurface. The chassis is made from 10-gauge aluminum. Personal corners are 36W x 12.5D. Deskpads are 36W x 18D. Units are designed to fit over 1 1/8" worksurfaces.

LIGHTING

LED lighting provides high efficiency, low energy lighting with a long life. All LED lights are encased in a silver aluminum extrusion and include a built-in switch to turn the light on/off with a dimming feature. Lights are field installed. All units include a standard plug.

- Low profile strip light 0.625"H x 0.75"D
- Power: 2.92W / Foot
- LED's per meter: 120
- Color Temp: 3000K
- Certification: UL Listed
- GSA and TAA compliant

HEIGHT ADJUSTABLE

Height adjustable components include:

- Qty (2) height adjustable lifting columns
- Qty (1) control box
- Qty (5) keypad options from basic to premium
- Qty (2) cables connecting lifting columns to control box
- Qty (1) standard plug power cable to connect control box to power source

Lifting columns are rated for 225 lbs. dynamic load per column and are connected to tops using steel support brackets. Height range is 29" to 42.5". Each control box is powered by 120V / 60Hz. 2 lifting columns may draw approximately 1.5 amps total maximum under full load. Standby power is 0.1W.

WORKWALLS

WorkWalls include wall mounted, wall mounted with wall access panels, stack on, and freestanding versions. Incorporating both a collaborative side and personal side, WorkWalls utilize a back painted glass sliding door that can serve as a whiteboard and be secured with a digital lock. The digital lock incorporates a keypad and smartphone app, along with 2 standard USB ports for emergency power jump and battery charging.

FINISH

Natural veneer is subject to nature's quality control. Each species will exhibit differences in grain pattern and tone. This is to be expected and, in fact, contributes to the beauty and individuality of each product. Flat Cut veneers emphasize the variations of wood by exhibiting cathedrals in the grain pattern. Quarter Cut and Rift Cut veneers are a premium cut that maintains variations in the grain but without cathedral patterns. Stratawood is a natural, FSC®-certified reconstituted veneer that is designed to exhibit a consistent grain pattern and is available in either a straight grain or cathedral pattern.

Our proprietary wood finish system utilizes a combination of topcoats engineered for the various applications found in the furniture industry. It is exceptionally clear and durable, and allows the beauty of wood to show through. The durability, depth, clarity, and beauty of our wood finishes meet the high expectations of our customers, and meet or exceed indoor air quality (IAQ) standards. All colors and species are not available on all products. Please refer to front cover of price lists for availability of finishes.

CLEANING CLEARTECH™ FINISH

Dust with a damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Note: Do not use furniture polishes containing oil, wax, or silicone, which can produce an oily film or haze.

CLEANING LAMINATE

Dust with a damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Note: Do not use furniture polishes containing oil, wax, or silicone, which can produce an oily film or haze.

For specific cleaning instructions on Wilsonart laminates, please visit www.wilsonart.com.

CLEANING GLASS

Dust with a damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth.

CLEANING SOLID SURFACE

Using a damp sponge or cloth, use warm soapy water, an ammonia-based household cleaner, or a dedicated countertop cleaner to clean solid surface. Rub over area using small circular motions, from the front to the back, then side to side, overlapping the circles until the entire area has been cleaned. Rinse the top thoroughly with clean water and wipe surface completely dry.


STANDARD FILING OPTIONS FOR PEDESTALS

9 wide x 30 and 36 deep pedestal

File rails included: 2 per drawer

- A. 2 rows of letter side to side with 2 file rails
- B. 1 row of legal side to side

Replacement File Rail Kit Model #ACFLR9-P



A



B


15 wide x 30 and 36 deep pedestal

File rails included: 2 per drawer

- C. 2 rows of letter side to side with 2 file rails
- D. 1 row of legal-side to side,

Replacement File Rail Kit Model #ACFLR15-P

Note: Does not accommodate letter filing front to back.



C



D


15 wide x 24 deep pedestal

File rails included: 1 per drawer


- E. Legal-side to side
- F. 1 row letter side to side,
Model #ACFLR15
Ships w/pedestal.
1 per file drawer.

Replacement File Rail Kit Model #ACFLR15-P

Note: Does not accommodate letter filing front to back.



E



F


18 wide x 24 deep pedestal

File rails included: 1 per drawer


- G. Letter-front to back with file rail
- H. Legal-side to side

Replacement File Rail Kit Model #ACFLR18-P

Note: Does not accommodate letter filing front to back.



G



H

STANDARD FILING OPTIONS


(continued)

Lateral 30 wide x 24 deep pedestal


File rails included: 1 kit per drawer

- I.** Legal-side to side
- J.** Letter-side to side
- K.** 2 rows letter front to back


Replacement File Rail Kit Model #ACFLR30-P



I



J




K

Lateral 36 wide x 24 deep pedestal


File rails included: 1 kit per drawer

- L.** Letter-side to side
- M.** 2 rows letter front to back
- N.** Legal-side to side
- O.** 2 rows legal front to back


Replacement File Rail Kit Model #ACFLR36-P




L



M





N





O

HEIGHT REFERENCE


Standard Height




Layers Height




Pedestal




Easy wall access and conveniently placed grommets deliver your power and data.




WALL ACCESS PANEL



GROMMET



GROMMET LOCATIONS




GROMMET CUTOUT LOCATIONS

UNIT	A	CENTER	B
24D Rectangular Tops	12	CENTER	4.25
30D Rectangular Tops	12	-	9.500
36D Rectangular Tops	12	-	9.500
Media Tops	-	CENTER	3.750
Round Tops	-	CENTER	-
Guitar Pick Tops	-	CENTER	-
22D Height Adjustable Tops	10	CENTER	3.5
28D & 34D Height Adjustable Tops	10	CENTER	4
30D Telescoping Height Adjustable Tops	12.500	-	6.125
36D Telescoping Height Adjustable Tops	12.500	-	9.125
30D Half/Full Modesty Height Adjustable Tops	12.500	-	4.500
36D Half/Full Modesty Height Adjustable Tops	12.500	-	7.500
24D Height Adjustable Units	-	CENTER	5.11


• Add \$87 per grommet based on chosen grommet configuration

Gunlocke provides versatile storage features, including convenient options for pull orientation and drawer configuration. The accessory drawer includes convenient internal compartments crafted with Gunlocke quality.




Silea pull orientation


INTEGRAL




CENTERED




CONTINUOUS



LEFT ALIGNED




RIGHT ALIGNED







Choice.
Silea enables you to select drawer pull orientation at the time of installation. Maximum flexibility.

ACCESSORY DRAWER

ACCESSORY DRAWER (OPEN)



Integrated height adjustability enables the healthful rotation of working posture. The virtually concealed electric mechanism supports the quiet and easy transition to standing. Sit-to-stand, concentrate, collaborate. With height adjustability, a desk is more than a desk. It's a way of wellbeing, adjusting the worksurface to the working position that fits best.




◆ WALL ACCESS PANEL

IMPORTANT SPEC TIP: HEIGHT ADJUSTABILITY WITH MONITOR ARMS


- Monitor arms should **ALWAYS** be installed in grommets on Silea HAT units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm.
- Monitor arms should **NOT** be clamped to back edge of top where chassis interference can occur.
- The dimension from top of chassis to bottom of top on many HAT units allows for only approximately 2.250" clearance. Many monitor arm clamps, including Allsteel Pivot Monitor arms, have a taller clamp mount that will crash into the chassis during operation resulting in damage and/or loss of operation.

Example 1: Allsteel Pivot Monitor Arm Clamped to back edge of Silea HAT Bridge Top.




Example 2: Allsteel Pivot Monitor Arm Clamped in grommet of Silea HAT Bridge Top.


NOTE: ensure proper depth of top specified to provide adequate user space from top to monitors.




Storage options feature a nested laptop drawer, thoughtfully placed power access, and a multi-functional storage locker.




Laptop Drawer




Storage Drawer



SURFACE MOUNT CABINETS




39 High



52 High


Technology information & wire management:

- Tasklight cord grommet optional.
- Located in upper right-hand corner, provides task light cord access to wall outlets.




Grommet Height 39H and 52H = 24

Surface mount overhead cabinets must be supported with adequate pedestal or panel support on ends. In addition, the location where the surface mount cabinet and tower meet the worksurface using intermediate supports.




Recommended
Support Examples




Inadequate
Support Examples

When specifying surface mount storage across multiple units, careful considerations must be used to ensure the correct overall length. An end or back panel of a supporting unit must support the end panel of an overhead cabinet.



Recommended
Support Examples



Inadequate
Support Examples

DIMENSIONS

Silea

06/25

			EXTERNAL DIMENSIONS			INTERNAL DIMENSIONS				
DESCRIPTION		STYLE	width	depth	height	LOCATION		width	depth	height
Desk Pedestals 30" Deep	9" Wide	Box Box File	9 2/5	29.13	27.88	Box Drawer		5.84	15.02	2.91
						File Drawer		5.84	25.22	9.17
		Acc. Box File	9 2/5	29.13	27.88	Acc. Drawer		5.93	14.92	1.50
						Box Drawer		5.84	15.02	2.91
						File Drawer		5.84	25.22	9.17
		File File	9 2/5	29.13	27.88	File Drawer		5.84	25.22	9.17
Desk Pedestals 36" Deep	9" Wide	Box Box File	9 2/5	35.13	27.88	Box Drawer		5.84	15.02	2.91
						File Drawer		5.84	25.22	9.17
		Acc. Box File	9 2/5	35.13	27.88	Acc. Drawer		5.93	14.92	1.50
						Box Drawer		5.84	15.02	2.91
						File Drawer		5.84	25.22	9.17
		File File	9 2/5	35.13	27.88	File Drawer		5.84	25.22	9.17
Desk Pedestals 15" Wide 30" Deep		Box Box File	15	29.13	27.88	Box Drawer		11.40	15.02	2.91
						File Drawer		11.40	25.22	9.20
		File File	15	29.13	27.88	File Drawer		11.40	25.22	9.20
Desk Pedestals 15" Wide 36" Deep		Box Box File	15	35.13	27.88	Box Drawer		11.40	15.02	2.91
						File Drawer		11.40	25.22	9.20
		File File	15	35.13	27.88	File Drawer		11.40	25.22	9.20
Standard Height Modular Pedestals 15"W		Box Box File	15	23.13	27.88	Box Drawer		11.40	15.02	2.91
						File Drawer		11.40	15.02	9.17
		Acc. Box File	15	23.13	27.88	Acc. Drawer		11.50	14.92	1.50
						Box Drawer		11.40	15.02	2.91
						File Drawer		11.40	15.02	9.17
		File File	15	23.13	27.88	File Drawer		11.40	15.02	9.17
Standard Height Modular Pedestals 18"W		Box Box File	18	23.13	27.88	Box Drawer		14.40	15.02	2.91
						File Drawer		14.40	15.02	9.17
		Acc. Box File	18	23.13	27.88	Acc. Drawer		14.49	14.92	1.56
						Box Drawer		14.40	15.02	2.91
						File Drawer		14.40	15.02	9.17
		File File	18	23.13	27.88	File Drawer		14.40	15.02	9.17
Standard Height Modular Pedestals 30"W		File File	30	23.13	27.88	File Drawer		25.90	15.02	9.25
		Box Box File	30	23.13	27.88	Box Drawer		26.40	13.09	2.91
						File Drawer		25.90	15.02	9.25
		Hinged Door	30	23.13	27.88	Total		28.47	13.55	26.38
						Above Shelf		28.47	13.45	12.78
						Below Shelf		28.47	13.55	12.85
		Bookcase	30	22.32	27.88	Total		28.47	13.55	26.38
						Above Shelf		28.47	13.45	12.78
						Below Shelf		28.47	13.55	12.85
Standard Height Modular Pedestals 36"W		File File	36	23.13	27.88	File Drawer		31.90	15.02	9.25
		Box Box File	36	23.13	27.88	Box Drawer		32.40	13.09	2.91
						File Drawer		31.90	15.02	9.25
		Hinged Door	36	23.13	27.88	Total		34.47	13.55	26.44
						Above Shelf		34.47	13.45	12.74
				Below Shelf		34.47	13.55	12.89		

DESCRIPTION	STYLE	EXTERNAL DIMENSIONS			LOCATION	INTERNAL DIMENSIONS		
		width	depth	height		width	depth	height
	Bookcase	36	22.32	27.88	Total	34.47	13.55	26.36
					Above Shelf	34.47	13.45	12.70
					Below Shelf	34.47	13.55	12.85
Layers Height Modular Pedestals 15"W	Box File	15	23.13	20.75	Box Drawer	11.40	15.02	2.91
					File Drawer	11.40	15.02	9.17
Layers Height Modular Pedestals 18"W	Box File	18	23.13	20.75	Box Drawer	14.40	15.02	2.91
					File Drawer	14.40	15.02	9.17
Layers Height Modular Pedestals 30"W	Box File	30	23.13	20.75	Box Drawer	26.40	13.09	2.91
					File Drawer	25.90	15.02	9.25
	Hinged Door	30	23.13	20.75	Total	28.47	13.45	19.25
					Above Shelf	28.47	13.45	5.66
					Below Shelf	28.47	13.45	12.85
	Bookcase	30	22.32	20.75	Total	28.47	13.45	19.25
					Above Shelf	28.47	13.45	5.66
					Below Shelf	28.47	13.45	12.85
	Side Access	30	23.13	20.75	Total	28.47	25.59	19.25
					Box Drawer	25.44	15.25	5.12
Layers Height Modular Pedestals 36"W	Box File	36	23.13	20.75	Box Drawer	32.40	13.09	2.91
					File Drawer	31.90	15.02	9.25
	Hinged Door	36	23.13	20.75	Total	34.47	13.55	19.23
					Above Shelf	34.47	13.45	5.58
					Below Shelf	34.47	13.55	12.85
	Bookcase	36	22.32	20.75	Total	34.47	13.55	19.23
					Above Shelf	34.47	13.45	5.58
					Below Shelf	34.47	13.55	12.85
	Side Access	36	23.13	20.75	Total	34.47	25.59	19.23
					Box Drawer	31.44	15.25	5.12
Mobile Pedestal	Mobile pedestal	15	21.80	22.63	Box Drawer	11.40	15.02	2.91
					File Drawer	11.40	15.02	9.17
Bookcases	2H	30	14.88	27.88	2H Top Shelf	28.47	13.91	12.76
					2H Bottom Shelf	28.47	14.07	12.85
	3H	30	14.88	41.77	3H Top Shelf	28.47	13.91	11.98
					3H Middle Shelf	28.47	13.91	13.93
					3H Bottom Shelf	28.47	14.07	12.85
	4H	30	14.88	54.00	4H Top Shelf	28.47	13.91	11.48
					4H 2nd Shelf	28.47	13.91	11.98
					4H 3rd Shelf	28.47	13.91	13.93
					4H Bottom Shelf	28.47	14.07	12.85
	5H	30	14.88	68.13	5H Top Shelf	28.47	13.91	12.61
					5H 2nd Shelf	28.47	13.91	12.25
					5H 3rd Shelf	28.47	13.91	11.98
					5H 4th Shelf	28.47	13.91	13.93
					5H Bottom Shelf	28.47	14.07	12.85
	6H	30	14.88	81.50	6H Top Shelf	28.47	13.91	12.62
					6H 2nd Shelf	28.47	13.91	12.61

DESCRIPTION	STYLE	EXTERNAL DIMENSIONS			LOCATION	INTERNAL DIMENSIONS		
		width	depth	height		width	depth	height
Bookcase / Closet					6H 3rd Shelf	28.47	13.91	12.25
					6H 4th Shelf	28.47	13.91	11.98
					6H 5th Shelf	28.47	13.91	13.93
					6H Bottom Shelf	28.47	14.07	12.85
	5H	18	23.88	68.13	5H Top Shelf	7.86	21.10	12.61
					5H 2nd Shelf	7.86	21.10	12.25
					5H 3rd Shelf	7.86	21.10	11.98
					5H 4th Shelf	7.86	21.10	13.93
					5H Bottom Shelf	7.86	22.26	12.85
					Closet	7.86	22.26	66.61
	6H	18	23.88	81.50	6H Top Shelf	7.86	21.10	12.62
					6H 2nd Shelf	7.86	21.10	12.61
					6H 3rd Shelf	7.86	21.10	12.25
					6H 4th Shelf	7.86	21.10	11.98
					6H 5th Shelf	7.86	21.10	13.93
					6H Bottom Shelf	7.86	22.26	12.85
					Closet Above Shelf	7.86	21.10	12.62
					Closet Below Shelf	7.86	22.26	66.61
Lateral Files	2H	30"	23.88	29.04	File Drawer	25.90	15.02	9.25
		36"	23.88	29.04	File Drawer	31.90	15.02	9.25
	3H	30"	23.88	41.77	File Drawer	25.90	15.02	9.25
		36"	23.88	41.77	File Drawer	31.90	15.02	9.25
	4H	30"	23.88	54.00	File Drawer	25.90	15.02	9.25
		36"	23.88	54.00	File Drawer	31.90	15.02	9.25
	5H	30"	23.88	68.13	File Drawer	25.90	15.02	9.25
					Hinged Door	28.47	22.26	13.37
		36"	23.88	68.13	File Drawer	31.90	15.02	9.25
					Hinged Door	34.47	22.26	13.37
	6H	30"	23.88	81.50	File Drawer	25.90	15.02	9.25
					Hinged Door Above Shelf	28.47	21.45	13.00
					Hinged Door Below Shelf	28.47	22.26	13.00
		36"	23.88	81.50	File Drawer	31.90	15.02	9.25
					Hinged Door Above Shelf	34.47	21.45	13.00
					Hinged Door Below Shelf	34.47	22.26	13.00
Closets	15"	15	23.88	68.13	Total	13.47	22.26	66.61
	18"	18	23.88	68.13	Total	16.47	22.26	66.61
	18" 6H	18	23.88	81.50	Above Shelf	16.47	21.10	12.62
					Below Shelf	16.47	22.26	66.61
	5H - D	30	23.88	68.13	Top Shelf	13.86	21.10	12.61
					2nd Shelf	13.86	21.10	12.25
					3rd Shelf	13.86	21.10	11.98
					4th Shelf	13.86	21.10	13.93
					Bottom Shelf	13.86	22.26	12.85
					Coat Rod Section	13.86	22.26	66.61
	5H - S	30	23.88	68.13	Top Shelf	28.47	21.10	12.61

DESCRIPTION	STYLE	EXTERNAL DIMENSIONS			LOCATION	INTERNAL DIMENSIONS		
		width	depth	height		width	depth	height
	6H - D	30	23.88	81.50	2nd Shelf	28.47	21.10	12.25
					3rd Shelf	28.47	21.10	11.98
					4th Shelf	28.47	21.10	13.93
					Bottom Shelf	28.47	22.26	12.85
					Top Shelf	13.86	21.10	12.62
					2nd Shelf	13.86	21.10	12.61
					3rd Shelf	13.86	21.10	12.25
					4th Shelf	13.86	21.10	11.98
					5th Shelf	13.86	21.10	13.93
					Bottom Shelf	13.86	22.26	12.85
					Coat Rod Section Above Top Shelf	13.86	21.10	12.62
					Coat Rod Section Bellow Top Shelf	13.86	22.25	66.61
					Top Shelf	28.47	21.10	12.62
					2nd Shelf	28.47	21.10	12.61
					3rd Shelf	28.47	21.10	12.25
					4th Shelf	28.47	21.10	11.98
					5th Shelf	28.47	21.10	13.93
					Bottom Shelf	28.47	22.26	12.85
Storage Box	5H	30	23.88	68.13	File Drawer	25.90	15.02	9.25
					Total Hinged Door	28.47	22.26	39.50
					Top Shelf	28.47	19.45	12.61
					Middle Shelf	28.47	19.45	12.10
					Bottom Shelf	28.47	22.26	13.29
	6H	30	23.88	81.50	File Drawer	25.90	15.02	9.25
					Total Hinged Door	28.47	22.26	52.87
					Top Shelf	28.47	19.45	12.62
					2nd Shelf	28.47	19.45	12.61
					3rd Shelf	28.47	19.45	12.10
					Bottom Shelf	28.47	22.26	13.29
Storage Box 18" Wide	5H	18	23.88	68.13	File Drawer	14.40	15.02	9.17
					Total Hinged Door	16.47	22.26	39.50
					Top Shelf	16.47	19.45	12.61
					Middle Shelf	16.47	19.45	12.10
					Bottom Shelf	16.47	22.26	13.29
	6H	18	23.88	81.50	File Drawer	14.40	15.02	9.17
					Total Hinged Door	16.47	22.26	52.87
					Top Shelf	16.47	19.45	12.62
					2nd Shelf	16.47	19.45	12.61
					3rd Shelf	16.47	19.45	12.10
					Bottom Shelf	16.47	22.26	13.29
Storage Box 18" Wide No Door	5H	18	23.88	68.13	File Drawer	14.40	15.02	9.17
					Total Shelf	16.47	22.26	39.50
					Top Shelf	16.47	19.45	12.61
					Middle Shelf	16.47	19.45	12.10
					Bottom Shelf	16.47	22.26	13.29

DIMENSIONS

Silea

06/25

DESCRIPTION	STYLE	EXTERNAL DIMENSIONS			LOCATION	INTERNAL DIMENSIONS		
		width	depth	height		width	depth	height
	6H	18	23.88	81.50	File Drawer	14.40	15.02	9.17
					Total Shelf	16.47	22.26	52.87
					Top Shelf	16.47	19.45	12.62
					2nd Shelf	16.47	19.45	12.61
					3rd Shelf	16.47	19.45	12.10
					Bottom Shelf	16.47	22.26	13.29
Utility Cabinet	5H	24	23.88	68.13	Closet	7.84	22.26	66.60
					File Drawer	11.40	15.02	9.17
					Total Hinged Door	13.47	22.32	39.53
					Top Shelf	13.47	19.45	12.61
					Middle Shelf	13.47	19.45	12.10
					Bottom Shelf	13.47	22.32	13.33
	6H	24	23.88	81.50	Closet Above Top Shelf	7.84	19.45	12.62
					Closet Below Top Shelf	7.84	22.26	66.61
					File Drawer	11.40	15.02	9.17
					Total Hinged Door	13.47	22.32	52.91
					Top Shelf	13.47	19.45	12.62
					2nd Shelf	13.47	19.45	12.61
					3rd Shelf	13.47	19.45	12.10
					Bottom Shelf	13.47	22.32	13.33
Storage Cabinet	30"W	30	23.88	29.04	Total	28.47	22.26	26.38
					Top Shelf	28.47	21.45	12.78
					Bottom Shelf	28.47	22.26	12.85
	36"W	36	23.88	29.04	Total	34.47	22.26	26.38
					Top Shelf	34.47	21.45	12.72
					Bottom Shelf	34.47	22.26	12.85
Standard & Layers Side Access Storage Locker	5H w/ door	23 7/8	23.90	68.13	Inside Top Shelf	14.70	22.32	12.61
					Inside Bottom Shelf	14.70	22.32	12.85
					Top Side Access Shelf	21.55	15.41	12.25
					Bottom Side Access Shelf	21.55	15.47	11.97
	6H w/ door	23 7/8	23.90	81.50	Inside Shelf	14.70	21.12	12.62
					Inside Bottom Shelf	14.70	21.12	13.94
					Top Side Access Shelf	21.55	15.41	12.25
					Bottom Side Access Shelf	21.55	15.47	11.97
1H Wall Mount Cabinets – Hinged Door & Open Shelf	1H Hinged Door (16 1/5"D)	30"	See depth dimensions by style	14.13	Shelf	28.50	14.08	12.59
	1H Glass Door (16 1/4"D)	36"		14.13	Shelf	34.50	14.08	12.59
	1H Open (15 3/8"D)	42"		14.13	Left Shelf	19.67	14.08	12.59
					Right Shelf	19.67	14.08	12.59
		48"		14.13	Left Shelf	22.67	14.08	12.59
					Right Shelf	22.67	14.08	12.59
		54"		14.13	Left Shelf	25.67	14.08	12.59
					Right Shelf	25.67	14.08	12.59
		60"		14.13	Left Shelf	28.67	14.08	12.59
					Right Shelf	28.67	14.08	12.59
		66"		14.13	Left Shelf	31.67	14.08	12.59

DESCRIPTION	STYLE	EXTERNAL DIMENSIONS			LOCATION	INTERNAL DIMENSIONS		
		width	depth	height		width	depth	height
					Right Shelf	31.67	14.08	12.59
		72"		14.13	Left Shelf	34.67	14.08	12.59
					Right Shelf	34.67	14.08	12.59
		78"		14.13	Left Shelf	37.67	14.08	12.59
					Right Shelf	37.67	14.08	12.59
		84"		14.13	Left Shelf	26.67	14.08	12.59
					Middle Shelf	26.84	14.08	12.59
					Right Shelf	26.67	14.08	12.59
		90"		14.13	Left Shelf	28.67	14.08	12.59
					Middle Shelf	28.84	14.08	12.59
					Right Shelf	28.67	14.08	12.59
		96"		14.13	Left Shelf	30.67	14.08	12.59
					Middle Shelf	30.84	14.08	12.59
					Right Shelf	30.67	14.08	12.59
		102"		14.13	Left Shelf	32.67	14.08	12.59
					Middle Shelf	32.84	14.08	12.59
					Right Shelf	32.67	14.08	12.59
		108"		14.13	Left Shelf	34.67	14.08	12.59
					Middle Shelf	34.84	14.08	12.59
					Right Shelf	34.67	14.08	12.59
1H Wall Mount Cabinets – Sliding Doors	1H	60"	16.20	14.13	Left Shelf	28.67	14.08	12.59
					Right Shelf	28.67	14.08	12.59
		72"	16.20	14.13	Left Shelf	34.67	14.08	12.59
					Right Shelf	34.67	14.08	12.59
		90"	16.20	14.13	Left Shelf	28.66	14.08	12.59
					Middle Shelf	28.86	14.08	12.59
					Right Shelf	28.66	14.08	12.59
		108"	16.20	14.13	Left Shelf	34.66	14.08	12.59
					Middle Shelf	34.86	14.08	12.59
					Right Shelf	34.66	14.08	12.59
2H Wall Mount Cabinets – Hinged Door & Open Shelf	2H Hinged Door (16 1/5"D)	30"	See depth dimensions by style	27.50	Top Shelf	28.50	13.95	12.61
	2H Glass Door (16 1/4"D)				Bottom Shelf	28.50	13.95	12.61
	2H Open (15 3/8"D)	36"		27.50	Top Shelf	34.50	13.95	12.61
					Bottom Shelf	34.50	13.95	12.61
		42"		27.50	Top Shelf Left	19.67	13.95	12.61
					Top Shelf Right	19.67	13.95	12.61
					Bottom Shelf Left	19.67	13.95	12.61
					Bottom Shelf Right	19.67	13.95	12.61
		48"		27.50	Top Shelf Left	22.67	13.95	12.61
					Top Shelf Right	22.67	13.95	12.61
					Bottom Shelf Left	22.67	13.95	12.61
					Bottom Shelf Right	22.67	13.95	12.61
		54"		27.50	Top Shelf Left	25.67	13.95	12.61
					Top Shelf Right	25.67	13.95	12.61
					Bottom Shelf Left	25.67	13.95	12.61

DIMENSIONS

Silea

06/25

DESCRIPTION	STYLE	EXTERNAL DIMENSIONS			LOCATION	INTERNAL DIMENSIONS		
		width	depth	height		width	depth	height
					Bottom Shelf Right	25.67	13.95	12.61
		60"		27.50	Top Shelf Left	28.67	13.95	12.61
					Top Shelf Right	28.67	13.95	12.61
					Bottom Shelf Left	28.67	13.95	12.61
					Bottom Shelf Right	28.67	13.95	12.61
		66"		27.50	Top Shelf Left	31.67	13.95	12.58
					Top Shelf Right	31.67	13.95	12.58
					Bottom Shelf Left	31.67	13.95	12.58
					Bottom Shelf Right	31.67	13.95	12.58
		72"		27.50	Top Shelf Left	34.67	13.95	12.58
					Top Shelf Right	34.67	13.95	12.58
					Bottom Shelf Left	34.67	13.95	12.58
					Bottom Shelf Right	34.67	13.95	12.58
		78"		27.50	Top Shelf Left	37.67	13.95	12.58
					Top Shelf Right	37.67	13.95	12.58
					Bottom Shelf Left	37.67	13.95	12.58
					Bottom Shelf Right	37.67	13.95	12.58
		84"		27.50	Top Shelf Left	26.67	13.95	12.61
					Top Shelf Middle	26.84	13.95	12.61
					Top Shelf Right	12.67	13.95	12.61
					Bottom Shelf Left	26.67	14.08	12.61
					Bottom Shelf Middle	26.84	14.08	12.61
					Bottom Shelf Right	26.67	14.08	12.61
		90"		27.50	Top Shelf Left	28.67	13.95	12.61
					Top Shelf Middle	28.84	13.95	12.61
					Top Shelf Right	28.67	13.95	12.61
					Bottom Shelf Left	28.67	14.08	12.61
					Bottom Shelf Middle	28.84	14.08	12.61
					Bottom Shelf Right	28.67	14.08	12.61
2H Wall Mount Cabinets – Sliding Doors	2H	60"	16.20	27.50	Top Shelf Left	28.67	12.89	12.61
					Top Shelf Right	28.67	12.89	12.61
					Bottom Shelf Left	28.67	13.41	12.61
					Bottom Shelf Right	28.67	13.41	12.61
		72"	16.20	27.50	Top Shelf Left	34.67	12.89	12.58
					Top Shelf Right	34.67	12.89	12.58
					Bottom Shelf Left	34.67	13.41	12.58
					Bottom Shelf Right	34.67	13.41	12.58
		90"	16.20	27.50	Top Shelf Left	28.66	12.89	12.61
					Top Shelf Middle	28.86	12.89	12.61
					Top Shelf Right	28.66	12.89	12.61
					Bottom Shelf Left	28.66	13.41	12.61
					Bottom Shelf Middle	28.86	13.41	12.61
					Bottom Shelf Right	28.66	13.41	12.61

DESCRIPTION	STYLE	EXTERNAL DIMENSIONS			LOCATION	INTERNAL DIMENSIONS		
		width	depth	height		width	depth	height
1H Surface Mount Cabinets – Hinged Door & Open Shelf	1H Hinged Door (15 ² / ₃ "D)	60"	See depth dimensions by style	39.09	Cabinet Left	28.67	14.11	12.61
	1H Glass Door (15 ³ / ₄ "D)				Cabinet Right	28.67	14.11	12.61
	1H Open (14 ⁷ / ₈ "D)				Tackzone	58.50	14.25	24.97
		66"		39.09	Cabinet Left	31.67	14.11	12.61
					Cabinet Right	31.67	14.11	12.61
					Tackzone	64.50	14.25	24.97
		72"		39.09	Cabinet Left	34.67	14.11	12.61
					Cabinet Right	34.67	14.11	12.61
					Tackzone	70.50	14.25	24.97
		78"		39.09	Cabinet Left	37.67	14.11	12.61
					Cabinet Right	37.67	14.11	12.61
					Tackzone	76.50	14.25	24.97
		84"		39.09	Cabinet Left	26.67	14.11	12.61
					Cabinet Middle	26.84	14.11	12.61
					Cabinet Right	26.67	14.11	12.61
					Tackzone	82.50	14.25	24.97
		90"		39.09	Cabinet Left	28.67	14.11	12.61
					Cabinet Middle	28.84	14.11	12.61
					Cabinet Right	28.67	14.11	12.61
					Tackzone	88.50	14.25	24.97
		96"		39.09	Cabinet Left	30.67	14.11	12.61
					Cabinet Middle	30.84	14.11	12.61
					Cabinet Right	30.67	14.11	12.61
					Tackzone	94.50	14.25	24.97
		102"		39.09	Cabinet Left	32.67	14.11	12.61
					Cabinet Middle	32.84	14.11	12.61
					Cabinet Right	32.67	14.11	12.61
					Tackzone	100.50	14.25	24.97
		108"		39.09	Cabinet Left	34.67	14.11	12.61
					Cabinet Middle	34.84	14.11	12.61
					Cabinet Right	34.67	14.11	12.61
					Tackzone	106.50	14.13	24.97
2H Surface Mount Cabinets – Hinged Door & Open Shelf	2H Hinged Door (15 ² / ₃ "D)	60"	See depth dimensions by style	52.47	Top Shelf Left	28.67	13.98	12.61
	2H Glass Door (15 ³ / ₄ "D)				Top Shelf Right	28.67	13.98	12.61
	2H Open (14 ⁷ / ₈ "D)				Bottom Shelf Left	28.67	14.11	12.63
					Bottom Shelf Right	28.67	14.11	12.63
					Tackzone	58.50	14.25	24.97
		66"		52.47	Top Shelf Left	31.67	13.98	15.58
					Top Shelf Right	31.67	13.98	15.58
					Bottom Shelf Left	31.67	14.11	12.60
					Bottom Shelf Right	31.67	14.11	12.60
					Tackzone	64.50	14.25	24.97
		72"		52.47	Top Shelf Left	31.67	13.98	12.58
					Top Shelf Right	31.67	13.98	12.58
					Bottom Shelf Left	31.67	14.11	12.60

DIMENSIONS

Silea

06/25

DESCRIPTION	STYLE	EXTERNAL DIMENSIONS			LOCATION	INTERNAL DIMENSIONS		
		width	depth	height		width	depth	height
					Bottom Shelf Right	31.67	14.11	12.60
					Tackzone	64.50	14.25	24.97
		78"		52.47	Top Shelf Left	37.67	13.98	12.58
					Top Shelf Right	37.67	13.98	12.58
					Bottom Shelf Left	37.67	14.11	12.60
					Bottom Shelf Right	37.67	14.11	12.60
					Tackzone	76.50	14.25	24.97
		84"		52.47	Top Shelf Left	26.67	13.98	12.61
					Top Shelf Middle	26.84	13.98	12.61
					Top Shelf Right	26.67	13.98	12.61
					Bottom Shelf Left	26.67	14.11	12.63
					Bottom Shelf Middle	26.84	14.11	12.63
					Bottom Shelf Right	26.67	14.11	12.63
					Tackzone	82.50	14.25	24.97
		90"		52.47	Top Shelf Left	28.67	13.98	12.61
					Top Shelf Middle	28.84	13.98	12.61
					Top Shelf Right	28.67	13.98	12.61
					Bottom Shelf Left	28.67	14.11	12.63
					Bottom Shelf Middle	28.84	14.11	12.63
					Bottom Shelf Right	28.67	14.11	12.63
					Tackzone	88.50	14.25	24.97
1H Surface Mount Towers – Hinged Door & Open Shelf	1H Hinged Door (15 3/4"D)	15"	See depth dimensions by style	39.09	Top Shelf	13.50	13.91	12.61
	1H Glass Door (15 4/5"D)				Middle Shelf	13.50	13.91	12.17
	1H Open (14 7/8"D)				Bottom Shelf	13.50	14.07	11.30
		18"		39.09	Top Shelf	16.50	13.91	12.61
					Middle Shelf	16.50	13.91	12.17
					Bottom Shelf	16.50	14.07	11.30
		30"		39.09	Top Shelf	28.50	13.91	12.61
					Middle Shelf	28.50	13.91	12.17
					Bottom Shelf	28.50	14.07	11.30
		36"		39.09	Top Shelf	34.50	13.91	12.55
					Middle Shelf	34.50	13.91	12.11
					Bottom Shelf	34.50	14.07	11.30
2H Surface Mount Towers - Hinged Door & Open Shelf	2H Hinged Door (15 3/4"D)	15"	See depth dimensions by style	52.47	Top Shelf	13.50	13.91	12.61
	2H Glass Door (15 4/5"D)				2nd Shelf	13.50	13.91	12.63
	2H Open (14 7/8"D)				3rd Shelf	13.50	13.91	12.17
					Bottom Shelf	13.50	14.07	11.30
		18"		52.47	Top Shelf	16.50	13.91	12.61
					2nd Shelf	16.50	13.91	12.63
					3rd Shelf	16.50	13.91	12.17
					Bottom Shelf	16.50	14.07	11.30
		30"		52.47	Top Shelf	28.50	13.91	12.61
					2nd Shelf	28.50	13.91	12.63
					3rd Shelf	28.50	13.91	12.17
					Bottom Shelf	28.50	14.07	11.30

DESCRIPTION	STYLE	EXTERNAL DIMENSIONS			LOCATION	INTERNAL DIMENSIONS		
		width	depth	height		width	depth	height
		36"		52.47	Top Shelf	34.50	13.91	12.55
					2nd Shelf	34.50	13.91	12.57
					3rd Shelf	34.50	13.91	12.11
					Bottom Shelf	34.50	14.07	11.30
WorkWall	Wall Mount	72"	19.69	39.09	Collaboration Side Tackzone	34.26	11.55	36.73
					Personal Side Tackzone	34.26	16.30	25.13
					Personal Side Drawer	26.40	13.09	2.91
		90"	19.69	39.09	Collaboration Side Tackzone	43.26	11.55	36.73
					Personal Side Tackzone	43.26	16.30	25.13
					Personal Side Drawer	32.40	13.09	2.91
	Wall Mount w/ Wall	72"	19.69	68.13	Collaboration Side Tackzone	34.26	11.55	36.73
	Access Panel				Personal Side Tackzone	34.26	16.27	25.13
					Personal Side Drawer	26.40	13.09	2.91
					Wall Access Panel	34.50	6.49	29.06
		90"	19.69	68.13	Collaboration Side Tackzone	43.26	11.55	36.73
					Personal Side Tackzone	43.26	16.27	25.13
					Personal Side Drawer	32.40	13.09	2.91
					Wall Access Panel	43.50	6.48	29.06
	Stack On	72"	19.69	39.09	Collaboration Side Tackzone	34.26	10.38	36.41
					Personal Side Tackzone	34.26	17.30	36.41
					Personal Side Shelf	34.26	12.70	11.81
		90"	19.69	39.09	Collaboration Side Tackzone	43.26	10.38	36.41
					Personal Side Tackzone	43.26	17.30	36.41
					Personal Side Shelf	43.26	12.70	11.81
	Freestanding	72"	23.74	75.50	Collaboration Side Tackzone	34.47	10.95	39.49
					Collaboration Side Drawer	26.40	13.09	2.91
					Collaboration Side Top Shelf	34.47	12.20	13.33
					Collaboration Side Bottom Shelf	34.47	12.26	12.10
					Personal Side Tackzone	34.47	16.29	32.35
					Personal Side Drawer Top	32.40	13.09	2.91
					Personal Side Drawer 2nd	31.90	15.02	9.25
					Personal Side Drawer Bottom	31.90	15.02	9.25
		90"	23.74	75.50	Collaboration Side Tackzone	43.48	10.95	39.49
					Collaboration Side Drawer	32.40	13.09	2.91
					Collaboration Side Top Shelf	43.48	12.20	13.33
					Collaboration Side Bottom Shelf	43.48	12.26	12.10
					Personal Side Tackzone	34.47	16.29	32.35
					Personal Side Drawer Top	32.40	13.09	2.91
					Personal Side Drawer 2nd	31.90	15.02	9.25
					Personal Side Drawer Bottom	31.90	15.02	9.25
					Closet above the Shelf	7.85	17.22	59.80
					Closet below the Shelf	7.85	17.29	12.10
					Personal Side Drawer Bottom	31 ⁸ / ₉	15	9 ¹ / ₄
					Closet above the Shelf	7 ⁶ / ₇	17 ² / ₉	59 ⁴ / ₅
					Closet below the Shelf	7 ⁶ / ₇	17 ² / ₇	12

The typicals shown below include best practices for specifying grain direction on worksurfaces.



LONG GRAIN:
Grain runs width of top




SHORT GRAIN:
Grain runs depth of top


RECOMMENDATIONS

- Grain should run parallel to one another when crossing over worksurface segments
- Avoid running the grain end-to-end when crossing over worksurface segments

YES:



NO:




LAMINATE GUIDELINES

- **Laminate worksurfaces:** Optional grain direction is available on worksurfaces up to 60". For worksurfaces above 60", long grain is standard.
- **Laminate modesty and wall access panels:** Grain direction is not optional. Grain runs vertically on panels up to and including 60". Grain runs horizontally on panels over 60".


FREESTANDING

Desk: Long Grain
Credenza: Long Grain




U-STATION

Desk: Long Grain
Bridge: Short Grain
Credenza: Long Grain




T-STATION

Desk: Long Grain
Return: Short Grain
Hinged Door Cabinet: Short Grain



T-STATION WITH LAYERS

Desk: Long Grain
Layers Credenza: Short Grain




L-STATION

Desk: Long Grain
Return: Short Grain



L-STATION






Runoff Desk: Short Grain
Credenza: Long Grain



Unitized Casegoods	47-74
Double Pedestal Desk	48
Single Pedestal Desk	49-50
Runoff Desks	51
Layers Runoff W/ Layers Box / Laptop Drawer	52-53
Double Pedestal Credenza	54
Single Pedestal Credenza	55
Full Bank Credenza	56-57
Returns	58
Rectangular Table Desk & Extensions	59-61
Runoffs	62
Rectangular Runoff	63
Layers Rectangular Runoff W/ Layers Box / Laptop Drawer	64-65
Ellipse Table Desk	66
Layers Ellipse Runoff W/ Layers Box	67
Arc Boat Table Desk	68
Layers Arc Boat Runoff W/Layers Box	69
Sightline Runoff	70
Layers Sightline Runoff W/ Layers Box / Laptop Drawer	71-72
Layers Cockpit Runoff W/ Layers Box	73
Media Top	74

DOUBLE PEDESTAL DESK

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
     	36	72	29 1/2	GS2DROB3672-32 ☐	6,126	7,873	8,685	9,496
				• 15" wide pedestals • 30" depth pedestals • 3/4" breakfront modesty • 6" overhang				
Bow front	42	72	29 1/2	GS2DBOB4272-32 ☐	6,627	8,558	9,440	10,322
				• 15" wide pedestals • 30" depth pedestals • 3/4" breakfront modesty • 6" overhang • 12" overhang at center				
	36	72	29 1/2	GS2DROF3672-32 ☐	5,799	7,461	8,231	9,000
				• 15" wide pedestals • 30" depth pedestals • Flush front modesty • 6" overhang				

PRODUCT INFO

Wood tops optional grain.

Laminate tops long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.






TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **GRAIN DIRECTION**
7. **PULL**
8. **DRAWERS**
9. **GROMMET**
10. **KEYING**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **EDGE DETAIL**
7. **PULL**
8. **DRAWERS**
9. **GROMMET**
10. **KEYING**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	30	60	29 1/2	GS2DRFB3060L-3 	4,360	5,621	6,202	6,780
	30	66	29 1/2	GS2DRFB3066L-3 	4,491	5,793	6,390	6,987
	30	72	29 1/2	GS2DRFB3072L-3 	4,629	5,973	6,590	7,205
	• 3/4" breakfront modesty							
	36	72	29 1/2	GS2DROB3672L-3 	4,713	6,088	6,717	7,344
	36	78	29 1/2	GS2DROB3678L-3 	4,883	6,311	6,963	7,613
	• 3/4" breakfront modesty • 6" overhang							
 Bow front	42	72	29 1/2	GS2DBOB4272L-3 	5,214	6,773	7,472	8,170
	• 3/4" breakfront modesty • 6" overhang • 12" overhang at center							
RIGHT HAND 	30	60	29 1/2	GS2DRFB3060R-3 	4,360	5,621	6,202	6,780
	30	66	29 1/2	GS2DRFB3066R-3 	4,491	5,793	6,390	6,987
	30	72	29 1/2	GS2DRFB3072R-3 	4,629	5,973	6,590	7,205
	• 3/4" breakfront modesty							
	36	72	29 1/2	GS2DROB3672R-3 	4,713	6,088	6,717	7,344
	36	78	29 1/2	GS2DROB3678R-3 	4,883	6,311	6,963	7,613
	• 3/4" breakfront modesty • 6" overhang							
 Bow front	42	72	29 1/2	GS2DBOB4272R-3 	5,214	6,773	7,472	8,170
	• 3/4" breakfront modesty • 6" overhang • 12" overhang at center							

PRODUCT INFO

Wood tops optional grain.
Laminate tops optional grain up to 60", over 60" long grain standard.
 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option.
When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. MODEL NUMBER + WW
2. FSC
3. TOP WOOD FINISH + EDGE
4. CHASSIS WOOD FINISH
5. TOP FINISH
6. GRAIN DIRECTION
7. PULL
8. DRAWERS
9. GROMMET
10. KEYING






LAM TOP, LAM CHASSIS

1. MODEL NUMBER + LL
2. FSC
3. TOP LAM
4. CHASSIS LAM
5. FRONT LAM
6. GRAIN DIRECTION (60W models only)
7. EDGE DETAIL
9. PULL
10. DRAWERS
11. GROMMET
12. KEYING

SINGLE PEDESTAL DESK

15" Pedestals | Flush Front Modesty

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND   	30	60	29 1/2	GS2DROF3060L-3 ☐	4,131	5,549	6,123	6,693
	30	66	29 1/2	GS2DROF3066L-3 ☐	4,255	5,712	6,367	7,020
	30	72	29 1/2	GS2DROF3072L-3 ☐	4,382	5,880	6,487	7,092
	• 6" overhang							
	36	72	29 1/2	GS2DROF3672L-3 ☐	4,566	5,957	6,572	7,186
	36	78	29 1/2	GS2DROF3678L-3 ☐	4,723	6,165	6,801	7,435
  Bow front	42	72	29 1/2	GS2DBOF4272L-3 ☐	5,067	6,642	7,328	8,011
	• 6" overhang • 12" overhang at center							
	30	60	29 1/2	GS2DROF3060R-3 ☐	4,131	5,549	6,123	6,693
	30	66	29 1/2	GS2DROF3066R-3 ☐	4,255	6,346	7,001	7,654
	30	72	29 1/2	GS2DROF3072R-3 ☐	4,382	5,880	6,487	7,092
	• 6" overhang							
RIGHT HAND   	36	72	29 1/2	GS2DROF3672R-3 ☐	4,566	5,957	6,572	7,186
	36	78	29 1/2	GS2DROF3678R-3 ☐	4,723	6,165	6,801	7,435
	• 6" overhang							
	42	72	29 1/2	GS2DBOF4272R-3 ☐	5,067	6,642	7,328	8,011
	• 6" overhang • 12" overhang at center							

PRODUCT INFO

Wood tops optional grain.
Laminate tops long grain standard.
 Units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- PULL**
- DRAWERS**
- GROMMET**
- KEYING**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- FRONT LAM**
- GRAIN DIRECTION (60W models only)**
- EDGE DETAIL**
- PULL**
- DRAWERS**
- GROMMET**
- KEYING**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	30	48	29 1/2	GS2RRO3048L-3 	3,235	4,368	4,819	5,269
	30	54	29 1/2	GS2RRO3054L-3 	3,248	4,386	4,839	5,291
	36	54	29 1/2	GS2RRO3654L-3 	3,433	4,627	5,105	5,581
	36	60	29 1/2	GS2RRO3660L-3 	3,455	4,657	5,138	5,617
• Flat brackets ordered separately (model #MDWBRK)								
RIGHT HAND 	30	48	29 1/2	GS2RRO3048R-3 	3,235	4,368	4,819	5,269
	30	54	29 1/2	GS2RRO3054R-3 	3,248	4,386	4,839	5,291
	36	54	29 1/2	GS2RRO3654R-3 	3,433	4,627	5,105	5,581
	36	60	29 1/2	GS2RRO3660R-3 	3,455	4,657	5,138	5,617
• Narrow 9 7/16" width pedestal • Flat brackets ordered separately (model #MDWBRK)								

PRODUCT INFO

Specify pedestal location from user seated position.

All tops optional grain.

 Units shipped as separate packages and require field assembly.

Modesty panel ordered separately.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **GRAIN DIRECTION**
7. **PULL**
8. **DRAWERS**
9. **GROMMET**
10. **KEYING**

LAM TOP, LAM CHASSIS


1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **GRAIN DIRECTION (60W models only)**
7. **EDGE DETAIL**
8. **PULL**
9. **DRAWERS**
10. **GROMMET**
11. **KEYING**

LAYERS RUNOFF DESKS W/LAYERS BOX

Left and Right Hand | BBF Pedestal


Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	30	66	29 1/2	GS2RLO3066L-3 ☐	3,875	5,034	5,551	6,067
	30	72	29 1/2	GS2RLO3072L-3 ☐	3,934	5,114	5,640	6,165
	36	72	29 1/2	GS2RLO3672L-3 ☐	4,181	5,427	5,985	6,542
	36	78	29 1/2	GS2RLO3678L-3 ☐	4,270	5,548	6,118	6,687
RIGHT HAND 	30	66	29 1/2	GS2RLO3066R-3 ☐	3,875	5,034	5,551	6,067
	30	72	29 1/2	GS2RLO3072R-3 ☐	3,934	5,114	5,640	6,165
	36	72	29 1/2	GS2RLO3672R-3 ☐	4,181	5,427	5,985	6,542
	36	78	29 1/2	GS2RLO3678R-3 ☐	4,270	5,548	6,118	6,687

- Box | Box | File pedestal
- Narrow 9 7/16" width pedestal

Layers Box



Side view

PRODUCT INFO

Specify pedestal location from user seated position.

All tops long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**
 Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS



1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **PULL**
7. **HARDWARE COLOR (Layers Box)**
8. **DRAWERS**
9. **GROMMET**
10. **KEYING**


LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **EDGE DETAIL**
7. **PULL**
8. **HARDWARE COLOR (Layers Box)**
9. **DRAWERS**
10. **GROMMET**
11. **KEYING**

LAYERS RUNOFF DESKS W/ LAPTOP DRAWER

Left and Right Hand | BBF Pedestal

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	30	66	29 1/2	GS2RLOS3066L-3 	4,324	5,822	6,422	7,020
	30	72	29 1/2	GS2RLOS3072L-3 	4,382	5,901	6,508	7,114
	36	72	29 1/2	GS2RLOS3672L-3 	4,653	6,196	6,834	7,470
	36	78	29 1/2	GS2RLOS3678L-3 	4,741	6,316	6,966	7,615
RIGHT HAND 	30	66	29 1/2	GS2RLOS3066R-3 	4,324	5,822	6,422	7,020
	30	72	29 1/2	GS2RLOS3072R-3 	4,382	5,901	6,508	7,114
	36	72	29 1/2	GS2RLOS3672R-3 	4,653	6,196	6,834	7,470
	36	78	29 1/2	GS2RLOS3678R-3 	4,741	6,316	6,966	7,615
• Box Box File pedestal • Narrow 9 7/16" width pedestal								



PRODUCT INFO

Specify pedestal location from user seated position.

All tops long grain standard.

 Units shipped as separate packages and require field assembly.

Power units included
(2 USB, 2 power)

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **PULL – PEDESTAL**
7. **PULL – LAPTOP DRAWER**
8. **DRAWERS**
9. **GROMMET**
10. **KEYING**
11. **POWER UNIT**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **EDGE DETAIL**
7. **PULL**
8. **DRAWERS**
9. **GROMMET**
10. **KEYING**
11. **POWER UNIT**

DOUBLE PEDESTAL CREDENZA


15" Pedestals

Silea

06/25

D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
24	72	29 1/2	GS2DPC2472-22 []	5,617	7,654	8,444	9,232

• File | File pedestal



PRODUCT INFO

Wood tops optional grain.

Laminate tops long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **GRAIN DIRECTION**
7. **PULL**
8. **DRAWERS**
9. **GROMMET**
10. **MODESTY**
11. **KEYING**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **EDGE DETAIL**
7. **PULL**
8. **DRAWER**
9. **GROMMET**
10. **MODESTY**
11. **KEYING**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	24	66	29 1/2	GS2SPC2466L-2 	3,577	4,868	5,371	5,872
	24	72	29 1/2	GS2SPC2472L-2 	3,703	5,047	5,569	6,089
	• 15" W pedestal							
	24	72	29 1/2	GS2SPC2472L-4 	4,169	5,685	6,272	6,858
	24	78	29 1/2	GS2SPC2478L-4 	4,246	5,785	6,382	6,978
	24	84	29 1/2	GS2SPC2484L-4 	4,316	5,883	6,490	7,096
	24	90	29 1/2	GS2SPC2490L-4 	4,516	6,154	6,789	7,423
	24	96	29 1/2	GS2SPC2496L-4 	4,675	6,374	7,032	7,688
	• 30" W pedestal							
RIGHT HAND 	24	66	29 1/2	GS2SPC2466R-2 	3,577	4,868	5,371	5,872
	24	72	29 1/2	GS2SPC2472R-2 	3,703	5,047	5,569	6,089
	• 15" W pedestal							
	24	72	29 1/2	GS2SPC2472R-4 	4,169	5,685	6,272	6,858
	24	78	29 1/2	GS2SPC2478R-4 	4,246	5,785	6,382	6,978
	24	84	29 1/2	GS2SPC2484R-4 	4,316	5,883	6,490	7,096
	24	90	29 1/2	GS2SPC2490R-4 	4,516	6,154	6,789	7,423
	24	96	29 1/2	GS2SPC2496R-4 	4,675	6,374	7,032	7,688
	• 30" W pedestal							

PRODUCT INFO

Wood tops optional grain.
Laminate tops long grain standard.
 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)
No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**
Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|----------------------------------|-----------------------------|
| WOOD TOP, WOOD CHASSIS | LAM TOP, LAM CHASSIS |
| 1. MODEL NUMBER + WW | 1. MODEL NUMBER + LL |
| 2. FSC | 2. FSC |
| 3. TOP WOOD FINISH + EDGE | 3. TOP LAM |
| 4. CHASSIS WOOD FINISH | 4. CHASSIS LAM |
| 5. TOP FINISH | 5. FRONT LAM |
| 6. GRAIN DIRECTION | 6. EDGE DETAIL |
| 7. PULL | 7. PULL |
| 8. DRAWERS | 8. DRAWER |
| 9. GROMMET | 9. GROMMET |
| 10. MODESTY | 10. MODESTY |
| 11. KEYING | 11. KEYING |

FULL BANK CREDENZA

Lateral File

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	24	60	29 1/2	GS2FSC2460-44	5,575	7,592	8,375	9,157
	24	72	29 1/2	GS2FSC2472-44	5,938	8,088	8,923	9,756

PRODUCT INFO

All tops long grain standard.
Ships assembled.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **PULL**
7. **DRAWERS**
8. **KEYING**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **EDGE DETAIL**
7. **PULL**
8. **DRAWERS**
9. **KEYING**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	24	60	29 1/2	GS2FSC2460-55	5,119	6,977	7,697	8,416
	24	72	29 1/2	GS2FSC2472-55	5,496	7,486	8,258	9,030

PRODUCT INFO

All tops long grain standard.
Ships assembled.
(1) Adjustable shelf behind
each door set.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS	LAM TOP, LAM CHASSIS
1. MODEL NUMBER + WW	1. MODEL NUMBER + LL
2. FSC	2. FSC
3. TOP WOOD FINISH + EDGE	3. TOP LAM
4. CHASSIS WOOD FINISH	4. CHASSIS LAM
5. TOP FINISH	5. FRONT LAM
6. PULL	6. EDGE DETAIL
7. KEYING	7. PULL
	8. KEYING

RETURNS

15" Pedestals | Full Modesty

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	24	42	29 1/2	GS2RTN2442L-2 	3,306	4,429	4,886	5,343
	24	48	29 1/2	GS2RTN2448L-2 	3,399	4,555	5,026	5,495
	24	54	29 1/2	GS2RTN2454L-2 	3,469	4,649	5,129	5,607
	24	60	29 1/2	GS2RTN2460L-2 	3,571	4,783	5,276	5,769
RIGHT HAND 	24	42	29 1/2	GS2RTN2442R-2 	3,306	4,429	4,886	5,343
	24	48	29 1/2	GS2RTN2448R-2 	3,399	4,555	5,026	5,495
	24	54	29 1/2	GS2RTN2454R-2 	3,469	4,649	5,129	5,607
	24	60	29 1/2	GS2RTN2460R-2 	3,571	4,783	5,276	5,769

• Flat brackets ordered separately (model #MDWBRK)

PRODUCT INFO

Specify pedestal location from user seated position.

All tops optional grain.

 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **GRAIN DIRECTION**
7. **PULL**
8. **DRAWERS**
9. **GROMMET**
10. **KEYING**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **GRAIN DIRECTION**
7. **EDGE DETAIL**
8. **PULL**
9. **DRAWER**
10. **GROMMET**
11. **KEYING**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	30	66	29 1/2	GS2TRL3066-	2,360	2,762	3,043	3,324
	30	72	29 1/2	GS2TRL3072-	2,419	2,842	3,133	3,421
	36	72	29 1/2	GS2TRL3672-	2,503	2,957	3,259	3,560
	36	78	29 1/2	GS2TRL3678-	2,592	3,078	3,393	3,706

PRODUCT INFO

All tops long grain standard.
 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **HARDWARE COLOR**
6. **GROMMET**

LAM TOP


1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **HARDWARE COLOR**
6. **GROMMET**


RECTANGULAR EXTENSION

Left and Right Hand

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	30	66	29 1/2	GS2XRL3066L-	2,596	3,262	3,597	3,931
	30	72	29 1/2	GS2XRL3072L-	2,655	3,342	3,686	4,028
	36	72	29 1/2	GS2XRL3672L-	2,782	3,509	3,870	4,230
	36	78	29 1/2	GS2XRL3678L-	2,871	3,630	4,004	4,375

RIGHT HAND 	30	66	29 1/2	GS2XRL3066R-	2,596	3,262	3,597	3,931
	30	72	29 1/2	GS2XRL3072R-	2,655	3,342	3,686	4,028
	36	72	29 1/2	GS2XRL3672R-	2,782	3,509	3,870	4,230
	36	78	29 1/2	GS2XRL3678R-	2,871	3,630	4,004	4,375

- Extensions not for use as a freestanding unit, must attach to adjoining unit.

PRODUCT INFO

Specify legs from user seated position.

All tops long grain standard.

 Units shipped as separate packages and require field assembly.

Modesty panel ordered separately.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**
 Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- HARDWARE COLOR**
- GROMMET**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HARDWARE COLOR**
- GROMMET**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	30	66	29 1/2	GS2XRT3066L-	2,952	4,280	4,720	5,159
	30	72	29 1/2	GS2XRT3072L-	3,024	4,380	4,831	5,280
RIGHT HAND 	30	66	29 1/2	GS2XRT3066R-	2,952	4,280	4,720	5,159
	30	72	29 1/2	GS2XRT3072R-	3,024	4,380	4,831	5,280
LEFT HAND 	42	42	29 1/2	GS2XDT4272-	3,956	5,656	6,239	6,819
RIGHT HAND 	42	48	29 1/2	GS2XBT4272-	3,956	5,656	6,239	6,819

- Extensions not for use as a freestanding unit, must attach to adjoining unit.

PRODUCT INFO

Specify column from user seated position.

Wood tops optional grain.

Laminate tops long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- HARDWARE COLOR**
- GROMMET**

LAM TOP, LAM CHASSIS


- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HARDWARE COLOR**
- GROMMET**

RUNOFFS


15" Pedestal | Full Modesty

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	30	48	29 1/2	GS2RROF3048L-3 ☐	3,592	4,819	5,317	5,813
	30	54	29 1/2	GS2RROF3054L-3 ☐	3,629	4,870	5,374	5,875
	36	54	29 1/2	GS2RROF3654L-3 ☐	3,694	4,784	5,277	5,770
	36	60	29 1/2	GS2RROF3660L-3 ☐	3,742	4,843	5,343	5,841

RIGHT HAND



30	48	29 1/2	GS2RROF3048R-3 ☐	3,592	4,819	5,317	5,813
30	54	29 1/2	GS2RROF3054R-3 ☐	3,629	4,870	5,374	5,875
36	54	29 1/2	GS2RROF3654R-3 ☐	3,694	4,784	5,277	5,770
36	60	29 1/2	GS2RROF3660R-3 ☐	3,742	4,843	5,343	5,841

• Flat brackets ordered separately (model #MDWBRK)

PRODUCT INFO

Specify pedestal from user seated position.

Wood tops optional grain.

Laminate tops long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**
 Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- PULL**
- DRAWERS**
- GROMMET**
- KEYING**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- FRONT LAM**
- GRAIN DIRECTION**
- EDGE DETAIL**
- PULL**
- DRAWER**
- GROMMET**
- KEYING**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	30	48	29 1/2	GS2RRL3048- 	1,453	1,830	2,019	2,206
	30	54	29 1/2	GS2RRL3054- 	1,545	1,926	2,124	2,322
	36	54	29 1/2	GS2RRL3654- 	1,608	2,010	2,216	2,422
	36	60	29 1/2	GS2RRL3660- 	1,630	2,042	2,252	2,461
• Flat brackets ordered separately (model #MDWBRK)								

PRODUCT INFO

All tops short grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet	GN
Left	GL
Right	GR
Left & Right	GB

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **HARDWARE COLOR**
6. **GROMMET**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **HARDWARE COLOR**
6. **GROMMET**

LAYERS RECTANGULAR RUNOFF W/ LAYERS BOX

Left and Right Hand


Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	30	66	29 1/2	GS2RLRL3066L- []	2,094	2,496	2,751	3,005
	30	72	29 1/2	GS2RLRL3072L- []	2,153	2,576	2,840	3,101
	36	72	29 1/2	GS2RLRL3672L- []	2,278	2,732	3,011	3,289
	36	78	29 1/2	GS2RLRL3678L- []	2,367	2,853	3,145	3,435

RIGHT HAND 	30	66	29 1/2	GS2RLRL3066R- []	2,094	2,496	2,751	3,005
	30	72	29 1/2	GS2RLRL3072R- []	2,153	2,576	2,840	3,101
	36	72	29 1/2	GS2RLRL3672R- []	2,278	2,732	3,011	3,289
	36	78	29 1/2	GS2RLRL3678R- []	2,367	2,853	3,145	3,435

Layers Box



Side view

PRODUCT INFO

Specify legs from user seated position.

All tops long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP



1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **HARDWARE COLOR (LEG)**
6. **HARDWARE COLOR (LAYERS BOX)**
7. **GROMMET**



LAM TOP


1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **HARDWARE COLOR (LEG)**
6. **HARDWARE COLOR (LAYERS BOX)**
9. **GROMMET**

LAYERS RECTANGULAR RUNOFF W/ LAPTOP DRAWER

Left and Right Hand

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND  	30	66	29 1/2	GS2RLRLS3066L-	2,543	3,284	3,620	3,955
	30	72	29 1/2	GS2RLRLS3072L-	2,601	3,363	3,708	4,051
	36	72	29 1/2	GS2RLRLS3672L-	2,750	3,501	3,860	4,218
	36	78	29 1/2	GS2RLRLS3678L-	2,838	3,621	3,993	4,362

RIGHT HAND  	30	66	29 1/2	GS2RLRLS3066R-	2,543	3,284	3,620	3,955
	30	72	29 1/2	GS2RLRLS3072R-	2,601	3,363	3,708	4,051
	36	72	29 1/2	GS2RLRLS3672R-	2,750	3,501	3,860	4,218
	36	78	29 1/2	GS2RLRLS3678R-	2,838	3,621	3,993	4,362



PRODUCT INFO

Specify legs from user seated position.

All tops long grain standard.

 Units shipped as separate packages and require field assembly.

Power units included (2 USB, 2 power)

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | WOOD TOP | LAM TOP |
|----------------------------------|----------------------------|
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L |
| 2. FSC | 2. FSC |
| 3. TOP WOOD FINISH + EDGE | 3. TOP LAM |
| 4. CHASSIS WOOD FINISH | 4. CHASSIS LAM |
| 5. TOP FINISH | 5. EDGE DETAIL |
| 6. PULL | 6. HARDWARE COLOR |
| 7. HARDWARE COLOR | 7. GROMMET |
| 8. GROMMET | 8. POWER UNIT |
| 9. POWER UNIT | |

ELLIPSE TABLE DESK

Silea
06/25



D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3	solid surface
36	72	29 1/2	GS2TEL3672-	3,096	4,066	4,482	4,898	10,537
42	84	29 1/2	GS2TEL4284-	4,514	5,975	6,588	7,200	17,699

PRODUCT INFO

All tops long grain standard.
 Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **HARDWARE COLOR**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **HARDWARE COLOR**


SOLID SURFACE TOP

1. **MODEL NUMBER + S**
2. **SOLID SURFACE**
3. **EDGE DETAIL**
4. **HARDWARE COLOR**

LAYERS ELLIPSE RUNOFF W/ LAYERS BOX

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3	solid surface
	36	72	29 1/2	GS2RLEL3672-	2,952	3,922	4,324	4,724	11,060
	42	84	29 1/2	GS2RLEL4284-	4,334	5,791	6,385	6,978	18,575

Layers Box



Side view

PRODUCT INFO

All tops long grain standard.
 Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **HARDWARE COLOR (Leg)**
6. **HARDWARE COLOR (Layers Box)**

LAM TOP


1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **HARDWARE COLOR (Leg)**
6. **HARDWARE COLOR (Layers Box)**

SOLID SURFACE TOP

1. **MODEL NUMBER + S**
2. **SOLID SURFACE**
3. **EDGE DETAIL**
4. **HARDWARE COLOR (Leg)**
5. **HARDWARE COLOR (Layers Box)**

ARC BOAT TABLE DESK

Silea
06/25



D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3	solid surface
36	72	29 1/2	GS2TFL3672-	3,177	4,147	4,571	4,994	10,543
42	84	29 1/2	GS2TFL4284-	4,518	5,975	6,588	7,200	17,699

PRODUCT INFO

All tops long grain standard.
 Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **HARDWARE COLOR**


LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **HARDWARE COLOR**


SOLID SURFACE TOP

1. **MODEL NUMBER + S**
2. **SOLID SURFACE**
3. **EDGE DETAIL**
4. **HARDWARE COLOR**

LAYERS ARC BOAT RUNOFF W/LAYERS BOX

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3	solid surface
	36	72	29 1/2	GS2RLFL3672-	2,952	3,922	4,324	4,724	11,060
	42	84	29 1/2	GS2RLFL4284-	4,334	5,791	6,385	6,978	18,575

Layers Box




Side view

PRODUCT INFO


All tops long grain standard
 Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP	LAM TOP	SOLID SURFACE TOP
1. MODEL NUMBER + W	1. MODEL NUMBER + L	1. MODEL NUMBER + S
2. FSC	2. FSC	2. SOLID SURFACE
3. TOP WOOD FINISH + EDGE	3. TOP LAM	3. EDGE DETAIL
4. TOP FINISH	4. EDGE DETAIL	4. HARDWARE COLOR (Leg)
5. HARDWARE COLOR (Leg)	5. HARDWARE COLOR (Leg)	5. HARDWARE COLOR (Layers Box)
6. HARDWARE COLOR (Layers Box)	6. HARDWARE COLOR (Layers Box)	

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	42	54	29 1/2	GS2RSL304254- 	2,092	2,693	2,970	3,247
	48	66	29 1/2	GS2RSL364866- 	2,281	2,843	3,136	3,427

• Flat brackets ordered separately (model #MDWBRK)



PRODUCT INFO

All tops short grain standard.
 Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **HARDWARE COLOR**


LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **HARDWARE COLOR**


LAYERS SIGHTLINE RUNOFF W/ LAYERS BOX



D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3	solid surface
42	72	29 1/2	GS2RLSL304272- []	3,265	4,249	4,685	5,119	11,061
48	84	29 1/2	GS2RLSL364884- []	4,838	6,246	6,886	7,526	18,578



Layers Box



Side view

PRODUCT INFO

All tops long grain standard.
Units shipped as separate packages and require field assembly.




TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD TOP	LAM TOP	SOLID SURFACE TOP
1. MODEL NUMBER + W	1. MODEL NUMBER + L	1. MODEL NUMBER + S
2. FSC	2. FSC	2. SOLID SURFACE
3. TOP WOOD FINISH + EDGE	3. TOP LAM	3. EDGE DETAIL
4. TOP FINISH	4. EDGE DETAIL	4. HARDWARE COLOR (Leg)
5. HARDWARE COLOR (Leg)	5. HARDWARE COLOR (Leg)	5. HARDWARE COLOR (Layers Box)
6. HARDWARE COLOR (Layers Box)	6. HARDWARE COLOR (Layers Box)	

LAYERS SIGHTLINE RUNOFF W/ LAPTOP DRAWER

Left and Right Hand

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND  	42	72	29 1/2	GS2RLSLS304272L- ☐	3,631	4,954	5,463	5,970
	48	84	29 1/2	GS2RLSLS364884L- ☐	5,306	7,011	7,731	8,450
RIGHT HAND  	42	72	29 1/2	GS2RLSLS304272R- ☐	3,631	4,954	5,463	5,970
	48	84	29 1/2	GS2RLSLS364884R- ☐	5,306	7,011	7,731	8,450



PRODUCT INFO

Specify legs from user seated position.

All tops long grain standard.

 Units shipped as separate packages and require field assembly.

Power units included
(2 USB, 2 power)

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **PULL**
7. **HARDWARE COLOR**
8. **POWER UNIT**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **PULL**
7. **HARDWARE COLOR**
8. **POWER UNIT**

LAYERS COCKPIT RUNOFF W/ LAYERS BOX

Left and Right Hand


	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3	solid surface
LEFT HAND 	60	72	29 1/2	GS2RLC6072L- 	4,209	4,505	4,964	5,422	12,396
	60	84	29 1/2	GS2RLC6084L- 	5,861	6,594	7,268	7,941	20,286

RIGHT HAND




60	72	29 1/2	GS2RLC6072R- 	4,209	4,505	4,964	5,422	12,396
60	84	29 1/2	GS2RLC6084R- 	5,861	6,594	7,268	7,941	20,286

- All tops are 1 piece.



Layers Box



Side view

PRODUCT INFO

Specify legs from user seated position.

All tops long grain standard.

 Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH***
5. **HARDWARE COLOR**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **HARDWARE COLOR**

SOLID SURFACE TOP


1. **MODEL NUMBER + S**
2. **SOLID SURFACE**
3. **EDGE DETAIL**
4. **HARDWARE COLOR**

- Only available in **OP** open pore top finish option


	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	60	60	29 1/2	GS2XML366060- 	4,072	4,951	5,460	5,967
	72	60	29 1/2	GS2XML487260- 	5,131	6,288	6,934	7,579

NOTE: UNIT MUST BE WALL MOUNTED

- Wood tops are 2 piece on both models (seam shown in drawing below)



- Laminate and solid surface tops are 1 piece.



Arrows indicate grain direction.

PRODUCT INFO

Wood tops long grain standard. Laminate tops short grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **HARDWARE COLOR**
7. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **HARDWARE COLOR**
7. **GROMMET**

Height Adjustable 75-122

 Height Adjustable Split-Top Desks 76-79

 Freestanding Desk / Extension 80-85

 Credenza 86-89

 Bridge 90-91

 Return 92-95

 L Shape Height Adjustable Spec Tips. 96

 L Shape Height Adjustable 98-113

 Shroud for T-Base 116

 Layers Bookcase 117

 Height Adjustable Base 118

 Height Adjustable Tops 119

 Wall Mount Cantilever Bracket 120

 Mixed Material Telescoping Height Adjustable 121



 Replacement Height Adjustable Keypads 122

HEIGHT ADJUSTABLE SPLIT-TOP DESKS

Left Hand Desk

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND DESK	72	78	29 1/2	GS3STAT7278L-	13,989	17,786	19,619	21,450
	A = 72" wide desk B = 78" wide total workwall C = 12" fixed guest overhang D = 24" return depth E = 48" depth total sightline top							
	72	84	29 1/2	GS3STAT7284L-	14,328	18,249	20,130	22,009
	A = 72" wide desk B = 84" wide total workwall C = 12" fixed guest overhang D = 24" return depth E = 48" depth total sightline top							
	78	90	29 1/2	GS3STAT7890L-	14,621	18,648	20,569	22,490
	A = 78" wide desk B = 90" wide total workwall C = 18" fixed guest overhang D = 24" return depth E = 54" depth total sightline top							
	78	96	29 1/2	GS3STAT7896L-	15,035	19,213	21,194	23,172
	A = 78" wide desk B = 96" wide total workwall C = 18" fixed guest overhang D = 24" return depth E = 54" depth total sightline top							

PRODUCT INFO

Unit must be wall mounted.

Metal shroud modesty panel raises up and down with height adjustable top.

29.5" to 42.5" height adjustment range.

 All units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **HARDWARE COLOR**
7. **HAT KEYPAD & BASE COLOR**
8. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **HARDWARE COLOR**
7. **HAT KEYPAD & BASE COLOR**
8. **GROMMET**



Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
RIGHT HAND DESK	72	78	29 1/2	GS3STAT7278R-	13,989	17,786	19,619	21,450
	A = 72" wide desk B = 78" wide total workwall C = 12" fixed guest overhang D = 24" return depth E = 48" depth total sightline top							
	72	84	29 1/2	GS3STAT7284R-	14,328	18,249	20,130	22,009
	A = 72" wide desk B = 84" wide total workwall C = 12" fixed guest overhang D = 24" return depth E = 48" depth total sightline top							
	78	90	29 1/2	GS3STAT7890R-	14,621	18,648	20,569	22,490
	A = 78" wide desk B = 90" wide total workwall C = 18" fixed guest overhang D = 24" return depth E = 54" depth total sightline top							
	78	96	29 1/2	GS3STAT7896R-	15,035	19,213	21,194	23,172
	A = 78" wide desk B = 96" wide total workwall C = 18" fixed guest overhang D = 24" return depth E = 54" depth total sightline top							

PRODUCT INFO

Unit must be wall mounted.

Metal shroud modesty panel raises up and down with height adjustable top.

29.5" to 42.5" height adjustment range.

 All units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **HARDWARE COLOR**
7. **HAT KEYPAD & BASE COLOR**
8. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **HARDWARE COLOR**
7. **HAT KEYPAD & BASE COLOR**
8. **GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDL71



NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

HEIGHT ADJUSTABLE SPLIT-TOP DESKS

Silea

06/25

Left Hand Desk, Return With Pedestal

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND DESK								
RETURN WITH PEDESTAL								
 	72	78	29 1/2	GS3STAT7278L-A ☐	15,525	20,046	22,112	24,176
	A = 72" wide desk B = 78" wide total workwall C = 12" fixed guest overhang D = 24" return depth E = 48" depth total sightline top Note: Return includes 15" wide Accessory/Box/File pedestal							
	72	84	29 1/2	GS3STAT7284L-A ☐	15,869	20,510	22,624	24,736
	A = 72" wide desk B = 84" wide total workwall C = 12" fixed guest overhang D = 24" return depth E = 48" depth total sightline top Note: Return includes 15" wide Accessory/Box/File pedestal							
	78	90	29 1/2	GS3STAT7890L-A ☐	16,162	20,909	23,064	25,217
	A = 78" wide desk B = 90" wide total workwall C = 18" fixed guest overhang D = 24" return depth E = 54" depth total sightline top Note: Return includes 15" wide Accessory/Box/File pedestal							
	78	96	29 1/2	GS3STAT7896L-A ☐	16,574	21,474	23,687	25,898
	A = 78" wide desk B = 96" wide total workwall C = 18" fixed guest overhang D = 24" return depth E = 54" depth total sightline top Note: Return includes 15" wide Accessory/Box/File pedestal							

PRODUCT INFO

Unit must be wall mounted.

Metal shroud modesty panel raises up and down with height adjustable top.

29.5" to 42.5" height adjustment range.

 All units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **PULL**
7. **HARDWARE COLOR**
8. **HAT KEYPAD & BASE COLOR**
9. **GROMMET**
10. **KEYING**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **EDGE DETAIL**
7. **PULL**
8. **HARDWARE COLOR**
9. **HAT KEYPAD & BASE COLOR**
10. **GROMMET**
11. **KEYING**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR



Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDL71

NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

HEIGHT ADJUSTABLE SPLIT-TOP DESKS

Right Hand Desk, Return With Pedestal

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
RIGHT HAND DESK								
RETURN WITH PEDESTAL	72	78	29 1/2	GS3STAT7278R-A ☐	15,525	20,046	22,112	24,176
	A = 72" wide desk B = 78" wide total workwall C = 12" fixed guest overhang D = 24" return depth E = 48" depth total sightline top Note: Return includes 15" wide Accessory/Box/File pedestal							
	72	84	29 1/2	GS3STAT7284R-A ☐	15,869	20,510	22,624	24,736
	A = 72" wide desk B = 84" wide total workwall C = 12" fixed guest overhang D = 24" return depth E = 48" depth total sightline top Note: Return includes 15" wide Accessory/Box/File pedestal							
	78	90	29 1/2	GS3STAT7890R-A ☐	16,162	20,909	23,064	25,217
	A = 78" wide desk B = 90" wide total workwall C = 18" fixed guest overhang D = 24" return depth E = 54" depth total sightline top Note: Return includes 15" wide Accessory/Box/File pedestal							
	78	96	29 1/2	GS3STAT7896R-A ☐	16,574	21,474	23,687	25,898
	A = 78" wide desk B = 96" wide total workwall C = 18" fixed guest overhang D = 24" return depth E = 54" depth total sightline top Note: Return includes 15" wide Accessory/Box/File pedestal							

PRODUCT INFO

Unit must be wall mounted.

Metal shroud modesty panel raises up and down with height adjustable top.

29.5" to 42.5" height adjustment range.

 All units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **PULL**
7. **HARDWARE COLOR**
8. **HAT KEYPAD & BASE COLOR**
9. **GROMMET**
10. **KEYING**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **EDGE DETAIL**
7. **PULL**
8. **HARDWARE COLOR**
9. **HAT KEYPAD & BASE COLOR**
10. **GROMMET**
11. **KEYING**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column


UDP71
MEMP71
PDLP71

NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.


HEIGHT ADJUSTABLE FREESTANDING DESK

Full Modesty

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	30	66	29 1/2	GS3DFAK3066- 	6,236	10,292	11,353	12,414
	30	72	29 1/2	GS3DFAK3072- 	6,335	10,502	11,585	12,667
	36	72	29 1/2	GS3DFAK3672- 	6,669	10,717	11,822	12,925
	36	78	29 1/2	GS3DFAK3678- 	6,798	10,929	12,056	13,182

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range



PRODUCT INFO

All tops long grain standard.
Wood models ship assembled.
 Laminate units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**


Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR


Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDL71

HEIGHT ADJUSTABLE EXTENSION DESK
Full Modesty | Left and Right Hand


	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	30	66	29 1/2	GS3XFAK3066L- ☐	6,640	10,292	11,353	12,414
	30	72	29 1/2	GS3XFAK3072L- ☐	6,739	10,502	11,585	12,667
	36	72	29 1/2	GS3XFAK3672L- ☐	7,029	10,717	11,822	12,925
	36	78	29 1/2	GS3XFAK3678L- ☐	7,158	10,929	12,056	13,182

RIGHT HAND



30	66	29 1/2	GS3XFAK3066R- ☐	6,640	10,292	11,353	12,414
30	72	29 1/2	GS3XFAK3072R- ☐	6,739	10,502	11,585	12,667
36	72	29 1/2	GS3XFAK3672R- ☐	7,029	10,717	11,822	12,925
36	78	29 1/2	GS3XFAK3678R- ☐	7,158	10,929	12,056	13,182

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range
- Cantilever extends 3" to support adjoining worksurface



NOTE: If attaching to a return or bridge, a 3" shorter modesty or wall access panel must be used.

PRODUCT INFO

Specify base from user seated position.

All tops long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **HAT KEYPAD & BASE COLOR**
7. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **HAT KEYPAD & BASE COLOR**
7. **GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column


UDP71
MEMP71
PDL71


HEIGHT ADJUSTABLE EXTENSION DESK

Full Modesty | Left and Right Hand, with Pedestal


Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	30	66	29 1/2	GS3XFAK3066L-A ☐	7,264	11,319	12,486	13,652
	30	72	29 1/2	GS3XFAK3072L-A ☐	7,363	11,551	12,742	13,932
	36	72	29 1/2	GS3XFAK3672L-A ☐	7,621	11,786	13,002	14,216
	36	78	29 1/2	GS3XFAK3678L-A ☐	7,750	12,023	13,262	14,501

RIGHT HAND 	30	66	29 1/2	GS3XFAK3066R-A ☐	7,264	11,319	12,486	13,652
	30	72	29 1/2	GS3XFAK3072R-A ☐	7,363	11,551	12,742	13,932
	36	72	29 1/2	GS3XFAK3672R-A ☐	7,621	11,786	13,002	14,216
	36	78	29 1/2	GS3XFAK3678R-A ☐	7,750	12,023	13,262	14,501

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range
- Cantilever extends 3" to support adjoining worksurface



NOTE: If attaching to a return or bridge, a 3" shorter modesty or wall access panel must be used.

PRODUCT INFO

Specify pedestal from user seated position.

All tops long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **PULL**
7. **HAT KEYPAD & BASE COLOR**
8. **GROMMET**
9. **KEYING**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **EDGE DETAIL**
7. **PULL**
8. **HAT KEYPAD & BASE COLOR**
9. **GROMMET**
10. **KEYING**

Optional height adjustable keypads available


HAT KEYPAD & BASE COLOR


Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDL71


HEIGHT ADJUSTABLE EXTENSION DESK

Telescoping | Left and Right Hand

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	30	66	29 1/2	GS3XMAK3066L- 	7,001	9,755	10,761	11,766
	30	72	29 1/2	GS3XMAK3072L- 	7,059	9,893	10,914	11,933
	36	72	29 1/2	GS3XMAK3672L- 	7,348	10,112	11,156	12,197
	36	78	29 1/2	GS3XMAK3678L- 	7,436	10,294	11,355	12,416

RIGHT HAND 	30	66	29 1/2	GS3XMAK3066R- 	7,001	9,755	10,761	11,766
	30	72	29 1/2	GS3XMAK3072R- 	7,059	9,893	10,914	11,933
	36	72	29 1/2	GS3XMAK3672R- 	7,348	10,112	11,156	12,197
	36	78	29 1/2	GS3XMAK3678R- 	7,436	10,294	11,355	12,416

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range
- Cantilever extends 3" to support adjoining worksurface



NOTE: If attaching to a return or bridge, a 3" shorter modesty or wall access panel must be used.

PRODUCT INFO

Specify base from user seated position.
All tops long grain standard.
Wood models ship assembled.
 Laminate units shipped as separate packages and require field assembly.
Modesty panel ordered separately.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **HARDWARE COLOR**
7. **HAT KEYPAD & BASE COLOR**
8. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **HARDWARE COLOR**
7. **HAT KEYPAD & BASE COLOR**
8. **GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR


Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71


HEIGHT ADJUSTABLE FREESTANDING DESK

Half Modesty

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	30	66	29 1/2	GS3DHAK3066- ☐	6,061	8,748	9,651	10,552
	30	72	29 1/2	GS3DHAK3072- ☐	6,186	8,928	9,849	10,768
	36	72	29 1/2	GS3DHAK3672- ☐	6,520	9,108	10,048	10,986
	36	78	29 1/2	GS3DHAK3678- ☐	6,673	9,291	10,249	11,206

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range



Modesty panel included.

PRODUCT INFO

All tops long grain standard.
Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly..

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **HAT KEYPAD & BASE COLOR**
7. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **HAT KEYPAD & BASE COLOR**
7. **GROMMET**


Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR


Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDL71

HEIGHT ADJUSTABLE EXTENSION DESK
Half Modesty | Left and Right Hand


	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	30	66	29 1/2	GS3XHAK3066L- 	6,465	8,748	9,651	10,552
	30	72	29 1/2	GS3XHAK3072L- 	6,590	8,928	9,849	10,768
	36	72	29 1/2	GS3XHAK3672L- 	6,880	9,108	10,048	10,986
	36	78	29 1/2	GS3XHAK3678L- 	7,033	9,291	10,249	11,206

RIGHT HAND



30	66	29 1/2	GS3XHAK3066R- 	6,465	8,748	9,651	10,552
30	72	29 1/2	GS3XHAK3072R- 	6,590	8,928	9,849	10,768
36	72	29 1/2	GS3XHAK3672R- 	6,880	9,108	10,048	10,986
36	78	29 1/2	GS3XHAK3678R- 	7,033	9,291	10,249	11,206

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range
- Cantilever extends 3" to support adjoining worksurface



Modesty panel included.

NOTE: If attaching to a return or bridge, a 3" shorter modesty or wall access panel must be used.

PRODUCT INFO

Specify base from user seated position.

All tops long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet	GN
Left	GL
Right	GR
Left & Right	GB

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **HAT KEYPAD & BASE COLOR**
7. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **HAT KEYPAD & BASE COLOR**
7. **GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR


Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

HEIGHT ADJUSTABLE CREDENZA 24D

w/ Wall Access and End Panels

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	24	42	29 1/2	GS3CAK2442-	5,019	6,923	7,637	8,350
	24	48	29 1/2	GS3CAK2448-	5,140	7,086	7,818	8,547
	24	54	29 1/2	GS3CAK2454-	5,234	7,217	7,961	8,705
	24	60	29 1/2	GS3CAK2460-	5,354	7,383	8,145	8,905
	24	66	29 1/2	GS3CAK2466-	5,470	7,537	8,314	9,091
	24	72	29 1/2	GS3CAK2472-	5,633	7,769	8,570	9,370

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Wood tops optional grain standard. Lam tops optional grain up to 60", over 60" long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **GRAIN DIRECTION**
7. **HAT KEYPAD & BASE COLOR**
8. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **GRAIN DIRECTION (up to 60")**
6. **EDGE DETAIL**
7. **HAT KEYPAD & BASE COLOR**
8. **GROMMET**


Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDL71

HEIGHT ADJUSTABLE CREDENZA 30D
w/ Wall Access and End Panels

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	30	42	29 1/2	GS3CAK3042-	5,469	7,614	8,400	9,184
	30	48	29 1/2	GS3CAK3048-	5,576	7,794	8,598	9,400
	30	54	29 1/2	GS3CAK3054-	5,639	7,938	8,757	9,574
	30	60	29 1/2	GS3CAK3060-	5,700	8,122	8,960	9,796
	30	66	29 1/2	GS3CAK3066-	5,811	8,291	9,146	10,000
	30	72	29 1/2	GS3CAK3072-	5,916	8,544	9,425	10,305

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Wood tops optional grain standard. Lam tops optional grain up to 60", over 60" long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **GRAIN DIRECTION**
7. **HAT KEYPAD & BASE COLOR**
8. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **GRAIN DIRECTION (up to 60")**
6. **EDGE DETAIL**
7. **HAT KEYPAD & BASE COLOR**
8. **GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column


UDP71
MEMP71
PDLP71

HEIGHT ADJUSTABLE CREDENZA 24D


w/ Hidden Accessory | Box | File Pedestals

Silea


06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	24	66	29 1/2	GS3CAK2466-AA 	7,143	10,712	11,816	12,919
	24	72	29 1/2	GS3CAK2472-AA 	7,310	10,945	12,074	13,201

RIGHT HAND

	24	66	29 1/2	GS3CAK2466R-A 	5,652	8,960	9,884	10,806
	24	72	29 1/2	GS3CAK2472R-A 	5,819	9,193	10,141	11,088

LEFT HAND

	24	66	29 1/2	GS3CAK2466L-A 	5,652	8,960	9,884	10,806
	24	72	29 1/2	GS3CAK2472L-A 	5,819	9,193	10,141	11,088

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Specify pedestal from user seated position.

Wood tops optional grain standard. Lam tops long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **GRAIN DIRECTION**
7. **PULL**
8. **HAT KEYPAD & BASE COLOR**
9. **GROMMET**
10. **KEYING**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **EDGE DETAIL**
7. **PULL**
8. **HAT KEYPAD & BASE COLOR**
9. **GROMMET**
10. **KEYING**




Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

HEIGHT ADJUSTABLE CREDENZA 30D
w/ Hidden Accessory | Box | File Pedestals

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	30	66	29 1/2	GS3CAK3066-AA 	7,407	11,785	13,001	14,215
	30	72	29 1/2	GS3CAK3072-AA 	7,515	12,040	13,281	14,522
RIGHT HAND								
	30	66	29 1/2	GS3CAK3066R-A 	5,921	9,857	10,874	11,889
	30	72	29 1/2	GS3CAK3072R-A 	6,034	10,112	11,156	12,197
LEFT HAND								
	30	66	29 1/2	GS3CAK3066L-A 	5,921	9,857	10,874	11,889
	30	72	29 1/2	GS3CAK3072L-A 	6,034	10,112	11,156	12,197
• Provides sit to stand electric height adjustment • 29.5" to 42.5" height adjustment range								

PRODUCT INFO

Wood tops optional grain standard. Lam tops optional grain up to 60", over 60" long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **GRAIN DIRECTION**
7. **PULL**
8. **HAT KEYPAD & BASE COLOR**
9. **GROMMET**
10. **KEYING**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **EDGE DETAIL**
7. **PULL**
8. **HAT KEYPAD & BASE COLOR**
9. **GROMMET**
10. **KEYING**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column


UDP71
MEMP71
PDLP71

HEIGHT ADJUSTABLE BRIDGE 24D

w/ Wall Access

Silea

06/25



D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
24	42	29 1/2	GS3BAK2442-	4,028	5,571	6,147	6,721
24	48	29 1/2	GS3BAK2448-	4,147	5,735	6,327	6,918
24	54	29 1/2	GS3BAK2454-	4,243	5,865	6,470	7,074
24	60	29 1/2	GS3BAK2460-	4,364	6,030	6,652	7,273
24	66	29 1/2	GS3BAK2466-	4,478	6,187	6,825	7,463
24	72	29 1/2	GS3BAK2472-	4,642	6,417	7,079	7,740

- **Unit must be wall mounted.**
- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Wood tops optional grain standard. Lam tops opt grain up to 60". over 60" long grain standard.

Wood models shipped assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

LAM TOP, LAM CHASSIS


- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- GRAIN DIRECTION (up to 60")**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDL71

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	30	42	29 1/2	GS3BAK3042-	4,240	5,849	6,453	7,055
	30	48	29 1/2	GS3BAK3048-	4,340	6,022	6,643	7,263
	30	54	29 1/2	GS3BAK3054-	4,403	6,158	6,794	7,428
	30	60	29 1/2	GS3BAK3060-	4,461	6,333	6,987	7,639
	30	66	29 1/2	GS3BAK3066-	4,564	6,497	7,167	7,837
	30	72	29 1/2	GS3BAK3072-	4,669	6,738	7,433	8,127

- **Unit must be wall mounted.**
- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Wood tops optional grain standard. Lam tops optional grain up to 60", over 60" long grain standard.

Wood models shipped assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- GRAIN DIRECTION (up to 60")**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR


Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDL71


HEIGHT ADJUSTABLE RETURN 24D

w/ End Panel | Left and Right Hand

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	24	42	29 1/2	GS3RAK2442L- 	4,523	6,246	6,891	7,534
	24	48	29 1/2	GS3RAK2448L- 	4,645	6,411	7,073	7,732
	24	54	29 1/2	GS3RAK2454L- 	4,738	6,541	7,215	7,889
	24	60	29 1/2	GS3RAK2460L- 	4,859	6,706	7,398	8,089
	24	66	29 1/2	GS3RAK2466L- 	4,972	6,862	7,570	8,277
	24	72	29 1/2	GS3RAK2472L- 	5,136	7,092	7,824	8,554

RIGHT HAND



24	42	29 1/2	GS3RAK2442R- 	4,523	6,246	6,891	7,534
24	48	29 1/2	GS3RAK2448R- 	4,645	6,411	7,073	7,732
24	54	29 1/2	GS3RAK2454R- 	4,738	6,541	7,215	7,889
24	60	29 1/2	GS3RAK2460R- 	4,859	6,706	7,398	8,089
24	66	29 1/2	GS3RAK2466R- 	4,972	6,862	7,570	8,277
24	72	29 1/2	GS3RAK2472R- 	5,136	7,092	7,824	8,554

- **Unit must be wall mounted.**
- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Wood tops optional grain standard. Lam tops optional grain up to 60", over 60" long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS	LAM TOP, LAM CHASSIS
1. MODEL NUMBER + WW	1. MODEL NUMBER + LL
2. FSC	2. FSC
3. TOP WOOD FINISH + EDGE	3. TOP LAM
4. CHASSIS WOOD FINISH	4. CHASSIS LAM
5. TOP FINISH	5. GRAIN DIRECTION (up to 60")
6. GRAIN DIRECTION	6. EDGE DETAIL
7. HAT KEYPAD & BASE COLOR	7. HAT KEYPAD & BASE COLOR
8. GROMMET	8. GROMMET



Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

HEIGHT ADJUSTABLE RETURN 30D
w/ End Panel | Left and Right Hand

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	30	42	29 1/2	GS3RAK3042L- ☐	4,925	6,871	7,580	8,288
	30	48	29 1/2	GS3RAK3048L- ☐	5,030	7,052	7,779	8,505
	30	54	29 1/2	GS3RAK3054L- ☐	5,095	7,194	7,936	8,678
	30	60	29 1/2	GS3RAK3060L- ☐	5,156	7,376	8,138	8,897
	30	66	29 1/2	GS3RAK3066L- ☐	5,262	7,548	8,326	9,104
	30	72	29 1/2	GS3RAK3072L- ☐	5,374	7,800	8,604	9,407
RIGHT HAND 	30	42	29 1/2	GS3RAK3042R- ☐	4,925	6,871	7,580	8,288
	30	48	29 1/2	GS3RAK3048R- ☐	5,030	7,052	7,779	8,505
	30	54	29 1/2	GS3RAK3054R- ☐	5,095	7,194	7,936	8,678
	30	60	29 1/2	GS3RAK3060R- ☐	5,156	7,376	8,138	8,897
	30	66	29 1/2	GS3RAK3066R- ☐	5,262	7,548	8,326	9,104
	30	72	29 1/2	GS3RAK3072R- ☐	5,374	7,800	8,604	9,407

- Unit must be wall mounted.
- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Wood tops optional grain standard. Lam tops optional grain up to 60", over 60" long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS	LAM TOP, LAM CHASSIS
1. MODEL NUMBER + WW	1. MODEL NUMBER + LL
2. FSC	2. FSC
3. TOP WOOD FINISH + EDGE	3. TOP LAM
4. CHASSIS WOOD FINISH	4. CHASSIS LAM
5. TOP FINISH	5. GRAIN DIRECTION (up to 60")
6. GRAIN DIRECTION	6. EDGE DETAIL
7. HAT KEYPAD & BASE COLOR	7. HAT KEYPAD & BASE COLOR
8. GROMMET	8. GROMMET

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR


Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71


HEIGHT ADJUSTABLE RETURN 24D

w/ Hidden Accessory | Box | File | Pedestals

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	24	42	29 1/2	GS3RAK2442L-A 	5,035	7,832	8,640	9,447
	24	48	29 1/2	GS3RAK2448L-A 	5,154	8,000	8,826	9,650
	24	54	29 1/2	GS3RAK2454L-A 	5,249	8,126	8,965	9,801
	24	60	29 1/2	GS3RAK2460L-A 	5,373	8,298	9,153	10,008
	24	66	29 1/2	GS3RAK2466L-A 	5,568	8,452	9,324	10,194
	24	72	29 1/2	GS3RAK2472L-A 	5,739	8,680	9,576	10,470

RIGHT HAND



24	42	29 1/2	GS3RAK2442R-A 	5,035	7,832	8,640	9,447
24	48	29 1/2	GS3RAK2448R-A 	5,154	8,000	8,826	9,650
24	54	29 1/2	GS3RAK2454R-A 	5,249	8,126	8,965	9,801
24	60	29 1/2	GS3RAK2460R-A 	5,373	8,298	9,153	10,008
24	66	29 1/2	GS3RAK2466R-A 	5,568	8,452	9,324	10,194
24	72	29 1/2	GS3RAK2472R-A 	5,739	8,680	9,576	10,470

- Unit must be wall mounted.
- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Wood tops optional grain standard.
Lam tops optional grain up to 60",
over 60" long grain standard.

If integral pull is chosen, the wall
access panel will have a black knob.

Wood models ship assembled.

 Laminate units shipped as
separate packages and require field
assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select
grommet color or "Empty Cutout"
option. When "Empty Cutout" option
is selected, a grommet or power unit
must be ordered separately for each
cutout.

NOTE: Monitor arms should **ALWAYS**
be installed in grommets on Silea
height adjustable units. Please ensure
a grommet location is specified on the
top. This allows for bolt mount or clamp
mount install of monitor arm. See
page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- PULL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**
- KEYING**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- FRONT LAM**
- GRAIN DIRECTION (up to 60")**
- PULL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**
- KEYING**

Optional height adjustable keypads available



HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

HEIGHT ADJUSTABLE RETURN 30D

w/ Hidden Accessory | Box | File | Pedestals

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	30	42	29 1/2	GS3RAK3042L-A 	5,336	8,614	9,503	10,390
	30	48	29 1/2	GS3RAK3048L-A 	5,436	8,801	9,709	10,615
	30	54	29 1/2	GS3RAK3054L-A 	5,498	8,938	9,860	10,780
	30	60	29 1/2	GS3RAK3060L-A 	5,559	9,126	10,068	11,007
	30	66	29 1/2	GS3RAK3066L-A 	5,743	9,297	10,255	11,213
	30	72	29 1/2	GS3RAK3072L-A 	5,855	9,548	10,532	11,516
RIGHT HAND 	30	42	29 1/2	GS3RAK3042R-A 	5,336	8,614	9,503	10,390
	30	48	29 1/2	GS3RAK3048R-A 	5,436	8,801	9,709	10,615
	30	54	29 1/2	GS3RAK3054R-A 	5,498	8,938	9,860	10,780
	30	60	29 1/2	GS3RAK3060R-A 	5,559	9,126	10,068	11,007
	30	66	29 1/2	GS3RAK3066R-A 	5,743	9,297	10,255	11,213
	30	72	29 1/2	GS3RAK3072R-A 	5,855	9,548	10,532	11,516

- Unit must be wall mounted.
- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Wood tops optional grain standard.
Lam tops optional grain up to 60",
over 60" long grain standard.

Wood models ship assembled.

 Laminate units shipped as
separate packages and require field
assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**
Specify location first, then select
grommet color or "Empty Cutout"
option. When "Empty Cutout" option
is selected, a grommet or power unit
must be ordered separately for each
cutout.

NOTE: Monitor arms should **ALWAYS**
be installed in grommets on Silea
height adjustable units. Please ensure
a grommet location is specified on the
top. This allows for bolt mount or clamp
mount install of monitor arm. See
page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **GRAIN DIRECTION**
7. **PULL**
8. **HAT KEYPAD & BASE COLOR**
9. **GROMMET**
10. **KEYING**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **GRAIN DIRECTION (up to 60")**
7. **EDGE DETAIL**
8. **PULL**
9. **HAT KEYPAD & BASE COLOR**
10. **GROMMET**
11. **KEYING**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR


Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

Step 1: Select workwall chassis configuration and total width.



Bridge w/o Pedestals
(non-handed)




Return w/ Pedestal
Left Hand




Return w/ Pedestal
Right Hand


Step 2: Select desk chassis style and size.




Full modesty,
shroud pedestal
(left hand shown)



Full modesty,
pedestal
(left hand shown)



Half modesty,
shroud pedestal
(left hand shown)



Half modesty,
pedestal
(left hand shown)


Step 3. Order desk and return rectangular tops OR a 2-piece cockpit shape top.



Desk
30" or 36" Depth



Return
24" or 30" Depth




Cockpit Shape
2-piece
(left hand shown)

Note: for rectangular tops, flat brackets must be ordered separately.

Step 4. Order height adjustable hardware and bracketry kit. Select appropriate 3 motor or 4 motor kit based on total workwall length in Step 1.

Total Workwall Width	# Motors	Model # to Order
Workwall 72"	3	GS4LALNKDPD-3
Workwall 78"	3	GS4LALNKDPD-3
Workwall 84"	3	GS4LALNKDPD-3
Workwall 90"	3	GS4LALNKDPD-3
Workwall 96"	3	GS4LALNKDPD-3
Workwall 102"	4	GS4LALNKDPD-4
Workwall 108"	4	GS4LALNKDPD-4

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

	W	model number + type	laminate	wood 1	wood 2	wood 3
HAT WORKWALL ACCENT PANEL FULL 	30	GS4PLWFP30- 	1,800	3,014	3,325	3,481
	36	GS4PLWFP36- 	1,822	3,054	3,371	3,528
	42	GS4PLWFP42- 	1,840	3,093	3,412	3,572
	48	GS4PLWFP48- 	1,923	3,128	3,451	3,613
	60	GS4PLWFP60- 	1,938	3,157	3,483	3,646

PRODUCT INFO

Unit must be wall mounted.
Non-handed
NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|---------------------|---------------------|
| WOOD | LAMINATE |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L |
| 2. FSC | 2. FSC |
| 3. WOOD FINISH | 3. LAMINATE FINISH |

L SHAPE HEIGHT ADJUSTABLE

Workwall, No Pedestals

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	7 1/4	72	27 7/8	GS4PLWFP72-	1,952	3,183	3,512	3,840
	7 1/4	78	27 7/8	GS4PLWFP78-	2,107	3,435	3,790	4,144
	7 1/4	84	27 7/8	GS4PLWFP84-	2,189	3,578	3,948	4,316
	7 1/4	90	27 7/8	GS4PLWFP90-	2,301	3,941	4,348	4,754
	7 1/4	96	27 7/8	GS4PLWFP96-	2,287	3,863	4,263	4,660
	7 1/4	102	27 7/8	GS4PLWFP102-	N/A	4,055	4,474	4,892
	7 1/4	108	27 7/8	GS4PLWFP108-	N/A	4,250	4,689	5,127

PRODUCT INFO

Unit must be wall mounted.

Non-handed

 All units shipped as separate packages and require field assembly.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD CHASSIS

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM CHASSIS

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

L SHAPE HEIGHT ADJUSTABLE
Workwall, Left Hand Pedestal

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
24" DEPTH PEDESTAL 	24	72	27 7/8	GS4PLWFP2472L-A 	3,593	5,571	6,147	6,721
	24	78	27 7/8	GS4PLWFP2478L-A 	3,660	5,695	6,283	6,869
	24	84	27 7/8	GS4PLWFP2484L-A 	3,741	5,839	6,442	7,043
	24	90	27 7/8	GS4PLWFP2490L-A 	3,930	6,312	6,964	7,614
	24	96	27 7/8	GS4PLWFP2496L-A 	3,962	6,302	6,952	7,601
	24	102	27 7/8	GS4PLWFP24102L-A 	N/A	6,423	7,086	7,747
	24	108	27 7/8	GS4PLWFP24108L-A 	N/A	6,559	7,235	7,911
30" DEPTH PEDESTAL	30	72	27 7/8	GS4PLWFP3072L-A 	3,682	5,700	6,288	6,875
	30	78	27 7/8	GS4PLWFP3078L-A 	3,749	5,824	6,425	7,025
	30	84	27 7/8	GS4PLWFP3084L-A 	3,830	5,968	6,584	7,199
	30	90	27 7/8	GS4PLWFP3090L-A 	4,019	6,441	7,106	7,770
	30	96	27 7/8	GS4PLWFP3096L-A 	4,051	6,431	7,095	7,757
	30	102	27 7/8	GS4PLWFP30102L-A 	N/A	6,552	7,227	7,902
	30	108	27 7/8	GS4PLWFP30108L-A 	N/A	6,688	7,378	8,066

PRODUCT INFO

Unit must be wall mounted.

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. MODEL NUMBER + W
2. FSC
3. CHASSIS WOOD FINISH
4. PULL
5. KEYING

LAM CHASSIS

1. MODEL NUMBER + L
2. FSC
3. CHASSIS LAM
4. FRONT LAM
5. PULL
6. KEYING

L SHAPE HEIGHT ADJUSTABLE

Workwall, Right Hand Pedestal

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
24" DEPTH PEDESTAL 	24	72	27 7/8	GS4PLWFP2472R-A 	3,593	5,571	6,147	6,721
	24	78	27 7/8	GS4PLWFP2478R-A 	3,660	5,695	6,283	6,869
	24	84	27 7/8	GS4PLWFP2484R-A 	3,741	5,839	6,442	7,043
	24	90	27 7/8	GS4PLWFP2490R-A 	3,930	6,312	6,964	7,614
	24	96	27 7/8	GS4PLWFP2496R-A 	3,962	6,302	6,952	7,601
	24	102	27 7/8	GS4PLWFP24102R-A 	N/A	6,423	7,086	7,747
	24	108	27 7/8	GS4PLWFP24108R-A 	N/A	6,559	7,235	7,911
30" DEPTH PEDESTAL	30	72	27 7/8	GS4PLWFP3072R-A 	3,682	5,700	6,288	6,875
	30	78	27 7/8	GS4PLWFP3078R-A 	3,749	5,824	6,425	7,025
	30	84	27 7/8	GS4PLWFP3084R-A 	3,830	5,968	6,584	7,199
	30	90	27 7/8	GS4PLWFP3090R-A 	4,019	6,441	7,106	7,770
	30	96	27 7/8	GS4PLWFP3096R-A 	4,051	6,431	7,095	7,757
	30	102	27 7/8	GS4PLWFP30102R-A 	N/A	6,552	7,227	7,902
	30	108	27 7/8	GS4PLWFP30108R-A 	N/A	6,688	7,378	8,066

PRODUCT INFO

Unit must be wall mounted.

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **KEYING**

L SHAPE HEIGHT ADJUSTABLE
Desk Full Modesty, Left Hand Shroud

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" DEPTH SHROUD 	30	66	27 7/8	GS4PLDMF3066L-	2,180	3,362	3,710	4,056
	30	72	27 7/8	GS4PLDMF3072L-	2,254	3,499	3,861	4,221
	30	78	27 7/8	GS4PLDMF3078L-	2,327	3,630	4,005	4,378
	30	84	27 7/8	GS4PLDMF3084L-	2,483	3,845	4,243	4,638
	30	90	27 7/8	GS4PLDMF3090L-	2,559	3,979	4,390	4,799
	30	96	27 7/8	GS4PLDMF3096L-	2,633	4,114	4,539	4,962
36" DEPTH SHROUD	36	66	27 7/8	GS4PLDMF3666L-	2,305	3,530	3,896	4,258
	36	72	27 7/8	GS4PLDMF3672L-	2,379	3,667	4,046	4,424
	36	78	27 7/8	GS4PLDMF3678L-	2,452	3,798	4,191	4,582
	36	84	27 7/8	GS4PLDMF3684L-	2,608	4,013	4,427	4,840
	36	90	27 7/8	GS4PLDMF3690L-	2,684	4,147	4,575	5,001
	36	96	27 7/8	GS4PLDMF3696L-	2,758	4,282	4,724	5,164

PRODUCT INFO

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

L SHAPE HEIGHT ADJUSTABLE

Desk Full Modesty, Right Hand Shroud

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" DEPTH SHROUD 	30	66	27 7/8	GS4PLDMF3066R-	2,180	3,362	3,710	4,056
	30	72	27 7/8	GS4PLDMF3072R-	2,254	3,499	3,861	4,221
	30	78	27 7/8	GS4PLDMF3078R-	2,327	3,630	4,005	4,378
	30	84	27 7/8	GS4PLDMF3084R-	2,483	3,845	4,243	4,638
	30	90	27 7/8	GS4PLDMF3090R-	2,559	3,979	4,390	4,799
	30	96	27 7/8	GS4PLDMF3096R-	2,633	4,114	4,539	4,962
36" DEPTH SHROUD	36	66	27 7/8	GS4PLDMF3666R-	2,305	3,530	3,896	4,258
	36	72	27 7/8	GS4PLDMF3672R-	2,379	3,667	4,046	4,424
	36	78	27 7/8	GS4PLDMF3678R-	2,452	3,798	4,191	4,582
	36	84	27 7/8	GS4PLDMF3684R-	2,608	4,013	4,427	4,840
	36	90	27 7/8	GS4PLDMF3690R-	2,684	4,147	4,575	5,001
	36	96	27 7/8	GS4PLDMF3696R-	2,758	4,282	4,724	5,164

PRODUCT INFO

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS


- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM CHASSIS

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

L SHAPE HEIGHT ADJUSTABLE

Desk Full Modesty, Left Hand Pedestal

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" DEPTH PEDESTAL 	30	66	27 7/8	GS4PLDMF3066L-A 	2,804	4,409	4,864	5,318
	30	72	27 7/8	GS4PLDMF3072L-A 	2,878	4,546	5,016	5,484
	30	78	27 7/8	GS4PLDMF3078L-A 	2,951	4,677	5,160	5,642
	30	84	27 7/8	GS4PLDMF3084L-A 	3,107	4,892	5,397	5,900
	30	90	27 7/8	GS4PLDMF3090L-A 	3,183	5,026	5,544	6,061
	30	96	27 7/8	GS4PLDMF3096L-A 	3,257	5,161	5,693	6,224
36" DEPTH PEDESTAL	36	66	27 7/8	GS4PLDMF3666L-A 	2,897	4,546	5,017	5,485
	36	72	27 7/8	GS4PLDMF3672L-A 	2,971	4,683	5,167	5,650
	36	78	27 7/8	GS4PLDMF3678L-A 	3,044	4,814	5,311	5,807
	36	84	27 7/8	GS4PLDMF3684L-A 	3,200	5,029	5,548	6,066
	36	90	27 7/8	GS4PLDMF3690L-A 	3,276	5,163	5,695	6,226
	36	96	27 7/8	GS4PLDMF3696L-A 	3,350	5,298	5,844	6,389

PRODUCT INFO

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **KEYING**

LAM CHASSIS


1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **KEYING**

L SHAPE HEIGHT ADJUSTABLE

Desk Full Modesty, Right Hand Pedestal

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" DEPTH PEDESTAL 	30	66	27 7/8	GS4PLDMF3066R-A 	2,804	4,409	4,864	5,318
	30	72	27 7/8	GS4PLDMF3072R-A 	2,878	4,546	5,016	5,484
	30	78	27 7/8	GS4PLDMF3078R-A 	2,951	4,677	5,160	5,642
	30	84	27 7/8	GS4PLDMF3084R-A 	3,107	4,892	5,397	5,900
	30	90	27 7/8	GS4PLDMF3090R-A 	3,183	5,026	5,544	6,061
	30	96	27 7/8	GS4PLDMF3096R-A 	3,257	5,161	5,693	6,224
36" DEPTH PEDESTAL	36	66	27 7/8	GS4PLDMF3666R-A 	2,897	4,546	5,017	5,485
	36	72	27 7/8	GS4PLDMF3672R-A 	2,971	4,683	5,167	5,650
	36	78	27 7/8	GS4PLDMF3678R-A 	3,044	4,814	5,311	5,807
	36	84	27 7/8	GS4PLDMF3684R-A 	3,200	5,029	5,548	6,066
	36	90	27 7/8	GS4PLDMF3690R-A 	3,276	5,163	5,695	6,226
	36	96	27 7/8	GS4PLDMF3696R-A 	3,350	5,298	5,844	6,389

PRODUCT INFO

 All units shipped as separate packages and require field assembly.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **KEYING**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" DEPTH SHROUD 	30	66	27 7/8	GS4PLDMH3066L-	2,303	2,855	3,151	3,444
	30	72	27 7/8	GS4PLDMH3072L-	2,364	2,930	3,233	3,535
	30	78	27 7/8	GS4PLDMH3078L-	2,400	2,976	3,283	3,590
	30	84	27 7/8	GS4PLDMH3084L-	2,519	3,105	3,425	3,744
	30	90	27 7/8	GS4PLDMH3090L-	2,559	3,154	3,480	3,804
	30	96	27 7/8	GS4PLDMH3096L-	2,603	3,207	3,538	3,868
36" DEPTH SHROUD	36	66	27 7/8	GS4PLDMH3666L-	2,428	3,023	3,335	3,647
	36	72	27 7/8	GS4PLDMH3672L-	2,489	3,098	3,418	3,737
	36	78	27 7/8	GS4PLDMH3678L-	2,525	3,144	3,470	3,793
	36	84	27 7/8	GS4PLDMH3684L-	2,644	3,273	3,611	3,947
	36	90	27 7/8	GS4PLDMH3690L-	2,684	3,322	3,665	4,007
	36	96	27 7/8	GS4PLDMH3696L-	2,728	3,375	3,724	4,071

PRODUCT INFO

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|------------------------|---------------------|
| WOOD CHASSIS | LAM CHASSIS |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L |
| 2. FSC | 2. FSC |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |

L SHAPE HEIGHT ADJUSTABLE

Desk Half Modesty, Right Hand Shroud

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" DEPTH SHROUD 	30	66	27 7/8	GS4PLDMH3066R-	2,303	2,855	3,151	3,444
	30	72	27 7/8	GS4PLDMH3072R-	2,364	2,930	3,233	3,535
	30	78	27 7/8	GS4PLDMH3078R-	2,400	2,976	3,283	3,590
	30	84	27 7/8	GS4PLDMH3084R-	2,519	3,105	3,425	3,744
	30	90	27 7/8	GS4PLDMH3090R-	2,559	3,154	3,480	3,804
	30	96	27 7/8	GS4PLDMH3096R-	2,603	3,207	3,538	3,868
36" DEPTH SHROUD	36	66	27 7/8	GS4PLDMH3666R-	2,428	3,023	3,335	3,647
	36	72	27 7/8	GS4PLDMH3672R-	2,489	3,098	3,418	3,737
	36	78	27 7/8	GS4PLDMH3678R-	2,525	3,144	3,470	3,793
	36	84	27 7/8	GS4PLDMH3684R-	2,644	3,273	3,611	3,947
	36	90	27 7/8	GS4PLDMH3690R-	2,684	3,322	3,665	4,007
	36	96	27 7/8	GS4PLDMH3696R-	2,728	3,375	3,724	4,071

PRODUCT INFO

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS


- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM CHASSIS

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

L SHAPE HEIGHT ADJUSTABLE

Desk Half Modesty, Left Hand Pedestal

	D	W	H	model number + type	laminat	veneer 1	veneer 2	veneer 3
30" DEPTH PEDESTAL 	30	66	27 7/8	GS4PLDMH3066L-A 	2,940	4,071	4,492	4,911
	30	72	27 7/8	GS4PLDMH3072L-A 	3,001	4,146	4,574	5,000
	30	78	27 7/8	GS4PLDMH3078L-A 	3,037	4,192	4,625	5,057
	30	84	27 7/8	GS4PLDMH3084L-A 	3,156	4,321	4,767	5,211
	30	90	27 7/8	GS4PLDMH3090L-A 	3,196	4,370	4,821	5,271
	30	96	27 7/8	GS4PLDMH3096L-A 	3,240	4,423	4,879	5,335
36" DEPTH PEDESTAL	36	66	27 7/8	GS4PLDMH3666L-A 	3,033	4,208	4,643	5,076
	36	72	27 7/8	GS4PLDMH3672L-A 	3,094	4,283	4,725	5,166
	36	78	27 7/8	GS4PLDMH3678L-A 	3,130	4,329	4,777	5,222
	36	84	27 7/8	GS4PLDMH3684L-A 	3,249	4,458	4,918	5,377
	36	90	27 7/8	GS4PLDMH3690L-A 	3,289	4,507	4,971	5,435
	36	96	27 7/8	GS4PLDMH3696L-A 	3,333	4,560	5,031	5,500

PRODUCT INFO

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **KEYING**


LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **KEYING**

L SHAPE HEIGHT ADJUSTABLE

Desk Half Modesty, Right Hand Pedestal

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" DEPTH PEDESTAL 	30	66	27 7/8	GS4PLDMH3066R-A 	2,940	4,071	4,492	4,911
	30	72	27 7/8	GS4PLDMH3072R-A 	3,001	4,146	4,574	5,000
	30	78	27 7/8	GS4PLDMH3078R-A 	3,037	4,192	4,625	5,057
	30	84	27 7/8	GS4PLDMH3084R-A 	3,156	4,321	4,767	5,211
	30	90	27 7/8	GS4PLDMH3090R-A 	3,196	4,370	4,821	5,271
	30	96	27 7/8	GS4PLDMH3096R-A 	3,240	4,423	4,879	5,335
36" DEPTH PEDESTAL	36	66	27 7/8	GS4PLDMH3666R-A 	3,033	4,208	4,643	5,076
	36	72	27 7/8	GS4PLDMH3672R-A 	3,094	4,283	4,725	5,166
	36	78	27 7/8	GS4PLDMH3678R-A 	3,130	4,329	4,777	5,222
	36	84	27 7/8	GS4PLDMH3684R-A 	3,249	4,458	4,918	5,377
	36	90	27 7/8	GS4PLDMH3690R-A 	3,289	4,507	4,971	5,435
	36	96	27 7/8	GS4PLDMH3696R-A 	3,333	4,560	5,031	5,500

PRODUCT INFO

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**
- PULL**
- KEYING**

LAM CHASSIS

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**
- FRONT LAM**
- PULL**
- KEYING**

L SHAPE HEIGHT ADJUSTABLE
30D & 36D Desk Worksurfaces Rectangular

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	30	66	1 3/16	GS4LADWR3066- 	1,111	1,513	1,671	1,825
	30	72	1 3/16	GS4LADWR3072- 	1,169	1,592	1,757	1,921
	30	78	1 3/16	GS4LADWR3078- 	1,250	1,704	1,880	2,056
	30	84	1 3/16	GS4LADWR3084- 	1,338	1,825	2,015	2,202
	30	90	1 3/16	GS4LADWR3090- 	1,425	1,916	2,115	2,313
	30	96	1 3/16	GS4LADWR3096- 	1,496	2,012	2,220	2,427
	36	66	1 3/16	GS4LADWR3666- 	1,189	1,621	1,789	1,956
	36	72	1 3/16	GS4LADWR3672- 	1,253	1,707	1,884	2,060
	36	78	1 3/16	GS4LADWR3678- 	1,341	1,827	2,017	2,205
	36	84	1 3/16	GS4LADWR3684- 	1,435	1,957	2,160	2,362
	36	90	1 3/16	GS4LADWR3690- 	1,527	2,053	2,266	2,477
	36	96	1 3/16	GS4LADWR3696- 	1,604	2,156	2,380	2,602

• Flat brackets ordered separately (model #MDWBRK)

PRODUCT INFO

All tops long grain standard.
Tops are undersized to allow
for pinch points.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select
grommet color or "Empty Cutout"
option. When "Empty Cutout"
option is selected, a grommet
or power unit must be ordered
separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **GROMMET**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **GROMMET**

L SHAPE HEIGHT ADJUSTABLE

24D & 30D Return Worksurfaces Rectangular

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	24	42	1 3/16	GS4LACWR2442-	771	1,049	1,159	1,267
	24	48	1 3/16	GS4LACWR2448-	842	1,148	1,268	1,386
	24	54	1 3/16	GS4LACWR2454-	888	1,208	1,334	1,458
	24	60	1 3/16	GS4LACWR2460-	964	1,313	1,450	1,585
	24	66	1 3/16	GS4LACWR2466-	1,025	1,394	1,539	1,683
	24	72	1 3/16	GS4LACWR2472-	1,142	1,559	1,721	1,881
	30	42	1 3/16	GS4LACWR3042-	983	1,341	1,480	1,618
	30	48	1 3/16	GS4LACWR3048-	1,035	1,411	1,558	1,704
	30	54	1 3/16	GS4LACWR3054-	1,048	1,429	1,578	1,725
	30	60	1 3/16	GS4LACWR3060-	1,061	1,445	1,595	1,744
	30	66	1 3/16	GS4LACWR3066-	1,111	1,513	1,671	1,825
	30	72	1 3/16	GS4LACWR3072-	1,169	1,592	1,757	1,921

• Flat brackets ordered separately (model #MDWBRK)

PRODUCT INFO

Wood tops are short grain standard. Lam tops are short grain up to 60", over 60" are long grain standard.

Tops are undersized to allow for pinch points.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP


1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **GROMMET**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **GROMMET**

L SHAPE HEIGHT ADJUSTABLE

Cockpit Top Shape, For Left Hand Desk



Desk Depth	Desk Width	Return Depth	Return Width	Total Workwall Width	model number + type	laminate	veneer 1	veneer 2	veneer 3
30	72	24	42	72	GS4LATOP30722442L-	2,134	2,903	3,204	3,503
30	72	24	48	78	GS4LATOP30722448L-	2,212	3,010	3,321	3,631
30	72	24	54	84	GS4LATOP30722454L-	2,260	3,080	3,399	3,716
30	72	24	60	90	GS4LATOP30722460L-	2,348	3,194	3,525	3,854
30	72	24	66	96	GS4LATOP30722466L-	2,413	3,284	3,624	3,962
30	72	24	72	102	GS4LATOP30722472L-	N/A	3,465	3,824	4,181
30	84	24	42	72	GS4LATOP30842442L-	2,320	3,159	3,486	3,812
30	84	24	48	78	GS4LATOP30842448L-	2,398	3,267	3,605	3,941
30	84	24	54	84	GS4LATOP30842454L-	2,447	3,334	3,679	4,022
30	84	24	60	90	GS4LATOP30842460L-	2,531	3,450	3,806	4,162
30	84	24	66	96	GS4LATOP30842466L-	2,596	3,539	3,906	4,270
30	84	24	72	102	GS4LATOP30842472L-	N/A	3,723	4,107	4,491
36	72	24	42	78	GS4LATOP36722442L-	2,134	3,033	3,347	3,660
36	72	24	48	84	GS4LATOP36722448L-	2,212	3,139	3,464	3,787
36	72	24	54	90	GS4LATOP36722454L-	2,260	3,208	3,540	3,870
36	72	24	60	96	GS4LATOP36722460L-	2,348	3,323	3,667	4,009
36	72	24	66	102	GS4LATOP36722466L-	N/A	3,412	3,764	4,116
36	72	24	72	108	GS4LATOP36722472L-	N/A	3,595	3,967	4,337
36	84	24	42	78	GS4LATOP36842442L-	2,320	3,304	3,646	3,987
36	84	24	48	84	GS4LATOP36842448L-	2,398	3,411	3,763	4,115
36	84	24	54	90	GS4LATOP36842454L-	2,447	3,478	3,838	4,196
36	84	24	60	96	GS4LATOP36842460L-	2,531	3,595	3,967	4,337
36	84	24	66	102	GS4LATOP36842466L-	N/A	3,684	4,065	4,445
36	84	24	72	108	GS4LATOP36842472L-	N/A	3,865	4,265	4,663

PRODUCT INFO

Desk top portion is long grain standard, return short grain.
Tops are undersized to allow for pinch points.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

- MODEL NUMBER + W**
- FSC**
- TOP WOOD FINISH + EDGE**
- TOP FINISH**
- DESK GROMMET**

LAM TOP


- MODEL NUMBER + L**
- FSC**
- TOP LAM**
- EDGE DETAIL**
- DESK GROMMET**

L SHAPE HEIGHT ADJUSTABLE

Cockpit Top Shape, For Right Hand Desk

Silea

06/25

	Desk Depth	Desk Width	Return Depth	Return Width	Total Workwall Width	model number + type	laminate	veneer 1	veneer 2	veneer 3
	30	72	24	42	72	GS4LATOP30722442R- ☐	2,134	2,903	3,204	3,503
	30	72	24	48	78	GS4LATOP30722448R- ☐	2,212	3,010	3,321	3,631
	30	72	24	54	84	GS4LATOP30722454R- ☐	2,260	3,080	3,399	3,716
	30	72	24	60	90	GS4LATOP30722460R- ☐	2,348	3,194	3,525	3,854
	30	72	24	66	96	GS4LATOP30722466R- ☐	2,413	3,284	3,624	3,962
	30	72	24	72	102	GS4LATOP30722472R- ☐	N/A	3,465	3,824	4,181
	30	84	24	42	72	GS4LATOP30842442R- ☐	2,320	3,159	3,486	3,812
	30	84	24	48	78	GS4LATOP30842448R- ☐	2,398	3,267	3,605	3,941
	30	84	24	54	84	GS4LATOP30842454R- ☐	2,447	3,334	3,679	4,022
	30	84	24	60	90	GS4LATOP30842460R- ☐	2,531	3,450	3,806	4,162
	30	84	24	66	96	GS4LATOP30842466R- ☐	2,596	3,539	3,906	4,270
	30	84	24	72	102	GS4LATOP30842472R- ☐	N/A	3,723	4,107	4,491
	36	72	24	42	78	GS4LATOP36722442R- ☐	2,134	3,033	3,347	3,660
	36	72	24	48	84	GS4LATOP36722448R- ☐	2,212	3,139	3,464	3,787
	36	72	24	54	90	GS4LATOP36722454R- ☐	2,260	3,208	3,540	3,870
	36	72	24	60	96	GS4LATOP36722460R- ☐	2,348	3,323	3,667	4,009
	36	72	24	66	102	GS4LATOP36722466R- ☐	N/A	3,412	3,764	4,116
	36	72	24	72	108	GS4LATOP36722472R- ☐	N/A	3,595	3,967	4,337
	36	84	24	42	78	GS4LATOP36842442R- ☐	2,320	3,304	3,646	3,987
	36	84	24	48	84	GS4LATOP36842448R- ☐	2,398	3,411	3,763	4,115
	36	84	24	54	90	GS4LATOP36842454R- ☐	2,447	3,478	3,838	4,196
	36	84	24	60	96	GS4LATOP36842460R- ☐	2,531	3,595	3,967	4,337
	36	84	24	66	102	GS4LATOP36842466R- ☐	N/A	3,684	4,065	4,445
	36	84	24	72	108	GS4LATOP36842472R- ☐	N/A	3,865	4,265	4,663

PRODUCT INFO

Desk top portion is long grain standard, return short grain.

Tops are undersized to allow for pinch points.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **DESK GROMMET**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **DESK GROMMET**

D	W	H	model number	2
---	---	---	--------------	---

3 MOTOR KIT	GS4LALNKDPD-3	2,302
• Not TAA compliant unless ordered with a TAA compliant configurable end product.		

4 MOTOR KIT	GS4LALNKDPD-4	2,858
• Not TAA compliant unless ordered with a TAA compliant configurable end product.		

Total Workwall Width	# Motors	Model # to Order
Workwall 72"	3	GS4LALNKDPD-3
Workwall 78"	3	GS4LALNKDPD-3
Workwall 84"	3	GS4LALNKDPD-3
Workwall 90"	3	GS4LALNKDPD-3
Workwall 96"	3	GS4LALNKDPD-3
Workwall 102"	4	GS4LALNKDPD-4
Workwall 108"	4	GS4LALNKDPD-4

PRODUCT INFO

L shape units require field assembly

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. MODEL NUMBER

2. HAT KEYPAD & BASE COLOR

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column


UDP71
MEMP71
PDLP71

WORKWALL


Height-Adjustable Bases

Silea
06/25

	D	W	H	model number	paint 1	paint 2	paint 3
HAT COLUMN METAL SHROUDS	27	15	8	GS4HACS12-M	1,716	N/A	N/A



HAT COLUMN 3 MOTOR KIT	64	16	10	GS4HACSLNK-3	2,302		
HAT COLUMN 4 MOTOR KIT	64	16	10	GS4HACSLNK-4	2,578		



• Not TAA compliant unless ordered with a TAA compliant configurable end product.

Total Workwall Width	# Motors	Model # to Order
Workwall 30"-96"	3	GS4HACSLNK-3
Workwall 102"-108"	4	GS4HACSLNK-4

PRODUCT INFO

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

HAT COLUMN METAL SHROUDS LIST

- MODEL NUMBER**
- HARDWARE COLOR**

HAT COLUMN MOTOR KIT

- MODEL NUMBER**
- HAT KEYPAD & BASE COLOR**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDL71

	D	W	model number + type	wood 1	wood 2	wood 3
HAT RACETRACK MEDIA TOP 	36	72	GS2MWRT3672-	2,190	2,417	2,530
	42	72	GS2MWRT4272-	2,738	3,020	3,162
	48	72	GS2MWRT4872-	3,422	3,775	3,952

PRODUCT INFO

Depth & width shortened two inches for height adjustable pinch points.

Long grain standard.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- 1. MODEL NUMBER + W**
- 2. FSC**
- 3. WOOD FINISH**
- 4. TOP FINISH**
- 5. GROMMET**

LAMINATE


- 1. MODEL NUMBER + L**
- 2. FSC**
- 3. LAMINATE FINISH**
- 4. EDGE DETAIL**
- 5. GROMMET**

SHROUD FOR T-BASE

24D, 30D & 36D

Silea

06/25



D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
24	42	22 1/2	GS3HASHRD2442-	2,600	3,289	3,630	3,968
24	48	22 1/2	GS3HASHRD2448-	2,634	3,331	3,676	4,019
24	54	22 1/2	GS3HASHRD2454-	2,666	3,371	3,720	4,067
24	60	22 1/2	GS3HASHRD2460-	2,698	3,411	3,763	4,115
24	66	22 1/2	GS3HASHRD2466-	2,729	3,453	3,809	4,165
24	72	22 1/2	GS3HASHRD2472-	2,762	3,493	3,854	4,214
30	42	22 1/2	GS3HASHRD3042-	2,682	3,390	3,740	4,089
30	48	22 1/2	GS3HASHRD3048-	2,716	3,430	3,784	4,138
30	54	22 1/2	GS3HASHRD3054-	2,748	3,473	3,832	4,190
30	60	22 1/2	GS3HASHRD3060-	2,780	3,515	3,878	4,240
30	66	22 1/2	GS3HASHRD3066-	2,811	3,555	3,923	4,289
30	72	22 1/2	GS3HASHRD3072-	2,844	3,597	3,969	4,339
36	42	22 1/2	GS3HASHRD3642-	2,760	3,493	3,854	4,214
36	48	22 1/2	GS3HASHRD3648-	2,794	3,534	3,900	4,264
36	54	22 1/2	GS3HASHRD3654-	2,826	3,575	3,945	4,313
36	60	22 1/2	GS3HASHRD3660-	2,858	3,617	3,991	4,363
36	66	22 1/2	GS3HASHRD3666-	2,889	3,660	4,038	4,416
36	72	22 1/2	GS3HASHRD3672-	2,922	3,699	4,081	4,463

PRODUCT INFO

Top and t-base ordered separately.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD CHASSIS

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM CHASSIS

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	23 1/8	24	22 3/8	GS2LHAPD2424L-	1,809	2,467	2,723	2,977
	23 1/8	30	22 3/8	GS2LHAPD2430L-	1,934	2,638	2,911	3,183
	23 1/8	36	22 3/8	GS2LHAPD2436L-	2,060	2,808	3,099	3,388
	23 1/8	24	22 3/8	GS2LHAPD2424R-	1,809	2,467	2,723	2,977
	23 1/8	30	22 3/8	GS2LHAPD2430R-	1,934	2,638	2,911	3,183
	23 1/8	36	22 3/8	GS2LHAPD2436R-	2,060	2,808	3,099	3,388



PRODUCT INFO

T-base height adjustable not included.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **GRAIN DIRECTION**


LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **GRAIN DIRECTION**


HEIGHT ADJUSTABLE BASE

T-base


Silea
06/25

	for use with top sizes	D	W	H	model number	list
	22 x 40	21	36	26	BSHAT2142	3,398
	22 x 46	21	42	26	BSHAT2148	3,413
	22 x 52	21	48	26	BSHAT2154	3,434
	22 x 58	21	54	26	BSHAT2160	3,448
	22 x 64	21	60	26	BSHAT2166	3,469
	22 x 70	21	66	26	BSHAT2172	3,484

28/34 x 46	27	42	26	BSHAT2748	3,448
28/34 x 52	27	48	26	BSHAT2754	3,469
28/34 x 58	27	54	26	BSHAT2760	3,484
28/34 x 64	27	60	26	BSHAT2766	3,506
28/34 x 70	27	66	26	BSHAT2772	3,522



Base at lowest height setting



Base at tallest height setting

PRODUCT INFO

Tops and modesty panel ordered separately in modular tab.

Not TAA compliant unless ordered with a TAA compliant configurable end product.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **BASE COLOR**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	22	40	1 3/16	GS2CWA2240-	771	1,049	1,159	1,267
	22	46	1 3/16	GS2CWA2246-	842	1,148	1,268	1,386
	22	52	1 3/16	GS2CWA2252-	888	1,208	1,334	1,458
	22	58	1 3/16	GS2CWA2258-	964	1,313	1,450	1,585
	22	64	1 3/16	GS2CWA2264-	1,025	1,394	1,539	1,683
	22	70	1 3/16	GS2CWA2270-	1,142	1,559	1,721	1,881
	28	40	1 3/16	GS2CWA2840-	983	1,341	1,480	1,618
	28	46	1 3/16	GS2CWA2846-	1,035	1,411	1,558	1,704
	28	52	1 3/16	GS2CWA2852-	1,048	1,429	1,578	1,725
	28	58	1 3/16	GS2CWA2858-	1,061	1,445	1,595	1,744
	28	64	1 3/16	GS2CWA2864-	1,111	1,513	1,671	1,825
	28	70	1 3/16	GS2CWA2870-	1,169	1,592	1,757	1,921
	34	40	1 3/16	GS2CWA3440-	1,031	1,408	1,555	1,700
	34	46	1 3/16	GS2CWA3446-	1,087	1,482	1,636	1,788
	34	52	1 3/16	GS2CWA3452-	1,111	1,513	1,671	1,825
	34	58	1 3/16	GS2CWA3458-	1,133	1,543	1,704	1,862
	34	64	1 3/16	GS2CWA3464-	1,189	1,621	1,789	1,956
	34	70	1 3/16	GS2CWA3470-	1,253	1,707	1,884	2,060

PRODUCT INFO

Depth & width shortened two inches for height adjustable pinch points.

Wood tops optional grain standard.

Lam tops optional grain up to 60", over 60" long grain standard.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Center **GC**
Right **GR**
Left & Right **GB**
All **GA**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

- MODEL NUMBER + W**
- FSC**
- TOP WOOD FINISH + EDGE**
- TOP FINISH**
- GRAIN DIRECTION**
- GROMMET**



LAM TOP

- MODEL NUMBER + L**
- FSC**
- TOP LAM**
- GRAIN DIRECTION (up to 60")**
- GROMMET**

WALL MOUNT CANTILEVER BRACKET

Silea
06/25

D	W	H	model number	121
3 1/8	15 3/16	7 1/8	ACWCB15	253
For use with 24" tops to provide support on center as an alternative to a T-bracket.				
3 1/8	20 3/16	7 1/8	ACWCB20	271
For use with 24" tops to provide support on an end condition.				



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- LIST
1. MODEL NUMBER

MIXED MATERIAL TELESCOPING HEIGHT ADJUSTABLE
Modesty Panels

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3	metal
	3/4	58	10	GS2XMAMOD66-	693	880	972	1,064	684
	3/4	64	10	GS2XMAMOD72-	760	960	1,060	1,159	747
	3/4	70	10	GS2XMAMOD78-	825	1,002	1,106	1,209	814

• For use with Telescoping Height Adjustable Extensions

PRODUCT INFO

Grain Direction:

- Natural veneer:
Vertical
- Stratawood veneer:
Optional
- Laminate:
Horizontal

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD MODESTY	LAM MODESTY	METAL MODESTY
1. MODEL NUMBER + W	1. MODEL NUMBER + L	1. MODEL NUMBER + M
2. FSC	2. FSC	2. HARDWARE COLOR
3. CHASSIS WOOD FINISH	3. CHASSIS LAM	

	D	W	H	model number	pg
BASIC UP/DOWN KEYPAD				ACHAT-UD	84
				• Basic Up/Down control.	
MEMORY PRESET KEYPAD				ACHAT-MEM	103
				• 4 memory pre-set options allow the user to adjust their height to their preferred heights.	
PADDLE KEYPAD				ACHAT-PDL	153
				• Simple, aesthetic control with 1 memory pre-set option and reminder mode.	
BLUETOOTH APP CONTROL				ACHAT-BLUETOOTH	122
				• Bluetooth receiver can be paired with phone app to operate desk. • Can be used in combination with hand controller for multi-control option.	

PRODUCT INFO

**ONLY FOR USE WITH
CANTILEVER HEIGHT
ADJUSTABLE DESKS AT THIS
TIME**

Note: When purchased
separately without a configurable
TAA compliant end product, not
on GSA contract

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. MODEL NUMBER

Welcome Desk. 123-146

 Working with Welcome Desks 124-127

 Welcome Desk Typicals. 128-129

 Advanced Height Adjustable Welcome Desk 130-133

 Advanced Fixed Height Welcome Desk 134-135

 Fixed Height Welcome Desk 136-137

 Welcome Desk Shell 138-139

 Welcome Desk Bridge 140

 Welcome Desk Returns 141

 Welcome Desk Credenzas 142

 Waterfall Transaction Tops. 143

 Transaction Tops 144

 Welcome Desk Tackboard. 145

 In/Out Storage Unit 146

GALLERY PANELS

- Gallery Panels are constructed of 1 1/8" particleboard with 2mm edgebanding.
- All laminate gallery panels are made using HPL laminate. All panels greater than 60" in width will run horizontal grain.
- All veneer gallery panels are made using an engineered reconstituted (recon) veneer to provide a consistent matching grain pattern and color across adjoining gallery panels. The 2 types of recon veneer used are:
 - 1) A Recon veneer chosen as a close match to natural veneers which are used on tops/chassis. See below for recon to natural finish cross-reference:
 - Gallery panels with finish options starting with "EC" for Recon Cherry to be used with "NC" Natural Cherry tops/chassis.
 - Gallery panels with finish options starting with "ET" for Recon Walnut to be used with "NT" Natural Walnut tops/chassis.
 - Gallery panels with finish options starting with "EF" for Recon Rift Oak to be used with "RF" Natural Rift Oak tops/chassis.
 - 2) Stratawood veneer is also a reconstituted veneer in a straight grain pattern. Stratawood veneer is available on both gallery panels and tops/chassis so the same finish option can be carried through the entire office spec.
 - Stratawood is available in "SC" Cherry, "SE" Maple, "ST" Walnut, and "SF" Oak, "SB" Silver Oak, "SW" Washed Walnut veneers and finishes.

FINISH MATRIX SUMMARY

Gallery Panel Finish Code	Tops/Chassis Finish Code
EC Recon Cherry	NC Natural Cherry
ET Recon Walnut	NT Natural Walnut
EF Recon Rift Oak	RF Natural Rift Oak
SC Stratawood Cherry	SC Stratawood Cherry
SE Stratawood Maple	SE Stratawood Maple
ST Stratawood Walnut	ST Stratawood Walnut
SF Stratawood Oak	SF Stratawood Oak
SB Stratawood Silver Oak	SB Stratawood Silver Oak
SW Stratawood Washed Walnut	SW Stratawood Washed Walnut

WORKING WITH SILEA WELCOME DESKS

Freestanding:
Left Hand Desk



Extensions:
Left Hand Desk



Right Hand Desk



Right Hand Desk




Freestanding:
Left Hand Desk



Extensions:
Left Hand Desk



Right Hand Desk



Right Hand Desk




ADVANCED HEIGHT ADJUSTABLE WELCOME DESK

- Split top design provides matching grain on fixed and HAT desk surface.
- For use with waterfall transaction tops only. A waterfall transaction top must be ordered separately and is required (waterfall transaction top substructure included with desk is unfinished).
- Available as Extension Desks or Freestanding Desks.
- Extension desks not for freestanding applications. Must connect to adjoining fixed Welcome bridge or return. Gallery end panel includes boring for connecting to adjoining gallery panels. Includes integrated cantilever support panel for supporting bridge or return top. Must only be used with Welcome bridge or returns with gallery panels.
- Freestanding desks not for use in extension applications with bridges/returns.
- Fixed portion of top always includes left & right grommets. HAT portion of top has optional grommets.
- Available with shroud or 15W desk depth pedestal on conference end.
- Monitor arms should be mounted in HAT top grommets.
- Connecting end shroud includes removable access panel for wire management.


ADVANCED FIXED HEIGHT WELCOME DESK

- For use with waterfall transaction tops only. A waterfall transaction top must be ordered separately and is required (waterfall transaction top substructure included with desk is unfinished).
- Available as Extension Desks or Freestanding Desks.
- Extension desks not for freestanding applications. Must connect to adjoining fixed bridge or return. Gallery end panel includes boring for connecting to adjoining gallery panels. Must only be used with Welcome bridge or returns with gallery panels.
- Freestanding desks not for use in extension applications with bridges/returns.
- Grommets are optional.
- Available with end panel or 15W desk depth pedestal on conference end.



WELCOME DESK SHELL

- Available as Extension Desks or Freestanding Desks.
- Extension desks not for freestanding applications. Must connect to adjoining fixed bridge or return. Gallery end panel includes boring for connecting to adjoining gallery panels. Must only be used with Welcome bridge or returns with gallery panels.
- Freestanding desks not for use in extension applications with bridges/returns.
- Double desk configurations follow the same rules as extension vs. freestanding desks.
- Shell design allows for 30D/36D modular pedestals to be added.
- Specify appropriate desk for transaction top type to be used.
- Grommets are optional.




WELCOME DESK BRIDGE

- Connects to adjoining Welcome Desk and Welcome Credenzas with gallery panels.
- Worksurface-to-worksurface flat brackets included.
- Grommets are optional.

Left Hand



Right Hand




WELCOME DESK RETURNS

- Connects to adjoining Welcome Desk with gallery panels.
- Worksurface-to-worksurface flat brackets included.
- Shell design allows for 24D modular pedestals to be added.
- Grommets are optional.

WORKING WITH SILEA WELCOME DESKS

Left Hand




Right Hand



WELCOME DESK CREDENZAS

- Connects to adjoining Welcome Bridge with gallery panels.
- Not for freestanding applications. Gallery end panel includes boring for connecting to adjoining gallery panels.
- Shell design allows for 24D modular pedestals to be added.
- Grommets are optional.



WATERFALL TRANSACTION TOPS

- Mitered assembly.
- For use with Advanced Desks and Desk Shells that are for use with Waterfall Transaction Tops.




TRANSACTION TOPS

- Spans across 2 gallery panels.
- 3" guest overhang.
- Attaches to gallery panels with 9" black angle brackets, must be supported by gallery panels on each and across front.



WELCOME DESK TACKBOARD

- Height designed to sit below transaction top attachment brackets.
- To be set on worksurface and attached gallery panels using velcro.



IN/OUT STORAGE UNIT

- $\frac{3}{4}$ " panel construction.
- Center shelf adjustable on 5 hole pattern.
- Single sided access with full back panel.
- Set on worksurface with protective felt tape allows for easy relocation.

TYPICAL 1 — FREESTANDING DESK

Item	Model	Description	Quantity
A	GS2CPD2415-3W	GUN Mod Ped 24D x 15W-3 Wd	1
B	GS6GDR3072-WW	GUN Freestanding Desk Shell 30x72 Wd	1
C	GS6GDTT72-W	GUN Desk Transaction Top 15X72 Wd	1

**TYPICAL 2 — L STATION**

Item	Model	Description	Quantity
A	GS6GRT2448L-WW	GUN Return Shell LH 24x48 Wd	1
B	GS2CPD2430L-MFW	GUN Mod Ped 24D x 30W MF LH Wd	1
C	GS6GDR3072R-WW	GUN Handed Desk Shell RH 30x72 Wd	1
D	GS6GDTT72-W	GUN Desk Transaction Top 15X72 Wd	1

**TYPICAL 3 — U STATION**

Item	Model	Description	Quantity
A	S6GCR2472L-WW	GUN Credenza Shell LH 24x72 Wd	1
B	ACMWS41	GUN Acc Steel Wksf Support 41W	1
C	GS2CPD2415-2W	GUN Mod Ped 24D x 15W-2 Wd	1
D	GS2CPD2436-4W	GUN Mod Ped 24D x 36W-4 Wd	1
E	GS6GBG2454-WW	GUN Bridge Shell 24x54 Wd	1
F	GS6GDR3072R-WW	GUN Handed Desk Shell RH 30x72 Wd	1
G	GS6GDTT72-W	GUN Desk Transaction Top 15X72 Wd	1




TYPICAL 4 — DOUBLE FREESTANDING DESK

Item	Model	Description	Quantity
A	GS2CPD2415-2W	GUN Mod Ped 24D x 15W-2 Wd	1
B	GS2CPD2415-3W	GUN Mod Ped 24D x 15W-3 Wd	1
C	GS6GDR36144-WW	GUN Freestanding Desk Shell 36x144 Wd	1
D	GS6GDTT144-W	GUN Desk Transaction Top 15X144 Wd	1



TYPICAL 5 — ADVANCED FREESTANDING HAT DESK

Item	Model	Description	Quantity
A	GS6GDFA42102L-AWW	Advanced Freestnd Dsk HAT 42102 w/ -A Ped LH Wood	1
B	GS6GDXMT72-W	GUN Desk Transaction Waterfall 72 Wd	1



TYPICAL 6 — DOUBLE ADVANCED FIXED DESK

Item	Model	Description	Quantity
A	GS6GDFF42102L-AWW	Advanced FreestndDsk Fixed 42102 w/ -A Ped LH Wd	1
B	GS6GDFF42102R-AWW	Advanced FreestndDsk Fixed 42102 w/ -A Ped RH Wd	1
C	GS6GDXMT72-W	GUN Desk Transaction Waterfall 72 Wd	2



ADVANCED HEIGHT ADJUSTABLE WELCOME DESK


Extension

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
--	---	---	---	---------------------	----------	----------	----------	----------


LEFT HAND DESK



45	85	41	GS6GDXA4284L-	8,643	11,608	12,804	13,999
----	----	----	----------------------	-------	--------	--------	--------


A = 69.86"
B = 28"
C = 11.25"
D = 12.32"
E = 12.13"

RIGHT HAND DESK



45	85	41	GS6GDXA4284R-	8,643	11,608	12,804	13,999
----	----	----	----------------------	-------	--------	--------	--------

A = 69.86"
B = 28"
C = 11.25"
D = 12.32"
E = 12.13"



PRODUCT INFO

Separate countertop must be specified.

29.5" to 42.5" height adjustment range.

All units shipped as separate packages and require field assembly.

Grommet Location

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

No upcharge for "Empty Cutout" option.

(Add +\$254 per additional grommet)

Fixed Top always has Left & Right grommets.

Left	GL
Right	GR
Left & Right	GB

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- GALLERY PANEL WOOD FINISH**
- TOP FINISH**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**


UDP71
MEMP71
PDL71

NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

ADVANCED HEIGHT ADJUSTABLE WELCOME DESK

Extension with Pedestal


	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND DESK	45	103	41	GS6GDXA42102L-A ☐	11,230	15,185	16,750	18,314




A = 69.84"
B = 28"
C = 11.24"
D = 12.32"
E = 30.13"

RIGHT HAND DESK

45	103	41	GS6GDXA42102R-A ☐	11,230	15,185	16,750	18,314
----	-----	----	---	--------	--------	--------	--------



A = 69.84"
B = 28"
C = 11.24"
D = 12.32"
E = 30.13"



PRODUCT INFO

Separate countertop must be specified.

29.5" to 42.5" height adjustment range.

 All units shipped as separate packages and require field assembly.

Grommet Location

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

No upcharge for "Empty Cutout" option.

(Add +\$254 per additional grommet)

Fixed Top always has Left & Right grommets.

Left	GL
Right	GR
Left & Right	GB

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- GALLERY PANEL WOOD FINISH**
- TOP FINISH**
- PULL**
- DRAWERS**
- HAT KEYPAD & BASE COLOR**
- GROMMET**
- KEYING**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- PULL**
- DRAWERS**
- HAT KEYPAD & BASE COLOR**
- GROMMET**
- KEYING**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDL71

NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

ADVANCED HEIGHT ADJUSTABLE WELCOME DESK


Freestanding

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
--	---	---	---	---------------------	----------	----------	----------	----------


LEFT HAND DESK



41	85	41	GS6GDFA4284L- []	8,641	11,383	12,557	13,729
----	----	----	--------------------------	-------	--------	--------	--------


A = 69.84"
B = 28"
C = 11.24"
D = 12.32"
E = 12.13"

RIGHT HAND DESK



41	85	41	GS6GDFA4284R- []	8,641	11,383	12,557	13,729
----	----	----	--------------------------	-------	--------	--------	--------

A = 69.84"
B = 28"
C = 11.24"
D = 12.32"
E = 12.13"



PRODUCT INFO

Separate countertop must be specified.

29.5" to 42.5" height adjustment range.

 All units shipped as separate packages and require field assembly.

Grommet Location

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

No upcharge for "Empty Cutout" option.

(Add +\$254 per additional grommet)

Fixed Top always has Left & Right grommets.

Left	GL
Right	GR
Left & Right	GB

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- GALLERY PANEL WOOD FINISH**
- TOP FINISH**
- PULL**
- DRAWERS**
- HAT KEYPAD & BASE COLOR**
- GROMMET**
- KEYING**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- PULL**
- DRAWERS**
- HAT KEYPAD & BASE COLOR**
- GROMMET**
- KEYING**

UDP71
MEMP71
PDL71

NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

ADVANCED HEIGHT ADJUSTABLE WELCOME DESK

Freestanding with Pedestal

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
--	---	---	---	---------------------	----------	----------	----------	----------


LEFT HAND DESK



41	103	41	GS6GDFA42102L-A []	11,228	14,960	16,503	18,043
----	-----	----	----------------------------	--------	--------	--------	--------


A = 69.84"
B = 28"
C = 11.24"
D = 12.32"
E = 30.13"

RIGHT HAND DESK



41	103	41	GS6GDFA42102R-A []	11,228	14,960	16,503	18,043
----	-----	----	----------------------------	--------	--------	--------	--------

A = 69.84"
B = 28"
C = 11.24"
D = 12.32"
E = 30.13"



PRODUCT INFO

Separate countertop must be specified.

29.5" to 42.5" height adjustment range.

 All units shipped as separate packages and require field assembly.

Grommet Location

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

No upcharge for "Empty Cutout" option.

(Add +\$254 per additional grommet)

Fixed Top always has Left & Right grommets.

Left **GL**
Right **GR**
Left & Right **GB**

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- GALLERY PANEL WOOD FINISH**
- TOP FINISH**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

UDP71
MEMP71
PDL71


NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

ADVANCED FIXED HEIGHT WELCOME DESK

Extension

Silea
06/25


	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 2
LEFT HAND DESK	42	85	41	GS6GDXF4284L- []	5,355	7,225	7,970	8,714




A = 84"
B = 42"
C = 11.25"
D = 12.32"

RIGHT HAND DESK

42	85	41	GS6GDXF4284R- []	5,355	7,225	7,970	8,714
----	----	----	--------------------------	-------	-------	-------	-------



A = 84"
B = 42"
C = 11.25"
D = 12.32"



PRODUCT INFO

Separate countertop must be specified.

Grommet Location

(Add \$87 per grommet)

No Grommet	GN
Left	GL
Right	GR
Left & Right	GB

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- GALLERY PANEL WOOD FINISH**
- TOP FINISH**
- GROMMET**

LAM TOP, LAM CHASSIS


- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- GROMMET**

NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

ADVANCED FIXED HEIGHT WELCOME DESK

Extension with Pedestal


	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 2
LEFT HAND DESK	42	103	41	GS6GDXF42102L-A	7,942	11,011	12,146	13,280




A = 102"
B = 42"
C = 11.25"
D = 12.32"

RIGHT HAND DESK

42	103	41	GS6GDXF42102R-A	7,942	11,011	12,146	13,280
----	-----	----	-----------------	-------	--------	--------	--------



A = 102"
B = 42"
C = 11.25"
D = 12.32"



PRODUCT INFO

Separate countertop must be specified.

Grommet Location
(Add \$87 per grommet)

No Grommet	GN
Left	GL
Right	GR
Left & Right	GB

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. MODEL NUMBER + WW
2. FSC
3. TOP WOOD FINISH + EDGE
4. CHASSIS WOOD FINISH
5. GALLERY PANEL WOOD FINISH
6. TOP FINISH
7. PULL
8. DRAWERS
9. GROMMET
10. KEYING

LAM TOP, LAM CHASSIS


1. MODEL NUMBER + LL
2. FSC
3. TOP LAM
4. CHASSIS LAM
5. EDGE DETAIL
6. PULL
7. DRAWERS
8. GROMMET
9. KEYING

NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.


FIXED HEIGHT WELCOME DESK

Freestanding


Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND DESK	42	85	41	GS6GDFF4284L- 	5,355	7,225	7,970	8,714

A = 84"
B = 42"
C = 11.25"
D = 12.32"

RIGHT HAND DESK	42	85	41	GS6GDFF4284R- 	5,355	7,225	7,970	8,714
------------------------	----	----	----	--	-------	-------	-------	-------

A = 84"
B = 42"
C = 11.25"
D = 12.32"



PRODUCT INFO

Separate countertop must be specified.

Grommet Location

(Add \$87 per grommet)

No Grommet	GN
Left	GL
Right	GR
Left & Right	GB

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- GALLERY PANEL WOOD FINISH**
- TOP FINISH**
- GROMMET**


LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- GROMMET**

NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.


FIXED HEIGHT WELCOME DESK
Freestanding with Pedestal

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND DESK	42	103	41	GS6GDFF42102L-A	7,942	11,011	12,146	13,280




A = 102"
B = 42"
C = 11.25"
D = 12.32"

RIGHT HAND DESK	42	103	41	GS6GDFF42102R-A	7,942	11,011	12,146	13,280
-----------------	----	-----	----	-----------------	-------	--------	--------	--------



A = 102"
B = 42"
C = 11.25"
D = 12.32"



PRODUCT INFO

Separate countertop must be specified.

Grommet Location
(Add \$87 per grommet)

No Grommet	GN
Left	GL
Right	GR
Left & Right	GB

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. MODEL NUMBER + WW
2. FSC
3. TOP WOOD FINISH + EDGE
4. CHASSIS WOOD FINISH
5. GALLERY PANEL WOOD FINISH
6. TOP FINISH
7. PULL
8. GROMMET
9. KEYING

LAM TOP, LAM CHASSIS

1. MODEL NUMBER + LL
2. FSC
3. TOP LAM
4. CHASSIS LAM
5. EDGE DETAIL
6. PULL
7. GROMMET
8. KEYING



NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

WELCOME DESK SHELL

Freestanding

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
 GS6GDR3072	31 1/4	74 1/2	41 1/4	GS6GDR3072-	4,435	5,912	6,523	7,131
	37 1/4	74 1/2	41 1/4	GS6GDR3672-	4,695	6,244	6,889	7,532
	37 1/4	86 1/2	41 1/4	GS6GDR3684-	5,325	7,038	7,764	8,489
	31 1/4	146 1/2	41 1/4	GS6GDR30144-	7,446	10,371	11,441	12,509
	37 1/4	146 1/2	41 1/4	GS6GDR36144-	7,772	10,800	11,914	13,026
 GS6GDR36168	37 1/4	170 1/2	41 1/4	GS6GDR36168-	8,992	12,336	13,607	14,878
	31 1/4	74 1/2	41 1/4	GS6GDTR3072-	4,435	5,912	6,523	7,131
	37 1/4	74 1/2	41 1/4	GS6GDTR3672-	4,695	6,244	6,889	7,532

• For use with standard transaction tops or with no transaction top. NOT for use with waterfall transaction tops.

- For use with Waterfall Transaction Top only.
- Add only L or W to end of model number for these two models.

PRODUCT INFO

Wood tops long grain.
Laminate tops long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet for widths 72"-84", \$170 per grommet for widths 144"-168")

No Grommet **GN**

Center **GC**

Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.




TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **GALLERY PANEL WOOD FINISH**
6. **TOP FINISH**
7. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **GROMMET**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 2
LEFT HAND 	31 1/4	74 1/2	41 1/4	GS6GDR3072L-	4,435	5,912	6,523	7,131
	37 1/4	74 1/2	41 1/4	GS6GDR3672L-	4,695	6,244	6,889	7,532
	37 1/4	86 1/2	41 1/4	GS6GDR3684L-	5,325	7,038	7,764	8,489
	• For use with standard transaction tops or with no transaction top. NOT for use with waterfall transaction tops.							
	31 1/4	74 1/2	41 1/4	GS6GDTR3072L-	4,435	5,912	6,523	7,131
	37 1/4	74 1/2	41 1/4	GS6GDTR3672L-	4,695	6,244	6,889	7,532
RIGHT HAND 	31 1/4	74 1/2	41 1/4	GS6GDR3072R-	4,435	5,912	6,523	7,131
	37 1/4	74 1/2	41 1/4	GS6GDR3672R-	4,695	6,244	6,889	7,532
	37 1/4	86 1/2	41 1/4	GS6GDR3684R-	5,325	7,038	7,764	8,489
	• For use with standard transaction tops or with no transaction top. NOT for use with waterfall transaction tops.							
	31 1/4	74 1/2	41 1/4	GS6GDTR3072R-	4,435	5,912	6,523	7,131
	37 1/4	74 1/2	41 1/4	GS6GDTR3672R-	4,695	6,244	6,889	7,532
LEFT AND RIGHT HAND 	31 1/4	146 1/2	41 1/4	GS6GDR30144LR-	7,446	10,371	11,441	12,509
	37 1/4	146 1/2	41 1/4	GS6GDR36144LR-	7,772	10,800	11,914	13,026
	37 1/4	170 1/2	41 1/4	GS6GDR36168LR-	8,992	12,336	13,607	14,878
	• For use with standard transaction tops or with no transaction top. NOT for use with waterfall transaction tops.							

PRODUCT INFO

Wood tops long grain.
Laminate tops long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet for widths 72"-84", \$170 per grommet for widths 144"-168")

No Grommet **GN**

Center **GC**

Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **GALLERY PANEL WOOD FINISH**
6. **TOP FINISH**
7. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **GROMMET**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	25	48	41 1/4	GS6GBG2448-	2,010	2,413	2,662	2,911
	25	54	41 1/4	GS6GBG2454-	2,289	2,596	2,865	3,131
	25	60	41 1/4	GS6GBG2460-	2,445	2,786	3,075	3,362

PRODUCT INFO

Wood tops short grain standard. Lam tops short grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **GALLERY PANEL WOOD FINISH**
5. **TOP FINISH**
6. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **GROMMET**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	25 1/4	49 1/4	41 1/4	GS6GRT2448L-	2,903	3,740	4,126	4,511
	25 1/4	55 1/4	41 1/4	GS6GRT2454L-	3,046	3,924	4,330	4,734
	25 1/4	61 1/4	41 1/4	GS6GRT2460L-	3,196	4,118	4,543	4,967
RIGHT HAND 	25 1/4	49 1/4	41 1/4	GS6GRT2448R-	2,903	3,740	4,126	4,511
	25 1/4	55 1/4	41 1/4	GS6GRT2454R-	3,046	3,924	4,330	4,734
	25 1/4	61 1/4	41 1/4	GS6GRT2460R-	3,196	4,118	4,543	4,967

PRODUCT INFO

Wood tops short grain standard. Lam tops short grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **GALLERY PANEL WOOD FINISH**
5. **TOP FINISH**
6. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **GROMMET**

	H	W	D	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	25 1/4	74 1/2	41 1/4	GS6GCR2472L-	4,388	5,643	6,226	6,806
	25 1/4	80 1/2	41 1/4	GS6GCR2478L-	4,575	5,879	6,486	7,091
	25 1/4	86 1/2	41 1/4	GS6GCR2484L-	4,757	6,113	6,744	7,374
RIGHT HAND 	25 1/4	74 1/2	41 1/4	GS6GCR2472R-	4,388	5,643	6,226	6,806
	25 1/4	80 1/2	41 1/4	GS6GCR2478R-	4,575	5,879	6,486	7,091
	25 1/4	86 1/2	41 1/4	GS6GCR2484R-	4,757	6,113	6,744	7,374

• Flat brackets ordered separately (model #MDWBRK)

PRODUCT INFO

All tops long grain.

 Units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**
 Left & Right **GB**
 Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD TOP, WOOD CHASSIS

- 1. MODEL NUMBER + WW**
- 2. FSC**
- 3. TOP WOOD FINISH + EDGE**
- 4. TOP FINISH**
- 5. GROMMET**

LAM TOP, LAM CHASSIS

- 1. MODEL NUMBER + LL**
- 2. FSC**
- 3. TOP LAM**
- 4. CHASSIS LAM**
- 5. EDGE DETAIL**
- 6. GROMMET**

WATERFALL TRANSACTION TOPS

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 2	solid surface
	12 1/2	74	41 1/2	GS6GDXMT72- []	1,401	1,747	1,928	2,108	12,049
For use with: Advanced HAT Welcome Desk Advanced Fixed Welcome Desk Welcome Desk Shell Welcome Desk Extension									

PRODUCT INFO

Top thickness:
Wood 1 3/16"
Laminate 1 3/16"
Solid Surface 1 1/4"
Top includes inserts for
connection to base.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **FINISH**
4. **TOP FINISH**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **FINISH**

SOLID SURFACE TOP

1. **MODEL NUMBER + S**
2. **FINISH**

Example

GS6GDXMT72-W.X.NC260.OP			
GS6GDXMT72-W	X	NC260	OP
MODEL NUMBER + TYPE	FSC	FINISH	TOP FINISH

TRANSACTION TOPS

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3	solid surface
 GS6GDTT72	15	74 ³ / ₄	1	GS6GDTT72-	726	1,364	1,506	1,646	4,533
	15	86 ³ / ₄	1	GS6GDTT84-	745	1,217	1,343	1,469	5,005
 GS6GDTT168	15	146 ³ / ₄	1	GS6GDTT144-	935	1,573	1,737	1,899	7,875
	15	170 ³ / ₄	1	GS6GDTT168-	984	1,776	1,961	2,144	9,024

PRODUCT INFO

Top thickness:
Wood 1 ³/₁₆"
Laminate 1 ³/₁₆"
Solid Surface 1 ¹/₄"
Top includes inserts for
connection to base.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

- MODEL NUMBER + W**
- FSC**
- FINISH**
- TOP FINISH**

LAM TOP


- MODEL NUMBER + L**
- FSC**
- FINISH**

SOLID SURFACE TOP

- MODEL NUMBER + S**
- FINISH**

Example

GS6GDTT72-W.X.NC260.OP			
GS6GDTT72-W	X	NC260	OP
MODEL NUMBER + TYPE	FSC	FINISH	TOP FINISH


fabric grades									
	D	W	H	yards	model number	1	2	3	COM/4
ADVANCED DESK APPLICATION 	1	70	11 3/8		GS6GXTK72	1,005	1,057	1,107	1,160
DESK OR CREDENZA APPLICATION 	1	72	12		GS6GTK72	1,005	1,057	1,107	1,160
	1	78	12		GS6GTK78	1,035	1,094	1,151	1,206
	1	84	12		GS6GTK84	1,065	1,129	1,191	1,254
	1	144	12		GS6GTK144	1,897	1,999	2,102	2,203
	1	168	12		GS6GTK168	2,019	2,145	2,268	2,393
RETURN APPLICATION 	1	71	12		GS6GTK71R	1,005	1,057	1,107	1,160
	1	77	12		GS6GTK77R	1,035	1,094	1,151	1,206
	1	83	12		GS6GTK83R	1,065	1,129	1,191	1,254
	1	89	12		GS6GTK89R	1,096	1,160	1,222	1,285
	1	94	12		GS6GTK94R	1,123	1,192	1,261	1,328
	1	95	12		GS6GTK95R	1,123	1,192	1,261	1,328
	1	100	12		GS6GTK100R	1,573	1,649	1,721	1,795
	1	106	12		GS6GTK106R	1,635	1,717	1,795	1,874
	1	112	12		GS6GTK112R	1,696	1,781	1,861	1,942
	1	118	12		GS6GTK118R	1,757	1,849	1,939	2,030
	1	124	12		GS6GTK124R	1,817	1,915	2,011	2,107
	1	130	12		GS6GTK130R	1,879	1,981	2,084	2,185

PRODUCT INFO

100"-130" wide tackboards are 2 piece.
For use with Silea Welcome Desks.
70" wide tackboard for use within Advanced Desk cubby space.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- LIST
- 1. MODEL NUMBER
 - 2. FABRIC
 - 3. FSC TACKBOARDS
- FSC Tackboard Options
FSC = FSC Required (5% COM upcharge)
NR = FSC Not Required



D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3	solid surface/ veneer 1	solid surface/ veneer 2	solid surface/ veneer 3
15	23 ³ / ₄	12 ⁵ / ₁₆	GS6MB24SS-	1,148	1,402	1,543	1,683	2,242	2,468	2,692

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + WW**
2. **FSC**
3. **FINISH**
4. **TOP FINISH**

LAM TOP

1. **MODEL NUMBER + LL**
2. **FSC**
3. **FINISH**

SOLID SURFACE TOP

1. **MODEL NUMBER + WS**
2. **FSC**
3. **WOOD FINISH**
4. **SOLID SURFACE FINISH**

Example

GS6MBS24SS-W.X.NC260.OP			
GS6MBS24SS-W	X	NC260	OP
MODEL NUMBER + TYPE	FSC	FINISH	TOP FINISH

Modular Caseloads 147-201

Desk Worksurface 148-151

Desk Pedestals 152-153

Desk Legs 154-158

Desk | Runoff Modesty Panel. 159-164

24 & 30 Depth Worksurfaces. 165-166

24 & 30 Depth Pedestals. 167-181

Modular End Panel 182

Modular L Supports 183

Support & Ped Backs 184-194

Layers W/ Laptop Drawer 195

Round Tops 196

Guitar Pick Top 197

Layers Box & Brackets. 198-200

Modular Pedestal Cushion. 201

MODULAR DESK WORKSURFACE

Rectangular

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	30	42	1 3/16	GS2DWRR3042- ☐	983	1,341	1,480	1,618
	30	48	1 3/16	GS2DWRR3048- ☐	1,035	1,411	1,558	1,704
	30	54	1 3/16	GS2DWRR3054- ☐	1,048	1,429	1,578	1,725
	30	60	1 3/16	GS2DWRR3060- ☐	1,061	1,445	1,595	1,744
	30	66	1 3/16	GS2DWRR3066- ☐	1,111	1,513	1,671	1,825
	30	72	1 3/16	GS2DWRR3072- ☐	1,169	1,592	1,757	1,921
	30	78	1 3/16	GS2DWRR3078- ☐	1,250	1,704	1,880	2,056
	30	84	1 3/16	GS2DWRR3084- ☐	1,338	1,825	2,015	2,202
	30	90	1 3/16	GS2DWRR3090- ☐	1,425	1,916	2,115	2,313
	30	96	1 3/16	GS2DWRR3096- ☐	1,496	2,012	2,220	2,427

• Flat brackets ordered separately (model #MDWBRK)

	36	42	1 3/16	GS2DWRR3642- ☐	1,031	1,408	1,555	1,700
	36	48	1 3/16	GS2DWRR3648- ☐	1,087	1,482	1,636	1,788
	36	54	1 3/16	GS2DWRR3654- ☐	1,111	1,513	1,671	1,825
	36	60	1 3/16	GS2DWRR3660- ☐	1,133	1,543	1,704	1,862
	36	66	1 3/16	GS2DWRR3666- ☐	1,189	1,621	1,789	1,956
	36	72	1 3/16	GS2DWRR3672- ☐	1,253	1,707	1,884	2,060
	36	78	1 3/16	GS2DWRR3678- ☐	1,341	1,827	2,017	2,205
	36	84	1 3/16	GS2DWRR3684- ☐	1,435	1,957	2,160	2,362
	36	90	1 3/16	GS2DWRR3690- ☐	1,527	2,053	2,266	2,477
	36	96	1 3/16	GS2DWRR3696- ☐	1,604	2,156	2,380	2,602

• Flat brackets ordered separately (model #MDWBRK)

NOTE: Desks and Extensions without a full modesty panel and an unsupported area of 48" and greater require a steel worksurface support.

PRODUCT INFO

Wood tops optional grain direction.

Lam tops optional grain up to 60", above 60" long grain standard.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

- MODEL NUMBER + W**
- FSC**
- TOP WOOD FINISH + EDGE**
- TOP FINISH**
- GRAIN DIRECTION**
- GROMMET**

LAM TOP

- MODEL NUMBER + L**
- FSC**
- TOP LAM**
- GRAIN DIRECTION (up to 60")**
- EDGE DETAIL**
- GROMMET**



D	W	H	model number + type	lamine	veneer 1	veneer 2	veneer 3
36	72	1 3/16	GS2DWA3672-	1,566	2,137	2,359	2,578
36	84	1 3/16	GS2DWA3684-	1,793	2,446	2,700	2,952

• Flat brackets ordered separately (model #MDWBRK)

42	72	1 3/16	GS2DWA4272-	1,754	2,392	2,639	2,885
42	84	1 3/16	GS2DWA4284-	2,008	2,739	3,022	3,304

• Flat brackets ordered separately (model #MDWBRK)

NOTE: Desks and Extensions without a full modesty panel and an unsupported area of 48" and greater require a steel worksurface support.

PRODUCT INFO

Wood tops optional grain direction.
Lam tops long grain standard.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

- 1. MODEL NUMBER + W**
- 2. FSC**
- 3. TOP WOOD FINISH + EDGE**
- 4. TOP FINISH**
- 5. GRAIN DIRECTION**
- 6. GROMMET**

LAM TOP

- 1. MODEL NUMBER + L**
- 2. FSC**
- 3. TOP LAM**
- 4. GROMMET**

MODULAR DESK WORKSURFACE

Racetrack

Silea

06/25



D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30	66	1 3/16	GS2DWRT3066L-	1,388	1,891	2,087	2,281
30	72	1 3/16	GS2DWRT3072L-	1,460	1,991	2,197	2,402

• Flat brackets ordered separately (model #MDWBRK)

30	66	1 3/16	GS2DWRT3066R-	1,388	1,891	2,087	2,281
30	72	1 3/16	GS2DWRT3072R-	1,460	1,991	2,197	2,402

• Flat brackets ordered separately (model #MDWBRK)

NOTE: Desks and Extensions without a full modesty panel and an unsupported area of 48" and greater require a steel worksurface support.

PRODUCT INFO

Wood tops optional grain direction.

Lam tops optional grain up to 60", above 60" long grain standard.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **GRAIN DIRECTION**
6. **GROMMET**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **GRAIN DIRECTION (up to 60")**
5. **GROMMET**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
b SHAPE	42	72	1 3/16	GS2DWB4272- 	2,392	3,267	3,605	3,941

- Flat brackets ordered separately (model #MDWBRK)

d SHAPE	42	72	1 3/16	GS2DWD4272- 	2,392	3,267	3,605	3,941
----------------	----	----	--------	--	-------	-------	-------	-------

- Flat brackets ordered separately (model #MDWBRK)

NOTE: Desks and Extensions without a full modesty panel and an unsupported area of 48" and greater require a steel worksurface support.

PRODUCT INFO

Wood tops optional grain direction.

Lam tops long grain standard.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **GRAIN DIRECTION**
6. **GROMMET**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **GROMMET**

MODULAR DESK PEDESTALS

30" & 36"D | Left and Right Hand | w/o Back Panel

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" DEPTH 9" WIDTH								
 Box/Box/File	29 7/8	9 7/16	27 7/8	GS2DPD309-3S 	1,794	2,269	2,505	2,739
 File/File	29 7/8	9 7/16	27 7/8	GS2DPD309-2S 	1,794	2,269	2,505	2,739
30" DEPTH 15" WIDTH								
 	29 7/8	15	27 7/8	GS2DPD3015-3 	1,794	2,270	2,506	2,740
 	29 7/8	15	27 7/8	GS2DPD3015-2 	1,794	2,270	2,506	2,740
36" DEPTH 9" WIDTH								
 Box/Box/File	35 7/8	9 7/16	27 7/8	GS2DPD369-3S 	1,916	2,426	2,678	2,928
 File/File	35 7/8	9 7/16	27 7/8	GS2DPD369-2S 	1,916	2,426	2,678	2,928
36" DEPTH 15" WIDTH								
 	35 7/8	15	27 7/8	GS2DPD3615-3 	2,120	2,684	2,961	3,238
 	35 7/8	15	27 7/8	GS2DPD3615-2 	2,120	2,684	2,961	3,238

PRODUCT INFO

No kneewell cutout.
No pedestal back included.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" DEPTH  Left hand	29 7/8	9 7/16	27 7/8	GS2DPD309L-XN 	986	1,250	1,380	1,509
	29 7/8	9 7/16	27 7/8	GS2DPD309R-XN 	986	1,250	1,380	1,509
	29 7/8	15	27 7/8	GS2DPD3015L-XN 	1,038	1,863	2,057	2,248
	29 7/8	15	27 7/8	GS2DPD3015R-XN 	1,038	1,863	2,057	2,248
	35 7/8	9 7/16	27 7/8	GS2DPD369L-XN 	1,029	1,302	1,438	1,572
	35 7/8	9 7/16	27 7/8	GS2DPD369R-XN 	1,029	1,302	1,438	1,572
36" DEPTH  Right hand	35 7/8	15	27 7/8	GS2DPD3615L-XN 	1,115	1,409	1,556	1,701
	35 7/8	15	27 7/8	GS2DPD3615R-XN 	1,115	1,409	1,556	1,701

PRODUCT INFO

Removable back panel included.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. MODEL NUMBER + W
2. FSC
3. CHASSIS WOOD FINISH


LAM CHASSIS

1. MODEL NUMBER + L
2. FSC
3. CHASSIS LAM

MODULAR DESK PANEL LEGS

Post | Post w/ Casters | Hoop

Silea
06/25

	D	W	H	model number	list price
 Post	23 7/8	3	27 7/8	GS2DSL24-N	1,232
	29 7/8	3	27 7/8	GS2DSL30-N	1,271
	35 7/8	3	27 7/8	GS2DSL36-N	1,310
 Post w/casters	23 7/8	3	27 7/8	GS2DSL24-NST	1,504
	29 7/8	3	27 7/8	GS2DSL30-NST	1,546
	35 7/8	3	27 7/8	GS2DSL36-NST	1,583
 Hoop	23 7/8	3	27 7/8	GS2DSL24-H	1,371
	29 7/8	3	27 7/8	GS2DSL30-H	1,412
	35 7/8	3	27 7/8	GS2DSL36-H	1,453

PRODUCT INFO

24" depth panel legs to be used with 24" depth worksurfaces only.
30" depth panel legs to be used with 30" depth worksurfaces only.
36" depth panel legs to be used with 36" depth worksurfaces only.
Legs made out of aluminum.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **HARDWARE COLOR**

	D	W	H	model number	list
 Hoop w/glass insert	23 7/8	3	27 7/8	GS2DSL24-G	2,398
	29 7/8	3	27 7/8	GS2DSL30-G	2,781
	35 7/8	3	27 7/8	GS2DSL36-G	3,076



PRODUCT INFO

24" depth panel legs to be used with 24" depth worksurfaces only.
30" depth panel legs to be used with 30" depth worksurfaces only.
36" depth panel legs to be used with 36" depth worksurfaces only.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- GLASS INSERT
- 1. **MODEL NUMBER**
 - 2. **HARDWARE COLOR**
 - 3. **GLASS COLOR**

MODULAR DESK PANEL LEGS

Steel Hoop | Open

Silea
06/25

	D	W	H	model number	part number
 Steel hoop	23 7/8	3	27 7/8	GS2DHL24-H	737
	29 7/8	3	27 7/8	GS2DHL30-H	797
	35 7/8	3	27 7/8	GS2DHL36-H	857



PRODUCT INFO

24" depth panel legs to be used with 24" depth worksurfaces only.

30" depth panel legs to be used with 30" depth worksurfaces only.

36" depth panel legs to be used with 36" depth worksurfaces only.

Leg made out of steel.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **HARDWARE COLOR**

	D	W	H	model number	Qty
 Angled	3	3	27 7/8	GS2ALEG-A	451
 Vertical	3	3	27 7/8	GS2VLEG-A	451
 Trapezoid Column	5	3	27 7/8	GS2COLUMN	1,199
 Round Column	3	3	27 7/8	GS2RNDCOLUMN	526



Angled leg



Vertical



Trapezoid Column

PRODUCT INFO

Each model is qty 1.
Column leg cannot be used
in freestanding applications.
It must be used in adjoining
units.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

- 1. **MODEL NUMBER**
- 2. **HARDWARE COLOR**

	D	W	H	model number	qty
	3	3	27 7/8	GS2SRNCLEG-W	922



PRODUCT INFO

Only for use on 30" and 36" deep tops.
Not for use on 24" deep tops.
Not for use with grommet specified over leg.
Model is qty 1.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- LIST
- 1. **MODEL NUMBER**
 - 2. **FSC**
 - 3. **WOOD FINISH**

MODULAR DESK | RUNOFF MODESTY PANEL
10" high for 9" Pedestals and Panel Legs

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	3/4	38	10	GS2DMPH39- []	440	554	613	670
	3/4	41	10	GS2DMPH42- []	455	576	637	696
	3/4	44	10	GS2DMPH45- []	474	597	660	721
	3/4	47	10	GS2DMPH48- []	524	661	730	798
	3/4	50	10	GS2DMPH51- []	543	684	755	826
	3/4	53	10	GS2DMPH54- []	556	704	778	851
	3/4	56	10	GS2DMPH57- []	577	725	801	876
	3/4	59	10	GS2DMPH60- []	616	779	861	941
	3/4	62	10	GS2DMPH63- []	634	802	887	969
	3/4	65	10	GS2DMPH66- []	650	824	911	995
	3/4	68	10	GS2DMPH69- []	684	866	957	1,046
	3/4	71	10	GS2DMPH72- []	711	899	993	1,086

NOTE: For modesty width calculation, subtract pedestal width or 3" for panel legs from the width of the worksurface.

PRODUCT INFO	TO ORDER PLEASE SPECIFY THE FOLLOWING:
	WOOD CHASSIS
	LAM CHASSIS
	1. MODEL NUMBER + W
	1. MODEL NUMBER + L
	2. FSC
	2. FSC
	3. CHASSIS WOOD FINISH
	3. CHASSIS LAM

MODULAR DESK | RUNOFF MODESTY PANEL

10" high for 15" Pedestals

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	3/4	24	10	GS2DMPA24-	397	500	552	603
	3/4	27	10	GS2DMPA27-	404	511	566	618
	3/4	30	10	GS2DMPA30-	411	523	579	633
	3/4	33	10	GS2DMPA33-	420	725	801	876
	3/4	36	10	GS2DMPA36-	427	771	853	932
	3/4	39	10	GS2DMPA39-	438	732	809	884
	3/4	42	10	GS2DMPA42-	455	576	637	696
	3/4	45	10	GS2DMPA45-	472	597	660	721
	3/4	48	10	GS2DMPA48-	524	661	730	798
	3/4	51	10	GS2DMPA51-	540	684	755	826
	3/4	54	10	GS2DMPA54-	559	704	778	851
	3/4	57	10	GS2DMPA57-	575	725	801	876
	3/4	60	10	GS2DMPA60-	616	779	861	941
	3/4	63	10	GS2DMPA63-	634	802	887	969
	3/4	66	10	GS2DMPA66-	652	824	911	995
	3/4	69	10	GS2DMPA69-	684	866	957	1,046
	3/4	72	10	GS2DMPA72-	710	899	993	1,086

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS


- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM CHASSIS

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

DOUBLE PED BREAKFRONT MODESTY
For 9" and 15" Pedestals

	D	W	H	model number + type	lamine	veneer 1	veneer 2	veneer 3
FOR 15" PED 	³ / ₄	60	27 ⁷ / ₈	GS2DDMF1560- 	1,118	1,414	1,561	1,707
	³ / ₄	66	27 ⁷ / ₈	GS2DDMF1566- 	1,202	1,521	1,680	1,836
	³ / ₄	72	27 ⁷ / ₈	GS2DDMF1572- 	1,285	1,626	1,795	1,962
	³ / ₄	78	27 ⁷ / ₈	GS2DDMF1578- 	1,370	1,734	1,914	2,093
	³ / ₄	84	27 ⁷ / ₈	GS2DDMF1584- 	1,450	1,838	2,029	2,218
	³ / ₄	90	27 ⁷ / ₈	GS2DDMF1590- 	1,546	1,929	2,129	2,328
	³ / ₄	96	27 ⁷ / ₈	GS2DDMF1596- 	1,625	2,025	2,235	2,444



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- WOOD CHASSIS

 - 1. **MODEL NUMBER + W**
 - 2. **FSC**
 - 3. **CHASSIS WOOD FINISH**
- LAM CHASSIS



 - 1. **MODEL NUMBER + L**
 - 2. **FSC**
 - 3. **CHASSIS LAM**


SINGLE PED BREAKFRONT MODESTY

For 9" and 15" Pedestals

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
FOR 30D X 15" PED								
 Left hand	29 7/8	60	27 7/8	GS2SDMF1560L- 	1,505	1,906	2,104	2,301
	29 7/8	66	27 7/8	GS2SDMF1566L- 	1,586	2,010	2,218	2,425
	29 7/8	72	27 7/8	GS2SDMF1572L- 	1,666	2,111	2,330	2,547
	29 7/8	78	27 7/8	GS2SDMF1578L- 	1,748	2,214	2,443	2,671
	29 7/8	84	27 7/8	GS2SDMF1584L- 	1,831	2,317	2,557	2,796
	29 7/8	90	27 7/8	GS2SDMF1590L- 	1,949	2,433	2,685	2,936
	29 7/8	96	27 7/8	GS2SDMF1596L- 	2,048	2,554	2,819	3,081
 Right hand	29 7/8	60	27 7/8	GS2SDMF1560R- 	1,505	1,906	2,104	2,301
	29 7/8	66	27 7/8	GS2SDMF1566R- 	1,586	2,010	2,218	2,425
	29 7/8	72	27 7/8	GS2SDMF1572R- 	1,666	2,111	2,330	2,547
	29 7/8	78	27 7/8	GS2SDMF1578R- 	1,748	2,214	2,443	2,671
	29 7/8	84	27 7/8	GS2SDMF1584R- 	1,831	2,317	2,557	2,796
	29 7/8	90	27 7/8	GS2SDMF1590R- 	1,949	2,433	2,685	2,936
	29 7/8	96	27 7/8	GS2SDMF1596R- 	2,048	2,554	2,819	3,081



PRODUCT INFO


TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD CHASSIS


1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
 Left hand	$\frac{3}{4}$	42	$27 \frac{7}{8}$	GS2RRMF42L-	743	943	1,041	1,139
	$\frac{3}{4}$	48	$27 \frac{7}{8}$	GS2RRMF48L-	765	968	1,068	1,168
	$\frac{3}{4}$	54	$27 \frac{7}{8}$	GS2RRMF54L-	789	1,001	1,105	1,208
	$\frac{3}{4}$	60	$27 \frac{7}{8}$	GS2RRMF60L-	815	1,030	1,137	1,243
	$\frac{3}{4}$	66	$27 \frac{7}{8}$	GS2RRMF66L-	893	1,134	1,252	1,368
	$\frac{3}{4}$	72	$27 \frac{7}{8}$	GS2RRMF72L-	1,181	1,494	1,649	1,803

 Right hand	$\frac{3}{4}$	42	$27 \frac{7}{8}$	GS2RRMF42R-	743	943	1,041	1,139
	$\frac{3}{4}$	48	$27 \frac{7}{8}$	GS2RRMF48R-	765	968	1,068	1,168
	$\frac{3}{4}$	54	$27 \frac{7}{8}$	GS2RRMF54R-	789	1,001	1,105	1,208
	$\frac{3}{4}$	60	$27 \frac{7}{8}$	GS2RRMF60R-	815	1,030	1,137	1,243
	$\frac{3}{4}$	66	$27 \frac{7}{8}$	GS2RRMF66R-	893	1,134	1,252	1,368
	$\frac{3}{4}$	72	$27 \frac{7}{8}$	GS2RRMF72R-	1,181	1,494	1,649	1,803



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM CHASSIS

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

EXTENSION FULL MODESTY

For use with Racetrack Tops with Column Base

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	³ / ₄	36	27 ⁷ / ₈	GS2XMF36L-	716	905	999	1,093
	³ / ₄	42	27 ⁷ / ₈	GS2XMF42L-	743	943	1,041	1,139

Left hand



Right hand

³ / ₄	36	27 ⁷ / ₈	GS2XMF36R-	716	905	999	1,093
³ / ₄	42	27 ⁷ / ₈	GS2XMF42R-	743	943	1,041	1,139

PRODUCT INFO

Not for use with b and d shape tops

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM CHASSIS

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	24	15	1 3/16	GS2CWR2415-	567	763	844	922
	24	18	1 3/16	GS2CWR2418-	583	782	865	945
	24	24	1 3/16	GS2CWR2424-	597	802	887	969
	24	30	1 3/16	GS2CWR2430-	604	822	908	992
	24	36	1 3/16	GS2CWR2436-	675	921	1,017	1,112
	24	42	1 3/16	GS2CWR2442-	771	1,049	1,159	1,267
	24	48	1 3/16	GS2CWR2448-	842	1,148	1,268	1,386
	24	54	1 3/16	GS2CWR2454-	888	1,208	1,334	1,458
	24	60	1 3/16	GS2CWR2460-	964	1,313	1,450	1,585
	24	66	1 3/16	GS2CWR2466-	1,025	1,394	1,539	1,683
	24	72	1 3/16	GS2CWR2472-	1,142	1,559	1,721	1,881
	24	78	1 3/16	GS2CWR2478-	1,190	1,621	1,789	1,956
	24	84	1 3/16	GS2CWR2484-	1,237	1,685	1,859	2,033
	24	90	1 3/16	GS2CWR2490-	1,412	1,922	2,121	2,320
	24	96	1 3/16	GS2CWR2496-	1,546	2,108	2,327	2,544
	24	102	1 3/16	GS2CWR24102-	1,684	2,295	2,533	2,770
	24	108	1 3/16	GS2CWR24108-	1,780	2,425	2,677	2,927
	24	114	1 3/16	GS2CWR24114-	1,848	2,518	2,780	3,038
	24	120	1 3/16	GS2CWR24120-	1,973	2,690	2,968	3,246

• Flat brackets ordered separately (model #MDWBRK)

NOTE: Credenzas, returns, and bridges with no back panel and an unsupported area of 48" and greater require an intermediate T support.

PRODUCT INFO

Wood tops optional grain direction.
Lam tops optional grain up to 60", over 60" long grain standard.
30" and 36" wide worksurface only has GN or GC for grommet option choice.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Center **GC**
Right **GR**
Left & Right **GB**
All **GA**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **GRAIN DIRECTION**
6. **GROMMET**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **GRAIN DIRECTION (up to 60")**
5. **EDGE DETAIL**
6. **GROMMET**

MODULAR 30D TOPS

For Credenzas, Returns, and Bridges

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	30	15	1 3/16	GS2CWR3015-	623	839	927	1,013
	30	18	1 3/16	GS2CWR3018-	639	861	951	1,039
	30	24	1 3/16	GS2CWR3024-	657	881	973	1,065
	30	30	1 3/16	GS2CWR3030-	673	905	999	1,093
	30	36	1 3/16	GS2CWR3036-	753	1,011	1,117	1,221
	30	42	1 3/16	GS2CWR3042-	983	1,341	1,480	1,618
	30	48	1 3/16	GS2CWR3048-	1,035	1,411	1,558	1,704
	30	54	1 3/16	GS2CWR3054-	1,048	1,429	1,578	1,725
	30	60	1 3/16	GS2CWR3060-	1,061	1,445	1,595	1,744
	30	66	1 3/16	GS2CWR3066-	1,111	1,513	1,671	1,825
	30	72	1 3/16	GS2CWR3072-	1,169	1,592	1,757	1,921
	30	78	1 3/16	GS2CWR3078-	1,250	1,704	1,880	2,056
	30	84	1 3/16	GS2CWR3084-	1,338	1,825	2,015	2,202
	30	90	1 3/16	GS2CWR3090-	1,425	1,916	2,115	2,313
	30	96	1 3/16	GS2CWR3096-	1,496	2,012	2,220	2,427
	30	102	1 3/16	GS2CWR30102-	1,768	2,408	2,657	2,905
	30	108	1 3/16	GS2CWR30108-	1,868	2,545	2,809	3,071
	30	114	1 3/16	GS2CWR30114-	1,941	2,644	2,918	3,190
	30	120	1 3/16	GS2CWR30120-	2,074	2,826	3,119	3,410

• Flat brackets ordered separately (model #MDWBRK)

NOTE: Credenzas, returns, and bridges with no back panel and an unsupported area of 48" and greater require an intermediate T support.

PRODUCT INFO

Wood tops optional grain standard.

Lam tops optional grain up to 60", over 60" long grain standard.

15" - 36" wide worksurfaces only have GN or GC for grommet option choice.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Center **GC**
Right **GR**
Left & Right **GB**
All **GA**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **GRAIN DIRECTION**
6. **GROMMET**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **GRAIN DIRECTION (up to 60")**
5. **EDGE DETAIL**
6. **GROMMET**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
9" WIDTH	23 1/8	9	27 7/8	GS2CPD249L-X []	892	1,217	1,343	1,469
 False Pedestal								
 Left	23 1/8	9	27 7/8	GS2CPD249R-X []	892	1,217	1,343	1,469
 Right								

PRODUCT INFO

All units have an unfinished back.
Units with an exposed end require a filler strip.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- WOOD


 - 1. MODEL NUMBER + W
 - 2. FSC
 - 3. CHASSIS WOOD FINISH
- LAM

 - 1. MODEL NUMBER + L
 - 2. FSC
 - 3. CHASSIS LAM

MODULAR PEDS 24D

Standard Height | 15" and 18"W

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
15" WIDTH								
 Box Box File	23 1/8	15	27 7/8	GS2CPD2415-3 	1,792	2,440	2,693	2,945
 Hidden Accessory Hidden Accessory Box File	23 1/8	15	27 7/8	GS2CPD2415-3A 	1,792	2,440	2,693	2,945
 File File	23 1/8	15	27 7/8	GS2CPD2415-2 	1,792	2,440	2,693	2,945
18" WIDTH								
 Box Box File	23 1/8	18	27 7/8	GS2CPD2418-3 	1,916	2,613	2,884	3,153
 Hidden Accessory Hidden Accessory Box File	23 1/8	18	27 7/8	GS2CPD2418-3A 	1,916	2,613	2,884	3,153
 File File	23 1/8	18	27 7/8	GS2CPD2418-2 	1,916	2,613	2,884	3,153

PRODUCT INFO

All units have an unfinished back.

All pedestals with an exposed side require a filler strip or pedestal back.

Note: Counterweights are required when modular pedestals with drawers are used as a freestanding unit or to create a freestanding full bank credenza with a common top. See page 310 for counterweights.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**
- PULL**
- DRAWERS**
- KEYING**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**
- FRONT LAM**
- PULL**
- DRAWERS**
- KEYING**

		D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" WIDTH									
	File File	23 1/8	30	27 7/8	GS2CPD2430-4 	2,247	3,062	3,379	3,694
	Box Box File	23 1/8	30	27 7/8	GS2CPD2430-7 	2,292	3,124	3,448	3,769
	Multi-File Left	23 1/8	30	27 7/8	GS2CPD2430L-MF 	2,391	3,215	3,548	3,879
	Multi-File Right	23 1/8	30	27 7/8	GS2CPD2430R-MF 	2,391	3,215	3,548	3,879
36" WIDTH									
	File File	23 1/8	36	27 7/8	GS2CPD2436-4 	2,473	3,369	3,717	4,064
	Box Box File	23 1/8	36	27 7/8	GS2CPD2436-7 	2,520	3,436	3,791	4,145
	Multi-File Left	23 1/8	36	27 7/8	GS2CPD2436L-MF 	2,631	3,536	3,902	4,266
	Multi-File Right	23 1/8	36	27 7/8	GS2CPD2436R-MF 	2,631	3,536	3,902	4,266

PRODUCT INFO

All units have an unfinished back.

All pedestals with an exposed side require a filler strip or pedestal back.

Note: Counterweights are required when modular pedestals with drawers are used as a freestanding unit or to create a freestanding full bank credenza with a common top. See page 310 for counterweights.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

MODULAR PEDS 24D

Standard Height | Hinged Door Cabinets

Silea
06/25

		D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
15" WIDTH									
	Left Hand	23 1/8	15	27 7/8	GS2CPD2415L-5 	1,542	2,072	2,287	2,500
	Right Hand	23 1/8	15	27 7/8	GS2CPD2415R-5 	1,542	2,072	2,287	2,500
18" WIDTH									
	Left Hand	23 1/8	18	27 7/8	GS2CPD2418L-5 	1,618	2,174	2,399	2,623
	Right Hand	23 1/8	18	27 7/8	GS2CPD2418R-5 	1,618	2,174	2,399	2,623
24" WIDTH									
	Double Door	23 1/8	24	27 7/8	GS2CPD2424-5 	1,845	2,481	2,738	2,993
30" WIDTH									
	Double Door	23 1/8	30	27 7/8	GS2CPD2430-5 	2,022	2,758	3,043	3,327
	With Printer Drawer	23 1/8	30	27 7/8	GS2CPD2430-P 	2,155	2,896	3,196	3,493
36" WIDTH									
	Double Door	23 1/8	36	27 7/8	GS2CPD2436-5 	2,223	3,033	3,347	3,660
	With Printer Drawer	23 1/8	36	27 7/8	GS2CPD2436-P 	2,369	3,183	3,512	3,840

PRODUCT INFO

All units have an unfinished back.
If integral pull is chosen, doors will be touch latch.
All pedestals with an exposed side require a filler strip or pedestal back.
Includes one adjustable shelf.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**
- PULL**
- KEYING**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**
- FRONT LAM**
- PULL**
- KEYING**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
15" WIDTH 	23 1/8	15	27 7/8	GS2CPD2415-SH 	1,387	1,863	2,057	2,248
18" WIDTH 	23 1/8	18	27 7/8	GS2CPD2418-SH 	1,455	1,957	2,160	2,362
24" WIDTH 	23 1/8	24	27 7/8	GS2CPD2424-SH 	1,669	2,244	2,476	2,707
30" WIDTH 	23 1/8	30	27 7/8	GS2CPD2430-SH 	1,829	2,491	2,749	3,005
36" WIDTH 	23 1/8	36	27 7/8	GS2CPD2436-SH 	2,015	2,743	3,026	3,309

PRODUCT INFO

All units have an unfinished back.

All pedestals with an exposed side require a filler strip or pedestal back.

Adjustable shelf.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

MODULAR PEDS 24D

Layers Height | 9"W

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
9" WIDTH	23 1/8	9	20 3/4	GS2CLPD249L-X 	851	1,156	1,277	1,396
 False Pedestal								
 Left	23 1/8	9	20 3/4	GS2CLPD249R-X 	851	1,156	1,277	1,396
 Right								

PRODUCT INFO

All units have an unfinished back.

Units with an exposed end require a filler strip.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
15" WIDTH	23 1/8	15	20 3/4	GS2CLPD2415-A 	1,702	2,318	2,558	2,797
18" WIDTH	23 1/8	18	20 3/4	GS2CLPD2418-A 	1,819	2,485	2,742	2,998

PRODUCT INFO

All units have an unfinished back.

All pedestals with an exposed side require a filler strip or pedestal back.

Layers pedestals may be used with feet or on glides to the floor.

Glides must be removed at install for feet applications.

Note: Counterweights are required when modular pedestals with drawers are used as a freestanding unit or to create a freestanding full bank credenza with a common top. See page 310 for counterweights.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|------------------------|---------------------|
| WOOD | LAM |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L |
| 2. FSC | 2. FSC |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |
| 4. PULL | 4. FRONT LAM |
| 5. DRAWERS | 5. PULL |
| 6. KEYING | 6. DRAWERS |
| | 7. KEYING |

MODULAR PEDS 24D

Layers Height | 30" and 36"W

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" WIDTH	23 1/8	30	20 3/4	GS2CLPD2430-B 	2,135	2,909	3,210	3,510
 Box/File								
36" WIDTH	23 1/8	36	20 3/4	GS2CLPD2436-B 	2,349	3,201	3,532	3,862
 Box/File								

PRODUCT INFO

All units have an unfinished back.

All pedestals with an exposed side require a filler strip or pedestal back.

Layers pedestals may be used with feet or on glides to the floor.

Glides must be removed at install for feet applications.

Note: Counterweights are required when modular pedestals with drawers are used as a freestanding unit or to create a freestanding full bank credenza with a common top. See page 310 for counterweights.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD	LAM
1. MODEL NUMBER + W	1. MODEL NUMBER + L
2. FSC	2. FSC
3. CHASSIS WOOD FINISH	3. CHASSIS LAM
4. PULL	4. FRONT LAM
5. DRAWERS	5. PULL
6. KEYING	6. DRAWERS
	7. KEYING

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" WIDTH	23 1/8	30	20 3/4	GS2CLPD2430-5 	1,920	2,619	2,890	3,160
36" WIDTH	23 1/8	36	20 3/4	GS2CLPD2436-5 	2,114	2,880	3,178	3,474

PRODUCT INFO

All units have an unfinished back.

If integral pull is chosen, doors will be touch latch.

All pedestals with an exposed side require a filler strip or pedestal back.

Includes one adjustable shelf.

Layers pedestals may be used with feet or on glides to the floor.

Glides must be removed at install for feet applications.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|------------------------|---------------------|
| WOOD | LAM |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L |
| 2. FSC | 2. FSC |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |
| 4. PULL | 4. FRONT LAM |
| 5. KEYING | 5. PULL |
| | 6. KEYING |

MODULAR PEDS 24D

Layers Height | 30" and 36"W

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" WIDTH	23 1/8	30	20 3/4	GS2CLPD2430-SH 	1,739	2,369	2,614	2,858
 Bookcase								
36" WIDTH	23 1/8	36	20 3/4	GS2CLPD2436-SH 	1,912	2,605	2,875	3,143
 Bookcase								

PRODUCT INFO

All units have an unfinished back.

All pedestals with an exposed side require a filler strip or pedestal back.

Adjustable shelf.

Layers pedestals may be used with feet or on glides to the floor.

Glides must be removed at install for feet applications.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|-------------------------------|----------------------------|
| WOOD | LAM |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L |
| 2. FSC | 2. FSC |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
9" WIDTH	29 1/8	9	27 7/8	GS2CPD309L-X 	982	1,340	1,479	1,617
 False Pedestal Left	29 1/8	9	27 7/8	GS2CPD309R-X 	982	1,340	1,479	1,617
 Right								

PRODUCT INFO

All units have an unfinished back.
Units with an exposed end require a filler strip.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

- 1. MODEL NUMBER + W
- 2. FSC
- 3. CHASSIS WOOD FINISH


LAM CHASSIS

- 1. MODEL NUMBER + L
- 2. FSC
- 3. CHASSIS LAM

MODULAR PEDS 30D

Standard Height | 15" and 18"W

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
15" WIDTH								
 Box Box File	29 1/8	15	27 7/8	GS2CPD3015-3 	1,970	2,684	2,961	3,238
 Hidden Accessory Hidden Accessory Box File	29 1/8	15	27 7/8	GS2CPD3015-3A 	1,970	2,684	2,961	3,238
 File File	29 1/8	15	27 7/8	GS2CPD3015-2 	1,970	2,684	2,961	3,238
18" WIDTH								
 Box Box File	29 1/8	18	27 7/8	GS2CPD3018-3 	2,109	2,875	3,173	3,468
 Hidden Accessory Hidden Accessory Box File	29 1/8	18	27 7/8	GS2CPD3018-3A 	2,109	2,875	3,173	3,468
 File File	29 1/8	18	27 7/8	GS2CPD3018-2 	2,109	2,875	3,173	3,468

PRODUCT INFO

All units have an unfinished back.

Units with an exposed end require a filler strip.

Note: Counterweights are required when modular pedestals with drawers are used as a freestanding unit or to create a freestanding full bank credenza with a common top. See page 310 for counterweights.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**
- PULL**
- DRAWERS**
- KEYING**

LAM CHASSIS

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**
- FRONT LAM**
- PULL**
- DRAWERS**
- KEYING**

		D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" WIDTH									
	File File	29 1/8	30	27 7/8	GS2CPD3030-4 	2,474	3,369	3,717	4,064
	Box Box File	29 1/8	30	27 7/8	GS2CPD3030-7 	2,520	3,437	3,792	4,146
	Multi-File Left	29 1/8	30	27 7/8	GS2CPD3030L-MF 	2,631	3,536	3,902	4,266
	Multi-File Right	29 1/8	30	27 7/8	GS2CPD3030R-MF 	2,631	3,536	3,902	4,266
36" WIDTH									
	File File	29 1/8	36	27 7/8	GS2CPD3036-4 	2,719	3,705	4,088	4,470
	Box Box File	29 1/8	36	27 7/8	GS2CPD3036-7 	2,774	3,779	4,169	4,558
	Multi-File Left	29 1/8	36	27 7/8	GS2CPD3036L-MF 	2,895	3,891	4,294	4,694
	Multi-File Right	29 1/8	36	27 7/8	GS2CPD3036R-MF 	2,895	3,891	4,294	4,694

PRODUCT INFO

All units have an unfinished back.

Units with an exposed end require a filler strip.

Note: Counterweights are required when modular pedestals with drawers are used as a freestanding unit or to create a freestanding full bank credenza with a common top. See page 310 for counterweights.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

MODULAR PEDS 30D

Standard Height | Hinged Door Cabinets

Silea
06/25

		D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
15" WIDTH									
	Left Hand	29 1/8	15	27 7/8	GS2CPD3015L-5 	1,696	2,278	2,514	2,749
	Right Hand	29 1/8	15	27 7/8	GS2CPD3015R-5 	1,696	2,278	2,514	2,749
18" WIDTH									
	Left Hand	29 1/8	18	27 7/8	GS2CPD3018L-5 	1,781	2,392	2,639	2,885
	Right Hand	29 1/8	18	27 7/8	GS2CPD3018R-5 	1,781	2,392	2,639	2,885
24" WIDTH									
	Double Door	29 1/8	24	27 7/8	GS2CPD3024-5 	2,032	2,730	3,012	3,293
30" WIDTH									
	Double Door	29 1/8	30	27 7/8	GS2CPD3030-5 	2,224	3,034	3,348	3,661
	With Printer Drawer	29 1/8	30	27 7/8	GS2CPD3030-P 	2,372	3,185	3,515	3,843
36" WIDTH									
	Double Door	29 1/8	36	27 7/8	GS2CPD3036-5 	2,447	3,336	3,681	4,025
	With Printer Drawer	29 1/8	36	27 7/8	GS2CPD3036-P 	2,606	3,502	3,864	4,225

PRODUCT INFO

All units have an unfinished back.

Units with an exposed end require a filler strip.

If integral pull is chosen, doors will be touch latch.

-5 pedestal includes one adjustable shelf.

Printer pedestal includes printer drawer.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**
- PULL**
- KEYING**

LAM CHASSIS

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**
- FRONT LAM**
- PULL**
- KEYING**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
15" WIDTH 	29 1/8	15	27 7/8	GS2CPD3015-SH 	1,525	2,051	2,264	2,475
18" WIDTH 	29 1/8	18	27 7/8	GS2CPD3018-SH 	1,602	2,153	2,376	2,598
24" WIDTH 	29 1/8	24	27 7/8	GS2CPD3024-SH 	1,836	2,468	2,724	2,978
30" WIDTH 	29 1/8	30	27 7/8	GS2CPD3030-SH 	2,010	2,743	3,026	3,309
36" WIDTH 	29 1/8	36	27 7/8	GS2CPD3036-SH 	2,217	3,018	3,330	3,641

PRODUCT INFO

All units have an unfinished back.

Units with an exposed end require a filler strip.

Includes one adjustable shelf.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

MODULAR END PANEL

Standard and Layers | Full Back

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	23 1/8	3/4	27 7/8	GS2MEP24L-	463	634	700	766
	23 1/8	3/4	27 7/8	GS2MEP24R-	463	634	700	766
	29 1/8	3/4	27 7/8	GS2MEP30L-	561	766	847	926
	29 1/8	3/4	27 7/8	GS2MEP30R-	561	766	847	926
	35 1/8	3/4	27 7/8	GS2MEP36L-	601	817	903	986
	35 1/8	3/4	27 7/8	GS2MEP36R-	601	817	903	986

• Layers version

PRODUCT INFO

End panels require the use of a modular full back modesty panel to complete application.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
 Right hand	23 1/8	9	27 7/8	GS2MLS24L-	792	1,077	1,190	1,300
	23 1/8	9	27 7/8	GS2MLS24R-	792	1,077	1,190	1,300
 Left hand	29 7/8	9	27 7/8	GS2MLS30L-	842	1,150	1,270	1,388
	29 7/8	9	27 7/8	GS2MLS30R-	842	1,150	1,270	1,388

• Layers version

PRODUCT INFO

Do not use 2 L supports to create a desk.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W
2. FSC
3. CHASSIS WOOD FINISH


LAM

1. MODEL NUMBER + L
2. FSC
3. CHASSIS LAM

MODULAR SUPPORT PANELS & PED BACKS

Standard Height

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
INTERMEDIATE SUPPORT 	14	3/4	27 7/8	GS2MSP-	348	751	831	907
T SUPPORT 	14 3/4	12	27 7/8	GS2MSPT-	419	1,002	1,106	1,209
WORKSURFACE JUNCTION SUPPORT 	14 3/4	24	27 7/8	GS2MSJ24-	796	1,082	1,195	1,306
FILLER STRIP 	3/4	9	27 7/8	GS2MPF-	406	715	790	864
PEDESTAL BACKS 	3/4	9	27 7/8	GS2MPB9-	406	688	761	831
	3/4	15	27 7/8	GS2MPB15-	419	811	896	979
	3/4	18	27 7/8	GS2MPB18-	478	597	660	721
	3/4	30	27 7/8	GS2MPB30-	538	672	742	812
	3/4	36	27 7/8	GS2MPB36-	562	702	776	848

NOTE: Credenzas, returns, and bridges with no back panel and an unsupported area of 48" and greater require an intermediate T support.

PRODUCT INFO

All pedestals with an exposed side require a filler strip or pedestal back.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

MODULAR SUPPORT PANELS & PED BACKS
Layers Height

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
INTERMEDIATE SUPPORT 	14	3/4	20 3/4	GS2MLSP-	348	468	517	565
T SUPPORT 	14 3/4	12	20 3/4	GS2MLSPT-	419	562	621	679
WORKSURFACE JUNCTION SUPPORT 	14 3/4	24	20 3/4	GS2MLSJ24-	796	1,082	1,195	1,306
FILLER STRIP 	3/4	9	20 3/4	GS2MLPF-	406	715	790	864
PEDESTAL BACKS 	3/4	15	20 3/4	GS2MLPB15-	419	524	580	634
	3/4	18	20 3/4	GS2MLPB18-	478	597	660	721
	3/4	30	20 3/4	GS2MLPB30-	538	672	742	812
	3/4	36	20 3/4	GS2MLPB36-	562	702	776	848

NOTE: Credenzas, returns, and bridges with no back panel and an unsupported area of 48" and greater require an intermediate T support.

PRODUCT INFO

All pedestals with exposed side require a filler strip or pedestal back.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W
2. FSC
3. CHASSIS WOOD FINISH

LAM

1. MODEL NUMBER + L
2. FSC
3. CHASSIS LAM

MODULAR DESK / CREDENZA FULL MODESTY PANELS

Standard Height

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	3/4	60	27 7/8	GS2CMF60-	815	1,030	1,137	1,243
	3/4	66	27 7/8	GS2CMF66-	889	1,125	1,243	1,358
	3/4	72	27 7/8	GS2CMF72-	958	1,214	1,340	1,466
	3/4	78	27 7/8	GS2CMF78-	1,027	1,302	1,438	1,572
	3/4	84	27 7/8	GS2CMF84-	1,098	1,391	1,536	1,680
	3/4	90	27 7/8	GS2CMF90-	1,169	1,480	1,634	1,786
	3/4	96	27 7/8	GS2CMF96-	1,241	1,570	1,733	1,895
	3/4	102	27 7/8	GS2CMF102-	N/A	1,657	1,829	2,000
	3/4	108	27 7/8	GS2CMF108-	N/A	1,747	1,928	2,108
	3/4	114	27 7/8	GS2CMF114-	N/A	1,835	2,026	2,214
	3/4	120	27 7/8	GS2CMF120-	N/A	1,924	2,123	2,322

PRODUCT INFO

Grain Direction

- Natural Veneer: Vertical
- Stratawood Veneer: Optional
- Laminate : Horizontal

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	3/4	45	20 3/4	GS2CLMF45-	752	949	1,048	1,146
	3/4	48	20 3/4	GS2CLMF48-	765	967	1,067	1,167
	3/4	51	20 3/4	GS2CLMF51-	778	985	1,087	1,189
	3/4	54	20 3/4	GS2CLMF54-	789	1,001	1,105	1,208
	3/4	60	20 3/4	GS2CLMF60-	815	1,030	1,137	1,243
	3/4	66	20 3/4	GS2CLMF66-	889	1,125	1,243	1,358
	3/4	72	20 3/4	GS2CLMF72-	958	1,214	1,340	1,466
	3/4	78	20 3/4	GS2CLMF78-	1,027	1,302	1,438	1,572
	3/4	84	20 3/4	GS2CLMF84-	1,098	1,391	1,536	1,680
	3/4	90	20 3/4	GS2CLMF90-	1,169	1,480	1,634	1,786
	3/4	96	20 3/4	GS2CLMF96-	1,241	1,570	1,733	1,895
	3/4	102	20 3/4	GS2CLMF102-	N/A	1,657	1,829	2,000
	3/4	108	20 3/4	GS2CLMF108-	N/A	1,747	1,928	2,108
	3/4	114	20 3/4	GS2CLMF114-	N/A	1,835	2,026	2,214
	3/4	120	20 3/4	GS2CLMF120-	N/A	1,924	2,123	2,322

PRODUCT INFO

Grain Direction

- Natural Veneer: Vertical
- Stratawood Veneer: Optional
- Laminate : Horizontal


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	7 1/4	21	27 7/8	GS2CMA21-	957	1,302	1,438	1,572
	7 1/4	24	27 7/8	GS2CMA24-	978	1,336	1,475	1,612
	7 1/4	27	27 7/8	GS2CMA27-	1,002	1,365	1,507	1,647
	7 1/4	30	27 7/8	GS2CMA30-	1,025	1,398	1,544	1,688
	7 1/4	33	27 7/8	GS2CMA33-	1,049	1,430	1,579	1,726
	7 1/4	36	27 7/8	GS2CMA36-	1,074	1,461	1,613	1,763
	7 1/4	39	27 7/8	GS2CMA39-	1,095	1,492	1,647	1,800
	7 1/4	42	27 7/8	GS2CMA42-	1,121	1,526	1,685	1,842
	7 1/4	45	27 7/8	GS2CMA45-	1,141	1,555	1,717	1,876
	7 1/4	48	27 7/8	GS2CMA48-	1,168	1,590	1,755	1,919
	7 1/4	51	27 7/8	GS2CMA51-	1,274	1,622	1,790	1,957
	7 1/4	54	27 7/8	GS2CMA54-	1,297	1,652	1,823	1,994
	7 1/4	57	27 7/8	GS2CMA57-	1,323	1,684	1,858	2,032
	7 1/4	60	27 7/8	GS2CMA60-	1,342	1,713	1,890	2,067
	7 1/4	63	27 7/8	GS2CMA63-	1,373	1,747	1,928	2,108
	7 1/4	66	27 7/8	GS2CMA66-	1,396	1,780	1,966	2,149
	7 1/4	69	27 7/8	GS2CMA69-	1,423	1,809	1,997	2,183
	7 1/4	72	27 7/8	GS2CMA72-	1,446	1,842	2,034	2,223

PRODUCT INFO

Grain Direction

- Natural Veneer: Vertical
- Stratawood Veneer: Optional
- Laminate: Vertical up to and including 60"W.
Horizontal greater than 60"W.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	7 1/4	21	20 3/4	GS2CLMA21-	957	1,302	1,438	1,572
	7 1/4	24	20 3/4	GS2CLMA24-	978	1,336	1,475	1,612
	7 1/4	27	20 3/4	GS2CLMA27-	1,002	1,365	1,507	1,647
	7 1/4	30	20 3/4	GS2CLMA30-	1,025	1,398	1,544	1,688
	7 1/4	33	20 3/4	GS2CLMA33-	1,049	1,430	1,579	1,726
	7 1/4	36	20 3/4	GS2CLMA36-	1,074	1,461	1,613	1,763
	7 1/4	39	20 3/4	GS2CLMA39-	1,095	1,492	1,647	1,800
	7 1/4	42	20 3/4	GS2CLMA42-	1,121	1,526	1,685	1,842
	7 1/4	45	20 3/4	GS2CLMA45-	1,141	1,555	1,717	1,876
	7 1/4	48	20 3/4	GS2CLMA48-	1,168	1,590	1,755	1,919
	7 1/4	51	20 3/4	GS2CLMA51-	1,274	1,622	1,790	1,957
	7 1/4	54	20 3/4	GS2CLMA54-	1,297	1,652	1,823	1,994
	7 1/4	57	20 3/4	GS2CLMA57-	1,323	1,684	1,858	2,032
	7 1/4	60	20 3/4	GS2CLMA60-	1,342	1,713	1,890	2,067
	7 1/4	63	20 3/4	GS2CLMA63-	1,373	1,747	1,928	2,108
	7 1/4	66	20 3/4	GS2CLMA66-	1,396	1,780	1,966	2,149
	7 1/4	69	20 3/4	GS2CLMA69-	1,423	1,809	1,997	2,183
	7 1/4	72	20 3/4	GS2CLMA72-	1,446	1,842	2,034	2,223

PRODUCT INFO

Grain Direction

- Natural Veneer: Vertical
- Stratawood Veneer: Optional
- Laminate: Vertical up to and including 60"W.
Horizontal greater than 60"W.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

MODULAR RETURN FULL MODESTY PANEL

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
LEFT HAND 	3/4	39	27 7/8	GS2RMF39L-	732	925	1,021	1,117
	3/4	42	27 7/8	GS2RMF42L-	743	940	1,038	1,135
	3/4	45	27 7/8	GS2RMF45L-	752	949	1,048	1,146
	3/4	48	27 7/8	GS2RMF48L-	765	967	1,067	1,167
	3/4	51	27 7/8	GS2RMF51L-	778	985	1,087	1,189
	3/4	54	27 7/8	GS2RMF54L-	789	1,001	1,105	1,208
	3/4	57	27 7/8	GS2RMF57L-	803	1,012	1,118	1,222
	3/4	60	27 7/8	GS2RMF60L-	815	1,030	1,137	1,243
	3/4	63	27 7/8	GS2RMF63L-	851	1,077	1,190	1,300
	3/4	66	27 7/8	GS2RMF66L-	889	1,125	1,243	1,358
	3/4	69	27 7/8	GS2RMF69L-	925	1,170	1,292	1,412
	3/4	72	27 7/8	GS2RMF72L-	958	1,214	1,340	1,466
	3/4	75	27 7/8	GS2RMF75L-	994	1,259	1,389	1,519
	3/4	78	27 7/8	GS2RMF78L-	1,027	1,302	1,438	1,572
	3/4	81	27 7/8	GS2RMF81L-	1,063	1,347	1,487	1,625
	3/4	84	27 7/8	GS2RMF84L-	1,098	1,391	1,536	1,680
	3/4	87	27 7/8	GS2RMF87L-	1,134	1,436	1,585	1,733
	3/4	90	27 7/8	GS2RMF90L-	1,169	1,480	1,634	1,786

NOTE: If attaching to a height adjustable extension desk, a 3" shorter modesty panel must be used

PRODUCT INFO

Handed units due to hole pattern.

For use to build full modesty returns and to attach to end panels.

Grain Direction

- Natural Veneer: Vertical
- Stratawood Veneer: Optional
- Laminate: Vertical up to and including 60"W. Horizontal greater than 60"W.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

MODULAR RETURN FULL MODESTY PANEL

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
RIGHT HAND 	3/4	39	27 7/8	GS2RMF39R-	732	925	1,021	1,117
	3/4	42	27 7/8	GS2RMF42R-	743	940	1,038	1,135
	3/4	45	27 7/8	GS2RMF45R-	752	949	1,048	1,146
	3/4	48	27 7/8	GS2RMF48R-	765	967	1,067	1,167
	3/4	51	27 7/8	GS2RMF51R-	778	985	1,087	1,189
	3/4	54	27 7/8	GS2RMF54R-	789	1,001	1,105	1,208
	3/4	57	27 7/8	GS2RMF57R-	803	1,012	1,118	1,222
	3/4	60	27 7/8	GS2RMF60R-	815	1,030	1,137	1,243
	3/4	63	27 7/8	GS2RMF63R-	851	1,077	1,190	1,300
	3/4	66	27 7/8	GS2RMF66R-	889	1,125	1,243	1,358
	3/4	69	27 7/8	GS2RMF69R-	925	1,170	1,292	1,412
	3/4	72	27 7/8	GS2RMF72R-	958	1,214	1,340	1,466
	3/4	75	27 7/8	GS2RMF75R-	994	1,259	1,389	1,519
	3/4	78	27 7/8	GS2RMF78R-	1,027	1,302	1,438	1,572
	3/4	81	27 7/8	GS2RMF81R-	1,063	1,347	1,487	1,625
	3/4	84	27 7/8	GS2RMF84R-	1,098	1,391	1,536	1,680
	3/4	87	27 7/8	GS2RMF87R-	1,134	1,436	1,585	1,733
	3/4	90	27 7/8	GS2RMF90R-	1,169	1,480	1,634	1,786

NOTE: If attaching to a height adjustable extension desk, a 3" shorter modesty panel must be used

PRODUCT INFO

Handed units due to hole pattern.

For use to build full modesty returns and to attach to end panels.

Grain Direction

- Natural Veneer: Vertical
- Stratawood Veneer: Optional
- Laminate: Vertical up to and including 60"W. Horizontal greater than 60"W.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

MODULAR RETURN WALL ACCESS PANEL

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	7 1/4	21	27 7/8	GS2RMA21-	957	1,302	1,438	1,572
	7 1/4	24	27 7/8	GS2RMA24-	978	1,336	1,475	1,612
	7 1/4	27	27 7/8	GS2RMA27-	1,002	1,365	1,507	1,647
	7 1/4	30	27 7/8	GS2RMA30-	1,025	1,398	1,544	1,688
	7 1/4	33	27 7/8	GS2RMA33-	1,049	1,430	1,579	1,726
	7 1/4	36	27 7/8	GS2RMA36-	1,074	1,461	1,613	1,763
	7 1/4	39	27 7/8	GS2RMA39-	1,095	1,492	1,647	1,800
	7 1/4	42	27 7/8	GS2RMA42-	1,121	1,526	1,685	1,842
	7 1/4	45	27 7/8	GS2RMA45-	1,141	1,555	1,717	1,876
	7 1/4	48	27 7/8	GS2RMA48-	1,168	1,590	1,755	1,919
	7 1/4	51	27 7/8	GS2RMA51-	1,274	1,622	1,790	1,957
	7 1/4	54	27 7/8	GS2RMA54-	1,297	1,652	1,823	1,994
	7 1/4	57	27 7/8	GS2RMA57-	1,323	1,684	1,858	2,032
	7 1/4	60	27 7/8	GS2RMA60-	1,342	1,713	1,890	2,067
	7 1/4	63	27 7/8	GS2RMA63-	1,373	1,747	1,928	2,108
	7 1/4	66	27 7/8	GS2RMA66-	1,396	1,780	1,966	2,149
	7 1/4	69	27 7/8	GS2RMA69-	1,423	1,809	1,997	2,183
	7 1/4	72	27 7/8	GS2RMA72-	1,446	1,842	2,034	2,223

NOTE: If attaching to a height adjustable extension desk, a 3" shorter wall access panel must be used

PRODUCT INFO

Grain Direction

- Natural Veneer: Vertical
- Stratawood Veneer: Optional
- Laminate: Vertical up to and including 60"W. Horizontal greater than 60"W.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	3/4	39	27 7/8	GS2BMF39-	732	925	1,021	1,117
	3/4	42	27 7/8	GS2BMF42-	743	940	1,038	1,135
	3/4	45	27 7/8	GS2BMF45-	757	949	1,048	1,146
	3/4	48	27 7/8	GS2BMF48-	764	967	1,067	1,167
	3/4	51	27 7/8	GS2BMF51-	779	985	1,087	1,189
	3/4	54	27 7/8	GS2BMF54-	792	1,001	1,105	1,208
	3/4	57	27 7/8	GS2BMF57-	804	1,012	1,118	1,222
	3/4	60	27 7/8	GS2BMF60-	815	1,030	1,137	1,243

NOTE: If attaching to a height adjustable extension desk, a 3" shorter modesty panel must be used

PRODUCT INFO

Grain Direction

- Natural Veneer: Vertical
- Stratawood Veneer: Optional
- Laminate: Vertical up to and including 60"W. Horizontal greater than 60"W.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

BRIDGE WALL ACCESS PANEL

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	7 1/4	39	27 7/8	GS2BMA39-	1,095	1,492	1,647	1,800
	7 1/4	42	27 7/8	GS2BMA42-	1,121	1,526	1,685	1,842
	7 1/4	45	27 7/8	GS2BMA45-	1,141	1,555	1,717	1,876
	7 1/4	48	27 7/8	GS2BMA48-	1,168	1,590	1,755	1,919
	7 1/4	51	27 7/8	GS2BMA51-	1,274	1,622	1,790	1,957
	7 1/4	54	27 7/8	GS2BMA54-	1,297	1,652	1,823	1,994
	7 1/4	57	27 7/8	GS2BMA57-	1,323	1,684	1,858	2,032
	7 1/4	60	27 7/8	GS2BMA60-	1,342	1,713	1,890	2,067

NOTE: If attaching to a height adjustable extension desk, a 3" shorter wall access panel must be used

PRODUCT INFO

Grain Direction

- Natural Veneer: Vertical
- Stratawood Veneer: Optional
- Laminate: Vertical up to and including 60"W. Horizontal greater than 60"W.


TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	16 3/4	26 1/2	5 15/16	GS2MLB30SL-	1,013	1,352	1,491	1,628
	16 3/4	26 1/2	5 15/16	GS2MLB30SR-	1,013	1,352	1,491	1,628
• For use with a 30" deep runoff.								
	16 3/4	32 1/2	5 15/16	GS2MLB36SL-	1,078	1,375	1,516	1,656
	16 3/4	32 1/2	5 15/16	GS2MLB36SR-	1,078	1,375	1,516	1,656
• For use with a 36" deep runoff.								




PRODUCT INFO

Unit comes with 2 power units.
Color specified in option pick.
 Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD	LAM
1. MODEL NUMBER + W	1. MODEL NUMBER + L
2. FSC	2. FSC
3. CHASSIS WOOD FINISH	3. CHASSIS LAM
4. PULL	4. PULL
5. POWER UNIT	5. POWER UNIT

	Dia	H	model number + type	laminate	veneer 1	veneer 2	veneer 3	solid surface
	36	1 3/16	GS2TRD36-	1,435	2,446	2,700	2,952	7,707
	42	1 3/16	GS2TRD42-	1,557	2,657	2,932	3,206	8,378
	48	1 3/16	GS2TRD48-	2,040	3,473	3,832	4,190	10,957
	54	1 3/16	GS2TRD54-	2,490	4,246	4,685	5,122	13,390
	60	1 3/16	GS2TRD60-	3,030	5,167	5,700	6,232	16,270

PRODUCT INFO

Solid surface tops have a softened edge.

54" and 60" wood tops are 2-piece. If top ordered with 4 legs, metal stiffeners must be ordered separately (ACMWS30, qty. 2).

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **GROMMET**


LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **GROMMET**

SOLID SURFACE TOP

1. **MODEL NUMBER + S**
2. **SOLID SURFACE FINISH**
3. **EDGE DETAIL**
4. **GROMMET**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3	solid surface
	36	36	1 3/16	GS2TSTG36-	1,435	2,446	2,700	2,952	7,707
	42	42	1 3/16	GS2TSTG42-	1,557	2,657	2,932	3,206	8,378
	48	48	1 3/16	GS2TSTG48-	2,040	3,473	3,832	4,190	10,957



PRODUCT INFO

Solid surface tops have a softened edge.

Grommet Location
(Add \$87 per grommet)
No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **GROMMET**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **GROMMET**

SOLID SURFACE TOP

1. **MODEL NUMBER + S**
2. **SOLID SURFACE FINISH**
3. **EDGE DETAIL**
4. **GROMMET**

	for use with top sizes	D	W	H	model number	list
	24D/30D	1 1/2	18	5 15/16	GS2MLB18	484
	36D	1 1/2	24	5 15/16	GS2MLB24	525
	42D	1 1/2	30	5 15/16	GS2MLB30	566
	48D	1 1/2	36	5 15/16	GS2MLB36	609

PRODUCT INFO

To be used to support
worksurface in layers
applications.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

- 1. MODEL NUMBER**
- 2. HARDWARE COLOR**



	D	W	H	model number	in
	1 1/2	1 1/2	30	ACMWS30	73
	1 1/2	1 1/2	36	ACMWS36	78
	1 1/2	1 1/2	41	ACMWS41	80
	1 1/2	1 1/2	47	ACMWS47	81
	1 1/2	1 1/2	53	ACMWS53	82
	1 1/2	1 1/2	59	ACMWS59	83
	1 1/2	1 1/2	65	ACMWS65	84
	1 1/2	1 1/2	71	ACMWS71	85
	1 1/2	1 1/2	83	ACMWS83	126


PRODUCT INFO

Use supports on worksurfaces that span 48" unsupported without a full modesty panel. Calculate total distance between kneewell panels or bases and subtract 6". Use closest available model size.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- LIST
1. **MODEL NUMBER**

	D	W	H	model number	list
FLAT BRACKET 	3	6 1/2	1/8	MDWBRK	141
• For worksurface connections					
WALL MOUNT BRACKETS 	2 1/2	19	1 1/4	MDWLBK24	145
• For use with 24"D worksurface.					
	2 1/2	25	1 1/4	MDWLBK30	156
• For use with 30" and 36"D worksurface.					
WALL MOUNT CANTILEVER BRACKETS 	3 1/8	15 3/16	7 1/8	ACWCB15	253
• For use with 24" tops to provide support on center as an alternative to a T-bracket.					
	3 1/8	20 3/16	7 1/8	ACWCB20	271
• For use with 24" tops to provide support on an end condition.					



PRODUCT INFO	TO ORDER PLEASE SPECIFY THE FOLLOWING: LIST 1. MODEL NUMBER
---------------------	---

MODULAR PEDESTAL CUSHION
Standard Tops

					fabric grades			COM/4
	D	W	H	model number + type	1	2	3	
	20 11/16	29 3/4	1	GS2CLPD-CUSH2130T	619	645	673	701
	20 11/16	35 3/4	1	GS2CLPD-CUSH2136T	668	701	735	770

PRODUCT INFO

To be used with standard tops.

COM fabric 1.25 yds
for both models.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

- 1. MODEL NUMBER
- 2. FABRIC
- 3. FLAMMABILITY

Flammability Option Codes:
U = CTB 117

For standard flammability rating, please specify CTB 117.

Gunlocke

CANTILEVER HEIGHT ADJUSTABLE DESKS AND SMART STORAGE

Cantilever Height Adjustable Desks and
Smart Storage203-217

 Cantilever Height Adjustable Desks 204-207

 Smart Pedestals..... 208-209

 Accessory Trays and Bins For Smart Pedestals 210

 False Pedestals 211

 Smart Closets 212-213

 Smart Lockers 214-215



 Smart Pedestal Power Units For Grommet Cutout. 216

 Solidwood Desktop Accessories..... 217

CANTILEVER HEIGHT ADJUSTABLE DESKS - RECTANGULAR

Silea
06/25

Left Hand Desk

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
36" DEPTH 	36	66	29 1/2	GS5CVATR3666L- []	8,924	12,543	13,836	15,128
	• 22 1/2" end overhang, 6" guest overhang							
	36	72	29 1/2	GS5CVATR3672L- []	8,988	12,629	13,932	15,232
	• 28 1/2" end overhang, 6" guest overhang							
	36	78	29 1/2	GS5CVATR3678L- []	9,415	13,088	14,437	15,785
	• 34 1/2" end overhang, 6" guest overhang							
42" DEPTH 	36	84	29 1/2	GS5CVATR3684L- []	9,509	13,218	14,581	15,942
	• 40 1/2" end overhang, 6" guest overhang							
	42	66	29 1/2	GS5CVATR4266L- []	9,503	13,439	14,824	16,208
	• 22 1/2" end overhang, 9" guest overhang							
	42	72	29 1/2	GS5CVATR4272L- []	9,584	13,550	14,947	16,343
	• 28 1/2" end overhang, 9" guest overhang							
	42	78	29 1/2	GS5CVATR4278L- []	10,034	14,038	15,485	16,931
	• 34 1/2" end overhang, 9" guest overhang							
	42	84	29 1/2	GS5CVATR4284L- []	10,150	14,197	15,660	17,122
	• 40 1/2" end overhang, 9" guest overhang							

PRODUCT INFO

Unit must be wall mounted.

Top depth 1" shallower than chassis on user and guest sides to accommodate pinch points of adjoining units

29.5" to 42.5" height adjustment range

 All units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Right **GR**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column



LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

UDP71
MEMP71
PDL71

CANTILEVER HEIGHT ADJUSTABLE DESKS - RECTANGULAR

Right Hand Desk

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
36" DEPTH 	36	66	29 1/2	GS5CVATR3666R-	8,924	12,543	13,836	15,128
	• 22 1/2" end overhang, 6" guest overhang							
	36	72	29 1/2	GS5CVATR3672R-	8,988	12,629	13,932	15,232
	• 28 1/2" end overhang, 6" guest overhang							
	36	78	29 1/2	GS5CVATR3678R-	9,415	13,088	14,437	15,785
	• 34 1/2" end overhang, 6" guest overhang							
42" DEPTH 	36	84	29 1/2	GS5CVATR3684R-	9,509	13,218	14,581	15,942
	• 40 1/2" end overhang, 6" guest overhang							
	42	66	29 1/2	GS5CVATR4266R-	9,503	13,439	14,824	16,208
	• 22 1/2" end overhang, 9" guest overhang							
	42	72	29 1/2	GS5CVATR4272R-	9,584	13,550	14,947	16,343
	• 28 1/2" end overhang, 9" guest overhang							
	42	78	29 1/2	GS5CVATR4278R-	10,034	14,038	15,485	16,931
	• 34 1/2" end overhang, 9" guest overhang							
	42	84	29 1/2	GS5CVATR4284R-	10,150	14,197	15,660	17,122
	• 40 1/2" end overhang, 9" guest overhang							

PRODUCT INFO

Unit must be wall mounted.

Top depth 1" shallower than chassis on user and guest sides to accommodate pinch points of adjoining units

29.5" to 42.5" height adjustment range

 All units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Left **GL**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**


UDP71
MEMP71
PDL71

CANTILEVER HEIGHT ADJUSTABLE DESKS - SIGHTLINE

Silea

06/25

Left Hand Desk

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 2
42" DEPTH 	30-42	66	29 1/2	GS5CVATS304266L-	9,681	13,683	15,094	16,502
	• 22 1/2" end overhang, 9" tapered guest overhang							
	30-42	72	29 1/2	GS5CVATS304272L-	9,772	13,806	15,229	16,651
	• 28 1/2" end overhang, 9" tapered guest overhang							
	30-42	78	29 1/2	GS5CVATS304278L-	10,235	14,314	15,790	17,264
	• 34 1/2" end overhang, 9" tapered guest overhang							
	30-42	84	29 1/2	GS5CVATS304284L-	10,365	14,492	15,986	17,478
	• 40 1/2" end overhang, 9" tapered guest overhang							

PRODUCT INFO

Unit must be wall mounted.

Top depth 1" shallower than chassis on user and guest sides to accommodate pinch points of adjoining units

29.5" to 42.5" height adjustment range

 All units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Right **GR**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column


LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

UDP71
MEMP71
PDL71

CANTILEVER HEIGHT ADJUSTABLE DESKS - SIGHTLINE

Right Hand Desk

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
42" DEPTH 	30-42	66	29 1/2	GS5CVATS304266R- 	9,681	13,683	15,094	16,502
	• 22 1/2" end overhang, 9" tapered guest overhang							
	30-42	72	29 1/2	GS5CVATS304272R- 	9,772	13,806	15,229	16,651
	• 28 1/2" end overhang, 9" tapered guest overhang							
	30-42	78	29 1/2	GS5CVATS304278R- 	10,235	14,314	15,790	17,264
	• 34 1/2" end overhang, 9" tapered guest overhang							
	30-42	84	29 1/2	GS5CVATS304284R- 	10,365	14,492	15,986	17,478
	• 40 1/2" end overhang, 9" tapered guest overhang							

PRODUCT INFO

Unit must be wall mounted.

Top depth 1" shallower than chassis on user and guest sides to accommodate pinch points of adjoining units

29.5" to 42.5" height adjustment range

 All units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Left **GL**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**


UDP71
MEMP71
PDL71

SMART PEDESTALS

7 1/4 Depth

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
SINGLE UNIT 	7 1/4	30	29 1/2	GS5CPD730-S ☐	2,120	2,684	2,961	3,238
	• Bottom Door: 30" Slim File Drawer included. • Top Door: Includes z-bracket for clip-in accessory Bins and Trays. <u>Bins and trays must be ordered separately.</u>							
	7 1/4	36	29 1/2	GS5CPD736-S ☐	2,330	2,953	3,258	3,563
	• Bottom Door: 36" Slim File Drawer included. • Top Door: Includes z-bracket for clip-in accessory Bins and Trays. <u>Bins and trays must be ordered separately.</u>							
	7 1/4	42	29 1/2	GS5CPD742-S ☐	2,562	3,247	3,583	3,917
	• Bottom Door: 36" Slim File Drawer included. • Top Door: Includes z-bracket for clip-in accessory Bins and Trays. <u>Bins and trays must be ordered separately.</u>							
	7 1/4	48	29 1/2	GS5CPD748-S ☐	2,942	3,726	4,111	4,495
	• Bottom Door: 30" Slim File Drawer + 15" Slim File Drawer included. • Top Door: Includes z-bracket for clip-in accessory Bins and Trays. <u>Bins and trays must be ordered separately.</u>							
	7 1/4	54	29 1/2	GS5CPD754-S ☐	3,089	3,911	4,315	4,717
	• Bottom Door: 36" Slim File Drawer + 15" Slim File Drawer included. • Top Door: Includes z-bracket for clip-in accessory Bins and Trays. <u>Bins and trays must be ordered separately.</u>							

PRODUCT INFO

Unit must be wall mounted.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

"E" grommet cutout option for rect. grommet or bezel mount power unit model # ACUNOBZL-EU

"3E" grommet cutout option is 3" dia and to be used with HQ power w/ wireless charging model # ACPHQ3QI

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**
- PULL FOR BOTTOM DOOR**
- GROMMET**
- SIDE WIRE MGT GROMMET**
- LOCKS**

LAM



- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**
- FRONT LAM**
- PULL FOR BOTTOM DOOR**
- GROMMET**
- SIDE WIRE MGT GROMMET**
- LOCKS**

Pull Option: Bottom door available with standard metal pulls or leather pull. (note: top door is taller than chassis to provide a finger pull to open door)

Leather pull available in 3 colors: Black Bridle **LP12**
Medium Brown Bridle **LP13**
Grey Bridle **LP14**

Side Wire Management Grommet Option: A rectangular cutout may be added to end panels to provide horizontal wire management within a station.

No Side Wire Management Grommets **WN**
Side Wire Management Grommet Left **WL**
Side Wire Management Grommet Right **WR**
Side Wire Management Grommet Left & Right **WB**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
DOUBLE UNIT   Z-Bracket Slim file drawer	7 1/4	60	29 1/2	GS5CPD760-S ☐	3,415	4,324	4,771	5,216
	• Bottom Door: 30" Slim File Drawer + 30" Slim File Drawer included. • Top Door: Includes z-bracket for clip-in accessory Bins and Trays. <u>Bins and trays must be ordered separately.</u>							
	7 1/4	66	29 1/2	GS5CPD766-S ☐	3,585	4,539	5,009	5,475
	• Bottom Door: 30" Slim File Drawer + 36" Slim File Drawer included. • Top Door: Includes z-bracket for clip-in accessory Bins and Trays. <u>Bins and trays must be ordered separately.</u>							
	7 1/4	72	29 1/2	GS5CPD772-S ☐	3,764	4,765	5,257	5,748
	• Bottom Door: 36" Slim File Drawer + 36" Slim File Drawer included. • Top Door: Includes z-bracket for clip-in accessory Bins and Trays. <u>Bins and trays must be ordered separately.</u>							

PRODUCT INFO

Unit must be wall mounted.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

"E" grommet cutout option for rect. grommet or bezel mount power unit model # ACUNOBZL-EU

"3E" grommet cutout option is 3" dia and to be used with HQ power w/ wireless charging model # ACPHQ3QI

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL FOR BOTTOM DOOR**
5. **GROMMET**
6. **SIDE WIRE MGT GROMMET**
7. **LOCKS**

LAM



1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL FOR BOTTOM DOOR**
6. **GROMMET**
7. **SIDE WIRE MGT GROMMET**
8. **LOCKS**

Pull Option: Bottom door available with standard metal pulls or leather pull. (note: top door is taller than chassis to provide a finger pull to open door)

Leather pull available in 3 colors: Black Bridle **LP12**
Medium Brown Bridle **LP13**
Grey Bridle **LP14**


Side Wire Management Grommet Option: A rectangular cutout may be added to end panels to provide horizontal wire management within a station.

No Side Wire Management Grommets **WN**
Side Wire Management Grommet Left **WL**
Side Wire Management Grommet Right **WR**
Side Wire Management Grommet Left & Right **WB**

	D	W	H	model number	sq in
LARGE TRAY 	3	11 1/4	1 1/2	GS5TRAY-LG	96
LARGE BIN 	3	11 1/4	6 1/4	GS5BIN-LG	102
SMALL TRAY 	3	4 1/4	1 1/2	GS5TRAY-SM	88
SMALL BIN 	3	4 1/4	6 1/4	GS5BIN-SM	96

The below matrix recommendation provides a quick reference for ordering Trays and Bins to clip-in upper door of smart pedestals.

Smart Pedestal Model	Usable Inside Width	Recommended Accessories
	For Accessories	Large Tray/Bin + Small Tray/Bin
GS5CPD730-S	20.25	qty 1 + qty 2
GS5CPD736-S	26.25	qty 2 + –
GS5CPD742-S	32.25	qty 2 + qty 2
GS5CPD748-S	38.25	qty 3 + qty 1
GS5CPD754-S	44.25	qty 3 + qty 2
GS5CPD760-S	equivalent to qty (2) 30" smart pedestals	
GS5CPD766-S	equivalent to qty (1) 30" + qty (1) 36" smart pedestal	
GS5CPD772-S	equivalent to qty (2) 36" smart pedestals	



PRODUCT INFO


Accessories clip into Z bracket included on top door of smart pedestals.

Inside bottom of unit is lined with felt.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

- 1. MODEL NUMBER**
- 2. HARDWARE COLOR**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
FALSE PEDESTALS FOR FIXED DESK OR FIXED RETURN 	7 1/4	24	27 7/8	GS5CPD724-X 	1,079	1,469	1,622	1,773
	7 1/4	30	27 7/8	GS5CPD730-X 	1,128	1,537	1,697	1,855
	7 1/4	36	27 7/8	GS5CPD736-X 	1,178	1,607	1,774	1,939
	7 1/4	42	27 7/8	GS5CPD742-X 	1,230	1,678	1,852	2,025

- Notes:**
- Top door hinged for wall access.
 - Door split height matches smart pedestals.
 - Must be wall mounted.



Example: False pedestal shown in application to support a fixed desk or return.

GS5CPD730-XW (false pedestal)
GS2DWRR3072-W (desk worksurface)
GS2ALEG-A (angled legs)

PRODUCT INFO

Unit must be wall mounted.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD	LAM
1. MODEL NUMBER + W	1. MODEL NUMBER + L
2. FSC	2. FSC
3. CHASSIS WOOD FINISH	3. CHASSIS LAM
4. SIDE WIRE MGT GROMMET	4. FRONT LAM
	5. SIDE WIRE MGT GROMMET

Side Wire Management Grommet Option: A rectangular cutout may be added to end panels to provide horizontal wire management within a station.


No Side Wire Management Grommets	WN
Side Wire Management Grommet Left	WL
Side Wire Management Grommet Right	WR
Side Wire Management Grommet Left & Right	WB

SMART CLOSETS

7 1/4 Depth

Silea
06/25


	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
18" WIDE CLOSET	7 1/4	18	68 9/16	GS5CLS5H718L-	3,055	3,868	4,268	4,666
	7 1/4	18	68 9/16	GS5CLS5H718R-	3,055	3,868	4,268	4,666



Left hand shown
Inside cabinet views shown
without door

- Behind Door - Coat hook top, 3 Metal trays bottom

30" WIDE SIDE ACCESS CLOSET (18" WIDE CLOSET + 12" SIDE ACCESS)



Left hand shown
Inside cabinet views shown
without door

7 1/4	30	68 9/16	GS5CLS5H730L-	3,960	5,017	5,535	6,051
7 1/4	30	68 9/16	GS5CLS5H730R-	3,960	5,017	5,535	6,051


- Behind Door - Coat hook top, 3 Metal trays bottom
- Side Access - Fixed front does not open. 12.5" inside width x 5.75" inside depth. Includes 2 adjustable shelves on 5 hole pattern.

PRODUCT INFO

Unit must be wall mounted.
Coat hook and metal trays are black.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD	LAM
1. MODEL NUMBER + WW	1. MODEL NUMBER + LL
2. FSC	2. FSC
3. CHASSIS WOOD FINISH	3. CHASSIS LAM
4. LOCKS	4. FRONT LAM
	5. LOCKS

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
18" WIDE CLOSET 	7 1/4	18	68 9/16	GS5CLS5H718L-	N/A	4,643	5,123	5,600
	7 1/4	18	68 9/16	GS5CLS5H718R-	N/A	4,643	5,123	5,600

- Behind Door - Coat hook top, 3 Metal trays bottom

Left hand shown
Inside cabinet views shown
without door

**30" WIDE SIDE ACCESS
CLOSET (18" WIDE CLOSET
+ 12" SIDE ACCESS)**



Left hand shown
Inside cabinet views shown
without door

7 1/4	30	68 9/16	GS5CLS5H730L-	N/A	6,019	6,640	7,260
7 1/4	30	68 9/16	GS5CLS5H730R-	N/A	6,019	6,640	7,260

- Behind Door - Coat hook top, 3 Metal trays bottom
- Side Access - Fixed front does not open. 12.5" inside width x 5.75" inside depth. Includes 2 adjustable shelves on 5 hole pattern.
- Glass door over closet portion only. Side access fixed front matches chassis finish.

PRODUCT INFO

Unit must be wall mounted.
Glass doors do NOT lock.
Coat hook and metal trays are black.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR


1. **MODEL NUMBER + WG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**

SMART LOCKERS

7 1/4 Depth

Silea
06/25


	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
24" WIDE LOCKER	7 1/4	24	68 9/16	GS5LKR5H724L-	3,362	4,255	4,695	5,133
	7 1/4	24	68 9/16	GS5LKR5H724R-	3,362	4,255	4,695	5,133



Left hand shown
Inside cabinet views shown
without door

- Behind Door - Coat hook top, 3 Metal trays bottom
- Door overhangs chassis by 6". Additional coat hook on end panel.

36" WIDE SIDE ACCESS LOCKER (24" WIDE LOCKER + 12" SIDE ACCESS)



Left hand shown
Inside cabinet views shown
without door

	7 1/4	36	68 9/16	GS5LKR5H736L-	4,359	5,518	6,087	6,655
	7 1/4	36	68 9/16	GS5LKR5H736R-	4,359	5,518	6,087	6,655

- Behind Door - Coat hook top, 3 Metal trays bottom
- Door overhangs chassis by 6". Additional coat hook on end panel.
- Side Access - Fixed front does not open. 12.5" inside width x 5.75" inside depth. Includes 2 adjustable shelves on 5 hole pattern.

PRODUCT INFO

Unit must be wall mounted.

Doors do NOT lock.

Coat hook and metal trays are black.

 Laminate units shipped as separate packages and require field assembly.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD


- 1. MODEL NUMBER + WW**
- 2. FSC**
- 3. CHASSIS WOOD FINISH**

LAM

- 1. MODEL NUMBER + LL**
- 2. FSC**
- 3. CHASSIS LAM**
- 4. FRONT LAM**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
24" WIDE LOCKER 	7 1/4	24	68 9/16	GS5LKR5H724L-	4,402	5,105	5,632	6,158
	7 1/4	24	68 9/16	GS5LKR5H724R-	4,402	5,105	5,632	6,158
	• Behind Door - Coat hook top, 3 Metal trays bottom • Door overhangs chassis by 6". Additional coat hook on end panel.							
Left hand shown Inside cabinet views shown without door								

**36" WIDE SIDE ACCESS
LOCKER (24" WIDE LOCKER
+ 12" SIDE ACCESS)**



Left hand shown
Inside cabinet views shown without door



7 1/4	36	68 9/16	GS5LKR5H736L-	5,399	6,621	7,305	7,987
7 1/4	36	68 9/16	GS5LKR5H736R-	5,399	6,621	7,305	7,987
• Behind Door - Coat hook top, 3 Metal trays bottom • Door overhangs chassis by 6". Additional coat hook on end panel. • Side Access - Fixed front does not open. 12.5" inside width x 5.75" inside depth. Includes 2 adjustable shelves on 5 hole pattern.							

PRODUCT INFO


Unit must be wall mounted.
Doors do NOT lock.
Coat hook and metal trays are black.
 Laminate units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR	LAM CHASSIS, GLASS DOOR
1. MODEL NUMBER + WG	1. MODEL NUMBER + LG
2. FSC	2. FSC
3. CHASSIS WOOD FINISH	3. CHASSIS LAM
4. GLASS	4. GLASS

	D	W	H	model number	50
HQ POWER W/ WIRELESS CHARGING TO BE USED IN 3" DIA GROMMET CUTOUT	3	11 1/4	1 1/2	ACPHQ3QI-B	507
	• Black • Fits 3" Dia Cutout option in smart pedestals • 1 Power / 1 USB Charger / 1 Charging Pad • 10ft standard plug cord				
	3	11 1/4	6 1/4	ACPHQ3QI-S	507
	• Silver • Fits 3" Dia Cutout option in smart pedestals • 1 Power / 1 USB Charger / 1 Charging Pad • 10ft standard plug cord				
BEZEL MOUNT POWER TO BE USED IN RECTANGULAR GROMMET CUTOUT	2 7/8	4	1 3/4	ACUNOBZL-EU	477
	• Optional color • Fits Rectangular Grommet Cutout option in smart pedestals • 1 Power / dual USB A+C Charger • 10ft standard plug cord				
Can be used in grommet cutout	2 7/8	4	1 3/4	ACUNOBZL-EU-HW	477
	• Optional color • Fits Rectangular Grommet Cutout option in smart pedestals • 1 Power / dual USB A+C Charger • 6ft hardwire cord				

PRODUCT INFO	TO ORDER PLEASE SPECIFY THE FOLLOWING: LIST 1. MODEL NUMBER 2. BEZEL MOUNT POWER COLOR
---------------------	--

	D	W	H	model number	233
PENCIL TRAY	3 15/16	11 5/16	1 1/4	GS5PNCLTRAY-WLNT	233
	• Walnut, clear finish • Fits in 15" box drawer				
	3 15/16	11 5/16	1 1/4	GS5PNCLTRAY-MPLE	233
	• Maple, clear finish • Fits in 15" box drawer				
PENCIL CUP	3 15/16	3 15/16	3 3/4	GS5PNCLCUP-WLNT	233
	• Walnut, clear finish				
	3 15/16	3 15/16	3 3/4	GS5PNCLCUP-MPLE	233
	• Maple, clear finish				

PRODUCT INFO

Solidwood accessories include rubber bumpers on bottom to protect worksurfaces

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. MODEL NUMBER

Gunlocke

Storage219-249

 Bookcases.....220

 Bookcase / Closet 221

 Lateral Files. 222-223

 Closets..... 224-228

 Storage Box / Utility Cabinet 229-241

 Side Access Storage Locker 242-245




 Mobile Pedestal..... 246-247

 Storage External Tops 248-249

BOOKCASES

2 high – 6 high | 30" & 36"W

Silea
06/25





	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" & 36 WIDTH								
 28 High	14 7/8	30	27 7/8	GS2BKN2H30N-	1,569	1,986	2,191	2,396
	14 7/8	36	27 7/8	GS2BKN2H36N-	1,673	2,116	2,336	2,553
 42 High	14 7/8	30	42 3/16	GS2BKN3H30-	2,054	2,602	2,872	3,140
	14 7/8	36	42 3/16	GS2BKN3H36-	2,363	2,994	3,303	3,612
 55 High	14 7/8	30	54 7/16	GS2BKN4H30-	2,317	2,931	3,234	3,536
	14 7/8	36	54 7/16	GS2BKN4H36-	3,130	3,964	4,374	4,782
 68 High	14 7/8	30	68 9/16	GS2BKN5H30-	3,071	3,884	4,286	4,685
	14 7/8	36	68 9/16	GS2BKN5H36-	3,674	4,651	5,132	5,610
 82 High	14 7/8	30	81 5/16	GS2BKN6H30-	3,603	4,557	5,029	5,498
	14 7/8	36	81 5/16	GS2BKN6H36-	3,760	4,762	5,253	5,744

PRODUCT INFO

Units have a finished back.
Each unit has one fixed shelf, shaded above.
Top not included.
To add storage tops, specify external tops.
6H bookcase to be attached to the wall.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD	LAM
1. MODEL NUMBER + WN	1. MODEL NUMBER + LN
2. FSC	2. FSC
3. CHASSIS WOOD FINISH	3. CHASSIS LAM

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
 LEFT HAND 68 High	24	18	68 ⁹ / ₁₆	GS2BCL5H18L-	4,737	6,456	7,122	7,788
 RIGHT HAND 68 High	24	18	68 ⁹ / ₁₆	GS2BCL5H18R-	4,737	6,456	7,122	7,788
 LEFT HAND 82 High	24	18	81 ¹⁵ / ₁₆	GS2BCL6H18L-	5,411	7,369	8,130	8,888
 RIGHT HAND 82 High	24	18	81 ¹⁵ / ₁₆	GS2BCL6H18R-	5,411	7,369	8,130	8,888

PRODUCT INFO

All units have a finished back.
5H units include (1) closet rod behind door.
6H units include (1) closet rod and (1) adjustable shelf.
Each unit has (1) fixed shelf, highlighted above.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD	LAM
1. MODEL NUMBER + WW	1. MODEL NUMBER + LL
2. FSC	2. FSC
3. CHASSIS WOOD FINISH	3. CHASSIS LAM
4. PULL	4. FRONT LAM
5. LOCKS	5. PULL
6. KEYING	6. LOCKS
	7. KEYING

LATERAL FILES 24D

2 high w/top

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" WIDTH	24	30	29 1/2	GS2LFS2H30-	3,012	4,104	4,528	4,951
								
36" WIDTH	24	36	29 1/2	GS2LFS2H36-	3,184	4,336	4,784	5,231
								

PRODUCT INFO

2H lateral file comes with a top.
All units have a finished back.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS	LAM TOP, LAM CHASSIS
1. MODEL NUMBER + WW	1. MODEL NUMBER + LL
2. FSC	2. FSC
3. TOP WOOD FINISH + EDGE	3. TOP LAM
4. CHASSIS WOOD FINISH	4. CHASSIS LAM
5. TOP FINISH	5. FRONT LAM
6. PULL	6. EDGE DETAIL
7. DRAWERS	7. PULL
8. KEYING	8. DRAWERS
	9. KEYING

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" WIDTH								
	24	30	42 ³ / ₁₆	GS2LFS3H30-	4,008	5,456	6,019	6,582
	24	30	54 ⁷ / ₁₆	GS2LFS4H30-	4,995	6,808	7,510	8,212
	24	30	68 ⁹ / ₁₆	GS2LFS5H30-	6,439	8,771	9,676	10,579
	24	30	81 ¹⁵ / ₁₆	GS2LFS6H30-	7,450	10,148	11,195	12,240
36" WIDTH								
	24	36	42 ³ / ₁₆	GS2LFS3H36-	4,142	5,645	6,228	6,809
	24	36	54 ⁷ / ₁₆	GS2LFS4H36-	5,139	6,998	7,720	8,441
	24	36	68 ⁹ / ₁₆	GS2LFS5H36-	6,777	9,230	10,182	11,133
	24	36	81 ¹⁵ / ₁₆	GS2LFS6H36-	7,603	10,360	11,429	12,496

PRODUCT INFO

All units have a finished back.
If integral pull is chosen for wood, doors will be touch latch.
6 high units include (1) adjustable shelf behind doors.
5 and 6 high doors do not lock.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- WOOD CHASSIS

 - 1. MODEL NUMBER + WW
 - 2. FSC
 - 3. CHASSIS WOOD FINISH
 - 4. PULL
 - 5. DRAWERS
 - 6. KEYING
- LAM CHASSIS

 - 1. MODEL NUMBER + LL
 - 2. FSC
 - 3. CHASSIS LAM
 - 4. FRONT LAM
 - 5. PULL
 - 6. DRAWERS
 - 7. KEYING

CLOSETS 24D

5 high – 6 high

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
15" WIDTH  Door hinged left 68 High	24	15	68 ⁹ / ₁₆	GS2CLS5H15L-	2,988	4,072	4,493	4,912
	24	15	68 ⁹ / ₁₆	GS2CLS5H15R-	2,988	4,072	4,493	4,912
	24	15	81 ¹⁵ / ₁₆	GS2CLS6H15L-	3,279	4,467	4,928	5,388
	24	15	81 ¹⁵ / ₁₆	GS2CLS6H15R-	3,279	4,467	4,928	5,388

• 6H x 15W units must be attached to wall for stability. Wall attach hardware not provided.

18" WIDTH  Door hinged left 68 High	24	18	68 ⁹ / ₁₆	GS2CLS5H18L-	3,138	4,275	4,716	5,156
	24	18	68 ⁹ / ₁₆	GS2CLS5H18R-	3,138	4,275	4,716	5,156
 Door hinged left 82 High	24	18	81 ¹⁵ / ₁₆	GS2CLS6H18L-	3,452	4,702	5,188	5,673
	24	18	81 ¹⁵ / ₁₆	GS2CLS6H18R-	3,452	4,702	5,188	5,673

PRODUCT INFO

All units have a finished back.

If integral pull is chosen for wood, doors will be touch latch.

Units include (1) closet rod and (1) fixed shelf at bottom.





TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **LOCKS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **LOCKS**
7. **KEYING**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
30" WIDTH								
 68 High	24	30	68 ⁹ / ₁₆	GS2CLD5H30-D ☐	5,662	7,164	7,903	8,641
	24	30	68 ⁹ / ₁₆	GS2CLD5H30-S ☐	5,282	6,679	7,369	8,056
 82 High	24	30	81 ¹⁵ / ₁₆	GS2CLD6H30-D ☐	6,611	8,363	9,227	10,088
	24	30	81 ¹⁵ / ₁₆	GS2CLD6H30-S ☐	6,217	7,863	8,674	9,484
36" WIDTH								
 68 High	24	36	68 ⁹ / ₁₆	GS2CLD5H36-D ☐	6,227	7,882	8,695	9,507
	24	36	68 ⁹ / ₁₆	GS2CLD5H36-S ☐	5,811	7,348	8,107	8,863
 82 High	24	36	81 ¹⁵ / ₁₆	GS2CLD6H36-D ☐	7,272	9,198	10,147	11,094
	24	36	81 ¹⁵ / ₁₆	GS2CLD6H36-S ☐	6,835	8,648	9,540	10,430

PRODUCT INFO

All units have a finished back.

Closet codes for 68 high units:
D = (4) 1/2 shelves/
1/2 coat rod
S = (4) full width shelves

Closet codes for 82 high units:
D = (5) 1/2 shelves/
1/2 coat rod
S = (5) full width shelves

If integral pull is chosen for wood, doors will be touch latch.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|-------------------------------|-----------------------------|
| WOOD CHASSIS | LAM CHASSIS |
| 1. MODEL NUMBER + WW | 1. MODEL NUMBER + LL |
| 2. FSC | 2. FSC |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |
| 4. PULL | 4. FRONT LAM |
| 5. LOCKS | 5. PULL |
| 6. KEYING | 6. LOCKS |
| | 7. KEYING |

CLOSETS WITH GLASS DOORS 24D

5 high – 6 high | 15" & 18"W

Silea
06/25

	D	W	H	model number + type	veneer 1 chassis glass door	veneer 2 chassis glass door	veneer 3 chassis glass door
15" WIDTH  68 High	24	15	68 ⁹ / ₁₆	GS2CLS5H15L-	4,886	5,391	5,894
	24	15	68 ⁹ / ₁₆	GS2CLS5H15R-	4,886	5,391	5,894
	24	15	81 ¹⁵ / ₁₆	GS2CLS6H15L-	5,360	5,914	6,465
	24	15	81 ¹⁵ / ₁₆	GS2CLS6H15R-	5,360	5,914	6,465
• 6H x 15W units must be attached to wall for stability. Wall attach hardware not provided.							
18" WIDTH  68 High	24	18	68 ⁹ / ₁₆	GS2CLS5H18L-	5,130	5,660	6,188
	24	18	68 ⁹ / ₁₆	GS2CLS5H18R-	5,130	5,660	6,188
	24	18	81 ¹⁵ / ₁₆	GS2CLS6H18L-	5,642	6,225	6,805
	24	18	81 ¹⁵ / ₁₆	GS2CLS6H18R-	5,642	6,225	6,805


PRODUCT INFO

All units have a finished back.
Glass doors do not lock.
Units include (1) closet rod and
(1) fixed shelf at bottom.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

- 1. MODEL NUMBER + WG**
- 2. FSC**
- 3. CHASSIS WOOD FINISH**
- 4. GLASS**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
18" WIDTH 	30	18	68 ⁹ / ₁₆	GS2CLS5H30D18L-	3,453	4,702	5,188	5,673
	30	18	68 ⁹ / ₁₆	GS2CLS5H30D18R-	3,453	4,702	5,188	5,673
	30	18	81 ¹⁵ / ₁₆	GS2CLS6H30D18L-	3,795	5,173	5,707	6,239
	30	18	81 ¹⁵ / ₁₆	GS2CLS6H30D18R-	3,795	5,173	5,707	6,239

PRODUCT INFO

If integral pull is chosen for wood, doors will be touch latch.

Units include (1) closet rod and (1) fixed shelf at bottom.

All units have a finished back.

30D Laminate units have fasteners on backside with cam covers.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- WOOD CHASSIS

 - 1. **MODEL NUMBER + WW**
 - 2. **FSC**
 - 3. **CHASSIS WOOD FINISH**
 - 4. **PULL**
 - 5. **LOCKS**
 - 6. **KEYING**
- LAM CHASSIS


 - 1. **MODEL NUMBER + LL**
 - 2. **FSC**
 - 3. **CHASSIS LAM**
 - 4. **FRONT LAM**
 - 5. **PULL**
 - 6. **LOCKS**
 - 7. **KEYING**

CLOSETS WITH GLASS DOORS 30D

5 high – 6 high

Silea
06/25

18" WIDTH



68 High

D	W	H	model number + type	veneer 1 chassis glass door	veneer 2 chassis glass door	veneer 3 chassis glass door
30	18	68 ⁹ / ₁₆	GS2CLS5H30D18L-	5,645	6,228	6,809
30	18	68 ⁹ / ₁₆	GS2CLS5H30D18R-	5,645	6,228	6,809
30	18	81 ¹⁵ / ₁₆	GS2CLS6H30D18L-	6,206	6,846	7,486
30	18	81 ¹⁵ / ₁₆	GS2CLS6H30D18R-	6,206	6,846	7,486




PRODUCT INFO

All units have a finished back.
Glass doors do not lock.
Units include (1) closet rod and (1) fixed shelf at bottom.
All units have a finished back.
30D Laminate units have fasteners on backside with cam covers.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

- 1. MODEL NUMBER + WG**
- 2. FSC**
- 3. CHASSIS WOOD FINISH**
- 4. GLASS**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
15" WIDTH 	24	15	68 ⁹ / ₁₆	GS2SBD5H15L- ☐	3,388	4,620	5,098	5,573
	24	15	68 ⁹ / ₁₆	GS2SBD5H15R- ☐	3,388	4,620	5,098	5,573
	24	15	81 ¹⁵ / ₁₆	GS2SBD6H15L- ☐	3,727	5,083	5,608	6,132
	24	15	81 ¹⁵ / ₁₆	GS2SBD6H15R- ☐	3,727	5,083	5,608	6,132
• 6H x 15W units must be attached to wall for stability. Wall attach hardware not provided.								
18" WIDTH 	24	18	68 ⁹ / ₁₆	GS2SBD5H18L- ☐	3,566	4,865	5,368	5,869
	24	18	68 ⁹ / ₁₆	GS2SBD5H18R- ☐	3,566	4,865	5,368	5,869
	24	18	81 ¹⁵ / ₁₆	GS2SBD6H18L- ☐	3,922	5,351	5,904	6,454
	24	18	81 ¹⁵ / ₁₆	GS2SBD6H18R- ☐	3,922	5,351	5,904	6,454
30" WIDTH 	24	30	68 ⁹ / ₁₆	GS2SBD5H30- ☐	6,118	8,337	9,198	10,057
	24	30	81 ¹⁵ / ₁₆	GS2SBD6H30- ☐	6,465	8,808	9,716	10,623

PRODUCT INFO

All units have a finished back.
If integral pull is chosen for wood, doors will be touch latch.
5H units include (2) adjustable shelves behind doors.
6H units include (3) adjustable shelves behind doors.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS	LAM CHASSIS
1. MODEL NUMBER + WW	1. MODEL NUMBER + LL
2. FSC	2. FSC
3. CHASSIS WOOD FINISH	3. CHASSIS LAM
4. PULL	4. FRONT LAM
5. DRAWERS	5. PULL
6. KEYING	6. DRAWERS
	7. KEYING

STORAGE BOX 24D

5 high – 6 high | 15" & 18"W | Box / Box / File

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
15" WIDTH								
	24	15	68 ⁹ / ₁₆	GS2SBD5H15L-3 	3,558	4,852	5,354	5,852
	24	15	68 ⁹ / ₁₆	GS2SBD5H15R-3 	3,558	4,852	5,354	5,852
	24	15	81 ¹⁵ / ₁₆	GS2SBD6H15L-3 	3,912	5,337	5,889	6,438
	24	15	81 ¹⁵ / ₁₆	GS2SBD6H15R-3 	3,912	5,337	5,889	6,438
• 6H x 15W units must be attached to wall for stability. Wall attach hardware not provided.								
18" WIDTH								
	24	18	68 ⁹ / ₁₆	GS2SBD5H18L-3 	3,744	5,108	5,636	6,162
	24	18	68 ⁹ / ₁₆	GS2SBD5H18R-3 	3,744	5,108	5,636	6,162
	24	18	81 ¹⁵ / ₁₆	GS2SBD6H18L-3 	4,120	5,616	6,196	6,774
	24	18	81 ¹⁵ / ₁₆	GS2SBD6H18R-3 	4,120	5,616	6,196	6,774

PRODUCT INFO

If integral pull is chosen for wood, doors will be touch latch.

5H units include (2) adjustable shelves behind doors.

6H units include (3) adjustable shelves behind doors.




TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- CHASSIS WOOD FINISH**
- PULL**
- DRAWERS**
- KEYING**

LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- CHASSIS LAM**
- FRONT LAM**
- PULL**
- DRAWERS**
- KEYING**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
15" WIDTH  68 High  82 High	24	15	68 ⁹ / ₁₆	GS2SBD5H15-	3,133	4,274	4,715	5,155
	24	15	81 ¹⁵ / ₁₆	GS2SBD6H15-	3,449	4,700	5,185	5,670
	• 6H x 15W units must be attached to wall for stability. Wall attach hardware not provided.							
18" WIDTH  68 High  82 High	24	18	68 ⁹ / ₁₆	GS2SBD5H18-	3,297	4,497	4,961	5,424
	24	18	81 ¹⁵ / ₁₆	GS2SBD6H18-	3,629	4,949	5,460	5,970
30" WIDTH  68 High  82 High	24	30	68 ⁹ / ₁₆	GS2SBD5H30-	5,659	7,716	8,512	9,307
	24	30	81 ¹⁵ / ₁₆	GS2SBD6H30-	5,659	7,716	8,512	9,307

PRODUCT INFO

All units have a finished back.
If integral pull is chosen for wood, doors will be touch latch.
Adjustable shelves.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS	LAM CHASSIS
1. MODEL NUMBER + WN	1. MODEL NUMBER + LN
2. FSC	2. FSC
3. CHASSIS WOOD FINISH	3. CHASSIS LAM
4. PULL	4. FRONT LAM
5. DRAWERS	5. PULL
6. KEYING	6. DRAWERS
	7. KEYING

STORAGE BOX 24D

5 high – 6 high | 15" & 18"W | Box / Box / File

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
15" WIDTH								
 Box/Box/File 68 High	24	15	68 ⁹ / ₁₆	GS2SBD5H15-3 ☐	3,291	4,487	4,950	5,412
 Box/Box/File 82 High	24	15	81 ¹⁵ / ₁₆	GS2SBD6H15-3 ☐	3,620	4,936	5,446	5,955
				• 6H x 15W units must be attached to wall for stability. Wall attach hardware not provided.				
18" WIDTH								
 Box/Box/File 68 High	24	18	68 ⁹ / ₁₆	GS2SBD5H18-3 ☐	3,462	4,724	5,212	5,699
 Box/Box/File 82 High	24	18	81 ¹⁵ / ₁₆	GS2SBD6H18-3 ☐	3,810	5,195	5,731	6,266

PRODUCT INFO

All units have a finished back.
If integral pull is chosen for wood, doors will be touch latch.
Adjustable shelves.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WN**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + LN**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
18" WIDTH  Hinged door left 68 High	30	18	68 ⁹ / ₁₆	GS2SBD5H30D18L-	3,922	5,352	5,905	6,456
	30	18	68 ⁹ / ₁₆	GS2SBD5H30D18R-	3,922	5,352	5,905	6,456
	30	18	81 ¹⁵ / ₁₆	GS2SBD6H30D18L-	4,313	5,886	6,493	7,099
	30	18	81 ¹⁵ / ₁₆	GS2SBD6H30D18R-	4,313	5,886	6,493	7,099

PRODUCT INFO

If integral pull is chosen for wood, doors will be touch latch.

5H units include (2) adjustable shelves behind doors.

6H units include (3) adjustable shelves behind doors.

All units have a finished back.

30D Laminate units have fasteners on backside with cam covers.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- WOOD CHASSIS


 - 1. **MODEL NUMBER + WW**
 - 2. **FSC**
 - 3. **CHASSIS WOOD FINISH**
 - 4. **PULL**
 - 5. **DRAWERS**
 - 6. **KEYING**
- LAM CHASSIS

 - 1. **MODEL NUMBER + LL**
 - 2. **FSC**
 - 3. **CHASSIS LAM**
 - 4. **FRONT LAM**
 - 5. **PULL**
 - 6. **DRAWERS**
 - 7. **KEYING**

STORAGE BOX 30D

5 high – 6 high | 18"W | File / File

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
18" WIDTH	30	18	68 ⁹ / ₁₆	GS2SBD5H30D18-	3,629	4,948	5,459	5,969
 68 High								
 82 High	30	18	81 ¹⁵ / ₁₆	GS2SBD6H30D18-	3,992	5,442	6,004	6,565

PRODUCT INFO

5H units include (2) adjustable shelves behind doors.

6H units include (3) adjustable shelves behind doors.

All units have a finished back.
30D Laminate units have fasteners on backside with cam covers.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WN**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + LN**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
18" WIDTH	30	18	68 ⁹ / ₁₆	GS2SBD5H30D18L-3 ☐	4,120	5,618	6,199	6,777
 Box/Box/File Left 68 High	30	18	68 ⁹ / ₁₆	GS2SBD5H30D18R-3 ☐	4,120	5,618	6,199	6,777
 Box/Box/File Left 82 High	30	18	81 ¹⁵ / ₁₆	GS2SBD6H30D18L-3 ☐	4,530	6,178	6,815	7,451
	30	18	81 ¹⁵ / ₁₆	GS2SBD6H30D18R-3 ☐	4,530	6,178	6,815	7,451

PRODUCT INFO

If integral pull is chosen for wood, doors will be touch latch.

5H units include (2) adjustable shelves behind doors.

6H units include (3) adjustable shelves behind doors.

All units have a finished back.

30D Laminate units have fasteners on backside with cam covers.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- WOOD CHASSIS


 - 1. **MODEL NUMBER + WW**
 - 2. **FSC**
 - 3. **CHASSIS WOOD FINISH**
 - 4. **PULL**
 - 5. **DRAWERS**
 - 6. **KEYING**
- LAM CHASSIS

 - 1. **MODEL NUMBER + LL**
 - 2. **FSC**
 - 3. **CHASSIS LAM**
 - 4. **FRONT LAM**
 - 5. **PULL**
 - 6. **DRAWERS**
 - 7. **KEYING**

STORAGE BOX 30D

5 high – 6 high | 18"W | Box / Box / File

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
18" WIDTH	30	18	68 ⁹ / ₁₆	GS2SBD5H30D18-3 ☐	3,810	5,195	5,731	6,266
 Box/Box/File 68 High								
 Box/Box/File 82 High	30	18	81 ¹⁵ / ₁₆	GS2SBD6H30D18-3 ☐	4,192	5,714	6,304	6,892

PRODUCT INFO

5H units include (2) adjustable shelves behind doors.

6H units include (3) adjustable shelves behind doors.

All units have a finished back.
30D Laminate units have fasteners on backside with cam covers.





TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WN**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + LN**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
68 HIGH								
 Left hand	24	24	68 ⁹ / ₁₆	GS2UTC5H24L-	6,074	8,274	9,127	9,979
 Right hand	24	24	68 ⁹ / ₁₆	GS2UTC5H24R-	6,074	8,274	9,127	9,979
82 HIGH								
 Left hand	24	24	81 ¹⁵ / ₁₆	GS2UTC6H24L-	6,960	9,484	10,462	11,439
 Right hand	24	24	81 ¹⁵ / ₁₆	GS2UTC6H24R-	6,960	9,484	10,462	11,439

PRODUCT INFO

All units have a finished back.
If integral pull is chosen for wood, door will be touch latch.
Units include (1) closet rod behind full length door.
5H units include (2) adjustable shelves behind door above file drawers.
6H units include (4) adjustable shelves behind door above file drawers.




TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS	LAM CHASSIS
1. MODEL NUMBER + WW	1. MODEL NUMBER + LL
2. FSC	2. FSC
3. CHASSIS WOOD FINISH	3. CHASSIS LAM
4. PULL	4. FRONT LAM
5. DRAWERS	5. PULL
6. KEYING	6. DRAWERS
	7. KEYING

UTILITY CABINET 24D

5 high – 6 high | 24"W | Box / Box / File

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
68" HIGH	24	24	68 ⁹ / ₁₆	GS2UTC5H24L-3 ☐	6,377	8,687	9,584	10,478
 Left hand								
 Right hand	24	24	68 ⁹ / ₁₆	GS2UTC5H24R-3 ☐	6,377	8,687	9,584	10,478
82" HIGH	24	24	81 ¹⁵ / ₁₆	GS2UTC6H24L-3 ☐	7,309	9,960	10,987	12,013
 Left hand								
 Right hand	24	24	81 ¹⁵ / ₁₆	GS2UTC6H24R-3 ☐	7,309	9,960	10,987	12,013

PRODUCT INFO

All units have a finished back.
If integral pull is chosen for wood, door will be touch latch.
Units include (1) closet rod behind full length door.
5H units include (2) adjustable shelves behind door above drawers.
6H units include (4) adjustable shelves behind door above drawers.





TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
68 HIGH	24	30	68 ⁹ / ₁₆	GS2UTC5H30L-	6,681	9,100	10,039	10,976
 Left hand								
 Right hand	24	30	68 ⁹ / ₁₆	GS2UTC5H30R-	6,681	9,100	10,039	10,976
82 HIGH	24	30	81 ¹⁵ / ₁₆	GS2UTC6H30L-	7,658	10,434	11,511	12,585
 Left hand								
 Right hand	24	30	81 ¹⁵ / ₁₆	GS2UTC6H30R-	7,658	10,434	11,511	12,585

PRODUCT INFO

All units have a finished back.
If integral pull is chosen for wood, door will be touch latch.
Units include (1) closet rod behind full length door.
5H units include (2) adjustable shelves behind door above drawers.
6H units include (4) adjustable shelves behind door above drawers.




TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS	LAM CHASSIS
1. MODEL NUMBER + WW	1. MODEL NUMBER + LL
2. FSC	2. FSC
3. CHASSIS WOOD FINISH	3. CHASSIS LAM
4. PULL	4. FRONT LAM
5. DRAWERS	5. PULL
6. KEYING	6. DRAWERS
	7. KEYING

UTILITY CABINET 24D

5 high – 6 high | 30"W | Box / Box / File

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
68" HIGH	24	30	68 ⁹ / ₁₆	GS2UTC5H30L-3 ☐	7,014	9,557	10,542	11,527
 Left hand								
 Right hand	24	30	68 ⁹ / ₁₆	GS2UTC5H30R-3 ☐	7,014	9,557	10,542	11,527
82" HIGH	24	30	81 ¹⁵ / ₁₆	GS2UTC6H30L-3 ☐	8,040	10,957	12,087	13,215
 Left hand								
 Right hand	24	30	81 ¹⁵ / ₁₆	GS2UTC6H30R-3 ☐	8,040	10,957	12,087	13,215

PRODUCT INFO

All units have a finished back.
If integral pull is chosen for wood, door will be touch latch.
Units include (1) closet rod behind full length door.
5H units include (2) adjustable shelves behind door above drawers.
6H units include (4) adjustable shelves behind door above drawers.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- CHASSIS WOOD FINISH**
- PULL**
- DRAWERS**
- KEYING**

LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- CHASSIS LAM**
- FRONT LAM**
- PULL**
- DRAWERS**
- KEYING**

STORAGE CABINET 24D
2 high w/top



D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
24	30	29 1/2	GS2SCF2H30-5 ☐	2,224	3,031	3,345	3,657
24	36	29 1/2	GS2SCF2H36-5 ☐	2,474	3,367	3,715	4,062

PRODUCT INFO

Top included.
All units have a finished back.
If integral pull is chosen for wood, door will be touch latch.
(1) adjustable shelf behind doors.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- WOOD TOP, WOOD CHASSIS

 - 1. MODEL NUMBER + WW
 - 2. FSC
 - 3. TOP WOOD FINISH + EDGE
 - 4. CHASSIS WOOD FINISH
 - 5. TOP FINISH
 - 6. PULL
 - 7. KEYING
- LAM TOP, LAM CHASSIS

 - 1. MODEL NUMBER + LL
 - 2. FSC
 - 3. TOP LAM
 - 4. CHASSIS LAM
 - 5. FRONT LAM
 - 6. TOP FINISH
 - 7. EDGE DETAIL
 - 8. PULL
 - 9. KEYING


SIDE ACCESS STORAGE LOCKER 24D

5 high – 6 high

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
24" WIDTH  Left hand unit 68 High	24	24	68 ⁹ / ₁₆	GS2LKR5H24L-	4,172	5,280	5,825	6,369
	24	24	68 ⁹ / ₁₆	GS2LKR5H24R-	4,172	5,280	5,825	6,369
 Right hand unit 82 High	24	24	81 ¹⁵ / ₁₆	GS2LKR6H24L-	5,146	6,510	7,181	7,852
	24	24	81 ¹⁵ / ₁₆	GS2LKR6H24R-	5,146	6,510	7,181	7,852

• Note: door overhangs chassis by 6"



PRODUCT INFO

All units have a finished back.
Unit does not lock.

 Laminate units shipped as separate packages and require field assembly.

Coat hook and metal personal storage shelves are black.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**


LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**

SIDE ACCESS STORAGE LOCKER 24D
Glass Door | 5 high – 6 high

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
24" WIDTH  Left hand unit 68 High	24	24	68 ⁹ / ₁₆	GS2LKR5H24L- 	5,212	6,599	7,281	7,960
	24	24	68 ⁹ / ₁₆	GS2LKR5H24R- 	5,212	6,599	7,281	7,960
 Right hand unit 82 High	24	24	81 ¹⁵ / ₁₆	GS2LKR6H24L- 	6,427	8,137	8,977	9,814
	24	24	81 ¹⁵ / ₁₆	GS2LKR6H24R- 	6,427	8,137	8,977	9,814

• Note: door overhangs chassis by 6"



PRODUCT INFO

All units have a finished back.
Door does not lock.

 Laminate units shipped as separate packages and require field assembly.

Coat hook and metal personal storage shelves are black.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR	LAM CHASSIS, GLASS DOOR
1. MODEL NUMBER + WG	1. MODEL NUMBER + LG
2. FSC	2. FSC
3. CHASSIS WOOD FINISH	3. CHASSIS LAM
4. GLASS	4. GLASS


SIDE ACCESS STORAGE LOCKER LAYERS HEIGHT 24D

5 high – 6 high

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
24" WIDTH  Left hand unit 68 High	24	24	68 ⁹ / ₁₆	GS2LLKR5H24L- 	4,172	5,280	5,825	6,369
	24	24	68 ⁹ / ₁₆	GS2LLKR5H24R- 	4,172	5,280	5,825	6,369
 Right hand unit 82 High	24	24	81 ¹⁵ / ₁₆	GS2LLKR6H24L- 	5,146	6,510	7,181	7,852
	24	24	81 ¹⁵ / ₁₆	GS2LLKR6H24R- 	5,146	6,510	7,181	7,852

• Note: door overhangs chassis by 6"



PRODUCT INFO

All units have a finished back.
Doors do not lock.

 Laminate units shipped as separate packages and require field assembly.

Coat hook and metal personal storage shelves are black.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS


1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**

SIDE ACCESS STORAGE LOCKER LAYERS HEIGHT 24D
Glass Door | 5 high – 6 high

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
24" WIDTH								
 Left hand unit 68 High	24	24	68 ⁹ / ₁₆	GS2LLKR5H24L- 	5,212	6,599	7,281	7,960
	24	24	68 ⁹ / ₁₆	GS2LLKR5H24R- 	5,212	6,599	7,281	7,960
 Right hand unit 82 High	24	24	81 ¹⁵ / ₁₆	GS2LLKR6H24L- 	6,427	8,137	8,977	9,814
	24	24	81 ¹⁵ / ₁₆	GS2LLKR6H24R- 	6,427	8,137	8,977	9,814
• Note: door overhangs chassis by 6"								




PRODUCT INFO

All units have a finished back.
Doors do not lock.
 Laminate units shipped as separate packages and require field assembly.
Coat hook and metal personal storage shelves are black.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|-------------------------------|-----------------------------|
| WOOD CHASSIS, GLASS DOOR | LAM CHASSIS, GLASS DOOR |
| 1. MODEL NUMBER + WG | 1. MODEL NUMBER + LG |
| 2. FSC | 2. FSC |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |
| 4. GLASS | 4. GLASS |

		D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	Box/File	21 15/16	15 3/16	21 1/2	GS2MPD-6 ☐	1,981	2,701	2,980	3,259
	Box/Box/File	23 15/16	15 3/16	27 5/8	GS2MPD-3 ☐	2,180	2,972	3,279	3,586
	File/File	23 15/16	15 3/16	27 5/8	GS2MPD-2 ☐	2,180	2,972	3,279	3,586

• Taller Box/Box/File and File/File mobile pedestals with a cushion will NOT fit under a standard height desk. These taller mobile pedestals are not recommended for use with a cushion due to height.

PRODUCT INFO

Top included.
Pedestal on casters.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS	LAM TOP, LAM CHASSIS
1. MODEL NUMBER + WW	1. MODEL NUMBER + LL
2. FSC	2. FSC
3. CHASSIS WOOD FINISH	3. TOP LAM
4. PULL	4. CHASSIS LAM
5. DRAWERS	5. FRONT LAM
6. KEYING	6. PULL
	7. DRAWERS
	8. KEYING

	D	W	H	model number	fabric grades			COM/4
					1	2	3	
	21 11/16	14 7/8	1	GS2MPD-CUSH2215	550	570	592	611

PRODUCT INFO

For use with mobile pedestals.

COM Fabric 1.25 yds

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

- 1. MODEL NUMBER
- 2. FABRIC
- 3. FLAMMABILITY

Flammability Option Codes:
U = CT B117
For standard flammability rating,
please specify CTB 117.

STORAGE EXTERNAL TOPS

For Units with Doors

Silea
06/25

	D	W	H	model number + type	laminated	veneer 1	veneer 2	veneer 3
	30	18	1 3/16	GS2SGTOPD3018- 	595	811	896	979



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP


- 1. MODEL NUMBER + W
- 2. FSC
- 3. TOP WOOD FINISH + EDGE
- 4. TOP FINISH

Top Finish Option:
Non-UV Open Pore Finish NR

LAM TOP

- 1. MODEL NUMBER + L
- 2. FSC
- 3. TOP LAM

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 2
	29 1/8	18	1 3/16	GS2SGTOPN3018- 	595	811	896	979
	• For use w/ 24D and 30D storage							
	14 7/8	30	1 3/16	GS2SMTOPN30- 	431	993	1,096	1,198
	14 7/8	36	1 3/16	GS2SMTOPN36- 	488	665	734	803
	14 7/8	60	1 3/16	GS2SMTOPN60- 	734	1,002	1,106	1,209
	14 7/8	72	1 3/16	GS2SMTOPN72- 	843	1,151	1,271	1,390
	14 7/8	90	1 3/16	GS2SMTOPN90- 	1,011	1,378	1,521	1,662
	14 7/8	114	1 3/16	GS2SMTOPN108- 	1,177	1,605	1,772	1,937
• For use w/ bookcases								



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP	LAM TOP
1. MODEL NUMBER + W	1. MODEL NUMBER + L
2. FSC	2. FSC
3. TOP WOOD FINISH + EDGE	3. TOP LAM
4. TOP FINISH	
Top Finish Option: Non-UV Open Pore Finish NR	

[illegible]

Wall Mount251-286

 Cabinets 252-261

 Wall Mount Wall Overhead 262-263

 Tackboard in Tackzone 264-267

 Tackboard to Top of Overhead 268-273

 Glass Whiteboard from Floor 274

 Wall Mount Wall in Tackzone 275-278

 Magnetic Wood to Top of Overhead 279-283

 Shelving for Wall Mount Wall 284-285



 Floating Shelves 286

WALL MOUNT CABINETS

w/ Hinged Doors | 1H

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	16 1/4	30	14 1/8	GS2WMC1H30-	2,131	2,907	3,208	3,507
	16 1/4	36	14 1/8	GS2WMC1H36-	2,312	3,144	3,470	3,793
	16 1/4	42	14 1/8	GS2WMC1H42-	2,900	3,957	4,366	4,773
	16 1/4	48	14 1/8	GS2WMC1H48-	3,057	4,171	4,602	5,032
	16 1/4	54	14 1/8	GS2WMC1H54-	3,218	4,388	4,841	5,293
	16 1/4	60	14 1/8	GS2WMC1H60-	3,344	4,555	5,026	5,495
	16 1/4	66	14 1/8	GS2WMC1H66-	3,571	4,865	5,368	5,869
	16 1/4	72	14 1/8	GS2WMC1H72-	3,777	5,147	5,678	6,208
	16 1/4	78	14 1/8	GS2WMC1H78-	4,011	5,465	6,029	6,592
	16 1/4	84	14 1/8	GS2WMC1H84-	4,294	5,854	6,458	7,061
	16 1/4	90	14 1/8	GS2WMC1H90-	4,549	6,198	6,837	7,476
	16 1/4	96	14 1/8	GS2WMC1H96-	4,709	6,417	7,079	7,740
	16 1/4	102	14 1/8	GS2WMC1H102-	N/A	6,637	7,323	8,006
	16 1/4	108	14 1/8	GS2WMC1H108-	N/A	6,863	7,571	8,278

PRODUCT INFO

of doors:
30" and 36" = 2 doors
42" through 78" = 4 doors
84" through 108" = 6 doors



TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, WOOD DOOR

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **LOCKS**
5. **KEYING**

LAM CHASSIS, LAM DOOR

1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **LOCKS**
6. **KEYING**

	D	W	H	model number + type	veneer 1	veneer 2	veneer 3
	16 1/4	30	14 1/8	GS2WMC1H30-	3,425	3,779	4,132
	16 1/4	36	14 1/8	GS2WMC1H36-	3,705	4,088	4,470
	16 1/4	60	14 1/8	GS2WMC1H60-	5,465	6,029	6,592
	16 1/4	72	14 1/8	GS2WMC1H72-	6,175	6,812	7,448
	16 1/4	90	14 1/8	GS2WMC1H90-	7,652	8,442	9,230
	16 1/4	108	14 1/8	GS2WMC1H108-	8,472	9,346	10,219

PRODUCT INFO

Type must be specified as part
of doors:
30" and 36" = 2 doors
60" through 72" = 4 doors
90" through 108" = 6 doors
Glass doors do not lock.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR


- 1. **MODEL NUMBER + WG**
- 2. **FSC**
- 3. **CHASSIS WOOD FINISH**
- 4. **GLASS**

WALL MOUNT CABINETS

No Doors | 1H

Silea

06/25



D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
15 3/8	30	14 1/8	GS2WMC1H30-	1,815	2,474	2,730	2,985
15 3/8	36	14 1/8	GS2WMC1H36-	1,964	2,677	2,954	3,230
15 3/8	42	14 1/8	GS2WMC1H42-	2,464	3,362	3,710	4,056
15 3/8	48	14 1/8	GS2WMC1H48-	2,597	3,547	3,914	4,279
15 3/8	54	14 1/8	GS2WMC1H54-	2,735	3,729	4,114	4,498
15 3/8	60	14 1/8	GS2WMC1H60-	2,844	3,876	4,277	4,676
15 3/8	66	14 1/8	GS2WMC1H66-	3,037	4,139	4,566	4,992
15 3/8	72	14 1/8	GS2WMC1H72-	3,211	4,380	4,833	5,284
15 3/8	78	14 1/8	GS2WMC1H78-	3,408	4,646	5,126	5,604
15 3/8	84	14 1/8	GS2WMC1H84-	3,650	4,979	5,493	6,006
15 3/8	90	14 1/8	GS2WMC1H90-	3,865	5,271	5,815	6,358
15 3/8	96	14 1/8	GS2WMC1H96-	4,002	5,456	6,019	6,582
15 3/8	102	14 1/8	GS2WMC1H102-	N/A	5,645	6,228	6,809
15 3/8	108	14 1/8	GS2WMC1H108-	N/A	5,837	6,440	7,041

PRODUCT INFO



TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + WN**
- FSC**
- CHASSIS WOOD FINISH**

LAM

- MODEL NUMBER + LN**
- FSC**
- CHASSIS LAM**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	16 1/4	60	14 1/8	GS2WMC1H60-	3,345	4,559	5,031	5,500
	16 1/4	66	14 1/8	GS2WMC1H66-	3,562	4,856	5,358	5,858
	16 1/4	72	14 1/8	GS2WMC1H72-	3,777	5,153	5,685	6,215
	16 1/4	78	14 1/8	GS2WMC1H78-	4,080	5,562	6,137	6,710
	16 1/4	84	14 1/8	GS2WMC1H84-	4,381	5,973	6,590	7,205
	16 1/4	90	14 1/8	GS2WMC1H90-	4,683	6,385	7,044	7,701
	16 1/4	96	14 1/8	GS2WMC1H96-	4,969	6,637	7,323	8,006
	16 1/4	102	14 1/8	GS2WMC1H102-	N/A	6,887	7,598	8,307
	16 1/4	108	14 1/8	GS2WMC1H108-	N/A	7,068	7,798	8,526

PRODUCT INFO

of doors:
60" - 78" = 1 door
84" - 108" = 2 doors
Doors do not lock.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- WOOD CHASSIS, WOOD DOOR



 - 1. **MODEL NUMBER + WSW**
 - 2. **FSC**
 - 3. **CHASSIS WOOD FINISH**
- LAM CHASSIS, LAM DOOR

 - 1. **MODEL NUMBER + LSL**
 - 2. **FSC**
 - 3. **CHASSIS LAM**
 - 4. **FRONT LAM**

WALL MOUNT CABINETS

w/ Sliding Glass Doors | 1H

Silea
06/25

	D	W	H	model number + type	veneer 1	veneer 2	veneer 3
	16 1/4	60	14 1/8	GS2WMC1H60-	5,738	6,330	6,922
	16 1/4	72	14 1/8	GS2WMC1H72-	6,483	7,152	7,820
	16 1/4	90	14 1/8	GS2WMC1H90-	8,032	8,861	9,688
	16 1/4	108	14 1/8	GS2WMC1H108-	8,896	9,814	10,730



PRODUCT INFO

of doors:
60" and 72" = 1 door
90" and 108" = 2 doors
Glass doors do not lock.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WSG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	16 1/4	30	27 1/2	GS2WMC2H30-	3,018	4,102	4,526	4,948
	16 1/4	36	27 1/2	GS2WMC2H36-	3,292	4,479	4,941	5,403
	16 1/4	42	27 1/2	GS2WMC2H42-	3,391	4,626	5,104	5,580
	16 1/4	48	27 1/2	GS2WMC2H48-	3,650	4,977	5,491	6,003
	16 1/4	54	27 1/2	GS2WMC2H54-	3,907	5,326	5,877	6,425
	16 1/4	60	27 1/2	GS2WMC2H60-	4,347	5,917	6,528	7,137
	16 1/4	66	27 1/2	GS2WMC2H66-	4,652	6,335	6,990	7,642
	16 1/4	72	27 1/2	GS2WMC2H72-	5,290	6,689	7,380	8,069
	16 1/4	78	27 1/2	GS2WMC2H78-	5,395	6,826	7,531	8,234
	16 1/4	84	27 1/2	GS2WMC2H84-	5,645	7,143	7,880	8,616
	16 1/4	90	27 1/2	GS2WMC2H90-	5,939	7,517	8,292	9,067

PRODUCT INFO

of doors:
30" and 36" = 2 doors
60" through 78" = 4 doors
84" and 90" = 6 doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- WOOD CHASSIS, WOOD DOOR



 - MODEL NUMBER + WW
 - FSC
 - CHASSIS WOOD FINISH
 - LOCKS
 - KEYING
- LAM CHASSIS, LAM DOOR

 - MODEL NUMBER + LL
 - FSC
 - CHASSIS LAM
 - FRONT LAM
 - LOCKS
 - KEYING

WALL MOUNT CABINETS

w/ Hinged Glass Doors | 2H

Silea
06/25

	D	W	H	model number + type	veneer 1	veneer 2	veneer 3
	16 1/4	30	27 1/2	GS2WMC2H30-	4,831	5,330	5,827
	16 1/4	36	27 1/2	GS2WMC2H36-	5,277	5,822	6,365
	16 1/4	60	27 1/2	GS2WMC2H60-	7,101	7,834	8,565
	16 1/4	72	27 1/2	GS2WMC2H72-	8,026	8,854	9,681
	16 1/4	90	27 1/2	GS2WMC2H90-	9,277	10,233	11,189


PRODUCT INFO

of doors:
30" and 36" = 2 doors
60" and 72" = 4 doors
90" = 6 doors
Glass doors do not lock.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	16 1/4	30	27 1/2	GS2WMC2H30-	2,561	3,493	3,854	4,214
	16 1/4	36	27 1/2	GS2WMC2H36-	2,797	3,814	4,209	4,602
	16 1/4	42	27 1/2	GS2WMC2H42-	2,884	3,934	4,341	4,746
	16 1/4	48	27 1/2	GS2WMC2H48-	3,102	4,230	4,667	5,103
	16 1/4	54	27 1/2	GS2WMC2H54-	3,318	4,527	4,995	5,461
	16 1/4	60	27 1/2	GS2WMC2H60-	3,694	5,036	5,556	6,075
	16 1/4	66	27 1/2	GS2WMC2H66-	3,955	5,392	5,949	6,504
	16 1/4	72	27 1/2	GS2WMC2H72-	4,494	5,691	6,279	6,865
	16 1/4	78	27 1/2	GS2WMC2H78-	4,586	5,806	6,406	7,004
	16 1/4	84	27 1/2	GS2WMC2H84-	4,798	6,076	6,704	7,330
	16 1/4	90	27 1/2	GS2WMC2H90-	5,049	6,392	7,052	7,710

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

- 1. MODEL NUMBER + WN
- 2. FSC
- 3. CHASSIS WOOD FINISH

LAM CHASSIS



- 1. MODEL NUMBER + LN
- 2. FSC
- 3. CHASSIS LAM

WALL MOUNT CABINETS

w/ Sliding Doors | 2H

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
 60" width	16 1/4	60	27 1/2	GS2WMC2H60-	4,346	5,925	6,537	7,147
	16 1/4	66	27 1/2	GS2WMC2H66-	4,818	6,312	6,964	7,614
	16 1/4	72	27 1/2	GS2WMC2H72-	5,290	6,696	7,387	8,077
	16 1/4	78	27 1/2	GS2WMC2H78-	5,677	7,036	7,762	8,486
	16 1/4	84	27 1/2	GS2WMC2H84-	5,966	7,376	8,138	8,897
 90" width	16 1/4	90	27 1/2	GS2WMC2H90-	6,114	7,741	8,540	9,337

PRODUCT INFO

of doors:
60" - 78" = 1 door
84" - 90" = 2 doors
Doors do not lock.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, WOOD DOOR

- MODEL NUMBER + WSW**
- FSC**
- CHASSIS WOOD FINISH**

LAM CHASSIS, LAM DOOR

- MODEL NUMBER + LSL**
- FSC**
- CHASSIS LAM**
- FRONT LAM**

	D	W	H	model number + type	veneer 1	veneer 2	veneer 3
 60" width	16 1/4	60	27 1/2	GS2WMC2H60-	7,455	8,224	8,993
	16 1/4	72	27 1/2	GS2WMC2H72-	7,724	8,521	9,317
 90" width	16 1/4	90	27 1/2	GS2WMC2H90-	9,568	10,554	11,540

PRODUCT INFO

of doors:
60" and 72" = 1 door
90" = 2 doors
Glass doors do not lock.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WSG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**

WALL MOUNT WALL OVERHEAD

Shelf Track Bottom | 1H

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	3/4	30	14 1/8	GS2WMW1H30- 	843	1,070	1,182	1,292
	3/4	36	14 1/8	GS2WMW1H36- 	914	1,156	1,277	1,396
	3/4	42	14 1/8	GS2WMW1H42- 	985	1,250	1,380	1,509
	3/4	48	14 1/8	GS2WMW1H48- 	1,086	1,376	1,519	1,660
	3/4	54	14 1/8	GS2WMW1H54- 	1,187	1,502	1,658	1,812
	3/4	60	14 1/8	GS2WMW1H60- 	1,324	1,675	1,848	2,021
	3/4	66	14 1/8	GS2WMW1H66- 	1,413	1,789	1,975	2,159
	3/4	72	14 1/8	GS2WMW1H72- 	1,493	1,890	2,086	2,280
	3/4	78	14 1/8	GS2WMW1H78- 	1,576	1,991	2,197	2,402
	3/4	84	14 1/8	GS2WMW1H84- 	1,653	2,093	2,311	2,526
	3/4	90	14 1/8	GS2WMW1H90- 	1,852	2,342	2,585	2,826
	3/4	96	14 1/8	GS2WMW1H96- 	1,916	2,425	2,677	2,927
	3/4	102	14 1/8	GS2WMW1H102- 	1,983	2,510	2,770	3,028
	3/4	108	14 1/8	GS2WMW1H108- 	2,053	2,598	2,867	3,134

PRODUCT INFO

Shelving can be mounted to bottom aluminum track.

Shelving ordered separately.

Veneer panels are vertical grain unless specified with horizontal stratawood grain option.

Laminate panels are always horizontal grain.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**
- EXTRUSION COLOR**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**
- EXTRUSION COLOR**

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	3/4	30	27 1/2	GS2WMW2H30- 	1,003	1,269	1,401	1,532
	3/4	36	27 1/2	GS2WMW2H36- 	1,083	1,369	1,511	1,652
	3/4	42	27 1/2	GS2WMW2H42- 	1,159	1,469	1,622	1,773
	3/4	48	27 1/2	GS2WMW2H48- 	1,296	1,640	1,810	1,980
	3/4	54	27 1/2	GS2WMW2H54- 	1,430	1,812	2,001	2,187
	3/4	60	27 1/2	GS2WMW2H60- 	1,566	1,982	2,187	2,391
	3/4	66	27 1/2	GS2WMW2H66- 	1,677	2,121	2,341	2,559
	3/4	72	27 1/2	GS2WMW2H72- 	1,768	2,238	2,470	2,700
	3/4	78	27 1/2	GS2WMW2H78- 	1,861	2,358	2,602	2,845
	3/4	84	27 1/2	GS2WMW2H84- 	1,956	2,475	2,731	2,986
	3/4	90	27 1/2	GS2WMW2H90- 	2,193	2,774	3,062	3,348

PRODUCT INFO

Shelving can be mounted to bottom and center aluminum track.

Shelving ordered separately.

Veneer panels are vertical grain unless specified with horizontal stratawood grain option.

Laminate panels are always horizontal grain.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|-------------------------------|----------------------------|
| WOOD | LAM |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L |
| 2. FSC | 2. FSC |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |
| 4. EXTRUSION COLOR | 4. EXTRUSION COLOR |


WALL MOUNT TACKBOARD IN TACKZONE

For Standard Height Credenzas

Silea

06/25

fabric grades

	D	W	H	yards	model number	1	2	3	COM/4
	7/8	24	24 13/16	1.00	GS2TKW24	809	832	858	885
	7/8	30	24 13/16	1.00	GS2TKW30	850	874	902	930
	7/8	36	24 13/16	1.25	GS2TKW36	891	923	956	991
	7/8	42	24 13/16	1.25	GS2TKW42	923	956	989	1,025
	7/8	48	24 13/16	1.25	GS2TKW48	955	989	1,024	1,059
	7/8	54	24 13/16	1.25	GS2TKW54	991	1,027	1,061	1,101
	7/8	60	24 13/16	2.00	GS2TKW60	1,037	1,088	1,140	1,195
	7/8	66	24 13/16	2.25	GS2TKW66	1,054	1,105	1,157	1,212
	7/8	72	24 13/16	2.25	GS2TKW72	1,097	1,155	1,215	1,274
	7/8	78	24 13/16	2.50	GS2TKW78	1,126	1,189	1,256	1,324
	7/8	84	24 13/16	2.75	GS2TKW84	1,158	1,221	1,288	1,356
	7/8	90	24 13/16	2.75	GS2TKW90	1,211	1,280	1,353	1,425
	7/8	96	24 13/16	3.00	GS2TKW96	1,261	1,338	1,417	1,498
	7/8	102	24 13/16	3.25	GS2TKW102	1,739	1,821	1,908	1,996
	7/8	108	24 13/16	3.50	GS2TKW108	1,803	1,892	1,985	2,079

Product Specifications:

STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

102" and 108" wide tackboards are 2 piece.

See yards listed above for COM fabric requirements.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST


1. **MODEL NUMBER**
2. **FABRIC**
3. **FSC TACKBOARDS**

FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)

NR = FSC Not Required

WALL MOUNT GLASS WHITEBOARD IN TACKZONE
For Standard Height Credenzas

	D	W	H	model number	glass
	7/8	24	24 13/16	GS2TGW24-GSA	1,615
	7/8	30	24 13/16	GS2TGW30-GSA	1,699
	7/8	36	24 13/16	GS2TGW36-GSA	1,932
	7/8	42	24 13/16	GS2TGW42-GSA	2,233
	7/8	48	24 13/16	GS2TGW48-GSA	2,532
	7/8	54	24 13/16	GS2TGW54-GSA	2,833
	7/8	60	24 13/16	GS2TGW60-GSA	3,166
	7/8	66	24 13/16	GS2TGW66-GSA	3,625
	7/8	72	24 13/16	GS2TGW72-GSA	3,862
	7/8	78	24 13/16	GS2TGW78-GSA	4,281
	7/8	84	24 13/16	GS2TGW84-GSA	4,864
	7/8	90	24 13/16	GS2TGW90-GSA	5,087
	7/8	96	24 13/16	GS2TGW96-GSA	5,332
	7/8	102	24 13/16	GS2TGW102-GSA	5,558
	7/8	108	24 13/16	GS2TGW108-GSA	5,794

PRODUCT INFO

96", 102" and 108" wide whiteboards are 2 piece.
Whiteboard frames match glass color.
Whiteboard is magnetic.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

GLASS


- 1. MODEL NUMBER
- 2. GLASS

LAYERS WALL MOUNT TACKBOARD IN TACKZONE

For Layers Height Credenzas

Silea

06/25

fabric grades									
	D	W	H	yards	model number	1	2	3	COM/4
	7/8	24	31 15/16	1.00	GS2TLKW24	848	872	900	928
	7/8	30	31 15/16	1.00	GS2TLKW30	893	919	950	977
	7/8	36	31 15/16	1.25	GS2TLKW36	934	967	1,003	1,038
	7/8	42	31 15/16	1.25	GS2TLKW42	969	1,005	1,039	1,081
	7/8	48	31 15/16	1.25	GS2TLKW48	1,002	1,038	1,075	1,116
	7/8	54	31 15/16	1.25	GS2TLKW54	1,037	1,078	1,114	1,155
	7/8	60	31 15/16	2.00	GS2TLKW60	1,088	1,142	1,198	1,254
	7/8	66	31 15/16	2.25	GS2TLKW66	1,108	1,160	1,218	1,274
	7/8	72	31 15/16	2.25	GS2TLKW72	1,152	1,212	1,277	1,339
	7/8	78	31 15/16	2.50	GS2TLKW78	1,184	1,250	1,321	1,392
	7/8	84	31 15/16	2.75	GS2TLKW84	1,216	1,282	1,353	1,424
	7/8	90	31 15/16	2.75	GS2TLKW90	1,271	1,344	1,423	1,497
	7/8	96	31 15/16	3.00	GS2TLKW96	1,322	1,403	1,487	1,570
	7/8	102	31 15/16	3.25	GS2TLKW102	1,826	1,911	2,003	2,095
	7/8	108	31 15/16	3.50	GS2TLKW108	1,893	1,986	2,084	2,183

Product Specifications:

STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

102" and 108" wide tackboards are 2 piece.

See yards listed above for COM fabric requirements.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **FABRIC**
3. **FSC TACKBOARDS**

FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)

NR = FSC Not Required

LAYERS WALL MOUNT GLASS WHITEBOARD IN TACKZONE
For Layers Height Credenzas

	D	W	H	model number	price
	7/8	24	31 15/16	GS2TLGW24-GSA	1,695
	7/8	30	31 15/16	GS2TLGW30-GSA	1,783
	7/8	36	31 15/16	GS2TLGW36-GSA	2,030
	7/8	42	31 15/16	GS2TLGW42-GSA	2,355
	7/8	48	31 15/16	GS2TLGW48-GSA	2,680
	7/8	54	31 15/16	GS2TLGW54-GSA	3,006
	7/8	60	31 15/16	GS2TLGW60-GSA	3,326
	7/8	66	31 15/16	GS2TLGW66-GSA	3,807
	7/8	72	31 15/16	GS2TLGW72-GSA	4,054
	7/8	78	31 15/16	GS2TLGW78-GSA	4,494
	7/8	84	31 15/16	GS2TLGW84-GSA	5,105
	7/8	90	31 15/16	GS2TLGW90-GSA	5,342
	7/8	96	31 15/16	GS2TLGW96-GSA	5,600
	7/8	102	31 15/16	GS2TLGW102-GSA	5,838
	7/8	108	31 15/16	GS2TLGW108-GSA	6,087

PRODUCT INFO

96", 102" and 108" wide whiteboards are 2 piece.
Whiteboard frames match glass color.
Whiteboard is magnetic.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

GLASS

1. **MODEL NUMBER**
2. **GLASS**



TACKBOARD TO TOP OF OVERHEAD

1H and 2H | for Standard Height Credenzas

Silea

06/25

fabric grades

	D	W	H	yards	model number	1	2	3	COM/4
	7/8	24	39 1/16	1.25	GS2TKW1H24	1,014	1,037	1,063	1,090
	7/8	30	39 1/16	1.25	GS2TKW1H30	1,066	1,090	1,118	1,146
	7/8	36	39 1/16	1.25	GS2TKW1H36	1,086	1,118	1,151	1,186
	7/8	42	39 1/16	1.50	GS2TKW1H42	1,128	1,169	1,208	1,247
	7/8	48	39 1/16	1.50	GS2TKW1H48	1,163	1,204	1,243	1,282
	7/8	24	52 7/16	1.75	GS2TKW2H24	1,032	1,055	1,081	1,108
	7/8	30	52 7/16	1.75	GS2TKW2H30	1,086	1,110	1,138	1,166
	7/8	36	52 7/16	1.75	GS2TKW2H36	1,128	1,160	1,193	1,228
	7/8	42	52 7/16	1.75	GS2TKW2H42	1,163	1,204	1,243	1,282
	7/8	48	52 7/16	1.75	GS2TKW2H48	1,192	1,233	1,272	1,311

Product Specifications:

STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

See yards listed above for COM fabric requirements.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **FABRIC**
3. **FSC TACKBOARDS**

FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)

NR = FSC Not Required

GLASS WHITEBOARD TO TOP OF OVERHEAD
1H and 2H | for Standard Height Credenzas

	D	W	H	model number	glass
	7/8	24	39 1/16	GS2TGW1H24-GSA	3,009
	7/8	30	39 1/16	GS2TGW1H30-GSA	3,166
	7/8	36	39 1/16	GS2TGW1H36-GSA	3,625
	7/8	42	39 1/16	GS2TGW1H42-GSA	3,862
	7/8	48	39 1/16	GS2TGW1H48-GSA	4,281
	7/8	24	52 7/16	GS2TGW2H24-GSA	3,444
	7/8	30	52 7/16	GS2TGW2H30-GSA	3,625
	7/8	36	52 7/16	GS2TGW2H36-GSA	3,862
	7/8	42	52 7/16	GS2TGW2H42-GSA	4,281
	7/8	48	52 7/16	GS2TGW2H48-GSA	4,864

PRODUCT INFO

Whiteboard frames match
glass color.
Whiteboard is magnetic.

TO ORDER PLEASE SPECIFY THE FOLLOWING:



GLASS

- 1. MODEL NUMBER
- 2. GLASS

LAYERS TACKBOARD TO TOP OF OVERHEAD

1H and 2H | for Layers Height Credenzas

Silea
06/25

						fabric grades			COM/4
D	W	H	yards	model number	1	2	3		
	7/8	24	46 3/16	1.50	GS2TLKW1H24	1,032	1,055	1,081	1,108
	7/8	30	46 3/16	1.50	GS2TLKW1H30	1,086	1,110	1,138	1,166
	7/8	36	46 3/16	1.50	GS2TLKW1H36	1,128	1,160	1,193	1,228
	7/8	42	46 3/16	1.50	GS2TLKW1H42	1,163	1,204	1,243	1,282
	7/8	48	46 3/16	1.50	GS2TLKW1H48	1,192	1,233	1,272	1,311
	7/8	24	59 9/16	2.00	GS2TLKW2H24	1,073	1,096	1,122	1,149
	7/8	30	59 9/16	2.00	GS2TLKW2H30	1,128	1,152	1,180	1,208
	7/8	36	59 9/16	2.00	GS2TLKW2H36	1,163	1,195	1,228	1,263
	7/8	42	59 9/16	2.00	GS2TLKW2H42	1,192	1,233	1,272	1,311
	7/8	48	59 9/16	2.00	GS2TLKW2H48	1,245	1,286	1,325	1,364

Product Specifications:

STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

See yards listed above for COM fabric requirements.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST



1. **MODEL NUMBER**
2. **FABRIC**
3. **FSC TACKBOARDS**

FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)

NR = FSC Not Required

LAYERS GLASS WHITEBOARD TO TOP OF OVERHEAD
1H and 2H | for Layers Height Credenzas

	D	W	H	model number	glass
	7/8	24	46 3/16	GS2TLGW1H24-GSA	3,161
	7/8	30	46 3/16	GS2TLGW1H30-GSA	3,326
	7/8	36	46 3/16	GS2TLGW1H36-GSA	3,807
	7/8	42	46 3/16	GS2TLGW1H42-GSA	4,054
	7/8	48	46 3/16	GS2TLGW1H48-GSA	4,494
	7/8	24	59 9/16	GS2TLGW2H24-GSA	3,618
	7/8	30	59 9/16	GS2TLGW2H30-GSA	3,807
	7/8	36	59 9/16	GS2TLGW2H36-GSA	4,054
	7/8	42	59 9/16	GS2TLGW2H42-GSA	4,494
	7/8	48	59 9/16	GS2TLGW2H48-GSA	5,105

PRODUCT INFO

Whiteboard frames match
glass color.
Whiteboard is magnetic.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

GLASS

1. MODEL NUMBER
2. GLASS


TACKBOARDS FOR MOUNTING 1H OVERHEADS AT 6H HEIGHT

For Standard Height Credenzas

Silea

06/25

fabric grades

	D	W	H	yards	model number	1	2	3	COM/4
	7/8	24	38 1/4	1.00	GS2TTKW24	1,012	1,042	1,075	1,105
	7/8	30	38 1/4	1.00	GS2TTKW30	1,064	1,095	1,129	1,161
	7/8	36	38 1/4	1.25	GS2TTKW36	1,113	1,154	1,195	1,238
	7/8	42	38 1/4	1.50	GS2TTKW42	1,155	1,197	1,239	1,283
	7/8	48	38 1/4	1.50	GS2TTKW48	1,193	1,238	1,281	1,326
	7/8	54	38 1/4	2.00	GS2TTKW54	1,485	1,542	1,591	1,650
	7/8	60	38 1/4	2.00	GS2TTKW60	1,556	1,634	1,712	1,794
	7/8	66	38 1/4	2.25	GS2TTKW66	1,581	1,659	1,737	1,819
	7/8	72	38 1/4	2.50	GS2TTKW72	1,645	1,731	1,821	1,912
	7/8	78	38 1/4	2.50	GS2TTKW78	1,689	1,783	1,884	1,988
	7/8	84	38 1/4	2.75	GS2TTKW84	1,739	1,832	1,934	2,037
	7/8	90	38 1/4	3.00	GS2TTKW90	1,816	1,919	2,030	2,140
	7/8	96	38 1/4	3.00	GS2TTKW96	1,891	2,006	2,125	2,245
	7/8	102	38 1/4	3.50	GS2TTKW102	2,609	2,730	2,862	2,992
	7/8	108	38 1/4	3.50	GS2TTKW108	2,706	2,838	2,980	3,118

- Can be used in height adjustable applications with overheads to create clearance for desk and monitors. Monitor height should be verified.

Product Specifications:

STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

54"-96" wide tackboards are 2 piece.

102"-108" wide tackboards are 3 piece.

See yards listed above for COM fabric requirements.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST


1. **MODEL NUMBER**
2. **FABRIC**
3. **FSC TACKBOARDS**

FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)

NR = FSC Not Required

GLASS WHITEBOARDS FOR MOUNTING 1H OVERHEADS AT 6H HEIGHT
For Standard Height Credenzas

	D W H model number				glass
	7/8	24	38 1/4	GS2TTGW24-GSA	2,851
	7/8	30	38 1/4	GS2TTGW30-GSA	3,166
	7/8	36	38 1/4	GS2TTGW36-GSA	3,625
	7/8	42	38 1/4	GS2TTGW42-GSA	3,862
	7/8	48	38 1/4	GS2TTGW48-GSA	4,281
	7/8	54	38 1/4	GS2TTGW54-GSA	4,925
	7/8	60	38 1/4	GS2TTGW60-GSA	5,703
	7/8	66	38 1/4	GS2TTGW66-GSA	6,113
	7/8	72	38 1/4	GS2TTGW72-GSA	6,524
	7/8	78	38 1/4	GS2TTGW78-GSA	6,739
	7/8	84	38 1/4	GS2TTGW84-GSA	6,952
	7/8	90	38 1/4	GS2TTGW90-GSA	7,329
	7/8	96	38 1/4	GS2TTGW96-GSA	7,707
	7/8	102	38 1/4	GS2TTGW102-GSA	9,376
	7/8	108	38 1/4	GS2TTGW108-GSA	9,787
• Can be used in height adjustable applications with overheads to create clearance for desk and monitors. Monitor height should be verified.					

PRODUCT INFO

54"-96" wide whiteboards are 2 piece.
102"-108" wide whiteboards are 3 piece.
Whiteboard frames match glass color.
Whiteboard is magnetic.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

- LIST
- 1. MODEL NUMBER
 - 2. GLASS

GLASS WHITEBOARD FROM FLOOR

To Top of 4H, 5H and 6H

Silea
06/25

	D	W	H	model number	glass
	7/8	36	68 1/8	GS2WGW5H36	4,054
	7/8	36	81 1/2	GS2WGW6H36	5,105

PRODUCT INFO

Whiteboard frames match
glass color.
Whiteboard is magnetic.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

GLASS

1. **MODEL NUMBER**
2. **GLASS**

WALL MOUNT WALL IN TACKZONE
w/ Center Track | 1H | for Standard Height Credenzas

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	3/4	30	24 13/16	GS2TWD30-X []	899	1,136	1,255	1,372
	3/4	36	24 13/16	GS2TWD36-X []	965	1,222	1,349	1,475
	3/4	42	24 13/16	GS2TWD42-X []	1,076	1,358	1,499	1,638
	3/4	48	24 13/16	GS2TWD48-X []	1,187	1,492	1,647	1,800
	3/4	54	24 13/16	GS2TWD54-X []	1,294	1,625	1,794	1,961
	3/4	60	24 13/16	GS2TWD60-X []	1,402	1,772	1,957	2,139
	3/4	66	24 13/16	GS2TWD66-X []	1,498	1,896	2,093	2,288
	3/4	72	24 13/16	GS2TWD72-X []	1,585	2,004	2,211	2,418
	3/4	78	24 13/16	GS2TWD78-X []	1,669	2,113	2,333	2,550
	3/4	84	24 13/16	GS2TWD84-X []	1,752	2,218	2,448	2,676
	3/4	90	24 13/16	GS2TWD90-X []	1,962	2,481	2,738	2,993
	3/4	96	24 13/16	GS2TWD96-X []	2,031	2,569	2,835	3,099
	3/4	102	24 13/16	GS2TWD102-X []	2,105	2,661	2,936	3,211
	3/4	108	24 13/16	GS2TWD108-X []	2,173	2,750	3,034	3,317

PRODUCT INFO

Shelving can be mounted to center aluminum track.
Shelving ordered separately.
Veneer panels are vertical grain unless specified with horizontal stratawood grain option.
Laminate panels are always horizontal grain.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|------------------------|---------------------|
| WOOD | LAM |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L |
| 2. FSC | 2. FSC |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |
| 4. EXTRUSION COLOR | 4. EXTRUSION COLOR |

MAGNETIC WALL MOUNT WALL IN TACKZONE

w/ Steel Backer | 1H | for Standard Height Credenzas

Silea
06/25

	D	W	H	model number + type	veneer 1	veneer 2	veneer 3
	3/4	24	24 13/16	GS2TWD24- []	1,526	1,685	1,842
	3/4	30	24 13/16	GS2TWD30- []	1,564	1,727	1,888
	3/4	36	24 13/16	GS2TWD36- []	1,657	1,829	2,000
	3/4	42	24 13/16	GS2TWD42- []	1,805	1,993	2,178
	3/4	48	24 13/16	GS2TWD48- []	1,953	2,155	2,357
	3/4	54	24 13/16	GS2TWD54- []	2,097	2,315	2,531
	3/4	60	24 13/16	GS2TWD60- []	2,244	2,476	2,707
	3/4	66	24 13/16	GS2TWD66- []	2,375	2,621	2,865
	3/4	72	24 13/16	GS2TWD72- []	2,578	2,845	3,110
	3/4	78	24 13/16	GS2TWD78- []	2,661	2,936	3,211
	3/4	84	24 13/16	GS2TWD84- []	2,804	3,095	3,384
	3/4	90	24 13/16	GS2TWD90- []	3,175	3,504	3,831
	3/4	96	24 13/16	GS2TWD96- []	3,267	3,605	3,941
	3/4	102	24 13/16	GS2TWD102- []	3,365	3,713	4,059
	3/4	108	24 13/16	GS2TWD108- []	3,544	3,911	4,276

PRODUCT INFO

Tackzone is magnetic.
It is not recommended to stack wood units side by side due to grain variation. Contact Tailored Solutions for a matched set.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAYERS WALL MOUNT WALL IN TACKZONE
w/ Center Track | for Layers Height Credenzas

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	3/4	30	31 15/16	GS2TLWD30-X ☐	944	1,194	1,318	1,441
	3/4	36	31 15/16	GS2TLWD36-X ☐	1,013	1,284	1,418	1,550
	3/4	42	31 15/16	GS2TLWD42-X ☐	1,159	1,467	1,619	1,770
	3/4	48	31 15/16	GS2TLWD48-X ☐	1,274	1,610	1,777	1,943
	3/4	54	31 15/16	GS2TLWD54-X ☐	1,388	1,759	1,943	2,123
	3/4	60	31 15/16	GS2TLWD60-X ☐	1,473	1,864	2,058	2,249
	3/4	66	31 15/16	GS2TLWD66-X ☐	1,576	1,992	2,198	2,403
	3/4	72	31 15/16	GS2TLWD72-X ☐	1,662	2,108	2,327	2,544
	3/4	78	31 15/16	GS2TLWD78-X ☐	1,752	2,220	2,450	2,678
	3/4	84	31 15/16	GS2TLWD84-X ☐	1,841	2,331	2,573	2,813
	3/4	90	31 15/16	GS2TLWD90-X ☐	2,059	2,608	2,878	3,147
	3/4	96	31 15/16	GS2TLWD96-X ☐	2,131	2,701	2,980	3,259
	3/4	102	31 15/16	GS2TLWD102-X ☐	2,209	2,797	3,087	3,375
	3/4	108	31 15/16	GS2TLWD108-X ☐	2,281	2,890	3,189	3,486

PRODUCT INFO

Shelving can be mounted to center aluminum track.
Shelving ordered separately.
Veneer panels are vertical grain unless specified with horizontal stratawood grain option.
Laminate panels are always horizontal grain.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|------------------------|---------------------|
| WOOD | LAM |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L |
| 2. FSC | 2. FSC |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |
| 4. EXTRUSION COLOR | 4. EXTRUSION COLOR |

MAGNETIC WALL MOUNT WALL IN TACKZONE

w/ Steel Backer | for Layers Height Credenzas

Silea
06/25

	D	W	H	model number + type	veneer 1	veneer 2	veneer 3
	3/4	24	31 15/16	GS2TLWD24-	1,602	1,768	1,933
	3/4	30	31 15/16	GS2TLWD30-	1,643	1,813	1,983
	3/4	36	31 15/16	GS2TLWD36-	1,740	1,921	2,100
	3/4	42	31 15/16	GS2TLWD42-	1,895	2,092	2,287
	3/4	48	31 15/16	GS2TLWD48-	2,049	2,261	2,472
	3/4	54	31 15/16	GS2TLWD54-	2,202	2,430	2,657
	3/4	60	31 15/16	GS2TLWD60-	2,355	2,599	2,841
	3/4	66	31 15/16	GS2TLWD66-	2,491	2,749	3,005
	3/4	72	31 15/16	GS2TLWD72-	2,708	2,988	3,267
	3/4	78	31 15/16	GS2TLWD78-	2,795	3,085	3,373
	3/4	84	31 15/16	GS2TLWD84-	2,943	3,247	3,550
	3/4	90	31 15/16	GS2TLWD90-	3,333	3,678	4,021
	3/4	96	31 15/16	GS2TLWD96-	3,429	3,783	4,137
	3/4	102	31 15/16	GS2TLWD102-	3,534	3,900	4,264
	3/4	108	31 15/16	GS2TLWD108-	3,723	4,107	4,491

PRODUCT INFO


Tackzone is magnetic.
It is not recommended to stack wood units side by side due to grain variation. Contact Tailored Solutions for a matched set.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

MAGNETIC WOOD TO TOP OF OVERHEAD
1H | for Standard Height Credenzas

	D	W	H	model number + type	veneer 1	veneer 2	veneer 3
	3/4	24	39 1/16	GS2TWD1H24- 	2,187	2,414	2,639
	3/4	30	39 1/16	GS2TWD1H30- 	2,244	2,476	2,707
	3/4	36	39 1/16	GS2TWD1H36- 	2,375	2,621	2,865
	3/4	42	39 1/16	GS2TWD1H42- 	2,578	2,845	3,110
	3/4	48	39 1/16	GS2TWD1H48- 	2,661	2,936	3,211
	3/4	54	39 1/16	GS2TWD1H54- 	2,795	3,085	3,373
	3/4	60	39 1/16	GS2TWD1H60- 	2,932	3,235	3,537
	3/4	66	39 1/16	GS2TWD1H66- 	3,080	3,399	3,716
	3/4	72	39 1/16	GS2TWD1H72- 	3,235	3,569	3,902
	3/4	78	39 1/16	GS2TWD1H78- 	3,396	3,747	4,096
	3/4	84	39 1/16	GS2TWD1H84- 	3,567	3,936	4,303
	3/4	90	39 1/16	GS2TWD1H90- 	3,744	4,130	4,516
	3/4	96	39 1/16	GS2TWD1H96- 	3,932	4,338	4,743
	3/4	102	39 1/16	GS2TWD1H102- 	4,128	4,554	4,979
	3/4	108	39 1/16	GS2TWD1H108- 	4,334	4,782	5,229

PRODUCT INFO

Tackzone is magnetic.
It is not recommended to stack wood units side by side due to grain variation. Contact Tailored Solutions for a matched set.
24" - 48" = 1 piece
54" - 102" = 2 piece
108" = 3 piece

TO ORDER PLEASE SPECIFY THE FOLLOWING:


- WOOD
1. MODEL NUMBER + W
 2. FSC
 3. CHASSIS WOOD FINISH

MAGNETIC WOOD TO TOP OF OVERHEAD

2H | for Standard Height Credenzas

Silea

06/25

	D	W	H	model number + type	veneer 1	veneer 2	veneer 3
	3/4	24	52 7/16	GS2TWD2H24-	2,316	2,556	2,795
	3/4	30	52 7/16	GS2TWD2H30-	2,375	2,621	2,865
	3/4	36	52 7/16	GS2TWD2H36-	2,578	2,845	3,110
	3/4	42	52 7/16	GS2TWD2H42-	2,661	2,936	3,211
	3/4	48	52 7/16	GS2TWD2H48-	2,804	3,095	3,384
	3/4	54	52 7/16	GS2TWD2H54-	2,944	3,248	3,551
	3/4	60	52 7/16	GS2TWD2H60-	3,091	3,411	3,729
	3/4	66	52 7/16	GS2TWD2H66-	3,246	3,582	3,916
	3/4	72	52 7/16	GS2TWD2H72-	3,408	3,760	4,112
	3/4	78	52 7/16	GS2TWD2H78-	3,578	3,948	4,316
	3/4	84	52 7/16	GS2TWD2H84-	3,758	4,146	4,533
	3/4	90	52 7/16	GS2TWD2H90-	3,944	4,352	4,758
	3/4	96	52 7/16	GS2TWD2H96-	4,144	4,572	4,998
	3/4	102	52 7/16	GS2TWD2H102-	4,351	4,801	5,249
	3/4	108	52 7/16	GS2TWD2H108-	4,568	5,041	5,511

PRODUCT INFO

Tackzone is magnetic.
It is not recommended to stack wood units side by side due to grain variation. Contact Tailored Solutions for a matched set.


24" - 48" = 1 piece
54" - 102" = 2 piece
108" = 3 piece

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- 1. MODEL NUMBER + W**
- 2. FSC**
- 3. CHASSIS WOOD FINISH**

LAYERS MAGNETIC WOOD TO TOP OF OVERHEAD
1H | for Layers Height Credenzas



D	W	H	model number	veneer 1	veneer 2	veneer 3
3/4	24	46 3/16	GS2TLWD1H24-	2,296	2,534	2,771
3/4	30	46 3/16	GS2TLWD1H30-	2,355	2,599	2,841
3/4	36	46 3/16	GS2TLWD1H36-	2,491	2,749	3,005
3/4	42	46 3/16	GS2TLWD1H42-	2,708	2,988	3,267
3/4	48	46 3/16	GS2TLWD1H48-	2,795	3,085	3,373
3/4	54	46 3/16	GS2TLWD1H54-	2,932	3,235	3,537
3/4	60	46 3/16	GS2TLWD1H60-	3,080	3,399	3,716
3/4	66	46 3/16	GS2TLWD1H66-	3,235	3,569	3,902
3/4	72	46 3/16	GS2TLWD1H72-	3,396	3,747	4,096
3/4	78	46 3/16	GS2TLWD1H78-	3,567	3,936	4,303
3/4	84	46 3/16	GS2TLWD1H84-	3,744	4,130	4,516
3/4	90	46 3/16	GS2TLWD1H90-	3,932	4,338	4,743
3/4	96	46 3/16	GS2TLWD1H96-	4,128	4,554	4,979
3/4	102	46 3/16	GS2TLWD1H102-	4,334	4,782	5,229
3/4	108	46 3/16	GS2TLWD1H108-	4,550	5,021	5,489

PRODUCT INFO

Tackzone is magnetic.
It is not recommended to stack wood units side by side due to grain variation. Contact Tailored Solutions for a matched set.
24" - 48" = 1 piece
54" - 102" = 2 piece
108" = 3 piece


TO ORDER PLEASE SPECIFY THE FOLLOWING:

- WOOD
- 1. MODEL NUMBER + W
 - 2. FSC
 - 3. CHASSIS WOOD FINISH

LAYERS MAGNETIC WOOD TO TOP OF OVERHEAD

2H | for Layers Height Credenzas

Silea
06/25



D	W	H	model number	veneer 1	veneer 2	veneer 3
3/4	24	59 9/16	GS2TLWD2H24- []	2,431	2,683	2,934
3/4	30	59 9/16	GS2TLWD2H30- []	2,491	2,749	3,005
3/4	36	59 9/16	GS2TLWD2H36- []	2,708	2,988	3,267
3/4	42	59 9/16	GS2TLWD2H42- []	2,795	3,085	3,373
3/4	48	59 9/16	GS2TLWD2H48- []	2,943	3,247	3,550
3/4	54	59 9/16	GS2TLWD2H54- []	3,091	3,411	3,729
3/4	60	59 9/16	GS2TLWD2H60- []	3,246	3,582	3,916
3/4	66	59 9/16	GS2TLWD2H66- []	3,408	3,760	4,112
3/4	72	59 9/16	GS2TLWD2H72- []	3,578	3,948	4,316
3/4	78	59 9/16	GS2TLWD2H78- []	3,758	4,146	4,533
3/4	84	59 9/16	GS2TLWD2H84- []	3,944	4,352	4,758
3/4	90	59 9/16	GS2TLWD2H90- []	4,144	4,572	4,998
3/4	96	59 9/16	GS2TLWD2H96- []	4,351	4,801	5,249
3/4	102	59 9/16	GS2TLWD2H102- []	4,568	5,041	5,511
3/4	108	59 9/16	GS2TLWD2H108- []	4,794	5,288	5,782


PRODUCT INFO

Tackzone is magnetic.
It is not recommended to stack wood units side by side due to grain variation. Contact Tailored Solutions for a matched set.
24" - 48" = 1 piece
54" - 102" = 2 piece
108" = 3 piece

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- WOOD
1. **MODEL NUMBER + W**
 2. **FSC**
 3. **CHASSIS WOOD FINISH**

MAGNETIC WOOD TACKZONE FOR MOUNTING 1H OVERHEADS AT 6H HEIGHT
for Standard Height Credenzas

	D	W	H	model number + type	veneer 1	veneer 2	veneer 3
	7/8	24	38 1/4	GS2TTWD24- []	2,187	2,414	2,639
	7/8	30	38 1/4	GS2TTWD30- []	2,244	2,476	2,707
	7/8	36	38 1/4	GS2TTWD36- []	2,375	2,621	2,865
	7/8	42	38 1/4	GS2TTWD42- []	2,578	2,845	3,110
	7/8	48	38 1/4	GS2TTWD48- []	2,661	2,936	3,211
	7/8	54	38 1/4	GS2TTWD54- []	2,795	3,085	3,373
	7/8	60	38 1/4	GS2TTWD60- []	2,932	3,235	3,537
	7/8	66	38 1/4	GS2TTWD66- []	3,080	3,399	3,716
	7/8	72	38 1/4	GS2TTWD72- []	3,235	3,569	3,902
	7/8	78	38 1/4	GS2TTWD78- []	3,396	3,747	4,096
	7/8	84	38 1/4	GS2TTWD84- []	3,567	3,936	4,303
	7/8	90	38 1/4	GS2TTWD90- []	3,744	4,130	4,516
	7/8	96	38 1/4	GS2TTWD96- []	3,932	4,338	4,743
	7/8	102	38 1/4	GS2TTWD102- []	4,128	4,554	4,979
	7/8	108	38 1/4	GS2TTWD108- []	4,334	4,782	5,229

• Can be used in height adjustable applications with overheads to create clearance for desk and monitors. Monitor height should be verified.

PRODUCT INFO

Tackzone is magnetic.
It is not recommended to stack wood units side by side due to grain variation. Contact Tailored Solutions for a matched set.
54"-96" models are 2-piece.
102"-108" models are 3-piece.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- WOOD
- 1. MODEL NUMBER + W
 - 2. FSC
 - 3. CHASSIS WOOD FINISH

SHELVING FOR WALL MOUNT WALL

8 1/2" depth

Silea

06/25

	D	W	H	model number + type	laminate	aluminum	veneer 1	veneer 2	veneer 3
ALUMINUM   Side view	8 1/2	30	3/4	GS2ASF830- 	661	865	837	925	1,010
	8 1/2	36	3/4	GS2ASF836- 	716	933	904	998	1,092
	8 1/2	42	3/4	GS2ASF842- 	796	1,021	1,009	1,113	1,217
	8 1/2	48	3/4	GS2ASF848- 	876	1,121	1,109	1,225	1,339
	8 1/2	54	3/4	GS2ASF854- 	957	1,222	1,212	1,338	1,462
	8 1/2	60	3/4	GS2ASF860- 	1,035	1,349	1,308	1,444	1,579
	8 1/2	66	3/4	GS2ASF866- 	1,106	1,441	1,400	1,546	1,691
LAM / WOOD   Side view	8 1/2	72	3/4	GS2ASF872- 	1,168	1,519	1,477	1,630	1,782
	8 1/2	78	3/4	GS2ASF878- 	1,230	1,603	1,558	1,720	1,880
	8 1/2	84	3/4	GS2ASF884- 	1,296	1,684	1,636	1,806	1,974
	8 1/2	90	3/4	GS2ASF890- 	1,447	1,884	1,832	2,023	2,211
	8 1/2	96	3/4	GS2ASF896- 	1,502	1,950	1,895	2,092	2,287
	8 1/2	102	3/4	GS2ASF8102- 	1,552	2,019	1,960	2,163	2,365
	8 1/2	108	3/4	GS2ASF8108- 	1,604	2,088	2,027	2,237	2,446
	8 1/2	114	3/4	GS2ASF8114- 	1,915	2,327	2,425	2,677	2,927
	8 1/2	120	3/4	GS2ASF8120- 	2,070	2,695	2,617	2,888	3,158
	8 1/2	132	3/4	GS2ASF8132- 	2,218	N/A	2,805	3,096	3,385
	8 1/2	144	3/4	GS2ASF8144- 	2,337	N/A	2,959	3,265	3,570

• Note: Weight capacity for 8 1/2" depth shelves is 1.75 lbs per linear inch of shelf width. Load should be evenly distributed.

PRODUCT INFO

Aluminum shelf is powder coated.

An aluminum rail is mounted to back of shelf.

Laminate shelves (2) piece above 96".

All aluminum shelves are (1) piece.

Wood shelves (2) piece above 120".

Light ordered separately:
 30" and 36" = (1) 24" light
 60" = (1) 48" light
 66" through 108" = (1) 60" light
 120" = (2) 48" lights

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD	ALUMINUM	LAM
1. MODEL NUMBER + W	1. MODEL NUMBER + A	1. MODEL NUMBER + L
2. FSC	2. EXTRUSION COLOR	2. FSC
3. CHASSIS WOOD FINISH		3. CHASSIS LAM
4. EXTRUSION COLOR		4. EXTRUSION COLOR

SHELVING FOR WALL MOUNT WALL
12 1/2" depth

	D	W	H	model number + type	laminate	aluminum	veneer 1	veneer 2	veneer 3
ALUMINUM   Side view	12 1/2	30	3/4	GS2ASF1230- 	735	959	932	1,029	1,126
	12 1/2	36	3/4	GS2ASF1236- 	794	1,035	1,006	1,110	1,214
	12 1/2	42	3/4	GS2ASF1242- 	884	1,133	1,120	1,237	1,352
	12 1/2	48	3/4	GS2ASF1248- 	975	1,244	1,233	1,361	1,488
	12 1/2	54	3/4	GS2ASF1254- 	1,063	1,355	1,346	1,486	1,624
	12 1/2	60	3/4	GS2ASF1260- 	1,152	1,496	1,453	1,604	1,754
	12 1/2	66	3/4	GS2ASF1266- 	1,230	1,602	1,555	1,717	1,876
	12 1/2	72	3/4	GS2ASF1272- 	1,298	1,728	1,640	1,810	1,980
LAM / WOOD   Side view	12 1/2	78	3/4	GS2ASF1278- 	1,370	1,818	1,730	1,910	2,087
	12 1/2	84	3/4	GS2ASF1284- 	1,441	1,913	1,818	2,007	2,194
	12 1/2	90	3/4	GS2ASF1290- 	1,609	2,095	2,034	2,245	2,454
	12 1/2	96	3/4	GS2ASF1296- 	1,663	2,168	2,106	2,325	2,541
	12 1/2	102	3/4	GS2ASF12102- 	1,723	2,243	2,179	2,405	2,629
	12 1/2	108	3/4	GS2ASF12108- 	1,782	2,372	2,252	2,485	2,716
	12 1/2	114	3/4	GS2ASF12114- 	2,063	2,590	2,613	2,884	3,153
	12 1/2	120	3/4	GS2ASF12120- 	2,301	2,997	2,909	3,210	3,510
	12 1/2	132	3/4	GS2ASF12132- 	2,462	N/A	3,116	3,438	3,759
	12 1/2	144	3/4	GS2ASF12144- 	2,596	N/A	3,290	3,631	3,969

• Note: Weight capacity for 12 1/2" depth shelves is 2.50 lbs per linear inch of shelf width. Load should be evenly distributed.

PRODUCT INFO

Aluminum shelf is powder coated.

An aluminum rail is mounted to back of shelf.
Laminate shelves (2) piece above 96".

All aluminum shelves are (1) piece.

Wood shelves (2) piece above 120".

Light ordered separately:
30" and 36" = (1) 24" light
60" = (1) 48" light
66" through 108" = (1) 60" light
120" = (2) 48" lights

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD	ALUMINUM	LAM
1. MODEL NUMBER + W	1. MODEL NUMBER + A	1. MODEL NUMBER + L
2. FSC	2. EXTRUSION COLOR	2. FSC
3. CHASSIS WOOD FINISH		3. CHASSIS LAM
4. EXTRUSION COLOR		4. EXTRUSION COLOR

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	8	30	1 3/16	GS2FSF830-	674	853	942	1,029
	8	36	1 3/16	GS2FSF836-	731	923	1,019	1,115
	8	42	1 3/16	GS2FSF842-	860	1,087	1,201	1,312
	8	48	1 3/16	GS2FSF848-	965	1,222	1,349	1,475
	8	54	1 3/16	GS2FSF854-	1,012	1,282	1,416	1,548
	8	60	1 3/16	GS2FSF860-	1,055	1,337	1,476	1,613
	8	66	1 3/16	GS2FSF866-	1,111	1,406	1,553	1,698
	8	72	1 3/16	GS2FSF872-	1,191	1,508	1,664	1,819

NOTE: For display purposes only.
5 lb. weight restriction per linear foot.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM



1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

Surface Mount287-300
 Cabinets288-292
 Towers293-298
 Tackboard299
 External Tops300

SURFACE MOUNT CABINETS

w/ Hinged Doors | 1H

Silea
06/25


	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	15 3/4	59 7/8	39 1/16	GS2SMC1H60-	4,355	5,507	6,075	6,642
	15 3/4	65 7/8	39 1/16	GS2SMC1H66-	4,516	5,710	6,299	6,887
	15 3/4	71 7/8	39 1/16	GS2SMC1H72-	4,892	6,183	6,821	7,457
	15 3/4	77 7/8	39 1/16	GS2SMC1H78-	4,986	6,304	6,956	7,604
	15 3/4	83 7/8	39 1/16	GS2SMC1H84-	5,238	6,622	7,306	7,988
	15 3/4	89 7/8	39 1/16	GS2SMC1H90-	5,519	6,975	7,695	8,414
	15 3/4	95 7/8	39 1/16	GS2SMC1H96-	5,801	7,335	8,093	8,848
	15 3/4	101 7/8	39 1/16	GS2SMC1H102-	N/A	8,003	8,829	9,653
	15 3/4	107 7/8	39 1/16	GS2SMC1H108-	N/A	8,523	9,402	10,280


PRODUCT INFO

of doors:
60" through 78" = 4 doors
84" through 108" = 6 doors
All units have a finished back.
If tasklight cord grommet is
chosen (WY), a 1 1/4" hole is
included in back panel.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, WOOD DOOR	LAM CHASSIS, LAM DOOR
1. MODEL NUMBER + WW	1. MODEL NUMBER + LL
2. FSC	2. FSC
3. CHASSIS WOOD FINISH	3. CHASSIS LAM
4. TASKLIGHT CORD GROMMET	4. FRONT LAM
5. LOCKS	5. TASKLIGHT CORD GROMMET
6. KEYING	6. LOCKS
	7. KEYING

	D	W	H	model number + type	veneer 1	veneer 2	veneer 3
	15 3/4	59 7/8	39 1/16	GS2SMC1H60-	6,728	7,422	8,115
	15 3/4	71 7/8	39 1/16	GS2SMC1H72-	7,558	8,337	9,116
	15 3/4	89 7/8	39 1/16	GS2SMC1H90-	8,527	9,406	10,285
	15 3/4	107 7/8	39 1/16	GS2SMC1H108-	10,416	11,491	12,563



PRODUCT INFO

of doors:
60" and 72" = 4 doors
90" and 108" = 6 doors
All units have a finished back.
Glass doors do not lock.
Door frames match glass color.
If tasklight cord grommet is
chosen (WY), a 1 1/4" hole is
included in back panel.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


- WOOD CHASSIS, GLASS DOOR
- 1. **MODEL NUMBER + WG**
 - 2. **FSC**
 - 3. **CHASSIS WOOD FINISH**
 - 4. **GLASS**
 - 5. **TASKLIGHT CORD GROMMET**

SURFACE MOUNT CABINETS

No Doors | 1H

Silea

06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
	14 7/8	59 7/8	39 1/16	GS2SMC1H60-	3,703	4,687	5,171	5,655
	14 7/8	65 7/8	39 1/16	GS2SMC1H66-	3,840	4,860	5,363	5,863
	14 7/8	71 7/8	39 1/16	GS2SMC1H72-	4,156	5,263	5,806	6,348
	14 7/8	77 7/8	39 1/16	GS2SMC1H78-	4,238	5,369	5,924	6,476
	14 7/8	83 7/8	39 1/16	GS2SMC1H84-	4,451	5,636	6,218	6,798
	14 7/8	89 7/8	39 1/16	GS2SMC1H90-	4,690	5,936	6,549	7,161
	14 7/8	95 7/8	39 1/16	GS2SMC1H96-	4,931	6,244	6,889	7,532
	14 7/8	101 7/8	39 1/16	GS2SMC1H102-	N/A	6,811	7,513	8,215
	14 7/8	107 7/8	39 1/16	GS2SMC1H108-	N/A	7,254	8,002	8,749

PRODUCT INFO

of doors:
60" through 78" = 4 doors
84" and 90" = 6 doors
All units have a finished back.
If tasklight cord grommet is
chosen (WY), a 1 1/4" hole is
included in back panel.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

- MODEL NUMBER + WN**
- FSC**
- CHASSIS WOOD FINISH**
- TASKLIGHT CORD GROMMET**

LAM CHASSIS

- MODEL NUMBER + LN**
- FSC**
- CHASSIS LAM**
- TASKLIGHT CORD GROMMET**

	D	W	H	model number + type	veneer 1	veneer 2	veneer 3
 	15 3/4	59 7/8	52 7/16	GS2SMC2H60-	6,675	7,364	8,051
	15 3/4	65 7/8	52 7/16	GS2SMC2H66-	6,848	7,555	8,260
	15 3/4	71 7/8	52 7/16	GS2SMC2H72-	7,127	7,863	8,597
	15 3/4	77 7/8	52 7/16	GS2SMC2H78-	7,537	8,314	9,091
	15 3/4	83 7/8	52 7/16	GS2SMC2H84-	7,916	8,733	9,548
	15 3/4	89 7/8	52 7/16	GS2SMC2H90-	8,293	9,148	10,002

PRODUCT INFO

of doors:
60" through 78" = 4 doors
84" and 90" = 6 doors
All units have a finished back.
If tasklight cord grommet is
chosen (WY), a 1 1/4" hole is
included in back panel.


TO ORDER PLEASE SPECIFY THE FOLLOWING:


- WOOD CHASSIS, WOOD DOOR
- 1. **MODEL NUMBER + WW**
 - 2. **FSC**
 - 3. **CHASSIS WOOD FINISH**
 - 4. **TASKLIGHT CORD GROMMET**
 - 5. **LOCKS**
 - 6. **KEYING**

SURFACE MOUNT CABINETS

w/ Hinged Glass Doors | 2H

Silea
06/25

	D	W	H	model number + type	veneer 1	veneer 2	veneer 3
	15 3/4	59 7/8	52 7/16	GS2SMC2H60-	8,161	9,003	9,844
	15 3/4	71 7/8	52 7/16	GS2SMC2H72-	8,710	9,609	10,506
	15 3/4	89 7/8	52 7/16	GS2SMC2H90-	10,137	11,183	12,227



PRODUCT INFO

of doors:
60" and 72" = 4 doors
90" = 6 doors
Glass doors do not lock.
All units have a finished back.
Door frames match glass color.
If tasklight cord grommet is
chosen (WY), a 1 1/4" hole is
included in back panel.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**
5. **TASKLIGHT CORD GROMMET**

		D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3	
15" WIDTH										
	1 door Door hinged left	LEFT	15 3/4	15	39 1/16	GS2STF1H15L- 	1,288	1,425	1,573	1,720
		RIGHT	15 3/4	15	39 1/16	GS2STF1H15R- 	1,288	1,425	1,573	1,720
18" WIDTH										
	1 door Door hinged left	LEFT	15 3/4	18	39 1/16	GS2STF1H18L- 	1,609	1,780	1,966	2,149
		RIGHT	15 3/4	18	39 1/16	GS2STF1H18R- 	1,609	1,780	1,966	2,149
30" WIDTH										
	2 doors		15 3/4	30	39 1/16	GS2STF1H30- 	2,605	2,880	3,178	3,474
36" WIDTH										
	2 doors		15 3/4	36	39 1/16	GS2STF1H36- 	2,931	3,244	3,579	3,913

PRODUCT INFO

All units have a finished back.
If integral pull is chosen for wood, doors will be touch latch.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, WOOD DOOR	LAM CHASSIS, LAM DOOR
1. MODEL NUMBER + WW	1. MODEL NUMBER + LL
2. FSC	2. FSC
3. CHASSIS WOOD FINISH	3. CHASSIS LAM
4. PULLS	4. FRONT LAM
5. LOCKS	5. PULLS
6. KEYING	6. LOCKS
	7. KEYING

SURFACE MOUNT TOWERS

w/ Hinged Glass Doors | 1H

Silea
06/25

		D	W	H	model number + type	veneer 1	veneer 2	veneer 3
15" WIDTH								
 1 door	LEFT	15 3/4	15	39 1/16	GS2STF1H15L-	1,740	1,921	2,100
	RIGHT	15 3/4	15	39 1/16	GS2STF1H15R-	1,740	1,921	2,100
18" WIDTH								
 1 door	LEFT	15 3/4	18	39 1/16	GS2STF1H18L-	2,176	2,402	2,626
	RIGHT	15 3/4	18	39 1/16	GS2STF1H18R-	2,176	2,402	2,626
30" WIDTH								
 2 doors		15 3/4	30	39 1/16	GS2STF1H30-	3,522	3,886	4,249
36" WIDTH								
 2 doors		15 3/4	36	39 1/16	GS2STF1H36-	3,964	4,374	4,782

PRODUCT INFO

All units have a finished back.
Door frames match glass color.
Glass doors do not lock and are touch latch.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**

SURFACE MOUNT TOWERS
w/ No Doors | 1H

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
15" WIDTH 	14 7/8	15	39 1/16	GS2STN1H15- 	1,147	1,269	1,401	1,532
18" WIDTH 	14 7/8	18	39 1/16	GS2STN1H18- 	1,432	1,583	1,748	1,911
30" WIDTH 	14 7/8	30	39 1/16	GS2STN1H30- 	2,338	2,586	2,854	3,120
36" WIDTH 	14 7/8	36	39 1/16	GS2STN1H36- 	2,630	2,911	3,212	3,512

PRODUCT INFO

All units have a finished back.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- WOOD CHASSIS



 - 1. MODEL NUMBER + WN
 - 2. FSC
 - 3. CHASSIS WOOD FINISH
- LAM CHASSIS

 - 1. MODEL NUMBER + LN
 - 2. FSC
 - 3. CHASSIS LAM

SURFACE MOUNT TOWERS

w/ Hinged Doors | 2H

Silea
06/25

		D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
15" WIDTH									
 1 door	LEFT	15 3/4	15	52 7/16	GS2STF2H15L-	2,178	2,412	2,661	2,910
	RIGHT	15 3/4	15	52 7/16	GS2STF2H15R-	2,178	2,412	2,661	2,910
18" WIDTH									
 1 door	LEFT	15 3/4	18	52 7/16	GS2STF2H18L-	2,723	3,014	3,325	3,636
	RIGHT	15 3/4	18	52 7/16	GS2STF2H18R-	2,723	3,014	3,325	3,636
30" WIDTH									
 2 doors		15 3/4	30	52 7/16	GS2STF2H30-	2,997	3,318	3,661	4,003
36" WIDTH									
 2 doors		15 3/4	36	52 7/16	GS2STF2H36-	3,351	3,711	4,094	4,477


PRODUCT INFO

Type must be specified as part
All units have a finished back.
If integral pull is chosen for
wood, doors will be touch
latch.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, WOOD DOOR	LAM CHASSIS, LAM DOOR
1. MODEL NUMBER + WW	1. MODEL NUMBER + LL
2. FSC	2. FSC
3. CHASSIS WOOD FINISH	3. CHASSIS LAM
4. PULLS	4. FRONT LAM
5. LOCKS	5. PULLS
6. KEYING	6. LOCKS
	7. KEYING

SURFACE MOUNT TOWERS
w/ Hinged Glass Doors, 2H

		D	W	H	model number + type	veneer 1	veneer 2	veneer 3
15" WIDTH								
 1 door	LEFT	15 3/4	15	52 7/16	GS2STF2H15L-	2,944	3,248	3,551
	RIGHT	15 3/4	15	52 7/16	GS2STF2H15R-	2,944	3,248	3,551
18" WIDTH								
 1 door	LEFT	15 3/4	18	52 7/16	GS2STF2H18L-	3,682	4,062	4,442
	RIGHT	15 3/4	18	52 7/16	GS2STF2H18R-	3,682	4,062	4,442
30" WIDTH								
 2 doors		15 3/4	30	52 7/16	GS2STF2H30-	4,054	4,473	4,891
36" WIDTH								
 2 doors		15 3/4	36	52 7/16	GS2STF2H36-	4,536	5,006	5,472

PRODUCT INFO

All units have a finished back.
Door frames match glass color.
Glass doors do not lock and are touch latch.

TO ORDER PLEASE SPECIFY THE FOLLOWING:



WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**

SURFACE MOUNT TOWERS

w/ No Doors, 2H

Silea
06/25

	D	W	H	model number + type	laminate	veneer 1	veneer 2	veneer 3
15" WIDTH 	14 7/8	15	52 7/16	GS2STN2H15-	1,184	1,313	1,450	1,585
18" WIDTH 	14 7/8	18	52 7/16	GS2STN2H18-	1,484	1,638	1,808	1,976
30" WIDTH 	14 7/8	30	52 7/16	GS2STN2H30-	2,597	2,876	3,174	3,469
36" WIDTH 	14 7/8	36	52 7/16	GS2STN2H36-	2,899	3,209	3,541	3,871

PRODUCT INFO

All units have a finished back.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD CHASSIS

- MODEL NUMBER + WN**
- FSC**
- CHASSIS WOOD FINISH**

LAM CHASSIS

- MODEL NUMBER + LN**
- FSC**
- CHASSIS LAM**

SURFACE MOUNT TACKBOARD

fabric grades									
	D	W	H	yards	model number	1	2	3	COM/4
	7/8	58	23 7/8	1.00	GS2TKS60	1,037	1,088	1,140	1,195
	7/8	64	23 7/8	1.00	GS2TKS66	1,054	1,105	1,157	1,212
	7/8	70	23 7/8	1.25	GS2TKS72	1,097	1,155	1,215	1,274
	7/8	76	23 7/8	1.25	GS2TKS78	1,126	1,189	1,256	1,324
	7/8	82	23 7/8	1.25	GS2TKS84	1,158	1,221	1,288	1,356
	7/8	88	23 7/8	1.50	GS2TKS90	1,211	1,280	1,353	1,425
	7/8	94	23 7/8	1.50	GS2TKS96	1,261	1,338	1,417	1,498
	7/8	100	23 7/8	1.75	GS2TKS102	1,739	1,821	1,908	1,996
	7/8	106	23 7/8	1.75	GS2TKS108	1,803	1,892	1,985	2,079

PRODUCT INFO

102" and 108" wide tackboards are 2 piece.
For use with 1H and 2H surface mount cabinets.
See yards listed above for COM fabric requirements.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


- LIST
- 1. **MODEL NUMBER**
 - 2. **FABRIC**
 - 3. **FSC TACKBOARDS**
 - FSC Tackboard Options**
 - FSC** = FSC Required (5% COM upcharge)
 - NR** = FSC Not Required

SURFACE MOUNT EXTERNAL TOPS

For Units Without Doors

Silea
06/25

	D	W	H	model number	laminate	veneer 1	veneer 2	veneer 3
	14 7/8	30	1 3/16	GS2SMTOPN30-	431	993	1,096	1,198
	14 7/8	36	1 3/16	GS2SMTOPN36-	488	665	734	803
	14 7/8	60	1 3/16	GS2SMTOPN60-	734	1,002	1,106	1,209
	14 7/8	72	1 3/16	GS2SMTOPN72-	843	1,151	1,271	1,390
	14 7/8	90	1 3/16	GS2SMTOPN90-	1,011	1,378	1,521	1,662
	14 7/8	108	1 3/16	GS2SMTOPN108-	1,177	1,605	1,772	1,937



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**

Top Finish Option:
Non-UV Open Pore Finish **NR**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**


Workwall301-304
Workwalls. 302-303
Workwall Tackboard304


WORKWALL


Wall Mount

Silea

06/25

	D	W	H	model number + type	veneer 1	veneer 2	veneer 3
72" WIDTH  Left hand shown	19 1/2	72	39 1/16	GS2WSB3H72L- 	11,248	12,408	13,566
	19 1/2	72	39 1/16	GS2WSB3H72R- 	11,248	12,408	13,566

90" WIDTH  Right hand shown	19 1/2	90	39 1/16	GS2WSB3H90L- 	12,991	14,331	15,668
	19 1/2	90	39 1/16	GS2WSB3H90R- 	12,991	14,331	15,668



• Shown above with door removed.

PRODUCT INFO



Must order tackboard separately.
2 power units included.
Sliding glass door frame matches glass color.
Whiteboard sliding door is non-magnetic.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WSG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**
5. **DRAWERS**
6. **POWER UNIT COLOR**

	D	W	H	model number + type	veneer 1	veneer 2	veneer 3
90" WIDTH	23 3/4	90	76	GS2FBX75H90L- []	22,150	24,432	26,714
	23 3/4	90	76	GS2FBX75H90R- []	22,150	24,432	26,714



• 90" wide, shown above with door removed. 72" W does not have a closet.

PRODUCT INFO

Must order tackboard separately.
2 power units included.
Sliding glass door frame matches glass color.
Back panel optional.
Whiteboard sliding door is non-magnetic.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

1. MODEL NUMBER + WSG
2. FSC
3. CHASSIS WOOD FINISH
4. GLASS
5. BACK PANEL
6. DRAWERS
7. POWER UNIT COLOR

fabric grades									
	D	W	H	yds	model number	1	2	3	COM/4
	7/8	33 1/2	36 1/2	2.25	GS2TKWSB72	1,152	1,212	1,277	1,339
	7/8	42 1/2	36 1/2	2.75	GS2TKWSB90	1,271	1,344	1,423	1,497
	• For use with Wall Mounted Workwalls, 2 pc								
	7/8	33 1/2	36 1/2	1.25	GS2TKWSB36	934	967	1,003	1,038
	7/8	42 1/2	36 1/2	1.50	GS2TKWSB45	980	1,028	1,079	1,128
	• For use with Stack On Workwalls, 1 pc (Personal Side only)								
	7/8	33 1/2	36 1/2	2.25	GS2TKFBX72	1,152	1,212	1,277	1,339
	7/8	42 1/2	36 1/2	2.50	GS2TKFBX90	1,271	1,344	1,423	1,497
	• For use with Freestanding Workwalls, 2 pc								

PRODUCT INFO

102" and 108" wide tackboards are 2 piece.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

- 1. **MODEL NUMBER**
- 2. **FABRIC**
- 3. **FSC TACKBOARDS**
 - FSC Tackboard Options**
 - FSC** = FSC Required (5% COM upcharge)
 - NR** = FSC Not Required

Accessories305-318

 LED Tasklighting306

 Personal Corner307

 Drawer Filing Rails & Reinforcement Bars308

 Magnets309

 Counterweights310

 Wire Manager311

 Center Drawer312

 Pencil Tray313

 Grommet314

 Power Unit315-317

 3" Dia Field Installed Grommet318

Grade Fabric Pricing320-323

Weights + Cubes324-360

	D	W	H	model number	$\frac{lm}{ft}$
	$\frac{3}{4}$	23	$\frac{5}{8}$	ACTLED24	546
	$\frac{3}{4}$	35	$\frac{5}{8}$	ACTLED36	592
	$\frac{3}{4}$	47	$\frac{5}{8}$	ACTLED48	638
	$\frac{3}{4}$	59	$\frac{5}{8}$	ACTLED60	683

Product Specifications:

LED lighting provides high efficiency, low energy lighting with a long life. All LED lights are encased in a silver aluminum extrusion and include a built-in switch to turn the light on/off with a dimming feature. Lights are field installed. All units include a standard plug.

- Low profile strip light $\frac{5}{8}$ " H x $\frac{3}{4}$ " D
- Power: 2.92W / Foot
- LED's per meter: 120
- Color Temp: 3000K
- Certification: UL Listed
- GSA and TAA compliant

Size	Voltage	Wattage (W)	Luminous Flux (Lm)
24"	12 Volt DC	5.9	497
36"	12 Volt DC	8.8	746
48"	12 Volt DC	11.8	994
60"	12 Volt DC	14.6	1242

PRODUCT INFO


See product specs above.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. MODEL NUMBER

	D	W	H	model number	21
	12 1/2	36	1 11/16	SACORNER	1,013
	18	36	1 11/16	SADSKPAD	1,435



Personal corner creates an ergonomic corner to work.

PRODUCT INFO

LEATHER COLORS

Black **CBL**
White **CWH**
Chocolate **CCH**

VINYL COLORS

Black **VBL**
White **VWH**
Chocolate **VCH**


TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **COLOR**

DRAWER FILING RAILS & REINFORCEMENT BARS

Silea
06/25

	D	W	H	model number	$\frac{1}{8}$
For use with smart pedestals 	$\frac{1}{8}$	5	1	ACFLR5-P	35
For use with 9" ped 	$\frac{1}{8}$	9	1	ACFLR9-P	40
For use with 15" ped 	$\frac{1}{8}$	15	1	ACFLR15-P	45
For use with 18" ped 	$\frac{1}{8}$	18	1	ACFLR18-P	47
For use with 30" ped 	$\frac{1}{8}$	18	1	ACFLR30-P	51
For use with 36" ped 	$\frac{1}{8}$	18	1	ACFLR36-P	57
Optional Lateral File Drawer Reinforcement Bar 	1 $\frac{1}{2}$	1 $\frac{9}{16}$	15	ACDRB-LAT	74

• **Note:** Lateral file drawer reinforcement bars are OPTIONAL, and are only required when excessive stacking of paper occurs in bottom of drawers. Reinforcement bars are oriented front-to-back on file drawers and front-to-back on lateral file drawers.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**

	Dia	H	model number	$\frac{1}{16}$
	$\frac{3}{8}$	$\frac{1}{2}$	SAMAGNET	111
QUANTITY 6 Note: Quantity 6 magnets included with each whiteboard 72" W and less. Quantity 12 magnets included with each whiteboard 84"W and greater.				

PRODUCT INFO

Magnets are silver.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. MODEL NUMBER


D	W	H	model number	psl
$\frac{3}{16}$	12	15	ACCNTRWGT15	321
For use when a 15" or 18" modular standard height or layers height pedestal with drawers is used as a freestanding unit. Also required in each pedestal when multiple drawer pedestals are ganged creating a freestanding full bank credenza with a common top.				
$\frac{1}{2}$	$8\frac{5}{8}$	25	ACCNTRWGT30	361
$\frac{1}{2}$	$8\frac{5}{8}$	28	ACCNTRWGT36	401
For use when a 30" or 36" modular standard height or layers height pedestal with drawers is used as a freestanding unit. Also required in each pedestal when multiple drawer pedestals are ganged creating a freestanding full bank credenza with a common top.				

Examples:



PRODUCT INFO	TO ORDER PLEASE SPECIFY THE FOLLOWING:
	LIST
	1. MODEL NUMBER

	Dia	H	model number	$\frac{1}{16}$
WIRE MANAGER	3 1/2	30	1 ACWM	124



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

- 1. MODEL NUMBER

CENTER DRAWER

Silea
06/25

	D	W	H	model number + type	veneer 1	veneer 2	veneer 3
CENTER DRAWER	17 ⁵ / ₈	21 ³ / ₄	2 ¹⁵ / ₁₆	GS2CDWSD-	745	823	900



INTERIOR DIMENSIONS

D = 15 ¹/₂
W = 18 ¹/₄
H = 1 ³/₈

- Note: Not available with a laminate drawer front.

PRODUCT INFO

Includes pencil tray.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- WOOD
1. MODEL NUMBER + W
 2. CHASSIS WOOD FINISH


	Dia	W	H	model number	sq
PENCIL TRAYS 	3	11 5/16	1 1/4	ACPT15-GAA	126
	3	14 5/16	1 1/4	ACPT18-GAA	134


PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:


LIST

1. MODEL NUMBER


	D	W	H	model number	151
	2 1/2	5	1	GS2GMT	186




Closed



Small opening for cords



Large opening for monitor arms






Grommet can be switched for ACUNOBZL-EU and ACUNOBZL-EU-HW power units

PRODUCT INFO

Available in 5 metal finish colors.
Do not place grommets over laptop drawer.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- LIST
- 1. **MODEL NUMBER**
 - 2. **HARDWARE COLOR**

	D	W	H	model number	psu
 Can be used in grommet cutout	2 7/8	4	1 3/4	ACUNOBZL-EU	477
	• Includes 1 power, dual USB A+C - standard plug				
	2 7/8	4	1 3/4	ACUNOBZL-EU-HW	477
	• Includes 1 power, dual USB A+C - hardwired				
	2 7/8	5 1/2	1 3/4	ACDUOBZL-EEU	565
	• Includes dual USB A+C, 2 power - standard plug				
	2 7/8	5 1/2	1 3/4	ACDUOBZL-EEU-HW	565
	• Includes dual USB A+C, 2 power - hardwired				
	2 7/8	8 1/16	1 3/4	ACTRIOBZL-EEEUD	650
	• Includes dual USB A+CB, 3 power, 1 data - standard plug				
	2 7/8	8 1/16	1 3/4	ACTRIOBZL-EEEUD-HW	650
	• Includes dual USB A+C, 3 power, 1 data - hardwired				
Data Port Kit included where applicable.					
Insert options include:					
• VGA		• Commscope		• Cable retainer	
• Sieman		• Ortronics		• Belden EZ MDVO	
• Mini-com		• Blank		• Keystone	

PRODUCT INFO

ACUNOBZL-EU and ACUNOBZL-EU-HW models can be used in grommet cutout location.
10' standard plug or 6' hardwire power source.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

- LIST
- 1. MODEL NUMBER
 - 2. POWER UNIT COLOR

POWER UNIT

Clamp mount

Silea
06/25

	D	W	H	model number	psu
	2 7/8	4	1 3/4	ACUNOCLMP-EU	477
	• Includes 1 power, dual USB A+C - standard plug				
	2 7/8	4	1 3/4	ACUNOCLMP-EU-HW	477
	• Includes 1 power, dual USB A+C - hardwired				
	2 7/8	5 1/2	1 3/4	ACDUOCLMP-EEU	565
	• Includes dual USB A+C, 2 power - standard plug				
	2 7/8	5 1/2	1 3/4	ACDUOCLMP-EEU-HW	565
	• Includes dual USB A+C, 2 power - hardwired				
	2 7/8	8 1/16	1 3/4	ACTRIOCLMP-EEEUD	650
	• Includes dual USB A+C, 3 power, 1 data - standard plug				
	2 7/8	8 1/16	1 3/4	ACTRIOCLMP-EEEUD-HW	650
	• Includes dual USB A+C, 3 power, 1 data - hardwired				

Data Port Kit included where applicable.

Insert options include:

- | | | |
|------------|-------------|------------------|
| • VGA | • Commscope | • Cable retainer |
| • Sieman | • Ortronics | • Belden EZ MDVO |
| • Mini-com | • Blank | • Keystone |



PRODUCT INFO

To be mounted on edge of worksurfaces.
Not to be used on height adjustable credenzas, returns or bridges on back edge of top or in grommet.
10' standard plug or 6' hardwire power source.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

- MODEL NUMBER**
- POWER UNIT COLOR**

	D	W	H	model number	psu
	2 7/8	4	1 3/4	ACPUNDER-EU	457
	• Includes 1 power, dual USB A+C - standard plug				
	2 7/8	4	1 3/4	ACPUNDER-EU-HW	457
	• Includes 1 power, dual USB A+C - hardwired				
	2 7/8	5 1/2	1 3/4	GDAPPM-EEU	552
	• Includes dual USB A+C, 2 power - standard plug				
	2 7/8	5 1/2	1 3/4	GDAPPM-EEU-HW	552
	• Includes dual USB A+C, 2 power - hardwired				
	2 7/8	8 1/16	1 3/4	ACTRIOUNDER-EEEUD	614
	• Includes dual USB A+C, 3 power, 1 data - standard plug				
	2 7/8	8 1/16	1 3/4	ACTRIOUNDER-EEEUD-HW	614
	• Includes dual USB A+C, 3 power, 1 data - hardwired				

Data Port Kit included where applicable.

Insert options include:

- | | | |
|------------|-------------|------------------|
| • VGA | • Commscope | • Cable retainer |
| • Sieman | • Ortronics | • Belden EZ MDVO |
| • Mini-com | • Blank | • Keystone |

PRODUCT INFO

10' Standard plug or 6' hardwire power source.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


LIST

1. MODEL NUMBER
2. POWER UNIT COLOR

3" DIA FIELD INSTALLED GROMMET

Silea
06/25

	Dia	H	model number	list
FIELD INSTALL GROMMET	3	1	ACGRMTFLD	84



- 2 piece design - sleeve plus cover
- Fits standard 3" diameter cutout
- Plastic

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **FIELD INSTALL GROMMET COLOR**
 - Black **BK**
 - Silver **SV**
 - White **WH**

[illegible]

GRADE FABRIC PRICING

Silea
06/25

model number	1	2	3	COM/4	5	6	7	8	9	10	11	12	13	14	15	16
--------------	---	---	---	-------	---	---	---	---	---	----	----	----	----	----	----	----

Cushions

GS2MPD-CUSH2215	550	570	592	611	639	668	689	719	745	774	799	826	860	887	919	955
GS2CLPD-CUSH2130T	619	645	673	701	738	774	806	843	876	911	950	983	1,028	1,064	1,105	1,151
GS2CLPD-CUSH2136T	668	701	735	770	819	861	901	946	989	1,035	1,078	1,123	1,180	1,224	1,278	1,334

Tackboards

GS2TKW30	850	874	902	930	965	1,002	1,028	1,063	1,097	1,131	1,168	1,201	1,245	1,278	1,317	1,363
GS2TKW36	891	923	956	991	1,033	1,078	1,116	1,160	1,201	1,243	1,289	1,328	1,383	1,426	1,478	1,532
GS2TKW42	923	956	989	1,025	1,071	1,116	1,154	1,199	1,243	1,287	1,333	1,377	1,435	1,478	1,530	1,588
GS2TKW48	955	989	1,024	1,059	1,109	1,155	1,195	1,240	1,287	1,331	1,379	1,426	1,484	1,530	1,584	1,644
GS2TKW54	991	1,027	1,061	1,101	1,149	1,196	1,239	1,290	1,337	1,381	1,428	1,476	1,536	1,584	1,643	1,704
GS2TKW60	1,037	1,088	1,140	1,195	1,264	1,336	1,393	1,465	1,530	1,602	1,672	1,739	1,825	1,892	1,978	2,061
GS2TKW66	1,054	1,105	1,157	1,212	1,281	1,353	1,410	1,482	1,547	1,619	1,689	1,756	1,842	1,909	1,995	2,078
GS2TKW72	1,097	1,155	1,215	1,274	1,354	1,431	1,501	1,579	1,654	1,732	1,810	1,885	1,986	2,059	2,151	2,253
GS2TKW78	1,126	1,189	1,256	1,324	1,411	1,501	1,576	1,665	1,747	1,837	1,924	2,007	2,116	2,201	2,307	2,416
GS2TKW84	1,158	1,221	1,288	1,356	1,443	1,533	1,608	1,697	1,779	1,869	1,956	2,039	2,148	2,233	2,339	2,448
GS2TKW90	1,211	1,280	1,353	1,425	1,525	1,620	1,703	1,802	1,892	1,991	2,085	2,179	2,299	2,392	2,505	2,624
GS2TKW96	1,261	1,338	1,417	1,498	1,602	1,709	1,799	1,902	2,002	2,106	2,212	2,313	2,444	2,542	2,669	2,799
GS2TKW102	1,739	1,821	1,908	1,996	2,111	2,222	2,320	2,433	2,543	2,655	2,768	2,877	3,018	3,126	3,262	3,406
GS2TKW108	1,803	1,892	1,985	2,079	2,203	2,323	2,431	2,556	2,672	2,796	2,918	3,036	3,186	3,305	3,452	3,603

Layers Tackboards

GS2TLKW30	893	919	950	977	1,013	1,051	1,082	1,119	1,155	1,192	1,227	1,262	1,305	1,343	1,385	1,432
GS2TLKW36	934	967	1,003	1,038	1,087	1,129	1,171	1,215	1,261	1,306	1,352	1,394	1,452	1,498	1,552	1,608
GS2TLKW42	969	1,005	1,039	1,081	1,127	1,172	1,215	1,264	1,307	1,352	1,401	1,447	1,508	1,552	1,609	1,667
GS2TLKW48	1,002	1,038	1,075	1,116	1,163	1,210	1,255	1,305	1,352	1,400	1,448	1,494	1,559	1,605	1,664	1,725
GS2TLKW54	1,037	1,078	1,114	1,155	1,205	1,251	1,299	1,349	1,398	1,447	1,498	1,549	1,613	1,660	1,724	1,784
GS2TLKW60	1,088	1,142	1,198	1,254	1,327	1,400	1,463	1,538	1,606	1,681	1,754	1,824	1,914	1,984	2,073	2,165
GS2TLKW66	1,108	1,160	1,218	1,274	1,347	1,420	1,483	1,558	1,626	1,700	1,773	1,843	1,934	2,004	2,093	2,184
GS2TLKW72	1,152	1,212	1,277	1,339	1,423	1,503	1,575	1,659	1,737	1,818	1,900	1,978	2,082	2,163	2,262	2,364
GS2TLKW78	1,184	1,250	1,321	1,392	1,485	1,579	1,656	1,750	1,837	1,930	2,022	2,110	2,226	2,311	2,421	2,698
GS2TLKW84	1,216	1,282	1,353	1,424	1,517	1,611	1,688	1,782	1,869	1,962	2,054	2,142	2,258	2,343	2,453	2,730
GS2TLKW90	1,271	1,344	1,423	1,497	1,599	1,699	1,788	1,890	1,985	2,089	2,189	2,285	2,411	2,508	2,628	2,755
GS2TLKW96	1,322	1,403	1,487	1,570	1,679	1,789	1,887	1,996	2,102	2,212	2,322	2,426	2,563	2,668	2,801	2,937
GS2TLKW102	1,826	1,911	2,003	2,095	2,212	2,333	2,436	2,554	2,667	2,788	2,906	3,021	3,170	3,281	3,425	3,576
GS2TLKW108	1,893	1,986	2,084	2,183	2,312	2,439	2,552	2,682	2,806	2,935	3,062	3,187	3,345	3,468	3,622	3,781

Tack to Top Overhead 1 H

GS2TKW1H30	1,066	1,090	1,118	1,146	1,181	1,218	1,244	1,279	1,313	1,347	1,384	1,417	1,461	1,494	1,533	1,579
GS2TKW1H36	1,086	1,118	1,151	1,186	1,228	1,273	1,311	1,355	1,396	1,438	1,484	1,523	1,578	1,621	1,673	1,727
GS2TKW1H42	1,128	1,169	1,208	1,247	1,300	1,354	1,401	1,454	1,503	1,556	1,610	1,660	1,725	1,775	1,839	1,901
GS2TKW1H48	1,163	1,204	1,243	1,282	1,335	1,389	1,436	1,489	1,538	1,591	1,645	1,695	1,760	1,810	1,874	1,936

model number	17	18	19	20	21	22	23	24	25	26	27	COL	L1	L2	L3	L4	L5
--------------	----	----	----	----	----	----	----	----	----	----	----	-----	----	----	----	----	----

Cushions

GS2MPD-CUSH2215	987	1,010	1,043	1,077	1,108	1,141	1,208	1,270	1,338	1,403	1,467	611	816	1,036	1,258	1,478	1,677
GS2CLPD-CUSH2130T	1,195	1,226	1,271	1,310	1,354	1,395	1,484	1,566	1,657	1,742	1,826	701	973	1,267	1,562	1,856	2,121
GS2CLPD-CUSH2136T	1,387	1,428	1,481	1,533	1,586	1,640	1,748	1,856	1,963	2,072	2,179	770	1,109	1,478	1,844	2,216	2,548

Tackboards

GS2TKW30	1,406	1,436	1,476	1,516	1,559	1,598	1,685	1,765	1,849	1,930	2,013						
GS2TKW36	1,583	1,623	1,675	1,726	1,778	1,831	1,934	2,037	2,138	2,245	2,345						
GS2TKW42	1,640	1,680	1,732	1,786	1,839	1,893	2,002	2,109	2,216	2,325	2,430						
GS2TKW48	1,698	1,739	1,795	1,848	1,902	1,959	2,071	2,182	2,292	2,406	2,515						
GS2TKW54	1,759	1,801	1,860	1,917	1,973	2,031	2,148	2,260	2,374	2,493	2,605						
GS2TKW60	2,147	2,205	2,291	2,369	2,452	2,537	2,704	2,867	3,033	3,201	3,364						
GS2TKW66	2,164	2,222	2,308	2,386	2,469	2,554	2,721	2,884	3,050	3,218	3,381						
GS2TKW72	2,343	2,414	2,506	2,597	2,692	2,781	2,973	3,155	3,341	3,534	3,716						
GS2TKW78	2,519	2,593	2,699	2,799	2,904	3,010	3,218	3,423	3,632	3,842	4,045						
GS2TKW84	2,551	2,625	2,731	2,831	2,936	3,042	3,250	3,455	3,664	3,874	4,077						
GS2TKW90	2,739	2,823	2,939	3,048	3,164	3,279	3,509	3,732	3,964	4,196	4,422						
GS2TKW96	2,924	3,016	3,141	3,258	3,383	3,509	3,759	4,006	4,257	4,504	4,750						
GS2TKW102	3,540	3,640	3,774	3,904	4,038	4,176	4,446	4,711	4,982	5,255	5,519						
GS2TKW108	3,748	3,854	4,000	4,141	4,288	4,433	4,727	5,015	5,308	5,598	5,884						

Layers Tackboards

GS2TLKW30	1,476	1,508	1,551	1,592	1,638	1,679	1,767	1,854	1,943	2,029	2,115						
GS2TLKW36	1,662	1,702	1,757	1,808	1,864	1,917	2,030	2,137	2,244	2,356	2,462						
GS2TLKW42	1,725	1,766	1,822	1,876	1,933	1,989	2,105	2,215	2,328	2,443	2,553						
GS2TLKW48	1,784	1,826	1,883	1,943	2,000	2,055	2,176	2,293	2,406	2,525	2,638						
GS2TLKW54	1,845	1,889	1,951	2,007	2,071	2,128	2,254	2,370	2,495	2,613	2,734						
GS2TLKW60	2,251	2,315	2,405	2,488	2,575	2,662	2,840	3,009	3,184	3,360	3,531						
GS2TLKW66	2,271	2,335	2,423	2,508	2,593	2,682	2,858	3,028	3,203	3,377	3,551						
GS2TLKW72	2,459	2,534	2,631	2,726	2,825	2,923	3,122	3,313	3,511	3,709	3,901						
GS2TLKW78	2,646	2,724	2,835	2,941	3,050	3,160	3,380	3,595	3,813	4,035	4,247						
GS2TLKW84	2,678	2,756	2,867	2,973	3,082	3,192	3,412	3,627	3,845	4,067	4,279						
GS2TLKW90	2,874	2,963	3,084	3,199	3,320	3,440	3,683	3,920	4,164	4,405	4,640						
GS2TLKW96	3,069	3,163	3,294	3,419	3,552	3,683	3,946	4,203	4,466	4,727	4,987						
GS2TLKW102	3,715	3,820	3,962	4,098	4,238	4,383	4,669	4,945	5,231	5,518	5,796						
GS2TLKW108	3,937	4,048	4,201	4,348	4,502	4,656	4,966	5,265	5,570	5,879	6,177						

Tack to Top Overhead I 1H

GS2TKW1H30	1,622	1,652	1,692	1,732	1,775	1,814	1,901	1,981	2,065	2,146	2,229						
GS2TKW1H36	1,778	1,818	1,870	1,921	1,973	2,026	2,129	2,232	2,333	2,440	2,540						
GS2TKW1H42	1,966	2,014	2,074	2,134	2,200	2,260	2,388	2,510	2,635	2,759	2,885						
GS2TKW1H48	2,001	2,049	2,109	2,169	2,235	2,295	2,423	2,545	2,670	2,794	2,920						

GRADE FABRIC PRICING

Silea
06/25

model number	1	2	3	COM/4	5	6	7	8	9	10	11	12	13	14	15	16
Tack to Top Overhead I 2H																
GS2TKW2H30	1,086	1,110	1,138	1,166	1,201	1,238	1,264	1,299	1,333	1,367	1,404	1,437	1,481	1,514	1,553	1,599
GS2TKW2H36	1,128	1,160	1,193	1,228	1,270	1,315	1,353	1,397	1,438	1,480	1,526	1,565	1,620	1,663	1,715	1,769
GS2TKW2H42	1,163	1,204	1,243	1,282	1,335	1,389	1,436	1,489	1,538	1,591	1,645	1,695	1,760	1,810	1,874	1,936
GS2TKW2H48	1,192	1,233	1,272	1,311	1,364	1,418	1,465	1,518	1,567	1,620	1,674	1,724	1,789	1,839	1,903	1,965
Layers Tack to Top Overhead I 1H																
GS2TLKW1H30	1,086	1,110	1,138	1,166	1,201	1,238	1,264	1,299	1,333	1,367	1,404	1,437	1,481	1,514	1,553	1,599
GS2TLKW1H36	1,128	1,160	1,193	1,228	1,270	1,315	1,353	1,397	1,438	1,480	1,526	1,565	1,620	1,663	1,715	1,769
GS2TLKW1H42	1,163	1,204	1,243	1,282	1,335	1,389	1,436	1,489	1,538	1,591	1,645	1,695	1,760	1,810	1,874	1,936
GS2TLKW1H48	1,192	1,233	1,272	1,311	1,364	1,418	1,465	1,518	1,567	1,620	1,674	1,724	1,789	1,839	1,903	1,965
Layers Tack to Top Overhead I 2H																
GS2TLKW2H30	1,128	1,152	1,180	1,208	1,243	1,280	1,306	1,341	1,375	1,409	1,446	1,479	1,523	1,556	1,595	1,641
GS2TLKW2H36	1,163	1,195	1,228	1,263	1,305	1,350	1,388	1,432	1,473	1,515	1,561	1,600	1,655	1,698	1,750	1,804
GS2TLKW2H42	1,192	1,233	1,272	1,311	1,364	1,418	1,465	1,518	1,567	1,620	1,674	1,724	1,789	1,839	1,903	1,965
GS2TLKW2H48	1,245	1,286	1,325	1,364	1,417	1,471	1,518	1,571	1,620	1,673	1,727	1,777	1,842	1,892	1,956	2,018
Surface Mount Tackboards																
GS2TKS60	1,037	1,088	1,140	1,195	1,264	1,336	1,393	1,465	1,530	1,602	1,672	1,739	1,825	1,892	1,978	2,061
GS2TKS66	1,054	1,105	1,157	1,212	1,281	1,353	1,410	1,482	1,547	1,619	1,689	1,756	1,842	1,909	1,995	2,078
GS2TKS72	1,097	1,155	1,215	1,274	1,354	1,431	1,501	1,579	1,654	1,732	1,810	1,885	1,986	2,059	2,151	2,253
GS2TKS78	1,126	1,189	1,256	1,324	1,411	1,501	1,576	1,665	1,747	1,837	1,924	2,007	2,116	2,201	2,307	2,416
GS2TKS84	1,158	1,221	1,288	1,356	1,443	1,533	1,608	1,697	1,779	1,869	1,956	2,039	2,148	2,233	2,339	2,448
GS2TKS90	1,211	1,280	1,353	1,425	1,525	1,620	1,703	1,802	1,892	1,991	2,085	2,179	2,299	2,392	2,505	2,624
GS2TKS96	1,261	1,338	1,417	1,498	1,602	1,709	1,799	1,902	2,002	2,106	2,212	2,313	2,444	2,542	2,669	2,799
GS2TKS102	1,739	1,821	1,908	1,996	2,111	2,222	2,320	2,433	2,543	2,655	2,768	2,877	3,018	3,126	3,262	3,406
GS2TKS108	1,803	1,892	1,985	2,079	2,203	2,323	2,431	2,556	2,672	2,796	2,918	3,036	3,186	3,305	3,452	3,603
WorkWall Tackboards																
GS2TKWSB72	1,152	1,212	1,277	1,339	1,423	1,503	1,575	1,659	1,737	1,818	1,900	1,978	2,082	2,163	2,262	2,364
GS2TKWSB90	1,271	1,344	1,423	1,497	1,599	1,699	1,788	1,890	1,985	2,089	2,189	2,285	2,411	2,508	2,628	2,755
GS2TKWSB36	934	967	1,003	1,038	1,087	1,129	1,171	1,215	1,261	1,306	1,352	1,394	1,452	1,498	1,552	1,608
GS2TKWSB45	980	1,028	1,079	1,128	1,193	1,258	1,315	1,385	1,446	1,513	1,578	1,643	1,725	1,786	1,869	1,949
GS2TKFBX72	1,152	1,212	1,277	1,339	1,423	1,503	1,575	1,659	1,737	1,818	1,900	1,978	2,082	2,163	2,262	2,364
GS2TKFBX90	1,271	1,344	1,423	1,497	1,599	1,699	1,788	1,890	1,985	2,089	2,189	2,285	2,411	2,508	2,628	2,755

model number	17	18	19	20	21	22	23	24	25	26	27	COL	L1	L2	L3	L4	L5
--------------	----	----	----	----	----	----	----	----	----	----	----	-----	----	----	----	----	----

Tack to Top Overhead I 2H

GS2TKW2H30	1,642	1,672	1,712	1,752	1,795	1,834	1,921	2,001	2,085	2,166	2,249						
GS2TKW2H36	1,820	1,860	1,912	1,963	2,015	2,068	2,171	2,274	2,375	2,482	2,582						
GS2TKW2H42	2,001	2,049	2,109	2,169	2,235	2,295	2,423	2,545	2,670	2,794	2,920						
GS2TKW2H48	2,030	2,078	2,138	2,198	2,264	2,324	2,452	2,574	2,699	2,823	2,949						

Layers Tack to Top Overhead I 1H

GS2TLKW1H30	1,642	1,672	1,712	1,752	1,795	1,834	1,921	2,001	2,085	2,166	2,249						
GS2TLKW1H36	1,820	1,860	1,912	1,963	2,015	2,068	2,171	2,274	2,375	2,482	2,582						
GS2TLKW1H42	2,001	2,049	2,109	2,169	2,235	2,295	2,423	2,545	2,670	2,794	2,920						
GS2TLKW1H48	2,030	2,078	2,138	2,198	2,264	2,324	2,452	2,574	2,699	2,823	2,949						

Layers Tack to Top Overhead I 2H

GS2TLKW2H30	1,684	1,714	1,754	1,794	1,837	1,876	1,963	2,043	2,127	2,208	2,291						
GS2TLKW2H36	1,855	1,895	1,947	1,998	2,050	2,103	2,206	2,309	2,410	2,517	2,617						
GS2TLKW2H42	2,030	2,078	2,138	2,198	2,264	2,324	2,452	2,574	2,699	2,823	2,949						
GS2TLKW2H48	2,083	2,131	2,191	2,251	2,317	2,377	2,505	2,627	2,752	2,876	3,002						

Surface Mount Tackboards

GS2TKS60	2,147	2,205	2,291	2,369	2,452	2,537	2,704	2,867	3,033	3,201	3,364						
GS2TKS66	2,164	2,222	2,308	2,386	2,469	2,554	2,721	2,884	3,050	3,218	3,381						
GS2TKS72	2,343	2,414	2,506	2,597	2,692	2,781	2,973	3,155	3,341	3,534	3,716						
GS2TKS78	2,519	2,593	2,699	2,799	2,904	3,010	3,218	3,423	3,632	3,842	4,045						
GS2TKS84	2,551	2,625	2,731	2,831	2,936	3,042	3,250	3,455	3,664	3,874	4,077						
GS2TKS90	2,739	2,823	2,939	3,048	3,164	3,279	3,509	3,732	3,964	4,196	4,422						
GS2TKS96	2,924	3,016	3,141	3,258	3,383	3,509	3,759	4,006	4,257	4,504	4,750						
GS2TKS102	3,540	3,640	3,774	3,904	4,038	4,176	4,446	4,711	4,982	5,255	5,519						
GS2TKS108	3,748	3,854	4,000	4,141	4,288	4,433	4,727	5,015	5,308	5,598	5,884						

WorkWall Tackboards

GS2TKWSB72	2,459	2,534	2,631	2,726	2,825	2,923	3,122	3,313	3,511	3,709	3,901						
GS2TKWSB90	2,874	2,963	3,084	3,199	3,320	3,440	3,683	3,920	4,164	4,405	4,640						
GS2TKWSB36	1,662	1,702	1,757	1,808	1,864	1,917	2,030	2,137	2,244	2,356	2,462						
GS2TKWSB45	2,029	2,083	2,164	2,238	2,320	2,395	2,555	2,709	2,867	3,024	3,177						
GS2TKFBX72	2,459	2,534	2,631	2,726	2,825	2,923	3,122	3,313	3,511	3,709	3,901						
GS2TKFBX90	2,874	2,963	3,084	3,199	3,320	3,440	3,683	3,920	4,164	4,405	4,640						

model number	weight	cubes	#locks	page
ACCNTRWGT15	20 lbs.	0.5	—	310
ACCNTRWGT30	30 lbs.	1.0	—	310
ACCNTRWGT36	35 lbs.	1.0	—	310
ACDRB-LAT	2 lbs.	0.5	—	308
ACDUOBZL-EEU	3 lbs.	0.2	—	315
ACDUOBZL-EEU-HW	3 lbs.	0.2	—	315
ACDUOCLMP-EEU	3 lbs.	0.2	—	316
ACDUOCLMP-EEU-HW	3 lbs.	0.2	—	316
ACFLR5-P	1 lb.	0.1	—	308
ACFLR9-P	1 lb.	0.1	—	308
ACFLR15-P	1 lb.	0.1	—	308
ACFLR18-P	1 lb.	0.2	—	308
ACFLR30-P	1 lb.	0.3	—	308
ACFLR36-P	1 lb.	0.3	—	308
ACGRMTFLD	1 lb.	0.1	—	318
ACHAT-BLUETOOTH	1 lb.	0.1	—	122
ACHAT-MEM	1 lb.	0.1	—	122
ACHAT-PDL	1 lb.	0.1	—	122
ACHAT-UD	1 lb.	0.1	—	122
ACMWS30	3 lbs.	0.4	—	199
ACMWS36	4 lbs.	0.5	—	199
ACMWS41	4 lbs.	0.5	—	199
ACMWS47	5 lbs.	0.6	—	199
ACMWS53	5 lbs.	0.7	—	199
ACMWS59	6 lbs.	0.7	—	199
ACMWS65	7 lbs.	0.8	—	199
ACMWS71	7 lbs.	0.9	—	199
ACMWS83	8 lbs.	1.0	—	199
ACPHQ3QI-B	3 lbs.	0.3	—	216
ACPHQ3QI-S	3 lbs.	0.3	—	216
ACPT15-GAA	2 lbs.	0.5	—	313
ACPT18-GAA	2 lbs.	0.5	—	313
ACPUNDER-EU	2 lbs.	0.2	—	317
ACPUNDER-EU-HW	2 lbs.	0.2	—	317
ACTLED24	2 lbs.	0.1	—	306
ACTLED36	3 lbs.	0.2	—	306
ACTLED48	4 lbs.	0.3	—	306
ACTLED60	5 lbs.	0.3	—	306
ACTRIOBZL-EEEUD	4 lbs.	0.3	—	315
ACTRIOBZL-EEEUD-HW	4 lbs.	0.3	—	315
ACTRIOCLMP-EEEUD	4 lbs.	0.3	—	316
ACTRIOCLMP-EEEUD-HW	4 lbs.	0.3	—	316
ACTRIOUNDER-EEEUD	4 lbs.	0.3	—	317
ACTRIOUNDER-EEEUD-HW	4 lbs.	0.3	—	317

model number	weight	cubes	#locks	page
ACUNOBZL-EU	2 lbs.	0.2	—	216, 315
ACUNOBZL-EU-HW	2 lbs.	0.2	—	216, 315
ACUNOCLMP-EU	2 lbs.	0.2	—	316
ACUNOCLMP-EU-HW	2 lbs.	0.2	—	316
ACWCB15	6 lbs.	0.7	—	120, 200
ACWCB20	8 lbs.	0.8	—	120, 200
ACWM	2 lbs.	0.1	—	311
BSHAT2142	53 lbs.	5.4	—	118
BSHAT2148	55 lbs.	6.3	—	118
BSHAT2154	57 lbs.	7.1	—	118
BSHAT2160	59 lbs.	7.9	—	118
BSHAT2166	61 lbs.	8.8	—	118
BSHAT2172	63 lbs.	9.6	—	118
BSHAT2748	59 lbs.	7.8	—	118
BSHAT2754	61 lbs.	8.9	—	118
BSHAT2760	63 lbs.	9.9	—	118
BSHAT2766	65 lbs.	10.9	—	118
BSHAT2772	67 lbs.	12.0	—	118
GDAPPM-EEU	3 lbs.	0.1	—	317
GDAPPM-EEU-HW	3 lbs.	0.1	—	317
GS2ALEG-A	8 lbs.	0.6	—	157
GS2ASF830-A	10 lbs.	0.8	—	284
GS2ASF830-L	7 lbs.	0.3	—	284
GS2ASF830-W	8 lbs.	0.8	—	284
GS2ASF836-A	12 lbs.	1.0	—	284
GS2ASF836-L	9 lbs.	0.3	—	284
GS2ASF836-W	10 lbs.	1.0	—	284
GS2ASF842-A	14 lbs.	1.1	—	284
GS2ASF842-L	11 lbs.	1.1	—	284
GS2ASF842-W	11 lbs.	1.1	—	284
GS2ASF848-A	15 lbs.	1.3	—	284
GS2ASF848-L	12 lbs.	1.3	—	284
GS2ASF848-W	12 lbs.	1.3	—	284
GS2ASF854-A	17 lbs.	1.4	—	284
GS2ASF854-L	14 lbs.	1.4	—	284
GS2ASF854-W	14 lbs.	1.4	—	284
GS2ASF860-A	19 lbs.	1.6	—	284
GS2ASF860-L	15 lbs.	0.5	—	284
GS2ASF860-W	16 lbs.	1.6	—	284
GS2ASF866-A	21 lbs.	1.7	—	284
GS2ASF866-L	16 lbs.	0.6	—	284
GS2ASF866-W	17 lbs.	1.7	—	284
GS2ASF872-A	23 lbs.	1.9	—	284
GS2ASF872-L	18 lbs.	0.7	—	284

model number	weight	cubes	#locks	page
GS2ASF872-W	19 lbs.	1.9	—	284
GS2ASF878-A	25 lbs.	2.0	—	284
GS2ASF878-L	19 lbs.	0.7	—	284
GS2ASF878-W	20 lbs.	2.0	—	284
GS2ASF884-A	27 lbs.	1.1	—	284
GS2ASF884-L	21 lbs.	0.8	—	284
GS2ASF884-W	22 lbs.	1.1	—	284
GS2ASF890-A	29 lbs.	1.2	—	284
GS2ASF890-L	22 lbs.	0.8	—	284
GS2ASF890-W	24 lbs.	1.2	—	284
GS2ASF896-A	31 lbs.	1.3	—	284
GS2ASF896-L	24 lbs.	0.9	—	284
GS2ASF896-W	26 lbs.	1.3	—	284
GS2ASF1230-A	14 lbs.	1.1	—	285
GS2ASF1230-L	10 lbs.	0.3	—	285
GS2ASF1230-W	11 lbs.	1.1	—	285
GS2ASF1236-A	16 lbs.	1.3	—	285
GS2ASF1236-L	12 lbs.	0.3	—	285
GS2ASF1236-W	13 lbs.	1.3	—	285
GS2ASF1242-A	18 lbs.	1.5	—	285
GS2ASF1242-L	15 lbs.	1.5	—	285
GS2ASF1242-W	15 lbs.	1.5	—	285
GS2ASF1248-A	21 lbs.	1.7	—	285
GS2ASF1248-L	18 lbs.	1.7	—	285
GS2ASF1248-W	18 lbs.	1.7	—	285
GS2ASF1254-A	24 lbs.	1.9	—	285
GS2ASF1254-L	20 lbs.	1.9	—	285
GS2ASF1254-W	20 lbs.	1.9	—	285
GS2ASF1260-A	27 lbs.	2.1	—	285
GS2ASF1260-L	20 lbs.	0.5	—	285
GS2ASF1260-W	22 lbs.	2.1	—	285
GS2ASF1266-A	30 lbs.	2.3	—	285
GS2ASF1266-L	22 lbs.	0.6	—	285
GS2ASF1266-W	24 lbs.	2.3	—	285
GS2ASF1272-A	33 lbs.	2.5	—	285
GS2ASF1272-L	24 lbs.	0.7	—	285
GS2ASF1272-W	26 lbs.	2.5	—	285
GS2ASF1278-A	35 lbs.	2.7	—	285
GS2ASF1278-L	26 lbs.	0.7	—	285
GS2ASF1278-W	28 lbs.	2.7	—	285
GS2ASF1284-A	38 lbs.	1.5	—	285
GS2ASF1284-L	27 lbs.	0.8	—	285
GS2ASF1284-W	31 lbs.	1.5	—	285
GS2ASF1290-A	41 lbs.	1.6	—	285

model number	weight	cubes	#locks	page
GS2ASF1290-L	29 lbs.	0.8	—	285
GS2ASF1290-W	33 lbs.	1.6	—	285
GS2ASF1296-A	44 lbs.	1.7	—	285
GS2ASF1296-L	31 lbs.	0.9	—	285
GS2ASF1296-W	35 lbs.	1.7	—	285
GS2ASF8102-A	33 lbs.	1.3	—	284
GS2ASF8102-L	25 lbs.	0.5	—	284
GS2ASF8102-W	27 lbs.	1.3	—	284
GS2ASF8108-A	35 lbs.	1.4	—	284
GS2ASF8108-L	27 lbs.	0.5	—	284
GS2ASF8108-W	28 lbs.	1.4	—	284
GS2ASF8114-A	37 lbs.	1.4	—	284
GS2ASF8114-L	30 lbs.	2.9	—	284
GS2ASF8114-W	30 lbs.	2.9	—	284
GS2ASF8120-A	39 lbs.	1.6	—	284
GS2ASF8120-L	30 lbs.	0.5	—	284
GS2ASF8120-W	32 lbs.	1.6	—	284
GS2ASF8132-A	34 lbs.	2.8	—	284
GS2ASF8132-L	34 lbs.	2.8	—	284
GS2ASF8132-W	34 lbs.	2.8	—	284
GS2ASF8144-A	38 lbs.	3.0	—	284
GS2ASF8144-L	38 lbs.	3.0	—	284
GS2ASF8144-W	38 lbs.	3.0	—	284
GS2ASF12102-A	46 lbs.	1.8	—	285
GS2ASF12102-L	33 lbs.	0.5	—	285
GS2ASF12102-W	37 lbs.	1.8	—	285
GS2ASF12108-A	49 lbs.	1.9	—	285
GS2ASF12108-L	35 lbs.	0.5	—	285
GS2ASF12108-W	39 lbs.	1.9	—	285
GS2ASF12114-A	51 lbs.	2.0	—	285
GS2ASF12114-L	41 lbs.	3.9	—	285
GS2ASF12114-W	41 lbs.	3.9	—	285
GS2ASF12120-A	54 lbs.	2.1	—	285
GS2ASF12120-L	39 lbs.	0.5	—	285
GS2ASF12120-W	44 lbs.	2.1	—	285
GS2ASF12132-A	48 lbs.	2.3	—	285
GS2ASF12132-L	48 lbs.	2.3	—	285
GS2ASF12132-W	48 lbs.	2.3	—	285
GS2ASF12144-A	52 lbs.	2.5	—	285
GS2ASF12144-L	52 lbs.	2.5	—	285
GS2ASF12144-W	52 lbs.	2.5	—	285
GS2BCL5H18L-LL	210 lbs.	23.5	1	221
GS2BCL5H18L-WW	210 lbs.	23.5	1	221
GS2BCL5H18R-LL	210 lbs.	23.5	1	221

model number	weight	cubes	#locks	page
GS2BCL5H18R-WW	210 lbs.	23.5	1	221
GS2BCL6H18L-LL	250 lbs.	27.9	1	221
GS2BCL6H18L-WW	250 lbs.	27.9	1	221
GS2BCL6H18R-LL	250 lbs.	27.9	1	221
GS2BCL6H18R-WW	250 lbs.	27.9	1	221
GS2BKN2H30N-LN	65 lbs.	10.5	—	220
GS2BKN2H30N-WN	65 lbs.	10.5	—	220
GS2BKN2H36N-LN	80 lbs.	12.5	—	220
GS2BKN2H36N-WN	80 lbs.	12.5	—	220
GS2BKN3H30-LN	100 lbs.	14.7	—	220
GS2BKN3H30-WN	100 lbs.	14.7	—	220
GS2BKN3H36-LN	115 lbs.	18.2	—	220
GS2BKN3H36-WN	115 lbs.	18.2	—	220
GS2BKN4H30-LN	127 lbs.	18.6	—	220
GS2BKN4H30-WN	127 lbs.	18.6	—	220
GS2BKN4H36-LN	142 lbs.	23.2	—	220
GS2BKN4H36-WN	142 lbs.	23.2	—	220
GS2BKN5H30-LN	152 lbs.	23.2	—	220
GS2BKN5H30-WN	152 lbs.	23.2	—	220
GS2BKN5H36-LN	167 lbs.	28.9	—	220
GS2BKN5H36-WN	167 lbs.	28.9	—	220
GS2BKN6H30-LN	213 lbs.	27.6	—	220
GS2BKN6H30-WN	213 lbs.	27.6	—	220
GS2BKN6H36-LN	228 lbs.	34.3	—	220
GS2BKN6H36-WN	228 lbs.	34.3	—	220
GS2BMA39-L	35 lbs.	6.8	—	194
GS2BMA39-W	35 lbs.	6.8	—	194
GS2BMA42-L	37 lbs.	7.2	—	194
GS2BMA42-W	37 lbs.	7.2	—	194
GS2BMA45-L	39 lbs.	7.7	—	194
GS2BMA45-W	39 lbs.	7.7	—	194
GS2BMA48-L	41 lbs.	8.2	—	194
GS2BMA48-W	41 lbs.	8.2	—	194
GS2BMA51-L	43 lbs.	8.7	—	194
GS2BMA51-W	43 lbs.	8.7	—	194
GS2BMA54-L	45 lbs.	9.2	—	194
GS2BMA54-W	45 lbs.	9.2	—	194
GS2BMA57-L	47 lbs.	9.6	—	194
GS2BMA57-W	47 lbs.	9.6	—	194
GS2BMA60-L	49 lbs.	10.1	—	194
GS2BMA60-W	49 lbs.	10.1	—	194
GS2BMF39-L	19 lbs.	2.9	—	193
GS2BMF39-W	19 lbs.	2.9	—	193
GS2BMF42-L	20 lbs.	3.1	—	193

model number	weight	cubes	#locks	page
GS2BMF42-W	20 lbs.	3.1	—	193
GS2BMF45-L	21 lbs.	3.3	—	193
GS2BMF45-W	21 lbs.	3.3	—	193
GS2BMF48-L	23 lbs.	3.5	—	193
GS2BMF48-W	23 lbs.	3.5	—	193
GS2BMF51-L	24 lbs.	3.7	—	193
GS2BMF51-W	24 lbs.	3.7	—	193
GS2BMF54-L	26 lbs.	3.9	—	193
GS2BMF54-W	26 lbs.	3.9	—	193
GS2BMF57-L	27 lbs.	4.1	—	193
GS2BMF57-W	27 lbs.	4.1	—	193
GS2BMF60-L	29 lbs.	4.3	—	193
GS2BMF60-W	29 lbs.	4.3	—	193
GS2CDWSD-W	2 lbs.	13.0	—	312
GS2CLD5H30-DLL	286 lbs.	36.9	1	225
GS2CLD5H30-DWW	286 lbs.	36.9	1	225
GS2CLD5H30-SLL	265 lbs.	36.9	1	225
GS2CLD5H30-SWW	265 lbs.	36.9	1	225
GS2CLD5H36-DLL	306 lbs.	55.7	—	225
GS2CLD5H36-DWW	306 lbs.	55.7	—	225
GS2CLD5H36-SLL	285 lbs.	55.7	—	225
GS2CLD5H36-SWW	285 lbs.	55.7	—	225
GS2CLD6H30-DLL	342 lbs.	43.8	1	225
GS2CLD6H30-DWW	342 lbs.	43.8	1	225
GS2CLD6H30-SLL	311 lbs.	43.8	1	225
GS2CLD6H30-SWW	311 lbs.	43.8	1	225
GS2CLD6H36-DLL	362 lbs.	55.7	—	225
GS2CLD6H36-DWW	362 lbs.	55.7	—	225
GS2CLD6H36-SLL	331 lbs.	55.7	—	225
GS2CLD6H36-SWW	331 lbs.	55.7	—	225
GS2CLMA21-L	20 lbs.	3.8	—	189
GS2CLMA21-W	20 lbs.	3.8	—	189
GS2CLMA24-L	22 lbs.	4.3	—	189
GS2CLMA24-W	22 lbs.	4.3	—	189
GS2CLMA27-L	24 lbs.	4.7	—	189
GS2CLMA27-W	24 lbs.	4.7	—	189
GS2CLMA30-L	26 lbs.	5.2	—	189
GS2CLMA30-W	26 lbs.	5.2	—	189
GS2CLMA33-L	28 lbs.	5.6	—	189
GS2CLMA33-W	28 lbs.	5.6	—	189
GS2CLMA36-L	30 lbs.	6.1	—	189
GS2CLMA36-W	30 lbs.	6.1	—	189
GS2CLMA39-L	32 lbs.	6.5	—	189
GS2CLMA39-W	32 lbs.	6.5	—	189

model number	weight	cubes	#locks	page
GS2CLMA42-L	34 lbs.	7.0	—	189
GS2CLMA42-W	34 lbs.	7.0	—	189
GS2CLMA45-L	36 lbs.	7.4	—	189
GS2CLMA45-W	36 lbs.	7.4	—	189
GS2CLMA48-L	38 lbs.	7.9	—	189
GS2CLMA48-W	38 lbs.	7.9	—	189
GS2CLMA51-L	40 lbs.	8.4	—	189
GS2CLMA51-W	40 lbs.	8.4	—	189
GS2CLMA54-L	42 lbs.	8.8	—	189
GS2CLMA54-W	42 lbs.	8.8	—	189
GS2CLMA57-L	44 lbs.	9.3	—	189
GS2CLMA57-W	44 lbs.	9.3	—	189
GS2CLMA60-L	46 lbs.	9.7	—	189
GS2CLMA60-W	46 lbs.	9.7	—	189
GS2CLMA63-L	48 lbs.	10.2	—	189
GS2CLMA63-W	48 lbs.	10.2	—	189
GS2CLMA66-L	50 lbs.	10.6	—	189
GS2CLMA66-W	50 lbs.	10.6	—	189
GS2CLMA69-L	52 lbs.	11.1	—	189
GS2CLMA69-W	52 lbs.	11.1	—	189
GS2CLMA72-L	54 lbs.	11.5	—	189
GS2CLMA72-W	54 lbs.	11.5	—	189
GS2CLMF45-L	18 lbs.	2.5	—	187
GS2CLMF45-W	18 lbs.	2.5	—	187
GS2CLMF48-L	19 lbs.	2.6	—	187
GS2CLMF48-W	19 lbs.	2.6	—	187
GS2CLMF51-L	21 lbs.	2.8	—	187
GS2CLMF51-W	21 lbs.	2.8	—	187
GS2CLMF54-L	22 lbs.	2.9	—	187
GS2CLMF54-W	22 lbs.	2.9	—	187
GS2CLMF60-L	27 lbs.	3.3	—	187
GS2CLMF60-W	27 lbs.	3.3	—	187
GS2CLMF66-L	30 lbs.	3.6	—	187
GS2CLMF66-W	30 lbs.	3.6	—	187
GS2CLMF72-L	33 lbs.	3.9	—	187
GS2CLMF72-W	33 lbs.	3.9	—	187
GS2CLMF78-L	36 lbs.	4.2	—	187
GS2CLMF78-W	36 lbs.	4.2	—	187
GS2CLMF84-L	39 lbs.	4.5	—	187
GS2CLMF84-W	39 lbs.	4.5	—	187
GS2CLMF90-L	42 lbs.	4.9	—	187
GS2CLMF90-W	42 lbs.	4.9	—	187
GS2CLMF96-L	45 lbs.	5.2	—	187
GS2CLMF96-W	45 lbs.	5.2	—	187

model number	weight	cubes	#locks	page
GS2CLMF102-L	48 lbs.	5.5	—	187
GS2CLMF102-W	48 lbs.	5.5	—	187
GS2CLMF108-L	51 lbs.	5.8	—	187
GS2CLMF108-W	51 lbs.	5.8	—	187
GS2CLMF114-L	54 lbs.	6.1	—	187
GS2CLMF114-W	54 lbs.	6.1	—	187
GS2CLMF120-L	57 lbs.	6.4	—	187
GS2CLMF120-W	57 lbs.	6.4	—	187
GS2CLPD249L-XL	32 lbs.	4.3	—	172
GS2CLPD249L-XW	32 lbs.	4.3	—	172
GS2CLPD249R-XL	32 lbs.	4.3	—	172
GS2CLPD249R-XW	32 lbs.	4.3	—	172
GS2CLPD2415-AL	79 lbs.	6.5	1	173
GS2CLPD2415-AW	79 lbs.	6.5	1	173
GS2CLPD2418-AL	86 lbs.	7.5	1	173
GS2CLPD2418-AW	86 lbs.	7.5	1	173
GS2CLPD2430-5L	106 lbs.	11.8	1	175
GS2CLPD2430-5W	106 lbs.	11.8	1	175
GS2CLPD2430-BL	111 lbs.	11.8	1	174
GS2CLPD2430-BW	111 lbs.	11.8	1	174
GS2CLPD2430-SHL	96 lbs.	11.8	—	176
GS2CLPD2430-SHW	96 lbs.	11.8	—	176
GS2CLPD2436-5L	124 lbs.	14.0	1	175
GS2CLPD2436-5W	124 lbs.	14.0	1	175
GS2CLPD2436-BL	125 lbs.	14.0	1	174
GS2CLPD2436-BW	125 lbs.	14.0	1	174
GS2CLPD2436-SHL	114 lbs.	14.0	—	176
GS2CLPD2436-SHW	114 lbs.	14.0	—	176
GS2CLPD-CUSH2130T	10 lbs.	1.8	—	201
GS2CLPD-CUSH2136T	11 lbs.	2.1	—	201
GS2CLS5H15L-LL	146 lbs.	20.1	1	224
GS2CLS5H15L-WG	146 lbs.	20.1	—	226
GS2CLS5H15L-WW	146 lbs.	20.1	1	224
GS2CLS5H15R-LL	146 lbs.	20.1	1	224
GS2CLS5H15R-WG	146 lbs.	20.1	—	226
GS2CLS5H15R-WW	146 lbs.	20.1	1	224
GS2CLS5H18L-LL	166 lbs.	23.5	1	224
GS2CLS5H18L-WG	166 lbs.	23.5	—	226
GS2CLS5H18L-WW	166 lbs.	23.5	1	224
GS2CLS5H18R-LL	166 lbs.	23.5	1	224
GS2CLS5H18R-WG	166 lbs.	23.5	—	226
GS2CLS5H18R-WW	166 lbs.	23.5	1	224
GS2CLS5H30D18L-LL	181 lbs.	31.6	—	227
GS2CLS5H30D18L-WG	181 lbs.	31.6	—	228

model number	weight	cubes	#locks	page
GS2CLS5H30D18L-WW	181 lbs.	31.6	—	227
GS2CLS5H30D18R-LL	181 lbs.	31.6	—	227
GS2CLS5H30D18R-WG	181 lbs.	31.6	—	228
GS2CLS5H30D18R-WW	181 lbs.	31.6	—	227
GS2CLS6H15L-LL	181 lbs.	26.5	—	224
GS2CLS6H15L-WG	181 lbs.	26.5	—	226
GS2CLS6H15L-WW	181 lbs.	26.5	—	224
GS2CLS6H15R-LL	181 lbs.	26.5	—	224
GS2CLS6H15R-WG	181 lbs.	26.5	—	226
GS2CLS6H15R-WW	181 lbs.	26.5	—	224
GS2CLS6H18L-LL	191 lbs.	27.9	1	224
GS2CLS6H18L-WG	191 lbs.	27.9	—	226
GS2CLS6H18L-WW	191 lbs.	27.9	1	224
GS2CLS6H18R-LL	191 lbs.	27.9	1	224
GS2CLS6H18R-WG	191 lbs.	27.9	—	226
GS2CLS6H18R-WW	191 lbs.	27.9	1	224
GS2CLS6H30D18L-LL	205 lbs.	31.6	—	227
GS2CLS6H30D18L-WG	205 lbs.	31.6	—	228
GS2CLS6H30D18L-WW	205 lbs.	31.6	—	227
GS2CLS6H30D18R-LL	205 lbs.	31.6	—	227
GS2CLS6H30D18R-WG	205 lbs.	31.6	—	228
GS2CLS6H30D18R-WW	205 lbs.	31.6	—	227
GS2CMA21-L	23 lbs.	3.9	—	188
GS2CMA21-W	23 lbs.	3.9	—	188
GS2CMA24-L	25 lbs.	4.3	—	188
GS2CMA24-W	25 lbs.	4.3	—	188
GS2CMA27-L	27 lbs.	4.8	—	188
GS2CMA27-W	27 lbs.	4.8	—	188
GS2CMA30-L	29 lbs.	5.3	—	188
GS2CMA30-W	29 lbs.	5.3	—	188
GS2CMA33-L	31 lbs.	5.8	—	188
GS2CMA33-W	31 lbs.	5.8	—	188
GS2CMA36-L	33 lbs.	6.3	—	188
GS2CMA36-W	33 lbs.	6.3	—	188
GS2CMA39-L	35 lbs.	6.8	—	188
GS2CMA39-W	35 lbs.	6.8	—	188
GS2CMA42-L	37 lbs.	7.2	—	188
GS2CMA42-W	37 lbs.	7.2	—	188
GS2CMA45-L	39 lbs.	7.7	—	188
GS2CMA45-W	39 lbs.	7.7	—	188
GS2CMA48-L	41 lbs.	8.2	—	188
GS2CMA48-W	41 lbs.	8.2	—	188
GS2CMA51-L	43 lbs.	8.7	—	188
GS2CMA51-W	43 lbs.	8.7	—	188

model number	weight	cubes	#locks	page
GS2CMA54-L	45 lbs.	9.2	—	188
GS2CMA54-W	45 lbs.	9.2	—	188
GS2CMA57-L	47 lbs.	9.6	—	188
GS2CMA57-W	47 lbs.	9.6	—	188
GS2CMA60-L	49 lbs.	10.1	—	188
GS2CMA60-W	49 lbs.	10.1	—	188
GS2CMA63-L	51 lbs.	10.6	—	188
GS2CMA63-W	51 lbs.	10.6	—	188
GS2CMA66-L	53 lbs.	11.1	—	188
GS2CMA66-W	53 lbs.	11.1	—	188
GS2CMA69-L	55 lbs.	11.6	—	188
GS2CMA69-W	55 lbs.	11.6	—	188
GS2CMA72-L	57 lbs.	12.1	—	188
GS2CMA72-W	57 lbs.	12.1	—	188
GS2CMF60-L	29 lbs.	4.3	—	186
GS2CMF60-W	29 lbs.	4.3	—	186
GS2CMF66-L	32 lbs.	4.7	—	186
GS2CMF66-W	32 lbs.	4.7	—	186
GS2CMF72-L	35 lbs.	5.1	—	186
GS2CMF72-W	35 lbs.	5.1	—	186
GS2CMF78-L	38 lbs.	5.5	—	186
GS2CMF78-W	38 lbs.	5.5	—	186
GS2CMF84-L	41 lbs.	5.9	—	186
GS2CMF84-W	41 lbs.	5.9	—	186
GS2CMF90-L	44 lbs.	6.3	—	186
GS2CMF90-W	44 lbs.	6.3	—	186
GS2CMF96-L	47 lbs.	6.7	—	186
GS2CMF96-W	47 lbs.	6.7	—	186
GS2CMF102-L	50 lbs.	7.1	—	186
GS2CMF102-W	50 lbs.	7.1	—	186
GS2CMF108-L	53 lbs.	7.5	—	186
GS2CMF108-W	53 lbs.	7.5	—	186
GS2CMF114-L	56 lbs.	7.9	—	186
GS2CMF114-W	56 lbs.	7.9	—	186
GS2CMF120-L	59 lbs.	8.4	—	186
GS2CMF120-W	59 lbs.	8.4	—	186
GS2COLUMN	10 lbs.	0.9	—	157
GS2CPD249L-XL	37 lbs.	5.6	—	167
GS2CPD249L-XW	37 lbs.	5.6	—	167
GS2CPD249R-XL	37 lbs.	5.6	—	167
GS2CPD249R-XW	37 lbs.	5.6	—	167
GS2CPD309L-XL	40 lbs.	8.7	—	177
GS2CPD309L-XW	40 lbs.	8.7	—	177
GS2CPD309R-XL	40 lbs.	8.7	—	177

model number	weight	cubes	#locks	page
GS2CPD309R-XW	40 lbs.	8.7	—	177
GS2CPD2415-2L	84 lbs.	8.4	1	168
GS2CPD2415-2W	84 lbs.	8.4	1	168
GS2CPD2415-3AL	84 lbs.	8.4	1	168
GS2CPD2415-3AW	84 lbs.	8.4	1	168
GS2CPD2415-3L	84 lbs.	8.4	1	168
GS2CPD2415-3W	84 lbs.	8.4	1	168
GS2CPD2415L-5L	70 lbs.	10.5	1	170
GS2CPD2415L-5W	70 lbs.	10.5	1	170
GS2CPD2415R-5L	70 lbs.	10.5	1	170
GS2CPD2415R-5W	70 lbs.	10.5	1	170
GS2CPD2415-SHL	65 lbs.	10.5	—	171
GS2CPD2415-SHW	65 lbs.	10.5	—	171
GS2CPD2418-2L	91 lbs.	9.8	1	168
GS2CPD2418-2W	91 lbs.	9.8	1	168
GS2CPD2418-3AL	91 lbs.	9.8	1	168
GS2CPD2418-3AW	91 lbs.	9.8	1	168
GS2CPD2418-3L	91 lbs.	9.8	1	168
GS2CPD2418-3W	91 lbs.	9.8	1	168
GS2CPD2418L-5L	75 lbs.	12.1	1	170
GS2CPD2418L-5W	75 lbs.	12.1	1	170
GS2CPD2418R-5L	75 lbs.	12.1	1	170
GS2CPD2418R-5W	75 lbs.	12.1	1	170
GS2CPD2418-SHL	75 lbs.	12.1	—	171
GS2CPD2418-SHW	75 lbs.	12.1	—	171
GS2CPD2424-5L	85 lbs.	15.4	1	170
GS2CPD2424-5W	85 lbs.	15.4	1	170
GS2CPD2424-SHL	80 lbs.	15.4	—	171
GS2CPD2424-SHW	80 lbs.	15.4	—	171
GS2CPD2430-4L	116 lbs.	15.4	1	169
GS2CPD2430-4W	116 lbs.	15.4	1	169
GS2CPD2430-5L	111 lbs.	15.4	1	170
GS2CPD2430-5W	111 lbs.	15.4	1	170
GS2CPD2430-7L	118 lbs.	15.4	1	169
GS2CPD2430-7W	118 lbs.	15.4	1	169
GS2CPD2430L-MFL	136 lbs.	18.7	1	169
GS2CPD2430L-MFW	136 lbs.	18.7	1	169
GS2CPD2430-PL	135 lbs.	18.7	1	170
GS2CPD2430-PW	135 lbs.	18.7	1	170
GS2CPD2430R-MFL	136 lbs.	18.7	1	169
GS2CPD2430R-MFW	136 lbs.	18.7	1	169
GS2CPD2430-SHL	101 lbs.	15.4	—	171
GS2CPD2430-SHW	101 lbs.	15.4	—	171
GS2CPD2436-4L	130 lbs.	18.2	1	169

model number	weight	cubes	#locks	page
GS2CPD2436-4W	130 lbs.	18.2	1	169
GS2CPD2436-5L	129 lbs.	18.2	1	170
GS2CPD2436-5W	129 lbs.	18.2	1	170
GS2CPD2436-7L	133 lbs.	18.2	1	169
GS2CPD2436-7W	133 lbs.	18.2	1	169
GS2CPD2436L-MFL	150 lbs.	22.0	1	169
GS2CPD2436L-MFW	150 lbs.	22.0	1	169
GS2CPD2436-PL	140 lbs.	22.0	1	170
GS2CPD2436-PW	140 lbs.	22.0	1	170
GS2CPD2436R-MFL	150 lbs.	22.0	1	169
GS2CPD2436R-MFW	150 lbs.	22.0	1	169
GS2CPD2436-SHL	119 lbs.	18.2	—	171
GS2CPD2436-SHW	119 lbs.	18.2	—	171
GS2CPD3015-2L	89 lbs.	12.7	1	178
GS2CPD3015-2W	89 lbs.	12.7	1	178
GS2CPD3015-3AL	89 lbs.	12.7	1	178
GS2CPD3015-3AW	89 lbs.	12.7	1	178
GS2CPD3015-3L	89 lbs.	12.7	1	178
GS2CPD3015-3W	89 lbs.	12.7	1	178
GS2CPD3015L-5L	75 lbs.	12.7	1	180
GS2CPD3015L-5W	75 lbs.	12.7	1	180
GS2CPD3015R-5L	75 lbs.	12.7	1	180
GS2CPD3015R-5W	75 lbs.	12.7	1	180
GS2CPD3015-SHL	70 lbs.	12.7	—	181
GS2CPD3015-SHW	70 lbs.	12.7	—	181
GS2CPD3018-2L	96 lbs.	14.7	1	178
GS2CPD3018-2W	96 lbs.	14.7	1	178
GS2CPD3018-3AL	96 lbs.	14.7	1	178
GS2CPD3018-3AW	96 lbs.	14.7	1	178
GS2CPD3018-3L	96 lbs.	14.7	1	178
GS2CPD3018-3W	96 lbs.	14.7	1	178
GS2CPD3018L-5L	80 lbs.	14.7	1	180
GS2CPD3018L-5W	80 lbs.	14.7	1	180
GS2CPD3018R-5L	80 lbs.	14.7	1	180
GS2CPD3018R-5W	80 lbs.	14.7	1	180
GS2CPD3018-SHL	80 lbs.	14.7	—	181
GS2CPD3018-SHW	80 lbs.	14.7	—	181
GS2CPD3024-5L	90 lbs.	18.7	1	180
GS2CPD3024-5W	90 lbs.	18.7	1	180
GS2CPD3024-SHL	85 lbs.	18.7	—	181
GS2CPD3024-SHW	85 lbs.	18.7	—	181
GS2CPD3030-4L	120 lbs.	22.7	1	179
GS2CPD3030-4W	120 lbs.	22.7	1	179
GS2CPD3030-5L	114 lbs.	22.7	1	180

model number	weight	cubes	#locks	page
GS2CPD3030-5W	114 lbs.	22.7	1	180
GS2CPD3030-7L	125 lbs.	22.7	1	179
GS2CPD3030-7W	125 lbs.	22.7	1	179
GS2CPD3030L-MFL	148 lbs.	22.7	1	179
GS2CPD3030L-MFW	148 lbs.	22.7	1	179
GS2CPD3030-PL	140 lbs.	22.7	1	180
GS2CPD3030-PW	140 lbs.	22.7	1	180
GS2CPD3030R-MFL	148 lbs.	22.7	1	179
GS2CPD3030R-MFW	148 lbs.	22.7	1	179
GS2CPD3030-SHL	105 lbs.	22.7	—	181
GS2CPD3030-SHW	105 lbs.	22.7	—	181
GS2CPD3036-4L	128 lbs.	26.8	1	179
GS2CPD3036-4W	128 lbs.	26.8	1	179
GS2CPD3036-5L	122 lbs.	26.8	1	180
GS2CPD3036-5W	122 lbs.	26.8	1	180
GS2CPD3036-7L	132 lbs.	26.8	1	179
GS2CPD3036-7W	132 lbs.	26.8	1	179
GS2CPD3036L-MFL	162 lbs.	26.8	1	179
GS2CPD3036L-MFW	162 lbs.	26.8	1	179
GS2CPD3036-PL	145 lbs.	26.8	1	180
GS2CPD3036-PW	145 lbs.	26.8	1	180
GS2CPD3036R-MFL	162 lbs.	26.8	1	179
GS2CPD3036R-MFW	162 lbs.	26.8	1	179
GS2CPD3036-SHL	113 lbs.	26.8	—	181
GS2CPD3036-SHW	113 lbs.	26.8	—	181
GS2CWA2240-L	27 lbs.	2.6	—	119
GS2CWA2240-W	27 lbs.	2.6	—	119
GS2CWA2246-L	31 lbs.	3.0	—	119
GS2CWA2246-W	31 lbs.	3.0	—	119
GS2CWA2252-L	35 lbs.	3.3	—	119
GS2CWA2252-W	35 lbs.	3.3	—	119
GS2CWA2258-L	39 lbs.	3.7	—	119
GS2CWA2258-W	39 lbs.	3.7	—	119
GS2CWA2264-L	43 lbs.	4.1	—	119
GS2CWA2264-W	43 lbs.	4.1	—	119
GS2CWA2270-L	48 lbs.	4.4	—	119
GS2CWA2270-W	48 lbs.	4.4	—	119
GS2CWA2840-L	35 lbs.	3.2	—	119
GS2CWA2840-W	35 lbs.	3.2	—	119
GS2CWA2846-L	40 lbs.	3.7	—	119
GS2CWA2846-W	40 lbs.	3.7	—	119
GS2CWA2852-L	45 lbs.	4.1	—	119
GS2CWA2852-W	45 lbs.	4.1	—	119
GS2CWA2858-L	50 lbs.	4.6	—	119

model number	weight	cubes	#locks	page
GS2CWA2858-W	50 lbs.	4.6	—	119
GS2CWA2864-L	55 lbs.	5.0	—	119
GS2CWA2864-W	55 lbs.	5.0	—	119
GS2CWA2870-L	61 lbs.	5.5	—	119
GS2CWA2870-W	61 lbs.	5.5	—	119
GS2CWA3440-L	42 lbs.	3.9	—	119
GS2CWA3440-W	42 lbs.	3.9	—	119
GS2CWA3446-L	48 lbs.	4.4	—	119
GS2CWA3446-W	48 lbs.	4.4	—	119
GS2CWA3452-L	55 lbs.	4.9	—	119
GS2CWA3452-W	55 lbs.	4.9	—	119
GS2CWA3458-L	61 lbs.	5.5	—	119
GS2CWA3458-W	61 lbs.	5.5	—	119
GS2CWA3464-L	67 lbs.	6.0	—	119
GS2CWA3464-W	67 lbs.	6.0	—	119
GS2CWA3470-L	73 lbs.	6.5	—	119
GS2CWA3470-W	73 lbs.	6.5	—	119
GS2CWR2415-L	11 lbs.	1.3	—	165
GS2CWR2415-W	11 lbs.	1.3	—	165
GS2CWR2418-L	13 lbs.	1.5	—	165
GS2CWR2418-W	13 lbs.	1.5	—	165
GS2CWR2424-L	18 lbs.	1.9	—	165
GS2CWR2424-W	18 lbs.	1.9	—	165
GS2CWR2430-L	27 lbs.	2.2	—	165
GS2CWR2430-W	27 lbs.	2.2	—	165
GS2CWR2436-L	32 lbs.	2.6	—	165
GS2CWR2436-W	32 lbs.	2.6	—	165
GS2CWR2442-L	36 lbs.	2.9	—	165
GS2CWR2442-W	36 lbs.	2.9	—	165
GS2CWR2448-L	41 lbs.	3.3	—	165
GS2CWR2448-W	41 lbs.	3.3	—	165
GS2CWR2454-L	45 lbs.	3.7	—	165
GS2CWR2454-W	45 lbs.	3.7	—	165
GS2CWR2460-L	49 lbs.	4.1	—	165
GS2CWR2460-W	49 lbs.	4.1	—	165
GS2CWR2466-L	54 lbs.	4.5	—	165
GS2CWR2466-W	54 lbs.	4.5	—	165
GS2CWR2472-L	58 lbs.	4.9	—	165
GS2CWR2472-W	58 lbs.	4.9	—	165
GS2CWR2478-L	63 lbs.	5.3	—	165
GS2CWR2478-W	63 lbs.	5.3	—	165
GS2CWR2484-L	67 lbs.	5.7	—	165
GS2CWR2484-W	67 lbs.	5.7	—	165
GS2CWR2490-L	72 lbs.	6.1	—	165

model number	weight	cubes	#locks	page
GS2CWR2490-W	72 lbs.	6.1	—	165
GS2CWR2496-L	76 lbs.	6.5	—	165
GS2CWR2496-W	76 lbs.	6.5	—	165
GS2CWR3015-L	14 lbs.	1.6	—	166
GS2CWR3015-W	14 lbs.	1.6	—	166
GS2CWR3018-L	16 lbs.	1.8	—	166
GS2CWR3018-W	16 lbs.	1.8	—	166
GS2CWR3024-L	22 lbs.	2.3	—	166
GS2CWR3024-W	22 lbs.	2.3	—	166
GS2CWR3030-L	28 lbs.	2.8	—	166
GS2CWR3030-W	28 lbs.	2.8	—	166
GS2CWR3036-L	32 lbs.	3.3	—	166
GS2CWR3036-W	32 lbs.	3.3	—	166
GS2CWR3042-L	38 lbs.	3.8	—	166
GS2CWR3042-W	38 lbs.	3.8	—	166
GS2CWR3048-L	45 lbs.	4.3	—	166
GS2CWR3048-W	45 lbs.	4.3	—	166
GS2CWR3054-L	50 lbs.	4.8	—	166
GS2CWR3054-W	50 lbs.	4.8	—	166
GS2CWR3060-L	55 lbs.	5.3	—	166
GS2CWR3060-W	55 lbs.	5.3	—	166
GS2CWR3066-L	60 lbs.	5.8	—	166
GS2CWR3066-W	60 lbs.	5.8	—	166
GS2CWR3072-L	65 lbs.	6.3	—	166
GS2CWR3072-W	65 lbs.	6.3	—	166
GS2CWR3078-L	70 lbs.	6.8	—	166
GS2CWR3078-W	70 lbs.	6.8	—	166
GS2CWR3084-L	75 lbs.	7.3	—	166
GS2CWR3084-W	75 lbs.	7.3	—	166
GS2CWR3090-L	80 lbs.	7.8	—	166
GS2CWR3090-W	80 lbs.	7.8	—	166
GS2CWR3096-L	85 lbs.	8.3	—	166
GS2CWR3096-W	85 lbs.	8.3	—	166
GS2CWR24102-L	81 lbs.	6.9	—	165
GS2CWR24102-W	81 lbs.	6.9	—	165
GS2CWR24108-L	85 lbs.	7.3	—	165
GS2CWR24108-W	85 lbs.	7.3	—	165
GS2CWR24114-L	89 lbs.	7.7	—	165
GS2CWR24114-W	89 lbs.	7.7	—	165
GS2CWR24120-L	94 lbs.	8.0	—	165
GS2CWR24120-W	94 lbs.	8.0	—	165
GS2CWR30102-L	90 lbs.	8.8	—	166
GS2CWR30102-W	90 lbs.	8.8	—	166
GS2CWR30108-L	95 lbs.	9.3	—	166

model number	weight	cubes	#locks	page
GS2CWR30108-W	95 lbs.	9.3	—	166
GS2CWR30114-L	100 lbs.	9.8	—	166
GS2CWR30114-W	100 lbs.	9.8	—	166
GS2CWR30120-L	105 lbs.	10.2	—	166
GS2CWR30120-W	105 lbs.	10.2	—	166
GS2DBOB4272-32LL	342 lbs.	33.8	2	48
GS2DBOB4272-32WW	342 lbs.	33.8	2	48
GS2DBOB4272L-3LL	266 lbs.	23.3	1	49
GS2DBOB4272L-3WW	266 lbs.	23.3	1	49
GS2DBOB4272R-3LL	266 lbs.	23.3	1	49
GS2DBOB4272R-3WW	266 lbs.	23.3	1	49
GS2DBOF4272L-3LL	247 lbs.	26.0	1	50
GS2DBOF4272L-3WW	247 lbs.	26.0	1	50
GS2DBOF4272R-3LL	247 lbs.	26.0	1	50
GS2DBOF4272R-3WW	247 lbs.	26.0	1	50
GS2DDMF1560-L	33 lbs.	3.2	—	161
GS2DDMF1560-W	33 lbs.	3.2	—	161
GS2DDMF1566-L	36 lbs.	3.9	—	161
GS2DDMF1566-W	36 lbs.	3.9	—	161
GS2DDMF1572-L	39 lbs.	4.5	—	161
GS2DDMF1572-W	39 lbs.	4.5	—	161
GS2DDMF1578-L	42 lbs.	5.1	—	161
GS2DDMF1578-W	42 lbs.	5.1	—	161
GS2DDMF1584-L	46 lbs.	5.8	—	161
GS2DDMF1584-W	46 lbs.	5.8	—	161
GS2DDMF1590-L	49 lbs.	5.0	—	161
GS2DDMF1590-W	49 lbs.	5.0	—	161
GS2DDMF1596-L	52 lbs.	5.4	—	161
GS2DDMF1596-W	52 lbs.	5.4	—	161
GS2DHL24-H	18 lbs.	2.9	—	156
GS2DHL30-H	21 lbs.	3.5	—	156
GS2DHL36-H	23 lbs.	4.2	—	156
GS2DMPA24-L	7 lbs.	0.8	—	160
GS2DMPA24-W	7 lbs.	0.8	—	160
GS2DMPA27-L	7 lbs.	0.9	—	160
GS2DMPA27-W	7 lbs.	0.9	—	160
GS2DMPA30-L	7 lbs.	0.9	—	160
GS2DMPA30-W	7 lbs.	0.9	—	160
GS2DMPA33-L	7 lbs.	1.0	—	160
GS2DMPA33-W	7 lbs.	1.0	—	160
GS2DMPA36-L	7 lbs.	1.1	—	160
GS2DMPA36-W	7 lbs.	1.1	—	160
GS2DMPA39-L	7 lbs.	1.2	—	160
GS2DMPA39-W	7 lbs.	1.2	—	160

model number	weight	cubes	#locks	page
GS2DMPA42-L	8 lbs.	1.3	—	160
GS2DMPA42-W	8 lbs.	1.3	—	160
GS2DMPA45-L	8 lbs.	1.4	—	160
GS2DMPA45-W	8 lbs.	1.4	—	160
GS2DMPA48-L	9 lbs.	1.5	—	160
GS2DMPA48-W	9 lbs.	1.5	—	160
GS2DMPA51-L	9 lbs.	1.5	—	160
GS2DMPA51-W	9 lbs.	1.5	—	160
GS2DMPA54-L	10 lbs.	1.6	—	160
GS2DMPA54-W	10 lbs.	1.6	—	160
GS2DMPA57-L	10 lbs.	1.7	—	160
GS2DMPA57-W	10 lbs.	1.7	—	160
GS2DMPA60-L	11 lbs.	1.8	—	160
GS2DMPA60-W	11 lbs.	1.8	—	160
GS2DMPA63-L	11 lbs.	1.9	—	160
GS2DMPA63-W	11 lbs.	1.9	—	160
GS2DMPA66-L	12 lbs.	2.0	—	160
GS2DMPA66-W	12 lbs.	2.0	—	160
GS2DMPA69-L	12 lbs.	2.1	—	160
GS2DMPA69-W	12 lbs.	2.1	—	160
GS2DMPA72-L	13 lbs.	2.1	—	160
GS2DMPA72-W	13 lbs.	2.1	—	160
GS2DMPH39-G	7 lbs.	1.2	—	159
GS2DMPH39-L	7 lbs.	1.2	—	159
GS2DMPH39-W	7 lbs.	1.2	—	159
GS2DMPH42-G	8 lbs.	1.3	—	159
GS2DMPH42-L	8 lbs.	1.3	—	159
GS2DMPH42-W	8 lbs.	1.3	—	159
GS2DMPH45-G	8 lbs.	1.3	—	159
GS2DMPH45-L	8 lbs.	1.3	—	159
GS2DMPH45-W	8 lbs.	1.3	—	159
GS2DMPH48-G	9 lbs.	1.4	—	159
GS2DMPH48-L	9 lbs.	1.4	—	159
GS2DMPH48-W	9 lbs.	1.4	—	159
GS2DMPH51-G	9 lbs.	1.5	—	159
GS2DMPH51-L	9 lbs.	1.5	—	159
GS2DMPH51-W	9 lbs.	1.5	—	159
GS2DMPH54-G	10 lbs.	1.6	—	159
GS2DMPH54-L	10 lbs.	1.6	—	159
GS2DMPH54-W	10 lbs.	1.6	—	159
GS2DMPH57-G	10 lbs.	1.7	—	159
GS2DMPH57-L	10 lbs.	1.7	—	159
GS2DMPH57-W	10 lbs.	1.7	—	159
GS2DMPH60-G	11 lbs.	1.8	—	159

model number	weight	cubes	#locks	page
GS2DMPH60-L	11 lbs.	1.8	—	159
GS2DMPH60-W	11 lbs.	1.8	—	159
GS2DMPH63-G	11 lbs.	1.9	—	159
GS2DMPH63-L	11 lbs.	1.9	—	159
GS2DMPH63-W	11 lbs.	1.9	—	159
GS2DMPH66-G	12 lbs.	1.9	—	159
GS2DMPH66-L	12 lbs.	1.9	—	159
GS2DMPH66-W	12 lbs.	1.9	—	159
GS2DMPH69-G	12 lbs.	2.0	—	159
GS2DMPH69-L	12 lbs.	2.0	—	159
GS2DMPH69-W	12 lbs.	2.0	—	159
GS2DMPH72-G	13 lbs.	2.1	—	159
GS2DMPH72-L	13 lbs.	2.1	—	159
GS2DMPH72-W	13 lbs.	2.1	—	159
GS2DPC2472-22LL	265 lbs.	26.8	1	54
GS2DPC2472-22WW	265 lbs.	26.8	1	54
GS2DPD309-2SL	85 lbs.	7.3	1	152
GS2DPD309-2SW	85 lbs.	7.3	1	152
GS2DPD309-3SL	85 lbs.	7.3	1	152
GS2DPD309-3SW	85 lbs.	7.3	1	152
GS2DPD309L-XNL	45 lbs.	7.3	—	153
GS2DPD309L-XNW	45 lbs.	7.3	—	153
GS2DPD309R-XNL	45 lbs.	7.3	—	153
GS2DPD309R-XNW	45 lbs.	7.3	—	153
GS2DPD369-2SL	92 lbs.	8.6	1	152
GS2DPD369-2SW	92 lbs.	8.6	1	152
GS2DPD369-3SL	92 lbs.	8.6	1	152
GS2DPD369-3SW	92 lbs.	8.6	1	152
GS2DPD369L-XNL	52 lbs.	8.6	—	153
GS2DPD369L-XNW	52 lbs.	8.6	—	153
GS2DPD369R-XNL	52 lbs.	8.6	—	153
GS2DPD369R-XNW	52 lbs.	8.6	—	153
GS2DPD3015-2L	105 lbs.	10.6	1	152
GS2DPD3015-2W	105 lbs.	10.6	1	152
GS2DPD3015-3L	105 lbs.	10.6	1	152
GS2DPD3015-3W	105 lbs.	10.6	1	152
GS2DPD3015L-XNL	51 lbs.	10.6	—	153
GS2DPD3015L-XNW	51 lbs.	10.6	—	153
GS2DPD3015R-XNL	51 lbs.	10.6	—	153
GS2DPD3015R-XNW	51 lbs.	10.6	—	153
GS2DPD3615-2L	112 lbs.	12.5	1	152
GS2DPD3615-2W	112 lbs.	12.5	1	152
GS2DPD3615-3L	112 lbs.	12.5	1	152
GS2DPD3615-3W	112 lbs.	12.5	1	152

model number	weight	cubes	#locks	page
GS2DPD3615L-XNL	58 lbs.	12.5	—	153
GS2DPD3615L-XNW	58 lbs.	12.5	—	153
GS2DPD3615R-XNL	58 lbs.	12.5	—	153
GS2DPD3615R-XNW	58 lbs.	12.5	—	153
GS2DRFB3060L-3LL	218 lbs.	18.8	1	49
GS2DRFB3060L-3WW	218 lbs.	18.8	1	49
GS2DRFB3060R-3LL	218 lbs.	18.8	1	49
GS2DRFB3060R-3WW	218 lbs.	18.8	1	49
GS2DRFB3066L-3LL	229 lbs.	20.0	1	49
GS2DRFB3066L-3WW	229 lbs.	20.0	1	49
GS2DRFB3066R-3LL	229 lbs.	20.0	1	49
GS2DRFB3066R-3WW	229 lbs.	20.0	1	49
GS2DRFB3072L-3LL	240 lbs.	21.1	1	49
GS2DRFB3072L-3WW	240 lbs.	21.1	1	49
GS2DRFB3072R-3LL	240 lbs.	21.1	1	49
GS2DRFB3072R-3WW	240 lbs.	21.1	1	49
GS2DROB3672-32LL	329 lbs.	32.7	2	48
GS2DROB3672-32WW	329 lbs.	32.7	2	48
GS2DROB3672L-3LL	253 lbs.	22.2	1	49
GS2DROB3672L-3WW	253 lbs.	22.2	1	49
GS2DROB3672R-3LL	253 lbs.	22.2	1	49
GS2DROB3672R-3WW	253 lbs.	22.2	1	49
GS2DROB3678L-3LL	266 lbs.	23.4	1	49
GS2DROB3678L-3WW	266 lbs.	23.4	1	49
GS2DROB3678R-3LL	266 lbs.	23.4	1	49
GS2DROB3678R-3WW	266 lbs.	23.4	1	49
GS2DROF3060L-3LL	180 lbs.	19.5	1	50
GS2DROF3060L-3WW	180 lbs.	19.5	1	50
GS2DROF3060R-3LL	180 lbs.	19.5	1	50
GS2DROF3060R-3WW	180 lbs.	19.5	1	50
GS2DROF3066L-3LL	188 lbs.	20.4	1	50
GS2DROF3066L-3WW	188 lbs.	20.4	1	50
GS2DROF3066R-3LL	188 lbs.	20.4	1	50
GS2DROF3066R-3WW	188 lbs.	20.4	1	50
GS2DROF3072L-3LL	197 lbs.	21.2	1	50
GS2DROF3072L-3WW	197 lbs.	21.2	1	50
GS2DROF3072R-3LL	197 lbs.	21.2	1	50
GS2DROF3072R-3WW	197 lbs.	21.2	1	50
GS2DROF3672-32LL	325 lbs.	33.3	2	48
GS2DROF3672-32WW	325 lbs.	33.3	2	48
GS2DROF3672L-3LL	234 lbs.	24.9	1	50
GS2DROF3672L-3WW	234 lbs.	24.9	1	50
GS2DROF3672R-3LL	234 lbs.	24.9	1	50
GS2DROF3672R-3WW	234 lbs.	24.9	1	50

model number	weight	cubes	#locks	page
GS2DROF3678L-3LL	244 lbs.	25.9	1	50
GS2DROF3678L-3WW	244 lbs.	25.9	1	50
GS2DROF3678R-3LL	244 lbs.	25.9	1	50
GS2DROF3678R-3WW	244 lbs.	25.9	1	50
GS2DSL24-G	26 lbs.	2.9	—	155
GS2DSL24-H	20 lbs.	2.9	—	154
GS2DSL24-N	17 lbs.	2.9	—	154
GS2DSL24-NST	18 lbs.	2.9	—	154
GS2DSL30-G	29 lbs.	3.5	—	155
GS2DSL30-H	23 lbs.	3.5	—	154
GS2DSL30-N	20 lbs.	3.5	—	154
GS2DSL30-NST	21 lbs.	3.5	—	154
GS2DSL36-G	31 lbs.	4.2	—	155
GS2DSL36-H	25 lbs.	4.2	—	154
GS2DSL36-N	22 lbs.	4.2	—	154
GS2DSL36-NST	23 lbs.	4.2	—	154
GS2DWA3672-L	80 lbs.	7.1	—	149
GS2DWA3672-W	80 lbs.	7.1	—	149
GS2DWA3684-L	93 lbs.	8.2	—	149
GS2DWA3684-W	93 lbs.	8.2	—	149
GS2DWA4272-L	93 lbs.	8.2	—	149
GS2DWA4272-W	93 lbs.	8.2	—	149
GS2DWA4284-L	109 lbs.	9.5	—	149
GS2DWA4284-W	109 lbs.	9.5	—	149
GS2DWB4272-L	93 lbs.	8.2	—	151
GS2DWB4272-W	93 lbs.	8.2	—	151
GS2DWD4272-L	93 lbs.	8.2	—	151
GS2DWD4272-W	93 lbs.	8.2	—	151
GS2DWRR3042-L	39 lbs.	3.6	—	148
GS2DWRR3042-W	39 lbs.	3.6	—	148
GS2DWRR3048-L	44 lbs.	4.1	—	148
GS2DWRR3048-W	44 lbs.	4.1	—	148
GS2DWRR3054-L	50 lbs.	4.6	—	148
GS2DWRR3054-W	50 lbs.	4.6	—	148
GS2DWRR3060-L	56 lbs.	5.0	—	148
GS2DWRR3060-W	56 lbs.	5.0	—	148
GS2DWRR3066-L	61 lbs.	5.5	—	148
GS2DWRR3066-W	61 lbs.	5.5	—	148
GS2DWRR3072-L	67 lbs.	6.0	—	148
GS2DWRR3072-W	67 lbs.	6.0	—	148
GS2DWRR3078-L	72 lbs.	6.5	—	148
GS2DWRR3078-W	72 lbs.	6.5	—	148
GS2DWRR3084-L	78 lbs.	7.0	—	148
GS2DWRR3084-W	78 lbs.	7.0	—	148

model number	weight	cubes	#locks	page
GS2DWRR3090-L	84 lbs.	7.4	—	148
GS2DWRR3090-W	80 lbs.	7.8	—	148
GS2DWRR3096-L	90 lbs.	7.9	—	148
GS2DWRR3096-W	85 lbs.	8.3	—	148
GS2DWRR3642-L	47 lbs.	4.3	—	148
GS2DWRR3642-W	47 lbs.	4.3	—	148
GS2DWRR3648-L	53 lbs.	4.8	—	148
GS2DWRR3648-W	53 lbs.	4.8	—	148
GS2DWRR3654-L	60 lbs.	5.4	—	148
GS2DWRR3654-W	60 lbs.	5.4	—	148
GS2DWRR3660-L	67 lbs.	6.0	—	148
GS2DWRR3660-W	67 lbs.	6.0	—	148
GS2DWRR3666-L	73 lbs.	6.5	—	148
GS2DWRR3666-W	73 lbs.	6.5	—	148
GS2DWRR3672-L	80 lbs.	7.1	—	148
GS2DWRR3672-W	80 lbs.	7.1	—	148
GS2DWRR3678-L	87 lbs.	7.7	—	148
GS2DWRR3678-W	87 lbs.	7.7	—	148
GS2DWRR3684-L	93 lbs.	8.2	—	148
GS2DWRR3684-W	93 lbs.	8.2	—	148
GS2DWRR3690-L	100 lbs.	8.7	—	148
GS2DWRR3690-W	96 lbs.	9.1	—	148
GS2DWRR3696-L	106 lbs.	9.3	—	148
GS2DWRR3696-W	102 lbs.	9.7	—	148
GS2DWRT3066L-L	61 lbs.	5.5	—	150
GS2DWRT3066L-W	61 lbs.	5.5	—	150
GS2DWRT3066R-L	61 lbs.	5.5	—	150
GS2DWRT3066R-W	61 lbs.	5.5	—	150
GS2DWRT3072L-L	67 lbs.	6.0	—	150
GS2DWRT3072L-W	67 lbs.	6.0	—	150
GS2DWRT3072R-L	67 lbs.	6.0	—	150
GS2DWRT3072R-W	67 lbs.	6.0	—	150
GS2FBX75H90L-WSG	775 lbs.	103.0	—	303
GS2FBX75H90R-WSG	775 lbs.	103.0	—	303
GS2FSC2460-44LL	240 lbs.	32.0	2	56
GS2FSC2460-55LL	210 lbs.	32.0	2	57
GS2FSC2460-55WW	210 lbs.	32.0	2	57
GS2FSC2472-44LL	310 lbs.	38.1	2	56
GS2FSC2472-44WW	310 lbs.	38.1	2	56
GS2FSC2472-55LL	280 lbs.	38.1	2	57
GS2FSC2472-55WW	280 lbs.	38.1	2	57
GS2FSF830-L	10 lbs.	0.9	—	286
GS2FSF830-W	10 lbs.	0.9	—	286
GS2FSF836-L	12 lbs.	1.0	—	286

model number	weight	cubes	#locks	page
GS2FSF836-W	12 lbs.	1.0	—	286
GS2FSF842-L	14 lbs.	1.2	—	286
GS2FSF842-W	14 lbs.	1.2	—	286
GS2FSF848-L	16 lbs.	1.4	—	286
GS2FSF848-W	16 lbs.	1.4	—	286
GS2FSF854-L	18 lbs.	1.5	—	286
GS2FSF854-W	18 lbs.	1.5	—	286
GS2FSF860-L	20 lbs.	1.7	—	286
GS2FSF860-W	20 lbs.	1.7	—	286
GS2FSF866-L	22 lbs.	1.8	—	286
GS2FSF866-W	22 lbs.	1.8	—	286
GS2FSF872-L	24 lbs.	2.0	—	286
GS2FSF872-W	24 lbs.	2.0	—	286
GS2GMT	1 lb.	0.1	—	314
GS2LFS2H30-LL	156 lbs.	16.8	1	222
GS2LFS2H30-WW	156 lbs.	16.8	1	222
GS2LFS2H36-LL	179 lbs.	19.8	1	222
GS2LFS2H36-WW	179 lbs.	19.8	1	222
GS2LFS3H30-LL	201 lbs.	23.3	1	223
GS2LFS3H30-WW	201 lbs.	23.3	1	223
GS2LFS3H36-LL	230 lbs.	27.5	1	223
GS2LFS3H36-WW	230 lbs.	27.5	1	223
GS2LFS4H30-LL	246 lbs.	29.6	1	223
GS2LFS4H30-WW	246 lbs.	29.6	1	223
GS2LFS4H36-LL	281 lbs.	35.0	1	223
GS2LFS4H36-WW	281 lbs.	35.0	1	223
GS2LFS5H30-LL	291 lbs.	36.9	1	223
GS2LFS5H30-WW	291 lbs.	36.9	1	223
GS2LFS5H36-LL	332 lbs.	43.6	1	223
GS2LFS5H36-WW	332 lbs.	43.6	1	223
GS2LFS6H30-LL	337 lbs.	43.8	1	223
GS2LFS6H30-WW	337 lbs.	43.8	1	223
GS2LFS6H36-LL	386 lbs.	51.8	1	223
GS2LFS6H36-WW	386 lbs.	51.8	1	223
GS2LHAPD2424L-LL	88 lbs.	10.4	—	117
GS2LHAPD2424L-WW	88 lbs.	10.4	—	117
GS2LHAPD2424R-LL	88 lbs.	10.4	—	117
GS2LHAPD2424R-WW	88 lbs.	10.4	—	117
GS2LHAPD2430L-LL	96 lbs.	12.7	—	117
GS2LHAPD2430L-WW	96 lbs.	12.7	—	117
GS2LHAPD2430R-LL	96 lbs.	12.7	—	117
GS2LHAPD2430R-WW	96 lbs.	12.7	—	117
GS2LHAPD2436L-LL	114 lbs.	15.0	—	117
GS2LHAPD2436L-WW	114 lbs.	15.0	—	117

model number	weight	cubes	#locks	page
GS2LHAPD2436R-LL	114 lbs.	15.0	—	117
GS2LHAPD2436R-WW	114 lbs.	15.0	—	117
GS2LKR5H24L-LG	175 lbs.	28.8	—	243
GS2LKR5H24L-LL	175 lbs.	28.8	—	242
GS2LKR5H24L-WG	175 lbs.	30.2	—	243
GS2LKR5H24L-WW	175 lbs.	30.2	—	242
GS2LKR5H24R-LG	175 lbs.	28.8	—	243
GS2LKR5H24R-LL	175 lbs.	28.8	—	242
GS2LKR5H24R-WG	175 lbs.	30.2	—	243
GS2LKR5H24R-WW	175 lbs.	30.2	—	242
GS2LKR6H24L-LG	230 lbs.	34.0	—	243
GS2LKR6H24L-LL	230 lbs.	33.9	—	242
GS2LKR6H24L-WG	230 lbs.	35.8	—	243
GS2LKR6H24L-WW	230 lbs.	35.8	—	242
GS2LKR6H24R-LG	230 lbs.	34.0	—	243
GS2LKR6H24R-LL	230 lbs.	33.9	—	242
GS2LKR6H24R-WG	230 lbs.	35.8	—	243
GS2LKR6H24R-WW	230 lbs.	35.8	—	242
GS2LLKR5H24L-LG	175 lbs.	28.8	—	245
GS2LLKR5H24L-LL	175 lbs.	28.8	—	244
GS2LLKR5H24L-WG	175 lbs.	30.2	—	245
GS2LLKR5H24L-WW	175 lbs.	30.2	—	244
GS2LLKR5H24R-LG	175 lbs.	28.8	—	245
GS2LLKR5H24R-LL	175 lbs.	28.8	—	244
GS2LLKR5H24R-WG	175 lbs.	30.2	—	245
GS2LLKR5H24R-WW	175 lbs.	30.2	—	244
GS2LLKR6H24L-LG	230 lbs.	34.0	—	245
GS2LLKR6H24L-LL	230 lbs.	33.9	—	244
GS2LLKR6H24L-WG	230 lbs.	35.8	—	245
GS2LLKR6H24L-WW	230 lbs.	35.8	—	244
GS2LLKR6H24R-LG	230 lbs.	34.0	—	245
GS2LLKR6H24R-LL	230 lbs.	33.9	—	244
GS2LLKR6H24R-WG	230 lbs.	35.8	—	245
GS2LLKR6H24R-WW	230 lbs.	35.8	—	244
GS2MEP24L-L	11 lbs.	1.8	—	182
GS2MEP24L-W	11 lbs.	1.8	—	182
GS2MEP24R-L	11 lbs.	1.8	—	182
GS2MEP24R-W	11 lbs.	1.8	—	182
GS2MEP30L-L	14 lbs.	2.2	—	182
GS2MEP30L-W	14 lbs.	2.2	—	182
GS2MEP30R-L	14 lbs.	2.2	—	182
GS2MEP30R-W	14 lbs.	2.2	—	182
GS2MEP36L-L	17 lbs.	2.6	—	182
GS2MEP36L-W	17 lbs.	2.6	—	182

model number	weight	cubes	#locks	page
GS2MEP36R-L	17 lbs.	2.6	—	182
GS2MEP36R-W	17 lbs.	2.6	—	182
GS2MLB18	5 lbs.	0.4	—	198
GS2MLB24	7 lbs.	0.5	—	198
GS2MLB30	9 lbs.	0.6	—	198
GS2MLB30SL-L	45 lbs.	3.0	—	195
GS2MLB30SL-W	45 lbs.	3.2	—	195
GS2MLB30SR-L	45 lbs.	3.0	—	195
GS2MLB30SR-W	45 lbs.	3.2	—	195
GS2MLB36	11 lbs.	0.8	—	198
GS2MLB36SL-L	51 lbs.	3.6	—	195
GS2MLB36SL-W	51 lbs.	3.8	—	195
GS2MLB36SR-L	51 lbs.	3.6	—	195
GS2MLB36SR-W	51 lbs.	3.8	—	195
GS2MLPB15-L	7 lbs.	0.9	—	185
GS2MLPB15-W	7 lbs.	0.9	—	185
GS2MLPB18-L	11 lbs.	1.1	—	185
GS2MLPB18-W	11 lbs.	1.1	—	185
GS2MLPB30-L	14 lbs.	1.7	—	185
GS2MLPB30-W	14 lbs.	1.7	—	185
GS2MLPB36-L	17 lbs.	2.0	—	185
GS2MLPB36-W	17 lbs.	2.0	—	185
GS2MLPF-L	2 lbs.	0.5	—	185
GS2MLPF-W	2 lbs.	0.5	—	185
GS2MLS24L-L	25 lbs.	2.9	—	183
GS2MLS24L-W	25 lbs.	2.9	—	183
GS2MLS24R-L	25 lbs.	2.9	—	183
GS2MLS24R-W	25 lbs.	2.9	—	183
GS2MLS30L-L	28 lbs.	3.5	—	183
GS2MLS30L-W	28 lbs.	3.5	—	183
GS2MLS30R-L	28 lbs.	3.5	—	183
GS2MLS30R-W	28 lbs.	3.5	—	183
GS2MLSJ24-L	20 lbs.	1.5	—	185
GS2MLSJ24-W	20 lbs.	1.5	—	185
GS2MLSP-L	9 lbs.	0.9	—	185
GS2MLSPT-L	13 lbs.	1.5	—	185
GS2MLSPT-W	13 lbs.	1.5	—	185
GS2MLSP-W	9 lbs.	0.9	—	185
GS2MPB9-L	5 lbs.	0.8	—	184
GS2MPB9-W	5 lbs.	0.8	—	184
GS2MPB15-L	7 lbs.	1.2	—	184
GS2MPB15-W	7 lbs.	1.2	—	184
GS2MPB18-L	11 lbs.	1.4	—	184
GS2MPB18-W	11 lbs.	1.4	—	184

model number	weight	cubes	#locks	page
GS2MPB30-L	14 lbs.	2.2	—	184
GS2MPB30-W	14 lbs.	2.2	—	184
GS2MPB36-L	17 lbs.	2.6	—	184
GS2MPB36-W	17 lbs.	2.6	—	184
GS2MPD-2LL	84 lbs.	9.1	1	246
GS2MPD-2WW	84 lbs.	9.1	1	246
GS2MPD-3LL	84 lbs.	9.1	1	246
GS2MPD-3WW	84 lbs.	9.1	1	246
GS2MPD-6LL	91 lbs.	6.4	1	246
GS2MPD-6WW	91 lbs.	6.4	1	246
GS2MPD-CUSH2215	7 lbs.	1.0	—	247
GS2MPF-L	2 lbs.	0.6	—	184
GS2MPF-W	2 lbs.	0.6	—	184
GS2MSJ24-L	20 lbs.	1.9	—	184
GS2MSJ24-W	20 lbs.	1.9	—	184
GS2MSP-L	9 lbs.	1.2	—	184
GS2MSPT-L	13 lbs.	1.9	—	184
GS2MSPT-W	13 lbs.	1.9	—	184
GS2MSP-W	9 lbs.	1.2	—	184
GS2MWRT3672-L	80 lbs.	6.8	—	115
GS2MWRT3672-W	80 lbs.	6.8	—	115
GS2MWRT4272-L	93 lbs.	7.8	—	115
GS2MWRT4272-W	93 lbs.	7.8	—	115
GS2MWRT4872-L	107 lbs.	8.9	—	115
GS2MWRT4872-W	107 lbs.	8.9	—	115
GS2RLC6072L-L	149 lbs.	18.4	—	73
GS2RLC6072L-S	163 lbs.	18.4	—	73
GS2RLC6072L-W	156 lbs.	13.5	—	73
GS2RLC6072R-L	149 lbs.	18.4	—	73
GS2RLC6072R-S	163 lbs.	18.4	—	73
GS2RLC6072R-W	156 lbs.	13.5	—	73
GS2RLC6084L-L	171 lbs.	21.1	—	73
GS2RLC6084L-S	183 lbs.	21.1	—	73
GS2RLC6084L-W	180 lbs.	15.4	—	73
GS2RLC6084R-L	171 lbs.	21.1	—	73
GS2RLC6084R-S	183 lbs.	21.1	—	73
GS2RLC6084R-W	180 lbs.	15.4	—	73
GS2RLEL3672-L	104 lbs.	13.3	—	67
GS2RLEL3672-S	175 lbs.	13.3	—	67
GS2RLEL3672-W	108 lbs.	10.2	—	67
GS2RLEL4284-L	133 lbs.	16.9	—	67
GS2RLEL4284-S	190 lbs.	16.9	—	67
GS2RLEL4284-W	139 lbs.	12.8	—	67
GS2RLFL3672-L	104 lbs.	13.3	—	69

model number	weight	cubes	#locks	page
GS2RLFL3672-S	175 lbs.	13.3	—	69
GS2RLFL3672-W	108 lbs.	10.2	—	69
GS2RLFL4284-L	133 lbs.	16.9	—	69
GS2RLFL4284-S	190 lbs.	16.9	—	69
GS2RLFL4284-W	139 lbs.	12.8	—	69
GS2RLO3066L-3LL	160 lbs.	13.7	1	52
GS2RLO3066L-3WW	160 lbs.	13.7	1	52
GS2RLO3066R-3LL	160 lbs.	13.7	1	52
GS2RLO3066R-3WW	160 lbs.	13.7	1	52
GS2RLO3072L-3LL	167 lbs.	14.3	1	52
GS2RLO3072L-3WW	167 lbs.	14.3	1	52
GS2RLO3072R-3LL	167 lbs.	14.3	1	52
GS2RLO3072R-3WW	167 lbs.	14.3	1	52
GS2RLO3672L-3LL	189 lbs.	16.8	1	52
GS2RLO3672L-3WW	189 lbs.	16.8	1	52
GS2RLO3672R-3LL	189 lbs.	16.8	1	52
GS2RLO3672R-3WW	189 lbs.	16.8	1	52
GS2RLO3678L-3LL	196 lbs.	17.5	1	52
GS2RLO3678L-3WW	196 lbs.	17.5	1	52
GS2RLO3678R-3LL	196 lbs.	17.5	1	52
GS2RLO3678R-3WW	196 lbs.	17.5	1	52
GS2RLOS3066L-3LL	270 lbs.	42.8	1	53
GS2RLOS3066L-3WW	196 lbs.	16.0	1	53
GS2RLOS3066R-3LL	270 lbs.	42.8	1	53
GS2RLOS3066R-3WW	196 lbs.	16.0	1	53
GS2RLOS3072L-3LL	280 lbs.	46.5	1	53
GS2RLOS3072L-3WW	202 lbs.	16.5	1	53
GS2RLOS3072R-3LL	280 lbs.	46.5	1	53
GS2RLOS3072R-3WW	202 lbs.	16.5	1	53
GS2RLOS3672L-3LL	290 lbs.	55.0	1	53
GS2RLOS3672L-3WW	228 lbs.	19.5	1	53
GS2RLOS3672R-3LL	290 lbs.	55.0	1	53
GS2RLOS3672R-3WW	228 lbs.	19.5	1	53
GS2RLOS3678L-3LL	300 lbs.	59.4	1	53
GS2RLOS3678L-3WW	235 lbs.	20.1	1	53
GS2RLOS3678R-3LL	300 lbs.	59.4	1	53
GS2RLOS3678R-3WW	235 lbs.	20.1	1	53
GS2RLRL3066L-L	91 lbs.	8.4	—	64
GS2RLRL3066L-W	91 lbs.	8.4	—	64
GS2RLRL3066R-L	91 lbs.	8.4	—	64
GS2RLRL3066R-W	91 lbs.	8.4	—	64
GS2RLRL3072L-L	98 lbs.	9.0	—	64
GS2RLRL3072L-W	98 lbs.	9.0	—	64
GS2RLRL3072R-L	98 lbs.	9.0	—	64

model number	weight	cubes	#locks	page
GS2RLRL3072R-W	98 lbs.	9.0	—	64
GS2RLRL3672L-L	113 lbs.	10.2	—	64
GS2RLRL3672L-W	113 lbs.	10.2	—	64
GS2RLRL3672R-L	113 lbs.	10.2	—	64
GS2RLRL3672R-W	113 lbs.	10.2	—	64
GS2RLRL3678L-L	120 lbs.	10.9	—	64
GS2RLRL3678L-W	120 lbs.	10.9	—	64
GS2RLRL3678R-L	120 lbs.	10.9	—	64
GS2RLRL3678R-W	120 lbs.	10.9	—	64
GS2RLRLS3066L-L	127 lbs.	10.5	—	65
GS2RLRLS3066L-W	127 lbs.	10.7	—	65
GS2RLRLS3066R-L	127 lbs.	10.5	—	65
GS2RLRLS3066R-W	127 lbs.	10.7	—	65
GS2RLRLS3072L-L	133 lbs.	11.0	—	65
GS2RLRLS3072L-W	133 lbs.	11.2	—	65
GS2RLRLS3072R-L	133 lbs.	11.0	—	65
GS2RLRLS3072R-W	133 lbs.	11.2	—	65
GS2RLRLS3672L-L	152 lbs.	12.7	—	65
GS2RLRLS3672L-W	152 lbs.	12.9	—	65
GS2RLRLS3672R-L	152 lbs.	12.7	—	65
GS2RLRLS3672R-W	152 lbs.	12.9	—	65
GS2RLRLS3678L-L	159 lbs.	13.3	—	65
GS2RLRLS3678L-W	159 lbs.	13.5	—	65
GS2RLRLS3678R-L	159 lbs.	13.3	—	65
GS2RLRLS3678R-W	159 lbs.	13.5	—	65
GS2RLSL304272-L	118 lbs.	14.9	—	71
GS2RLSL304272-S	189 lbs.	14.9	—	71
GS2RLSL304272-W	123 lbs.	11.4	—	71
GS2RLSL364884-L	148 lbs.	18.7	—	71
GS2RLSL364884-S	235 lbs.	18.7	—	71
GS2RLSL364884-W	154 lbs.	14.1	—	71
GS2RLSLS304272L-L	149 lbs.	16.7	—	72
GS2RLSLS304272L-W	154 lbs.	13.4	—	72
GS2RLSLS304272R-L	149 lbs.	16.7	—	72
GS2RLSLS304272R-W	154 lbs.	13.4	—	72
GS2RLSLS364884L-L	190 lbs.	21.6	—	72
GS2RLSLS364884L-W	196 lbs.	17.2	—	72
GS2RLSLS364884R-L	190 lbs.	21.6	—	72
GS2RLSLS364884R-W	196 lbs.	17.2	—	72
GS2RMA21-L	23 lbs.	3.9	—	192
GS2RMA21-W	23 lbs.	3.9	—	192
GS2RMA24-L	25 lbs.	4.3	—	192
GS2RMA24-W	25 lbs.	4.3	—	192
GS2RMA27-L	27 lbs.	4.8	—	192

model number	weight	cubes	#locks	page
GS2RMA27-W	27 lbs.	4.8	—	192
GS2RMA30-L	29 lbs.	5.3	—	192
GS2RMA30-W	29 lbs.	5.3	—	192
GS2RMA33-L	31 lbs.	5.8	—	192
GS2RMA33-W	31 lbs.	5.8	—	192
GS2RMA36-L	33 lbs.	6.3	—	192
GS2RMA36-W	33 lbs.	6.3	—	192
GS2RMA39-L	35 lbs.	6.8	—	192
GS2RMA39-W	35 lbs.	6.8	—	192
GS2RMA42-L	37 lbs.	7.2	—	192
GS2RMA42-W	37 lbs.	7.2	—	192
GS2RMA45-L	39 lbs.	7.7	—	192
GS2RMA45-W	39 lbs.	7.7	—	192
GS2RMA48-L	41 lbs.	8.2	—	192
GS2RMA48-W	41 lbs.	8.2	—	192
GS2RMA51-L	43 lbs.	8.7	—	192
GS2RMA51-W	43 lbs.	8.7	—	192
GS2RMA54-L	45 lbs.	11.3	—	192
GS2RMA54-W	45 lbs.	11.3	—	192
GS2RMA57-L	47 lbs.	11.9	—	192
GS2RMA57-W	47 lbs.	11.9	—	192
GS2RMA60-L	49 lbs.	12.4	—	192
GS2RMA60-W	49 lbs.	12.4	—	192
GS2RMA63-L	51 lbs.	13.0	—	192
GS2RMA63-W	51 lbs.	13.0	—	192
GS2RMA66-L	53 lbs.	13.6	—	192
GS2RMA66-W	53 lbs.	13.6	—	192
GS2RMA69-L	55 lbs.	14.2	—	192
GS2RMA69-W	55 lbs.	14.2	—	192
GS2RMA72-L	57 lbs.	14.8	—	192
GS2RMA72-W	57 lbs.	14.8	—	192
GS2RMF39L-L	19 lbs.	2.9	—	190
GS2RMF39L-W	19 lbs.	2.9	—	190
GS2RMF39R-L	19 lbs.	2.9	—	191
GS2RMF39R-W	19 lbs.	2.9	—	191
GS2RMF42L-L	20 lbs.	3.1	—	190
GS2RMF42L-W	20 lbs.	3.1	—	190
GS2RMF42R-L	20 lbs.	3.1	—	191
GS2RMF42R-W	20 lbs.	3.1	—	191
GS2RMF45L-L	21 lbs.	3.3	—	190
GS2RMF45L-W	21 lbs.	3.3	—	190
GS2RMF45R-L	21 lbs.	3.3	—	191
GS2RMF45R-W	21 lbs.	3.3	—	191
GS2RMF48L-L	23 lbs.	3.5	—	190

model number	weight	cubes	#locks	page
GS2RMF48L-W	23 lbs.	3.5	—	190
GS2RMF48R-L	23 lbs.	3.5	—	191
GS2RMF48R-W	23 lbs.	3.5	—	191
GS2RMF51L-L	24 lbs.	3.7	—	190
GS2RMF51L-W	24 lbs.	3.7	—	190
GS2RMF51R-L	24 lbs.	3.7	—	191
GS2RMF51R-W	24 lbs.	3.7	—	191
GS2RMF54L-L	26 lbs.	3.9	—	190
GS2RMF54L-W	26 lbs.	3.9	—	190
GS2RMF54R-L	26 lbs.	3.9	—	191
GS2RMF54R-W	26 lbs.	3.9	—	191
GS2RMF57L-L	27 lbs.	4.1	—	190
GS2RMF57L-W	27 lbs.	4.1	—	190
GS2RMF57R-L	27 lbs.	4.1	—	191
GS2RMF57R-W	27 lbs.	4.1	—	191
GS2RMF60L-L	29 lbs.	4.3	—	190
GS2RMF60L-W	29 lbs.	4.3	—	190
GS2RMF60R-L	29 lbs.	4.3	—	191
GS2RMF60R-W	29 lbs.	4.3	—	191
GS2RMF63L-L	31 lbs.	3.7	—	190
GS2RMF63L-W	31 lbs.	3.7	—	190
GS2RMF63R-L	31 lbs.	3.7	—	191
GS2RMF63R-W	31 lbs.	3.7	—	191
GS2RMF66L-L	33 lbs.	3.9	—	190
GS2RMF66L-W	33 lbs.	3.9	—	190
GS2RMF66R-L	33 lbs.	3.9	—	191
GS2RMF66R-W	33 lbs.	3.9	—	191
GS2RMF69L-L	35 lbs.	4.1	—	190
GS2RMF69L-W	35 lbs.	4.1	—	190
GS2RMF69R-L	35 lbs.	4.1	—	191
GS2RMF69R-W	35 lbs.	4.1	—	191
GS2RMF72L-L	37 lbs.	4.2	—	190
GS2RMF72L-W	37 lbs.	4.2	—	190
GS2RMF72R-L	37 lbs.	4.2	—	191
GS2RMF72R-W	37 lbs.	4.2	—	191
GS2RMF75L-L	39 lbs.	4.4	—	190
GS2RMF75L-W	39 lbs.	4.4	—	190
GS2RMF75R-L	39 lbs.	4.4	—	191
GS2RMF75R-W	39 lbs.	4.4	—	191
GS2RMF78L-L	41 lbs.	4.6	—	190
GS2RMF78L-W	41 lbs.	4.6	—	190
GS2RMF78R-L	41 lbs.	4.6	—	191
GS2RMF78R-W	41 lbs.	4.6	—	191
GS2RMF81L-L	43 lbs.	4.7	—	190

model number	weight	cubes	#locks	page
GS2RMF81L-W	43 lbs.	4.7	—	190
GS2RMF81R-L	43 lbs.	4.7	—	191
GS2RMF81R-W	43 lbs.	4.7	—	191
GS2RMF84L-L	45 lbs.	4.9	—	190
GS2RMF84L-W	45 lbs.	4.9	—	190
GS2RMF84R-L	45 lbs.	4.9	—	191
GS2RMF84R-W	45 lbs.	4.9	—	191
GS2RMF87L-L	47 lbs.	5.1	—	190
GS2RMF87L-W	47 lbs.	5.1	—	190
GS2RMF87R-L	47 lbs.	5.1	—	191
GS2RMF87R-W	47 lbs.	5.1	—	191
GS2RMF90L-L	49 lbs.	5.2	—	190
GS2RMF90L-W	49 lbs.	5.2	—	190
GS2RMF90R-L	49 lbs.	5.2	—	191
GS2RMF90R-W	49 lbs.	5.2	—	191
GS2RNDCOLUMN	10 lbs.	0.6	—	157
GS2RRL3048-L	65 lbs.	6.1	—	63
GS2RRL3048-W	65 lbs.	6.1	—	63
GS2RRL3054-L	71 lbs.	6.6	—	63
GS2RRL3054-W	75 lbs.	7.1	—	63
GS2RRL3654-L	81 lbs.	7.4	—	63
GS2RRL3654-W	85 lbs.	7.9	—	63
GS2RRL3660-L	88 lbs.	8.0	—	63
GS2RRL3660-W	92 lbs.	8.5	—	63
GS2RRMF42L-L	23 lbs.	4.5	—	163
GS2RRMF42L-W	23 lbs.	4.5	—	163
GS2RRMF42R-L	23 lbs.	4.5	—	163
GS2RRMF42R-W	23 lbs.	4.5	—	163
GS2RRMF48L-L	26 lbs.	5.1	—	163
GS2RRMF48L-W	26 lbs.	5.1	—	163
GS2RRMF48R-L	26 lbs.	5.1	—	163
GS2RRMF48R-W	26 lbs.	5.1	—	163
GS2RRMF54L-L	29 lbs.	5.8	—	163
GS2RRMF54L-W	29 lbs.	5.8	—	163
GS2RRMF54R-L	29 lbs.	5.8	—	163
GS2RRMF54R-W	29 lbs.	5.8	—	163
GS2RRMF60L-L	33 lbs.	6.4	—	163
GS2RRMF60L-W	33 lbs.	6.4	—	163
GS2RRMF60R-L	33 lbs.	6.4	—	163
GS2RRMF60R-W	33 lbs.	6.4	—	163
GS2RRMF66L-L	36 lbs.	7.1	—	163
GS2RRMF66L-W	36 lbs.	7.1	—	163
GS2RRMF66R-L	36 lbs.	7.1	—	163
GS2RRMF66R-W	36 lbs.	7.1	—	163

model number	weight	cubes	#locks	page
GS2RRMF72L-L	39 lbs.	7.7	—	163
GS2RRMF72L-W	39 lbs.	7.7	—	163
GS2RRMF72R-L	39 lbs.	7.7	—	163
GS2RRMF72R-W	39 lbs.	7.7	—	163
GS2RRO3048L-3LL	136 lbs.	12.6	1	51
GS2RRO3048L-3WW	141 lbs.	12.6	1	51
GS2RRO3048R-3LL	136 lbs.	12.6	1	51
GS2RRO3048R-3WW	141 lbs.	12.6	1	51
GS2RRO3054L-3LL	143 lbs.	13.2	1	51
GS2RRO3054L-3WW	148 lbs.	13.2	1	51
GS2RRO3054R-3LL	143 lbs.	13.2	1	51
GS2RRO3054R-3WW	148 lbs.	13.2	1	51
GS2RRO3654L-3LL	160 lbs.	15.3	1	51
GS2RRO3654L-3WW	165 lbs.	15.4	1	51
GS2RRO3654R-3LL	160 lbs.	15.3	1	51
GS2RRO3654R-3WW	165 lbs.	15.4	1	51
GS2RRO3660L-3LL	168 lbs.	16.1	1	51
GS2RRO3660L-3WW	173 lbs.	16.1	1	51
GS2RRO3660R-3LL	168 lbs.	16.1	1	51
GS2RRO3660R-3WW	173 lbs.	16.1	1	51
GS2RROF3048L-3LL	154 lbs.	17.6	—	62
GS2RROF3048L-3WW	154 lbs.	17.6	—	62
GS2RROF3048R-3LL	154 lbs.	17.6	—	62
GS2RROF3048R-3WW	154 lbs.	17.6	—	62
GS2RROF3054L-3LL	163 lbs.	18.7	—	62
GS2RROF3054L-3WW	163 lbs.	18.7	—	62
GS2RROF3054R-3LL	163 lbs.	18.7	—	62
GS2RROF3054R-3WW	163 lbs.	18.7	—	62
GS2RROF3654L-3LL	194 lbs.	21.7	—	62
GS2RROF3654L-3WW	194 lbs.	21.7	—	62
GS2RROF3654R-3LL	194 lbs.	21.7	—	62
GS2RROF3654R-3WW	194 lbs.	21.7	—	62
GS2RROF3660L-3LL	205 lbs.	23.0	—	62
GS2RROF3660L-3WW	205 lbs.	23.0	—	62
GS2RROF3660R-3LL	205 lbs.	23.0	—	62
GS2RROF3660R-3WW	205 lbs.	23.0	—	62
GS2RSL304254-L	82 lbs.	10.9	—	70
GS2RSL304254-W	86 lbs.	8.2	—	70
GS2RSL364866-L	113 lbs.	14.7	—	70
GS2RSL364866-W	118 lbs.	11.0	—	70
GS2RTN2442L-2LL	140 lbs.	14.4	2	58
GS2RTN2442L-2WW	140 lbs.	14.4	2	58
GS2RTN2442R-2LL	140 lbs.	14.4	2	58
GS2RTN2442R-2WW	140 lbs.	14.4	2	58

model number	weight	cubes	#locks	page
GS2RTN2448L-2LL	148 lbs.	15.2	2	58
GS2RTN2448L-2WW	148 lbs.	15.2	2	58
GS2RTN2448R-2LL	148 lbs.	15.2	2	58
GS2RTN2448R-2WW	148 lbs.	15.2	2	58
GS2RTN2454L-2LL	155 lbs.	16.0	2	58
GS2RTN2454L-2WW	155 lbs.	16.0	2	58
GS2RTN2454R-2LL	155 lbs.	16.0	2	58
GS2RTN2454R-2WW	155 lbs.	16.0	2	58
GS2RTN2460L-2LL	162 lbs.	16.8	2	58
GS2RTN2460L-2WW	162 lbs.	16.8	2	58
GS2RTN2460R-2LL	162 lbs.	16.8	2	58
GS2RTN2460R-2WW	162 lbs.	16.8	2	58
GS2SBD5H15-3LN	160 lbs.	22.5	1	232
GS2SBD5H15-3WN	160 lbs.	22.5	1	232
GS2SBD5H15L-3LL	167 lbs.	22.5	2	230
GS2SBD5H15L-3WW	167 lbs.	22.5	2	230
GS2SBD5H15L-LL	167 lbs.	22.5	2	229
GS2SBD5H15-LN	160 lbs.	22.5	1	231
GS2SBD5H15L-WW	167 lbs.	22.5	2	229
GS2SBD5H15R-3LL	167 lbs.	22.5	2	230
GS2SBD5H15R-3WW	167 lbs.	22.5	2	230
GS2SBD5H15R-LL	167 lbs.	22.5	2	229
GS2SBD5H15R-WW	167 lbs.	22.5	2	229
GS2SBD5H15-WN	160 lbs.	22.5	1	231
GS2SBD5H18-3LN	170 lbs.	26.0	1	232
GS2SBD5H18-3WN	170 lbs.	26.0	1	232
GS2SBD5H18L-3LL	175 lbs.	26.0	2	230
GS2SBD5H18L-3WW	175 lbs.	26.0	2	230
GS2SBD5H18L-LL	175 lbs.	23.5	1	229
GS2SBD5H18-LN	165 lbs.	23.5	—	231
GS2SBD5H18L-WW	175 lbs.	23.5	1	229
GS2SBD5H18R-3LL	175 lbs.	26.0	2	230
GS2SBD5H18R-3WW	175 lbs.	26.0	2	230
GS2SBD5H18R-LL	175 lbs.	23.5	1	229
GS2SBD5H18R-WW	175 lbs.	23.5	1	229
GS2SBD5H18-WN	165 lbs.	23.5	—	231
GS2SBD5H30D18-3LN	180 lbs.	31.6	1	236
GS2SBD5H30D18-3WN	180 lbs.	31.6	1	236
GS2SBD5H30D18L-3LL	185 lbs.	31.6	2	235
GS2SBD5H30D18L-3WW	185 lbs.	31.6	2	235
GS2SBD5H30D18L-LL	185 lbs.	31.6	2	233
GS2SBD5H30D18-LN	180 lbs.	31.6	1	234
GS2SBD5H30D18L-WW	185 lbs.	31.6	2	233
GS2SBD5H30D18R-3LL	185 lbs.	31.6	2	235

model number	weight	cubes	#locks	page
GS2SBD5H30D18R-3WW	185 lbs.	31.6	2	235
GS2SBD5H30D18R-LL	185 lbs.	31.6	2	233
GS2SBD5H30D18R-WW	185 lbs.	31.6	2	233
GS2SBD5H30D18-WN	180 lbs.	31.6	1	234
GS2SBD5H30-LL	297 lbs.	36.9	2	229
GS2SBD5H30-LN	282 lbs.	36.9	—	231
GS2SBD5H30-WN	282 lbs.	36.9	—	231
GS2SBD5H30-WW	297 lbs.	36.9	2	229
GS2SBD6H15-3LN	190 lbs.	26.5	1	232
GS2SBD6H15-3WN	190 lbs.	26.5	1	232
GS2SBD6H15L-3LL	197 lbs.	26.5	2	230
GS2SBD6H15L-3WW	197 lbs.	26.5	2	230
GS2SBD6H15L-LL	197 lbs.	26.5	2	229
GS2SBD6H15-LN	190 lbs.	26.5	1	231
GS2SBD6H15L-WW	197 lbs.	26.5	2	229
GS2SBD6H15R-3WW	197 lbs.	26.5	2	230
GS2SBD6H15R-LL	197 lbs.	26.5	2	229
GS2SBD6H15R-WW	197 lbs.	26.5	2	229
GS2SBD6H15-WN	190 lbs.	26.5	1	231
GS2SBD6H18-3LN	200 lbs.	30.7	1	232
GS2SBD6H18-3WN	200 lbs.	30.7	1	232
GS2SBD6H18L-3LL	205 lbs.	30.7	2	230
GS2SBD6H18L-3WW	205 lbs.	30.7	2	230
GS2SBD6H18L-LL	205 lbs.	27.9	1	229
GS2SBD6H18-LN	195 lbs.	27.9	—	231
GS2SBD6H18L-WW	205 lbs.	27.9	1	229
GS2SBD6H18R-3LL	205 lbs.	30.7	2	230
GS2SBD6H18R-3WW	205 lbs.	30.7	2	230
GS2SBD6H18R-LL	205 lbs.	27.9	1	229
GS2SBD6H18R-WW	205 lbs.	27.9	1	229
GS2SBD6H18-WN	195 lbs.	27.9	—	231
GS2SBD6H30D18-3LN	210 lbs.	37.2	1	236
GS2SBD6H30D18-3WN	210 lbs.	37.2	1	236
GS2SBD6H30D18L-3LL	215 lbs.	37.2	2	235
GS2SBD6H30D18L-3WW	215 lbs.	37.2	2	235
GS2SBD6H30D18L-LL	215 lbs.	37.2	2	233
GS2SBD6H30D18-LN	210 lbs.	37.2	1	234
GS2SBD6H30D18L-WW	215 lbs.	37.2	2	233
GS2SBD6H30D18R-3LL	215 lbs.	37.2	2	235
GS2SBD6H30D18R-3WW	215 lbs.	37.2	2	235
GS2SBD6H30D18R-LL	215 lbs.	37.2	2	233
GS2SBD6H30D18R-WW	215 lbs.	37.2	2	233
GS2SBD6H30D18-WN	210 lbs.	37.2	1	234
GS2SBD6H30-LL	343 lbs.	43.8	2	229

model number	weight	cubes	#locks	page
GS2SBD6H30-LN	328 lbs.	43.8	—	231
GS2SBD6H30-WN	328 lbs.	43.8	—	231
GS2SBD6H30-WW	343 lbs.	43.8	2	229
GS2SCF2H30-5LL	123 lbs.	16.8	1	241
GS2SCF2H30-5WW	123 lbs.	16.8	1	241
GS2SCF2H36-5LL	143 lbs.	19.8	1	241
GS2SCF2H36-5WW	143 lbs.	19.8	1	241
GS2SDMF1560L-L	57 lbs.	3.2	—	162
GS2SDMF1560L-W	57 lbs.	3.2	—	162
GS2SDMF1560R-L	57 lbs.	3.2	—	162
GS2SDMF1560R-W	57 lbs.	3.2	—	162
GS2SDMF1566L-L	63 lbs.	3.9	—	162
GS2SDMF1566L-W	63 lbs.	3.9	—	162
GS2SDMF1566R-L	63 lbs.	3.9	—	162
GS2SDMF1566R-W	63 lbs.	3.9	—	162
GS2SDMF1572L-L	68 lbs.	4.5	—	162
GS2SDMF1572L-W	68 lbs.	4.5	—	162
GS2SDMF1572R-L	68 lbs.	4.5	—	162
GS2SDMF1572R-W	68 lbs.	4.5	—	162
GS2SDMF1578L-L	74 lbs.	5.1	—	162
GS2SDMF1578L-W	74 lbs.	5.1	—	162
GS2SDMF1578R-L	74 lbs.	5.1	—	162
GS2SDMF1578R-W	74 lbs.	5.1	—	162
GS2SDMF1584L-L	80 lbs.	5.8	—	162
GS2SDMF1584L-W	80 lbs.	5.8	—	162
GS2SDMF1584R-L	80 lbs.	5.8	—	162
GS2SDMF1584R-W	80 lbs.	5.8	—	162
GS2SDMF1590L-L	74 lbs.	4.7	—	162
GS2SDMF1590L-W	74 lbs.	5.0	—	162
GS2SDMF1590R-L	74 lbs.	4.7	—	162
GS2SDMF1590R-W	74 lbs.	5.0	—	162
GS2SDMF1596L-L	77 lbs.	5.2	—	162
GS2SDMF1596L-W	77 lbs.	5.4	—	162
GS2SDMF1596R-L	77 lbs.	5.2	—	162
GS2SDMF1596R-W	77 lbs.	5.4	—	162
GS2SGTOPD3018-L	16 lbs.	1.8	—	248
GS2SGTOPD3018-W	16 lbs.	1.8	—	248
GS2SGTOPN3018-L	16 lbs.	1.8	—	249
GS2SGTOPN3018-W	16 lbs.	1.8	—	249
GS2SMC1H60-LL	120 lbs.	27.3	2	288
GS2SMC1H60-LN	110 lbs.	27.4	—	290
GS2SMC1H60-WG	120 lbs.	27.3	—	289
GS2SMC1H60-WN	110 lbs.	27.4	—	290
GS2SMC1H60-WW	120 lbs.	27.3	2	288

model number	weight	cubes	#locks	page
GS2SMC1H66-LL	130 lbs.	29.9	2	288
GS2SMC1H66-LN	120 lbs.	30.0	—	290
GS2SMC1H66-WN	120 lbs.	30.0	—	290
GS2SMC1H66-WW	130 lbs.	29.9	2	288
GS2SMC1H72-LL	140 lbs.	32.5	2	288
GS2SMC1H72-LN	130 lbs.	32.6	—	290
GS2SMC1H72-WG	140 lbs.	32.5	—	289
GS2SMC1H72-WN	130 lbs.	32.6	—	290
GS2SMC1H72-WW	140 lbs.	32.5	2	288
GS2SMC1H78-LL	148 lbs.	35.1	2	288
GS2SMC1H78-LN	138 lbs.	35.2	—	290
GS2SMC1H78-WN	138 lbs.	35.2	—	290
GS2SMC1H78-WW	148 lbs.	35.1	2	288
GS2SMC1H84-LL	167 lbs.	37.7	3	288
GS2SMC1H84-LN	157 lbs.	37.8	—	290
GS2SMC1H84-WN	157 lbs.	37.8	—	290
GS2SMC1H84-WW	167 lbs.	37.7	3	288
GS2SMC1H90-LL	175 lbs.	40.3	3	288
GS2SMC1H90-LN	165 lbs.	40.4	—	290
GS2SMC1H90-WG	175 lbs.	40.3	—	289
GS2SMC1H90-WN	165 lbs.	40.4	—	290
GS2SMC1H90-WW	175 lbs.	40.3	3	288
GS2SMC1H96-LL	183 lbs.	42.9	3	288
GS2SMC1H96-LN	173 lbs.	43.0	—	290
GS2SMC1H96-WN	173 lbs.	43.0	—	290
GS2SMC1H96-WW	183 lbs.	42.9	3	288
GS2SMC1H102-LL	191 lbs.	47.9	3	288
GS2SMC1H102-LN	181 lbs.	45.6	—	290
GS2SMC1H102-WN	181 lbs.	45.6	—	290
GS2SMC1H102-WW	191 lbs.	45.5	3	288
GS2SMC1H108-LL	200 lbs.	50.6	3	288
GS2SMC1H108-LN	190 lbs.	48.2	—	290
GS2SMC1H108-WG	200 lbs.	48.1	—	289
GS2SMC1H108-WN	190 lbs.	48.2	—	290
GS2SMC1H108-WW	200 lbs.	48.1	3	288
GS2SMC2H60-WG	180 lbs.	35.9	—	292
GS2SMC2H60-WW	180 lbs.	35.9	2	291
GS2SMC2H66-WW	195 lbs.	39.4	2	291
GS2SMC2H72-WG	210 lbs.	42.8	2	292
GS2SMC2H72-WW	210 lbs.	42.8	—	291
GS2SMC2H78-WW	225 lbs.	46.2	2	291
GS2SMC2H84-WW	245 lbs.	49.6	3	291
GS2SMC2H90-WG	265 lbs.	53.1	—	292
GS2SMC2H90-WW	265 lbs.	53.1	3	291

model number	weight	cubes	#locks	page
GS2SMTOPN30-L	14 lbs.	1.4	—	249, 300
GS2SMTOPN30-W	14 lbs.	1.4	—	249, 300
GS2SMTOPN36-L	17 lbs.	1.7	—	249, 300
GS2SMTOPN36-W	17 lbs.	1.7	—	249, 300
GS2SMTOPN60-L	28 lbs.	2.7	—	249, 300
GS2SMTOPN60-W	28 lbs.	2.7	—	249, 300
GS2SMTOPN72-L	33 lbs.	3.2	—	249, 300
GS2SMTOPN72-W	33 lbs.	3.2	—	249, 300
GS2SMTOPN90-L	41 lbs.	4.0	—	249, 300
GS2SMTOPN90-W	41 lbs.	4.0	—	249, 300
GS2SMTOPN108-L	50 lbs.	4.8	—	249, 300
GS2SMTOPN108-W	50 lbs.	4.8	—	249, 300
GS2SPC2466L-2LL	174 lbs.	17.6	1	55
GS2SPC2466L-2WW	174 lbs.	17.6	1	55
GS2SPC2466R-2LL	174 lbs.	17.6	1	55
GS2SPC2466R-2WW	174 lbs.	17.6	1	55
GS2SPC2472L-2LL	181 lbs.	18.4	1	55
GS2SPC2472L-2WW	181 lbs.	18.4	1	55
GS2SPC2472L-4LL	213 lbs.	25.4	1	55
GS2SPC2472L-4WW	213 lbs.	25.4	1	55
GS2SPC2472R-2LL	181 lbs.	18.4	1	55
GS2SPC2472R-2WW	181 lbs.	18.4	1	55
GS2SPC2472R-4LL	213 lbs.	25.4	1	55
GS2SPC2472R-4WW	213 lbs.	25.4	1	55
GS2SPC2478L-4LL	221 lbs.	26.2	1	55
GS2SPC2478L-4WW	221 lbs.	26.2	1	55
GS2SPC2478R-4LL	221 lbs.	26.2	1	55
GS2SPC2478R-4WW	221 lbs.	26.2	1	55
GS2SPC2484L-4LL	229 lbs.	27.0	1	55
GS2SPC2484L-4WW	229 lbs.	27.0	1	55
GS2SPC2484R-4LL	229 lbs.	27.0	1	55
GS2SPC2484R-4WW	229 lbs.	27.0	1	55
GS2SPC2490L-4LL	237 lbs.	27.8	1	55
GS2SPC2490L-4WW	237 lbs.	27.8	1	55
GS2SPC2490R-4LL	237 lbs.	27.8	1	55
GS2SPC2490R-4WW	237 lbs.	27.8	1	55
GS2SPC2496L-4LL	244 lbs.	28.6	1	55
GS2SPC2496L-4WW	244 lbs.	28.6	1	55
GS2SPC2496R-4LL	244 lbs.	28.6	1	55
GS2SPC2496R-4WW	244 lbs.	28.6	1	55
GS2SRNCLEG-W	20 lbs.	0.6	—	158
GS2STF1H15L-LL	58 lbs.	8.2	1	293
GS2STF1H15L-WG	58 lbs.	8.2	—	294
GS2STF1H15L-WW	58 lbs.	8.2	1	293

model number	weight	cubes	#locks	page
GS2STF1H15R-LL	58 lbs.	8.2	1	293
GS2STF1H15R-WG	58 lbs.	8.2	—	294
GS2STF1H15R-WW	58 lbs.	8.2	1	293
GS2STF1H18L-LL	65 lbs.	9.1	1	293
GS2STF1H18L-WG	65 lbs.	9.1	—	294
GS2STF1H18L-WW	65 lbs.	9.1	1	293
GS2STF1H18R-LL	65 lbs.	9.1	1	293
GS2STF1H18R-WG	65 lbs.	9.1	—	294
GS2STF1H18R-WW	65 lbs.	9.1	1	293
GS2STF1H30-LL	100 lbs.	14.3	1	293
GS2STF1H30-WG	100 lbs.	14.3	—	294
GS2STF1H30-WW	100 lbs.	14.3	1	293
GS2STF1H36-LL	115 lbs.	16.9	1	293
GS2STF1H36-WG	115 lbs.	16.9	—	294
GS2STF1H36-WW	115 lbs.	16.9	1	293
GS2STF2H15L-LL	83 lbs.	10.8	1	296
GS2STF2H15L-WG	83 lbs.	10.8	—	297
GS2STF2H15L-WW	83 lbs.	10.8	1	296
GS2STF2H15R-LL	83 lbs.	10.8	1	296
GS2STF2H15R-WG	83 lbs.	10.8	—	297
GS2STF2H15R-WW	83 lbs.	10.8	1	296
GS2STF2H18L-LL	90 lbs.	12.0	1	296
GS2STF2H18L-WG	90 lbs.	12.0	—	297
GS2STF2H18L-WW	90 lbs.	12.0	1	296
GS2STF2H18R-LL	90 lbs.	12.0	1	296
GS2STF2H18R-WG	90 lbs.	12.0	—	297
GS2STF2H18R-WW	90 lbs.	12.0	1	296
GS2STF2H30-LL	125 lbs.	18.9	1	296
GS2STF2H30-WG	125 lbs.	18.9	—	297
GS2STF2H30-WW	125 lbs.	18.9	1	296
GS2STF2H36-LL	150 lbs.	22.3	1	296
GS2STF2H36-WG	150 lbs.	22.3	—	297
GS2STF2H36-WW	150 lbs.	22.3	1	296
GS2STN1H15-LN	50 lbs.	7.8	—	295
GS2STN1H15-WN	50 lbs.	7.8	—	295
GS2STN1H18-LN	55 lbs.	9.1	—	295
GS2STN1H18-WN	55 lbs.	9.1	—	295
GS2STN1H30-LN	90 lbs.	9.1	—	295
GS2STN1H30-WN	90 lbs.	14.3	—	295
GS2STN1H36-LN	100 lbs.	14.3	—	295
GS2STN1H36-WN	100 lbs.	16.9	—	295
GS2STN2H15-LN	60 lbs.	10.3	—	298
GS2STN2H15-WN	60 lbs.	10.3	—	298

model number	weight	cubes	#locks	page
GS2STN2H18-LN	65 lbs.	12.0	—	298
GS2STN2H18-WN	65 lbs.	12.0	—	298
GS2STN2H30-LN	100 lbs.	12.0	—	298
GS2STN2H30-WN	100 lbs.	12.0	—	298
GS2STN2H36-LN	110 lbs.	18.9	—	298
GS2STN2H36-WN	110 lbs.	18.9	—	298
GS2TEL3672-L	108 lbs.	14.2	—	66
GS2TEL3672-S	179 lbs.	14.2	—	66
GS2TEL3672-W	112 lbs.	11.1	—	66
GS2TEL4284-L	135 lbs.	17.6	—	66
GS2TEL4284-S	197 lbs.	18.3	—	66
GS2TEL4284-W	146 lbs.	14.2	—	66
GS2TFL3672-L	113 lbs.	14.8	—	68
GS2TFL3672-S	184 lbs.	14.8	—	68
GS2TFL3672-W	117 lbs.	11.7	—	68
GS2TFL4284-L	140 lbs.	18.3	—	68
GS2TFL4284-S	197 lbs.	18.3	—	68
GS2TFL4284-W	146 lbs.	14.2	—	68
GS2TGW1H24-GSA	35 lbs.	2.1	—	269
GS2TGW1H30-GSA	43 lbs.	3.2	—	269
GS2TGW1H36-GSA	50 lbs.	3.8	—	269
GS2TGW1H42-GSA	58 lbs.	4.3	—	269
GS2TGW1H48-GSA	66 lbs.	4.9	—	269
GS2TGW2H24-GSA	41 lbs.	2.8	—	269
GS2TGW2H30-GSA	50 lbs.	4.1	—	269
GS2TGW2H36-GSA	59 lbs.	4.8	—	269
GS2TGW2H42-GSA	67 lbs.	5.6	—	269
GS2TGW2H48-GSA	76 lbs.	6.3	—	269
GS2TGW24-GSA	24 lbs.	1.4	—	265
GS2TGW30-GSA	28 lbs.	2.1	—	265
GS2TGW36-GSA	32 lbs.	2.4	—	265
GS2TGW42-GSA	36 lbs.	2.8	—	265
GS2TGW48-GSA	40 lbs.	3.2	—	265
GS2TGW54-GSA	45 lbs.	3.6	—	265
GS2TGW60-GSA	50 lbs.	3.9	—	265
GS2TGW66-GSA	55 lbs.	4.3	—	265
GS2TGW72-GSA	59 lbs.	4.7	—	265
GS2TGW78-GSA	64 lbs.	5.1	—	265
GS2TGW84-GSA	68 lbs.	5.4	—	265
GS2TGW90-GSA	73 lbs.	5.8	—	265
GS2TGW96-GSA	77 lbs.	3.2	—	265
GS2TGW102-GSA	82 lbs.	3.4	—	265
GS2TGW108-GSA	86 lbs.	3.6	—	265

model number	weight	cubes	#locks	page
GS2TKFBX72	28 lbs.	5.0	—	304
GS2TKFBX90	35 lbs.	6.2	—	304
GS2TKS60	26 lbs.	3.7	—	299
GS2TKS66	28 lbs.	4.0	—	299
GS2TKS72	29 lbs.	4.4	—	299
GS2TKS78	31 lbs.	4.8	—	299
GS2TKS84	33 lbs.	5.1	—	299
GS2TKS90	34 lbs.	5.5	—	299
GS2TKS96	36 lbs.	5.8	—	299
GS2TKS102	37 lbs.	3.3	—	299
GS2TKS108	39 lbs.	3.4	—	299
GS2TKW1H24	20 lbs.	2.1	—	268
GS2TKW1H30	24 lbs.	3.2	—	268
GS2TKW1H36	27 lbs.	3.8	—	268
GS2TKW1H42	29 lbs.	4.3	—	268
GS2TKW1H48	32 lbs.	4.9	—	268
GS2TKW2H24	23 lbs.	2.8	—	268
GS2TKW2H30	26 lbs.	4.1	—	268
GS2TKW2H36	29 lbs.	4.8	—	268
GS2TKW2H42	33 lbs.	5.6	—	268
GS2TKW2H48	36 lbs.	6.3	—	268
GS2TKW24	16 lbs.	1.4	—	264
GS2TKW30	18 lbs.	2.1	—	264
GS2TKW36	20 lbs.	2.4	—	264
GS2TKW42	21 lbs.	2.8	—	264
GS2TKW48	22 lbs.	3.2	—	264
GS2TKW54	24 lbs.	3.6	—	264
GS2TKW60	26 lbs.	3.9	—	264
GS2TKW66	28 lbs.	4.3	—	264
GS2TKW72	29 lbs.	4.7	—	264
GS2TKW78	31 lbs.	5.1	—	264
GS2TKW84	33 lbs.	5.4	—	264
GS2TKW90	34 lbs.	5.8	—	264
GS2TKW96	36 lbs.	6.2	—	264
GS2TKW102	37 lbs.	3.4	—	264
GS2TKW108	39 lbs.	3.6	—	264
GS2TKWSB36	14 lbs.	3.2	—	304
GS2TKWSB45	17 lbs.	4.0	—	304
GS2TKWSB72	28 lbs.	5.0	—	304
GS2TKWSB90	35 lbs.	6.2	—	304
GS2TLGW1H24-GSA	40 lbs.	2.5	—	271
GS2TLGW1H30-GSA	49 lbs.	3.6	—	271
GS2TLGW1H36-GSA	58 lbs.	4.3	—	271
GS2TLGW1H42-GSA	67 lbs.	5.0	—	271

model number	weight	cubes	#locks	page
GS2TLGW1H48-GSA	75 lbs.	5.6	—	271
GS2TLGW2H24-GSA	46 lbs.	3.1	—	271
GS2TLGW2H30-GSA	56 lbs.	4.6	—	271
GS2TLGW2H36-GSA	66 lbs.	5.5	—	271
GS2TLGW2H42-GSA	76 lbs.	6.3	—	271
GS2TLGW2H48-GSA	86 lbs.	7.2	—	271
GS2TLGW24-GSA	29 lbs.	1.8	—	267
GS2TLGW30-GSA	34 lbs.	2.6	—	267
GS2TLGW36-GSA	39 lbs.	3.1	—	267
GS2TLGW42-GSA	45 lbs.	3.5	—	267
GS2TLGW48-GSA	50 lbs.	4.0	—	267
GS2TLGW54-GSA	56 lbs.	4.5	—	267
GS2TLGW60-GSA	62 lbs.	4.9	—	267
GS2TLGW66-GSA	68 lbs.	5.4	—	267
GS2TLGW72-GSA	74 lbs.	5.9	—	267
GS2TLGW78-GSA	79 lbs.	6.3	—	267
GS2TLGW84-GSA	85 lbs.	6.8	—	267
GS2TLGW90-GSA	91 lbs.	7.3	—	267
GS2TLGW96-GSA	97 lbs.	4.0	—	267
GS2TLGW102-GSA	102 lbs.	4.2	—	267
GS2TLGW108-GSA	108 lbs.	4.5	—	267
GS2TLKW1H24	23 lbs.	2.5	—	270
GS2TLKW1H30	26 lbs.	3.6	—	270
GS2TLKW1H36	29 lbs.	4.3	—	270
GS2TLKW1H42	33 lbs.	5.0	—	270
GS2TLKW1H48	36 lbs.	5.6	—	270
GS2TLKW2H24	24 lbs.	3.1	—	270
GS2TLKW2H30	28 lbs.	4.6	—	270
GS2TLKW2H36	32 lbs.	5.5	—	270
GS2TLKW2H42	36 lbs.	6.3	—	270
GS2TLKW2H48	40 lbs.	7.2	—	270
GS2TLKW24	18 lbs.	1.8	—	266
GS2TLKW30	20 lbs.	2.6	—	266
GS2TLKW36	22 lbs.	3.1	—	266
GS2TLKW42	24 lbs.	3.5	—	266
GS2TLKW48	26 lbs.	4.0	—	266
GS2TLKW54	28 lbs.	4.5	—	266
GS2TLKW60	31 lbs.	4.9	—	266
GS2TLKW66	33 lbs.	5.4	—	266
GS2TLKW72	35 lbs.	5.9	—	266
GS2TLKW78	37 lbs.	6.3	—	266
GS2TLKW84	39 lbs.	6.8	—	266
GS2TLKW90	41 lbs.	7.3	—	266
GS2TLKW96	43 lbs.	7.8	—	266

model number	weight	cubes	#locks	page
GS2TLKW102	45 lbs.	4.2	—	266
GS2TLKW108	47 lbs.	4.5	—	266
GS2TLWD1H24-W	60 lbs.	3.4	—	281
GS2TLWD1H30-W	73 lbs.	3.5	—	281
GS2TLWD1H36-W	85 lbs.	4.2	—	281
GS2TLWD1H42-W	96 lbs.	4.8	—	281
GS2TLWD1H48-W	108 lbs.	5.4	—	281
GS2TLWD1H54-W	130 lbs.	5.4	—	281
GS2TLWD1H60-W	140 lbs.	6.0	—	281
GS2TLWD1H66-W	150 lbs.	6.5	—	281
GS2TLWD1H72-W	175 lbs.	7.0	—	281
GS2TLWD1H78-W	190 lbs.	7.5	—	281
GS2TLWD1H84-W	205 lbs.	8.1	—	281
GS2TLWD1H90-W	215 lbs.	8.6	—	281
GS2TLWD1H96-W	225 lbs.	9.1	—	281
GS2TLWD1H102-W	240 lbs.	9.6	—	281
GS2TLWD1H108-W	270 lbs.	9.4	—	281
GS2TLWD2H24-W	70 lbs.	4.4	—	282
GS2TLWD2H30-W	73 lbs.	4.5	—	282
GS2TLWD2H36-W	85 lbs.	5.3	—	282
GS2TLWD2H42-W	96 lbs.	6.1	—	282
GS2TLWD2H48-W	108 lbs.	6.9	—	282
GS2TLWD2H54-W	150 lbs.	6.9	—	282
GS2TLWD2H60-W	160 lbs.	7.6	—	282
GS2TLWD2H66-W	170 lbs.	8.2	—	282
GS2TLWD2H72-W	195 lbs.	8.9	—	282
GS2TLWD2H78-W	210 lbs.	9.6	—	282
GS2TLWD2H84-W	225 lbs.	10.2	—	282
GS2TLWD2H90-W	240 lbs.	10.9	—	282
GS2TLWD2H96-W	255 lbs.	11.6	—	282
GS2TLWD2H102-W	270 lbs.	12.2	—	282
GS2TLWD2H108-W	295 lbs.	11.9	—	282
GS2TLWD24-W	23 lbs.	2.5	—	278
GS2TLWD30-W	26 lbs.	2.5	—	278
GS2TLWD30-XL	21 lbs.	2.7	—	277
GS2TLWD30-XW	26 lbs.	2.5	—	277
GS2TLWD36-W	29 lbs.	3.0	—	278
GS2TLWD36-XL	25 lbs.	3.2	—	277
GS2TLWD36-XW	29 lbs.	3.0	—	277
GS2TLWD42-W	33 lbs.	3.4	—	278
GS2TLWD42-XL	33 lbs.	3.4	—	277
GS2TLWD42-XW	33 lbs.	3.4	—	277
GS2TLWD48-W	36 lbs.	3.9	—	278
GS2TLWD48-XL	36 lbs.	3.9	—	277

model number	weight	cubes	#locks	page
GS2TLWD48-XW	36 lbs.	3.9	—	277
GS2TLWD54-W	39 lbs.	4.3	—	278
GS2TLWD54-XL	39 lbs.	4.3	—	277
GS2TLWD54-XW	39 lbs.	4.3	—	277
GS2TLWD60-W	42 lbs.	4.8	—	278
GS2TLWD60-XL	41 lbs.	5.1	—	277
GS2TLWD60-XW	42 lbs.	4.8	—	277
GS2TLWD66-W	45 lbs.	5.2	—	278
GS2TLWD66-XL	45 lbs.	5.6	—	277
GS2TLWD66-XW	45 lbs.	5.2	—	277
GS2TLWD72-W	48 lbs.	5.7	—	278
GS2TLWD72-XL	49 lbs.	6.1	—	277
GS2TLWD72-XW	48 lbs.	5.7	—	277
GS2TLWD78-W	51 lbs.	6.1	—	278
GS2TLWD78-XL	54 lbs.	6.6	—	277
GS2TLWD78-XW	51 lbs.	6.1	—	277
GS2TLWD84-W	54 lbs.	6.6	—	278
GS2TLWD84-XL	58 lbs.	7.0	—	277
GS2TLWD84-XW	54 lbs.	6.6	—	277
GS2TLWD90-W	57 lbs.	7.1	—	278
GS2TLWD90-XL	62 lbs.	7.5	—	277
GS2TLWD90-XW	57 lbs.	7.1	—	277
GS2TLWD96-W	60 lbs.	7.5	—	278
GS2TLWD96-XL	66 lbs.	8.0	—	277
GS2TLWD96-XW	60 lbs.	7.5	—	277
GS2TLWD102-W	63 lbs.	8.0	—	278
GS2TLWD102-XL	70 lbs.	4.2	—	277
GS2TLWD102-XW	63 lbs.	8.0	—	277
GS2TLWD108-W	67 lbs.	8.4	—	278
GS2TLWD108-XL	74 lbs.	4.5	—	277
GS2TLWD108-XW	67 lbs.	8.4	—	277
GS2TRD36-L	45 lbs.	3.7	—	196
GS2TRD36-S	68 lbs.	3.7	—	196
GS2TRD36-W	45 lbs.	3.7	—	196
GS2TRD42-L	59 lbs.	4.9	—	196
GS2TRD42-S	89 lbs.	4.9	—	196
GS2TRD42-W	59 lbs.	4.9	—	196
GS2TRD48-L	76 lbs.	6.3	—	196
GS2TRD48-S	114 lbs.	6.3	—	196
GS2TRD48-W	76 lbs.	6.3	—	196
GS2TRD54-L	95 lbs.	7.9	—	196
GS2TRD54-S	143 lbs.	7.9	—	196
GS2TRD54-W	95 lbs.	7.9	—	196
GS2TRD60-L	116 lbs.	9.6	—	196

model number	weight	cubes	#locks	page
GS2TRD60-S	174 lbs.	9.6	—	196
GS2TRD60-W	116 lbs.	9.6	—	196
GS2TRL3066-L	102 lbs.	10.0	—	59
GS2TRL3066-W	102 lbs.	10.0	—	59
GS2TRL3072-L	109 lbs.	10.6	—	59
GS2TRL3072-W	109 lbs.	10.6	—	59
GS2TRL3672-L	122 lbs.	11.7	—	59
GS2TRL3672-W	122 lbs.	11.7	—	59
GS2TRL3678-L	129 lbs.	12.4	—	59
GS2TRL3678-W	129 lbs.	12.4	—	59
GS2TSTG36-L	45 lbs.	3.7	—	197
GS2TSTG36-S	68 lbs.	3.7	—	197
GS2TSTG36-W	45 lbs.	3.7	—	197
GS2TSTG42-L	59 lbs.	4.9	—	197
GS2TSTG42-S	89 lbs.	4.9	—	197
GS2TSTG42-W	59 lbs.	4.9	—	197
GS2TSTG48-L	76 lbs.	6.3	—	197
GS2TSTG48-S	114 lbs.	6.3	—	197
GS2TSTG48-W	76 lbs.	6.3	—	197
GS2TTGW24-GSA	35 lbs.	2.1	—	273
GS2TTGW30-GSA	43 lbs.	2.5	—	273
GS2TTGW36-GSA	50 lbs.	3.0	—	273
GS2TTGW42-GSA	58 lbs.	3.4	—	273
GS2TTGW48-GSA	66 lbs.	3.9	—	273
GS2TTGW54-GSA	82 lbs.	3.9	—	273
GS2TTGW60-GSA	90 lbs.	4.2	—	273
GS2TTGW66-GSA	98 lbs.	4.6	—	273
GS2TTGW72-GSA	106 lbs.	5.0	—	273
GS2TTGW78-GSA	114 lbs.	5.4	—	273
GS2TTGW84-GSA	122 lbs.	5.7	—	273
GS2TTGW90-GSA	130 lbs.	6.1	—	273
GS2TTGW96-GSA	138 lbs.	6.5	—	273
GS2TTGW102-GSA	150 lbs.	7.6	—	273
GS2TTGW108-GSA	158 lbs.	8.0	—	273
GS2TTKW24	19 lbs.	2.1	—	272
GS2TTKW30	21 lbs.	2.5	—	272
GS2TTKW36	23 lbs.	3.0	—	272
GS2TTKW42	25 lbs.	3.4	—	272
GS2TTKW48	27 lbs.	3.9	—	272
GS2TTKW54	30 lbs.	3.9	—	272
GS2TTKW60	32 lbs.	4.2	—	272
GS2TTKW66	34 lbs.	4.6	—	272
GS2TTKW72	36 lbs.	5.0	—	272
GS2TTKW78	38 lbs.	5.4	—	272

model number	weight	cubes	#locks	page
GS2TTKW84	40 lbs.	5.7	—	272
GS2TTKW90	42 lbs.	6.1	—	272
GS2TTKW96	44 lbs.	6.5	—	272
GS2TTKW102	47 lbs.	7.6	—	272
GS2TTKW108	50 lbs.	8.0	—	272
GS2TTWD24-W	52 lbs.	2.9	—	283
GS2TTWD30-W	60 lbs.	3.6	—	283
GS2TTWD36-W	70 lbs.	4.2	—	283
GS2TTWD42-W	80 lbs.	4.8	—	283
GS2TTWD48-W	100 lbs.	5.4	—	283
GS2TTWD54-W	120 lbs.	4.6	—	283
GS2TTWD60-W	140 lbs.	5.1	—	283
GS2TTWD66-W	150 lbs.	5.5	—	283
GS2TTWD72-W	160 lbs.	6.0	—	283
GS2TTWD78-W	170 lbs.	6.4	—	283
GS2TTWD84-W	180 lbs.	6.9	—	283
GS2TTWD90-W	190 lbs.	7.3	—	283
GS2TTWD96-W	200 lbs.	7.8	—	283
GS2TTWD102-W	210 lbs.	8.2	—	283
GS2TTWD108-W	240 lbs.	8.0	—	283
GS2TWD1H24-W	52 lbs.	2.9	—	279
GS2TWD1H30-W	68 lbs.	3.0	—	279
GS2TWD1H36-W	80 lbs.	3.6	—	279
GS2TWD1H42-W	91 lbs.	4.1	—	279
GS2TWD1H48-W	103 lbs.	4.7	—	279
GS2TWD1H54-W	120 lbs.	4.6	—	279
GS2TWD1H60-W	140 lbs.	5.1	—	279
GS2TWD1H66-W	150 lbs.	5.5	—	279
GS2TWD1H72-W	160 lbs.	6.0	—	279
GS2TWD1H78-W	170 lbs.	6.4	—	279
GS2TWD1H84-W	180 lbs.	6.9	—	279
GS2TWD1H90-W	190 lbs.	7.3	—	279
GS2TWD1H96-W	200 lbs.	7.8	—	279
GS2TWD1H102-W	210 lbs.	8.2	—	279
GS2TWD1H108-W	240 lbs.	8.0	—	279
GS2TWD2H24-W	64 lbs.	3.8	—	280
GS2TWD2H30-W	78 lbs.	4.0	—	280
GS2TWD2H36-W	92 lbs.	4.7	—	280
GS2TWD2H42-W	106 lbs.	5.4	—	280
GS2TWD2H48-W	120 lbs.	6.1	—	280
GS2TWD2H54-W	140 lbs.	6.1	—	280
GS2TWD2H60-W	150 lbs.	6.7	—	280
GS2TWD2H66-W	160 lbs.	7.3	—	280
GS2TWD2H72-W	185 lbs.	7.8	—	280

model number	weight	cubes	#locks	page
GS2TWD2H78-W	200 lbs.	8.4	—	280
GS2TWD2H84-W	215 lbs.	9.0	—	280
GS2TWD2H90-W	230 lbs.	9.6	—	280
GS2TWD2H96-W	245 lbs.	10.2	—	280
GS2TWD2H102-W	260 lbs.	10.8	—	280
GS2TWD2H108-W	280 lbs.	10.5	—	280
GS2TWD24-W	18 lbs.	2.0	—	276
GS2TWD30-W	21 lbs.	2.0	—	276
GS2TWD30-XL	16 lbs.	2.1	—	275
GS2TWD30-XW	21 lbs.	2.0	—	275
GS2TWD36-W	24 lbs.	2.4	—	276
GS2TWD36-XL	20 lbs.	2.5	—	275
GS2TWD36-XW	24 lbs.	2.4	—	275
GS2TWD42-W	27 lbs.	2.7	—	276
GS2TWD42-XL	27 lbs.	2.7	—	275
GS2TWD42-XW	27 lbs.	2.7	—	275
GS2TWD48-W	30 lbs.	3.1	—	276
GS2TWD48-XL	30 lbs.	3.1	—	275
GS2TWD48-XW	30 lbs.	3.1	—	275
GS2TWD54-W	33 lbs.	3.4	—	276
GS2TWD54-XL	33 lbs.	3.4	—	275
GS2TWD54-XW	33 lbs.	3.4	—	275
GS2TWD60-W	37 lbs.	3.8	—	276
GS2TWD60-XL	33 lbs.	4.1	—	275
GS2TWD60-XW	37 lbs.	3.8	—	275
GS2TWD66-W	40 lbs.	4.2	—	276
GS2TWD66-XL	36 lbs.	4.4	—	275
GS2TWD66-XW	40 lbs.	4.2	—	275
GS2TWD72-W	43 lbs.	4.5	—	276
GS2TWD72-XL	39 lbs.	4.8	—	275
GS2TWD72-XW	43 lbs.	4.5	—	275
GS2TWD78-W	46 lbs.	4.9	—	276
GS2TWD78-XL	43 lbs.	5.2	—	275
GS2TWD78-XW	46 lbs.	4.9	—	275
GS2TWD84-W	49 lbs.	5.3	—	276
GS2TWD84-XL	46 lbs.	5.6	—	275
GS2TWD84-XW	49 lbs.	5.3	—	275
GS2TWD90-W	52 lbs.	5.6	—	276
GS2TWD90-XL	49 lbs.	6.0	—	275
GS2TWD90-XW	52 lbs.	5.6	—	275
GS2TWD96-W	55 lbs.	6.0	—	276
GS2TWD96-XL	53 lbs.	6.4	—	275
GS2TWD96-XW	55 lbs.	6.0	—	275
GS2TWD102-W	58 lbs.	6.3	—	276

model number	weight	cubes	#locks	page
GS2TWD102-XL	56 lbs.	3.4	—	275
GS2TWD102-XW	58 lbs.	6.3	—	275
GS2TWD108-W	62 lbs.	6.7	—	276
GS2TWD108-XL	59 lbs.	3.6	—	275
GS2TWD108-XW	62 lbs.	6.7	—	275
GS2UTC5H24L-3LL	269 lbs.	33.1	3	238
GS2UTC5H24L-3WW	269 lbs.	33.1	3	238
GS2UTC5H24L-LL	269 lbs.	30.2	3	237
GS2UTC5H24L-WW	269 lbs.	30.2	3	237
GS2UTC5H24R-3LL	269 lbs.	33.1	3	238
GS2UTC5H24R-3WW	269 lbs.	33.1	3	238
GS2UTC5H24R-LL	269 lbs.	30.2	3	237
GS2UTC5H24R-WW	269 lbs.	30.2	3	237
GS2UTC5H30L-3LL	285 lbs.	40.2	3	240
GS2UTC5H30L-3WW	285 lbs.	40.2	3	240
GS2UTC5H30L-LL	285 lbs.	40.2	3	239
GS2UTC5H30L-WW	285 lbs.	40.2	3	239
GS2UTC5H30R-3LL	285 lbs.	40.2	3	240
GS2UTC5H30R-3WW	285 lbs.	40.2	3	240
GS2UTC5H30R-LL	285 lbs.	40.2	3	239
GS2UTC5H30R-WW	285 lbs.	40.2	3	239
GS2UTC6H24L-3LL	317 lbs.	39.0	3	238
GS2UTC6H24L-3WW	317 lbs.	39.0	3	238
GS2UTC6H24L-LL	317 lbs.	35.8	3	237
GS2UTC6H24L-WW	317 lbs.	35.8	3	237
GS2UTC6H24R-3LL	317 lbs.	39.0	3	238
GS2UTC6H24R-3WW	317 lbs.	39.0	3	238
GS2UTC6H24R-LL	317 lbs.	35.8	3	237
GS2UTC6H24R-WW	317 lbs.	35.8	3	237
GS2UTC6H30L-3LL	330 lbs.	47.4	3	240
GS2UTC6H30L-3WW	330 lbs.	47.4	3	240
GS2UTC6H30L-LL	330 lbs.	47.4	3	239
GS2UTC6H30L-WW	330 lbs.	47.4	3	239
GS2UTC6H30R-3LL	330 lbs.	47.4	3	240
GS2UTC6H30R-3WW	330 lbs.	47.4	3	240
GS2UTC6H30R-LL	330 lbs.	47.4	3	239
GS2UTC6H30R-WW	330 lbs.	47.4	3	239
GS2VLEG-A	8 lbs.	0.6	—	157
GS2WGW5H36	74 lbs.	6.2	—	274
GS2WGW6H36	85 lbs.	7.4	—	274
GS2WMC1H30-LL	45 lbs.	5.8	1	252
GS2WMC1H30-LN	40 lbs.	6.0	—	254
GS2WMC1H30-WG	45 lbs.	5.8	—	253
GS2WMC1H30-WN	40 lbs.	6.0	—	254

model number	weight	cubes	#locks	page
GS2WMC1H30-WW	45 lbs.	5.8	1	252
GS2WMC1H36-LL	52 lbs.	6.9	1	252
GS2WMC1H36-LN	47 lbs.	7.1	—	254
GS2WMC1H36-WG	52 lbs.	6.9	—	253
GS2WMC1H36-WN	47 lbs.	7.1	—	254
GS2WMC1H36-WW	52 lbs.	6.9	1	252
GS2WMC1H42-LL	60 lbs.	8.6	2	252
GS2WMC1H42-LN	50 lbs.	8.2	—	254
GS2WMC1H42-WN	50 lbs.	8.2	—	254
GS2WMC1H42-WW	60 lbs.	8.6	2	252
GS2WMC1H48-LL	69 lbs.	9.7	2	252
GS2WMC1H48-LN	59 lbs.	9.3	—	254
GS2WMC1H48-WN	59 lbs.	9.3	—	254
GS2WMC1H48-WW	69 lbs.	9.7	2	252
GS2WMC1H54-LL	78 lbs.	10.9	2	252
GS2WMC1H54-LN	68 lbs.	10.4	—	254
GS2WMC1H54-WN	68 lbs.	10.4	—	254
GS2WMC1H54-WW	78 lbs.	10.9	2	252
GS2WMC1H60-LL	85 lbs.	11.1	2	252
GS2WMC1H60-LN	75 lbs.	11.5	—	254
GS2WMC1H60-LSL	85 lbs.	11.1	—	255
GS2WMC1H60-WG	85 lbs.	11.1	—	253
GS2WMC1H60-WN	75 lbs.	11.5	—	254
GS2WMC1H60-WSG	85 lbs.	11.1	—	256
GS2WMC1H60-WSW	85 lbs.	11.1	—	255
GS2WMC1H60-WW	85 lbs.	11.1	2	252
GS2WMC1H66-LL	94 lbs.	12.2	2	252
GS2WMC1H66-LN	84 lbs.	12.6	—	254
GS2WMC1H66-LSL	95 lbs.	15.0	—	255
GS2WMC1H66-WN	84 lbs.	12.6	—	254
GS2WMC1H66-WSW	95 lbs.	15.0	—	255
GS2WMC1H66-WW	94 lbs.	12.2	2	252
GS2WMC1H72-LL	105 lbs.	13.2	2	252
GS2WMC1H72-LN	95 lbs.	13.7	—	254
GS2WMC1H72-LSL	105 lbs.	13.2	—	255
GS2WMC1H72-WG	105 lbs.	13.2	—	253
GS2WMC1H72-WN	95 lbs.	13.7	—	254
GS2WMC1H72-WSG	105 lbs.	13.2	—	256
GS2WMC1H72-WSW	105 lbs.	13.2	—	255
GS2WMC1H72-WW	105 lbs.	13.2	2	252
GS2WMC1H78-LL	115 lbs.	14.3	2	252
GS2WMC1H78-LN	105 lbs.	14.8	—	254
GS2WMC1H78-LSL	115 lbs.	17.6	—	255
GS2WMC1H78-WN	105 lbs.	14.8	—	254

model number	weight	cubes	#locks	page
GS2WMC1H78-WSW	115 lbs.	17.6	—	255
GS2WMC1H78-WW	115 lbs.	14.3	2	252
GS2WMC1H84-LL	125 lbs.	15.4	3	252
GS2WMC1H84-LN	115 lbs.	15.8	—	254
GS2WMC1H84-LSL	125 lbs.	18.8	—	255
GS2WMC1H84-WN	115 lbs.	15.8	—	254
GS2WMC1H84-WSW	125 lbs.	18.8	—	255
GS2WMC1H84-WW	125 lbs.	15.4	3	252
GS2WMC1H90-LL	135 lbs.	16.4	3	252
GS2WMC1H90-LN	125 lbs.	16.9	—	254
GS2WMC1H90-LSL	135 lbs.	16.4	—	255
GS2WMC1H90-WG	135 lbs.	16.4	—	253
GS2WMC1H90-WN	125 lbs.	16.9	—	254
GS2WMC1H90-WSG	135 lbs.	16.4	—	256
GS2WMC1H90-WSW	135 lbs.	16.4	—	255
GS2WMC1H90-WW	135 lbs.	16.4	3	252
GS2WMC1H96-LL	142 lbs.	17.5	3	252
GS2WMC1H96-LN	132 lbs.	18.0	—	254
GS2WMC1H96-LSL	145 lbs.	21.4	—	255
GS2WMC1H96-WN	132 lbs.	18.0	—	254
GS2WMC1H96-WSW	145 lbs.	21.4	—	255
GS2WMC1H96-WW	142 lbs.	17.5	3	252
GS2WMC1H102-LL	149 lbs.	20.0	3	252
GS2WMC1H102-LN	139 lbs.	19.1	—	254
GS2WMC1H102-WN	139 lbs.	19.1	—	254
GS2WMC1H102-WSW	155 lbs.	22.7	—	255
GS2WMC1H102-WW	149 lbs.	18.5	3	252
GS2WMC1H108-LL	158 lbs.	21.2	3	252
GS2WMC1H108-LN	148 lbs.	20.2	—	254
GS2WMC1H108-WG	158 lbs.	19.6	—	253
GS2WMC1H108-WN	148 lbs.	20.2	—	254
GS2WMC1H108-WSG	158 lbs.	19.6	—	256
GS2WMC1H108-WSW	158 lbs.	19.6	—	255
GS2WMC1H108-WW	158 lbs.	19.6	3	252
GS2WMC2H30-LL	85 lbs.	10.4	1	257
GS2WMC2H30-LN	80 lbs.	10.7	—	259
GS2WMC2H30-WG	85 lbs.	10.4	—	258
GS2WMC2H30-WN	80 lbs.	10.7	—	259
GS2WMC2H30-WW	85 lbs.	10.4	1	257
GS2WMC2H36-LL	93 lbs.	12.3	1	257
GS2WMC2H36-LN	88 lbs.	12.6	—	259
GS2WMC2H36-WG	93 lbs.	12.3	—	258
GS2WMC2H36-WN	88 lbs.	12.6	—	259
GS2WMC2H36-WW	93 lbs.	12.3	1	257

model number	weight	cubes	#locks	page
GS2WMC2H42-LL	108 lbs.	15.3	2	257
GS2WMC2H42-LN	98 lbs.	14.6	—	259
GS2WMC2H42-WN	98 lbs.	14.6	—	259
GS2WMC2H42-WW	108 lbs.	15.3	2	257
GS2WMC2H48-LL	122 lbs.	17.3	2	257
GS2WMC2H48-LN	112 lbs.	16.5	—	259
GS2WMC2H48-WN	112 lbs.	16.5	—	259
GS2WMC2H48-WW	122 lbs.	17.3	2	257
GS2WMC2H54-LL	136 lbs.	19.4	2	257
GS2WMC2H54-LN	126 lbs.	18.5	—	259
GS2WMC2H54-WN	126 lbs.	18.5	—	259
GS2WMC2H54-WW	136 lbs.	19.4	2	257
GS2WMC2H60-LL	150 lbs.	19.8	2	257
GS2WMC2H60-LN	140 lbs.	20.4	—	259
GS2WMC2H60-LSL	150 lbs.	19.8	—	260
GS2WMC2H60-WG	150 lbs.	19.8	—	258
GS2WMC2H60-WN	140 lbs.	20.4	—	259
GS2WMC2H60-WSG	150 lbs.	19.8	—	261
GS2WMC2H60-WSW	150 lbs.	19.8	—	260
GS2WMC2H60-WW	150 lbs.	19.8	2	257
GS2WMC2H66-LL	167 lbs.	21.7	2	257
GS2WMC2H66-LN	157 lbs.	22.4	—	259
GS2WMC2H66-LSL	168 lbs.	25.9	—	260
GS2WMC2H66-WN	157 lbs.	22.4	—	259
GS2WMC2H66-WSW	168 lbs.	25.9	—	260
GS2WMC2H66-WW	167 lbs.	21.7	2	257
GS2WMC2H72-LL	186 lbs.	23.6	2	257
GS2WMC2H72-LN	176 lbs.	24.3	—	259
GS2WMC2H72-LSL	186 lbs.	23.6	—	260
GS2WMC2H72-WG	186 lbs.	23.6	—	258
GS2WMC2H72-WN	176 lbs.	24.3	—	259
GS2WMC2H72-WSG	186 lbs.	23.6	—	261
GS2WMC2H72-WSW	186 lbs.	23.6	—	260
GS2WMC2H72-WW	186 lbs.	23.6	2	257
GS2WMC2H78-LL	201 lbs.	25.5	2	257
GS2WMC2H78-LN	191 lbs.	26.3	—	259
GS2WMC2H78-LSL	204 lbs.	30.4	—	260
GS2WMC2H78-WN	191 lbs.	26.3	—	259
GS2WMC2H78-WSW	204 lbs.	30.4	—	260
GS2WMC2H78-WW	201 lbs.	25.5	2	257
GS2WMC2H84-LL	218 lbs.	27.4	3	257
GS2WMC2H84-LN	208 lbs.	28.2	—	259
GS2WMC2H84-LSL	220 lbs.	32.6	—	260
GS2WMC2H84-WN	208 lbs.	28.2	—	259

model number	weight	cubes	#locks	page
GS2WMC2H84-WSW	220 lbs.	32.6	—	260
GS2WMC2H84-WW	218 lbs.	27.4	3	257
GS2WMC2H90-LL	237 lbs.	29.2	3	257
GS2WMC2H90-LN	227 lbs.	30.2	—	259
GS2WMC2H90-LSL	237 lbs.	29.2	—	260
GS2WMC2H90-WG	237 lbs.	29.2	—	258
GS2WMC2H90-WN	227 lbs.	30.2	—	259
GS2WMC2H90-WSG	237 lbs.	29.2	—	261
GS2WMC2H90-WSW	237 lbs.	29.2	—	260
GS2WMC2H90-WW	237 lbs.	29.2	3	257
GS2WMW1H30-L	10 lbs.	1.3	—	262
GS2WMW1H30-W	10 lbs.	1.3	—	262
GS2WMW1H36-L	12 lbs.	1.5	—	262
GS2WMW1H36-W	12 lbs.	1.5	—	262
GS2WMW1H42-L	14 lbs.	1.8	—	262
GS2WMW1H42-W	14 lbs.	1.8	—	262
GS2WMW1H48-L	16 lbs.	2.0	—	262
GS2WMW1H48-W	16 lbs.	2.0	—	262
GS2WMW1H54-L	18 lbs.	2.3	—	262
GS2WMW1H54-W	18 lbs.	2.3	—	262
GS2WMW1H60-L	20 lbs.	2.5	—	262
GS2WMW1H60-W	20 lbs.	2.5	—	262
GS2WMW1H66-L	22 lbs.	2.7	—	262
GS2WMW1H66-W	22 lbs.	2.7	—	262
GS2WMW1H72-L	24 lbs.	3.0	—	262
GS2WMW1H72-W	25 lbs.	3.0	—	262
GS2WMW1H78-L	26 lbs.	3.2	—	262
GS2WMW1H78-W	27 lbs.	3.2	—	262
GS2WMW1H84-L	28 lbs.	3.4	—	262
GS2WMW1H84-W	29 lbs.	3.4	—	262
GS2WMW1H90-L	31 lbs.	3.7	—	262
GS2WMW1H90-W	32 lbs.	3.7	—	262
GS2WMW1H96-L	33 lbs.	3.9	—	262
GS2WMW1H96-W	4 lbs.	3.9	—	262
GS2WMW1H102-L	35 lbs.	2.1	—	262
GS2WMW1H102-W	35 lbs.	4.2	—	262
GS2WMW1H108-L	37 lbs.	2.2	—	262
GS2WMW1H108-W	39 lbs.	4.4	—	262
GS2WMW2H30-L	19 lbs.	2.3	—	263
GS2WMW2H30-W	21 lbs.	2.3	—	263
GS2WMW2H36-L	22 lbs.	2.8	—	263
GS2WMW2H36-W	25 lbs.	2.8	—	263
GS2WMW2H42-L	29 lbs.	3.2	—	263
GS2WMW2H42-W	29 lbs.	3.2	—	263

model number	weight	cubes	#locks	page
GS2WMW2H48-L	34 lbs.	3.6	—	263
GS2WMW2H48-W	34 lbs.	3.6	—	263
GS2WMW2H54-L	38 lbs.	4.0	—	263
GS2WMW2H54-W	38 lbs.	4.0	—	263
GS2WMW2H60-L	37 lbs.	4.4	—	263
GS2WMW2H60-W	42 lbs.	4.4	—	263
GS2WMW2H66-L	41 lbs.	4.9	—	263
GS2WMW2H66-W	46 lbs.	4.9	—	263
GS2WMW2H72-L	45 lbs.	5.3	—	263
GS2WMW2H72-W	51 lbs.	5.3	—	263
GS2WMW2H78-L	49 lbs.	5.7	—	263
GS2WMW2H78-W	56 lbs.	5.7	—	263
GS2WMW2H84-L	52 lbs.	6.1	—	263
GS2WMW2H84-W	60 lbs.	6.1	—	263
GS2WMW2H90-L	56 lbs.	6.6	—	263
GS2WMW2H90-W	67 lbs.	6.6	—	263
GS2WSB3H72L-WSG	300 lbs.	41.1	—	302
GS2WSB3H72R-WSG	300 lbs.	41.1	—	302
GS2WSB3H90L-WSG	375 lbs.	50.9	—	302
GS2WSB3H90R-WSG	375 lbs.	50.9	—	302
GS2XBT4272-LL	154 lbs.	19.6	—	61
GS2XBT4272-WW	154 lbs.	19.6	—	61
GS2XDT4272-LL	154 lbs.	19.6	—	61
GS2XDT4272-WW	154 lbs.	19.6	—	61
GS2XMAMOD66-L	12 lbs.	1.7	—	121
GS2XMAMOD66-M	12 lbs.	1.7	—	121
GS2XMAMOD66-W	12 lbs.	1.9	—	121
GS2XMAMOD72-L	12 lbs.	1.9	—	121
GS2XMAMOD72-M	12 lbs.	1.9	—	121
GS2XMAMOD72-W	13 lbs.	1.9	—	121
GS2XMAMOD78-L	12 lbs.	2.1	—	121
GS2XMAMOD78-M	12 lbs.	2.1	—	121
GS2XMAMOD78-W	12 lbs.	2.1	—	121
GS2XMF36L-L	20 lbs.	3.9	—	164
GS2XMF36L-W	20 lbs.	3.9	—	164
GS2XMF36R-L	20 lbs.	3.9	—	164
GS2XMF36R-W	20 lbs.	3.9	—	164
GS2XMF42L-L	23 lbs.	4.5	—	164
GS2XMF42L-W	23 lbs.	4.5	—	164
GS2XMF42R-L	23 lbs.	4.5	—	164
GS2XMF42R-W	23 lbs.	4.5	—	164
GS2XML366060-LL	173 lbs.	26.3	—	74
GS2XML366060-WW	179 lbs.	22.1	—	74
GS2XML487260-LL	202 lbs.	30.9	—	74

model number	weight	cubes	#locks	page
GS2XML487260-WW	209 lbs.	25.9	—	74
GS2XRL3066L-LL	143 lbs.	17.3	—	60
GS2XRL3066L-WW	143 lbs.	17.3	—	60
GS2XRL3066R-LL	143 lbs.	17.3	—	60
GS2XRL3066R-WW	143 lbs.	17.3	—	60
GS2XRL3072L-LL	151 lbs.	18.0	—	60
GS2XRL3072L-WW	151 lbs.	18.0	—	60
GS2XRL3072R-LL	151 lbs.	18.0	—	60
GS2XRL3072R-WW	151 lbs.	18.0	—	60
GS2XRL3672L-LL	171 lbs.	20.4	—	60
GS2XRL3672L-WW	171 lbs.	20.4	—	60
GS2XRL3672R-LL	171 lbs.	20.4	—	60
GS2XRL3672R-WW	171 lbs.	20.4	—	60
GS2XRL3678L-LL	180 lbs.	21.3	—	60
GS2XRL3678L-WW	178 lbs.	21.3	—	60
GS2XRL3678R-LL	180 lbs.	21.3	—	60
GS2XRL3678R-WW	178 lbs.	21.3	—	60
GS2XRT3066L-LL	122 lbs.	16.9	—	61
GS2XRT3066L-WW	122 lbs.	16.9	—	61
GS2XRT3066R-LL	122 lbs.	16.9	—	61
GS2XRT3066R-WW	122 lbs.	16.9	—	61
GS2XRT3072L-LL	128 lbs.	17.4	—	61
GS2XRT3072L-WW	128 lbs.	17.4	—	61
GS2XRT3072R-LL	128 lbs.	17.4	—	61
GS2XRT3072R-WW	128 lbs.	17.4	—	61
GS3BAK2442-LL	80 lbs.	11.7	—	90
GS3BAK2442-WW	80 lbs.	10.2	—	90
GS3BAK2448-LL	90 lbs.	13.4	—	90
GS3BAK2448-WW	90 lbs.	11.5	—	90
GS3BAK2454-LL	100 lbs.	15.0	—	90
GS3BAK2454-WW	100 lbs.	12.9	—	90
GS3BAK2460-LL	110 lbs.	16.6	—	90
GS3BAK2460-WW	110 lbs.	14.2	—	90
GS3BAK2466-LL	120 lbs.	18.3	—	90
GS3BAK2466-WW	120 lbs.	15.6	—	90
GS3BAK2472-LL	130 lbs.	19.9	—	90
GS3BAK2472-WW	130 lbs.	16.9	—	90
GS3BAK3042-LL	216 lbs.	19.2	—	91
GS3BAK3042-WW	130 lbs.	30.5	—	91
GS3BAK3048-LL	227 lbs.	20.8	—	91
GS3BAK3048-WW	140 lbs.	34.5	—	91
GS3BAK3054-LL	239 lbs.	22.4	—	91
GS3BAK3054-WW	149 lbs.	38.5	—	91
GS3BAK3060-LL	256 lbs.	24.0	—	91

model number	weight	cubes	#locks	page
GS3BAK3060-WW	157 lbs.	42.5	—	91
GS3BAK3066-LL	274 lbs.	25.6	—	91
GS3BAK3066-WW	165 lbs.	46.5	—	91
GS3BAK3072-LL	286 lbs.	51.4	—	91
GS3BAK3072-WW	176 lbs.	50.4	—	91
GS3CAK2442-LL	229 lbs.	63.0	—	86
GS3CAK2442-WW	167 lbs.	30.5	—	86
GS3CAK2448-LL	240 lbs.	35.9	—	86
GS3CAK2448-WW	175 lbs.	34.5	—	86
GS3CAK2454-LL	250 lbs.	39.2	—	86
GS3CAK2454-WW	183 lbs.	38.5	—	86
GS3CAK2460-LL	265 lbs.	42.5	—	86
GS3CAK2460-WW	190 lbs.	42.5	—	86
GS3CAK2466-AALL	349 lbs.	37.5	2	88
GS3CAK2466-AAWW	295 lbs.	46.5	2	88
GS3CAK2466L-ALL	328 lbs.	47.7	1	88
GS3CAK2466L-AWW	260 lbs.	46.5	1	88
GS3CAK2466-LL	283 lbs.	45.8	—	86
GS3CAK2466R-ALL	328 lbs.	47.7	1	88
GS3CAK2466R-AWW	255 lbs.	46.5	1	88
GS3CAK2466-WW	197 lbs.	46.5	—	86
GS3CAK2472-AALL	358 lbs.	39.0	2	88
GS3CAK2472-AAWW	305 lbs.	50.4	2	88
GS3CAK2472L-ALL	338 lbs.	51.0	1	88
GS3CAK2472L-AWW	275 lbs.	50.4	1	88
GS3CAK2472-LL	293 lbs.	49.1	—	86
GS3CAK2472R-ALL	338 lbs.	51.0	1	88
GS3CAK2472R-AWW	265 lbs.	50.4	1	88
GS3CAK2472-WW	207 lbs.	50.4	—	86
GS3CAK3042-LL	238 lbs.	37.8	—	87
GS3CAK3042-WW	151 lbs.	30.5	—	87
GS3CAK3048-LL	249 lbs.	41.8	—	87
GS3CAK3048-WW	160 lbs.	34.5	—	87
GS3CAK3054-LL	261 lbs.	45.8	—	87
GS3CAK3054-WW	169 lbs.	38.5	—	87
GS3CAK3060-LL	278 lbs.	49.8	—	87
GS3CAK3060-WW	177 lbs.	42.5	—	87
GS3CAK3066-AALL	386 lbs.	42.2	1	89
GS3CAK3066-AAWW	304 lbs.	46.5	1	89
GS3CAK3066L-ALL	356 lbs.	56.1	1	89
GS3CAK3066L-AWW	251 lbs.	46.5	1	89
GS3CAK3066-LL	296 lbs.	53.8	—	87
GS3CAK3066R-ALL	356 lbs.	56.1	1	89
GS3CAK3066R-AWW	251 lbs.	46.5	1	89

model number	weight	cubes	#locks	page
GS3CAK3066-WW	185 lbs.	46.5	—	87
GS3CAK3072-AALL	397 lbs.	43.8	1	89
GS3CAK3072-AAWW	315 lbs.	50.4	1	89
GS3CAK3072L-ALL	368 lbs.	60.1	1	89
GS3CAK3072L-AWW	261 lbs.	50.4	1	89
GS3CAK3072-LL	308 lbs.	57.8	—	87
GS3CAK3072R-ALL	368 lbs.	60.1	1	89
GS3CAK3072R-AWW	261 lbs.	50.4	1	89
GS3CAK3072-WW	196 lbs.	50.4	—	87
GS3DFAK3066-LL	339 lbs.	30.9	—	80
GS3DFAK3066-WW	308 lbs.	46.5	—	80
GS3DFAK3072-LL	354 lbs.	32.7	—	80
GS3DFAK3072-WW	318 lbs.	50.4	—	80
GS3DFAK3672-WW	328 lbs.	60.2	—	80
GS3DFAK3678-LL	385 lbs.	35.7	—	80
GS3DFAK3678-WW	338 lbs.	65.0	—	80
GS3DHAK3066-LL	296 lbs.	25.4	—	84
GS3DHAK3066-WW	266 lbs.	46.5	—	84
GS3DHAK3072-LL	307 lbs.	26.7	—	84
GS3DHAK3072-WW	276 lbs.	50.4	—	84
GS3DHAK3672-LL	325 lbs.	28.3	—	84
GS3DHAK3672-WW	286 lbs.	60.2	—	84
GS3DHAK3678-LL	334 lbs.	29.5	—	84
GS3DHAK3678-WW	296 lbs.	65.0	—	84
GS3HASHRD2442-L	124 lbs.	13.3	—	116
GS3HASHRD2442-W	76 lbs.	9.4	—	116
GS3HASHRD2448-L	128 lbs.	14.4	—	116
GS3HASHRD2448-W	80 lbs.	9.4	—	116
GS3HASHRD2454-L	132 lbs.	14.9	—	116
GS3HASHRD2454-W	84 lbs.	9.4	—	116
GS3HASHRD2460-L	136 lbs.	15.6	—	116
GS3HASHRD2460-W	86 lbs.	9.4	—	116
GS3HASHRD2466-L	140 lbs.	16.4	—	116
GS3HASHRD2466-W	90 lbs.	9.4	—	116
GS3HASHRD2472-L	144 lbs.	17.2	—	116
GS3HASHRD2472-W	94 lbs.	10.8	—	116
GS3HASHRD3042-L	138 lbs.	15.3	—	116
GS3HASHRD3042-W	84 lbs.	11.6	—	116
GS3HASHRD3048-L	142 lbs.	16.3	—	116
GS3HASHRD3048-W	88 lbs.	11.6	—	116
GS3HASHRD3054-L	146 lbs.	16.9	—	116
GS3HASHRD3054-W	92 lbs.	11.6	—	116
GS3HASHRD3060-L	150 lbs.	17.6	—	116
GS3HASHRD3060-W	96 lbs.	11.6	—	116

model number	weight	cubes	#locks	page
GS3HASHRD3066-L	154 lbs.	18.4	—	116
GS3HASHRD3066-W	100 lbs.	11.6	—	116
GS3HASHRD3072-L	158 lbs.	19.1	—	116
GS3HASHRD3072-W	104 lbs.	11.6	—	116
GS3HASHRD3642-L	150 lbs.	17.3	—	116
GS3HASHRD3642-W	98 lbs.	14.1	—	116
GS3HASHRD3648-L	154 lbs.	18.3	—	116
GS3HASHRD3648-W	102 lbs.	14.1	—	116
GS3HASHRD3654-L	158 lbs.	18.8	—	116
GS3HASHRD3654-W	106 lbs.	14.1	—	116
GS3HASHRD3660-L	162 lbs.	19.6	—	116
GS3HASHRD3660-W	110 lbs.	14.1	—	116
GS3HASHRD3666-L	166 lbs.	20.4	—	116
GS3HASHRD3666-W	114 lbs.	14.1	—	116
GS3HASHRD3672-L	170 lbs.	21.1	—	116
GS3HASHRD3672-W	118 lbs.	14.1	—	116
GS3RAK2442L-ALL	283 lbs.	25.5	1	94
GS3RAK2442L-AWW	228 lbs.	30.5	1	94
GS3RAK2442L-LL	221 lbs.	33.3	—	92
GS3RAK2442L-WW	160 lbs.	30.5	—	92
GS3RAK2442R-ALL	153 lbs.	18.0	1	94
GS3RAK2442R-AWW	228 lbs.	30.5	1	94
GS3RAK2442R-LL	221 lbs.	33.3	—	92
GS3RAK2442R-WW	160 lbs.	30.5	—	92
GS3RAK2448L-ALL	294 lbs.	27.2	1	94
GS3RAK2448L-AWW	233 lbs.	34.5	1	94
GS3RAK2448L-LL	232 lbs.	36.8	—	92
GS3RAK2448L-WW	168 lbs.	34.5	—	92
GS3RAK2448R-ALL	162 lbs.	19.6	1	94
GS3RAK2448R-AWW	170 lbs.	25.9	1	94
GS3RAK2448R-LL	232 lbs.	36.8	—	92
GS3RAK2448R-WW	168 lbs.	34.5	—	92
GS3RAK2454L-ALL	304 lbs.	28.8	1	94
GS3RAK2454L-AWW	237 lbs.	38.5	1	94
GS3RAK2454L-LL	242 lbs.	40.2	—	92
GS3RAK2454L-WW	176 lbs.	38.5	—	92
GS3RAK2454R-ALL	170 lbs.	21.2	1	94
GS3RAK2454R-AWW	180 lbs.	28.9	1	94
GS3RAK2454R-LL	242 lbs.	40.2	—	92
GS3RAK2454R-WW	176 lbs.	38.5	—	92
GS3RAK2460L-ALL	319 lbs.	30.4	1	94
GS3RAK2460L-AWW	242 lbs.	42.5	1	94
GS3RAK2460L-LL	257 lbs.	43.6	—	92
GS3RAK2460L-WW	183 lbs.	42.5	—	92

model number	weight	cubes	#locks	page
GS3RAK2460R-ALL	178 lbs.	22.9	1	94
GS3RAK2460R-AWW	190 lbs.	32.0	1	94
GS3RAK2460R-LL	257 lbs.	43.6	—	92
GS3RAK2460R-WW	183 lbs.	42.5	—	92
GS3RAK2466L-ALL	337 lbs.	32.0	1	94
GS3RAK2466L-AWW	248 lbs.	46.5	1	94
GS3RAK2466L-LL	275 lbs.	47.0	—	92
GS3RAK2466L-WW	190 lbs.	46.5	—	92
GS3RAK2466R-ALL	187 lbs.	24.5	1	94
GS3RAK2466R-AWW	200 lbs.	35.0	1	94
GS3RAK2466R-LL	275 lbs.	47.0	—	92
GS3RAK2466R-WW	190 lbs.	46.5	—	92
GS3RAK2472L-ALL	347 lbs.	33.6	1	94
GS3RAK2472L-AWW	258 lbs.	50.4	—	94
GS3RAK2472L-LL	285 lbs.	50.4	—	92
GS3RAK2472L-WW	200 lbs.	50.4	—	92
GS3RAK2472R-ALL	195 lbs.	26.2	1	94
GS3RAK2472R-AWW	210 lbs.	38.1	1	94
GS3RAK2472R-LL	285 lbs.	50.4	—	92
GS3RAK2472R-WW	200 lbs.	50.4	—	92
GS3RAK3042L-ALL	301 lbs.	28.1	1	95
GS3RAK3042L-AWW	215 lbs.	30.5	1	95
GS3RAK3042L-LL	227 lbs.	37.8	—	93
GS3RAK3042L-WW	141 lbs.	30.5	—	93
GS3RAK3042R-ALL	301 lbs.	28.1	1	95
GS3RAK3042R-AWW	215 lbs.	30.5	1	95
GS3RAK3042R-LL	227 lbs.	37.8	—	93
GS3RAK3042R-WW	141 lbs.	30.5	—	93
GS3RAK3048L-ALL	312 lbs.	29.8	1	95
GS3RAK3048L-AWW	221 lbs.	34.5	1	95
GS3RAK3048L-LL	238 lbs.	41.8	—	93
GS3RAK3048L-WW	150 lbs.	34.5	—	93
GS3RAK3048R-ALL	312 lbs.	29.8	1	95
GS3RAK3048R-AWW	221 lbs.	34.5	1	95
GS3RAK3048R-LL	238 lbs.	41.8	—	93
GS3RAK3048R-WW	150 lbs.	34.5	—	93
GS3RAK3054L-ALL	324 lbs.	31.5	1	95
GS3RAK3054L-AWW	226 lbs.	38.5	1	95
GS3RAK3054L-LL	250 lbs.	45.8	—	93
GS3RAK3054L-WW	159 lbs.	38.5	—	93
GS3RAK3054R-ALL	324 lbs.	31.5	1	95
GS3RAK3054R-AWW	226 lbs.	38.5	1	95
GS3RAK3054R-LL	250 lbs.	45.8	—	93
GS3RAK3054R-WW	159 lbs.	38.5	—	93

model number	weight	cubes	#locks	page
GS3RAK3060L-ALL	341 lbs.	33.1	1	95
GS3RAK3060L-AWW	232 lbs.	42.5	1	95
GS3RAK3060L-LL	267 lbs.	49.8	—	93
GS3RAK3060L-WW	167 lbs.	42.5	—	93
GS3RAK3060R-ALL	341 lbs.	33.1	1	95
GS3RAK3060R-AWW	232 lbs.	42.5	1	95
GS3RAK3060R-LL	267 lbs.	49.8	—	93
GS3RAK3060R-WW	167 lbs.	42.5	—	93
GS3RAK3066L-ALL	359 lbs.	34.8	1	95
GS3RAK3066L-AWW	239 lbs.	46.5	1	95
GS3RAK3066L-LL	285 lbs.	53.8	—	93
GS3RAK3066L-WW	175 lbs.	46.5	—	93
GS3RAK3066R-ALL	359 lbs.	34.8	1	95
GS3RAK3066R-AWW	239 lbs.	46.5	1	95
GS3RAK3066R-LL	285 lbs.	53.8	—	93
GS3RAK3066R-WW	175 lbs.	46.5	—	93
GS3RAK3072L-ALL	371 lbs.	36.5	1	95
GS3RAK3072L-AWW	250 lbs.	50.4	1	95
GS3RAK3072L-LL	297 lbs.	57.8	—	93
GS3RAK3072L-WW	186 lbs.	50.4	—	93
GS3RAK3072R-ALL	371 lbs.	36.5	1	95
GS3RAK3072R-AWW	250 lbs.	50.4	1	95
GS3RAK3072R-LL	297 lbs.	57.8	—	93
GS3RAK3072R-WW	186 lbs.	50.4	—	93
GS3STAT7278L-ALL	505 lbs.	68.1	1	78
GS3STAT7278L-AWW	505 lbs.	68.1	1	78
GS3STAT7278L-LL	450 lbs.	62.0	—	76
GS3STAT7278L-WW	450 lbs.	62.0	—	76
GS3STAT7278R-ALL	505 lbs.	68.1	1	79
GS3STAT7278R-AWW	505 lbs.	68.1	1	79
GS3STAT7278R-LL	450 lbs.	62.0	—	77
GS3STAT7278R-WW	450 lbs.	62.0	—	77
GS3STAT7284L-ALL	519 lbs.	69.3	1	78
GS3STAT7284L-AWW	519 lbs.	69.3	1	78
GS3STAT7284L-LL	464 lbs.	63.2	—	76
GS3STAT7284L-WW	464 lbs.	63.2	—	76
GS3STAT7284R-ALL	519 lbs.	69.3	1	79
GS3STAT7284R-AWW	519 lbs.	69.3	1	79
GS3STAT7284R-LL	464 lbs.	63.2	—	77
GS3STAT7284R-WW	464 lbs.	63.2	—	77
GS3STAT7890L-ALL	547 lbs.	71.9	1	78
GS3STAT7890L-AWW	547 lbs.	71.9	1	78
GS3STAT7890L-LL	492 lbs.	65.7	—	76
GS3STAT7890L-WW	492 lbs.	65.7	—	76

model number	weight	cubes	#locks	page
GS3STAT7890R-ALL	547 lbs.	71.9	1	79
GS3STAT7890R-AWW	547 lbs.	71.9	1	79
GS3STAT7890R-LL	492 lbs.	65.7	—	77
GS3STAT7890R-WW	492 lbs.	65.7	—	77
GS3STAT7896L-ALL	560 lbs.	73.1	1	78
GS3STAT7896L-AWW	560 lbs.	73.1	1	78
GS3STAT7896L-LL	451 lbs.	60.6	—	76
GS3STAT7896L-WW	451 lbs.	60.6	—	76
GS3STAT7896R-ALL	560 lbs.	73.1	1	79
GS3STAT7896R-AWW	560 lbs.	73.1	1	79
GS3STAT7896R-LL	505 lbs.	66.9	—	77
GS3STAT7896R-WW	505 lbs.	66.9	—	77
GS3XFAK3066L-ALL	370 lbs.	34.4	1	82
GS3XFAK3066L-AWW	340 lbs.	56.2	1	82
GS3XFAK3066L-LL	322 lbs.	31.7	—	81
GS3XFAK3066L-WW	323 lbs.	56.2	—	81
GS3XFAK3066R-ALL	370 lbs.	36.3	1	82
GS3XFAK3066R-AWW	340 lbs.	56.2	1	82
GS3XFAK3066R-LL	322 lbs.	31.7	—	81
GS3XFAK3066R-WW	323 lbs.	56.2	—	81
GS3XFAK3072L-ALL	384 lbs.	35.9	1	82
GS3XFAK3072L-AWW	360 lbs.	61.0	1	82
GS3XFAK3072L-LL	336 lbs.	33.3	—	81
GS3XFAK3072L-WW	333 lbs.	61.0	—	81
GS3XFAK3072R-ALL	384 lbs.	37.8	1	82
GS3XFAK3072R-AWW	360 lbs.	61.0	1	82
GS3XFAK3072R-LL	336 lbs.	33.3	—	81
GS3XFAK3072R-WW	333 lbs.	61.0	—	81
GS3XFAK3672L-ALL	412 lbs.	38.2	1	82
GS3XFAK3672L-AWW	380 lbs.	80.8	1	82
GS3XFAK3672L-LL	359 lbs.	36.4	—	81
GS3XFAK3672L-WW	343 lbs.	80.8	—	81
GS3XFAK3672R-ALL	412 lbs.	40.1	1	82
GS3XFAK3672R-AWW	380 lbs.	80.8	1	82
GS3XFAK3672R-LL	359 lbs.	36.4	—	81
GS3XFAK3672R-WW	343 lbs.	80.8	—	81
GS3XFAK3678L-ALL	427 lbs.	38.5	1	82
GS3XFAK3678L-AWW	400 lbs.	87.1	1	82
GS3XFAK3678L-LL	374 lbs.	37.0	—	81
GS3XFAK3678L-WW	353 lbs.	87.1	—	81
GS3XFAK3678R-ALL	427 lbs.	40.4	1	82
GS3XFAK3678R-AWW	400 lbs.	87.1	1	82
GS3XFAK3678R-LL	374 lbs.	37.0	—	81
GS3XFAK3678R-WW	353 lbs.	87.1	—	81

model number	weight	cubes	#locks	page
GS3XHAK3066L-LL	279 lbs.	29.4	—	85
GS3XHAK3066L-WW	281 lbs.	56.2	—	85
GS3XHAK3066R-LL	279 lbs.	29.4	—	85
GS3XHAK3066R-WW	281 lbs.	56.2	—	85
GS3XHAK3072L-LL	289 lbs.	30.6	—	85
GS3XHAK3072L-WW	291 lbs.	61.0	—	85
GS3XHAK3072R-LL	289 lbs.	30.6	—	85
GS3XHAK3072R-WW	291 lbs.	61.0	—	85
GS3XHAK3672L-LL	312 lbs.	33.7	—	85
GS3XHAK3672L-WW	301 lbs.	61.0	—	85
GS3XHAK3672R-LL	312 lbs.	33.7	—	85
GS3XHAK3672R-WW	301 lbs.	61.0	—	85
GS3XHAK3678L-LL	323 lbs.	33.9	—	85
GS3XHAK3678L-WW	311 lbs.	65.8	—	85
GS3XHAK3678R-LL	323 lbs.	33.9	—	85
GS3XHAK3678R-WW	311 lbs.	65.8	—	85
GS3XMAK3066L-LL	288 lbs.	35.1	—	83
GS3XMAK3066L-WW	301 lbs.	55.5	—	83
GS3XMAK3066R-LL	288 lbs.	35.1	—	83
GS3XMAK3066R-WW	301 lbs.	55.5	—	83
GS3XMAK3072L-LL	297 lbs.	36.4	—	83
GS3XMAK3072L-WW	310 lbs.	60.2	—	83
GS3XMAK3072R-LL	297 lbs.	36.4	—	83
GS3XMAK3072R-WW	310 lbs.	60.2	—	83
GS3XMAK3672L-LL	325 lbs.	40.5	—	83
GS3XMAK3672L-WW	319 lbs.	60.2	—	83
GS3XMAK3672R-LL	325 lbs.	40.5	—	83
GS3XMAK3672R-WW	319 lbs.	79.7	—	83
GS3XMAK3678L-LL	335 lbs.	41.8	—	83
GS3XMAK3678L-WW	328 lbs.	65.0	—	83
GS3XMAK3678R-LL	335 lbs.	41.8	—	83
GS3XMAK3678R-WW	328 lbs.	86.0	—	83
GS4HACS12-M	5 lbs.	1.9	—	114
GS4HACSLNK-3	85 lbs.	9.5	—	114
GS4HACSLNK-4	105 lbs.	9.5	—	114
GS4LACWR2442-L	36 lbs.	2.8	—	110
GS4LACWR2442-W	36 lbs.	2.8	—	110
GS4LACWR2448-L	41 lbs.	3.2	—	110
GS4LACWR2448-W	41 lbs.	3.2	—	110
GS4LACWR2454-L	45 lbs.	3.6	—	110
GS4LACWR2454-W	45 lbs.	3.6	—	110
GS4LACWR2460-L	49 lbs.	4.0	—	110
GS4LACWR2460-W	49 lbs.	4.0	—	110
GS4LACWR2466-L	54 lbs.	4.4	—	110

model number	weight	cubes	#locks	page
GS4LACWR2466-W	54 lbs.	4.4	—	110
GS4LACWR2472-L	58 lbs.	4.7	—	110
GS4LACWR2472-W	58 lbs.	4.7	—	110
GS4LACWR3042-L	41 lbs.	3.6	—	110
GS4LACWR3042-W	41 lbs.	3.6	—	110
GS4LACWR3048-L	47 lbs.	4.1	—	110
GS4LACWR3048-W	47 lbs.	4.1	—	110
GS4LACWR3054-L	52 lbs.	4.6	—	110
GS4LACWR3054-W	52 lbs.	4.6	—	110
GS4LACWR3060-L	56 lbs.	7.2	—	110
GS4LACWR3060-W	56 lbs.	5.1	—	110
GS4LACWR3066-L	62 lbs.	7.9	—	110
GS4LACWR3066-W	62 lbs.	5.5	—	110
GS4LACWR3072-L	66 lbs.	8.6	—	110
GS4LACWR3072-W	66 lbs.	8.6	—	110
GS4LADWR3066-L	61 lbs.	5.2	—	109
GS4LADWR3066-W	61 lbs.	5.5	—	109
GS4LADWR3072-L	67 lbs.	5.7	—	109
GS4LADWR3072-W	67 lbs.	6.0	—	109
GS4LADWR3078-L	72 lbs.	6.1	—	109
GS4LADWR3078-W	72 lbs.	6.5	—	109
GS4LADWR3084-L	78 lbs.	6.6	—	109
GS4LADWR3084-W	78 lbs.	7.0	—	109
GS4LADWR3090-L	84 lbs.	7.1	—	109
GS4LADWR3090-W	84 lbs.	7.5	—	109
GS4LADWR3096-L	90 lbs.	7.5	—	109
GS4LADWR3096-W	90 lbs.	7.9	—	109
GS4LADWR3666-L	70 lbs.	6.2	—	109
GS4LADWR3666-W	70 lbs.	6.5	—	109
GS4LADWR3672-L	75 lbs.	6.7	—	109
GS4LADWR3672-W	75 lbs.	7.1	—	109
GS4LADWR3678-L	81 lbs.	7.3	—	109
GS4LADWR3678-W	81 lbs.	7.7	—	109
GS4LADWR3684-L	88 lbs.	7.8	—	109
GS4LADWR3684-W	88 lbs.	8.2	—	109
GS4LADWR3690-L	94 lbs.	8.4	—	109
GS4LADWR3690-W	94 lbs.	8.8	—	109
GS4LADWR3696-L	101 lbs.	8.9	—	109
GS4LADWR3696-W	101 lbs.	9.4	—	109
GS4LALNKDPD-3	85 lbs.	9.5	—	113
GS4LALNKDPD-4	105 lbs.	9.5	—	113
GS4LATOP30722442L-L	102 lbs.	11.7	—	111
GS4LATOP30722442L-W	102 lbs.	11.7	—	111
GS4LATOP30722442R-L	102 lbs.	11.7	—	112

model number	weight	cubes	#locks	page
GS4LATOP30722442R-W	102 lbs.	11.7	—	112
GS4LATOP30722448L-L	106 lbs.	11.7	—	111
GS4LATOP30722448L-W	106 lbs.	11.7	—	111
GS4LATOP30722448R-L	106 lbs.	11.7	—	112
GS4LATOP30722448R-W	106 lbs.	11.7	—	112
GS4LATOP30722454L-L	110 lbs.	11.7	—	111
GS4LATOP30722454L-W	110 lbs.	11.7	—	111
GS4LATOP30722454R-L	110 lbs.	11.7	—	112
GS4LATOP30722454R-W	110 lbs.	11.7	—	112
GS4LATOP30722460L-L	114 lbs.	11.7	—	111
GS4LATOP30722460L-W	114 lbs.	11.7	—	111
GS4LATOP30722460R-L	114 lbs.	11.7	—	112
GS4LATOP30722460R-W	114 lbs.	11.7	—	112
GS4LATOP30722466L-L	118 lbs.	11.7	—	111
GS4LATOP30722466L-W	118 lbs.	11.7	—	111
GS4LATOP30722466R-L	118 lbs.	11.7	—	112
GS4LATOP30722466R-W	118 lbs.	11.7	—	112
GS4LATOP30722472L-W	122 lbs.	11.7	—	111
GS4LATOP30722472R-W	122 lbs.	11.7	—	112
GS4LATOP30842442L-L	110 lbs.	13.6	—	111
GS4LATOP30842442L-W	110 lbs.	13.6	—	111
GS4LATOP30842442R-L	110 lbs.	13.6	—	112
GS4LATOP30842442R-W	110 lbs.	13.6	—	112
GS4LATOP30842448L-L	114 lbs.	13.6	—	111
GS4LATOP30842448L-W	114 lbs.	13.6	—	111
GS4LATOP30842448R-L	114 lbs.	13.6	—	112
GS4LATOP30842448R-W	114 lbs.	13.6	—	112
GS4LATOP30842454L-L	118 lbs.	13.6	—	111
GS4LATOP30842454L-W	118 lbs.	13.6	—	111
GS4LATOP30842454R-L	118 lbs.	13.6	—	112
GS4LATOP30842454R-W	118 lbs.	13.6	—	112
GS4LATOP30842460L-L	122 lbs.	13.6	—	111
GS4LATOP30842460L-W	122 lbs.	13.6	—	111
GS4LATOP30842460R-L	122 lbs.	13.6	—	112
GS4LATOP30842460R-W	122 lbs.	13.6	—	112
GS4LATOP30842466L-L	126 lbs.	13.6	—	111
GS4LATOP30842466L-W	126 lbs.	13.6	—	111
GS4LATOP30842466R-L	126 lbs.	13.6	—	112
GS4LATOP30842466R-W	126 lbs.	13.6	—	112
GS4LATOP30842472L-W	130 lbs.	13.6	—	111
GS4LATOP30842472R-W	130 lbs.	13.6	—	112
GS4LATOP36722442L-L	118 lbs.	13.3	—	111
GS4LATOP36722442L-W	118 lbs.	13.3	—	111
GS4LATOP36722442R-L	118 lbs.	13.3	—	112

model number	weight	cubes	#locks	page
GS4LATOP36722442R-W	118 lbs.	13.3	—	112
GS4LATOP36722448L-L	122 lbs.	13.3	—	111
GS4LATOP36722448L-W	122 lbs.	13.3	—	111
GS4LATOP36722448R-L	122 lbs.	13.3	—	112
GS4LATOP36722448R-W	122 lbs.	13.3	—	112
GS4LATOP36722454L-L	126 lbs.	13.3	—	111
GS4LATOP36722454L-W	126 lbs.	13.3	—	111
GS4LATOP36722454R-L	126 lbs.	13.3	—	112
GS4LATOP36722454R-W	126 lbs.	13.3	—	112
GS4LATOP36722460L-L	130 lbs.	13.3	—	111
GS4LATOP36722460L-W	130 lbs.	13.3	—	111
GS4LATOP36722460R-L	130 lbs.	13.3	—	112
GS4LATOP36722460R-W	130 lbs.	13.3	—	112
GS4LATOP36722466L-W	134 lbs.	13.3	—	111
GS4LATOP36722466R-W	134 lbs.	13.3	—	112
GS4LATOP36722472L-W	138 lbs.	13.3	—	111
GS4LATOP36722472R-W	138 lbs.	13.3	—	112
GS4LATOP36842442L-L	121 lbs.	15.4	—	111
GS4LATOP36842442L-W	121 lbs.	15.4	—	111
GS4LATOP36842442R-L	121 lbs.	15.4	—	112
GS4LATOP36842442R-W	121 lbs.	15.4	—	112
GS4LATOP36842448L-L	125 lbs.	15.4	—	111
GS4LATOP36842448L-W	125 lbs.	15.4	—	111
GS4LATOP36842448R-L	125 lbs.	15.4	—	112
GS4LATOP36842448R-W	125 lbs.	15.4	—	112
GS4LATOP36842454L-L	129 lbs.	15.4	—	111
GS4LATOP36842454L-W	129 lbs.	15.4	—	111
GS4LATOP36842454R-L	129 lbs.	15.4	—	112
GS4LATOP36842454R-W	129 lbs.	15.4	—	112
GS4LATOP36842460L-L	133 lbs.	15.4	—	111
GS4LATOP36842460L-W	133 lbs.	15.4	—	111
GS4LATOP36842460R-L	133 lbs.	15.4	—	112
GS4LATOP36842460R-W	133 lbs.	15.4	—	112
GS4LATOP36842466L-W	137 lbs.	15.4	—	111
GS4LATOP36842466R-W	137 lbs.	15.4	—	112
GS4LATOP36842472L-W	141 lbs.	15.4	—	111
GS4LATOP36842472R-W	141 lbs.	15.4	—	112
GS4PLDMF3066L-AL	161 lbs.	13.3	1	103
GS4PLDMF3066L-AW	161 lbs.	15.1	1	103
GS4PLDMF3066L-L	135 lbs.	9.5	—	101
GS4PLDMF3066L-W	135 lbs.	9.7	—	101
GS4PLDMF3066R-AL	161 lbs.	13.5	1	104
GS4PLDMF3066R-AW	161 lbs.	15.1	1	104
GS4PLDMF3066R-L	135 lbs.	9.8	—	102

model number	weight	cubes	#locks	page
GS4PLDMF3066R-W	135 lbs.	9.7	—	102
GS4PLDMF3072L-AL	164 lbs.	13.9	1	103
GS4PLDMF3072L-AW	164 lbs.	15.5	1	103
GS4PLDMF3072L-L	138 lbs.	10.1	—	101
GS4PLDMF3072L-W	138 lbs.	10.1	—	101
GS4PLDMF3072R-AL	164 lbs.	13.9	1	104
GS4PLDMF3072R-AW	164 lbs.	15.5	1	104
GS4PLDMF3072R-L	138 lbs.	10.1	—	102
GS4PLDMF3072R-W	138 lbs.	10.1	—	102
GS4PLDMF3078L-AL	166 lbs.	14.3	1	103
GS4PLDMF3078L-AW	166 lbs.	15.9	1	103
GS4PLDMF3078L-L	140 lbs.	10.5	—	101
GS4PLDMF3078L-W	140 lbs.	10.5	—	101
GS4PLDMF3078R-AL	166 lbs.	14.3	1	104
GS4PLDMF3078R-AW	166 lbs.	15.9	1	104
GS4PLDMF3078R-L	140 lbs.	10.5	—	102
GS4PLDMF3078R-W	140 lbs.	10.5	—	102
GS4PLDMF3084L-AL	176 lbs.	15.3	1	103
GS4PLDMF3084L-AW	176 lbs.	16.9	1	103
GS4PLDMF3084L-L	150 lbs.	11.6	—	101
GS4PLDMF3084L-W	150 lbs.	11.5	—	101
GS4PLDMF3084R-AL	176 lbs.	15.3	1	104
GS4PLDMF3084R-AW	176 lbs.	16.9	1	104
GS4PLDMF3084R-L	150 lbs.	11.6	—	102
GS4PLDMF3084R-W	150 lbs.	11.5	—	102
GS4PLDMF3090L-AL	179 lbs.	15.8	1	103
GS4PLDMF3090L-AW	179 lbs.	17.4	1	103
GS4PLDMF3090L-L	153 lbs.	12.0	—	101
GS4PLDMF3090L-W	153 lbs.	12.0	—	101
GS4PLDMF3090R-AL	179 lbs.	15.8	1	104
GS4PLDMF3090R-AW	179 lbs.	17.4	1	104
GS4PLDMF3090R-L	153 lbs.	12.0	—	102
GS4PLDMF3090R-W	153 lbs.	12.0	—	102
GS4PLDMF3096L-AL	183 lbs.	16.3	1	103
GS4PLDMF3096L-AW	183 lbs.	17.9	1	103
GS4PLDMF3096L-L	157 lbs.	12.5	—	101
GS4PLDMF3096L-W	157 lbs.	12.5	—	101
GS4PLDMF3096R-AL	183 lbs.	16.3	1	104
GS4PLDMF3096R-AW	183 lbs.	17.9	1	104
GS4PLDMF3096R-L	157 lbs.	12.5	—	102
GS4PLDMF3096R-W	157 lbs.	12.5	—	102
GS4PLDMF3666L-AL	173 lbs.	14.5	1	103
GS4PLDMF3666L-AW	173 lbs.	15.1	1	103
GS4PLDMF3666L-L	140 lbs.	10.2	—	101

model number	weight	cubes	#locks	page
GS4PLDMF3666L-W	140 lbs.	10.2	—	101
GS4PLDMF3666R-AL	173 lbs.	14.8	1	104
GS4PLDMF3666R-AW	173 lbs.	15.1	1	104
GS4PLDMF3666R-L	140 lbs.	10.5	—	102
GS4PLDMF3666R-W	140 lbs.	10.2	—	102
GS4PLDMF3672L-AL	176 lbs.	15.2	1	103
GS4PLDMF3672L-AW	176 lbs.	15.5	1	103
GS4PLDMF3672L-L	143 lbs.	10.9	—	101
GS4PLDMF3672L-W	143 lbs.	10.6	—	101
GS4PLDMF3672R-AL	176 lbs.	15.2	1	104
GS4PLDMF3672R-AW	176 lbs.	15.5	1	104
GS4PLDMF3672R-L	143 lbs.	10.9	—	102
GS4PLDMF3672R-W	143 lbs.	10.6	—	102
GS4PLDMF3678L-AL	178 lbs.	15.6	1	103
GS4PLDMF3678L-AW	178 lbs.	15.9	1	103
GS4PLDMF3678L-L	145 lbs.	11.3	—	101
GS4PLDMF3678L-W	145 lbs.	11.0	—	101
GS4PLDMF3678R-AL	178 lbs.	15.6	1	104
GS4PLDMF3678R-AW	178 lbs.	15.9	1	104
GS4PLDMF3678R-L	145 lbs.	11.3	—	102
GS4PLDMF3678R-W	145 lbs.	11.0	—	102
GS4PLDMF3684L-AL	188 lbs.	16.6	1	103
GS4PLDMF3684L-AW	188 lbs.	16.9	1	103
GS4PLDMF3684L-L	155 lbs.	12.3	—	101
GS4PLDMF3684L-W	155 lbs.	12.1	—	101
GS4PLDMF3684R-AL	188 lbs.	16.6	1	104
GS4PLDMF3684R-AW	188 lbs.	16.9	1	104
GS4PLDMF3684R-L	155 lbs.	12.3	—	102
GS4PLDMF3684R-W	155 lbs.	12.1	—	102
GS4PLDMF3690L-AL	191 lbs.	17.1	1	103
GS4PLDMF3690L-AW	191 lbs.	17.4	1	103
GS4PLDMF3690L-L	158 lbs.	12.8	—	101
GS4PLDMF3690L-W	158 lbs.	12.6	—	101
GS4PLDMF3690R-AL	191 lbs.	17.1	1	104
GS4PLDMF3690R-AW	191 lbs.	17.4	1	104
GS4PLDMF3690R-L	158 lbs.	12.8	—	102
GS4PLDMF3690R-W	158 lbs.	12.6	—	102
GS4PLDMF3696L-AL	195 lbs.	17.5	1	103
GS4PLDMF3696L-AW	195 lbs.	17.9	1	103
GS4PLDMF3696L-L	162 lbs.	13.2	—	101
GS4PLDMF3696L-W	162 lbs.	13.0	—	101
GS4PLDMF3696R-AL	195 lbs.	17.5	1	104
GS4PLDMF3696R-AW	195 lbs.	17.9	1	104
GS4PLDMF3696R-L	162 lbs.	13.2	—	102

model number	weight	cubes	#locks	page
GS4PLDMF3696R-W	162 lbs.	13.0	—	102
GS4PLDMH3066L-AL	120 lbs.	12.5	1	107
GS4PLDMH3066L-AW	120 lbs.	14.1	1	107
GS4PLDMH3066L-L	90 lbs.	8.2	—	105
GS4PLDMH3066L-W	90 lbs.	8.2	—	105
GS4PLDMH3066R-AL	120 lbs.	12.5	1	108
GS4PLDMH3066R-AW	120 lbs.	14.1	1	108
GS4PLDMH3066R-L	90 lbs.	8.2	—	106
GS4PLDMH3066R-W	90 lbs.	8.2	—	106
GS4PLDMH3072L-AL	121 lbs.	13.0	1	107
GS4PLDMH3072L-AW	121 lbs.	14.3	1	107
GS4PLDMH3072L-L	91 lbs.	8.7	—	105
GS4PLDMH3072L-W	91 lbs.	8.4	—	105
GS4PLDMH3072R-AL	121 lbs.	13.0	1	108
GS4PLDMH3072R-AW	121 lbs.	14.3	1	108
GS4PLDMH3072R-L	91 lbs.	8.7	—	106
GS4PLDMH3072R-W	91 lbs.	8.4	—	106
GS4PLDMH3078L-AL	122 lbs.	12.9	1	107
GS4PLDMH3078L-AW	122 lbs.	14.5	1	107
GS4PLDMH3078L-L	92 lbs.	8.6	—	105
GS4PLDMH3078L-W	92 lbs.	8.6	—	105
GS4PLDMH3078R-AL	122 lbs.	12.9	1	108
GS4PLDMH3078R-AW	122 lbs.	14.5	1	108
GS4PLDMH3078R-L	92 lbs.	8.6	—	106
GS4PLDMH3078R-W	92 lbs.	8.6	—	106
GS4PLDMH3084L-AL	128 lbs.	13.7	1	107
GS4PLDMH3084L-AW	128 lbs.	15.4	1	107
GS4PLDMH3084L-L	98 lbs.	9.4	—	105
GS4PLDMH3084L-W	98 lbs.	9.4	—	105
GS4PLDMH3084R-AL	128 lbs.	13.7	1	108
GS4PLDMH3084R-AW	128 lbs.	15.4	1	108
GS4PLDMH3084R-L	98 lbs.	9.4	—	106
GS4PLDMH3084R-W	98 lbs.	9.4	—	106
GS4PLDMH3090L-AL	130 lbs.	14.0	1	107
GS4PLDMH3090L-AW	130 lbs.	15.6	1	107
GS4PLDMH3090L-L	100 lbs.	9.7	—	105
GS4PLDMH3090L-W	100 lbs.	9.7	—	105
GS4PLDMH3090R-AL	130 lbs.	14.0	1	108
GS4PLDMH3090R-AW	130 lbs.	15.6	1	108
GS4PLDMH3090R-L	100 lbs.	9.7	—	106
GS4PLDMH3090R-W	100 lbs.	9.7	—	106
GS4PLDMH3096L-AL	132 lbs.	14.3	1	107
GS4PLDMH3096L-AW	132 lbs.	15.9	1	107
GS4PLDMH3096L-L	102 lbs.	10.0	—	105

model number	weight	cubes	#locks	page
GS4PLDMH3096L-W	102 lbs.	10.0	—	105
GS4PLDMH3096R-AL	132 lbs.	14.3	1	108
GS4PLDMH3096R-AW	132 lbs.	15.9	1	108
GS4PLDMH3096R-L	102 lbs.	10.0	—	106
GS4PLDMH3096R-W	102 lbs.	10.0	—	106
GS4PLDMH3666L-AL	132 lbs.	13.8	1	107
GS4PLDMH3666L-AW	132 lbs.	14.1	1	107
GS4PLDMH3666L-L	95 lbs.	9.0	—	105
GS4PLDMH3666L-W	95 lbs.	8.8	—	105
GS4PLDMH3666R-AL	132 lbs.	13.8	1	108
GS4PLDMH3666R-AW	132 lbs.	14.1	1	108
GS4PLDMH3666R-L	95 lbs.	9.0	—	106
GS4PLDMH3666R-W	95 lbs.	8.8	—	106
GS4PLDMH3672L-AL	133 lbs.	14.3	1	107
GS4PLDMH3672L-AW	133 lbs.	14.3	1	107
GS4PLDMH3672L-L	96 lbs.	9.5	—	105
GS4PLDMH3672L-W	96 lbs.	9.0	—	105
GS4PLDMH3672R-AL	133 lbs.	14.3	1	108
GS4PLDMH3672R-AW	133 lbs.	14.3	1	108
GS4PLDMH3672R-L	96 lbs.	9.5	—	106
GS4PLDMH3672R-W	96 lbs.	9.0	—	106
GS4PLDMH3678L-AL	134 lbs.	14.2	1	107
GS4PLDMH3678L-AW	134 lbs.	14.5	1	107
GS4PLDMH3678L-L	97 lbs.	9.3	—	105
GS4PLDMH3678L-W	97 lbs.	9.2	—	105
GS4PLDMH3678R-AL	134 lbs.	14.2	1	108
GS4PLDMH3678R-AW	134 lbs.	14.5	1	108
GS4PLDMH3678R-L	97 lbs.	9.3	—	106
GS4PLDMH3678R-W	97 lbs.	9.2	—	106
GS4PLDMH3684L-AL	140 lbs.	15.0	1	107
GS4PLDMH3684L-AW	140 lbs.	15.4	1	107
GS4PLDMH3684L-L	103 lbs.	10.2	—	105
GS4PLDMH3684L-W	103 lbs.	10.0	—	105
GS4PLDMH3684R-AL	140 lbs.	15.0	1	108
GS4PLDMH3684R-AW	140 lbs.	15.4	1	108
GS4PLDMH3684R-L	103 lbs.	10.2	—	106
GS4PLDMH3684R-W	103 lbs.	10.0	—	106
GS4PLDMH3690L-AL	142 lbs.	15.3	1	107
GS4PLDMH3690L-AW	142 lbs.	15.6	1	107
GS4PLDMH3690L-L	105 lbs.	10.5	—	105
GS4PLDMH3690L-W	105 lbs.	10.3	—	105
GS4PLDMH3690R-AL	142 lbs.	15.3	1	108
GS4PLDMH3690R-AW	142 lbs.	15.6	1	108
GS4PLDMH3690R-L	105 lbs.	10.5	—	106

model number	weight	cubes	#locks	page
GS4PLDMH3690R-W	105 lbs.	10.3	—	106
GS4PLDMH3696L-AL	144 lbs.	15.5	1	107
GS4PLDMH3696L-AW	144 lbs.	15.9	1	107
GS4PLDMH3696L-L	107 lbs.	10.7	—	105
GS4PLDMH3696L-W	107 lbs.	10.5	—	105
GS4PLDMH3696R-AL	144 lbs.	15.5	1	108
GS4PLDMH3696R-AW	144 lbs.	15.9	1	108
GS4PLDMH3696R-L	107 lbs.	10.7	—	106
GS4PLDMH3696R-W	107 lbs.	10.5	—	106
GS4PLWFP30-L	92 lbs.	4.9	—	97
GS4PLWFP30-W	92 lbs.	4.9	—	97
GS4PLWFP36-L	107 lbs.	5.8	—	97
GS4PLWFP36-W	107 lbs.	5.8	—	97
GS4PLWFP42-L	122 lbs.	6.7	—	97
GS4PLWFP42-W	122 lbs.	6.7	—	97
GS4PLWFP48-L	127 lbs.	7.6	—	97
GS4PLWFP48-W	127 lbs.	7.6	—	97
GS4PLWFP60-L	142 lbs.	9.4	—	97
GS4PLWFP60-W	142 lbs.	9.4	—	97
GS4PLWFP72-L	127 lbs.	15.4	—	98
GS4PLWFP72-W	127 lbs.	15.4	—	98
GS4PLWFP78-L	135 lbs.	16.7	—	98
GS4PLWFP78-W	135 lbs.	16.7	—	98
GS4PLWFP84-L	142 lbs.	17.9	—	98
GS4PLWFP84-W	142 lbs.	17.9	—	98
GS4PLWFP90-L	149 lbs.	19.1	—	98
GS4PLWFP90-W	149 lbs.	19.1	—	98
GS4PLWFP96-L	156 lbs.	20.3	—	98
GS4PLWFP96-W	156 lbs.	20.3	—	98
GS4PLWFP102-W	164 lbs.	21.5	—	98
GS4PLWFP108-W	170 lbs.	22.8	—	98
GS4PLWFP2472L-AL	166 lbs.	21.6	1	99
GS4PLWFP2472L-AW	166 lbs.	21.6	1	99
GS4PLWFP2472R-AL	166 lbs.	21.6	1	100
GS4PLWFP2472R-AW	166 lbs.	21.6	1	100
GS4PLWFP2478L-AL	174 lbs.	22.8	1	99
GS4PLWFP2478L-AW	174 lbs.	22.8	1	99
GS4PLWFP2478R-AL	174 lbs.	22.8	1	100
GS4PLWFP2478R-AW	174 lbs.	22.8	1	100
GS4PLWFP2484L-AL	181 lbs.	24.0	1	99
GS4PLWFP2484L-AW	181 lbs.	24.0	1	99
GS4PLWFP2484R-AL	181 lbs.	24.0	1	100
GS4PLWFP2484R-AW	181 lbs.	24.0	1	100
GS4PLWFP2490L-AL	189 lbs.	25.3	1	99

model number	weight	cubes	#locks	page
GS4PLWFP2490L-AW	189 lbs.	25.3	1	99
GS4PLWFP2490R-AL	189 lbs.	25.3	1	100
GS4PLWFP2490R-AW	189 lbs.	25.3	1	100
GS4PLWFP2496L-AL	196 lbs.	26.5	1	99
GS4PLWFP2496L-AW	196 lbs.	26.5	1	99
GS4PLWFP2496R-AL	196 lbs.	26.5	1	100
GS4PLWFP2496R-AW	196 lbs.	26.5	1	100
GS4PLWFP3072L-AL	174 lbs.	23.5	1	99
GS4PLWFP3072L-AW	174 lbs.	23.5	1	99
GS4PLWFP3072R-AL	174 lbs.	23.5	1	100
GS4PLWFP3072R-AW	174 lbs.	23.5	1	100
GS4PLWFP3078L-AL	182 lbs.	24.7	1	99
GS4PLWFP3078L-AW	182 lbs.	24.7	1	99
GS4PLWFP3078R-AL	182 lbs.	24.7	1	100
GS4PLWFP3078R-AW	182 lbs.	24.7	1	100
GS4PLWFP3084L-AL	189 lbs.	25.9	1	99
GS4PLWFP3084L-AW	189 lbs.	25.9	1	99
GS4PLWFP3084R-AL	189 lbs.	25.9	1	100
GS4PLWFP3084R-AW	189 lbs.	25.9	1	100
GS4PLWFP3090L-AL	197 lbs.	27.2	1	99
GS4PLWFP3090L-AW	197 lbs.	27.2	1	99
GS4PLWFP3090R-AL	197 lbs.	27.2	1	100
GS4PLWFP3090R-AW	197 lbs.	27.2	1	100
GS4PLWFP3096L-AL	204 lbs.	28.4	1	99
GS4PLWFP3096L-AW	204 lbs.	28.4	1	99
GS4PLWFP3096R-AL	204 lbs.	28.4	1	100
GS4PLWFP3096R-AW	204 lbs.	28.4	1	100
GS4PLWFP24102L-AW	204 lbs.	27.7	1	99
GS4PLWFP24102R-AW	204 lbs.	27.7	1	100
GS4PLWFP24108L-AW	210 lbs.	28.9	1	99
GS4PLWFP24108R-AW	210 lbs.	28.9	1	100
GS4PLWFP30102L-AW	212 lbs.	29.6	1	99
GS4PLWFP30102R-AW	212 lbs.	29.6	1	100
GS4PLWFP30108L-AW	218 lbs.	30.8	1	99
GS4PLWFP30108R-AW	218 lbs.	30.8	1	100
GS5BIN-LG	1 lb.	0.5	—	210
GS5BIN-SM	1 lb.	0.2	—	210
GS5CLS5H718L-LL	105 lbs.	9.1	1	212
GS5CLS5H718L-WG	105 lbs.	9.1	—	213
GS5CLS5H718L-WW	105 lbs.	9.1	1	212
GS5CLS5H718R-LL	105 lbs.	9.1	1	212
GS5CLS5H718R-WG	105 lbs.	9.1	—	213
GS5CLS5H718R-WW	105 lbs.	9.1	1	212
GS5CLS5H730L-LL	180 lbs.	9.1	1	212

model number	weight	cubes	#locks	page
GS5CLS5H730L-WG	180 lbs.	14.3	—	213
GS5CLS5H730L-WW	180 lbs.	14.3	1	212
GS5CLS5H730R-LL	180 lbs.	9.1	1	212
GS5CLS5H730R-WG	180 lbs.	14.3	—	213
GS5CLS5H730R-WW	180 lbs.	14.3	1	212
GS5CPD724-XL	48 lbs.	4.9	—	211
GS5CPD724-XW	48 lbs.	4.9	—	211
GS5CPD730-SL	60 lbs.	6.0	2	208
GS5CPD730-SW	60 lbs.	6.0	2	208
GS5CPD730-XL	55 lbs.	6.0	—	211
GS5CPD730-XW	55 lbs.	6.0	—	211
GS5CPD736-SL	72 lbs.	7.1	2	208
GS5CPD736-SW	72 lbs.	7.1	2	208
GS5CPD736-XL	62 lbs.	7.1	—	211
GS5CPD736-XW	62 lbs.	7.1	—	211
GS5CPD742-SL	84 lbs.	8.2	2	208
GS5CPD742-SW	84 lbs.	8.2	2	208
GS5CPD742-XL	69 lbs.	8.2	—	211
GS5CPD742-XW	69 lbs.	8.2	—	211
GS5CPD748-SL	96 lbs.	9.3	2	208
GS5CPD748-SW	96 lbs.	9.3	2	208
GS5CPD754-SL	108 lbs.	10.4	2	208
GS5CPD754-SW	108 lbs.	10.4	2	208
GS5CPD760-SL	120 lbs.	11.5	4	209
GS5CPD760-SW	120 lbs.	11.5	4	209
GS5CPD766-SL	132 lbs.	12.6	4	209
GS5CPD766-SW	132 lbs.	12.6	4	209
GS5CPD772-SL	144 lbs.	13.7	4	209
GS5CPD772-SW	144 lbs.	13.7	4	209
GS5CVATR3666L-LL	382 lbs.	40.6	—	204
GS5CVATR3666L-WW	382 lbs.	40.6	—	204
GS5CVATR3666R-LL	382 lbs.	40.6	—	205
GS5CVATR3666R-WW	382 lbs.	40.6	—	205
GS5CVATR3672L-LL	389 lbs.	41.1	—	204
GS5CVATR3672L-WW	389 lbs.	41.1	—	204
GS5CVATR3672R-LL	389 lbs.	41.1	—	205
GS5CVATR3672R-WW	389 lbs.	41.1	—	205
GS5CVATR3678L-LL	406 lbs.	42.2	—	204
GS5CVATR3678L-WW	406 lbs.	42.2	—	204
GS5CVATR3678R-LL	396 lbs.	42.2	—	205
GS5CVATR3678R-WW	396 lbs.	42.2	—	205
GS5CVATR3684L-LL	412 lbs.	42.8	—	204
GS5CVATR3684L-WW	412 lbs.	42.8	—	204
GS5CVATR3684R-LL	402 lbs.	42.8	—	205

model number	weight	cubes	#locks	page
GS5CVATR3684R-WW	402 lbs.	42.8	—	205
GS5CVATR4266L-LL	411 lbs.	46.0	—	204
GS5CVATR4266L-WW	411 lbs.	46.0	—	204
GS5CVATR4266R-LL	411 lbs.	46.0	—	205
GS5CVATR4266R-WW	411 lbs.	46.0	—	205
GS5CVATR4272L-LL	418 lbs.	46.7	—	204
GS5CVATR4272L-WW	418 lbs.	46.7	—	204
GS5CVATR4272R-LL	418 lbs.	46.7	—	205
GS5CVATR4272R-WW	418 lbs.	46.7	—	205
GS5CVATR4278L-LL	436 lbs.	47.8	—	204
GS5CVATR4278L-WW	436 lbs.	47.8	—	204
GS5CVATR4278R-LL	426 lbs.	47.8	—	205
GS5CVATR4278R-WW	426 lbs.	47.8	—	205
GS5CVATR4284L-LL	444 lbs.	48.5	—	204
GS5CVATR4284L-WW	444 lbs.	48.5	—	204
GS5CVATR4284R-LL	434 lbs.	48.5	—	205
GS5CVATR4284R-WW	434 lbs.	48.5	—	205
GS5CVATS304266L-LL	411 lbs.	46.0	—	206
GS5CVATS304266L-WW	411 lbs.	46.0	—	206
GS5CVATS304266R-LL	411 lbs.	46.0	—	207
GS5CVATS304266R-WW	411 lbs.	46.0	—	207
GS5CVATS304272L-LL	418 lbs.	46.7	—	206
GS5CVATS304272L-WW	418 lbs.	46.7	—	206
GS5CVATS304272R-LL	418 lbs.	46.7	—	207
GS5CVATS304272R-WW	418 lbs.	46.7	—	207
GS5CVATS304278L-LL	436 lbs.	47.8	—	206
GS5CVATS304278L-WW	436 lbs.	47.8	—	206
GS5CVATS304278R-LL	426 lbs.	47.8	—	207
GS5CVATS304278R-WW	426 lbs.	47.8	—	207
GS5CVATS304284L-LL	444 lbs.	48.5	—	206
GS5CVATS304284L-WW	444 lbs.	48.5	—	206
GS5CVATS304284R-LL	434 lbs.	48.5	—	207
GS5CVATS304284R-WW	434 lbs.	48.5	—	207
GS5LKR5H724L-LG	155 lbs.	21.2	—	215
GS5LKR5H724L-LL	155 lbs.	21.2	—	214
GS5LKR5H724L-WG	155 lbs.	11.7	—	215
GS5LKR5H724L-WW	155 lbs.	11.7	—	214
GS5LKR5H724R-LG	155 lbs.	21.2	—	215
GS5LKR5H724R-LL	155 lbs.	21.2	—	214
GS5LKR5H724R-WG	155 lbs.	11.7	—	215
GS5LKR5H724R-WW	155 lbs.	11.7	—	214
GS5LKR5H736L-LG	195 lbs.	21.2	—	215
GS5LKR5H736L-LL	195 lbs.	21.2	—	214
GS5LKR5H736L-WG	195 lbs.	16.9	—	215

model number	weight	cubes	#locks	page
GS5LKR5H736L-WW	195 lbs.	16.9	—	214
GS5LKR5H736R-LG	195 lbs.	21.2	—	215
GS5LKR5H736R-LL	195 lbs.	21.2	—	214
GS5LKR5H736R-WG	195 lbs.	16.9	—	215
GS5LKR5H736R-WW	195 lbs.	16.9	—	214
GS5PNCLCUP-MPLE	1 lb.	0.2	—	217
GS5PNCLCUP-WLNT	1 lb.	0.2	—	217
GS5PNCLTRAY-MPLE	2 lbs.	0.2	—	217
GS5PNCLTRAY-WLNT	2 lbs.	0.2	—	217
GS5TRAY-LG	1 lb.	0.2	—	210
GS5TRAY-SM	1 lb.	0.1	—	210
GS6GBG2448-LL	111 lbs.	28.9	—	140
GS6GBG2448-WW	111 lbs.	28.9	—	140
GS6GBG2454-LL	123 lbs.	32.5	—	140
GS6GBG2454-WW	123 lbs.	32.5	—	140
GS6GBG2460-LL	36.1 lbs.	135.0	—	140
GS6GBG2460-WW	36.1 lbs.	135.0	—	140
GS6GCR2472L-LL	236 lbs.	45.0	—	142
GS6GCR2472L-WW	236 lbs.	45.0	—	142
GS6GCR2472R-LL	236 lbs.	45.0	—	142
GS6GCR2472R-WW	236 lbs.	45.0	—	142
GS6GCR2478L-LL	249 lbs.	48.6	—	142
GS6GCR2478L-WW	249 lbs.	48.6	—	142
GS6GCR2478R-LL	249 lbs.	48.6	—	142
GS6GCR2478R-WW	249 lbs.	48.6	—	142
GS6GCR2484L-LL	261 lbs.	52.3	—	142
GS6GCR2484L-WW	261 lbs.	52.3	—	142
GS6GCR2484R-LL	261 lbs.	52.3	—	142
GS6GCR2484R-WW	261 lbs.	52.3	—	142
GS6GDFA4284L-LL	491 lbs.	83.7	—	132
GS6GDFA4284L-WW	491 lbs.	83.7	—	132
GS6GDFA4284R-LL	491 lbs.	83.7	—	132
GS6GDFA4284R-WW	491 lbs.	83.7	—	132
GS6GDFA42102L-ALL	599 lbs.	101.4	1	133
GS6GDFA42102L-AWW	599 lbs.	101.3	1	133
GS6GDFA42102R-ALL	599 lbs.	101.4	1	133
GS6GDFA42102R-AWW	599 lbs.	101.3	1	133
GS6GDFF4284L-LL	316 lbs.	85.7	—	136
GS6GDFF4284L-WW	316 lbs.	85.7	—	136
GS6GDFF4284R-LL	316 lbs.	85.7	—	136
GS6GDFF4284R-WW	316 lbs.	85.7	—	136
GS6GDFF42102L-ALL	424 lbs.	103.8	1	137
GS6GDFF42102L-AWW	424 lbs.	103.8	1	137
GS6GDFF42102R-ALL	424 lbs.	103.8	1	137

model number	weight	cubes	#locks	page
GS6GDFF42102R-AWW	424 lbs.	103.8	1	137
GS6GDR3072L-LL	269 lbs.	55.7	—	138
GS6GDR3072L-LL	269 lbs.	55.7	—	139
GS6GDR3072L-WW	269 lbs.	55.7	—	139
GS6GDR3072R-LL	269 lbs.	55.7	—	139
GS6GDR3072R-WW	269 lbs.	55.7	—	139
GS6GDR3072-WW	269 lbs.	55.7	—	138
GS6GDR3672L-LL	299 lbs.	66.4	—	138
GS6GDR3672L-LL	299 lbs.	66.4	—	139
GS6GDR3672L-WW	299 lbs.	66.4	—	139
GS6GDR3672R-LL	299 lbs.	66.4	—	139
GS6GDR3672R-WW	299 lbs.	66.4	—	139
GS6GDR3672-WW	299 lbs.	66.4	—	138
GS6GDR3684L-LL	327 lbs.	77.1	—	138
GS6GDR3684L-LL	327 lbs.	77.1	—	139
GS6GDR3684L-WW	327 lbs.	77.1	—	139
GS6GDR3684R-LL	327 lbs.	77.1	—	139
GS6GDR3684R-WW	327 lbs.	77.1	—	139
GS6GDR3684-WW	327 lbs.	77.1	—	138
GS6GDR30144L-LL	458 lbs.	109.5	—	138
GS6GDR30144LR-LL	458 lbs.	109.5	—	139
GS6GDR30144LR-WW	458 lbs.	109.5	—	139
GS6GDR30144-WW	458 lbs.	109.5	—	138
GS6GDR36144L-LL	503 lbs.	130.5	—	138
GS6GDR36144LR-LL	503 lbs.	130.5	—	139
GS6GDR36144LR-WW	503 lbs.	130.5	—	139
GS6GDR36144-WW	503 lbs.	130.5	—	138
GS6GDR36168L-LL	559 lbs.	151.9	—	138
GS6GDR36168LR-LL	559 lbs.	151.9	—	139
GS6GDR36168LR-WW	559 lbs.	151.9	—	139
GS6GDR36168-WW	559 lbs.	151.9	—	138
GS6GDTR3072L-LL	269 lbs.	55.7	—	138
GS6GDTR3072L-LL	269 lbs.	55.7	—	139
GS6GDTR3072L-WW	269 lbs.	55.7	—	139
GS6GDTR3072R-LL	269 lbs.	55.7	—	139
GS6GDTR3072R-WW	269 lbs.	55.7	—	139
GS6GDTR3072-WW	269 lbs.	55.7	—	138
GS6GDTR3672L-LL	299 lbs.	66.4	—	138
GS6GDTR3672L-LL	299 lbs.	66.4	—	139
GS6GDTR3672L-WW	299 lbs.	66.4	—	139
GS6GDTR3672R-LL	299 lbs.	66.4	—	139
GS6GDTR3672R-WW	299 lbs.	66.4	—	139
GS6GDTR3672-WW	299 lbs.	66.4	—	138
GS6GDTT72-L	36 lbs.	4.3	—	144

model number	weight	cubes	#locks	page
GS6GDTT72-S	39 lbs.	5.2	—	144
GS6GDTT72-W	36 lbs.	4.3	—	144
GS6GDTT84-L	42 lbs.	5.0	—	144
GS6GDTT84-S	46 lbs.	6.0	—	144
GS6GDTT84-W	42 lbs.	5.0	—	144
GS6GDTT144-L	72 lbs.	6.0	—	144
GS6GDTT144-S	78 lbs.	6.9	—	144
GS6GDTT144-W	72 lbs.	6.0	—	144
GS6GDTT168-L	84 lbs.	6.9	—	144
GS6GDTT168-S	92 lbs.	7.9	—	144
GS6GDTT168-W	84 lbs.	6.9	—	144
GS6GDXA4284L-LL	494 lbs.	91.7	—	130
GS6GDXA4284L-WW	494 lbs.	91.7	—	130
GS6GDXA4284R-LL	494 lbs.	91.7	—	130
GS6GDXA4284R-WW	494 lbs.	91.7	—	130
GS6GDXA42102L-ALL	602 lbs.	111.0	1	131
GS6GDXA42102L-AWW	602 lbs.	111.0	1	131
GS6GDXA42102R-ALL	602 lbs.	111.0	1	131
GS6GDXA42102R-AWW	602 lbs.	111.0	1	131
GS6GDXF4284L-LL	316 lbs.	85.6	—	134
GS6GDXF4284L-WW	316 lbs.	85.6	—	134
GS6GDXF4284R-LL	316 lbs.	85.6	—	134
GS6GDXF4284R-WW	316 lbs.	85.6	—	134
GS6GDXF42102L-ALL	424 lbs.	103.6	1	135
GS6GDXF42102L-AWW	424 lbs.	103.6	1	135
GS6GDXF42102R-ALL	424 lbs.	103.6	1	135
GS6GDXF42102R-AWW	424 lbs.	103.6	1	135
GS6GDXMT72-L	174 lbs.	14.5	—	143
GS6GDXMT72-S	240 lbs.	54.3	—	143
GS6GDXMT72-W	174 lbs.	14.5	—	143
GS6GRT2448L-LL	151 lbs.	29.8	—	141
GS6GRT2448L-WW	151 lbs.	29.8	—	141
GS6GRT2448R-LL	151 lbs.	29.8	—	141
GS6GRT2448R-WW	151 lbs.	29.8	—	141
GS6GRT2454L-LL	163 lbs.	33.4	—	141
GS6GRT2454L-WW	163 lbs.	33.4	—	141
GS6GRT2454R-LL	163 lbs.	33.4	—	141
GS6GRT2454R-WW	163 lbs.	33.4	—	141
GS6GRT2460L-LL	175 lbs.	37.0	—	141
GS6GRT2460L-WW	175 lbs.	37.0	—	141
GS6GRT2460R-LL	175 lbs.	37.0	—	141
GS6GRT2460R-WW	175 lbs.	37.0	—	141
GS6GTK71R	14 lbs.	3.6	—	145
GS6GTK72	14 lbs.	3.6	—	145

model number	weight	cubes	#locks	page
GS6GTK77R	15 lbs.	3.8	—	145
GS6GTK78	15 lbs.	3.8	—	145
GS6GTK83R	16 lbs.	4.1	—	145
GS6GTK84	16 lbs.	4.1	—	145
GS6GTK89R	17 lbs.	4.4	—	145
GS6GTK94R	19 lbs.	3.6	—	145
GS6GTK95R	18 lbs.	4.6	—	145
GS6GTK100R	22 lbs.	3.1	—	145
GS6GTK106R	24 lbs.	3.2	—	145
GS6GTK112R	26 lbs.	3.4	—	145
GS6GTK118R	28 lbs.	3.6	—	145
GS6GTK124R	30 lbs.	3.4	—	145
GS6GTK130R	32 lbs.	3.6	—	145
GS6GTK144	30 lbs.	4.3	—	145
GS6GTK168	32 lbs.	4.9	—	145
GS6GXTK72	13 lbs.	3.5	—	145
GS6MB24SS-L	30 lbs.	5.3	—	146
GS6MB24SS-W	30 lbs.	5.2	—	146
GS6MB24SS-WS	50 lbs.	5.2	—	146
MDWBRK	1 lb.	0.4	—	200
MDWLBK24	2 lbs.	0.3	—	200
MDWLBK30	2 lbs.	0.4	—	200
SACORNER	8 lbs.	1.7	—	307
SADSKPAD	10 lbs.	2.3	—	307
SAMAGNET	1 lb.	0.1	—	309

[illegible]

Gunlocke®

One Gunlocke Drive
Wayland, NY 14572
800 828 6300

GUNLOCKE.COM

FORM #G1091.A5 (06/25)