

PRICING EFFECTIVE JUNE 2025

Effective August 23, 2025, Gunlocke will apply a 3% surcharge to all orders.

SILEA

Price & Specification Guide

PDF updated February 19, 2026

Gunlocke®

veneER 1

STRATAWOOD FLAT CUT CHERRY

- A. Cinnamon/Biltmore* EC260
 - B. Lowell Ash* EC394
 - C. Medium Red* EC512
 - D. Light* EC701
 - E. Shaker* EC774
 - F. Burnished* EC777
 - G. Clear* EC700
- (*Use OP TopFin Only)



STRATAWOOD FLAT CUT WALNUT

- H. Florence* ET579
 - I. Light* ET601
 - J. Skyline* ET625
 - K. Nutmeg* ET629
 - L. Pinnacle* ET679
 - M. Sumatra* ET693
 - N. Ebony* ET509
 - O. Clear* ET600
- (*Use OP TopFin Only)



STRATAWOOD RIFT CUT OAK

- P. Light* EF301
 - Q. Dark* EF331
 - R. Phantom Ecu* EF912
 - S. Fawn Cypress* EF108
 - T. Clear* EF300
- (*Use OP TopFin Only)



Effective August 23, 2025, Gunlocke will apply a 3% surcharge to all orders.

VENEER 2

NATURAL FC CHERRY

| | |
|----------------------|-------|
| A. Cinnamon/Biltmore | NC260 |
| B. Lowell Ash | NC394 |
| C. Medium Red | NC512 |
| D. Light | NC701 |
| E. Shaker | NC774 |
| F. Burnished | NC777 |



NATURAL FC MAPLE

| | |
|------------|-------|
| G. Natural | NE800 |
| H. Harvest | NE856 |



NATURAL FC WALNUT

| | |
|-------------|-------|
| I. Florence | NT579 |
| J. Light | NT601 |
| K. Skyline | NT625 |
| L. Nutmeg | NT629 |
| M. Pinnacle | NT679 |
| N. Sumatra | NT693 |
| O. Ebony | NT509 |

(Use OP TopFin Only)



Effective August 23, 2025, Gunlocke will apply a 3% surcharge to all orders.

VENEER 2

| STRATAWOOD CHERRY | Vertical | Horizontal |
|----------------------|----------|------------|
| A. Cinnamon/Biltmore | SC260 | HSC260 |
| B. Lowell Ash | SC394 | HSC394 |
| C. Clear | SC700 | HSC700 |
| D. Light | SC701 | HSC701 |
| E. Shaker | SC774 | HSC774 |
| F. Burnished | SC777 | HSC777 |



| STRATAWOOD MAPLE | Vertical | Horizontal |
|---|----------|------------|
| G. Belair | SE934 | HSE934 |
| H. Beigewood | SE878 | HSE878 |
| I. Field Elm | SE599 | HSE599 |
| J. Clear Maple | SE800 | HSE800 |
| K. Harvest | SE856 | HSE856 |
| L. Phantom Ecru (Use OP TopFin Only) | SE912 | HSE912 |



| STRATAWOOD WALNUT | Vertical | Horizontal |
|-------------------|----------|------------|
| M. Florence | ST579 | HST579 |
| N. Light | ST601 | HST601 |
| O. Skyline | ST625 | HST625 |
| P. Pinnacle | ST679 | HST679 |
| Q. Sumatra | ST693 | HST693 |




| STRATAWOOD OAK | Vertical | Horizontal |
|----------------|----------|------------|
| R. Clear | SF300 | HSF300 |
| S. Dark | SF331 | HSF331 |



| STRATAWOOD SILVER OAK | Vertical | Horizontal |
|-----------------------|----------|------------|
| T. Clear | SB100 | HSB100 |
| U. Portico Teak | SB150 | HSB150 |



| STRATAWOOD WASHED WALNUT | Vertical | Horizontal |
|--------------------------|----------|------------|
| V. Clear | SW600 | |
| W. Smoked Onyx | SW697 | |
| X. Smoked Grey | SW612 | |



Effective August 23, 2025, Gunlocke will apply a 3% surcharge to all orders.

VENEER 3

NATURAL QC WALNUT

| | |
|----------------------|-------|
| A. Florence | QT579 |
| B. Light | QT601 |
| C. Skyline | QT625 |
| D. Nutmeg | QT629 |
| E. Pinnacle | QT679 |
| F. Sumatra | QT693 |
| G. Ebony | QT509 |
| (Use OP TopFin Only) | |



NATURAL RIFT CUT OAK

| | |
|----------------------|-------|
| H. Light | RF301 |
| I. Dark | RF331 |
| J. Phantom Ecru | RF912 |
| (Use OP TopFin Only) | |
| K. Fawn Cypress | RF108 |



LAMINATES

WOODGRAIN

| | |
|---------------------|------|
| A. Lowell Ash | LLA1 |
| B. Natural Recon | LNR1 |
| C. Phantom Ecru | LPE1 |
| D. Portico Teak | LPT1 |
| E. Skyline Walnut | LSW1 |
| F. Beigewood | LWBE |
| G. Field Elm | LWFE |
| H. Pinnacle Walnut | PINC |
| I. Fawn Cypress | LFC1 |
| J. Natural Maple | LWD |
| K. Harvest Maple | C |
| L. Shaker Cherry | LW7C |
| M. Biltmore Cherry | COGN |
| N. Florence Walnut | LFW1 |
| O. Kingswood Walnut | LKI1 |
| P. Natural Walnut | LWNW |



SOLID


| | |
|-------------------------|------|
| Q. Designer White 15051 | LDW1 |
| R. Loft | LM11 |
| S. Flint | LM16 |
| T. Black | P |



Effective August 23, 2025, Gunlocke will apply a 3% surcharge to all orders.


GLASS

- | | |
|--------------|------|
| A. Ice White | GWH2 |
| B. Black | GBK2 |
| C. Muslin | GML2 |
| D. Flint | GFL2 |
| E. Loft | GLO2 |
| F. Beige | GBG2 |




SOLID SURFACE

- | | |
|---------------------|------|
| A. Designer White | SDW4 |
| B. Frosty White | SFW3 |
| C. Night Stars | SNS5 |
| D. Masoned Concrete | SMC2 |
| E. Monte Amiata | SMA1 |



METAL

- | | |
|-------------------|-----|
| A. Black | P71 |
| B. Silver | PR6 |
| C. Matte Gold | P8G |
| D. Pyrite | PJE |
| E. Designer White | PJW |



Effective August 23, 2025, Gunlocke will apply a 3% surcharge to all orders.

| | | | |
|--|---------|---|---------|
| General Information | | Modular Casegoods | 147-201 |
| Conditions of Sale | 2 | Desk Worksurface | 148-151 |
| GSA Terms & Conditions | 3 | Desk Pedestals | 152-153 |
| Warranty | 4 | Desk Legs | 154-158 |
| Delivery Information | 5 | Desk Runoff Modesty Panel | 159-164 |
| Reference | 6-8 | 24 & 30 Depth Worksurfaces | 165-166 |
| Pulls Pull Locations | 9-10 | 24 & 30 Depth Pedestals | 167-181 |
| Locks & Keying | 11-12 | Modular End Panel | 182 |
| Product Reference | 13-46 | Modular L Supports | 183 |
| Statement of Line | 14-21 | Support & Ped Backs | 184-194 |
| Features + Advantages | 22-23 | Layers W/ Laptop Drawer | 195 |
| Technical Specs | 24-26 | Round Tops | 196 |
| Filing Reference | 27-28 | Guitar Pick Top | 197 |
| Height Reference | 29 | Layers Box & Brackets | 198-200 |
| Wire Management | 30 | Modular Pedestal Cushion | 201 |
| Grommets | 31 | Cantilever Height Adjustable Desks and | |
| Details | 32 | Smart Storage | 203-217 |
| Height Adjustability | 33 | Cantilever Height Adjustable Desks | 204-207 |
| Storage | 34 | Smart Pedestals | 208-209 |
| Surface Mount Cabinets | 35 | Accessory Trays and Bins For Smart Pedestals | 210 |
| Dimensions | 36-45 | False Pedestals | 211 |
| Grain Direction Specification | 46 | Smart Closets | 212-213 |
| Unitized Casegoods | 47-74 | Smart Lockers | 214-215 |
| Double Pedestal Desk | 48 | Smart Pedestal Power Units For Grommet Cutout | 216 |
| Single Pedestal Desk | 49-50 | Solidwood Desktop Accessories | 217 |
| Runoff Desks | 51 | Storage | 219-249 |
| Layers Runoff W/ Layers Box / Laptop Drawer | 52-53 | Bookcases | 220 |
| Double Pedestal Credenza | 54 | Bookcase / Closet | 221 |
| Single Pedestal Credenza | 55 | Lateral Files | 222-223 |
| Full Bank Credenza | 56-57 | Closets | 224-228 |
| Returns | 58 | Storage Box / Utility Cabinet | 229-241 |
| Rectangular Table Desk & Extensions | 59-61 | Side Access Storage Locker | 242-245 |
| Runoffs | 62 | Mobile Pedestal | 246-247 |
| Rectangular Runoff | 63 | Storage External Tops | 248-249 |
| Layers Rectangular Runoff W/ Layers Box / | | Wall Mount | 251-286 |
| Laptop Drawer | 64-65 | Cabinets | 252-261 |
| Ellipse Table Desk | 66 | Wall Mount Wall Overhead | 262-263 |
| Layers Ellipse Runoff W/ Layers Box | 67 | Tackboard in Tackzone | 264-267 |
| Arc Boat Table Desk | 68 | Tackboard to Top of Overhead | 268-273 |
| Layers Arc Boat Runoff W/Layers Box | 69 | Glass Whiteboard from Floor | 274 |
| Sightline Runoff | 70 | Wall Mount Wall in Tackzone | 275-278 |
| Layers Sightline Runoff W/ Layers Box / | | Magnetic Wood to Top of Overhead | 279-283 |
| Laptop Drawer | 71-72 | Shelving for Wall Mount Wall | 284-285 |
| Layers Cockpit Runoff W/ Layers Box | 73 | Floating Shelves | 286 |
| Media Top | 74 | Surface Mount | 287-300 |
| Height Adjustable | 75-122 | Cabinets | 288-292 |
| Height Adjustable Split-Top Desks | 76-79 | Towers | 293-298 |
| Freestanding Desk / Extension | 80-85 | Tackboard | 299 |
| Credenza | 86-89 | External Tops | 300 |
| Bridge | 90-91 | Workwall | 301-304 |
| Return | 92-95 | Workwalls | 302-303 |
| L Shape Height Adjustable Spec Tips | 96 | Workwall Tackboard | 304 |
| Workwall | 97 | Workwall Seismic Attachment | 304.1 |
| L Shape Height Adjustable | 98-113 | Accessories | 305-318 |
| Workwall | 114-115 | LED Tasklighting | 306 |
| Shroud for T-Base | 116 | Drawer Filing Rails & Reinforcement Bars | 308 |
| Layers Bookcase | 117 | Magnets | 309 |
| Height Adjustable Base | 118 | Counterweights | 310 |
| Height Adjustable Tops | 119 | Wire Manager | 311 |
| Wall Mount Cantilever Bracket | 120 | Center Drawer | 312 |
| Mixed Material Telescoping Height Adjustable | 121 | Pencil Tray | 313 |
| Replacement Height Adjustable Keypads | 122 | Grommet | 314 |
| Welcome Desk | 123-146 | Power Unit | 315-317 |
| Working with Welcome Desks | 124-127 | 3" Dia Field Installed Grommet | 318 |
| Welcome Desk Typical | 128-129 | Grade Fabric Pricing | 320-323 |
| Advanced Height Adjustable Welcome Desk | 130-133 | Weights + Cubes | 324-360 |
| Advanced Fixed Height Welcome Desk | 134-135 | | |
| Fixed Height Welcome Desk | 136-137 | | |
| Welcome Desk Shell | 138-139 | | |
| Welcome Desk Bridge | 140 | | |
| Welcome Desk Returns | 141 | | |
| Welcome Desk Credenzas | 142 | | |
| Waterfall Transaction Tops | 143 | | |
| Transaction Tops | 144 | | |
| Welcome Desk Tackboard | 145 | | |
| In/Out Storage Unit | 146 | | |

INTRODUCTION

The Gunlocke Company is dedicated to providing the finest products and service possible. This price list reflects that commitment. Included is a current listing of our casegood models.

Seating and Lounge are presented in a separate price list. Contact your Gunlocke Customer Services Representative for more information, (800) 828-6300.

Designed for easy use, each page of this price list, and the inside front cover fold out provide all information required to order a product correctly. Should additional information be needed, contact your Gunlocke customer service representative.

PRICING

Prices shown cover standard product specifications. Any changes or alterations, other than those listed, will be subject to an additional charge. Prices include cartoning and freight. Authorization and pricing must be secured in advance for orders or contracts calling for large quantities, indefinite quantities, or extended delivery dates. Prices are subject to change without notice; the most current prices are published on <http://www.gunlocke.com>.

ACKNOWLEDGEMENT

Each order will be acknowledged by Gunlocke. Customers should check each acknowledgment for accuracy and immediately notify Gunlocke of any discrepancies. The printed acknowledgment is the final agreement between The Gunlocke Company and the customer, superseding all previous communications regarding the order.

SPECIFICATION CHANGES

Gunlocke reserves the right to change specifications for the improvement of products at any time, without notice.

ORDER CHANGES

Gunlocke is not required to accept changes in orders after confirmation. Reasonable changes are subject to additional charges for labor, material and administrative costs.

Order changes of acknowledgment may result in re-scheduling of product.

RETURNED MERCHANDISE

No merchandise may be returned without prior authorization.

SHOWROOMS

For all showroom locations and tour information, please reference the showrooms page online at: www.gunlocke.com/inspiration/showrooms

CANCELLATIONS

Cancellation of orders cannot be accepted since every order is manufactured according to customer specifications.

STORAGE

If delivery cannot be made and products are ready, Gunlocke will transfer products to a storage facility and products will be invoiced at that time. The customer is responsible for storage charges and assumes and bears all risks associated with the storage of that product.

TERMS

Net 30 days from date of invoice. A service charge of eighteen percent (18%) per year or .0004931% per day, compounded monthly, will be added to balance due beyond the thirtieth day. Products are shipped FOB factory, freight prepaid and allowed. Title passes to purchaser and Gunlocke's responsibility ceases when shipment is accepted for transportation by a carrier. A full explanation of all payment terms is found on order and invoice forms.

ORDERING

To expedite order entry and to assure proper service, email or fax all orders directly to:

The Gunlocke Company

Attn: Order Entry
One Gunlocke Drive
Wayland, New York 14572

585-728-5111
585-728-8350 FAX
800-828-6300
www.gunlocke.com

Gunlocke will not be responsible for duplicate orders if purchase orders are left unmarked.

ORDERING INFORMATION

1a. Intended use: The furniture on this schedule is intended for use by Government executives (or equivalent military rank) in the Executive, Judicial and Legislative Branches of the Federal Government. To help customers make a good purchasing decision based on their needs and budget, GSA has established four grades of furniture. Grade (1) includes furniture that tends to be the most expensive on this schedule, grade (2) furniture tends to be more moderately priced and grades (3) and (4) furniture tend to be affordably priced when compared to grades (1) and (2). Some pieces of furniture on this schedule may be significantly higher in price than GSA Traditional and Contemporary Executive Special Order Program furniture. The ordering agency or service is responsible for determining furniture appropriate for use in its offices which will fit within its budget and comply with applicable Federal or internal agency procurement regulations. Please see reverse for GSA terms and conditions.

GSA/FEDERAL CONTRACT INFORMATION:

Model numbers identified with the following verbiage "When purchased separately without a configurable TAA compliant end product, not on GSA contract" is to mean that these configurable parts or components:

- Have no functionality or capability without being integrated into an end product; and
- Are considered Open Market if purchased without a configurable TAA compliant end product.

Grade 1 All exposed solid parts such as top rims, base rails etc. (except decorative accents and inlays) shall be the same species as the face veneer. Top and bottom edges of drawer fronts shall be solid wood in the same species as the face veneers. Drawer sides and backs shall be solid wood.

Grade 2 Exposed wood panel trim and trim on tops shall be the same wood species as the face veneer on the top. Some or all other exposed solid parts, such as base rails can be an alternative wood species (such as poplar or gum) different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Silea is grade 2.

Grade 3 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Credentials, and all tables are grade 3.

Grade 4 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be composite wood material construction such as MDF. Trio is grade 4.

ITEMS ON GSA CONTRACT

Please note, in order to verify if an item is on GSA Contract or is "Open Market," please use Compass quoting which is updated in real time with all GSA contract changes. If you need additional assistance, please contact your local sales representative.

For more information visit:

<https://www.allsteeloffice.com/insights/sustainability/product-certifications>.

12 YEAR WARRANTY

Subject to the limitations set forth below. The Gunlocke Company warrants to the original purchaser all product in this price list to be free from defects in material and workmanship for a twelve year period from the date of shipment. This 12-year warranty applies to all products sold and installed by a Gunlocke authorized agent for normal commercial single shift service. Gunlocke will repair, or at its option, replace defective merchandise, free of charge. The following components not manufactured by Gunlocke have the following warranties:

- **High wear components** such as casters and glides are warranted for five years after date of shipment to original owner.
- **Electrical components** are warranted 10 years from date of manufacture with exception of lamps and ballasts which are not warranted. This includes Fluorescent Tasklights.
- **LED tasklights** are warranted for 3 years from date of shipment to original owner.
- **Drawer suspensions** are warranted for lifetime of product after shipment to original owner.
- **Personal corners** including covering (leather) are warranted for three years of single shift and normal use after shipment to original owner.
- **Height adjustable electrical components** are warranted for 7 years of single shift and normal use after shipment to original owner.

Any non-standard material selected by the customer is not warranted. Neither does this warranty apply to damage resulting from accident, alteration, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. That is, Gunlocke's warranty is only valid if products are given proper use and care. Gunlocke assumes no responsibility for product damages resulting from improper installation or user modification.

WOOD FURNITURE

Wood owes its inherent beauty to variations in color, grain, and texture, and therefore, these variations are not considered defects. There may be minor variations from one piece of furniture to the next even though they are finished at the same time. Exposure to light and the aging process will cause a darkening of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. The Gunlocke Company does not guarantee the exact matching of grain, pattern, and color.

These finishes do not cover any of the natural characteristics of the wood, including nature's colorations, pitch pockets, and the variations of steam-bent wood. Merchandise will not be replaced because of these natural variations.

It is expressly understood and agreed that the buyer's sole and exclusive remedy for any and all losses or damages resulting from nonconforming goods, or from any other cause, shall be repair or replacement of defective parts, and that Gunlocke shall not be liable for damages or injury to persons or property, nor for replacement of the entire commercial unit, if repair or replacement of defective parts can reasonably render the unit conforming.

All warranty claims must be made in writing by the original owner. Owner may be required to produce the invoice or other evidence to establish that a claim is within the warranty period. Warranty claims may be submitted on the Gunlocke website.

As stated and illustrated on the website, serial numbers are required to process a warranty claim. No person, firm or corporation is authorized to assume for Gunlocke any liability in connection with the sale or installation of Gunlocke products except as stated above.

All other warranties, expressed or implied, are excluded. Gunlocke shall not be liable for incidental or consequential damages of any sort.

Within the Continental USA, all orders above \$20,000 list are shipped FOB factory, freight prepaid and allowed. All orders less than \$20,000 list will be subject to a \$200 net freight charge. Products shipped to Alaska and Hawaii FOB factory, freight prepaid and allowed to port of embarkation. Customer is responsible for freight charges from port of embarkation to final destination.

An anticipated shipping date is indicated on the order acknowledgment. Gunlocke cannot accept responsibility for shipping delays caused by outside sources or unforeseen problems. Delay of shipments requested by customers must be approved by Gunlocke. Any resultant storage charges will be charged to the customer.

Gunlocke may await completion of the entire order and ship all at once or may make partial shipments from time to time at its sole discretion unless the customer requests in writing that partial shipments are needed and Gunlocke approves the specific shipping schedule. Additional charges may apply.

Gunlocke is not liable for any delay or failure to deliver or perform due to strikes, lock-outs, or other labor or transportation difficulties, delay of sources or supply, accidents, fires, acts of God, or any other causes of like or unlike nature beyond the control of Gunlocke.

LIABILITY

Gunlocke products and their packaging are tendered to a transportation company only after passing rigid quality control inspection. At that time, title to the product is passed to the purchaser. However the transportation company assumes all liability from acceptance of shipment through its delivery. That is, Gunlocke's liability ceases at the time of shipment.

FILING OF CLAIMS

All claims for damage or loss must be submitted via our website within 15 days after receipt of merchandise. Do not return freight damaged merchandise to Gunlocke. Follow the steps below to expedite processing and resolution of claims.

For Visible Damage

1. Make damage notation on delivery receipt and have driver sign. Do not reject or refuse the shipment.
2. Immediately contact Gunlocke Traffic Department at 585-728-8268.
3. Hold damaged carton and all interior packing for carrier's inspection. These materials will be needed to substantiate the claim.

For Concealed Damage

1. Open cartons within 15 days of receipt and inspect.
2. Follow steps 2, and 3 as listed under Visible Damage.
3. Do not remove product from delivered destination.

For Loss

1. Be sure loss notation is made on delivery receipt and have driver sign.
2. Contact Gunlocke Distribution at 585-728-8268.

Should transportation company seek to limit its liability on concealed, loss, or damage claims, please contact Gunlocke's traffic department. After a thorough investigation of the claim, the traffic department will provide you with guidance in corresponding with the carrier.

Returned merchandise, regardless of delivery method, will not be accepted unless specifically authorized by Gunlocke.

For Damage or Loss of Parcel Post or UPS Shipment

Notify Gunlocke distribution immediately at 585-728-8268.

NORMAL DELIVERY

All normal ground transportation by Gunlocke will be made on a dock-to-dock basis. The Gunlocke traffic department will determine the recommended method of shipment according to the ship to destination. If the delivery on a shipment takes longer than 2 hours to be unloaded, an additional charge will be billed at \$60/hour at 15 minute increments. Gunlocke reserves the absolute right to determine the method of shipping unless special delivery instructions have been previously approved.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

If a guaranteed delivery time is needed please call Gunlocke Traffic Department at 585-728-8268 for a quote as additional charges will apply. Weekend or after hours deliveries are subject to additional charges.

WEEKEND DELIVERY

A \$500 charge will apply on weekend delivery after 3:00 PM Friday through Sunday evenings.

DROP SHIP / JOB SITE DELIVERY

Orders under \$50,000 list will incur a \$125 charge for ship to locations other than a designated dealer warehouse.

INSIDE DELIVERY

Inside delivery must be noted on order. A minimum \$100 charge will apply.

SPECIAL DELIVERY

Please contact the Gunlocke traffic department for special delivery services such as inside delivery, weekend or after hour deliveries, reconsignment or other special needs. These are billable services.

Gunlocke will make every effort in honoring delivery requests as stated on orders. However, the Company shall have no liability for failure to deliver, perform or delay in delivery due to any cause outside the control of Gunlocke. The Company assumes no liability for costs incurred due to delayed or late deliveries.

DOCK RESTRICTIONS

Gunlocke trailers are 53' x 102"; when attached to truck cab the total length is 75'. If delivery dock will not accommodate trucks of this sizes, the Gunlocke traffic department must be contacted prior to shipping. Alternate arrangements can be made; additional charges may apply.

REFERENCE

Materials & finishes

veneers

All exposed wood surfaces utilize flat cut, rift cut, or straight grain Stratawood (FSC reconstituted veneer), flat cut Cherry, Maple, Walnut veneers, quarter cut Walnut, or Rift Oak veneers. Stratawood veneer is made from rapidly renewable wood veneer, which provides a repeatable grain pattern. Stratawood veneers are available in flat cut Cherry, flat cut Walnut, or Rift Oak at veneer 1 pricing and in straight grain Cherry, Maple, Walnut, Oak, Silver Oak, or Washed Walnut at veneer 2 pricing. Veneers can be specified in vertical or horizontal orientation. All veneers are carefully selected and matched to assure balance and consistency.

Specialty Finishes

- Submit a color sample block (minimum size 3" x 3") to Gunlocke so that a finish formulation can be developed to match the special finish and color.
- Review the approval sample provided by Gunlocke.
- Written approval and sign off is required for Gunlocke Customer Service.
- Once written approval and sign off is received, the special finish order will be acknowledged.

Note: See our Website at Gunlocke.com for special finish request forms.

All Casegoods & Tables Purchase Orders:

- 10% list upcharge per wood unit to specified veneer option receiving special finish.
- \$250 net formulation fee for special finish.

veneer 1

- Stratawood Flat Cut Cherry**
- Stratawood Flat Cut Walnut**
- Stratawood Rift Cut Oak**

veneer 2

- Natural Flat Cut Cherry**
- Natural Flat Cut Maple**
- Natural Flat Cut Walnut**
- Stratawood Straight Grain Cherry**
- Stratawood Straight Grain Maple**
- Stratawood Straight Grain Walnut**
- Stratawood Straight Grain Oak**
- Stratawood Straight Grain Silver Oak**
- Stratawood Flat Cut Washed Walnut**

veneer 3

- Natural Quarter Cut Walnut**
- Natural Rift Cut Oak**

The plastic laminate offering includes 18 woodgrain and 4 solid laminate options from Wilsonart. Laminate tops are high-pressure laminate (HPL), and chassis/storage components are thermally fused laminate (TFL). Laminate edgebands are 2mm thick and are color matched to the laminate option chosen.

| Laminates | Description | Option Code | Supplier Name | Supplier Code | Veneer Finish & Cut Match* |
|----------------------|----------------------|-------------|---------------|---------------|----------------------------|
| WOODGRAIN | Lowell Ash | LLA1 | Wilsonart | 7994-12 | EC394 NC394 |
| | Natural Recon | LNR1 | Wilsonart | 7996-12 | EF301 RF301 |
| | Phantom Ecru | LPE1 | Wilsonart | 8212-12 | EF912 RF912 |
| | Portico Teak | LPT1 | Wilsonart | 8210K-12 | SB150 |
| | Skyline Walnut | LSW1 | Wilsonart | 7964K-12 | QT625 |
| | Field Elm | LWFE | Wilsonart | 7999-38 | SE599 |
| | Beigewood | LWBE | Wilsonart | 7850-60 | SE878 |
| | Pinnacle Walnut | PINC | Wilsonart | 7992-38 | ET679 NT679 |
| | Fawn Cypress | LFC1 | Wilsonart | 8208K-12 | N/A |
| | Natural Maple | LWD | Wilsonart | 11021-38 | NE800 |
| | Harvest Maple | C | Wilsonart | 7953-38 | NE856 |
| | Shaker Cherry | LW7C | Wilsonart | 7935K-07 | EC774 NC774 |
| | Biltmore Cherry | COGN | Wilsonart | 7924K-07 | EC260 NC260 |
| | Kingswood Walnut | LKI1 | Wilsonart | 8218-38 | N/A |
| | Florence Walnut | LFW1 | Wilsonart | 7993-38 | N/A |
| | Natural Walnut | LWNW | Wilsonart | 7965K-78 | ET601 NT601 |
| SOLID | Designer White 15051 | LDW1 | Wilsonart | 15051-60 | N/A |
| | Loft | LM11 | Wilsonart | 15034-60 | N/A |
| | Flint | LM16 | Wilsonart | 10592-38 | N/A |
| | Black | P | Wilsonart | 1595-60 | N/A |
| GLASS | Ice White | GWH2 | | | |
| | Black | GBK2 | | | |
| | Muslin | GML2 | | | |
| | Flint | GFL2 | | | |
| | Loft | GLO2 | | | |
| | Beige | GBG2 | | | |
| SOLID SURFACE | Designer White | SDW4 | | | |
| | Frosty White | SFW3 | | | |
| | Night Stars | SNS5 | | | |
| | Masoned Concrete | SMC2 | | | |
| | Monte Amiata | SMA1 | | | |

* See cross reference above for Gunlocke wood finish match. Although these are good matches, they are not exact matches due to grain pattern and sheen variation from laminate to veneer. They coordinate throughout a floorplate, but we recommend they not be utilized in the same office.


Note: Gunlocke does not guarantee an exact finish match to the plastic laminates listed above.

REFERENCE

Options

Silea
02/26

EDGE DETAIL

| | | | | |
|--|---|---|---|--|
| <p>2 mm Square SQ</p>  <p>* Only edge available for laminate</p> | <p>Medley 1/2" Square SQM</p>  <p>*Add +\$362</p> | <p>Medley 1/2" Double Flute DFM</p>  <p>*Add +\$362</p> | <p>Medley 1/2" Trioval TOM</p>  <p>*Add +\$362</p> | <p>Softened SN</p>  <p>* Solid Surface Tops only</p> |
|--|---|---|---|--|

FSC CERTIFIED

| | |
|-----------------------------|----------|
| Standard - No FSC | X |
| FSC Certified (5% upcharge) | F |

FSC TACKBOARD

| | |
|---|------------|
| FSC Mixed Credit (Upcharge – See Tack & Cushion Pricing) | FSC |
| FSC Not Required | NR |

TOP GRAIN DIRECTION

| | |
|-------------|------------|
| Long Grain | VLG |
| Short Grain | VST |

• Laminate tops optional grain up to 60", above 60" tops are long grain standard.

DRAWERS

| | |
|---|-----------|
| Vinyl Wrapped, with Soft Close suspension | VW |
|---|-----------|

BACK PANEL

| | |
|---------------------|-----------|
| No Back Panel | BN |
| Back Panel Included | BY |

POWER UNIT COLOR

| | |
|--------|-----------|
| Black | BK |
| Silver | SV |
| White | WH |

POWER UNIT COLOR (For Lounge Level Media)

| | |
|-----------------|-------------|
| Black Std Plug | BKSP |
| Black Hardwire | BKHW |
| Silver Std Plug | SVSP |
| Silver Hardwire | SVHW |
| White Std Plug | WHSP |
| White Hardwire | WHHW |

GLASS COLOR

| | |
|-----------|-------------|
| Ice White | GWH2 |
| Black | GBK2 |
| Muslin | GML2 |
| Flint | GFL2 |
| Loft | GLO2 |
| Beige | GBG2 |

LOCKS

| | |
|--|------------------------------|
| Locks Yes, Random Matte Silver Keying (Factory Installed) | LYSTD (Add +\$170) |
| Locks Yes, Omit Lock Core (Field Installed) | LYOMT (Add +\$170) |
| Locks No | LN |

KEYING

| | |
|--|------------|
| Random Matte Silver Keying (Factory Installed) | STD |
| Omit Lock Core (Field Installed) | OMT |

HARDWARE COLOR

| | |
|----------------|------------|
| Black | P71 |
| Silver | PR6 |
| Matte Gold | P8G |
| Pyrite | PJE |
| Designer White | PJW |

HEIGHT ADJUSTABLE BASE COLOR (METAL T BASES)

| | |
|----------------------|------------|
| Black (P71) | BK |
| Silver (PR6) | SV |
| Designer White (PJW) | PJW |

MAGNETIC ACCESSORY

| | |
|--------|------------|
| White | AWH |
| Black | ABK |
| Muslin | AML |

CUSHION UPHOLSTERY

| | |
|---------|----------------|
| Fabric | COM-G27 |
| Leather | COL-L5 |



TASKLIGHT CORD GROMMET (For Surface Mount Cabinets)

| | |
|------------------|-----------|
| Grommet Included | WY |
| Grommet No | WN |

MODESTY PANEL

| | |
|-------------|-----------|
| Modesty No | MN |
| Modesty Yes | MY |


METAL PULL

| | | | |
|-----------------------------|-------------|--|----------------------|
| Silea Black (P71) | PP71 |  | SILEA |
| Silea Silver (PR6) | PPR6 | | |
| Silea Matte Gold (P8G) | PP8G | | |
| Silea Pyrite (PJE) | PPJE | | |
| Silea Designer White (PJW) | PPJW | | |
| Medley Arch Black (P71) | HARB |  | MEDLEY ARCH |
| Medley Arch Silver (PR6) | HARS | | MEDLEY ARETTE |
| Medley Arette Black (P71) | HATB | | |
| Medley Arette Silver (PR6) | HATS | | |
| Trio Linear Black (P71) | HLEB |  | TRIO LINEAR |
| Trio Linear Silver (PR6) | HLES | | TRIO BAR |
| Trio Bar Black (P71) | HBRB | | |
| Trio Bar Silver (PR6) | HBRB | | |
| Modern Black (P71) | MP71 |  | MODERN |
| Modern Silver (PR6) | MPR6 | | |
| Modern Matte Gold (P8G) | MP8G | | |
| Modern Pyrite (PJE) | MPJE | | |
| Modern Designer White (PJW) | MPJW | | |

Integral pulls are available as a standard option in wood only.


INTEGRAL PULL

Integral Pull /Touch Latch Doors **FPW**
(add \$242 per unit)




The Silea style metal pull is available in 5 metal finish colors - Silver, Black, Pyrite, Matte Gold, and Designer White. Pulls have the ability to be placed left, right or center with the same drawer front and pull hardware. Pulls are 6" less than the drawer front size with the exception of a 9" pedestal which comes with a 9" pull. Note: This applies to the Silea style pull only. This does not apply to the Arch, Arette, Linear, Bar, or Modern pulls.


CENTERED




CONTINUOUS



LEFT ALIGNED



RIGHT ALIGNED




Choice.

The Silea pull enables you to select drawer pull orientation at the time of installation. Maximum flexibility.

CLOSET LOCATIONS


PEDESTAL LOCATIONS




SILEA




ARCH




ARETTE




LINEAR




BAR




MODERN




SILEA




ARCH




ARETTE



LINEAR



BAR



MODERN

Locks are standard on all below worksurface storage units. Closets and overhead storage are optional locking.

STANDARD OPTIONS

- **Random Keying:** Key(s) arbitrarily assigned and installed at the factory. Factory installed locks are silver.

Note: When the random option is selected, some units may be shipped with the same key number.

- **Omit Lock Core:** The factory will omit lock cores. Removable lock core kits with specific key numbers must be ordered to facilitate keying alike in the field. A lock program must be specified. Field installed locks are available in Matte Silver, Black, Pyrite, Matte Gold, and Designer White.

KEYING

| | | |
|--|------------|---|
| Random Matte Silver Keying (Factory Installed) | STD | |
| Omit Lock Core (Field Installed) | OMT | (If option is chosen, a field installed lock program must be specified) |

LOCK PROGRAM (FIELD INSTALLED ONLY)

| | |
|-------------------|--------------------------|
| Random Keying | X |
| Specified Keying | X101 - X225 |
| Sequential Keying | SEQ/101 - SEQ/225 |

KEYING COLOR (FIELD INSTALLED ONLY)

| | |
|----------------|------------|
| Matte Silver | MTS |
| Black | BLK |
| Matte Gold | MGD |
| Pyrite | PYT |
| Designer White | PJW |

REPLACING LOCK CORES

- Lock must be in the unlocked position.
- Insert core removal key and pull core straight out.
- Insert new core with core removable key, hold core into lock and withdraw core removal key.
- Retain original core for future use.

For field installed locks, the "Omit Lock Core" option must be chosen. Then, specify lock model based on total quantity of lock cores within each office. To ensure ease of ordering for a variety of situations, lock cores can be specified in 3 ways – Random, Specified or Sequential.

| LOCKING MODELS | DESCRIPTION | LIST |
|----------------|----------------|------|
| GLKFE1 | 1 core, 2 keys | \$19 |
| GLKFE2 | 2 core, 2 keys | \$24 |
| GLKFE3 | 3 core, 2 keys | \$30 |
| GLKFE4 | 4 core, 2 keys | \$34 |
| GLKFE5 | 5 core, 2 keys | \$40 |

Note: When purchased separately without a configurable TAA compliant end product, not on GSA contract.

Note: One core removal key minimum per order. One additional core removal key per 25 lock cores will be shipped.

MASTER KEY

One key available **GLKMSTR** **\$12**
to authorized dealers

Note: When purchased separately without a configurable TAA compliant end product, not on GSA contract.

KEY NUMBERS 101-225 ARE AVAILABLE.
Orders without key numbers will be specified at random.

RANDOM KEYING (FIELD INSTALLED)

The Random Keying option is provided for instances where there are multiple orders or phases to a project and the offices need to be keyed alike but the key numbering is not required. With the random keying option, key numbers are not specified. However, the core kits will be in sequential order from a random starting point.

SPECIFIED KEYING (FIELD INSTALLED)

The Specified Keying option is provided for instances where there is a specific key number desired for all of the cores ordered.

SEQUENTIAL KEYING (FIELD INSTALLED)

The Sequential Keying option is provided for instances when there are multiple orders or phases to a project and it is imperative that key numbers are not duplicated..

RANDOM KEYING EXAMPLE

- There are 18 offices which have 3 black locks that need to be keyed alike, but the key number is not important.

Model String:

| | | | |
|----------------|--------------|----------------|---------------------|
| GLKFE3. | BLK. | X. | 18 |
| <i>Model</i> | <i>Color</i> | <i>Program</i> | <i># of Offices</i> |

SPECIFIED KEYING EXAMPLE

- There are 6 offices which have 2 silver locks that need to be keyed alike with the key number 202.

Model String:

| | | | |
|----------------|--------------|----------------|---------------------|
| GLKFE2. | MTS. | X202. | 6 |
| <i>Model</i> | <i>Color</i> | <i>Program</i> | <i># of Offices</i> |

SEQUENTIAL KEYING EXAMPLE

- A multiple phase project has 100 offices - 60 in the first phase with 4 locks, 40 in the second phase with 3 locks. No key number can be duplicated.

Model String (First Phase):

| | | | |
|----------------|-------------|-----------------|-----------|
| GLKFE4. | PYT. | SEQ/101. | 60 |
|----------------|-------------|-----------------|-----------|

Model String (Second Phase)

| | | | |
|----------------|--------------|-----------------|---------------------|
| GLKFE3. | PYT. | SEQ/161. | 40 |
| <i>Model</i> | <i>Color</i> | <i>Program</i> | <i># of Offices</i> |

Product Reference... 13-46
Statement of Line 14-21
Features + Advantages 22-23
Technical Specs 24-26
Filing Reference. 27-28
Height Reference 29
Wire Management 30
Grommets 31
Details 32
Height Adjustability 33
Storage 34
Surface Mount Cabinets 35
Dimensions 36-45
Grain Direction Specification. 46


STATEMENT OF LINE

Unitized


Silea

02/26


DOUBLE PEDESTAL DESK
15" ped




SINGLE PEDESTAL DESK
15" ped




SINGLE PEDESTAL CREDENZA
9" ped




30" ped




DOUBLE PEDESTAL CREDENZA



RETURNS




RUNOFF DESK
15" ped (LH & RH)



RUNOFF DESK
9" ped (LH & RH)




LAYERS RUNOFF DESK
9" ped (LH & RH)




**LAYERS RUNOFF DESK W/
LAPTOP DRAWER (LH & RH)**



RECTANGULAR TABLE DESK



RECTANGULAR EXTENSION
(LH & RH)



RACETRACK EXTENSION
(LH & RH)




d SHAPE EXTENSION




b SHAPE EXTENSION




LAYERS RECTANGULAR RUNOFF




**LAYERS RECTANGULAR RUNOFF
W/LAPTOP DRAWER (LH & RH)**




SIGHTLINE RUNOFF




LAYERS SIGHTLINE RUNOFF



**LAYERS SIGHTLINE RUNOFF
W/LAPTOP DRAWER (LH & RH)**




LAYERS COCKPIT RUNOFF
(LH & RH)




MEDIA TOP




ELLIPSE TABLE DESK




LAYERS ELLIPSE RUNOFF



ARC BOAT TABLE DESK



LAYERS ARC BOAT RUNOFF




FULL BANK CREDENZA




HEIGHT ADJUSTABLE


CREDENZA W/ END PANELS




CREDENZA DOUBLE PEDESTAL




CREDENZA SINGLE PEDESTAL (LH & RH)




BRIDGE W/ WALL ACCESS PANEL




RETURN W/ END PANEL (LH & RH)




RETURN W/ PEDESTAL (LH & RH)




FREESTANDING DESK W/ FULL MODESTY




EXT DESK W/ FULL MODESTY (LH & RH)




EXT DSK W/ TELESCOPING BASE (LH & RH)



FREESTANDING DESK W/ HALF MODESTY




EXT DESK W/ HALF MODESTY (LH & RH)



WORKSURFACE FOR T-BASE



SHROUD FOR T-BASE



LAYERS BOOKCASE FOR T-BASE




T-BASE




WORKWALL

WALL MOUNTED WORKWALL (3H) (LH & RH)
(Wood only)



FREESTANDING WORKWALL (5 1/2 H) (LH & RH)
(Wood only)



STATEMENT OF LINE

Modular

Silea

02/26

DESK & RUNOFF WORKSURFACE

30 & 36D

Rectangular

Bow

Racetrack

b shape

d shape

24D TOP

Standard



DOUBLE PEDESTAL FULL MODESTY

9" peds

15" peds

SINGLE PEDESTAL FULL MODESTY

(LH & RH)

DESK MODESTY PANEL

10" Height

DESK MODESTY PANEL

Full Height



PEDESTALS 24D Standard Height, Standard Top



PEDESTALS 24D Standard Top



DESK PEDESTALS

9" ped

END PANEL

(Full back)

L SUPPORTS

(LH & RH)

SUPPORT PANELS


Standard & Layers

PEDESTAL BACKS

Standard & Layers



MODESTY & WALL ACCESS PANEL



ROUND TOP



GUITAR PICK TOP



CANTILEVER HEIGHT ADJUSTABLE RECTANGULAR DESKS





LEFT & RIGHT HAND

36" Depth - Left Hand

42" Depth - Left Hand

36" Depth - Right Hand


42" Depth - Right Hand



CANTILEVER HEIGHT ADJUSTABLE SIGHTLINE DESKS

42" Depth - Left Hand


42" Depth - Right Hand



SMART PEDESTALS

Single Unit

Double Unit





SMART PEDESTAL ACCESSORY TRAYS AND BINS

Large Tray

Large Bin

Small Tray

Small Bin




FALSE PEDESTALS


For Fixed Desk or Fixed Return




SMART CLOSETS
18" Wide




30" Wide Side Access



18" Wide w/ Glass Doors




30" Wide Side Access w/ Glass Doors




SMART LOCKERS
24" Wide




36" Wide Side Access




24" Wide w/ Glass Doors




36" Wide Side Access w/ Glass Doors



SMART PEDESTAL GROMMET ACCESSORIES
HQ Power w/ Wireless Charging



Bezel Mount Power



SOLIDWOOD DESKTOP ACCESSORIES

Pencil Tray



Pencil Cup



REPLACEMENT HEIGHT ADJUSTABLE KEYPAD ACCESSORIES

Basic Up/Down Keypad



Memory Preset Keypad



Paddle Keypad




Foot Control Keypad




Bluetooth App Control




BOOKCASE - 2H, 3H, 4H, 5H, 6H




BOOKCASE W/ COAT HOOK
BACK (LH & RH)




1/2 OPEN BOOKCASE
1/2 CLOSET W/ DOOR
(LH & RH)




LATERAL FILE - 2H WITH TOP
3H, 4H, 5H, 6H




CLOSET
5H & 6H



CLOSET W/ GLASS
DOOR (LH & RH)
5H & 6H




STORAGE BOX
5H & 6H




STORAGE CABINET



UTILITY CABINET
(LH & RH) 5H & 6H



SIDE ACCESS
STORAGE LOCKER
Standard & Layers Height
(LH & RH)



SIDE ACCESS STORAGE
LOCKER W/GLASS DOOR
Standard & Layers Height
(LH & RH)



EXTERNAL STORAGE TOP



MOBILE PEDESTAL
W/ TOP




STATEMENT OF LINE

Wall Mount


Silea

02/26


CABINET W/ HINGED DOORS
(1H)




CABINET W/ HINGED GLASS DOORS
(1H)
(Wood only)




CABINET W/ NO DOORS
(1H)




CABINET W/ HINGED DOORS
(2H)



CABINET W/ HINGED GLASS DOORS
(2H)
(Wood only)



CABINET W/ NO DOORS
(2H)




CABINET W/ SLIDING DOORS (1H)




CABINET W/ SLIDING GLASS DOORS (1H)
(Wood only)



CABINET W/ SLIDING DOORS (2H)



CABINET W/ SLIDING GLASS DOORS (2H)
(Wood only)



WALL OVERHEAD SHELF TRACK BOTTOM
(1H)



WALL OVERHEAD SHELF TRACK BOTTOM & CENTER
(2H)



TACK ZONE W/ CENTER TRACK
(1H)



LAYERS TACK ZONE W/ CENTER TRACK



TACK ZONE
(Wood, Glass & Fabric)



8D & 12D SHELF CLIP INTO WALL W/TRACK




FLOATING SHELF




EXTERNAL TOP




CABINET W/ HINGED DOORS (1H)




CABINET W/ HINGED GLASS DOORS (1H)
(Wood only)




CABINET W/ NO DOORS (1H)




CABINET W/ HINGED DOORS (2H)
(Wood only)




CABINET W/ HINGED GLASS DOORS (2H)
(Wood only)




TOWER W/ HINGED DOORS (1H)




TOWER W/ HINGED DOORS (2H)




TOWER W/ NO DOORS (1H)




TOWER W/ NO DOORS (2H)



TOWER W/ GLASS DOORS (1H)
(Wood only)



TOWER W/ GLASS DOORS (2H)
(Wood only)



EXTERNAL SURFACE MOUNT
TOP



| ATTRIBUTE | FEATURE | ADVANTAGE |
|-------------------------------|---|--|
| STYLE/DESIGN | Refined Aesthetic Range | <ul style="list-style-type: none"> • Application solutions for solo, team and community spaces • Empowers design choice through a flexible aesthetic range • Complete integration of components and functionality options • Curated and compatible materials and finish options embrace diverse styling options • Attention to detail • High level of space customization & functionality • Variety of metal pull options, along with integral pull on wood • Interchangeability of materials provide design flexibility |
| | Hand Selected Veneer | <ul style="list-style-type: none"> • Quarter cut walnut • Flat cut cherry, maple and walnut • Rift cut oak • Stratawood veneer (horizontal or vertical orientation) |
| | Mixed Material Solutions | <ul style="list-style-type: none"> • 11 woodgrain laminates • 3 solid laminates • 6 back painted glass options • 5 solid surface options • 5 metal finish colors |
| SCALABILITY | Size & Scale Aesthetic Cost | <ul style="list-style-type: none"> • Flexibility in material options and components allow for a variety of product planning solutions to meet customer requirements • Standard height and layers height • Application versatility from enclosed spaces to team collaborative settings to community gathering areas |
| | FUNCTIONALITY | |
| | Unlimited Outcomes | <ul style="list-style-type: none"> • High-performance workplaces driven by integration, agility, choice, and aesthetic options. |
| | Integrated Height Adjustability Solutions | <ul style="list-style-type: none"> • Mixed material, full modesty and half modesty desks & extensions • Sit to stand bridges, returns and credenzas • Shrouded height adjustable t-bases • Layers application sit to stand solutions |
| | Soft Close Suspensions & Hardware | <ul style="list-style-type: none"> • Soft close drawers and hinges on all materials |
| | Magnetic Tack zone | <ul style="list-style-type: none"> • Back painted glass, wood tack zones provide a magnetic surface for posting papers and magnetic accessories |
| | Personal Corner | <ul style="list-style-type: none"> • Creates an ergonomic corner for use |
| | Collaborative Worksurface Shapes | <ul style="list-style-type: none"> • Media, sightline and guitar pick tops provide collaborative solutions in the private office or open areas • Integration of private office components that enable effective meeting spaces |
| | Workwall Solutions | <ul style="list-style-type: none"> • Progressive meeting office option that allows for collaboration and personalized space • Fits in private office applications or can be pulled into open areas |
| TECHNOLOGY INTEGRATION | Grommets | <ul style="list-style-type: none"> • Rectangular grommets in desks and credenzas • Three grommet positions - closed, small opening for cords, larger opening for monitor arms • Cutout can utilize a power unit to bring technology to the surface |
| | Wall Access Panels | <ul style="list-style-type: none"> • Hinged wall access panels provide simple, clean wire management and access to cords |
| | Laptop Drawer | <ul style="list-style-type: none"> • Incorporated into layers applications under runoff worksurfaces to provide technology storage and power to the user and guest |
| | Lighting | <ul style="list-style-type: none"> • Optional high-efficiency LED task lighting • Low energy usage |

| ATTRIBUTE | FEATURE | ADVANTAGE |
|-------------------------------|--|---|
| TECHNOLOGY INTEGRATION | Grommets | <ul style="list-style-type: none"> • Rectangular grommets in desks and credenzas • Three grommet positions - closed, small opening for cords, larger opening for monitor arm • Cutout can utilize a power unit to bring power to the surface |
| | Wall Access Panels | <ul style="list-style-type: none"> • Hinged wall access panels provide simple, clean wire management and access to cords |
| | Laptop Tray | <ul style="list-style-type: none"> • Incorporated into layers applications under runoff worksurfaces to provide technology storage and power to the user and guest |
| | Lighting | <ul style="list-style-type: none"> • Optional high-efficiency LED task lighting • Low energy usage |
| STORAGE | Storage Locker | <ul style="list-style-type: none"> • Provides side access shelving for easy access for the user • Hidden coat hook and personal storage • Door available in wood and laminate • Back Painted Glass doors serve as a whiteboard with a kickstand for collaborative meetings |
| | Wall Mount and Surface Mount Overheads | <ul style="list-style-type: none"> • Hinged and sliding doors • Wood models have back painted glass door option • Mix of open and closed storage |
| | Hidden Accessory Drawers | <ul style="list-style-type: none"> • Provides clean lines and fewer fronts • Maximize space usage in drawers |
| SUSTAINABILITY | Designed for the Environment | <ul style="list-style-type: none"> • FSC certified products available • FSC reconstituted veneer • SCS Indoor Advantage™ Gold Certification • High percentage of recycled content - greater than 43% • BIFMA level® 3 certified • Contribution to LEED V4 and WELL V1 • Energy Efficient LED Task lighting |
| DURABILITY | Gunlocke Craftsmanship | <ul style="list-style-type: none"> • High attention to detail, fit, finish and refinement across all material options |
| PRICE/VALUE | Budget Flexibility | <ul style="list-style-type: none"> • Range of basic to premium options and materiality choice provides a broad price range to accommodate solutions without sacrificing design or functionality |
| | Value | <ul style="list-style-type: none"> • 12-year warranty • Quality/value built into product throughout the manufacturing process |

VENEERS

All exposed wood surfaces utilize flat cut, rift cut, or straight grain Stratawood (FSC reconstituted veneer), flat cut Cherry, Maple, Walnut veneers, quarter cut Walnut, or Rift Oak veneers. Stratawood veneer is made from rapidly renewable wood veneer, which provides a repeatable grain pattern. Stratawood veneers are available in flat cut Cherry, flat cut Walnut, or Rift Oak at veneer 1 pricing and in straight grain Cherry, Maple, Walnut, Oak, Silver Oak, or Washed Walnut at veneer 2 pricing. Veneers can be specified in vertical or horizontal orientation. All veneers are carefully selected and matched to assure balance and consistency.

VENEER TOPS

Wood veneer tops feature 3-ply construction and are comprised of a premium 1.125" thick substrate. Tops are available with a square edge profile and are constructed of 45 lb. density particleboard. Tops are faced with premium veneer and backed with a polymer resin impregnated moisture resistant material. Rectangular tops utilize 2mm solid wood edgebands that are species matched except for Rift Cut Oak which is paired with solid ash hardwoods. Non-rectangular tops utilize matching 1mm edgebands that are doubled up for added durability, creating a total thickness of 2mm.

LAMINATE

The standard laminate offering includes solid and woodgrain laminates from Wilsonart. Laminate tops feature a high pressure laminate (HPL), a balanced 3-ply construction and are comprised of a 1.125" thick substrate. Tops are available with a square edge and are made with 45 lb. density particleboard. Laminate tops have a 2mm matching vinyl edgeband on all sides. Chassis and storage components feature a thermally fused laminate (TFL).

For complete technical specifications, visit www.wilsonart.com.

SOLID SURFACE TOPS

Solid surface tops with plywood subtops are a total of 1.25" thick. Tops are constructed with 0.5" solid surface material applied to premium 0.75" plywood with a built up softened edge detail. Solid surface has a matte finish.

BACK PAINTED GLASS

Back painted glass is captured by an extruded aluminum mitered frame. The frame is low profile, allowing only a 0.063" visible frame around the perimeter of the glass from the front view. Aluminum frames are powder coated to match the color of the glass option chosen. Back painted glass is 4mm thick and whiteboard applications include a steel backer for use with magnets – 6 magnets are included with each whiteboard. Back painted glass has a clear glossy finish for use as a writable surface and can be used with dry-erase markers. Whiteboards are mounted to the wall with a z-bracket connection.

CHASSIS & PEDESTAL CONSTRUCTION

All chassis are constructed with a mixture of 3/4" thick balanced 3-ply panels and 3/4" thick panels. Panels are securely fastened together using cam-lock fasteners and dowels. Steel glide plates are attached to single end panels with screws. End panels are pre-bored to accept the stem of the glide. The threaded steel glide plate provides a durable connection from glide to end panel.

Each unit is equipped with a minimum of four adjustable glides.

OVERHEAD CABINET CONSTRUCTION

All cabinets are constructed with a mixture of 0.75" thick balanced 3-ply panels and 0.75" thick MDF panels. Wood panels are securely attached with hidden fasteners and dowels, and are securely adhered with PVAc-dispersion adhesive. All laminate panels are securely fastened together

using cam-lock fasteners and dowels.

All surface mount cabinets connect to worksurface with double-sided adhesive tape.

Wall mount cabinets are mounted to the wall with a spade and "z" bracket attachment method. Spade brackets are securely mounted through the back of wall mount cabinets. All units ship with a steel z bracket. This bracket is mounted to the wall by field installers. Installers are responsible for selecting and supplying appropriate fasteners for wall conditions.

GLIDES

Glides provide 1.125" of vertical leveling adjustment. Glide bottom is durable non-rust nylon.

TACKBOARDS

Tackboards are constructed of 0.875" thick material comprised of a 0.125" thick hardboard glued in between a layer of 0.375" thick pressboard on each side. The fabric is precisely aligned and fitted to the tackboard and adhered to the rigid hardboard with staples.

DRAWERS

All drawers are constructed of four sides and a bottom, which are attached to a drawer front with screws for easy removal. Drawer fronts feature matched veneer within each pedestal set. The drawer side material is 3-ply 12mm vinyl wrapped particleboard and are miterfold construction. The bottom material is a 3-ply substrate consisting of vinyl wrapped high density fiberboard core.

SUSPENSIONS

Suspensions utilize cold rolled steel, zinc plated, high-grade drawer suspensions. Box drawers are full extension, featuring precision steel ball bearings for a smoother, quieter range of motion and are load rated for 120 lbs. File drawers are full extension, featuring precision steel ball bearings

for increased weight capacity and are load rated for 120 lbs. Lateral file suspensions are load rated for 150 lbs. and include an anti-tip mechanism that prevents both drawers from being opened at the same time. All suspensions are soft close and are warranted for the lifetime of the product.

HINGES

Doors with metal pulls include a 105° hinge with an integrated soft-close mechanism. Doors with touch latch utilize a 110° hinge. Hinges are fully adjustable.

FILING

The file hanging system is an integral part of the drawer. A highly durable black plastic extrusion is securely fastened into a rout on the top of the drawer. The plastic extrusion was designed to promote optimum filing capacity within the drawer while providing a durable, reliable and maintenance free filing system. (See filing capability section for technical information on drawer dimensions).

LOCKS

Locks are standard on all desks, credenzas, returns, modular pedestals, and storage units. Locks are optional on closets and overhead cabinets. Each pedestal is independently locked.

Keying is available either random (factory installed), or omit (field installed).

When "Random Keying" is chosen, the factory will assign key(s) arbitrarily. Factory installed lock cores will be matte silver.

When "Omit Lock Core" is chosen, the factory will omit lock cores and locks will be field installed. A keying program must be chosen - Random, Specified, or Sequential - to specify keys. Field installed locks will be available in matte silver, black, pyrite, and matte gold.

WIRE MANAGEMENT

Wire management capabilities include optional worksurface grommets that can house cords, a monitor arm, or be replaced with a power unit to bring technology to the worksurface. Cavities in the back of pedestals, removable panels, and wall access panels can be used for cord concealment and management.

Under worksurface wire managers (Model # ACWM) are sold separately to conceal wires between pedestals. These units house and manage wires horizontally around a station.

POWER

Power units are available in three sizes and are offered as surface mount, under worksurface mount, and clamp mount units. Available in black, white or silver, power units incorporate a combination of power, USB power, and data integration. Each enclosure is rated for 15 amp, 125 volt. Units can be specified with 10' standard plug or 6' hardwire conduit option. Unit is field installed. UL Listed. USB charging ports are 2.1 amps per port. For information on each model, reference the "Power Units" page in the price book.

MAGNETIC ACCESSORIES

Magnetic accessories include imbedded magnets and can be positioned anywhere on magnetic tackzones and back painted glass tackzones/whiteboards. The accessories provide quick access to files, pencils, and other work utensils.

PERSONAL CORNER & DESKPADS

Personal corners can be used between two perpendicular worksurfaces to create an ergonomic corner for user. Deskpads are used in-line. All units are wrapped in leather or vinyl. The bottom surface has a felt lining to protect the worksurface. The chassis is made from 10-gauge aluminum. Personal corners are 36W x 12.5D. Deskpads are 36W x 18D. Units are designed to fit over 1 1/8" worksurfaces.

LIGHTING

LED lighting provides high efficiency, low energy lighting with a long life. All LED lights are encased in a silver aluminum extrusion and include a built-in switch to turn the light on/off with a dimming feature. Lights are field installed. All units include a standard plug.

- Low profile strip light 0.625"H x 0.75"D
- Power: 2.92W / Foot
- LED's per meter: 120
- Color Temp: 3000K
- Certification: UL Listed
- GSA and TAA compliant

HEIGHT ADJUSTABLE

Height adjustable components include:

- Qty (2) height adjustable lifting columns
- Qty (1) control box
- Qty (5) keypad options from basic to premium
- Qty (2) cables connecting lifting columns to control box
- Qty (1) standard plug power cable to connect control box to power source

Lifting columns are rated for 225 lbs. dynamic load per column and are connected to tops using steel support brackets. Height range is 29" to 42.5". Each control box is powered by 120V / 60Hz. 2 lifting columns may draw approximately 1.5 amps total maximum under full load. Standby power is 0.1W.

WORKWALLS

WorkWalls include wall mounted, wall mounted with wall access panels, stack on, and freestanding versions. Incorporating both a collaborative side and personal side, WorkWalls utilize a back painted glass sliding door that can serve as a whiteboard and be secured with a digital lock. The digital lock incorporates a keypad and smartphone app, along with 2 standard USB ports for emergency power jump and battery charging.

FINISH

Natural veneer is subject to nature's quality control. Each species will exhibit differences in grain pattern and tone. This is to be expected and, in fact, contributes to the beauty and individuality of each product. Flat Cut veneers emphasize the variations of wood by exhibiting cathedrals in the grain pattern. Quarter Cut and Rift Cut veneers are a premium cut that maintains variations in the grain but without cathedral patterns. Stratawood is a natural, FSC®-certified reconstituted veneer that is designed to exhibit a consistent grain pattern and is available in either a straight grain or cathedral pattern.

Our proprietary wood finish system utilizes a combination of topcoats engineered for the various applications found in the furniture industry. It is exceptionally clear and durable, and allows the beauty of wood to show through. The durability, depth, clarity, and beauty of our wood finishes meet the high expectations of our customers, and meet or exceed indoor air quality (IAQ) standards. All colors and species are not available on all products. Please refer to front cover of price lists for availability of finishes.

CLEANING CLARTECH™ FINISH

Dust with a damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Note: Do not use furniture polishes containing oil, wax, or silicone, which can produce an oily film or haze.

CLEANING LAMINATE

Dust with a damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Note: Do not use furniture polishes containing oil, wax, or silicone, which can produce an oily film or haze.

For specific cleaning instructions on Wilsonart laminates, please visit www.wilsonart.com.

CLEANING GLASS

Dust with a damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth.

CLEANING SOLID SURFACE

Using a damp sponge or cloth, use warm soapy water, an ammonia-based household cleaner, or a dedicated countertop cleaner to clean solid surface. Rub over area using small circular motions, from the front to the back, then side to side, overlapping the circles until the entire area has been cleaned. Rinse the top thoroughly with clean water and wipe surface completely dry.


**STANDARD FILING OPTIONS
FOR PEDESTALS**

9 wide x 30 and 36 deep pedestal

File rails included: 2 per drawer

- A. 2 rows of letter side to side with 2 file rails
- B. 1 row of legal side to side

Replacement File Rail Kit Model #ACFLR9-P




15 wide x 30 and 36 deep pedestal

File rails included: 2 per drawer

- C. 2 rows of letter side to side with 2 file rails
- D. 1 row of legal-side to side,

Replacement File Rail Kit Model #ACFLR15-P

Note: Does not accommodate letter filing front to back.




15 wide x 24 deep pedestal

File rails included: 1 per drawer

- E. Legal-side to side
- F. 1 row letter side to side,
Model #ACFLR15
Ships w/pedestal.
1 per file drawer.

Replacement File Rail Kit Model #ACFLR15-P

Note: Does not accommodate letter filing front to back.




18 wide x 24 deep pedestal

File rails included: 1 per drawer

- G. Letter-front to back with file rail
- H. Legal-side to side

Replacement File Rail Kit Model #ACFLR18-P

Note: Does not accommodate letter filing front to back.



STANDARD FILING OPTIONS


(continued)

Lateral 30 wide x 24 deep pedestal


File rails included: 1 kit per drawer

- I.** Legal-side to side
- J.** Letter-side to side
- K.** 2 rows letter front to back


Replacement File Rail Kit Model #ACFLR30-P



I



J




K

Lateral 36 wide x 24 deep pedestal


File rails included: 1 kit per drawer

- L.** Letter-side to side
- M.** 2 rows letter front to back
- N.** Legal-side to side
- O.** 2 rows legal front to back


Replacement File Rail Kit Model #ACFLR36-P




L



M




N




O

HEIGHT REFERENCE


Standard Height




Layers Height



Pedestal




Easy wall access and conveniently placed grommets deliver your power and data.




WALL ACCESS PANEL

PANEL OPEN




GROMMET


CLOSED



SMALL CORDS




POWER



MONITOR ARM



GROMMET LOCATIONS




GROMMET CUTOUT LOCATIONS

| UNIT | A | CENTER | B |
|--|--------|--------|-------|
| 24D Rectangular Tops | 12 | CENTER | 4.25 |
| 30D Rectangular Tops | 12 | - | 9.500 |
| 36D Rectangular Tops | 12 | - | 9.500 |
| Media Tops | - | CENTER | 3.750 |
| Round Tops | - | CENTER | - |
| Guitar Pick Tops | - | CENTER | - |
| 22D Height Adjustable Tops | 10 | CENTER | 3.5 |
| 28D & 34D Height Adjustable Tops | 10 | CENTER | 4 |
| 30D Telescoping Height Adjustable Tops | 12.500 | - | 6.125 |
| 36D Telescoping Height Adjustable Tops | 12.500 | - | 9.125 |
| 30D Half/Full Modesty Height Adjustable Tops | 12.500 | - | 4.500 |
| 36D Half/Full Modesty Height Adjustable Tops | 12.500 | - | 7.500 |
| 24D Height Adjustable Units | - | CENTER | 5.11 |


• Add \$87 per grommet based on chosen grommet configuration

Gunlocke provides versatile storage features, including convenient options for pull orientation and drawer configuration. The accessory drawer includes convenient internal compartments crafted with Gunlocke quality.




Silea pull orientation


INTEGRAL




CENTERED




CONTINUOUS



LEFT ALIGNED



RIGHT ALIGNED




Choice.


Silea enables you to select drawer pull orientation at the time of installation. Maximum flexibility.

ACCESSORY DRAWER

ACCESSORY DRAWER (OPEN)



Integrated height adjustability enables the healthful rotation of working posture. The virtually concealed electric mechanism supports the quiet and easy transition to standing. Sit-to-stand, concentrate, collaborate. With height adjustability, a desk is more than a desk. It's a way of wellbeing, adjusting the worksurface to the working position that fits best.




◆ WALL ACCESS PANEL

IMPORTANT SPEC TIP: HEIGHT ADJUSTABILITY WITH MONITOR ARMS


- Monitor arms should **ALWAYS** be installed in grommets on Silea HAT units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm.
- Monitor arms should **NOT** be clamped to back edge of top where chassis interference can occur.
- The dimension from top of chassis to bottom of top on many HAT units allows for only approximately 2.250" clearance. Many monitor arm clamps, including Allsteel Pivot Monitor arms, have a taller clamp mount that will crash into the chassis during operation resulting in damage and/or loss of operation.

Example 1: Allsteel Pivot Monitor Arm Clamped to back edge of Silea HAT Bridge Top.




Example 2: Allsteel Pivot Monitor Arm Clamped in grommet of Silea HAT Bridge Top.


NOTE: ensure proper depth of top specified to provide adequate user space from top to monitors.




Storage options feature a nested laptop drawer, thoughtfully placed power access, and a multi-functional storage locker.




Laptop Drawer




Storage Drawer



SURFACE MOUNT CABINETS




39 High



52 High


Technology information & wire management:

- Tasklight cord grommet optional.
- Located in upper right-hand corner, provides task light cord access to wall outlets.



Grommet Height 39H and 52H = 24


Surface mount overhead cabinets must be supported with adequate pedestal or panel support on ends. In addition, the location where the surface mount cabinet and tower meet the worksurface using intermediate supports.



Recommended Support Examples

Inadequate Support Examples

When specifying surface mount storage across multiple units, careful considerations must be used to ensure the correct overall length. An end or back panel of a supporting unit must support the end panel of an overhead cabinet.



Recommended Support Examples

Inadequate Support Examples

DIMENSIONS

| DESCRIPTION | STYLE | EXTERNAL DIMENSIONS | | | LOCATION | INTERNAL DIMENSIONS | | |
|---|--------------------------|---------------------|-------|-------------|-------------|---------------------|-------|--------|
| | | width | depth | height | | width | depth | height |
| Desk Pedestals 30" Deep | 9" Wide Box Box File | 9 2/5 | 29.13 | 27.88 | Box Drawer | 5.84 | 15.02 | 2.91 |
| | | | | | File Drawer | 5.84 | 25.22 | 9.17 |
| | Acc. Box File | 9 2/5 | 29.13 | 27.88 | Acc. Drawer | 5.93 | 14.92 | 1.50 |
| | | | | | Box Drawer | 5.84 | 15.02 | 2.91 |
| | | | | | File Drawer | 5.84 | 25.22 | 9.17 |
| File File | 9 2/5 | 29.13 | 27.88 | File Drawer | 5.84 | 25.22 | 9.17 | |
| Desk Pedestals 36" Deep | 9" Wide Box Box File | 9 2/5 | 35.13 | 27.88 | Box Drawer | 5.84 | 15.02 | 2.91 |
| | | | | | File Drawer | 5.84 | 25.22 | 9.17 |
| | Acc. Box File | 9 2/5 | 35.13 | 27.88 | Acc. Drawer | 5.93 | 14.92 | 1.50 |
| | | | | | Box Drawer | 5.84 | 15.02 | 2.91 |
| | | | | | File Drawer | 5.84 | 25.22 | 9.17 |
| File File | 9 2/5 | 35.13 | 27.88 | File Drawer | 5.84 | 25.22 | 9.17 | |
| Desk Pedestals 15" Wide 30" Deep | Box Box File | 15 | 29.13 | 27.88 | Box Drawer | 11.40 | 15.02 | 2.91 |
| | | | | | File Drawer | 11.40 | 25.22 | 9.20 |
| | File File | 15 | 29.13 | 27.88 | File Drawer | 11.40 | 25.22 | 9.20 |
| Desk Pedestals 15" Wide 36" Deep | Box Box File | 15 | 35.13 | 27.88 | Box Drawer | 11.40 | 15.02 | 2.91 |
| | | | | | File Drawer | 11.40 | 25.22 | 9.20 |
| | File File | 15 | 35.13 | 27.88 | File Drawer | 11.40 | 25.22 | 9.20 |
| Standard Height Modular Pedestals 15"W | Box Box File | 15 | 23.13 | 27.88 | Box Drawer | 11.40 | 15.02 | 2.91 |
| | | | | | File Drawer | 11.40 | 15.02 | 9.17 |
| | Acc. Box File | 15 | 23.13 | 27.88 | Acc. Drawer | 11.50 | 14.92 | 1.50 |
| | | | | | Box Drawer | 11.40 | 15.02 | 2.91 |
| | | | | | File Drawer | 11.40 | 15.02 | 9.17 |
| File File | 15 | 23.13 | 27.88 | File Drawer | 11.40 | 15.02 | 9.17 | |
| Standard Height Modular Pedestals 18"W | Box Box File | 18 | 23.13 | 27.88 | Box Drawer | 14.40 | 15.02 | 2.91 |
| | | | | | File Drawer | 14.40 | 15.02 | 9.17 |
| | Acc. Box File | 18 | 23.13 | 27.88 | Acc. Drawer | 14.49 | 14.92 | 1.56 |
| | | | | | Box Drawer | 14.40 | 15.02 | 2.91 |
| | | | | | File Drawer | 14.40 | 15.02 | 9.17 |
| File File | 18 | 23.13 | 27.88 | File Drawer | 14.40 | 15.02 | 9.17 | |
| Standard Height Modular Pedestals 30"W | File File | 30 | 23.13 | 27.88 | File Drawer | 25.90 | 15.02 | 9.25 |
| | Box Box File | 30 | 23.13 | 27.88 | Box Drawer | 26.40 | 13.09 | 2.91 |
| | | | | | File Drawer | 25.90 | 15.02 | 9.25 |
| | Hinged Door | 30 | 23.13 | 27.88 | Total | 28.47 | 13.55 | 26.38 |
| | | | | | Above Shelf | 28.47 | 13.45 | 12.78 |
| | | | | | Below Shelf | 28.47 | 13.55 | 12.85 |
| | Bookcase | 30 | 22.32 | 27.88 | Total | 28.47 | 13.55 | 26.38 |
| | | | | | Above Shelf | 28.47 | 13.45 | 12.78 |
| Below Shelf | | | | | 28.47 | 13.55 | 12.85 | |
| Standard Height Modular Pedestals 36"W | File File | 36 | 23.13 | 27.88 | File Drawer | 31.90 | 15.02 | 9.25 |
| | Box Box File | 36 | 23.13 | 27.88 | Box Drawer | 32.40 | 13.09 | 2.91 |
| | | | | | File Drawer | 31.90 | 15.02 | 9.25 |
| | Hinged Door | 36 | 23.13 | 27.88 | Total | 34.47 | 13.55 | 26.44 |
| | | | | | Above Shelf | 34.47 | 13.45 | 12.74 |
| | | | | | Below Shelf | 34.47 | 13.55 | 12.89 |

| DESCRIPTION | STYLE | EXTERNAL DIMENSIONS | | | LOCATION | INTERNAL DIMENSIONS | | |
|--------------------------------------|-----------------|---------------------|-------|--------|-----------------|---------------------|-------|--------|
| | | width | depth | height | | width | depth | height |
| | Bookcase | 36 | 22.32 | 27.88 | Total | 34.47 | 13.55 | 26.36 |
| | | | | | Above Shelf | 34.47 | 13.45 | 12.70 |
| | | | | | Below Shelf | 34.47 | 13.55 | 12.85 |
| Layers Height Modular Pedestals 15"W | Box File | 15 | 23.13 | 20.75 | Box Drawer | 11.40 | 15.02 | 2.91 |
| | | | | | File Drawer | 11.40 | 15.02 | 9.17 |
| Layers Height Modular Pedestals 18"W | Box File | 18 | 23.13 | 20.75 | Box Drawer | 14.40 | 15.02 | 2.91 |
| | | | | | File Drawer | 14.40 | 15.02 | 9.17 |
| Layers Height Modular Pedestals 30"W | Box File | 30 | 23.13 | 20.75 | Box Drawer | 26.40 | 13.09 | 2.91 |
| | | | | | File Drawer | 25.90 | 15.02 | 9.25 |
| | Hinged Door | 30 | 23.13 | 20.75 | Total | 28.47 | 13.45 | 19.25 |
| | | | | | Above Shelf | 28.47 | 13.45 | 5.66 |
| | | | | | Below Shelf | 28.47 | 13.45 | 12.85 |
| | Bookcase | 30 | 22.32 | 20.75 | Total | 28.47 | 13.45 | 19.25 |
| | | | | | Above Shelf | 28.47 | 13.45 | 5.66 |
| | | | | | Below Shelf | 28.47 | 13.45 | 12.85 |
| | Side Access | 30 | 23.13 | 20.75 | Total | 28.47 | 25.59 | 19.25 |
| | | | | | Box Drawer | 25.44 | 15.25 | 5.12 |
| Layers Height Modular Pedestals 36"W | Box File | 36 | 23.13 | 20.75 | Box Drawer | 32.40 | 13.09 | 2.91 |
| | | | | | File Drawer | 31.90 | 15.02 | 9.25 |
| | Hinged Door | 36 | 23.13 | 20.75 | Total | 34.47 | 13.55 | 19.23 |
| | | | | | Above Shelf | 34.47 | 13.45 | 5.58 |
| | | | | | Below Shelf | 34.47 | 13.55 | 12.85 |
| | Bookcase | 36 | 22.32 | 20.75 | Total | 34.47 | 13.55 | 19.23 |
| | | | | | Above Shelf | 34.47 | 13.45 | 5.58 |
| | | | | | Below Shelf | 34.47 | 13.55 | 12.85 |
| | Side Access | 36 | 23.13 | 20.75 | Total | 34.47 | 25.59 | 19.23 |
| | | | | | Box Drawer | 31.44 | 15.25 | 5.12 |
| Mobile Pedestal | Mobile pedestal | 15 | 21.80 | 22.63 | Box Drawer | 11.40 | 15.02 | 2.91 |
| | | | | | File Drawer | 11.40 | 15.02 | 9.17 |
| Bookcases | 2H | 30 | 14.88 | 27.88 | 2H Top Shelf | 28.47 | 13.91 | 12.76 |
| | | | | | 2H Bottom Shelf | 28.47 | 14.07 | 12.85 |
| | 3H | 30 | 14.88 | 41.77 | 3H Top Shelf | 28.47 | 13.91 | 11.98 |
| | | | | | 3H Middle Shelf | 28.47 | 13.91 | 13.93 |
| | | | | | 3H Bottom Shelf | 28.47 | 14.07 | 12.85 |
| | 4H | 30 | 14.88 | 54.00 | 4H Top Shelf | 28.47 | 13.91 | 11.48 |
| | | | | | 4H 2nd Shelf | 28.47 | 13.91 | 11.98 |
| | | | | | 4H 3rd Shelf | 28.47 | 13.91 | 13.93 |
| | | | | | 4H Bottom Shelf | 28.47 | 14.07 | 12.85 |
| | 5H | 30 | 14.88 | 68.13 | 5H Top Shelf | 28.47 | 13.91 | 12.61 |
| | | | | | 5H 2nd Shelf | 28.47 | 13.91 | 12.25 |
| | | | | | 5H 3rd Shelf | 28.47 | 13.91 | 11.98 |
| | | | | | 5H 4th Shelf | 28.47 | 13.91 | 13.93 |
| | 6H | 30 | 14.88 | 81.50 | 6H Top Shelf | 28.47 | 13.91 | 12.62 |
| 6H 2nd Shelf | | | | | 28.47 | 13.91 | 12.61 | |

DIMENSIONS

Silea
02/26

| DESCRIPTION | STYLE | EXTERNAL DIMENSIONS | | | LOCATION | INTERNAL DIMENSIONS | | |
|--------------------------|--------|---------------------|-------|--------|-------------------------|---------------------|-------|--------|
| | | width | depth | height | | width | depth | height |
| | | | | | 6H 3rd Shelf | 28.47 | 13.91 | 12.25 |
| | | | | | 6H 4th Shelf | 28.47 | 13.91 | 11.98 |
| | | | | | 6H 5th Shelf | 28.47 | 13.91 | 13.93 |
| | | | | | 6H Bottom Shelf | 28.47 | 14.07 | 12.85 |
| Bookcase / Closet | 5H | 18 | 23.88 | 68.13 | 5H Top Shelf | 7.86 | 21.10 | 12.61 |
| | | | | | 5H 2nd Shelf | 7.86 | 21.10 | 12.25 |
| | | | | | 5H 3rd Shelf | 7.86 | 21.10 | 11.98 |
| | | | | | 5H 4th Shelf | 7.86 | 21.10 | 13.93 |
| | | | | | 5H Bottom Shelf | 7.86 | 22.26 | 12.85 |
| | | | | | Closet | 7.86 | 22.26 | 66.61 |
| | 6H | 18 | 23.88 | 81.50 | 6H Top Shelf | 7.86 | 21.10 | 12.62 |
| | | | | | 6H 2nd Shelf | 7.86 | 21.10 | 12.61 |
| | | | | | 6H 3rd Shelf | 7.86 | 21.10 | 12.25 |
| | | | | | 6H 4th Shelf | 7.86 | 21.10 | 11.98 |
| | | | | | 6H 5th Shelf | 7.86 | 21.10 | 13.93 |
| | | | | | 6H Bottom Shelf | 7.86 | 22.26 | 12.85 |
| | | | | | Closet Above Shelf | 7.86 | 21.10 | 12.62 |
| | | | | | Closet Below Shelf | 7.86 | 22.26 | 66.61 |
| Lateral Files | 2H | 30" | 23.88 | 29.04 | File Drawer | 25.90 | 15.02 | 9.25 |
| | | 36" | 23.88 | 29.04 | File Drawer | 31.90 | 15.02 | 9.25 |
| | 3H | 30" | 23.88 | 41.77 | File Drawer | 25.90 | 15.02 | 9.25 |
| | | 36" | 23.88 | 41.77 | File Drawer | 31.90 | 15.02 | 9.25 |
| | 4H | 30" | 23.88 | 54.00 | File Drawer | 25.90 | 15.02 | 9.25 |
| | | 36" | 23.88 | 54.00 | File Drawer | 31.90 | 15.02 | 9.25 |
| | 5H | 30" | 23.88 | 68.13 | File Drawer | 25.90 | 15.02 | 9.25 |
| | | | | | Hinged Door | 28.47 | 22.26 | 13.37 |
| | | 36" | 23.88 | 68.13 | File Drawer | 31.90 | 15.02 | 9.25 |
| | | | | | Hinged Door | 34.47 | 22.26 | 13.37 |
| | 6H | 30" | 23.88 | 81.50 | File Drawer | 25.90 | 15.02 | 9.25 |
| | | | | | Hinged Door Above Shelf | 28.47 | 21.45 | 13.00 |
| | | | | | Hinged Door Below Shelf | 28.47 | 22.26 | 13.00 |
| | | 36" | 23.88 | 81.50 | File Drawer | 31.90 | 15.02 | 9.25 |
| | | | | | Hinged Door Above Shelf | 34.47 | 21.45 | 13.00 |
| | | | | | Hinged Door Below Shelf | 34.47 | 22.26 | 13.00 |
| Closets | 15" | 15 | 23.88 | 68.13 | Total | 13.47 | 22.26 | 66.61 |
| | 18" | 18 | 23.88 | 68.13 | Total | 16.47 | 22.26 | 66.61 |
| | 18" 6H | 18 | 23.88 | 81.50 | Above Shelf | 16.47 | 21.10 | 12.62 |
| | | | | | Below Shelf | 16.47 | 22.26 | 66.61 |
| | 5H - D | 30 | 23.88 | 68.13 | Top Shelf | 13.86 | 21.10 | 12.61 |
| | | | | | 2nd Shelf | 13.86 | 21.10 | 12.25 |
| | | | | | 3rd Shelf | 13.86 | 21.10 | 11.98 |
| | | | | | 4th Shelf | 13.86 | 21.10 | 13.93 |
| | | | | | Bottom Shelf | 13.86 | 22.26 | 12.85 |
| | | | | | Coat Rod Section | 13.86 | 22.26 | 66.61 |
| | 5H - S | 30 | 23.88 | 68.13 | Top Shelf | 28.47 | 21.10 | 12.61 |

| DESCRIPTION | STYLE | EXTERNAL DIMENSIONS | | | LOCATION | INTERNAL DIMENSIONS | | |
|------------------------------|--------|---------------------|-------|--------|-----------------------------------|---------------------|-------|--------|
| | | width | depth | height | | width | depth | height |
| | | | | | 2nd Shelf | 28.47 | 21.10 | 12.25 |
| | | | | | 3rd Shelf | 28.47 | 21.10 | 11.98 |
| | | | | | 4th Shelf | 28.47 | 21.10 | 13.93 |
| | | | | | Bottom Shelf | 28.47 | 22.26 | 12.85 |
| | 6H - D | 30 | 23.88 | 81.50 | Top Shelf | 13.86 | 21.10 | 12.62 |
| | | | | | 2nd Shelf | 13.86 | 21.10 | 12.61 |
| | | | | | 3rd Shelf | 13.86 | 21.10 | 12.25 |
| | | | | | 4th Shelf | 13.86 | 21.10 | 11.98 |
| | | | | | 5th Shelf | 13.86 | 21.10 | 13.93 |
| | | | | | Bottom Shelf | 13.86 | 22.26 | 12.85 |
| | | | | | Coat Rod Section Above Top Shelf | 13.86 | 21.10 | 12.62 |
| | | | | | Coat Rod Section Bellow Top Shelf | 13.86 | 22.25 | 66.61 |
| | 6H - S | 30 | 23.88 | 81.50 | Top Shelf | 28.47 | 21.10 | 12.62 |
| | | | | | 2nd Shelf | 28.47 | 21.10 | 12.61 |
| | | | | | 3rd Shelf | 28.47 | 21.10 | 12.25 |
| | | | | | 4th Shelf | 28.47 | 21.10 | 11.98 |
| | | | | | 5th Shelf | 28.47 | 21.10 | 13.93 |
| | | | | | Bottom Shelf | 28.47 | 22.26 | 12.85 |
| Storage Box | 5H | 30 | 23.88 | 68.13 | File Drawer | 25.90 | 15.02 | 9.25 |
| | | | | | Total Hinged Door | 28.47 | 22.26 | 39.50 |
| | | | | | Top Shelf | 28.47 | 19.45 | 12.61 |
| | | | | | Middle Shelf | 28.47 | 19.45 | 12.10 |
| | | | | | Bottom Shelf | 28.47 | 22.26 | 13.29 |
| | 6H | 30 | 23.88 | 81.50 | File Drawer | 25.90 | 15.02 | 9.25 |
| | | | | | Total Hinged Door | 28.47 | 22.26 | 52.87 |
| | | | | | Top Shelf | 28.47 | 19.45 | 12.62 |
| | | | | | 2nd Shelf | 28.47 | 19.45 | 12.61 |
| | | | | | 3rd Shelf | 28.47 | 19.45 | 12.10 |
| | | | | | Bottom Shelf | 28.47 | 22.26 | 13.29 |
| Storage Box 18" Wide | 5H | 18 | 23.88 | 68.13 | File Drawer | 14.40 | 15.02 | 9.17 |
| | | | | | Total Hinged Door | 16.47 | 22.26 | 39.50 |
| | | | | | Top Shelf | 16.47 | 19.45 | 12.61 |
| | | | | | Middle Shelf | 16.47 | 19.45 | 12.10 |
| | | | | | Bottom Shelf | 16.47 | 22.26 | 13.29 |
| | 6H | 18 | 23.88 | 81.50 | File Drawer | 14.40 | 15.02 | 9.17 |
| | | | | | Total Hinged Door | 16.47 | 22.26 | 52.87 |
| | | | | | Top Shelf | 16.47 | 19.45 | 12.62 |
| | | | | | 2nd Shelf | 16.47 | 19.45 | 12.61 |
| | | | | | 3rd Shelf | 16.47 | 19.45 | 12.10 |
| | | | | | Bottom Shelf | 16.47 | 22.26 | 13.29 |
| Storage Box 18" Wide No Door | 5H | 18 | 23.88 | 68.13 | File Drawer | 14.40 | 15.02 | 9.17 |
| | | | | | Total Shelf | 16.47 | 22.26 | 39.50 |
| | | | | | Top Shelf | 16.47 | 19.45 | 12.61 |
| | | | | | Middle Shelf | 16.47 | 19.45 | 12.10 |
| | | | | | Bottom Shelf | 16.47 | 22.26 | 13.29 |

DIMENSIONS

Silea
02/26

| DESCRIPTION | STYLE | EXTERNAL DIMENSIONS | | | LOCATION | INTERNAL DIMENSIONS | | |
|---|---------------------------|---------------------|-------------------------------|--------------|--------------------------|---------------------|-------|--------|
| | | width | depth | height | | width | depth | height |
| | 6H | 18 | 23.88 | 81.50 | File Drawer | 14.40 | 15.02 | 9.17 |
| | | | | | Total Shelf | 16.47 | 22.26 | 52.87 |
| | | | | | Top Shelf | 16.47 | 19.45 | 12.62 |
| | | | | | 2nd Shelf | 16.47 | 19.45 | 12.61 |
| | | | | | 3rd Shelf | 16.47 | 19.45 | 12.10 |
| | | | | | Bottom Shelf | 16.47 | 22.26 | 13.29 |
| Utility Cabinet | 5H | 24 | 23.88 | 68.13 | Closet | 7.84 | 22.26 | 66.60 |
| | | | | | File Drawer | 11.40 | 15.02 | 9.17 |
| | | | | | Total Hinged Door | 13.47 | 22.32 | 39.53 |
| | | | | | Top Shelf | 13.47 | 19.45 | 12.61 |
| | | | | | Middle Shelf | 13.47 | 19.45 | 12.10 |
| | 6H | 24 | 23.88 | 81.50 | Closet Above Top Shelf | 7.84 | 19.45 | 12.62 |
| | | | | | Closet Below Top Shelf | 7.84 | 22.26 | 66.61 |
| | | | | | File Drawer | 11.40 | 15.02 | 9.17 |
| | | | | | Total Hinged Door | 13.47 | 22.32 | 52.91 |
| | | | | | Top Shelf | 13.47 | 19.45 | 12.62 |
| | | | | | 2nd Shelf | 13.47 | 19.45 | 12.61 |
| | | | | | 3rd Shelf | 13.47 | 19.45 | 12.10 |
| | | | | | Bottom Shelf | 13.47 | 22.32 | 13.33 |
| | | | | | Storage Cabinet | 30"W | 30 | 23.88 |
| Top Shelf | 28.47 | 21.45 | 12.78 | | | | | |
| Bottom Shelf | 28.47 | 22.26 | 12.85 | | | | | |
| 36"W | 36 | 23.88 | 29.04 | Total | | 34.47 | 22.26 | 26.38 |
| | | | | Top Shelf | | 34.47 | 21.45 | 12.72 |
| | | | | Bottom Shelf | | 34.47 | 22.26 | 12.85 |
| Standard & Layers Side Access Storage Locker | 5H w/ door | 23 7/8 | 23.90 | 68.13 | Inside Top Shelf | 14.70 | 22.32 | 12.61 |
| | | | | | Inside Bottom Shelf | 14.70 | 22.32 | 12.85 |
| | | | | | Top Side Access Shelf | 21.55 | 15.41 | 12.25 |
| | | | | | Bottom Side Access Shelf | 21.55 | 15.47 | 11.97 |
| | 6H w/ door | 23 7/8 | 23.90 | 81.50 | Inside Shelf | 14.70 | 21.12 | 12.62 |
| | | | | | Inside Bottom Shelf | 14.70 | 21.12 | 13.94 |
| | | | | | Top Side Access Shelf | 21.55 | 15.41 | 12.25 |
| | | | | | Bottom Side Access Shelf | 21.55 | 15.47 | 11.97 |
| 1H Wall Mount Cabinets – Hinged Door & Open Shelf | 1H Hinged Door (16 1/8"D) | 30" | See depth dimensions by style | 14.13 | Shelf | 28.50 | 14.08 | 12.59 |
| | 1H Glass Door (16 1/4"D) | 36" | | 14.13 | Shelf | 34.50 | 14.08 | 12.59 |
| | 1H Open (15 3/8"D) | 42" | 14.13 | Left Shelf | 19.67 | 14.08 | 12.59 | |
| | | | | Right Shelf | 19.67 | 14.08 | 12.59 | |
| | | 48" | 14.13 | Left Shelf | 22.67 | 14.08 | 12.59 | |
| | | | | Right Shelf | 22.67 | 14.08 | 12.59 | |
| | | 54" | 14.13 | Left Shelf | 25.67 | 14.08 | 12.59 | |
| | | | | Right Shelf | 25.67 | 14.08 | 12.59 | |
| | | 60" | 14.13 | Left Shelf | 28.67 | 14.08 | 12.59 | |
| | | | | Right Shelf | 28.67 | 14.08 | 12.59 | |
| | 66" | 14.13 | Left Shelf | 31.67 | 14.08 | 12.59 | | |

| DESCRIPTION | STYLE | EXTERNAL DIMENSIONS | | | LOCATION | INTERNAL DIMENSIONS | | |
|---|---------------------------|---------------------|-------------------------------|--------|--------------------|---------------------|-------|--------|
| | | width | depth | height | | width | depth | height |
| | | | | | Right Shelf | 31.67 | 14.08 | 12.59 |
| | | 72" | | 14.13 | Left Shelf | 34.67 | 14.08 | 12.59 |
| | | | | | Right Shelf | 34.67 | 14.08 | 12.59 |
| | | 78" | | 14.13 | Left Shelf | 37.67 | 14.08 | 12.59 |
| | | | | | Right Shelf | 37.67 | 14.08 | 12.59 |
| | | 84" | | 14.13 | Left Shelf | 26.67 | 14.08 | 12.59 |
| | | | | | Middle Shelf | 26.84 | 14.08 | 12.59 |
| | | | | | Right Shelf | 26.67 | 14.08 | 12.59 |
| | | 90" | | 14.13 | Left Shelf | 28.67 | 14.08 | 12.59 |
| | | | | | Middle Shelf | 28.84 | 14.08 | 12.59 |
| | | | | | Right Shelf | 28.67 | 14.08 | 12.59 |
| | | 96" | | 14.13 | Left Shelf | 30.67 | 14.08 | 12.59 |
| | | | | | Middle Shelf | 30.84 | 14.08 | 12.59 |
| | | | | | Right Shelf | 30.67 | 14.08 | 12.59 |
| | | 102" | | 14.13 | Left Shelf | 32.67 | 14.08 | 12.59 |
| | | | | | Middle Shelf | 32.84 | 14.08 | 12.59 |
| | | | | | Right Shelf | 32.67 | 14.08 | 12.59 |
| | | 108" | | 14.13 | Left Shelf | 34.67 | 14.08 | 12.59 |
| | | | | | Middle Shelf | 34.84 | 14.08 | 12.59 |
| | | | | | Right Shelf | 34.67 | 14.08 | 12.59 |
| 1H Wall Mount Cabinets – Sliding Doors | 1H | 60" | 16.20 | 14.13 | Left Shelf | 28.67 | 14.08 | 12.59 |
| | | | | | Right Shelf | 28.67 | 14.08 | 12.59 |
| | | 72" | 16.20 | 14.13 | Left Shelf | 34.67 | 14.08 | 12.59 |
| | | | | | Right Shelf | 34.67 | 14.08 | 12.59 |
| | | 90" | 16.20 | 14.13 | Left Shelf | 28.66 | 14.08 | 12.59 |
| | | | | | Middle Shelf | 28.86 | 14.08 | 12.59 |
| | | | | | Right Shelf | 28.66 | 14.08 | 12.59 |
| | | 108" | 16.20 | 14.13 | Left Shelf | 34.66 | 14.08 | 12.59 |
| | | | | | Middle Shelf | 34.86 | 14.08 | 12.59 |
| | | | | | Right Shelf | 34.66 | 14.08 | 12.59 |
| 2H Wall Mount Cabinets – Hinged Door & Open Shelf | 2H Hinged Door (16 1/5"D) | 30" | See depth dimensions by style | 27.50 | Top Shelf | 28.50 | 13.95 | 12.61 |
| | 2H Glass Door (16 1/4"D) | | | | Bottom Shelf | 28.50 | 13.95 | 12.61 |
| | 2H Open (15 3/8"D) | 36" | | 27.50 | Top Shelf | 34.50 | 13.95 | 12.61 |
| | | | | | Bottom Shelf | 34.50 | 13.95 | 12.61 |
| | | 42" | | 27.50 | Top Shelf Left | 19.67 | 13.95 | 12.61 |
| | | | | | Top Shelf Right | 19.67 | 13.95 | 12.61 |
| | | | | | Bottom Shelf Left | 19.67 | 13.95 | 12.61 |
| | | | | | Bottom Shelf Right | 19.67 | 13.95 | 12.61 |
| | | 48" | | 27.50 | Top Shelf Left | 22.67 | 13.95 | 12.61 |
| | | | | | Top Shelf Right | 22.67 | 13.95 | 12.61 |
| | | | | | Bottom Shelf Left | 22.67 | 13.95 | 12.61 |
| | | | | | Bottom Shelf Right | 22.67 | 13.95 | 12.61 |
| | | 54" | | 27.50 | Top Shelf Left | 25.67 | 13.95 | 12.61 |
| | | | | | Top Shelf Right | 25.67 | 13.95 | 12.61 |
| | | | | | Bottom Shelf Left | 25.67 | 13.95 | 12.61 |

DIMENSIONS

Silea
02/26

| DESCRIPTION | STYLE | EXTERNAL DIMENSIONS | | | LOCATION | INTERNAL DIMENSIONS | | |
|---|-------|---------------------|-------|--------|---------------------|---------------------|-------|--------|
| | | width | depth | height | | width | depth | height |
| | | | | | Bottom Shelf Right | 25.67 | 13.95 | 12.61 |
| | | 60" | | 27.50 | Top Shelf Left | 28.67 | 13.95 | 12.61 |
| | | | | | Top Shelf Right | 28.67 | 13.95 | 12.61 |
| | | | | | Bottom Shelf Left | 28.67 | 13.95 | 12.61 |
| | | | | | Bottom Shelf Right | 28.67 | 13.95 | 12.61 |
| | | 66" | | 27.50 | Top Shelf Left | 31.67 | 13.95 | 12.58 |
| | | | | | Top Shelf Right | 31.67 | 13.95 | 12.58 |
| | | | | | Bottom Shelf Left | 31.67 | 13.95 | 12.58 |
| | | | | | Bottom Shelf Right | 31.67 | 13.95 | 12.58 |
| | | 72" | | 27.50 | Top Shelf Left | 34.67 | 13.95 | 12.58 |
| | | | | | Top Shelf Right | 34.67 | 13.95 | 12.58 |
| | | | | | Bottom Shelf Left | 34.67 | 13.95 | 12.58 |
| | | | | | Bottom Shelf Right | 34.67 | 13.95 | 12.58 |
| | | 78" | | 27.50 | Top Shelf Left | 37.67 | 13.95 | 12.58 |
| | | | | | Top Shelf Right | 37.67 | 13.95 | 12.58 |
| | | | | | Bottom Shelf Left | 37.67 | 13.95 | 12.58 |
| | | | | | Bottom Shelf Right | 37.67 | 13.95 | 12.58 |
| | | 84" | | 27.50 | Top Shelf Left | 26.67 | 13.95 | 12.61 |
| | | | | | Top Shelf Middle | 26.84 | 13.95 | 12.61 |
| | | | | | Top Shelf Right | 12.67 | 13.95 | 12.61 |
| | | | | | Bottom Shelf Left | 26.67 | 14.08 | 12.61 |
| | | | | | Bottom Shelf Middle | 26.84 | 14.08 | 12.61 |
| | | | | | Bottom Shelf Right | 26.67 | 14.08 | 12.61 |
| | | 90" | | 27.50 | Top Shelf Left | 28.67 | 13.95 | 12.61 |
| | | | | | Top Shelf Middle | 28.84 | 13.95 | 12.61 |
| | | | | | Top Shelf Right | 28.67 | 13.95 | 12.61 |
| | | | | | Bottom Shelf Left | 28.67 | 14.08 | 12.61 |
| | | | | | Bottom Shelf Middle | 28.84 | 14.08 | 12.61 |
| | | | | | Bottom Shelf Right | 28.67 | 14.08 | 12.61 |
| 2H Wall Mount Cabinets – Sliding Doors | 2H | 60" | 16.20 | 27.50 | Top Shelf Left | 28.67 | 12.89 | 12.61 |
| | | | | | Top Shelf Right | 28.67 | 12.89 | 12.61 |
| | | | | | Bottom Shelf Left | 28.67 | 13.41 | 12.61 |
| | | | | | Bottom Shelf Right | 28.67 | 13.41 | 12.61 |
| | | 72" | 16.20 | 27.50 | Top Shelf Left | 34.67 | 12.89 | 12.58 |
| | | | | | Top Shelf Right | 34.67 | 12.89 | 12.58 |
| | | | | | Bottom Shelf Left | 34.67 | 13.41 | 12.58 |
| | | | | | Bottom Shelf Right | 34.67 | 13.41 | 12.58 |
| | | 90" | 16.20 | 27.50 | Top Shelf Left | 28.66 | 12.89 | 12.61 |
| | | | | | Top Shelf Middle | 28.86 | 12.89 | 12.61 |
| | | | | | Top Shelf Right | 28.66 | 12.89 | 12.61 |
| | | | | | Bottom Shelf Left | 28.66 | 13.41 | 12.61 |
| | | | | | Bottom Shelf Middle | 28.86 | 13.41 | 12.61 |
| | | | | | Bottom Shelf Right | 28.66 | 13.41 | 12.61 |

| DESCRIPTION | STYLE | EXTERNAL DIMENSIONS | | | LOCATION | INTERNAL DIMENSIONS | | |
|--|---------------------------|---------------------|-------------------------------------|-------------------|--------------------|---------------------|-------|--------|
| | | width | depth | height | | width | depth | height |
| 1H Surface Mount Cabinets – Hinged Door & Open Shelf | 1H Hinged Door (15 2/3"D) | 60" | See depth dimensions by style | 39.09 | Cabinet Left | 28.67 | 14.11 | 12.61 |
| | 1H Glass Door (15 3/4"D) | | | | Cabinet Right | 28.67 | 14.11 | 12.61 |
| | 1H Open (14 7/8"D) | | | | Tackzone | 58.50 | 14.25 | 24.97 |
| | | 66" | | 39.09 | Cabinet Left | 31.67 | 14.11 | 12.61 |
| | | | | | Cabinet Right | 31.67 | 14.11 | 12.61 |
| | | | | | Tackzone | 64.50 | 14.25 | 24.97 |
| | | 72" | | 39.09 | Cabinet Left | 34.67 | 14.11 | 12.61 |
| | | | | | Cabinet Right | 34.67 | 14.11 | 12.61 |
| | | | | | Tackzone | 70.50 | 14.25 | 24.97 |
| | | 78" | | 39.09 | Cabinet Left | 37.67 | 14.11 | 12.61 |
| | | | | | Cabinet Right | 37.67 | 14.11 | 12.61 |
| | | | | | Tackzone | 76.50 | 14.25 | 24.97 |
| | | 84" | | 39.09 | Cabinet Left | 26.67 | 14.11 | 12.61 |
| | | | | | Cabinet Middle | 26.84 | 14.11 | 12.61 |
| | | | | | Cabinet Right | 26.67 | 14.11 | 12.61 |
| | | | | | Tackzone | 82.50 | 14.25 | 24.97 |
| | | 90" | | 39.09 | Cabinet Left | 28.67 | 14.11 | 12.61 |
| | | | | | Cabinet Middle | 28.84 | 14.11 | 12.61 |
| | | | | | Cabinet Right | 28.67 | 14.11 | 12.61 |
| | | | | | Tackzone | 88.50 | 14.25 | 24.97 |
| | | 96" | | 39.09 | Cabinet Left | 30.67 | 14.11 | 12.61 |
| | | | | | Cabinet Middle | 30.84 | 14.11 | 12.61 |
| | | | | | Cabinet Right | 30.67 | 14.11 | 12.61 |
| | | | | | Tackzone | 94.50 | 14.25 | 24.97 |
| | 102" | | 39.09 | Cabinet Left | 32.67 | 14.11 | 12.61 | |
| | | | | Cabinet Middle | 32.84 | 14.11 | 12.61 | |
| | | | | Cabinet Right | 32.67 | 14.11 | 12.61 | |
| | | | | Tackzone | 100.50 | 14.25 | 24.97 | |
| | 108" | | 39.09 | Cabinet Left | 34.67 | 14.11 | 12.61 | |
| | | | | Cabinet Middle | 34.84 | 14.11 | 12.61 | |
| | | | | Cabinet Right | 34.67 | 14.11 | 12.61 | |
| | | | | Tackzone | 106.50 | 14.13 | 24.97 | |
| 2H Surface Mount Cabinets – Hinged Door & Open Shelf | 2H Hinged Door (15 2/3"D) | 60" | See depth dimensions by style | 52.47 | Top Shelf Left | 28.67 | 13.98 | 12.61 |
| | 2H Glass Door (15 3/4"D) | | | | Top Shelf Right | 28.67 | 13.98 | 12.61 |
| | 2H Open (14 7/8"D) | | | | Bottom Shelf Left | 28.67 | 14.11 | 12.63 |
| | | | | | Bottom Shelf Right | 28.67 | 14.11 | 12.63 |
| | | | | | Tackzone | 58.50 | 14.25 | 24.97 |
| | | 66" | | 52.47 | Top Shelf Left | 31.67 | 13.98 | 15.58 |
| | | | | | Top Shelf Right | 31.67 | 13.98 | 15.58 |
| | | | | | Bottom Shelf Left | 31.67 | 14.11 | 12.60 |
| | | | | | Bottom Shelf Right | 31.67 | 14.11 | 12.60 |
| | | | | | Tackzone | 64.50 | 14.25 | 24.97 |
| | | 72" | | 52.47 | Top Shelf Left | 31.67 | 13.98 | 12.58 |
| | | | | | Top Shelf Right | 31.67 | 13.98 | 12.58 |
| | | | | Bottom Shelf Left | 31.67 | 14.11 | 12.60 | |

DIMENSIONS

Silea
02/26

| DESCRIPTION | STYLE | EXTERNAL DIMENSIONS | | | LOCATION | INTERNAL DIMENSIONS | | | |
|--|---------------------------|---------------------|-------------------------------------|--------|---------------------|---------------------|-------|--------|-------|
| | | width | depth | height | | width | depth | height | |
| | | | | | Bottom Shelf Right | 31.67 | 14.11 | 12.60 | |
| | | | | | Tackzone | 64.50 | 14.25 | 24.97 | |
| | | 78" | | 52.47 | Top Shelf Left | 37.67 | 13.98 | 12.58 | |
| | | | | | Top Shelf Right | 37.67 | 13.98 | 12.58 | |
| | | | | | Bottom Shelf Left | 37.67 | 14.11 | 12.60 | |
| | | | | | Bottom Shelf Right | 37.67 | 14.11 | 12.60 | |
| | | | | | Tackzone | 76.50 | 14.25 | 24.97 | |
| | | 84" | | 52.47 | Top Shelf Left | 26.67 | 13.98 | 12.61 | |
| | | | | | Top Shelf Middle | 26.84 | 13.98 | 12.61 | |
| | | | | | Top Shelf Right | 26.67 | 13.98 | 12.61 | |
| | | | | | Bottom Shelf Left | 26.67 | 14.11 | 12.63 | |
| | | | | | Bottom Shelf Middle | 26.84 | 14.11 | 12.63 | |
| | | | | | Bottom Shelf Right | 26.67 | 14.11 | 12.63 | |
| | | | | | Tackzone | 82.50 | 14.25 | 24.97 | |
| | | 90" | | 52.47 | Top Shelf Left | 28.67 | 13.98 | 12.61 | |
| | | | | | Top Shelf Middle | 28.84 | 13.98 | 12.61 | |
| | | | | | Top Shelf Right | 28.67 | 13.98 | 12.61 | |
| | | | | | Bottom Shelf Left | 28.67 | 14.11 | 12.63 | |
| | | | | | Bottom Shelf Middle | 28.84 | 14.11 | 12.63 | |
| | | | | | Bottom Shelf Right | 28.67 | 14.11 | 12.63 | |
| | | | | | Tackzone | 88.50 | 14.25 | 24.97 | |
| 1H Surface Mount Towers – Hinged Door & Open Shelf | 1H Hinged Door (15 3/4"D) | 15" | See depth dimensions by style | 39.09 | Top Shelf | 13.50 | 13.91 | 12.61 | |
| | 1H Glass Door (15 4/5"D) | | | | Middle Shelf | 13.50 | 13.91 | 12.17 | |
| | 1H Open (14 7/8"D) | | | | Bottom Shelf | 13.50 | 14.07 | 11.30 | |
| | | | 18" | | 39.09 | Top Shelf | 16.50 | 13.91 | 12.61 |
| | | | | | | Middle Shelf | 16.50 | 13.91 | 12.17 |
| | | | | | | Bottom Shelf | 16.50 | 14.07 | 11.30 |
| | | | 30" | | 39.09 | Top Shelf | 28.50 | 13.91 | 12.61 |
| | | | | | | Middle Shelf | 28.50 | 13.91 | 12.17 |
| | | | | | | Bottom Shelf | 28.50 | 14.07 | 11.30 |
| | | | 36" | | 39.09 | Top Shelf | 34.50 | 13.91 | 12.55 |
| | | | | | | Middle Shelf | 34.50 | 13.91 | 12.11 |
| | | | | | | Bottom Shelf | 34.50 | 14.07 | 11.30 |
| 2H Surface Mount Towers - Hinged Door & Open Shelf | 2H Hinged Door (15 3/4"D) | 15" | See depth dimensions by style | 52.47 | Top Shelf | 13.50 | 13.91 | 12.61 | |
| | 2H Glass Door (15 4/5"D) | | | | 2nd Shelf | 13.50 | 13.91 | 12.63 | |
| | 2H Open (14 7/8"D) | | | | 3rd Shelf | 13.50 | 13.91 | 12.17 | |
| | | | | | | Bottom Shelf | 13.50 | 14.07 | 11.30 |
| | | | 18" | | 52.47 | Top Shelf | 16.50 | 13.91 | 12.61 |
| | | | | | | 2nd Shelf | 16.50 | 13.91 | 12.63 |
| | | | | | | 3rd Shelf | 16.50 | 13.91 | 12.17 |
| | | | | | | Bottom Shelf | 16.50 | 14.07 | 11.30 |
| | | | 30" | | 52.47 | Top Shelf | 28.50 | 13.91 | 12.61 |
| | | | | | | 2nd Shelf | 28.50 | 13.91 | 12.63 |
| | | | | | | 3rd Shelf | 28.50 | 13.91 | 12.17 |
| | | | | | | Bottom Shelf | 28.50 | 14.07 | 11.30 |

| DESCRIPTION | STYLE | EXTERNAL DIMENSIONS | | | LOCATION | INTERNAL DIMENSIONS | | | |
|-------------|---------------------------------|-----------------------------|-------|--------|-----------------------------|---------------------------------|--------------------------------|--------------------------------|-------|
| | | width | depth | height | | width | depth | height | |
| | | 36" | | 52.47 | Top Shelf | 34.50 | 13.91 | 12.55 | |
| | | | | | 2nd Shelf | 34.50 | 13.91 | 12.57 | |
| | | | | | 3rd Shelf | 34.50 | 13.91 | 12.11 | |
| | | | | | Bottom Shelf | 34.50 | 14.07 | 11.30 | |
| WorkWall | Wall Mount | 72" | 19.69 | 39.09 | Collaboration Side Tackzone | 34.26 | 11.55 | 36.73 | |
| | | | | | Personal Side Tackzone | 34.26 | 16.30 | 25.13 | |
| | | | | | Personal Side Drawer | 26.40 | 13.09 | 2.91 | |
| | | 90" | 19.69 | 39.09 | Collaboration Side Tackzone | 43.26 | 11.55 | 36.73 | |
| | Personal Side Tackzone | | | | 43.26 | 16.30 | 25.13 | | |
| | Personal Side Drawer | | | | 32.40 | 13.09 | 2.91 | | |
| | | Wall Mount w/ Wall | 72" | 19.69 | 68.13 | Collaboration Side Tackzone | 34.26 | 11.55 | 36.73 |
| | Access Panel | | | | | Personal Side Tackzone | 34.26 | 16.27 | 25.13 |
| | | | | | | Personal Side Drawer | 26.40 | 13.09 | 2.91 |
| | | | 90" | 19.69 | 68.13 | Wall Access Panel | 34.50 | 6.49 | 29.06 |
| | | Collaboration Side Tackzone | | | | 43.26 | 11.55 | 36.73 | |
| | | Personal Side Tackzone | | | | 43.26 | 16.27 | 25.13 | |
| | | | | | | Personal Side Drawer | 32.40 | 13.09 | 2.91 |
| | | | | | | Wall Access Panel | 43.50 | 6.48 | 29.06 |
| | | Stack On | 72" | 19.69 | 39.09 | Collaboration Side Tackzone | 34.26 | 10.38 | 36.41 |
| | | | | | | Personal Side Tackzone | 34.26 | 17.30 | 36.41 |
| | | | | | | Personal Side Shelf | 34.26 | 12.70 | 11.81 |
| | | | 90" | 19.69 | 39.09 | Collaboration Side Tackzone | 43.26 | 10.38 | 36.41 |
| | | Personal Side Tackzone | | | | 43.26 | 17.30 | 36.41 | |
| | | Personal Side Shelf | | | | 43.26 | 12.70 | 11.81 | |
| | | Freestanding | 72" | 23.74 | 75.50 | Collaboration Side Tackzone | 34.47 | 10.95 | 39.49 |
| | | | | | | Collaboration Side Drawer | 26.40 | 13.09 | 2.91 |
| | | | | | | Collaboration Side Top Shelf | 34.47 | 12.20 | 13.33 |
| | | | | | | Collaboration Side Bottom Shelf | 34.47 | 12.26 | 12.10 |
| | Personal Side Tackzone | | | | | 34.47 | 16.29 | 32.35 | |
| | | | | | | Personal Side Drawer Top | 32.40 | 13.09 | 2.91 |
| | | | | | | Personal Side Drawer 2nd | 31.90 | 15.02 | 9.25 |
| | | | | | | Personal Side Drawer Bottom | 31.90 | 15.02 | 9.25 |
| | | | 90" | 23.74 | 75.50 | Collaboration Side Tackzone | 43.48 | 10.95 | 39.49 |
| | Collaboration Side Drawer | | | | | 32.40 | 13.09 | 2.91 | |
| | Collaboration Side Top Shelf | | | | | 43.48 | 12.20 | 13.33 | |
| | Collaboration Side Bottom Shelf | | | | | 43.48 | 12.26 | 12.10 | |
| | Personal Side Tackzone | | | | | 34.47 | 16.29 | 32.35 | |
| | | | | | | Personal Side Drawer Top | 32.40 | 13.09 | 2.91 |
| | | | | | | Personal Side Drawer 2nd | 31.90 | 15.02 | 9.25 |
| | | | | | Personal Side Drawer Bottom | 31.90 | 15.02 | 9.25 | |
| | | | | | Closet above the Shelf | 7.85 | 17.22 | 59.80 | |
| | | | | | Closet below the Shelf | 7.85 | 17.29 | 12.10 | |
| | | | | | Personal Side Drawer Bottom | 31 ⁸ / ₉ | 15 | 9 ¹ / ₄ | |
| | | | | | Closet above the Shelf | 7 ⁶ / ₇ | 17 ² / ₉ | 59 ⁴ / ₅ | |
| | | | | | Closet below the Shelf | 7 ⁶ / ₇ | 17 ² / ₇ | 12 | |

The typicals shown below include best practices for specifying grain direction on worksurfaces.




LONG GRAIN:
Grain runs width of top



SHORT GRAIN:
Grain runs depth of top

RECOMMENDATIONS

- Grain should run parallel to one another when crossing over worksurface segments
- Avoid running the grain end-to-end when crossing over worksurface segments




LAMINATE GUIDELINES

- **Laminate worksurfaces:** Optional grain direction is available on worksurfaces up to 60". For worksurfaces above 60", long grain is standard.
- **Laminate modesty and wall access panels:** Grain direction is not optional. Grain runs vertically on panels up to and including 60". Grain runs horizontally on panels over 60".


FREESTANDING

Desk: Long Grain
Credenza: Long Grain




U-STATION

Desk: Long Grain
Bridge: Short Grain
Credenza: Long Grain




T-STATION

Desk: Long Grain
Return: Short Grain
Hinged Door Cabinet: Short Grain




T-STATION WITH LAYERS

Desk: Long Grain
Layers Credenza: Short Grain




L-STATION

Desk: Long Grain
Return: Short Grain



L-STATION

Runoff Desk: Short Grain
Credenza: Long Grain







Unitized Casegoods 47-74

- Double Pedestal Desk 48
- Single Pedestal Desk 49-50
- Runoff Desks 51
- Layers Runoff W/ Layers Box / Laptop Drawer 52-53
- Double Pedestal Credenza 54
- Single Pedestal Credenza 55
- Full Bank Credenza 56-57
- Returns 58
- Rectangular Table Desk & Extensions 59-61
- Runoffs 62
- Rectangular Runoff 63
- Layers Rectangular Runoff W/ Layers Box /
Laptop Drawer 64-65
- Ellipse Table Desk 66
- Layers Ellipse Runoff W/ Layers Box 67
- Arc Boat Table Desk 68
- Layers Arc Boat Runoff W/Layers Box 69
- Sightline Runoff 70
- Layers Sightline Runoff W/ Layers Box /
Laptop Drawer 71-72
- Layers Cockpit Runoff W/ Layers Box 73
- Media Top 74

DOUBLE PEDESTAL DESK

Silea
02/26

| | D | W | H | model number + type | laminata | venerer 1 | venerer 2 | venerer 3 |
|--|----|----|--------|---|----------|-----------|-----------|-----------|
|   | 36 | 72 | 29 1/2 | GS2DROB3672-32 [] | 6,126 | 7,873 | 8,685 | 9,496 |
| | | | | <ul style="list-style-type: none"> • 15" wide pedestals • 30" depth pedestals • 3/4" breakfront modesty • 6" overhang | | | | |
|   | 42 | 72 | 29 1/2 | GS2DBOB4272-32 [] | 6,627 | 8,558 | 9,440 | 10,322 |
| | | | | <ul style="list-style-type: none"> • 15" wide pedestals • 30" depth pedestals • 3/4" breakfront modesty • 6" overhang • 12" overhang at center | | | | |
|   | 36 | 72 | 29 1/2 | GS2DROF3672-32 [] | 5,799 | 7,461 | 8,231 | 9,000 |
| | | | | <ul style="list-style-type: none"> • 15" wide pedestals • 30" depth pedestals • Flush front modesty • 6" overhang | | | | |

PRODUCT INFO

Wood tops optional grain.

Laminate tops long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**
 Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **GRAIN DIRECTION**
7. **PULL**
8. **DRAWERS**
9. **GROMMET**
10. **KEYING**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **EDGE DETAIL**
7. **PULL**
8. **DRAWERS**
9. **GROMMET**
10. **KEYING**

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 | |
|---|--|----|--------|--|--|----------|----------|----------|-------|
| LEFT HAND  | 30 | 60 | 29 1/2 | GS2DRFB3060L-3 <input type="checkbox"/> | 4,360 | 5,621 | 6,202 | 6,780 | |
| | 30 | 66 | 29 1/2 | GS2DRFB3066L-3 <input type="checkbox"/> | 4,491 | 5,793 | 6,390 | 6,987 | |
| | 30 | 72 | 29 1/2 | GS2DRFB3072L-3 <input type="checkbox"/> | 4,629 | 5,973 | 6,590 | 7,205 | |
| | • 3/4" breakfront modesty | | | | | | | | |
|  | 36 | 72 | 29 1/2 | GS2DROB3672L-3 <input type="checkbox"/> | 4,713 | 6,088 | 6,717 | 7,344 | |
| | 36 | 78 | 29 1/2 | GS2DROB3678L-3 <input type="checkbox"/> | 4,883 | 6,311 | 6,963 | 7,613 | |
| | • 3/4" breakfront modesty • 6" overhang | | | | | | | | |
|  | Bow front | 42 | 72 | 29 1/2 | GS2DBOB4272L-3 <input type="checkbox"/> | 5,214 | 6,773 | 7,472 | 8,170 |
| | | | | | | | | | |
| | • 3/4" breakfront modesty • 6" overhang • 12" overhang at center | | | | | | | | |
| RIGHT HAND  | 30 | 60 | 29 1/2 | GS2DRFB3060R-3 <input type="checkbox"/> | 4,360 | 5,621 | 6,202 | 6,780 | |
| | 30 | 66 | 29 1/2 | GS2DRFB3066R-3 <input type="checkbox"/> | 4,491 | 5,793 | 6,390 | 6,987 | |
| | 30 | 72 | 29 1/2 | GS2DRFB3072R-3 <input type="checkbox"/> | 4,629 | 5,973 | 6,590 | 7,205 | |
| | • 3/4" breakfront modesty | | | | | | | | |
|  | 36 | 72 | 29 1/2 | GS2DROB3672R-3 <input type="checkbox"/> | 4,713 | 6,088 | 6,717 | 7,344 | |
| | 36 | 78 | 29 1/2 | GS2DROB3678R-3 <input type="checkbox"/> | 4,883 | 6,311 | 6,963 | 7,613 | |
| | • 3/4" breakfront modesty • 6" overhang | | | | | | | | |
|  | Bow front | 42 | 72 | 29 1/2 | GS2DBOB4272R-3 <input type="checkbox"/> | 5,214 | 6,773 | 7,472 | 8,170 |
| | | | | | | | | | |
| | • 3/4" breakfront modesty • 6" overhang • 12" overhang at center | | | | | | | | |

PRODUCT INFO

Wood tops optional grain.
Laminate tops optional grain up to 60", over 60" long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

- No Grommet **GN**
- Left **GL**
- Right **GR**
- Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option.
When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **GRAIN DIRECTION**
7. **PULL**
8. **DRAWERS**
9. **GROMMET**
10. **KEYING**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **GRAIN DIRECTION (60W models only)**
7. **EDGE DETAIL**
9. **PULL**
10. **DRAWERS**
11. **GROMMET**
12. **KEYING**

SINGLE PEDESTAL DESK

15" Pedestals | Flush Front Modesty

Silea
02/26

| | D | W | H | model number + type | laminates | veneer 1 | veneer 2 | veneer 3 |
|---|--------------------------|----|--------|---------------------------|-----------|----------|----------|----------|
| LEFT HAND  | 30 | 60 | 29 1/2 | GS2DROF3060L-3 [] | 4,131 | 5,549 | 6,123 | 6,693 |
| | 30 | 66 | 29 1/2 | GS2DROF3066L-3 [] | 4,255 | 5,712 | 6,367 | 7,020 |
| | 30 | 72 | 29 1/2 | GS2DROF3072L-3 [] | 4,382 | 5,880 | 6,487 | 7,092 |
| | • 6" overhang | | | | | | | |
|  | 36 | 72 | 29 1/2 | GS2DROF3672L-3 [] | 4,566 | 5,957 | 6,572 | 7,186 |
| | 36 | 78 | 29 1/2 | GS2DROF3678L-3 [] | 4,723 | 6,165 | 6,801 | 7,435 |
| | • 6" overhang | | | | | | | |
|  Bow front | 42 | 72 | 29 1/2 | GS2DBOF4272L-3 [] | 5,067 | 6,642 | 7,328 | 8,011 |
| | • 6" overhang | | | | | | | |
| | • 12" overhang at center | | | | | | | |
| RIGHT HAND  | 30 | 60 | 29 1/2 | GS2DROF3060R-3 [] | 4,131 | 5,549 | 6,123 | 6,693 |
| | 30 | 66 | 29 1/2 | GS2DROF3066R-3 [] | 4,255 | 6,346 | 7,001 | 7,654 |
| | 30 | 72 | 29 1/2 | GS2DROF3072R-3 [] | 4,382 | 5,880 | 6,487 | 7,092 |
| | • 6" overhang | | | | | | | |
|  | 36 | 72 | 29 1/2 | GS2DROF3672R-3 [] | 4,566 | 5,957 | 6,572 | 7,186 |
| | 36 | 78 | 29 1/2 | GS2DROF3678R-3 [] | 4,723 | 6,165 | 6,801 | 7,435 |
| | • 6" overhang | | | | | | | |
|  Bow front | 42 | 72 | 29 1/2 | GS2DBOF4272R-3 [] | 5,067 | 6,642 | 7,328 | 8,011 |
| | • 6" overhang | | | | | | | |
| | • 12" overhang at center | | | | | | | |

PRODUCT INFO

Wood tops optional grain.

Laminate tops long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**
 Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- PULL**
- DRAWERS**
- GROMMET**
- KEYING**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- FRONT LAM**
- GRAIN DIRECTION (60W models only)**
- EDGE DETAIL**
- PULL**
- DRAWERS**
- GROMMET**
- KEYING**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|--------------------------|----------|----------|----------|----------|
| LEFT HAND  | 30 | 48 | 29 1/2 | GS2RRO3048L-3 [] | 3,235 | 4,368 | 4,819 | 5,269 |
| | 30 | 54 | 29 1/2 | GS2RRO3054L-3 [] | 3,248 | 4,386 | 4,839 | 5,291 |
| | 36 | 54 | 29 1/2 | GS2RRO3654L-3 [] | 3,433 | 4,627 | 5,105 | 5,581 |
| | 36 | 60 | 29 1/2 | GS2RRO3660L-3 [] | 3,455 | 4,657 | 5,138 | 5,617 |
| <ul style="list-style-type: none"> • Flat brackets ordered separately (model #MDWBRK) | | | | | | | | |
| RIGHT HAND  | 30 | 48 | 29 1/2 | GS2RRO3048R-3 [] | 3,235 | 4,368 | 4,819 | 5,269 |
| | 30 | 54 | 29 1/2 | GS2RRO3054R-3 [] | 3,248 | 4,386 | 4,839 | 5,291 |
| | 36 | 54 | 29 1/2 | GS2RRO3654R-3 [] | 3,433 | 4,627 | 5,105 | 5,581 |
| | 36 | 60 | 29 1/2 | GS2RRO3660R-3 [] | 3,455 | 4,657 | 5,138 | 5,617 |
| <ul style="list-style-type: none"> • Narrow 9 7/16" width pedestal • Flat brackets ordered separately (model #MDWBRK) | | | | | | | | |

PRODUCT INFO

Specify pedestal location from user seated position.

All tops optional grain.

 Units shipped as separate packages and require field assembly.

Modesty panel ordered separately.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- PULL**
- DRAWERS**
- GROMMET**
- KEYING**

LAM TOP, LAM CHASSIS



- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- FRONT LAM**
- GRAIN DIRECTION (60W models only)**
- EDGE DETAIL**
- PULL**
- DRAWERS**
- GROMMET**
- KEYING**

LAYERS RUNOFF DESKS W/LAYERS BOX

Left and Right Hand | BBF Pedestal


Silea

02/26

| | D | W | H | model number + type | laminiate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|--------|--------------------------|-----------|----------|----------|----------|
| LEFT HAND  | 30 | 66 | 29 1/2 | GS2RLO3066L-3 [] | 3,875 | 5,034 | 5,551 | 6,067 |
| | 30 | 72 | 29 1/2 | GS2RLO3072L-3 [] | 3,934 | 5,114 | 5,640 | 6,165 |
| | 36 | 72 | 29 1/2 | GS2RLO3672L-3 [] | 4,181 | 5,427 | 5,985 | 6,542 |
| | 36 | 78 | 29 1/2 | GS2RLO3678L-3 [] | 4,270 | 5,548 | 6,118 | 6,687 |
| RIGHT HAND  | 30 | 66 | 29 1/2 | GS2RLO3066R-3 [] | 3,875 | 5,034 | 5,551 | 6,067 |
| | 30 | 72 | 29 1/2 | GS2RLO3072R-3 [] | 3,934 | 5,114 | 5,640 | 6,165 |
| | 36 | 72 | 29 1/2 | GS2RLO3672R-3 [] | 4,181 | 5,427 | 5,985 | 6,542 |
| | 36 | 78 | 29 1/2 | GS2RLO3678R-3 [] | 4,270 | 5,548 | 6,118 | 6,687 |

- Box | Box | File pedestal
- Narrow 9 7/16" width pedestal

Layers Box



Side view

PRODUCT INFO

Specify pedestal location from user seated position.

All tops long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**
 Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS


- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- PULL**
- HARDWARE COLOR (Layers Box)**
- DRAWERS**
- GROMMET**
- KEYING**

LAM TOP, LAM CHASSIS


- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- FRONT LAM**
- EDGE DETAIL**
- PULL**
- HARDWARE COLOR (Layers Box)**
- DRAWERS**
- GROMMET**
- KEYING**

LAYERS RUNOFF DESKS W/ LAPTOP DRAWER

Left and Right Hand | BBF Pedestal

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|--------|---------------------------|----------|----------|----------|----------|
| LEFT HAND  | 30 | 66 | 29 1/2 | GS2RLOS3066L-3 [] | 4,324 | 5,822 | 6,422 | 7,020 |
| | 30 | 72 | 29 1/2 | GS2RLOS3072L-3 [] | 4,382 | 5,901 | 6,508 | 7,114 |
| | 36 | 72 | 29 1/2 | GS2RLOS3672L-3 [] | 4,653 | 6,196 | 6,834 | 7,470 |
| | 36 | 78 | 29 1/2 | GS2RLOS3678L-3 [] | 4,741 | 6,316 | 6,966 | 7,615 |
| RIGHT HAND  | 30 | 66 | 29 1/2 | GS2RLOS3066R-3 [] | 4,324 | 5,822 | 6,422 | 7,020 |
| | 30 | 72 | 29 1/2 | GS2RLOS3072R-3 [] | 4,382 | 5,901 | 6,508 | 7,114 |
| | 36 | 72 | 29 1/2 | GS2RLOS3672R-3 [] | 4,653 | 6,196 | 6,834 | 7,470 |
| | 36 | 78 | 29 1/2 | GS2RLOS3678R-3 [] | 4,741 | 6,316 | 6,966 | 7,615 |

- Box | Box | File pedestal
- Narrow 9 7/16" width pedestal



PRODUCT INFO

Specify pedestal location from user seated position.

All tops long grain standard.

 Units shipped as separate packages and require field assembly.

Power units included
(2 USB, 2 power)

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **PULL – PEDESTAL**
7. **PULL – LAPTOP DRAWER**
8. **DRAWERS**
9. **GROMMET**
10. **KEYING**
11. **POWER UNIT**

LAM TOP, LAM CHASSIS


1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **EDGE DETAIL**
7. **PULL**
8. **DRAWERS**
9. **GROMMET**
10. **KEYING**
11. **POWER UNIT**

DOUBLE PEDESTAL CREDENZA

15" Pedestals

Silea
02/26

| D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|----|----|--------|--------------------------|----------|----------|----------|----------|
| 24 | 72 | 29 1/2 | GS2DPC2472-22 [] | 5,617 | 7,654 | 8,444 | 9,232 |



- File | File pedestal

PRODUCT INFO

Wood tops optional grain.

Laminate tops long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.





TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- PULL**
- DRAWERS**
- GROMMET**
- MODESTY**
- KEYING**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- FRONT LAM**
- EDGE DETAIL**
- PULL**
- DRAWER**
- GROMMET**
- MODESTY**
- KEYING**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|------------------|----|--------|---|----------|----------|----------|----------|
| LEFT HAND  | 24 | 66 | 29 1/2 | GS2SPC2466L-2 <input type="checkbox"/> | 3,577 | 4,868 | 5,371 | 5,872 |
| | 24 | 72 | 29 1/2 | GS2SPC2472L-2 <input type="checkbox"/> | 3,703 | 5,047 | 5,569 | 6,089 |
| | • 15" W pedestal | | | | | | | |
|  | 24 | 72 | 29 1/2 | GS2SPC2472L-4 <input type="checkbox"/> | 4,169 | 5,685 | 6,272 | 6,858 |
| | 24 | 78 | 29 1/2 | GS2SPC2478L-4 <input type="checkbox"/> | 4,246 | 5,785 | 6,382 | 6,978 |
| | 24 | 84 | 29 1/2 | GS2SPC2484L-4 <input type="checkbox"/> | 4,316 | 5,883 | 6,490 | 7,096 |
| | 24 | 90 | 29 1/2 | GS2SPC2490L-4 <input type="checkbox"/> | 4,516 | 6,154 | 6,789 | 7,423 |
| | 24 | 96 | 29 1/2 | GS2SPC2496L-4 <input type="checkbox"/> | 4,675 | 6,374 | 7,032 | 7,688 |
| | • 30" W pedestal | | | | | | | |
| RIGHT HAND  | 24 | 66 | 29 1/2 | GS2SPC2466R-2 <input type="checkbox"/> | 3,577 | 4,868 | 5,371 | 5,872 |
| | 24 | 72 | 29 1/2 | GS2SPC2472R-2 <input type="checkbox"/> | 3,703 | 5,047 | 5,569 | 6,089 |
| | • 15" W pedestal | | | | | | | |
|  | 24 | 72 | 29 1/2 | GS2SPC2472R-4 <input type="checkbox"/> | 4,169 | 5,685 | 6,272 | 6,858 |
| | 24 | 78 | 29 1/2 | GS2SPC2478R-4 <input type="checkbox"/> | 4,246 | 5,785 | 6,382 | 6,978 |
| | 24 | 84 | 29 1/2 | GS2SPC2484R-4 <input type="checkbox"/> | 4,316 | 5,883 | 6,490 | 7,096 |
| | 24 | 90 | 29 1/2 | GS2SPC2490R-4 <input type="checkbox"/> | 4,516 | 6,154 | 6,789 | 7,423 |
| | 24 | 96 | 29 1/2 | GS2SPC2496R-4 <input type="checkbox"/> | 4,675 | 6,374 | 7,032 | 7,688 |
| | • 30" W pedestal | | | | | | | |

PRODUCT INFO

Wood tops optional grain.
Laminate tops long grain standard.
 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|----------------------------------|-----------------------------|
| WOOD TOP, WOOD CHASSIS | LAM TOP, LAM CHASSIS |
| 1. MODEL NUMBER + WW | 1. MODEL NUMBER + LL |
| 2. FSC | 2. FSC |
| 3. TOP WOOD FINISH + EDGE | 3. TOP LAM |
| 4. CHASSIS WOOD FINISH | 4. CHASSIS LAM |
| 5. TOP FINISH | 5. FRONT LAM |
| 6. GRAIN DIRECTION | 6. EDGE DETAIL |
| 7. PULL | 7. PULL |
| 8. DRAWERS | 8. DRAWER |
| 9. GROMMET | 9. GROMMET |
| 10. MODESTY | 10. MODESTY |
| 11. KEYING | 11. KEYING |

FULL BANK CREDENZA

Lateral File

Silea

02/26

| | D | W | H | model number + type | laminare | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|--------------------------|----------|----------|----------|----------|
|  | 24 | 60 | 29 1/2 | GS2FSC2460-44 [] | 5,575 | 7,592 | 8,375 | 9,157 |
|  | 24 | 72 | 29 1/2 | GS2FSC2472-44 [] | 5,938 | 8,088 | 8,923 | 9,756 |

PRODUCT INFO

All tops long grain standard.
Ships assembled.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **PULL**
7. **DRAWERS**
8. **KEYING**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **EDGE DETAIL**
7. **PULL**
8. **DRAWERS**
9. **KEYING**

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|--------------------------|----------|----------|----------|----------|
|  | 24 | 60 | 29 1/2 | GS2FSC2460-55 [] | 5,119 | 6,977 | 7,697 | 8,416 |
|  | 24 | 72 | 29 1/2 | GS2FSC2472-55 [] | 5,496 | 7,486 | 8,258 | 9,030 |

PRODUCT INFO

All tops long grain standard.
Ships assembled.
(1) Adjustable shelf behind each door set.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


- | | |
|----------------------------------|-----------------------------|
| WOOD TOP, WOOD CHASSIS | LAM TOP, LAM CHASSIS |
| 1. MODEL NUMBER + WW | 1. MODEL NUMBER + LL |
| 2. FSC | 2. FSC |
| 3. TOP WOOD FINISH + EDGE | 3. TOP LAM |
| 4. CHASSIS WOOD FINISH | 4. CHASSIS LAM |
| 5. TOP FINISH | 5. FRONT LAM |
| 6. PULL | 6. EDGE DETAIL |
| 7. KEYING | 7. PULL |
| | 8. KEYING |


RETURNS

15" Pedestals | Full Modesty

Silea

02/26

| | D | W | H | model number + type | laminiate | vener 1 | vener 2 | vener 3 |
|---|----|----|--------|--------------------------|-----------|---------|---------|---------|
| LEFT HAND  | 24 | 42 | 29 1/2 | GS2RTN2442L-2 [] | 3,306 | 4,429 | 4,886 | 5,343 |
| | 24 | 48 | 29 1/2 | GS2RTN2448L-2 [] | 3,399 | 4,555 | 5,026 | 5,495 |
| | 24 | 54 | 29 1/2 | GS2RTN2454L-2 [] | 3,469 | 4,649 | 5,129 | 5,607 |
| | 24 | 60 | 29 1/2 | GS2RTN2460L-2 [] | 3,571 | 4,783 | 5,276 | 5,769 |

| | | | | | | | | |
|--|----|----|--------|--------------------------|-------|-------|-------|-------|
| RIGHT HAND  | 24 | 42 | 29 1/2 | GS2RTN2442R-2 [] | 3,306 | 4,429 | 4,886 | 5,343 |
| | 24 | 48 | 29 1/2 | GS2RTN2448R-2 [] | 3,399 | 4,555 | 5,026 | 5,495 |
| | 24 | 54 | 29 1/2 | GS2RTN2454R-2 [] | 3,469 | 4,649 | 5,129 | 5,607 |
| | 24 | 60 | 29 1/2 | GS2RTN2460R-2 [] | 3,571 | 4,783 | 5,276 | 5,769 |

• Flat brackets ordered separately (model #MDWBRK)

PRODUCT INFO

Specify pedestal location from user seated position.

All tops optional grain.

 Units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**
 Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- PULL**
- DRAWERS**
- GROMMET**
- KEYING**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- FRONT LAM**
- GRAIN DIRECTION**
- EDGE DETAIL**
- PULL**
- DRAWER**
- GROMMET**
- KEYING**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|------------------------|----------|----------|----------|----------|
|  | 30 | 66 | 29 1/2 | GS2TRL3066- [] | 2,360 | 2,762 | 3,043 | 3,324 |
| | 30 | 72 | 29 1/2 | GS2TRL3072- [] | 2,419 | 2,842 | 3,133 | 3,421 |
| | 36 | 72 | 29 1/2 | GS2TRL3672- [] | 2,503 | 2,957 | 3,259 | 3,560 |
| | 36 | 78 | 29 1/2 | GS2TRL3678- [] | 2,592 | 3,078 | 3,393 | 3,706 |

PRODUCT INFO

All tops long grain standard.
 Units shipped as separate packages and require field assembly.

Grommet Location
 (Add \$87 per grommet)

- No Grommet **GN**
- Left **GL**
- Right **GR**
- Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **HARDWARE COLOR**
6. **GROMMET**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **HARDWARE COLOR**
6. **GROMMET**

RECTANGULAR EXTENSION

Left and Right Hand

Silea

02/26

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|-------------------------|----------|----------|----------|----------|
| LEFT HAND  | 30 | 66 | 29 1/2 | GS2XRL3066L- [] | 2,596 | 3,262 | 3,597 | 3,931 |
| | 30 | 72 | 29 1/2 | GS2XRL3072L- [] | 2,655 | 3,342 | 3,686 | 4,028 |
| | 36 | 72 | 29 1/2 | GS2XRL3672L- [] | 2,782 | 3,509 | 3,870 | 4,230 |
| | 36 | 78 | 29 1/2 | GS2XRL3678L- [] | 2,871 | 3,630 | 4,004 | 4,375 |

| | | | | | | | | |
|--|----|----|--------|-------------------------|-------|-------|-------|-------|
| RIGHT HAND  | 30 | 66 | 29 1/2 | GS2XRL3066R- [] | 2,596 | 3,262 | 3,597 | 3,931 |
| | 30 | 72 | 29 1/2 | GS2XRL3072R- [] | 2,655 | 3,342 | 3,686 | 4,028 |
| | 36 | 72 | 29 1/2 | GS2XRL3672R- [] | 2,782 | 3,509 | 3,870 | 4,230 |
| | 36 | 78 | 29 1/2 | GS2XRL3678R- [] | 2,871 | 3,630 | 4,004 | 4,375 |

- Extensions not for use as a freestanding unit, must attach to adjoining unit.

PRODUCT INFO

Specify legs from user seated position.

All tops long grain standard.

 Units shipped as separate packages and require field assembly.

Modesty panel ordered separately.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**
 Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **HARDWARE COLOR**
7. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **HARDWARE COLOR**
7. **GROMMET**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|--------|-------------------------|----------|----------|----------|----------|
| LEFT HAND  | 30 | 66 | 29 1/2 | GS2XRT3066L- [] | 2,952 | 4,280 | 4,720 | 5,159 |
| | 30 | 72 | 29 1/2 | GS2XRT3072L- [] | 3,024 | 4,380 | 4,831 | 5,280 |
| RIGHT HAND  | 30 | 66 | 29 1/2 | GS2XRT3066R- [] | 2,952 | 4,280 | 4,720 | 5,159 |
| | 30 | 72 | 29 1/2 | GS2XRT3072R- [] | 3,024 | 4,380 | 4,831 | 5,280 |
| LEFT HAND  | 42 | 42 | 29 1/2 | GS2XDT4272- [] | 3,956 | 5,656 | 6,239 | 6,819 |
| | 42 | 48 | 29 1/2 | GS2XBT4272- [] | 3,956 | 5,656 | 6,239 | 6,819 |

• Extensions not for use as a freestanding unit, must attach to adjoining unit.

PRODUCT INFO

Specify column from user seated position.

Wood tops optional grain.

Laminate tops long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**
 Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- HARDWARE COLOR**
- GROMMET**


LAM TOP, LAM CHASSIS


- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HARDWARE COLOR**
- GROMMET**

RUNOFFS

15" Pedestal | Full Modesty

Silea
02/26

| | D | W | H | model number + type | laminata | vener 1 | vener 2 | vener 3 |
|---|----|----|--------|---------------------------|----------|---------|---------|---------|
| LEFT HAND  | 30 | 48 | 29 1/2 | GS2RROF3048L-3 [] | 3,592 | 4,819 | 5,317 | 5,813 |
| | 30 | 54 | 29 1/2 | GS2RROF3054L-3 [] | 3,629 | 4,870 | 5,374 | 5,875 |
| | 36 | 54 | 29 1/2 | GS2RROF3654L-3 [] | 3,694 | 4,784 | 5,277 | 5,770 |
| | 36 | 60 | 29 1/2 | GS2RROF3660L-3 [] | 3,742 | 4,843 | 5,343 | 5,841 |

| | | | | | | | | |
|--|----|----|--------|---------------------------|-------|-------|-------|-------|
| RIGHT HAND  | 30 | 48 | 29 1/2 | GS2RROF3048R-3 [] | 3,592 | 4,819 | 5,317 | 5,813 |
| | 30 | 54 | 29 1/2 | GS2RROF3054R-3 [] | 3,629 | 4,870 | 5,374 | 5,875 |
| | 36 | 54 | 29 1/2 | GS2RROF3654R-3 [] | 3,694 | 4,784 | 5,277 | 5,770 |
| | 36 | 60 | 29 1/2 | GS2RROF3660R-3 [] | 3,742 | 4,843 | 5,343 | 5,841 |

• Flat brackets ordered separately (model #MDWBRK)

PRODUCT INFO

Specify pedestal from user seated position.

Wood tops optional grain.

Laminate tops long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- PULL**
- DRAWERS**
- GROMMET**
- KEYING**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- FRONT LAM**
- GRAIN DIRECTION**
- EDGE DETAIL**
- PULL**
- DRAWER**
- GROMMET**
- KEYING**



| D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|----|----|--------|------------------------|----------|----------|----------|----------|
| 30 | 48 | 29 1/2 | GS2RRL3048- [] | 1,453 | 1,830 | 2,019 | 2,206 |
| 30 | 54 | 29 1/2 | GS2RRL3054- [] | 1,545 | 1,926 | 2,124 | 2,322 |
| 36 | 54 | 29 1/2 | GS2RRL3654- [] | 1,608 | 2,010 | 2,216 | 2,422 |
| 36 | 60 | 29 1/2 | GS2RRL3660- [] | 1,630 | 2,042 | 2,252 | 2,461 |

- Flat brackets ordered separately (model #MDWBRK)

PRODUCT INFO

All tops short grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

- MODEL NUMBER + W**
- FSC**
- TOP WOOD FINISH + EDGE**
- TOP FINISH**
- HARDWARE COLOR**
- GROMMET**

LAM TOP

- MODEL NUMBER + L**
- FSC**
- TOP LAM**
- EDGE DETAIL**
- HARDWARE COLOR**
- GROMMET**

LAYERS RECTANGULAR RUNOFF W/ LAYERS BOX


Left and Right Hand

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|--------------------------|----------|----------|----------|----------|
| LEFT HAND  | 30 | 66 | 29 1/2 | GS2RLRL3066L- [] | 2,094 | 2,496 | 2,751 | 3,005 |
| | 30 | 72 | 29 1/2 | GS2RLRL3072L- [] | 2,153 | 2,576 | 2,840 | 3,101 |
| | 36 | 72 | 29 1/2 | GS2RLRL3672L- [] | 2,278 | 2,732 | 3,011 | 3,289 |
| | 36 | 78 | 29 1/2 | GS2RLRL3678L- [] | 2,367 | 2,853 | 3,145 | 3,435 |

| | | | | | | | | |
|--|----|----|--------|--------------------------|-------|-------|-------|-------|
| RIGHT HAND  | 30 | 66 | 29 1/2 | GS2RLRL3066R- [] | 2,094 | 2,496 | 2,751 | 3,005 |
| | 30 | 72 | 29 1/2 | GS2RLRL3072R- [] | 2,153 | 2,576 | 2,840 | 3,101 |
| | 36 | 72 | 29 1/2 | GS2RLRL3672R- [] | 2,278 | 2,732 | 3,011 | 3,289 |
| | 36 | 78 | 29 1/2 | GS2RLRL3678R- [] | 2,367 | 2,853 | 3,145 | 3,435 |

Layers Box



Side view

PRODUCT INFO

Specify legs from user seated position.

All tops long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP




1. MODEL NUMBER + W
2. FSC
3. TOP WOOD FINISH + EDGE
4. TOP FINISH
5. HARDWARE COLOR (LEG)
6. HARDWARE COLOR (LAYERS BOX)
7. GROMMET


LAM TOP

1. MODEL NUMBER + L
2. FSC
3. TOP LAM
4. EDGE DETAIL
5. HARDWARE COLOR (LEG)
6. HARDWARE COLOR (LAYERS BOX)
9. GROMMET

LAYERS RECTANGULAR RUNOFF W/ LAPTOP DRAWER

Left and Right Hand

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|---------------------------|----------|----------|----------|----------|
| LEFT HAND   | 30 | 66 | 29 1/2 | GS2RLRLS3066L- [] | 2,543 | 3,284 | 3,620 | 3,955 |
| | 30 | 72 | 29 1/2 | GS2RLRLS3072L- [] | 2,601 | 3,363 | 3,708 | 4,051 |
| | 36 | 72 | 29 1/2 | GS2RLRLS3672L- [] | 2,750 | 3,501 | 3,860 | 4,218 |
| | 36 | 78 | 29 1/2 | GS2RLRLS3678L- [] | 2,838 | 3,621 | 3,993 | 4,362 |
| RIGHT HAND   | 30 | 66 | 29 1/2 | GS2RLRLS3066R- [] | 2,543 | 3,284 | 3,620 | 3,955 |
| | 30 | 72 | 29 1/2 | GS2RLRLS3072R- [] | 2,601 | 3,363 | 3,708 | 4,051 |
| | 36 | 72 | 29 1/2 | GS2RLRLS3672R- [] | 2,750 | 3,501 | 3,860 | 4,218 |
| | 36 | 78 | 29 1/2 | GS2RLRLS3678R- [] | 2,838 | 3,621 | 3,993 | 4,362 |



PRODUCT INFO

Specify legs from user seated position.

All tops long grain standard.

 Units shipped as separate packages and require field assembly.

Power units included (2 USB, 2 power)

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

- MODEL NUMBER + W**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- PULL**
- HARDWARE COLOR**
- GROMMET**
- POWER UNIT**

LAM TOP

- MODEL NUMBER + L**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HARDWARE COLOR**
- GROMMET**
- POWER UNIT**

ELLIPSE TABLE DESK

Silea
02/26



| D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 | solid surface |
|----|----|--------|------------------------|----------|----------|----------|----------|---------------|
| 36 | 72 | 29 1/2 | GS2TEL3672- [] | 3,096 | 4,066 | 4,482 | 4,898 | 10,537 |
| 42 | 84 | 29 1/2 | GS2TEL4284- [] | 4,514 | 5,975 | 6,588 | 7,200 | 17,699 |

PRODUCT INFO

All tops long grain standard.
 Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **HARDWARE COLOR**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **HARDWARE COLOR**

SOLID SURFACE TOP


1. **MODEL NUMBER + S**
2. **SOLID SURFACE**
3. **EDGE DETAIL**
4. **HARDWARE COLOR**

LAYERS ELLIPSE RUNOFF W/ LAYERS BOX



| D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 | solid surface |
|----|----|--------|-------------------------|----------|----------|----------|----------|---------------|
| 36 | 72 | 29 1/2 | GS2RLEL3672- [] | 2,952 | 3,922 | 4,324 | 4,724 | 11,060 |
| 42 | 84 | 29 1/2 | GS2RLEL4284- [] | 4,334 | 5,791 | 6,385 | 6,978 | 18,575 |

Layers Box



Side view

PRODUCT INFO

All tops long grain standard.

 Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. MODEL NUMBER + W
2. FSC
3. TOP WOOD FINISH + EDGE
4. TOP FINISH
5. HARDWARE COLOR (Leg)
6. HARDWARE COLOR (Layers Box)

LAM TOP


1. MODEL NUMBER + L
2. FSC
3. TOP LAM
4. EDGE DETAIL
5. HARDWARE COLOR (Leg)
6. HARDWARE COLOR (Layers Box)

SOLID SURFACE TOP

1. MODEL NUMBER + S
2. SOLID SURFACE
3. EDGE DETAIL
4. HARDWARE COLOR (Leg)
5. HARDWARE COLOR (Layers Box)

ARC BOAT TABLE DESK

Silea
02/26



| D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 | solid surface |
|----|----|--------|------------------------|----------|----------|----------|----------|---------------|
| 36 | 72 | 29 1/2 | GS2TFL3672- [] | 3,177 | 4,147 | 4,571 | 4,994 | 10,543 |
| 42 | 84 | 29 1/2 | GS2TFL4284- [] | 4,518 | 5,975 | 6,588 | 7,200 | 17,699 |

PRODUCT INFO

All tops long grain standard.
 Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **HARDWARE COLOR**


LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **HARDWARE COLOR**


SOLID SURFACE TOP

1. **MODEL NUMBER + S**
2. **SOLID SURFACE**
3. **EDGE DETAIL**
4. **HARDWARE COLOR**

LAYERS ARC BOAT RUNOFF W/LAYERS BOX

| | D | W | H | model number + type | laminat | veneer 1 | veneer 2 | veneer 3 | solid surface |
|---|----|----|--------|-------------------------|---------|----------|----------|----------|---------------|
|  | 36 | 72 | 29 1/2 | GS2RLFL3672- [] | 2,952 | 3,922 | 4,324 | 4,724 | 11,060 |
| | 42 | 84 | 29 1/2 | GS2RLFL4284- [] | 4,334 | 5,791 | 6,385 | 6,978 | 18,575 |

Layers Box



Side view

PRODUCT INFO

All tops long grain standard

 Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **HARDWARE COLOR (Leg)**
6. **HARDWARE COLOR (Layers Box)**

LAM TOP


1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **HARDWARE COLOR (Leg)**
6. **HARDWARE COLOR (Layers Box)**

SOLID SURFACE TOP


1. **MODEL NUMBER + S**
2. **SOLID SURFACE**
3. **EDGE DETAIL**
4. **HARDWARE COLOR (Leg)**
5. **HARDWARE COLOR (Layers Box)**

SIGHTLINE RUNOFF

Silea
02/26

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|--------------------------|----------|----------|----------|----------|
|  | 42 | 54 | 29 1/2 | GS2RSL304254- [] | 2,092 | 2,693 | 2,970 | 3,247 |
| | 48 | 66 | 29 1/2 | GS2RSL364866- [] | 2,281 | 2,843 | 3,136 | 3,427 |

• Flat brackets ordered separately (model #MDWBRK)



PRODUCT INFO

All tops short grain standard.
 Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **HARDWARE COLOR**


LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **HARDWARE COLOR**


LAYERS SIGHTLINE RUNOFF W/ LAYERS BOX



| D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 | solid surface |
|----|----|--------|---------------------------|----------|----------|----------|----------|---------------|
| 42 | 72 | 29 1/2 | GS2RLSL304272- [] | 3,265 | 4,249 | 4,685 | 5,119 | 11,061 |
| 48 | 84 | 29 1/2 | GS2RLSL364884- [] | 4,838 | 6,246 | 6,886 | 7,526 | 18,578 |



Layers Box



Side view

PRODUCT INFO

All tops long grain standard.

 Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. MODEL NUMBER + W
2. FSC
3. TOP WOOD FINISH + EDGE
4. TOP FINISH
5. HARDWARE COLOR (Leg)
6. HARDWARE COLOR (Layers Box)

LAM TOP

1. MODEL NUMBER + L
2. FSC
3. TOP LAM
4. EDGE DETAIL
5. HARDWARE COLOR (Leg)
6. HARDWARE COLOR (Layers Box)


SOLID SURFACE TOP


1. MODEL NUMBER + S
2. SOLID SURFACE
3. EDGE DETAIL
4. HARDWARE COLOR (Leg)
5. HARDWARE COLOR (Layers Box)

LAYERS SIGHTLINE RUNOFF W/ LAPTOP DRAWER

Left and Right Hand

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|-----------------------------|----------|----------|----------|----------|
| LEFT HAND   | 42 | 72 | 29 1/2 | GS2RLSLS304272L- [] | 3,631 | 4,954 | 5,463 | 5,970 |
| | 48 | 84 | 29 1/2 | GS2RLSLS364884L- [] | 5,306 | 7,011 | 7,731 | 8,450 |
| RIGHT HAND   | 42 | 72 | 29 1/2 | GS2RLSLS304272R- [] | 3,631 | 4,954 | 5,463 | 5,970 |
| | 48 | 84 | 29 1/2 | GS2RLSLS364884R- [] | 5,306 | 7,011 | 7,731 | 8,450 |



PRODUCT INFO

Specify legs from user seated position.

All tops long grain standard.

 Units shipped as separate packages and require field assembly.

Power units included (2 USB, 2 power)

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS


1. MODEL NUMBER + W
2. FSC
3. TOP WOOD FINISH + EDGE
4. CHASSIS WOOD FINISH
5. TOP FINISH
6. PULL
7. HARDWARE COLOR
8. POWER UNIT


LAM TOP, LAM CHASSIS

1. MODEL NUMBER + L
2. FSC
3. TOP LAM
4. CHASSIS LAM
5. EDGE DETAIL
6. PULL
7. HARDWARE COLOR
8. POWER UNIT



LAYERS COCKPIT RUNOFF W/ LAYERS BOX

Left and Right Hand

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 | solid surface |
|---|----|----|--------|-------------------------|----------|----------|----------|----------|---------------|
| LEFT HAND  | 60 | 72 | 29 1/2 | GS2RLC6072L- [] | 4,209 | 4,505 | 4,964 | 5,422 | 12,396 |
| | 60 | 84 | 29 1/2 | GS2RLC6084L- [] | 5,861 | 6,594 | 7,268 | 7,941 | 20,286 |

| | | | | | | | | | |
|--|----|----|--------|-------------------------|-------|-------|-------|-------|--------|
| RIGHT HAND  | 60 | 72 | 29 1/2 | GS2RLC6072R- [] | 4,209 | 4,505 | 4,964 | 5,422 | 12,396 |
| | 60 | 84 | 29 1/2 | GS2RLC6084R- [] | 5,861 | 6,594 | 7,268 | 7,941 | 20,286 |

• All tops are 1 piece.



Layers Box



Side view

PRODUCT INFO

Specify legs from user seated position.

All tops long grain standard.

 Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. MODEL NUMBER + W
2. FSC
3. TOP WOOD FINISH + EDGE
4. TOP FINISH*
5. HARDWARE COLOR

LAM TOP

1. MODEL NUMBER + L
2. FSC
3. TOP LAM
4. EDGE DETAIL
5. HARDWARE COLOR

SOLID SURFACE TOP

1. MODEL NUMBER + S
2. SOLID SURFACE
3. EDGE DETAIL
4. HARDWARE COLOR

• Only available in
OP open pore top
finish option





| D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|----|----|--------|--------------------------|----------|----------|----------|----------|
| 60 | 60 | 29 1/2 | GS2XML366060- [] | 4,072 | 4,951 | 5,460 | 5,967 |
| 72 | 60 | 29 1/2 | GS2XML487260- [] | 5,131 | 6,288 | 6,934 | 7,579 |

NOTE: UNIT MUST BE WALL MOUNTED

- Wood tops are 2 piece on both models (seam shown in drawing below)

- Laminate and solid surface tops are 1 piece.



Arrows indicate grain direction.

PRODUCT INFO

Wood tops long grain standard. Laminate tops short grain standard.

Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

- No Grommet **GN**
- Left **GL**
- Right **GR**
- Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **HARDWARE COLOR**
7. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **HARDWARE COLOR**
7. **GROMMET**

Height Adjustable 75-122

- Height Adjustable Split-Top Desks 76-79
- Freestanding Desk / Extension 80-85
- Credenza 86-89
- Bridge 90-91
- Return 92-95
- L Shape Height Adjustable Spec Tips. 96
- Workwall 97
- L Shape Height Adjustable 98-113
- Workwall 114-115
- Shroud for T-Base 116
- Layers Bookcase 117
- Height Adjustable Base 118
- Height Adjustable Tops 119
- Wall Mount Cantilever Bracket 120
- Mixed Material Telescoping Height Adjustable 121
- Replacement Height Adjustable Keypads 122

HEIGHT ADJUSTABLE SPLIT-TOP DESKS

Left Hand Desk

Silea

02/26

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 | |
|---|---|----|--------|--------------------------|----------|----------|----------|----------|--|
| | 72 | 78 | 29 1/2 | GS3STAT7278L- [] | 13,989 | 17,786 | 19,619 | 21,450 | |
| | A = 72" wide desk B = 78" wide total workwall C = 12" fixed guest overhang D = 24" return depth E = 48" depth total sightline top | | | | | | | | |
| | 72 | 84 | 29 1/2 | GS3STAT7284L- [] | 14,328 | 18,249 | 20,130 | 22,009 | |
| | A = 72" wide desk B = 84" wide total workwall C = 12" fixed guest overhang D = 24" return depth E = 48" depth total sightline top | | | | | | | | |
| | 78 | 90 | 29 1/2 | GS3STAT7890L- [] | 14,621 | 18,648 | 20,569 | 22,490 | |
| A = 78" wide desk B = 90" wide total workwall C = 18" fixed guest overhang D = 24" return depth E = 54" depth total sightline top | | | | | | | | | |
| | 78 | 96 | 29 1/2 | GS3STAT7896L- [] | 15,035 | 19,213 | 21,194 | 23,172 | |
| A = 78" wide desk B = 96" wide total workwall C = 18" fixed guest overhang D = 24" return depth E = 54" depth total sightline top | | | | | | | | | |

PRODUCT INFO

Unit must be wall mounted.

Metal shroud modesty panel raises up and down with height adjustable top.

29.5" to 42.5" height adjustment range.

All units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW
- FSC
- TOP WOOD FINISH + EDGE
- CHASSIS WOOD FINISH
- TOP FINISH
- HARDWARE COLOR
- HAT KEYPAD & BASE COLOR
- GROMMET

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL
- FSC
- TOP LAM
- CHASSIS LAM
- EDGE DETAIL
- HARDWARE COLOR
- HAT KEYPAD & BASE COLOR
- GROMMET




Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|---|----|--------|--------------------------|----------|----------|----------|----------|
| RIGHT HAND DESK  | 72 | 78 | 29 1/2 | GS3STAT7278R- [] | 13,989 | 17,786 | 19,619 | 21,450 |
| | A = 72" wide desk B = 78" wide total workwall C = 12" fixed guest overhang D = 24" return depth E = 48" depth total sightline top | | | | | | | |
|  | 72 | 84 | 29 1/2 | GS3STAT7284R- [] | 14,328 | 18,249 | 20,130 | 22,009 |
| | A = 72" wide desk B = 84" wide total workwall C = 12" fixed guest overhang D = 24" return depth E = 48" depth total sightline top | | | | | | | |
|  | 78 | 90 | 29 1/2 | GS3STAT7890R- [] | 14,621 | 18,648 | 20,569 | 22,490 |
| | A = 78" wide desk B = 90" wide total workwall C = 18" fixed guest overhang D = 24" return depth E = 54" depth total sightline top | | | | | | | |
|  | 78 | 96 | 29 1/2 | GS3STAT7896R- [] | 15,035 | 19,213 | 21,194 | 23,172 |
| | A = 78" wide desk B = 96" wide total workwall C = 18" fixed guest overhang D = 24" return depth E = 54" depth total sightline top | | | | | | | |

PRODUCT INFO

Unit must be wall mounted.

Metal shroud modesty panel raises up and down with height adjustable top.

29.5" to 42.5" height adjustment range.

 All units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **HARDWARE COLOR**
7. **HAT KEYPAD & BASE COLOR**
8. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **HARDWARE COLOR**
7. **HAT KEYPAD & BASE COLOR**
8. **GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDL71


NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

HEIGHT ADJUSTABLE SPLIT-TOP DESKS

Silea

02/26

Left Hand Desk, Return With Pedestal

| | D | W | H | model number + type | laminates | veneer 1 | veneer 2 | veneer 3 |
|---|---|----|--------|---------------------------|-----------|----------|----------|----------|
| LEFT HAND DESK | | | | | | | | |
| RETURN WITH PEDESTAL | 72 | 78 | 29 1/2 | GS3STAT7278L-A [] | 15,525 | 20,046 | 22,112 | 24,176 |
|  | A = 72" wide desk B = 78" wide total workwall C = 12" fixed guest overhang D = 24" return depth E = 48" depth total sightline top Note: Return includes 15" wide Accessory/Box/File pedestal | | | | | | | |
| | 72 | 84 | 29 1/2 | GS3STAT7284L-A [] | 15,869 | 20,510 | 22,624 | 24,736 |
|  | A = 72" wide desk B = 84" wide total workwall C = 12" fixed guest overhang D = 24" return depth E = 48" depth total sightline top Note: Return includes 15" wide Accessory/Box/File pedestal | | | | | | | |
| | 78 | 90 | 29 1/2 | GS3STAT7890L-A [] | 16,162 | 20,909 | 23,064 | 25,217 |
| | A = 78" wide desk B = 90" wide total workwall C = 18" fixed guest overhang D = 24" return depth E = 54" depth total sightline top Note: Return includes 15" wide Accessory/Box/File pedestal | | | | | | | |
| | 78 | 96 | 29 1/2 | GS3STAT7896L-A [] | 16,574 | 21,474 | 23,687 | 25,898 |
| | A = 78" wide desk B = 96" wide total workwall C = 18" fixed guest overhang D = 24" return depth E = 54" depth total sightline top Note: Return includes 15" wide Accessory/Box/File pedestal | | | | | | | |

PRODUCT INFO

Unit must be wall mounted.

Metal shroud modesty panel raises up and down with height adjustable top.

29.5" to 42.5" height adjustment range.

 All units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

LAM TOP, LAM CHASSIS



- | | |
|---------------------------------------|---------------------------------------|
| 1. MODEL NUMBER + WW | 1. MODEL NUMBER + LL |
| 2. FSC | 2. FSC |
| 3. TOP WOOD FINISH + EDGE | 3. TOP LAM |
| 4. CHASSIS WOOD FINISH | 4. CHASSIS LAM |
| 5. TOP FINISH | 5. FRONT LAM |
| 6. PULL | 6. EDGE DETAIL |
| 7. HARDWARE COLOR | 7. PULL |
| 8. HAT KEYPAD & BASE COLOR | 8. HARDWARE COLOR |
| 9. GROMMET | 9. HAT KEYPAD & BASE COLOR |
| 10. KEYING | 10. GROMMET |
| | 11. KEYING |

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

| | |
|--|---------------|
| Basic Up/Down Keypad, Black P71 Column | UDP71 |
| Memory Preset Keypad, Black P71 Column | MEMP71 |
| Paddle Keypad, Black P71 Column | PDLP71 |

NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

| | D | W | H | model number + type | laminates | veneer 1 | veneer 2 | veneer 3 |
|---|---|----|--------|---------------------------|-----------|----------|----------|----------|
| RIGHT HAND DESK RETURN WITH PEDESTAL | 72 | 78 | 29 1/2 | GS3STAT7278R-A [] | 15,525 | 20,046 | 22,112 | 24,176 |
|  | A = 72" wide desk B = 78" wide total workwall C = 12" fixed guest overhang D = 24" return depth E = 48" depth total sightline top Note: Return includes 15" wide Accessory/Box/File pedestal | | | | | | | |
|  | 72 | 84 | 29 1/2 | GS3STAT7284R-A [] | 15,869 | 20,510 | 22,624 | 24,736 |
| | A = 72" wide desk B = 84" wide total workwall C = 12" fixed guest overhang D = 24" return depth E = 48" depth total sightline top Note: Return includes 15" wide Accessory/Box/File pedestal | | | | | | | |
| | 78 | 90 | 29 1/2 | GS3STAT7890R-A [] | 16,162 | 20,909 | 23,064 | 25,217 |
| | A = 78" wide desk B = 90" wide total workwall C = 18" fixed guest overhang D = 24" return depth E = 54" depth total sightline top Note: Return includes 15" wide Accessory/Box/File pedestal | | | | | | | |
| | 78 | 96 | 29 1/2 | GS3STAT7896R-A [] | 16,574 | 21,474 | 23,687 | 25,898 |
| | A = 78" wide desk B = 96" wide total workwall C = 18" fixed guest overhang D = 24" return depth E = 54" depth total sightline top Note: Return includes 15" wide Accessory/Box/File pedestal | | | | | | | |

PRODUCT INFO

Unit must be wall mounted.

Metal shroud modesty panel raises up and down with height adjustable top.

29.5" to 42.5" height adjustment range.

 All units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

LAM TOP, LAM CHASSIS

- | | |
|---------------------------------------|---------------------------------------|
| 1. MODEL NUMBER + WW | 1. MODEL NUMBER + LL |
| 2. FSC | 2. FSC |
| 3. TOP WOOD FINISH + EDGE | 3. TOP LAM |
| 4. CHASSIS WOOD FINISH | 4. CHASSIS LAM |
| 5. TOP FINISH | 5. FRONT LAM |
| 6. PULL | 6. EDGE DETAIL |
| 7. HARDWARE COLOR | 7. PULL |
| 8. HAT KEYPAD & BASE COLOR | 8. HARDWARE COLOR |
| 9. GROMMET | 9. HAT KEYPAD & BASE COLOR |
| 10. KEYING | 10. GROMMET |
| | 11. KEYING |

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

| | |
|--|---------------|
| Basic Up/Down Keypad, Black P71 Column | UDP71 |
| Memory Preset Keypad, Black P71 Column | MEMP71 |
| Paddle Keypad, Black P71 Column | PDLP71 |


NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

HEIGHT ADJUSTABLE FREESTANDING DESK


Full Modesty

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|-------------------------|----------|----------|----------|----------|
|  | 30 | 66 | 29 1/2 | GS3DFAK3066- [] | 6,236 | 10,292 | 11,353 | 12,414 |
| | 30 | 72 | 29 1/2 | GS3DFAK3072- [] | 6,335 | 10,502 | 11,585 | 12,667 |
| | 36 | 72 | 29 1/2 | GS3DFAK3672- [] | 6,669 | 10,717 | 11,822 | 12,925 |
|  | 36 | 78 | 29 1/2 | GS3DFAK3678- [] | 6,798 | 10,929 | 12,056 | 13,182 |

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range



PRODUCT INFO

All tops long grain standard.
Wood models ship assembled.
 Laminate units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

LAM TOP, LAM CHASSIS


- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**


Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR


Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|---|----------|----------|----------|----------|
| LEFT HAND  | 30 | 66 | 29 1/2 | GS3XFAK3066L- <input type="checkbox"/> | 6,640 | 10,292 | 11,353 | 12,414 |
| | 30 | 72 | 29 1/2 | GS3XFAK3072L- <input type="checkbox"/> | 6,739 | 10,502 | 11,585 | 12,667 |
| | 36 | 72 | 29 1/2 | GS3XFAK3672L- <input type="checkbox"/> | 7,029 | 10,717 | 11,822 | 12,925 |
| | 36 | 78 | 29 1/2 | GS3XFAK3678L- <input type="checkbox"/> | 7,158 | 10,929 | 12,056 | 13,182 |

| | | | | | | | | |
|--|----|----|--------|---|-------|--------|--------|--------|
| RIGHT HAND  | 30 | 66 | 29 1/2 | GS3XFAK3066R- <input type="checkbox"/> | 6,640 | 10,292 | 11,353 | 12,414 |
| | 30 | 72 | 29 1/2 | GS3XFAK3072R- <input type="checkbox"/> | 6,739 | 10,502 | 11,585 | 12,667 |
| | 36 | 72 | 29 1/2 | GS3XFAK3672R- <input type="checkbox"/> | 7,029 | 10,717 | 11,822 | 12,925 |
| | 36 | 78 | 29 1/2 | GS3XFAK3678R- <input type="checkbox"/> | 7,158 | 10,929 | 12,056 | 13,182 |

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range
- Cantilever extends 3" to support adjoining worksurface



NOTE: If attaching to a return or bridge, a 3" shorter modesty or wall access panel must be used.

PRODUCT INFO

Specify base from user seated position.

All tops long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR


Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column


UDP71
MEMP71
PDL71

HEIGHT ADJUSTABLE EXTENSION DESK


Full Modesty | Left and Right Hand, with Pedestal

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|---------------------------|----------|----------|----------|----------|
| LEFT HAND  | 30 | 66 | 29 1/2 | GS3XFAK3066L-A [] | 7,264 | 11,319 | 12,486 | 13,652 |
| | 30 | 72 | 29 1/2 | GS3XFAK3072L-A [] | 7,363 | 11,551 | 12,742 | 13,932 |
| | 36 | 72 | 29 1/2 | GS3XFAK3672L-A [] | 7,621 | 11,786 | 13,002 | 14,216 |
| | 36 | 78 | 29 1/2 | GS3XFAK3678L-A [] | 7,750 | 12,023 | 13,262 | 14,501 |

| | | | | | | | | |
|--|----|----|--------|---------------------------|-------|--------|--------|--------|
| RIGHT HAND  | 30 | 66 | 29 1/2 | GS3XFAK3066R-A [] | 7,264 | 11,319 | 12,486 | 13,652 |
| | 30 | 72 | 29 1/2 | GS3XFAK3072R-A [] | 7,363 | 11,551 | 12,742 | 13,932 |
| | 36 | 72 | 29 1/2 | GS3XFAK3672R-A [] | 7,621 | 11,786 | 13,002 | 14,216 |
| | 36 | 78 | 29 1/2 | GS3XFAK3678R-A [] | 7,750 | 12,023 | 13,262 | 14,501 |

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range
- Cantilever extends 3" to support adjoining worksurface



NOTE: If attaching to a return or bridge, a 3" shorter modesty or wall access panel must be used.

PRODUCT INFO

Specify pedestal from user seated position.

All tops long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**
 Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **PULL**
7. **HAT KEYPAD & BASE COLOR**
8. **GROMMET**
9. **KEYING**

LAM TOP, LAM CHASSIS


1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **EDGE DETAIL**
7. **PULL**
8. **HAT KEYPAD & BASE COLOR**
9. **GROMMET**
10. **KEYING**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR


Basic Up/Down Keypad, Black P71 Column
 Memory Preset Keypad, Black P71 Column
 Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|---|----------|----------|----------|----------|
| LEFT HAND  | 30 | 66 | 29 1/2 | GS3XMAK3066L- <input type="checkbox"/> | 7,001 | 9,755 | 10,761 | 11,766 |
| | 30 | 72 | 29 1/2 | GS3XMAK3072L- <input type="checkbox"/> | 7,059 | 9,893 | 10,914 | 11,933 |
| | 36 | 72 | 29 1/2 | GS3XMAK3672L- <input type="checkbox"/> | 7,348 | 10,112 | 11,156 | 12,197 |
| | 36 | 78 | 29 1/2 | GS3XMAK3678L- <input type="checkbox"/> | 7,436 | 10,294 | 11,355 | 12,416 |

| | | | | | | | | |
|--|----|----|--------|---|-------|--------|--------|--------|
| RIGHT HAND  | 30 | 66 | 29 1/2 | GS3XMAK3066R- <input type="checkbox"/> | 7,001 | 9,755 | 10,761 | 11,766 |
| | 30 | 72 | 29 1/2 | GS3XMAK3072R- <input type="checkbox"/> | 7,059 | 9,893 | 10,914 | 11,933 |
| | 36 | 72 | 29 1/2 | GS3XMAK3672R- <input type="checkbox"/> | 7,348 | 10,112 | 11,156 | 12,197 |
| | 36 | 78 | 29 1/2 | GS3XMAK3678R- <input type="checkbox"/> | 7,436 | 10,294 | 11,355 | 12,416 |

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range
- Cantilever extends 3" to support adjoining worksurface



Modesty panel ordered separately.

NOTE: If attaching to a return or bridge, a 3" shorter modesty or wall access panel must be used.

PRODUCT INFO

Specify base from user seated position.

All tops long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Modesty panel ordered separately.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**

Left **GL**

Right **GR**

Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**

2. **FSC**

3. **TOP WOOD FINISH + EDGE**

4. **CHASSIS WOOD FINISH**

5. **TOP FINISH**

6. **HARDWARE COLOR**

7. **HAT KEYPAD & BASE COLOR**

8. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**

2. **FSC**

3. **TOP LAM**

4. **CHASSIS LAM**

5. **EDGE DETAIL**

6. **HARDWARE COLOR**

7. **HAT KEYPAD & BASE COLOR**

8. **GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column

Memory Preset Keypad, Black P71 Column

Paddle Keypad, Black P71 Column

UDP71



MEMP71

PDL71


HEIGHT ADJUSTABLE FREESTANDING DESK

Half Modesty

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|--|----------|----------|----------|----------|
|  | 30 | 66 | 29 1/2 | GS3DHAK3066- <input type="checkbox"/> | 6,061 | 8,748 | 9,651 | 10,552 |
| | 30 | 72 | 29 1/2 | GS3DHAK3072- <input type="checkbox"/> | 6,186 | 8,928 | 9,849 | 10,768 |
| | 36 | 72 | 29 1/2 | GS3DHAK3672- <input type="checkbox"/> | 6,520 | 9,108 | 10,048 | 10,986 |
|  | 36 | 78 | 29 1/2 | GS3DHAK3678- <input type="checkbox"/> | 6,673 | 9,291 | 10,249 | 11,206 |

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range



Modesty panel included.

PRODUCT INFO

All tops long grain standard.
Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly..

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **HAT KEYPAD & BASE COLOR**
7. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **HAT KEYPAD & BASE COLOR**
7. **GROMMET**

Optional height adjustable keypads available



HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column


UDP71
MEMP71
PDL71

HEIGHT ADJUSTABLE EXTENSION DESK

Half Modesty | Left and Right Hand

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|--------|--------------------------|----------|----------|----------|----------|
| LEFT HAND  | 30 | 66 | 29 1/2 | GS3XHAK3066L- [] | 6,465 | 8,748 | 9,651 | 10,552 |
| | 30 | 72 | 29 1/2 | GS3XHAK3072L- [] | 6,590 | 8,928 | 9,849 | 10,768 |
| | 36 | 72 | 29 1/2 | GS3XHAK3672L- [] | 6,880 | 9,108 | 10,048 | 10,986 |
| | 36 | 78 | 29 1/2 | GS3XHAK3678L- [] | 7,033 | 9,291 | 10,249 | 11,206 |
| RIGHT HAND  | 30 | 66 | 29 1/2 | GS3XHAK3066R- [] | 6,465 | 8,748 | 9,651 | 10,552 |
| | 30 | 72 | 29 1/2 | GS3XHAK3072R- [] | 6,590 | 8,928 | 9,849 | 10,768 |
| | 36 | 72 | 29 1/2 | GS3XHAK3672R- [] | 6,880 | 9,108 | 10,048 | 10,986 |
| | 36 | 78 | 29 1/2 | GS3XHAK3678R- [] | 7,033 | 9,291 | 10,249 | 11,206 |

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range
- Cantilever extends 3" to support adjoining worksurface



Modesty panel included.

NOTE: If attaching to a return or bridge, a 3" shorter modesty or wall access panel must be used.

PRODUCT INFO

Specify base from user seated position.

All tops long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**
 Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR


Basic Up/Down Keypad, Black P71 Column
 Memory Preset Keypad, Black P71 Column
 Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

HEIGHT ADJUSTABLE CREDENZA 24D

w/ Wall Access and End Panels

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|------------------------|----------|----------|----------|----------|
|  | 24 | 42 | 29 1/2 | GS3CAK2442- [] | 5,019 | 6,923 | 7,637 | 8,350 |
| | 24 | 48 | 29 1/2 | GS3CAK2448- [] | 5,140 | 7,086 | 7,818 | 8,547 |
| | 24 | 54 | 29 1/2 | GS3CAK2454- [] | 5,234 | 7,217 | 7,961 | 8,705 |
| | 24 | 60 | 29 1/2 | GS3CAK2460- [] | 5,354 | 7,383 | 8,145 | 8,905 |
| | 24 | 66 | 29 1/2 | GS3CAK2466- [] | 5,470 | 7,537 | 8,314 | 9,091 |
| | 24 | 72 | 29 1/2 | GS3CAK2472- [] | 5,633 | 7,769 | 8,570 | 9,370 |

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Wood tops optional grain standard. Lam tops optional grain up to 60", over 60" long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

LAM TOP, LAM CHASSIS


- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- GRAIN DIRECTION (up to 60")**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|------------------------|----------|----------|----------|----------|
|  | 30 | 42 | 29 1/2 | GS3CAK3042- [] | 5,469 | 7,614 | 8,400 | 9,184 |
| | 30 | 48 | 29 1/2 | GS3CAK3048- [] | 5,576 | 7,794 | 8,598 | 9,400 |
| | 30 | 54 | 29 1/2 | GS3CAK3054- [] | 5,639 | 7,938 | 8,757 | 9,574 |
| | 30 | 60 | 29 1/2 | GS3CAK3060- [] | 5,700 | 8,122 | 8,960 | 9,796 |
| | 30 | 66 | 29 1/2 | GS3CAK3066- [] | 5,811 | 8,291 | 9,146 | 10,000 |
| | 30 | 72 | 29 1/2 | GS3CAK3072- [] | 5,916 | 8,544 | 9,425 | 10,305 |

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Wood tops optional grain standard. Lam tops optional grain up to 60", over 60" long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- GRAIN DIRECTION (up to 60")**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR




Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

HEIGHT ADJUSTABLE CREDENZA 24D

w/ Hidden Accessory | Box | File Pedestals

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|--------------------------|----------|----------|----------|----------|
|  | 24 | 66 | 29 1/2 | GS3CAK2466-AA [] | 7,143 | 10,712 | 11,816 | 12,919 |
| | 24 | 72 | 29 1/2 | GS3CAK2472-AA [] | 7,310 | 10,945 | 12,074 | 13,201 |
| RIGHT HAND | | | | | | | | |
|  | 24 | 66 | 29 1/2 | GS3CAK2466R-A [] | 5,652 | 8,960 | 9,884 | 10,806 |
| | 24 | 72 | 29 1/2 | GS3CAK2472R-A [] | 5,819 | 9,193 | 10,141 | 11,088 |
| LEFT HAND | | | | | | | | |
|  | 24 | 66 | 29 1/2 | GS3CAK2466L-A [] | 5,652 | 8,960 | 9,884 | 10,806 |
| | 24 | 72 | 29 1/2 | GS3CAK2472L-A [] | 5,819 | 9,193 | 10,141 | 11,088 |

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Specify pedestal from user seated position.

Wood tops optional grain standard. Lam tops long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- PULL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**
- KEYING**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- FRONT LAM**
- EDGE DETAIL**
- PULL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**
- KEYING**

Optional height adjustable keypads available




HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

HEIGHT ADJUSTABLE CREDENZA 30D

w/ Hidden Accessory | Box | File Pedestals

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 | |
|---|----|----|--------|--------------------------|----------|----------|----------|----------|--|
|  | 30 | 66 | 29 1/2 | GS3CAK3066-AA [] | 7,407 | 11,785 | 13,001 | 14,215 | |
| | 30 | 72 | 29 1/2 | GS3CAK3072-AA [] | 7,515 | 12,040 | 13,281 | 14,522 | |
| RIGHT HAND | | | | | | | | | |
|  | 30 | 66 | 29 1/2 | GS3CAK3066R-A [] | 5,921 | 9,857 | 10,874 | 11,889 | |
| | 30 | 72 | 29 1/2 | GS3CAK3072R-A [] | 6,034 | 10,112 | 11,156 | 12,197 | |
| LEFT HAND | | | | | | | | | |
|  | 30 | 66 | 29 1/2 | GS3CAK3066L-A [] | 5,921 | 9,857 | 10,874 | 11,889 | |
| | 30 | 72 | 29 1/2 | GS3CAK3072L-A [] | 6,034 | 10,112 | 11,156 | 12,197 | |

- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Wood tops optional grain standard. Lam tops optional grain up to 60", over 60" long grain standard.

Wood models ship assembled.

 Laminata units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- PULL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**
- KEYING**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- FRONT LAM**
- EDGE DETAIL**
- PULL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**
- KEYING**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR


Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

HEIGHT ADJUSTABLE BRIDGE 24D

w/ Wall Access

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|------------------------|----------|----------|----------|----------|
|  | 24 | 42 | 29 1/2 | GS3BAK2442- [] | 4,028 | 5,571 | 6,147 | 6,721 |
| | 24 | 48 | 29 1/2 | GS3BAK2448- [] | 4,147 | 5,735 | 6,327 | 6,918 |
| | 24 | 54 | 29 1/2 | GS3BAK2454- [] | 4,243 | 5,865 | 6,470 | 7,074 |
| | 24 | 60 | 29 1/2 | GS3BAK2460- [] | 4,364 | 6,030 | 6,652 | 7,273 |
| | 24 | 66 | 29 1/2 | GS3BAK2466- [] | 4,478 | 6,187 | 6,825 | 7,463 |
| | 24 | 72 | 29 1/2 | GS3BAK2472- [] | 4,642 | 6,417 | 7,079 | 7,740 |

- **Unit must be wall mounted.**
- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Wood tops optional grain standard. Lam tops opt grain up to 60". over 60" long grain standard.

Wood models shipped assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- GRAIN DIRECTION (up to 60")**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column


Memory Preset Keypad, Black P71 Column

Paddle Keypad, Black P71 Column

UDP71

MEMP71

PDL71

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|------------------------|----------|----------|----------|----------|
|  | 30 | 42 | 29 1/2 | GS3BAK3042- [] | 4,240 | 5,849 | 6,453 | 7,055 |
| | 30 | 48 | 29 1/2 | GS3BAK3048- [] | 4,340 | 6,022 | 6,643 | 7,263 |
| | 30 | 54 | 29 1/2 | GS3BAK3054- [] | 4,403 | 6,158 | 6,794 | 7,428 |
| | 30 | 60 | 29 1/2 | GS3BAK3060- [] | 4,461 | 6,333 | 6,987 | 7,639 |
| | 30 | 66 | 29 1/2 | GS3BAK3066- [] | 4,564 | 6,497 | 7,167 | 7,837 |
| | 30 | 72 | 29 1/2 | GS3BAK3072- [] | 4,669 | 6,738 | 7,433 | 8,127 |

- **Unit must be wall mounted.**
- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Wood tops optional grain standard. Lam tops optional grain up to 60", over 60" long grain standard.

Wood models shipped assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- GRAIN DIRECTION (up to 60")**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR


Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column


UDP71
MEMP71
PDLP71

HEIGHT ADJUSTABLE RETURN 24D

w/ End Panel | Left and Right Hand

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|--|----------|----------|----------|----------|
| LEFT HAND  | 24 | 42 | 29 1/2 | GS3RAK2442L- <input type="checkbox"/> | 4,523 | 6,246 | 6,891 | 7,534 |
| | 24 | 48 | 29 1/2 | GS3RAK2448L- <input type="checkbox"/> | 4,645 | 6,411 | 7,073 | 7,732 |
| | 24 | 54 | 29 1/2 | GS3RAK2454L- <input type="checkbox"/> | 4,738 | 6,541 | 7,215 | 7,889 |
| | 24 | 60 | 29 1/2 | GS3RAK2460L- <input type="checkbox"/> | 4,859 | 6,706 | 7,398 | 8,089 |
| | 24 | 66 | 29 1/2 | GS3RAK2466L- <input type="checkbox"/> | 4,972 | 6,862 | 7,570 | 8,277 |
| | 24 | 72 | 29 1/2 | GS3RAK2472L- <input type="checkbox"/> | 5,136 | 7,092 | 7,824 | 8,554 |

| | | | | | | | | |
|--|----|----|--------|--|-------|-------|-------|-------|
| RIGHT HAND  | 24 | 42 | 29 1/2 | GS3RAK2442R- <input type="checkbox"/> | 4,523 | 6,246 | 6,891 | 7,534 |
| | 24 | 48 | 29 1/2 | GS3RAK2448R- <input type="checkbox"/> | 4,645 | 6,411 | 7,073 | 7,732 |
| | 24 | 54 | 29 1/2 | GS3RAK2454R- <input type="checkbox"/> | 4,738 | 6,541 | 7,215 | 7,889 |
| | 24 | 60 | 29 1/2 | GS3RAK2460R- <input type="checkbox"/> | 4,859 | 6,706 | 7,398 | 8,089 |
| | 24 | 66 | 29 1/2 | GS3RAK2466R- <input type="checkbox"/> | 4,972 | 6,862 | 7,570 | 8,277 |
| | 24 | 72 | 29 1/2 | GS3RAK2472R- <input type="checkbox"/> | 5,136 | 7,092 | 7,824 | 8,554 |

- **Unit must be wall mounted.**
- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Wood tops optional grain standard. Lam tops optional grain up to 60", over 60" long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **GRAIN DIRECTION**
7. **HAT KEYPAD & BASE COLOR**
8. **GROMMET**

LAM TOP, LAM CHASSIS


1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **GRAIN DIRECTION (up to 60")**
6. **EDGE DETAIL**
7. **HAT KEYPAD & BASE COLOR**
8. **GROMMET**


Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|--|----------|----------|----------|----------|
| LEFT HAND  | 30 | 42 | 29 1/2 | GS3RAK3042L- <input type="checkbox"/> | 4,925 | 6,871 | 7,580 | 8,288 |
| | 30 | 48 | 29 1/2 | GS3RAK3048L- <input type="checkbox"/> | 5,030 | 7,052 | 7,779 | 8,505 |
| | 30 | 54 | 29 1/2 | GS3RAK3054L- <input type="checkbox"/> | 5,095 | 7,194 | 7,936 | 8,678 |
| | 30 | 60 | 29 1/2 | GS3RAK3060L- <input type="checkbox"/> | 5,156 | 7,376 | 8,138 | 8,897 |
| | 30 | 66 | 29 1/2 | GS3RAK3066L- <input type="checkbox"/> | 5,262 | 7,548 | 8,326 | 9,104 |
| | 30 | 72 | 29 1/2 | GS3RAK3072L- <input type="checkbox"/> | 5,374 | 7,800 | 8,604 | 9,407 |

| | | | | | | | | |
|--|----|----|--------|--|-------|-------|-------|-------|
| RIGHT HAND  | 30 | 42 | 29 1/2 | GS3RAK3042R- <input type="checkbox"/> | 4,925 | 6,871 | 7,580 | 8,288 |
| | 30 | 48 | 29 1/2 | GS3RAK3048R- <input type="checkbox"/> | 5,030 | 7,052 | 7,779 | 8,505 |
| | 30 | 54 | 29 1/2 | GS3RAK3054R- <input type="checkbox"/> | 5,095 | 7,194 | 7,936 | 8,678 |
| | 30 | 60 | 29 1/2 | GS3RAK3060R- <input type="checkbox"/> | 5,156 | 7,376 | 8,138 | 8,897 |
| | 30 | 66 | 29 1/2 | GS3RAK3066R- <input type="checkbox"/> | 5,262 | 7,548 | 8,326 | 9,104 |
| | 30 | 72 | 29 1/2 | GS3RAK3072R- <input type="checkbox"/> | 5,374 | 7,800 | 8,604 | 9,407 |

- **Unit must be wall mounted.**
- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Wood tops optional grain standard. Lam tops optional grain up to 60", over 60" long grain standard.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- GRAIN DIRECTION**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- GRAIN DIRECTION (up to 60")**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available


HAT KEYPAD & BASE COLOR


Basic Up/Down Keypad, Black P71 Column **UDP71**
Memory Preset Keypad, Black P71 Column **MEMP71**
Paddle Keypad, Black P71 Column **PDL71**

HEIGHT ADJUSTABLE RETURN 24D

w/ Hidden Accessory | Box | File | Pedestals

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|--------------------------|----------|----------|----------|----------|
| LEFT HAND  | 24 | 42 | 29 1/2 | GS3RAK2442L-A [] | 5,035 | 7,832 | 8,640 | 9,447 |
| | 24 | 48 | 29 1/2 | GS3RAK2448L-A [] | 5,154 | 8,000 | 8,826 | 9,650 |
| | 24 | 54 | 29 1/2 | GS3RAK2454L-A [] | 5,249 | 8,126 | 8,965 | 9,801 |
| | 24 | 60 | 29 1/2 | GS3RAK2460L-A [] | 5,373 | 8,298 | 9,153 | 10,008 |
| | 24 | 66 | 29 1/2 | GS3RAK2466L-A [] | 5,568 | 8,452 | 9,324 | 10,194 |
| | 24 | 72 | 29 1/2 | GS3RAK2472L-A [] | 5,739 | 8,680 | 9,576 | 10,470 |

| | | | | | | | | |
|--|----|----|--------|--------------------------|-------|-------|-------|--------|
| RIGHT HAND  | 24 | 42 | 29 1/2 | GS3RAK2442R-A [] | 5,035 | 7,832 | 8,640 | 9,447 |
| | 24 | 48 | 29 1/2 | GS3RAK2448R-A [] | 5,154 | 8,000 | 8,826 | 9,650 |
| | 24 | 54 | 29 1/2 | GS3RAK2454R-A [] | 5,249 | 8,126 | 8,965 | 9,801 |
| | 24 | 60 | 29 1/2 | GS3RAK2460R-A [] | 5,373 | 8,298 | 9,153 | 10,008 |
| | 24 | 66 | 29 1/2 | GS3RAK2466R-A [] | 5,568 | 8,452 | 9,324 | 10,194 |
| | 24 | 72 | 29 1/2 | GS3RAK2472R-A [] | 5,739 | 8,680 | 9,576 | 10,470 |

- Unit must be wall mounted.
- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Wood tops optional grain standard. Lam tops optional grain up to 60", over 60" long grain standard.

If integral pull is chosen, the wall access panel will have a black knob.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **GRAIN DIRECTION**
7. **PULL**
8. **HAT KEYPAD & BASE COLOR**
9. **GROMMET**
10. **KEYING**

LAM TOP, LAM CHASSIS



1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **GRAIN DIRECTION (up to 60")**
7. **PULL**
8. **HAT KEYPAD & BASE COLOR**
9. **GROMMET**
10. **KEYING**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|--------|--------------------------|----------|----------|----------|----------|
| LEFT HAND  | 30 | 42 | 29 1/2 | GS3RAK3042L-A [] | 5,336 | 8,614 | 9,503 | 10,390 |
| | 30 | 48 | 29 1/2 | GS3RAK3048L-A [] | 5,436 | 8,801 | 9,709 | 10,615 |
| | 30 | 54 | 29 1/2 | GS3RAK3054L-A [] | 5,498 | 8,938 | 9,860 | 10,780 |
| | 30 | 60 | 29 1/2 | GS3RAK3060L-A [] | 5,559 | 9,126 | 10,068 | 11,007 |
| | 30 | 66 | 29 1/2 | GS3RAK3066L-A [] | 5,743 | 9,297 | 10,255 | 11,213 |
| | 30 | 72 | 29 1/2 | GS3RAK3072L-A [] | 5,855 | 9,548 | 10,532 | 11,516 |
| RIGHT HAND  | 30 | 42 | 29 1/2 | GS3RAK3042R-A [] | 5,336 | 8,614 | 9,503 | 10,390 |
| | 30 | 48 | 29 1/2 | GS3RAK3048R-A [] | 5,436 | 8,801 | 9,709 | 10,615 |
| | 30 | 54 | 29 1/2 | GS3RAK3054R-A [] | 5,498 | 8,938 | 9,860 | 10,780 |
| | 30 | 60 | 29 1/2 | GS3RAK3060R-A [] | 5,559 | 9,126 | 10,068 | 11,007 |
| | 30 | 66 | 29 1/2 | GS3RAK3066R-A [] | 5,743 | 9,297 | 10,255 | 11,213 |
| | 30 | 72 | 29 1/2 | GS3RAK3072R-A [] | 5,855 | 9,548 | 10,532 | 11,516 |

- Unit must be wall mounted.
- Provides sit to stand electric height adjustment
- 29.5" to 42.5" height adjustment range

PRODUCT INFO

Wood tops optional grain standard. Lam tops optional grain up to 60", over 60" long grain standard. Wood models ship assembled.  Laminate units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)
No Grommet **GN**
Center **GC**
Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:




- | | |
|---------------------------------------|---------------------------------------|
| WOOD TOP, WOOD CHASSIS | LAM TOP, LAM CHASSIS |
| 1. MODEL NUMBER + WW | 1. MODEL NUMBER + LL |
| 2. FSC | 2. FSC |
| 3. TOP WOOD FINISH + EDGE | 3. TOP LAM |
| 4. CHASSIS WOOD FINISH | 4. CHASSIS LAM |
| 5. TOP FINISH | 5. FRONT LAM |
| 6. GRAIN DIRECTION | 6. GRAIN DIRECTION (up to 60") |
| 7. PULL | 7. EDGE DETAIL |
| 8. HAT KEYPAD & BASE COLOR | 8. PULL |
| 9. GROMMET | 9. HAT KEYPAD & BASE COLOR |
| 10. KEYING | 10. GROMMET |
| | 11. KEYING |

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

| | |
|--|---------------|
| Basic Up/Down Keypad, Black P71 Column | UDP71 |
| Memory Preset Keypad, Black P71 Column | MEMP71 |
| Paddle Keypad, Black P71 Column | PDLP71 |




Step 1: Select workwall chassis configuration and total width.



Step 2: Select desk chassis style and size.



Step 3. Order desk and return rectangular tops OR a 2-piece cockpit shape top.




Note: for rectangular tops, flat brackets must be ordered separately.

Step 4. Order height adjustable hardware and bracketry kit. Select appropriate 3 motor or 4 motor kit based on total workwall length in Step 1.

| Total Workwall Width | # Motors | Model # to Order |
|----------------------|----------|------------------|
| Workwall 72" | 3 | GS4LALNKDPD-3 |
| Workwall 78" | 3 | GS4LALNKDPD-3 |
| Workwall 84" | 3 | GS4LALNKDPD-3 |
| Workwall 90" | 3 | GS4LALNKDPD-3 |
| Workwall 96" | 3 | GS4LALNKDPD-3 |
| Workwall 102" | 4 | GS4LALNKDPD-4 |
| Workwall 108" | 4 | GS4LALNKDPD-4 |

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

**HAT WORKWALL ACCENT
PANEL FULL**



| W | model number + type | laminate | wood 1 | wood 2 | wood 3 |
|----|------------------------|----------|--------|--------|--------|
| 30 | GS4PLWFP30- [] | 1,800 | 3,014 | 3,325 | 3,481 |
| 36 | GS4PLWFP36- [] | 1,822 | 3,054 | 3,371 | 3,528 |
| 42 | GS4PLWFP42- [] | 1,840 | 3,093 | 3,412 | 3,572 |
| 48 | GS4PLWFP48- [] | 1,923 | 3,128 | 3,451 | 3,613 |
| 60 | GS4PLWFP60- [] | 1,938 | 3,157 | 3,483 | 3,646 |

PRODUCT INFO

Unit must be wall mounted.

Non-handed

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **WOOD FINISH**

LAMINATE

1. **MODEL NUMBER + L**
2. **FSC**
3. **LAMINATE FINISH**

L SHAPE HEIGHT ADJUSTABLE

Workwall, No Pedestals

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|-------|-----|--------|-------------------------|----------|----------|----------|----------|
|  | 7 1/4 | 72 | 27 7/8 | GS4PLWFP72- [] | 1,952 | 3,183 | 3,512 | 3,840 |
| | 7 1/4 | 78 | 27 7/8 | GS4PLWFP78- [] | 2,107 | 3,435 | 3,790 | 4,144 |
| | 7 1/4 | 84 | 27 7/8 | GS4PLWFP84- [] | 2,189 | 3,578 | 3,948 | 4,316 |
| | 7 1/4 | 90 | 27 7/8 | GS4PLWFP90- [] | 2,301 | 3,941 | 4,348 | 4,754 |
| | 7 1/4 | 96 | 27 7/8 | GS4PLWFP96- [] | 2,287 | 3,863 | 4,263 | 4,660 |
| | 7 1/4 | 102 | 27 7/8 | GS4PLWFP102- [] | N/A | 4,055 | 4,474 | 4,892 |
| | 7 1/4 | 108 | 27 7/8 | GS4PLWFP108- [] | N/A | 4,250 | 4,689 | 5,127 |

PRODUCT INFO

Unit must be wall mounted.

Non-handed

 All units shipped as separate packages and require field assembly.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS


1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

L SHAPE HEIGHT ADJUSTABLE

Workwall, Left Hand Pedestal

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|-----|--------|-----------------------------|----------|----------|----------|----------|
| 24" DEPTH PEDESTAL  | 24 | 72 | 27 7/8 | GS4PLWFP2472L-A [] | 3,593 | 5,571 | 6,147 | 6,721 |
| | 24 | 78 | 27 7/8 | GS4PLWFP2478L-A [] | 3,660 | 5,695 | 6,283 | 6,869 |
| | 24 | 84 | 27 7/8 | GS4PLWFP2484L-A [] | 3,741 | 5,839 | 6,442 | 7,043 |
| | 24 | 90 | 27 7/8 | GS4PLWFP2490L-A [] | 3,930 | 6,312 | 6,964 | 7,614 |
| | 24 | 96 | 27 7/8 | GS4PLWFP2496L-A [] | 3,962 | 6,302 | 6,952 | 7,601 |
| | 24 | 102 | 27 7/8 | GS4PLWFP24102L-A [] | N/A | 6,423 | 7,086 | 7,747 |
| | 24 | 108 | 27 7/8 | GS4PLWFP24108L-A [] | N/A | 6,559 | 7,235 | 7,911 |
| 30" DEPTH PEDESTAL | 30 | 72 | 27 7/8 | GS4PLWFP3072L-A [] | 3,682 | 5,700 | 6,288 | 6,875 |
| | 30 | 78 | 27 7/8 | GS4PLWFP3078L-A [] | 3,749 | 5,824 | 6,425 | 7,025 |
| | 30 | 84 | 27 7/8 | GS4PLWFP3084L-A [] | 3,830 | 5,968 | 6,584 | 7,199 |
| | 30 | 90 | 27 7/8 | GS4PLWFP3090L-A [] | 4,019 | 6,441 | 7,106 | 7,770 |
| | 30 | 96 | 27 7/8 | GS4PLWFP3096L-A [] | 4,051 | 6,431 | 7,095 | 7,757 |
| | 30 | 102 | 27 7/8 | GS4PLWFP30102L-A [] | N/A | 6,552 | 7,227 | 7,902 |
| | 30 | 108 | 27 7/8 | GS4PLWFP30108L-A [] | N/A | 6,688 | 7,378 | 8,066 |

PRODUCT INFO

Unit must be wall mounted.

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **KEYING**

L SHAPE HEIGHT ADJUSTABLE

Workwall, Right Hand Pedestal

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|-----|--------|-----------------------------|----------|----------|----------|----------|
| 24" DEPTH PEDESTAL  | 24 | 72 | 27 7/8 | GS4PLWFP2472R-A [] | 3,593 | 5,571 | 6,147 | 6,721 |
| | 24 | 78 | 27 7/8 | GS4PLWFP2478R-A [] | 3,660 | 5,695 | 6,283 | 6,869 |
| | 24 | 84 | 27 7/8 | GS4PLWFP2484R-A [] | 3,741 | 5,839 | 6,442 | 7,043 |
| | 24 | 90 | 27 7/8 | GS4PLWFP2490R-A [] | 3,930 | 6,312 | 6,964 | 7,614 |
| | 24 | 96 | 27 7/8 | GS4PLWFP2496R-A [] | 3,962 | 6,302 | 6,952 | 7,601 |
| | 24 | 102 | 27 7/8 | GS4PLWFP24102R-A [] | N/A | 6,423 | 7,086 | 7,747 |
| | 24 | 108 | 27 7/8 | GS4PLWFP24108R-A [] | N/A | 6,559 | 7,235 | 7,911 |
| 30" DEPTH PEDESTAL | 30 | 72 | 27 7/8 | GS4PLWFP3072R-A [] | 3,682 | 5,700 | 6,288 | 6,875 |
| | 30 | 78 | 27 7/8 | GS4PLWFP3078R-A [] | 3,749 | 5,824 | 6,425 | 7,025 |
| | 30 | 84 | 27 7/8 | GS4PLWFP3084R-A [] | 3,830 | 5,968 | 6,584 | 7,199 |
| | 30 | 90 | 27 7/8 | GS4PLWFP3090R-A [] | 4,019 | 6,441 | 7,106 | 7,770 |
| | 30 | 96 | 27 7/8 | GS4PLWFP3096R-A [] | 4,051 | 6,431 | 7,095 | 7,757 |
| | 30 | 102 | 27 7/8 | GS4PLWFP30102R-A [] | N/A | 6,552 | 7,227 | 7,902 |
| | 30 | 108 | 27 7/8 | GS4PLWFP30108R-A [] | N/A | 6,688 | 7,378 | 8,066 |

PRODUCT INFO

Unit must be wall mounted.

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS


1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **KEYING**

L SHAPE HEIGHT ADJUSTABLE

Desk Full Modesty, Left Hand Shroud

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|--------|---------------------------|----------|----------|----------|----------|
| 30" DEPTH SHROUD  | 30 | 66 | 27 7/8 | GS4PLDMF3066L- [] | 2,180 | 3,362 | 3,710 | 4,056 |
| | 30 | 72 | 27 7/8 | GS4PLDMF3072L- [] | 2,254 | 3,499 | 3,861 | 4,221 |
| | 30 | 78 | 27 7/8 | GS4PLDMF3078L- [] | 2,327 | 3,630 | 4,005 | 4,378 |
| | 30 | 84 | 27 7/8 | GS4PLDMF3084L- [] | 2,483 | 3,845 | 4,243 | 4,638 |
| | 30 | 90 | 27 7/8 | GS4PLDMF3090L- [] | 2,559 | 3,979 | 4,390 | 4,799 |
| | 30 | 96 | 27 7/8 | GS4PLDMF3096L- [] | 2,633 | 4,114 | 4,539 | 4,962 |
| 36" DEPTH SHROUD | 36 | 66 | 27 7/8 | GS4PLDMF3666L- [] | 2,305 | 3,530 | 3,896 | 4,258 |
| | 36 | 72 | 27 7/8 | GS4PLDMF3672L- [] | 2,379 | 3,667 | 4,046 | 4,424 |
| | 36 | 78 | 27 7/8 | GS4PLDMF3678L- [] | 2,452 | 3,798 | 4,191 | 4,582 |
| | 36 | 84 | 27 7/8 | GS4PLDMF3684L- [] | 2,608 | 4,013 | 4,427 | 4,840 |
| | 36 | 90 | 27 7/8 | GS4PLDMF3690L- [] | 2,684 | 4,147 | 4,575 | 5,001 |
| | 36 | 96 | 27 7/8 | GS4PLDMF3696L- [] | 2,758 | 4,282 | 4,724 | 5,164 |

PRODUCT INFO

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

L SHAPE HEIGHT ADJUSTABLE

Desk Full Modesty, Right Hand Shroud

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|--------|--|----------|----------|----------|----------|
| 30" DEPTH SHROUD  | 30 | 66 | 27 7/8 | GS4PLDMF3066R- <input type="checkbox"/> | 2,180 | 3,362 | 3,710 | 4,056 |
| | 30 | 72 | 27 7/8 | GS4PLDMF3072R- <input type="checkbox"/> | 2,254 | 3,499 | 3,861 | 4,221 |
| | 30 | 78 | 27 7/8 | GS4PLDMF3078R- <input type="checkbox"/> | 2,327 | 3,630 | 4,005 | 4,378 |
| | 30 | 84 | 27 7/8 | GS4PLDMF3084R- <input type="checkbox"/> | 2,483 | 3,845 | 4,243 | 4,638 |
| | 30 | 90 | 27 7/8 | GS4PLDMF3090R- <input type="checkbox"/> | 2,559 | 3,979 | 4,390 | 4,799 |
| | 30 | 96 | 27 7/8 | GS4PLDMF3096R- <input type="checkbox"/> | 2,633 | 4,114 | 4,539 | 4,962 |
| 36" DEPTH SHROUD | 36 | 66 | 27 7/8 | GS4PLDMF3666R- <input type="checkbox"/> | 2,305 | 3,530 | 3,896 | 4,258 |
| | 36 | 72 | 27 7/8 | GS4PLDMF3672R- <input type="checkbox"/> | 2,379 | 3,667 | 4,046 | 4,424 |
| | 36 | 78 | 27 7/8 | GS4PLDMF3678R- <input type="checkbox"/> | 2,452 | 3,798 | 4,191 | 4,582 |
| | 36 | 84 | 27 7/8 | GS4PLDMF3684R- <input type="checkbox"/> | 2,608 | 4,013 | 4,427 | 4,840 |
| | 36 | 90 | 27 7/8 | GS4PLDMF3690R- <input type="checkbox"/> | 2,684 | 4,147 | 4,575 | 5,001 |
| | 36 | 96 | 27 7/8 | GS4PLDMF3696R- <input type="checkbox"/> | 2,758 | 4,282 | 4,724 | 5,164 |

PRODUCT INFO

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS


1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

L SHAPE HEIGHT ADJUSTABLE

Desk Full Modesty, Left Hand Pedestal

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|--------|---|----------|----------|----------|----------|
| 30" DEPTH PEDESTAL  | 30 | 66 | 27 7/8 | GS4PLDMF3066L-A <input type="checkbox"/> | 2,804 | 4,409 | 4,864 | 5,318 |
| | 30 | 72 | 27 7/8 | GS4PLDMF3072L-A <input type="checkbox"/> | 2,878 | 4,546 | 5,016 | 5,484 |
| | 30 | 78 | 27 7/8 | GS4PLDMF3078L-A <input type="checkbox"/> | 2,951 | 4,677 | 5,160 | 5,642 |
| | 30 | 84 | 27 7/8 | GS4PLDMF3084L-A <input type="checkbox"/> | 3,107 | 4,892 | 5,397 | 5,900 |
| | 30 | 90 | 27 7/8 | GS4PLDMF3090L-A <input type="checkbox"/> | 3,183 | 5,026 | 5,544 | 6,061 |
| | 30 | 96 | 27 7/8 | GS4PLDMF3096L-A <input type="checkbox"/> | 3,257 | 5,161 | 5,693 | 6,224 |
| 36" DEPTH PEDESTAL | 36 | 66 | 27 7/8 | GS4PLDMF3666L-A <input type="checkbox"/> | 2,897 | 4,546 | 5,017 | 5,485 |
| | 36 | 72 | 27 7/8 | GS4PLDMF3672L-A <input type="checkbox"/> | 2,971 | 4,683 | 5,167 | 5,650 |
| | 36 | 78 | 27 7/8 | GS4PLDMF3678L-A <input type="checkbox"/> | 3,044 | 4,814 | 5,311 | 5,807 |
| | 36 | 84 | 27 7/8 | GS4PLDMF3684L-A <input type="checkbox"/> | 3,200 | 5,029 | 5,548 | 6,066 |
| | 36 | 90 | 27 7/8 | GS4PLDMF3690L-A <input type="checkbox"/> | 3,276 | 5,163 | 5,695 | 6,226 |
| | 36 | 96 | 27 7/8 | GS4PLDMF3696L-A <input type="checkbox"/> | 3,350 | 5,298 | 5,844 | 6,389 |

PRODUCT INFO

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **KEYING**

LAM CHASSIS


1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **KEYING**

L SHAPE HEIGHT ADJUSTABLE

Desk Full Modesty, Right Hand Pedestal

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|--------|---|----------|----------|----------|----------|
| 30" DEPTH PEDESTAL  | 30 | 66 | 27 7/8 | GS4PLDMF3066R-A <input type="checkbox"/> | 2,804 | 4,409 | 4,864 | 5,318 |
| | 30 | 72 | 27 7/8 | GS4PLDMF3072R-A <input type="checkbox"/> | 2,878 | 4,546 | 5,016 | 5,484 |
| | 30 | 78 | 27 7/8 | GS4PLDMF3078R-A <input type="checkbox"/> | 2,951 | 4,677 | 5,160 | 5,642 |
| | 30 | 84 | 27 7/8 | GS4PLDMF3084R-A <input type="checkbox"/> | 3,107 | 4,892 | 5,397 | 5,900 |
| | 30 | 90 | 27 7/8 | GS4PLDMF3090R-A <input type="checkbox"/> | 3,183 | 5,026 | 5,544 | 6,061 |
| | 30 | 96 | 27 7/8 | GS4PLDMF3096R-A <input type="checkbox"/> | 3,257 | 5,161 | 5,693 | 6,224 |
| 36" DEPTH PEDESTAL | 36 | 66 | 27 7/8 | GS4PLDMF3666R-A <input type="checkbox"/> | 2,897 | 4,546 | 5,017 | 5,485 |
| | 36 | 72 | 27 7/8 | GS4PLDMF3672R-A <input type="checkbox"/> | 2,971 | 4,683 | 5,167 | 5,650 |
| | 36 | 78 | 27 7/8 | GS4PLDMF3678R-A <input type="checkbox"/> | 3,044 | 4,814 | 5,311 | 5,807 |
| | 36 | 84 | 27 7/8 | GS4PLDMF3684R-A <input type="checkbox"/> | 3,200 | 5,029 | 5,548 | 6,066 |
| | 36 | 90 | 27 7/8 | GS4PLDMF3690R-A <input type="checkbox"/> | 3,276 | 5,163 | 5,695 | 6,226 |
| | 36 | 96 | 27 7/8 | GS4PLDMF3696R-A <input type="checkbox"/> | 3,350 | 5,298 | 5,844 | 6,389 |

PRODUCT INFO

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **KEYING**

L SHAPE HEIGHT ADJUSTABLE

Desk Half Modesty, Left Hand Shroud

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|--------|--|----------|----------|----------|----------|
| 30" DEPTH SHROUD  | 30 | 66 | 27 7/8 | GS4PLDMH3066L- <input type="checkbox"/> | 2,303 | 2,855 | 3,151 | 3,444 |
| | 30 | 72 | 27 7/8 | GS4PLDMH3072L- <input type="checkbox"/> | 2,364 | 2,930 | 3,233 | 3,535 |
| | 30 | 78 | 27 7/8 | GS4PLDMH3078L- <input type="checkbox"/> | 2,400 | 2,976 | 3,283 | 3,590 |
| | 30 | 84 | 27 7/8 | GS4PLDMH3084L- <input type="checkbox"/> | 2,519 | 3,105 | 3,425 | 3,744 |
| | 30 | 90 | 27 7/8 | GS4PLDMH3090L- <input type="checkbox"/> | 2,559 | 3,154 | 3,480 | 3,804 |
| | 30 | 96 | 27 7/8 | GS4PLDMH3096L- <input type="checkbox"/> | 2,603 | 3,207 | 3,538 | 3,868 |
| 36" DEPTH SHROUD | 36 | 66 | 27 7/8 | GS4PLDMH3666L- <input type="checkbox"/> | 2,428 | 3,023 | 3,335 | 3,647 |
| | 36 | 72 | 27 7/8 | GS4PLDMH3672L- <input type="checkbox"/> | 2,489 | 3,098 | 3,418 | 3,737 |
| | 36 | 78 | 27 7/8 | GS4PLDMH3678L- <input type="checkbox"/> | 2,525 | 3,144 | 3,470 | 3,793 |
| | 36 | 84 | 27 7/8 | GS4PLDMH3684L- <input type="checkbox"/> | 2,644 | 3,273 | 3,611 | 3,947 |
| | 36 | 90 | 27 7/8 | GS4PLDMH3690L- <input type="checkbox"/> | 2,684 | 3,322 | 3,665 | 4,007 |
| | 36 | 96 | 27 7/8 | GS4PLDMH3696L- <input type="checkbox"/> | 2,728 | 3,375 | 3,724 | 4,071 |

PRODUCT INFO

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

L SHAPE HEIGHT ADJUSTABLE

Desk Half Modesty, Right Hand Shroud

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|--------|--|----------|----------|----------|----------|
| 30" DEPTH SHROUD  | 30 | 66 | 27 7/8 | GS4PLDMH3066R- <input type="checkbox"/> | 2,303 | 2,855 | 3,151 | 3,444 |
| | 30 | 72 | 27 7/8 | GS4PLDMH3072R- <input type="checkbox"/> | 2,364 | 2,930 | 3,233 | 3,535 |
| | 30 | 78 | 27 7/8 | GS4PLDMH3078R- <input type="checkbox"/> | 2,400 | 2,976 | 3,283 | 3,590 |
| | 30 | 84 | 27 7/8 | GS4PLDMH3084R- <input type="checkbox"/> | 2,519 | 3,105 | 3,425 | 3,744 |
| | 30 | 90 | 27 7/8 | GS4PLDMH3090R- <input type="checkbox"/> | 2,559 | 3,154 | 3,480 | 3,804 |
| | 30 | 96 | 27 7/8 | GS4PLDMH3096R- <input type="checkbox"/> | 2,603 | 3,207 | 3,538 | 3,868 |
| 36" DEPTH SHROUD | 36 | 66 | 27 7/8 | GS4PLDMH3666R- <input type="checkbox"/> | 2,428 | 3,023 | 3,335 | 3,647 |
| | 36 | 72 | 27 7/8 | GS4PLDMH3672R- <input type="checkbox"/> | 2,489 | 3,098 | 3,418 | 3,737 |
| | 36 | 78 | 27 7/8 | GS4PLDMH3678R- <input type="checkbox"/> | 2,525 | 3,144 | 3,470 | 3,793 |
| | 36 | 84 | 27 7/8 | GS4PLDMH3684R- <input type="checkbox"/> | 2,644 | 3,273 | 3,611 | 3,947 |
| | 36 | 90 | 27 7/8 | GS4PLDMH3690R- <input type="checkbox"/> | 2,684 | 3,322 | 3,665 | 4,007 |
| | 36 | 96 | 27 7/8 | GS4PLDMH3696R- <input type="checkbox"/> | 2,728 | 3,375 | 3,724 | 4,071 |

PRODUCT INFO

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS


1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

L SHAPE HEIGHT ADJUSTABLE

Desk Half Modesty, Left Hand Pedestal

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|--------|---|----------|----------|----------|----------|
| 30" DEPTH PEDESTAL  | 30 | 66 | 27 7/8 | GS4PLDMH3066L-A <input type="checkbox"/> | 2,940 | 4,071 | 4,492 | 4,911 |
| | 30 | 72 | 27 7/8 | GS4PLDMH3072L-A <input type="checkbox"/> | 3,001 | 4,146 | 4,574 | 5,000 |
| | 30 | 78 | 27 7/8 | GS4PLDMH3078L-A <input type="checkbox"/> | 3,037 | 4,192 | 4,625 | 5,057 |
| | 30 | 84 | 27 7/8 | GS4PLDMH3084L-A <input type="checkbox"/> | 3,156 | 4,321 | 4,767 | 5,211 |
| | 30 | 90 | 27 7/8 | GS4PLDMH3090L-A <input type="checkbox"/> | 3,196 | 4,370 | 4,821 | 5,271 |
| | 30 | 96 | 27 7/8 | GS4PLDMH3096L-A <input type="checkbox"/> | 3,240 | 4,423 | 4,879 | 5,335 |
| 36" DEPTH PEDESTAL | 36 | 66 | 27 7/8 | GS4PLDMH3666L-A <input type="checkbox"/> | 3,033 | 4,208 | 4,643 | 5,076 |
| | 36 | 72 | 27 7/8 | GS4PLDMH3672L-A <input type="checkbox"/> | 3,094 | 4,283 | 4,725 | 5,166 |
| | 36 | 78 | 27 7/8 | GS4PLDMH3678L-A <input type="checkbox"/> | 3,130 | 4,329 | 4,777 | 5,222 |
| | 36 | 84 | 27 7/8 | GS4PLDMH3684L-A <input type="checkbox"/> | 3,249 | 4,458 | 4,918 | 5,377 |
| | 36 | 90 | 27 7/8 | GS4PLDMH3690L-A <input type="checkbox"/> | 3,289 | 4,507 | 4,971 | 5,435 |
| | 36 | 96 | 27 7/8 | GS4PLDMH3696L-A <input type="checkbox"/> | 3,333 | 4,560 | 5,031 | 5,500 |

PRODUCT INFO

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **KEYING**


LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **KEYING**

L SHAPE HEIGHT ADJUSTABLE

Desk Half Modesty, Right Hand Pedestal

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|--------|---|----------|----------|----------|----------|
| 30" DEPTH PEDESTAL  | 30 | 66 | 27 7/8 | GS4PLDMH3066R-A <input type="checkbox"/> | 2,940 | 4,071 | 4,492 | 4,911 |
| | 30 | 72 | 27 7/8 | GS4PLDMH3072R-A <input type="checkbox"/> | 3,001 | 4,146 | 4,574 | 5,000 |
| | 30 | 78 | 27 7/8 | GS4PLDMH3078R-A <input type="checkbox"/> | 3,037 | 4,192 | 4,625 | 5,057 |
| | 30 | 84 | 27 7/8 | GS4PLDMH3084R-A <input type="checkbox"/> | 3,156 | 4,321 | 4,767 | 5,211 |
| | 30 | 90 | 27 7/8 | GS4PLDMH3090R-A <input type="checkbox"/> | 3,196 | 4,370 | 4,821 | 5,271 |
| | 30 | 96 | 27 7/8 | GS4PLDMH3096R-A <input type="checkbox"/> | 3,240 | 4,423 | 4,879 | 5,335 |
| 36" DEPTH PEDESTAL | 36 | 66 | 27 7/8 | GS4PLDMH3666R-A <input type="checkbox"/> | 3,033 | 4,208 | 4,643 | 5,076 |
| | 36 | 72 | 27 7/8 | GS4PLDMH3672R-A <input type="checkbox"/> | 3,094 | 4,283 | 4,725 | 5,166 |
| | 36 | 78 | 27 7/8 | GS4PLDMH3678R-A <input type="checkbox"/> | 3,130 | 4,329 | 4,777 | 5,222 |
| | 36 | 84 | 27 7/8 | GS4PLDMH3684R-A <input type="checkbox"/> | 3,249 | 4,458 | 4,918 | 5,377 |
| | 36 | 90 | 27 7/8 | GS4PLDMH3690R-A <input type="checkbox"/> | 3,289 | 4,507 | 4,971 | 5,435 |
| | 36 | 96 | 27 7/8 | GS4PLDMH3696R-A <input type="checkbox"/> | 3,333 | 4,560 | 5,031 | 5,500 |

PRODUCT INFO

 All units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **KEYING**

L SHAPE HEIGHT ADJUSTABLE

30D & 36D Desk Worksurfaces Rectangular

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|---|----------|----------|----------|----------|
|  | 30 | 66 | 1 3/16 | GS4LADWR3066- <input type="checkbox"/> | 1,111 | 1,513 | 1,671 | 1,825 |
| | 30 | 72 | 1 3/16 | GS4LADWR3072- <input type="checkbox"/> | 1,169 | 1,592 | 1,757 | 1,921 |
| | 30 | 78 | 1 3/16 | GS4LADWR3078- <input type="checkbox"/> | 1,250 | 1,704 | 1,880 | 2,056 |
| | 30 | 84 | 1 3/16 | GS4LADWR3084- <input type="checkbox"/> | 1,338 | 1,825 | 2,015 | 2,202 |
| | 30 | 90 | 1 3/16 | GS4LADWR3090- <input type="checkbox"/> | 1,425 | 1,916 | 2,115 | 2,313 |
| | 30 | 96 | 1 3/16 | GS4LADWR3096- <input type="checkbox"/> | 1,496 | 2,012 | 2,220 | 2,427 |
| | 36 | 66 | 1 3/16 | GS4LADWR3666- <input type="checkbox"/> | 1,189 | 1,621 | 1,789 | 1,956 |
| | 36 | 72 | 1 3/16 | GS4LADWR3672- <input type="checkbox"/> | 1,253 | 1,707 | 1,884 | 2,060 |
| | 36 | 78 | 1 3/16 | GS4LADWR3678- <input type="checkbox"/> | 1,341 | 1,827 | 2,017 | 2,205 |
| | 36 | 84 | 1 3/16 | GS4LADWR3684- <input type="checkbox"/> | 1,435 | 1,957 | 2,160 | 2,362 |
| | 36 | 90 | 1 3/16 | GS4LADWR3690- <input type="checkbox"/> | 1,527 | 2,053 | 2,266 | 2,477 |
| | 36 | 96 | 1 3/16 | GS4LADWR3696- <input type="checkbox"/> | 1,604 | 2,156 | 2,380 | 2,602 |

• Flat brackets ordered separately (model #MDWBRK)

PRODUCT INFO

All tops long grain standard.
Tops are undersized to allow for pinch points.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

- MODEL NUMBER + W**
- FSC**
- TOP WOOD FINISH + EDGE**
- TOP FINISH**
- GROMMET**

LAM TOP

- MODEL NUMBER + L**
- FSC**
- TOP LAM**
- EDGE DETAIL**
- GROMMET**

L SHAPE HEIGHT ADJUSTABLE

24D & 30D Return Worksurfaces Rectangular

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|---|----------|----------|----------|----------|
|  | 24 | 42 | 1 3/16 | GS4LACWR2442- <input type="checkbox"/> | 771 | 1,049 | 1,159 | 1,267 |
| | 24 | 48 | 1 3/16 | GS4LACWR2448- <input type="checkbox"/> | 842 | 1,148 | 1,268 | 1,386 |
| | 24 | 54 | 1 3/16 | GS4LACWR2454- <input type="checkbox"/> | 888 | 1,208 | 1,334 | 1,458 |
| | 24 | 60 | 1 3/16 | GS4LACWR2460- <input type="checkbox"/> | 964 | 1,313 | 1,450 | 1,585 |
| | 24 | 66 | 1 3/16 | GS4LACWR2466- <input type="checkbox"/> | 1,025 | 1,394 | 1,539 | 1,683 |
| | 24 | 72 | 1 3/16 | GS4LACWR2472- <input type="checkbox"/> | 1,142 | 1,559 | 1,721 | 1,881 |
| | 30 | 42 | 1 3/16 | GS4LACWR3042- <input type="checkbox"/> | 983 | 1,341 | 1,480 | 1,618 |
| | 30 | 48 | 1 3/16 | GS4LACWR3048- <input type="checkbox"/> | 1,035 | 1,411 | 1,558 | 1,704 |
| | 30 | 54 | 1 3/16 | GS4LACWR3054- <input type="checkbox"/> | 1,048 | 1,429 | 1,578 | 1,725 |
| | 30 | 60 | 1 3/16 | GS4LACWR3060- <input type="checkbox"/> | 1,061 | 1,445 | 1,595 | 1,744 |
| | 30 | 66 | 1 3/16 | GS4LACWR3066- <input type="checkbox"/> | 1,111 | 1,513 | 1,671 | 1,825 |
| | 30 | 72 | 1 3/16 | GS4LACWR3072- <input type="checkbox"/> | 1,169 | 1,592 | 1,757 | 1,921 |

• Flat brackets ordered separately (model #MDWBRK)

PRODUCT INFO

Wood tops are short grain standard. Lam tops are short grain up to 60", over 60" are long grain standard.

Tops are undersized to allow for pinch points.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP


- MODEL NUMBER + W**
- FSC**
- TOP WOOD FINISH + EDGE**
- TOP FINISH**
- GROMMET**

LAM TOP

- MODEL NUMBER + L**
- FSC**
- TOP LAM**
- EDGE DETAIL**
- GROMMET**

L SHAPE HEIGHT ADJUSTABLE

Cockpit Top Shape, For Left Hand Desk



| Desk Depth | Desk Width | Return Depth | Return Width | Total Workwall Width | model number + type | laminiate | vener 1 | vener 2 | vener 3 |
|------------|------------|--------------|--------------|----------------------|------------------------|-----------|---------|---------|---------|
| 30 | 72 | 24 | 42 | 72 | GS4LATOP30722442L- [] | 2,134 | 2,903 | 3,204 | 3,503 |
| 30 | 72 | 24 | 48 | 78 | GS4LATOP30722448L- [] | 2,212 | 3,010 | 3,321 | 3,631 |
| 30 | 72 | 24 | 54 | 84 | GS4LATOP30722454L- [] | 2,260 | 3,080 | 3,399 | 3,716 |
| 30 | 72 | 24 | 60 | 90 | GS4LATOP30722460L- [] | 2,348 | 3,194 | 3,525 | 3,854 |
| 30 | 72 | 24 | 66 | 96 | GS4LATOP30722466L- [] | 2,413 | 3,284 | 3,624 | 3,962 |
| 30 | 72 | 24 | 72 | 102 | GS4LATOP30722472L- [] | N/A | 3,465 | 3,824 | 4,181 |
| 30 | 84 | 24 | 42 | 72 | GS4LATOP30842442L- [] | 2,320 | 3,159 | 3,486 | 3,812 |
| 30 | 84 | 24 | 48 | 78 | GS4LATOP30842448L- [] | 2,398 | 3,267 | 3,605 | 3,941 |
| 30 | 84 | 24 | 54 | 84 | GS4LATOP30842454L- [] | 2,447 | 3,334 | 3,679 | 4,022 |
| 30 | 84 | 24 | 60 | 90 | GS4LATOP30842460L- [] | 2,531 | 3,450 | 3,806 | 4,162 |
| 30 | 84 | 24 | 66 | 96 | GS4LATOP30842466L- [] | 2,596 | 3,539 | 3,906 | 4,270 |
| 30 | 84 | 24 | 72 | 102 | GS4LATOP30842472L- [] | N/A | 3,723 | 4,107 | 4,491 |
| 36 | 72 | 24 | 42 | 78 | GS4LATOP36722442L- [] | 2,134 | 3,033 | 3,347 | 3,660 |
| 36 | 72 | 24 | 48 | 84 | GS4LATOP36722448L- [] | 2,212 | 3,139 | 3,464 | 3,787 |
| 36 | 72 | 24 | 54 | 90 | GS4LATOP36722454L- [] | 2,260 | 3,208 | 3,540 | 3,870 |
| 36 | 72 | 24 | 60 | 96 | GS4LATOP36722460L- [] | 2,348 | 3,323 | 3,667 | 4,009 |
| 36 | 72 | 24 | 66 | 102 | GS4LATOP36722466L- [] | N/A | 3,412 | 3,764 | 4,116 |
| 36 | 72 | 24 | 72 | 108 | GS4LATOP36722472L- [] | N/A | 3,595 | 3,967 | 4,337 |
| 36 | 84 | 24 | 42 | 78 | GS4LATOP36842442L- [] | 2,320 | 3,304 | 3,646 | 3,987 |
| 36 | 84 | 24 | 48 | 84 | GS4LATOP36842448L- [] | 2,398 | 3,411 | 3,763 | 4,115 |
| 36 | 84 | 24 | 54 | 90 | GS4LATOP36842454L- [] | 2,447 | 3,478 | 3,838 | 4,196 |
| 36 | 84 | 24 | 60 | 96 | GS4LATOP36842460L- [] | 2,531 | 3,595 | 3,967 | 4,337 |
| 36 | 84 | 24 | 66 | 102 | GS4LATOP36842466L- [] | N/A | 3,684 | 4,065 | 4,445 |
| 36 | 84 | 24 | 72 | 108 | GS4LATOP36842472L- [] | N/A | 3,865 | 4,265 | 4,663 |

PRODUCT INFO

Desk top portion is long grain standard, return short grain.
Tops are undersized to allow for pinch points.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **DESK GROMMET**

LAM TOP


1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **EDGE DETAIL**
5. **DESK GROMMET**

L SHAPE HEIGHT ADJUSTABLE

Cockpit Top Shape, For Right Hand Desk

Silea

02/26

| Desk Depth | Desk Width | Return Depth | Return Width | Total Workwall Width | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 | |
|---|------------|--------------|--------------|----------------------|--|--|----------|----------|----------|-------|
|  | 30 | 72 | 24 | 42 | 72 | GS4LATOP30722442R- <input type="checkbox"/> | 2,134 | 2,903 | 3,204 | 3,503 |
| | 30 | 72 | 24 | 48 | 78 | GS4LATOP30722448R- <input type="checkbox"/> | 2,212 | 3,010 | 3,321 | 3,631 |
| | 30 | 72 | 24 | 54 | 84 | GS4LATOP30722454R- <input type="checkbox"/> | 2,260 | 3,080 | 3,399 | 3,716 |
| | 30 | 72 | 24 | 60 | 90 | GS4LATOP30722460R- <input type="checkbox"/> | 2,348 | 3,194 | 3,525 | 3,854 |
| | 30 | 72 | 24 | 66 | 96 | GS4LATOP30722466R- <input type="checkbox"/> | 2,413 | 3,284 | 3,624 | 3,962 |
| | 30 | 72 | 24 | 72 | 102 | GS4LATOP30722472R- <input type="checkbox"/> | N/A | 3,465 | 3,824 | 4,181 |
| 30 | 84 | 24 | 42 | 72 | GS4LATOP30842442R- <input type="checkbox"/> | 2,320 | 3,159 | 3,486 | 3,812 | |
| 30 | 84 | 24 | 48 | 78 | GS4LATOP30842448R- <input type="checkbox"/> | 2,398 | 3,267 | 3,605 | 3,941 | |
| 30 | 84 | 24 | 54 | 84 | GS4LATOP30842454R- <input type="checkbox"/> | 2,447 | 3,334 | 3,679 | 4,022 | |
| 30 | 84 | 24 | 60 | 90 | GS4LATOP30842460R- <input type="checkbox"/> | 2,531 | 3,450 | 3,806 | 4,162 | |
| 30 | 84 | 24 | 66 | 96 | GS4LATOP30842466R- <input type="checkbox"/> | 2,596 | 3,539 | 3,906 | 4,270 | |
| 30 | 84 | 24 | 72 | 102 | GS4LATOP30842472R- <input type="checkbox"/> | N/A | 3,723 | 4,107 | 4,491 | |
| 36 | 72 | 24 | 42 | 78 | GS4LATOP36722442R- <input type="checkbox"/> | 2,134 | 3,033 | 3,347 | 3,660 | |
| 36 | 72 | 24 | 48 | 84 | GS4LATOP36722448R- <input type="checkbox"/> | 2,212 | 3,139 | 3,464 | 3,787 | |
| 36 | 72 | 24 | 54 | 90 | GS4LATOP36722454R- <input type="checkbox"/> | 2,260 | 3,208 | 3,540 | 3,870 | |
| 36 | 72 | 24 | 60 | 96 | GS4LATOP36722460R- <input type="checkbox"/> | 2,348 | 3,323 | 3,667 | 4,009 | |
| 36 | 72 | 24 | 66 | 102 | GS4LATOP36722466R- <input type="checkbox"/> | N/A | 3,412 | 3,764 | 4,116 | |
| 36 | 72 | 24 | 72 | 108 | GS4LATOP36722472R- <input type="checkbox"/> | N/A | 3,595 | 3,967 | 4,337 | |
| 36 | 84 | 24 | 42 | 78 | GS4LATOP36842442R- <input type="checkbox"/> | 2,320 | 3,304 | 3,646 | 3,987 | |
| 36 | 84 | 24 | 48 | 84 | GS4LATOP36842448R- <input type="checkbox"/> | 2,398 | 3,411 | 3,763 | 4,115 | |
| 36 | 84 | 24 | 54 | 90 | GS4LATOP36842454R- <input type="checkbox"/> | 2,447 | 3,478 | 3,838 | 4,196 | |
| 36 | 84 | 24 | 60 | 96 | GS4LATOP36842460R- <input type="checkbox"/> | 2,531 | 3,595 | 3,967 | 4,337 | |
| 36 | 84 | 24 | 66 | 102 | GS4LATOP36842466R- <input type="checkbox"/> | N/A | 3,684 | 4,065 | 4,445 | |
| 36 | 84 | 24 | 72 | 108 | GS4LATOP36842472R- <input type="checkbox"/> | N/A | 3,865 | 4,265 | 4,663 | |

PRODUCT INFO

Desk top portion is long grain standard, return short grain.

Tops are undersized to allow for pinch points.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**
 Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

- MODEL NUMBER + W**
- FSC**
- TOP WOOD FINISH + EDGE**
- TOP FINISH**
- DESK GROMMET**

LAM TOP

- MODEL NUMBER + L**
- FSC**
- TOP LAM**
- EDGE DETAIL**
- DESK GROMMET**

D W H model number 

3 MOTOR KIT

GS4LALNKDPD-3

2,302

- Not TAA compliant unless ordered with a TAA compliant configurable end product.

4 MOTOR KIT

GS4LALNKDPD-4

2,858

- Not TAA compliant unless ordered with a TAA compliant configurable end product.

| Total Workwall Width | # Motors | Model # to Order |
|----------------------|----------|------------------|
| Workwall 72" | 3 | GS4LALNKDPD-3 |
| Workwall 78" | 3 | GS4LALNKDPD-3 |
| Workwall 84" | 3 | GS4LALNKDPD-3 |
| Workwall 90" | 3 | GS4LALNKDPD-3 |
| Workwall 96" | 3 | GS4LALNKDPD-3 |
| Workwall 102" | 4 | GS4LALNKDPD-4 |
| Workwall 108" | 4 | GS4LALNKDPD-4 |

PRODUCT INFO

L shape units require field assembly

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

- 1. MODEL NUMBER**
- 2. HAT KEYPAD & BASE COLOR**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column


UDP71
MEMP71
PDLP71

WORKWALL


Height-Adjustable Bases

Silea
02/26

| | D | W | H | model number | paint 1 | paint 2 | paint 3 |
|---------------------------------|----|----|---|--------------------|---------|---------|---------|
| HAT COLUMN METAL SHROUDS | 27 | 15 | 8 | GS4HACS12-M | 1,716 | N/A | N/A |



| | | | | | | | |
|-------------------------------|----|----|----|---------------------|-------|--|--|
| HAT COLUMN 3 MOTOR KIT | 64 | 16 | 10 | GS4HACSLNK-3 | 2,302 | | |
| HAT COLUMN 4 MOTOR KIT | 64 | 16 | 10 | GS4HACSLNK-4 | 2,578 | | |



- Not TAA compliant unless ordered with a TAA compliant configurable end product.

| Total Workwall Width | # Motors | Model # to Order |
|----------------------|----------|------------------|
| Workwall 30"-96" | 3 | GS4HACSLNK-3 |
| Workwall 102"-108" | 4 | GS4HACSLNK-4 |

PRODUCT INFO

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

HAT COLUMN METAL SHROUDS LIST

- MODEL NUMBER**
- HARDWARE COLOR**

HAT COLUMN MOTOR KIT

- MODEL NUMBER**
- HAT KEYPAD & BASE COLOR**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

| | D | W | model number + type | wood 1 | wood 2 | wood 3 |
|---|----|----|-------------------------|--------|--------|--------|
| HAT RACETRACK MEDIA TOP  | 36 | 72 | GS2MWRT3672- [] | 2,190 | 2,417 | 2,530 |
| | 42 | 72 | GS2MWRT4272- [] | 2,738 | 3,020 | 3,162 |
| | 48 | 72 | GS2MWRT4872- [] | 3,422 | 3,775 | 3,952 |

PRODUCT INFO

Depth & width shortened two inches for height adjustable pinch points.

Long grain standard.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **WOOD FINISH**
4. **TOP FINISH**
5. **GROMMET**

LAMINATE


1. **MODEL NUMBER + L**
2. **FSC**
3. **LAMINATE FINISH**
4. **EDGE DETAIL**
5. **GROMMET**

SHROUD FOR T-BASE

24D, 30D & 36D

Silea

02/26



| D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|----|----|--------|---------------------|----------|----------|----------|----------|
| 24 | 42 | 22 1/2 | GS3HASHRD2442- [] | 2,600 | 3,289 | 3,630 | 3,968 |
| 24 | 48 | 22 1/2 | GS3HASHRD2448- [] | 2,634 | 3,331 | 3,676 | 4,019 |
| 24 | 54 | 22 1/2 | GS3HASHRD2454- [] | 2,666 | 3,371 | 3,720 | 4,067 |
| 24 | 60 | 22 1/2 | GS3HASHRD2460- [] | 2,698 | 3,411 | 3,763 | 4,115 |
| 24 | 66 | 22 1/2 | GS3HASHRD2466- [] | 2,729 | 3,453 | 3,809 | 4,165 |
| 24 | 72 | 22 1/2 | GS3HASHRD2472- [] | 2,762 | 3,493 | 3,854 | 4,214 |
| | | | | | | | |
| 30 | 42 | 22 1/2 | GS3HASHRD3042- [] | 2,682 | 3,390 | 3,740 | 4,089 |
| 30 | 48 | 22 1/2 | GS3HASHRD3048- [] | 2,716 | 3,430 | 3,784 | 4,138 |
| 30 | 54 | 22 1/2 | GS3HASHRD3054- [] | 2,748 | 3,473 | 3,832 | 4,190 |
| 30 | 60 | 22 1/2 | GS3HASHRD3060- [] | 2,780 | 3,515 | 3,878 | 4,240 |
| 30 | 66 | 22 1/2 | GS3HASHRD3066- [] | 2,811 | 3,555 | 3,923 | 4,289 |
| 30 | 72 | 22 1/2 | GS3HASHRD3072- [] | 2,844 | 3,597 | 3,969 | 4,339 |
| | | | | | | | |
| 36 | 42 | 22 1/2 | GS3HASHRD3642- [] | 2,760 | 3,493 | 3,854 | 4,214 |
| 36 | 48 | 22 1/2 | GS3HASHRD3648- [] | 2,794 | 3,534 | 3,900 | 4,264 |
| 36 | 54 | 22 1/2 | GS3HASHRD3654- [] | 2,826 | 3,575 | 3,945 | 4,313 |
| 36 | 60 | 22 1/2 | GS3HASHRD3660- [] | 2,858 | 3,617 | 3,991 | 4,363 |
| 36 | 66 | 22 1/2 | GS3HASHRD3666- [] | 2,889 | 3,660 | 4,038 | 4,416 |
| 36 | 72 | 22 1/2 | GS3HASHRD3672- [] | 2,922 | 3,699 | 4,081 | 4,463 |

PRODUCT INFO

Top and t-base ordered separately.

Wood models ship assembled.

 Laminate units shipped as separate packages and require field assembly.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

| | D | W | H | model number + type | laminata | vener 1 | vener 2 | vener 3 |
|---|--------|----|--------|---------------------------|----------|---------|---------|---------|
|  | 23 1/8 | 24 | 22 3/8 | GS2LHAPD2424L- [] | 1,809 | 2,467 | 2,723 | 2,977 |
| | 23 1/8 | 30 | 22 3/8 | GS2LHAPD2430L- [] | 1,934 | 2,638 | 2,911 | 3,183 |
| | 23 1/8 | 36 | 22 3/8 | GS2LHAPD2436L- [] | 2,060 | 2,808 | 3,099 | 3,388 |
|  | 23 1/8 | 24 | 22 3/8 | GS2LHAPD2424R- [] | 1,809 | 2,467 | 2,723 | 2,977 |
| | 23 1/8 | 30 | 22 3/8 | GS2LHAPD2430R- [] | 1,934 | 2,638 | 2,911 | 3,183 |
| | 23 1/8 | 36 | 22 3/8 | GS2LHAPD2436R- [] | 2,060 | 2,808 | 3,099 | 3,388 |



Layers Bookcase
(right hand shown)

PRODUCT INFO

T-base height adjustable not included.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **GRAIN DIRECTION**


LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **GRAIN DIRECTION**

HEIGHT ADJUSTABLE BASE

T-base


Silea
02/26

| for use with top sizes | D | W | H | model number | list | |
|---|---------|----|----|------------------|------------------|-------|
|  | 22 x 40 | 21 | 36 | 26 | BSHAT2142 | 3,398 |
| | 22 x 46 | 21 | 42 | 26 | BSHAT2148 | 3,413 |
| | 22 x 52 | 21 | 48 | 26 | BSHAT2154 | 3,434 |
| | 22 x 58 | 21 | 54 | 26 | BSHAT2160 | 3,448 |
| | 22 x 64 | 21 | 60 | 26 | BSHAT2166 | 3,469 |
| | 22 x 70 | 21 | 66 | 26 | BSHAT2172 | 3,484 |
| 28/34 x 46 | 27 | 42 | 26 | BSHAT2748 | 3,448 | |
| 28/34 x 52 | 27 | 48 | 26 | BSHAT2754 | 3,469 | |
| 28/34 x 58 | 27 | 54 | 26 | BSHAT2760 | 3,484 | |
| 28/34 x 64 | 27 | 60 | 26 | BSHAT2766 | 3,506 | |
| 28/34 x 70 | 27 | 66 | 26 | BSHAT2772 | 3,522 | |

26 5/8



Base at lowest height setting



Base at tallest height setting

PRODUCT INFO

Tops and modesty panel ordered separately in modular tab.

Not TAA compliant unless ordered with a TAA compliant configurable end product.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **BASE COLOR**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|---|----------|----------|----------|----------|
|  | 22 | 40 | 1 3/16 | GS2CWA2240- <input type="checkbox"/> | 771 | 1,049 | 1,159 | 1,267 |
| | 22 | 46 | 1 3/16 | GS2CWA2246- <input type="checkbox"/> | 842 | 1,148 | 1,268 | 1,386 |
| | 22 | 52 | 1 3/16 | GS2CWA2252- <input type="checkbox"/> | 888 | 1,208 | 1,334 | 1,458 |
| | 22 | 58 | 1 3/16 | GS2CWA2258- <input type="checkbox"/> | 964 | 1,313 | 1,450 | 1,585 |
| | 22 | 64 | 1 3/16 | GS2CWA2264- <input type="checkbox"/> | 1,025 | 1,394 | 1,539 | 1,683 |
| | 22 | 70 | 1 3/16 | GS2CWA2270- <input type="checkbox"/> | 1,142 | 1,559 | 1,721 | 1,881 |
| | 28 | 40 | 1 3/16 | GS2CWA2840- <input type="checkbox"/> | 983 | 1,341 | 1,480 | 1,618 |
| | 28 | 46 | 1 3/16 | GS2CWA2846- <input type="checkbox"/> | 1,035 | 1,411 | 1,558 | 1,704 |
| | 28 | 52 | 1 3/16 | GS2CWA2852- <input type="checkbox"/> | 1,048 | 1,429 | 1,578 | 1,725 |
| | 28 | 58 | 1 3/16 | GS2CWA2858- <input type="checkbox"/> | 1,061 | 1,445 | 1,595 | 1,744 |
| | 28 | 64 | 1 3/16 | GS2CWA2864- <input type="checkbox"/> | 1,111 | 1,513 | 1,671 | 1,825 |
| | 28 | 70 | 1 3/16 | GS2CWA2870- <input type="checkbox"/> | 1,169 | 1,592 | 1,757 | 1,921 |
| | 34 | 40 | 1 3/16 | GS2CWA3440- <input type="checkbox"/> | 1,031 | 1,408 | 1,555 | 1,700 |
| | 34 | 46 | 1 3/16 | GS2CWA3446- <input type="checkbox"/> | 1,087 | 1,482 | 1,636 | 1,788 |
| | 34 | 52 | 1 3/16 | GS2CWA3452- <input type="checkbox"/> | 1,111 | 1,513 | 1,671 | 1,825 |
| | 34 | 58 | 1 3/16 | GS2CWA3458- <input type="checkbox"/> | 1,133 | 1,543 | 1,704 | 1,862 |
| | 34 | 64 | 1 3/16 | GS2CWA3464- <input type="checkbox"/> | 1,189 | 1,621 | 1,789 | 1,956 |
| | 34 | 70 | 1 3/16 | GS2CWA3470- <input type="checkbox"/> | 1,253 | 1,707 | 1,884 | 2,060 |

PRODUCT INFO

Depth & width shortened two inches for height adjustable pinch points.

Wood tops optional grain standard.

Lam tops optional grain up to 60", over 60" long grain standard.

Grommet Location
(Add \$87 per grommet)

- No Grommet **GN**
- Left **GL**
- Center **GC**
- Right **GR**
- Left & Right **GB**
- All **GA**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **GRAIN DIRECTION**
6. **GROMMET**



LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **GRAIN DIRECTION (up to 60")**
5. **GROMMET**

WALL MOUNT CANTILEVER BRACKET

Silea
02/26

| D | W | H | model number | part |
|--|---------|-------|----------------|------|
| 3 1/8 | 15 3/16 | 7 1/8 | ACWCB15 | 253 |
| <ul style="list-style-type: none"> For use with 24" tops to provide support on center as an alternative to a T-bracket. | | | | |
| 3 1/8 | 20 3/16 | 7 1/8 | ACWCB20 | 271 |
| <ul style="list-style-type: none"> For use with 24" tops to provide support on an end condition. | | | | |



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

- MODEL NUMBER**

MIXED MATERIAL TELESCOPING HEIGHT ADJUSTABLE

Modesty Panels

| | D | W | H | model number + type | laminat | veneer 1 | veneer 2 | veneer 3 | metal |
|---|-----|----|----|-------------------------|---------|----------|----------|----------|-------|
|  | 3/4 | 58 | 10 | GS2XMAMOD66- [] | 693 | 880 | 972 | 1,064 | 684 |
| | 3/4 | 64 | 10 | GS2XMAMOD72- [] | 760 | 960 | 1,060 | 1,159 | 747 |
| | 3/4 | 70 | 10 | GS2XMAMOD78- [] | 825 | 1,002 | 1,106 | 1,209 | 814 |

- For use with Telescoping Height Adjustable Extensions

PRODUCT INFO

Grain Direction:

- Natural veneer:
Vertical
- Stratawood veneer:
Optional
- Laminate:
Horizontal

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD MODESTY

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM MODESTY

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

METAL MODESTY

- MODEL NUMBER + M**
- HARDWARE COLOR**

| | D | W | H | model number | list |
|---|---|---|---|---|------|
| BASIC UP/DOWN KEYPAD  | | | | ACHAT-UD | 84 |
| | | | | <ul style="list-style-type: none"> • Basic Up/Down control. | |
| MEMORY PRESET KEYPAD  | | | | ACHAT-MEM | 103 |
| | | | | <ul style="list-style-type: none"> • 4 memory pre-set options allow the user to adjust their height to their preferred heights. | |
| PADDLE KEYPAD  | | | | ACHAT-PDL | 153 |
| | | | | <ul style="list-style-type: none"> • Simple, aesthetic control with 1 memory pre-set option and reminder mode. | |
| BLUETOOTH APP CONTROL  | | | | ACHAT-BLUETOOTH | 122 |
| | | | | <ul style="list-style-type: none"> • Bluetooth receiver can be paired with phone app to operate desk. • Can be used in combination with hand controller for multi-control option. | |

PRODUCT INFO

ONLY FOR USE WITH CANTILEVER HEIGHT ADJUSTABLE DESKS AT THIS TIME

Note: When purchased separately without a configurable TAA compliant end product, not on GSA contract

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

- MODEL NUMBER**


Welcome Desk 123-146
Working with Welcome Desks 124-127
Welcome Desk Typicals 128-129
Advanced Height Adjustable Welcome Desk 130-133
Advanced Fixed Height Welcome Desk 134-135
Fixed Height Welcome Desk 136-137
Welcome Desk Shell 138-139
Welcome Desk Bridge 140
Welcome Desk Returns 141
Welcome Desk Credenzas 142
Waterfall Transaction Tops 143
Transaction Tops 144
Welcome Desk Tackboard 145
In/Out Storage Unit 146

GALLERY PANELS

- Gallery Panels are constructed of 1 1/8" particleboard with 2mm edgebanding.
- All laminate gallery panels are made using HPL laminate. All panels greater than 60" in width will run horizontal grain.
- All veneer gallery panels are made using an engineered reconstituted (recon) veneer to provide a consistent matching grain pattern and color across adjoining gallery panels. The 2 types of recon veneer used are:
 - 1) A Recon veneer chosen as a close match to natural veneers which are used on tops/chassis. See below for recon to natural finish cross-reference:
 - Gallery panels with finish options starting with "EC" for Recon Cherry to be used with "NC" Natural Cherry tops/chassis.
 - Gallery panels with finish options starting with "ET" for Recon Walnut to be used with "NT" Natural Walnut tops/chassis.
 - Gallery panels with finish options starting with "EF" for Recon Rift Oak to be used with "RF" Natural Rift Oak tops/chassis.
 - 2) Stratawood veneer is also a reconstituted veneer in a straight grain pattern. Stratawood veneer is available on both gallery panels and tops/chassis so the same finish option can be carried through the entire office spec.
 - Stratawood is available in "SC" Cherry, "SE" Maple, "ST" Walnut, and "SF" Oak, "SB" Silver Oak, "SW" Washed Walnut veneers and finishes.


FINISH MATRIX SUMMARY

| Gallery Panel Finish Code | Tops/Chassis Finish Code |
|----------------------------------|---------------------------------|
| EC Recon Cherry | NC Natural Cherry |
| ET Recon Walnut | NT Natural Walnut |
| EF Recon Rift Oak | RF Natural Rift Oak |
| SC Stratawood Cherry | SC Stratawood Cherry |
| SE Stratawood Maple | SE Stratawood Maple |
| ST Stratawood Walnut | ST Stratawood Walnut |
| SF Stratawood Oak | SF Stratawood Oak |
| SB Stratawood Silver Oak | SB Stratawood Silver Oak |
| SW Stratawood Washed Walnut | SW Stratawood Washed Walnut |



ADVANCED HEIGHT ADJUSTABLE WELCOME DESK

- Split top design provides matching grain on fixed and HAT desk surface.
- For use with waterfall transaction tops only. A waterfall transaction top must be ordered separately and is required (waterfall transaction top substructure included with desk is unfinished).
- Available as Extension Desks or Freestanding Desks.
- Extension desks not for freestanding applications. Must connect to adjoining fixed Welcome bridge or return. Gallery end panel includes boring for connecting to adjoining gallery panels. Includes integrated cantilever support panel for supporting bridge or return top. Must only be used with Welcome bridge or returns with gallery panels.
- Freestanding desks not for use in extension applications with bridges/returns.
- Fixed portion of top always includes left & right grommets. HAT portion of top has optional grommets.
- Available with shroud or 15W desk depth pedestal on conference end.
- Monitor arms should be mounted in HAT top grommets.
- Connecting end shroud includes removable access panel for wire management.





ADVANCED FIXED HEIGHT WELCOME DESK

- For use with waterfall transaction tops only. A waterfall transaction top must be ordered separately and is required (waterfall transaction top substructure included with desk is unfinished).
- Available as Extension Desks or Freestanding Desks.
- Extension desks not for freestanding applications. Must connect to adjoining fixed bridge or return. Gallery end panel includes boring for connecting to adjoining gallery panels. Must only be used with Welcome bridge or returns with gallery panels.
- Freestanding desks not for use in extension applications with bridges/returns.
- Grommets are optional.
- Available with end panel or 15W desk depth pedestal on conference end.



WELCOME DESK SHELL

- Available as Extension Desks or Freestanding Desks.
- Extension desks not for freestanding applications. Must connect to adjoining fixed bridge or return. Gallery end panel includes boring for connecting to adjoining gallery panels. Must only be used with Welcome bridge or returns with gallery panels.
- Freestanding desks not for use in extension applications with bridges/returns.
- Double desk configurations follow the same rules as extension vs. freestanding desks.
- Shell design allows for 30D/36D modular pedestals to be added.
- Specify appropriate desk for transaction top type to be used.
- Grommets are optional.



WELCOME DESK BRIDGE

- Connects to adjoining Welcome Desk and Welcome Credenzas with gallery panels.
- Worksurface-to-worksurface flat brackets included.
- Grommets are optional.


Left Hand



WELCOME DESK RETURNS

- Connects to adjoining Welcome Desk with gallery panels.
- Worksurface-to-worksurface flat brackets included.
- Shell design allows for 24D modular pedestals to be added.
- Grommets are optional.

Right Hand



WORKING WITH SILEA WELCOME DESKS

Left Hand




Right Hand



WELCOME DESK CREDENZAS

- Connects to adjoining Welcome Bridge with gallery panels.
- Not for freestanding applications. Gallery end panel includes boring for connecting to adjoining gallery panels.
- Shell design allows for 24D modular pedestals to be added.
- Grommets are optional.



WATERFALL TRANSACTION TOPS

- Mitered assembly.
- For use with Advanced Desks that are for use with Waterfall Transaction Tops.




TRANSACTION TOPS

- Spans across 2 gallery panels.
- 3" guest overhang.
- Attaches to gallery panels with 9" black angle brackets, must be supported by gallery panels on each and across front.



WELCOME DESK TACKBOARD

- Height designed to sit below transaction top attachment brackets.
- To be set on worksurface and attached gallery panels using velcro.



IN/OUT STORAGE UNIT


- 3/4" panel construction.
- Center shelf adjustable on 5 hole pattern.
- Single sided access with full back panel.
- Set on worksurface with protective felt tape allows for easy relocation.

SILEA WELCOME DESK TYPICALS

Silea
02/26


TYPICAL 1 — FREESTANDING DESK

| Item | Model | Description | Quantity |
|------|---------------|--------------------------------------|----------|
| A | GS2CPD2415-3W | GUN Mod Ped 24D x 15W-3 Wd | 1 |
| B | GS6GDR3072-WW | GUN Freestanding Desk Shell 30x72 Wd | 1 |
| C | GS6GDTT72-W | GUN Desk Transaction Top 15X72 Wd | 1 |




TYPICAL 2 — L STATION

| Item | Model | Description | Quantity |
|------|-----------------|-----------------------------------|----------|
| A | GS6GRT2448L-WW | GUN Return Shell LH 24x48 Wd | 1 |
| B | GS2CPD2430L-MFW | GUN Mod Ped 24D x 30W MF LH Wd | 1 |
| C | GS6GDR3072R-WW | GUN Handed Desk Shell RH 30x72 Wd | 1 |
| D | GS6GDTT72-W | GUN Desk Transaction Top 15X72 Wd | 1 |




TYPICAL 3 — U STATION

| Item | Model | Description | Quantity |
|------|----------------|-----------------------------------|----------|
| A | S6GCR2472L-WW | GUN Credenza Shell LH 24x72 Wd | 1 |
| B | ACMWS41 | GUN Acc Steel Wksf Support 41W | 1 |
| C | GS2CPD2415-2W | GUN Mod Ped 24D x 15W-2 Wd | 1 |
| D | GS2CPD2436-4W | GUN Mod Ped 24D x 36W-4 Wd | 1 |
| E | GS6GBG2454-WW | GUN Bridge Shell 24x54 Wd | 1 |
| F | GS6GDR3072R-WW | GUN Handed Desk Shell RH 30x72 Wd | 1 |
| G | GS6GDTT72-W | GUN Desk Transaction Top 15X72 Wd | 1 |



TYPICAL 4 — DOUBLE FREESTANDING DESK

| Item | Model | Description | Quantity |
|------|----------------|---------------------------------------|----------|
| A | GS2CPD2415-2W | GUN Mod Ped 24D x 15W-2 Wd | 1 |
| B | GS2CPD2415-3W | GUN Mod Ped 24D x 15W-3 Wd | 1 |
| C | GS6GDR36144-WW | GUN Freestanding Desk Shell 36x144 Wd | 1 |
| D | GS6GDTT144-W | GUN Desk Transaction Top 15X144 Wd | 1 |



TYPICAL 5 — ADVANCED FREESTANDING HAT DESK

| Item | Model | Description | Quantity |
|------|-------------------|---|----------|
| A | GS6GDFA42102L-AWW | Advanced Freestnd Dsk HAT 42102 w/ -A Ped LH Wood | 1 |
| B | GS6GDXMT72-W | GUN Desk Transaction Waterfall 72 Wd | 1 |



TYPICAL 6 — DOUBLE ADVANCED FIXED DESK

| Item | Model | Description | Quantity |
|------|-------------------|--|----------|
| A | GS6GDFF42102L-AWW | Advanced FreestndDsk Fixed 42102 w/ -A Ped LH Wd | 1 |
| B | GS6GDFF42102R-AWW | Advanced FreestndDsk Fixed 42102 w/ -A Ped RH Wd | 1 |
| C | GS6GDXMT72-W | GUN Desk Transaction Waterfall 72 Wd | 2 |



ADVANCED HEIGHT ADJUSTABLE WELCOME DESK

Silea
02/26

Extension


| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|-----------------------|----|----|----|--------------------------|----------|----------|----------|----------|
| LEFT HAND DESK | 45 | 85 | 41 | GS6GDXA4284L- [] | 8,643 | 11,608 | 12,804 | 13,999 |




A = 69.86"
B = 28"
C = 11.25"
D = 12.32"
E = 12.13"

RIGHT HAND DESK

| | | | | | | | | |
|--|----|----|----|--------------------------|-------|--------|--------|--------|
| | 45 | 85 | 41 | GS6GDXA4284R- [] | 8,643 | 11,608 | 12,804 | 13,999 |
|--|----|----|----|--------------------------|-------|--------|--------|--------|



A = 69.86"
B = 28"
C = 11.25"
D = 12.32"
E = 12.13"



PRODUCT INFO

Separate countertop must be specified.

29.5" to 42.5" height adjustment range.

 All units shipped as separate packages and require field assembly.

Grommet Location

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

No upcharge for "Empty Cutout" option.

(Add +\$254 per additional grommet)

Fixed Top always has Left & Right grommets.

| | |
|--------------|-----------|
| Left | GL |
| Right | GR |
| Left & Right | GB |

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- GALLERY PANEL WOOD FINISH**
- TOP FINISH**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

UDP71
MEMP71
PDLP71

NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|---|---|---|---------------------|----------|----------|----------|----------|
|--|---|---|---|---------------------|----------|----------|----------|----------|


LEFT HAND DESK



| | | | | | | | |
|----|-----|----|----------------------------|--------|--------|--------|--------|
| 45 | 103 | 41 | GS6GDXA42102L-A [] | 11,230 | 15,185 | 16,750 | 18,314 |
|----|-----|----|----------------------------|--------|--------|--------|--------|


A = 69.84"
B = 28"
C = 11.24"
D = 12.32"
E = 30.13"

RIGHT HAND DESK



| | | | | | | | |
|----|-----|----|----------------------------|--------|--------|--------|--------|
| 45 | 103 | 41 | GS6GDXA42102R-A [] | 11,230 | 15,185 | 16,750 | 18,314 |
|----|-----|----|----------------------------|--------|--------|--------|--------|

A = 69.84"
B = 28"
C = 11.24"
D = 12.32"
E = 30.13"



PRODUCT INFO

Separate countertop must be specified.

29.5" to 42.5" height adjustment range.

All units shipped as separate packages and require field assembly.

Grommet Location

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

No upcharge for "Empty Cutout" option.

(Add +\$254 per additional grommet)

Fixed Top always has Left & Right grommets.

| | |
|--------------|-----------|
| Left | GL |
| Right | GR |
| Left & Right | GB |

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **GALLERY PANEL WOOD FINISH**
6. **TOP FINISH**
7. **PULL**
8. **DRAWERS**
9. **HAT KEYPAD & BASE COLOR**
10. **GROMMET**
11. **KEYING**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **PULL**
7. **DRAWERS**
8. **HAT KEYPAD & BASE COLOR**
9. **GROMMET**
10. **KEYING**

UDP71
MEMP71
PDLP71

NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

ADVANCED HEIGHT ADJUSTABLE WELCOME DESK

Freestanding

Silea
02/26


| | D | W | H | model number + type | laminates | veneer 1 | veneer 2 | veneer 3 |
|-----------------------|----|----|----|--------------------------|-----------|----------|----------|----------|
| LEFT HAND DESK | 41 | 85 | 41 | GS6GDFA4284L- [] | 8,641 | 11,383 | 12,557 | 13,729 |




A = 69.84"
B = 28"
C = 11.24"
D = 12.32"
E = 12.13"

RIGHT HAND DESK

| | | | | | | | | |
|--|----|----|----|--------------------------|-------|--------|--------|--------|
| | 41 | 85 | 41 | GS6GDFA4284R- [] | 8,641 | 11,383 | 12,557 | 13,729 |
|--|----|----|----|--------------------------|-------|--------|--------|--------|



A = 69.84"
B = 28"
C = 11.24"
D = 12.32"
E = 12.13"



PRODUCT INFO

Separate countertop must be specified.

29.5" to 42.5" height adjustment range.

All units shipped as separate packages and require field assembly.

Grommet Location

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

No upcharge for "Empty Cutout" option.

(Add +\$254 per additional grommet)

Fixed Top always has Left & Right grommets.

| | |
|--------------|-----------|
| Left | GL |
| Right | GR |
| Left & Right | GB |

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- GALLERY PANEL WOOD FINISH**
- TOP FINISH**
- PULL**
- DRAWERS**
- HAT KEYPAD & BASE COLOR**
- GROMMET**
- KEYING**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- PULL**
- DRAWERS**
- HAT KEYPAD & BASE COLOR**
- GROMMET**
- KEYING**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

ADVANCED HEIGHT ADJUSTABLE WELCOME DESK


Freestanding with Pedestal

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|-----------------------|----|-----|----|----------------------------|----------|----------|----------|----------|
| LEFT HAND DESK | 41 | 103 | 41 | GS6GDFA42102L-A [] | 11,228 | 14,960 | 16,503 | 18,043 |




A = 69.84"
B = 28"
C = 11.24"
D = 12.32"
E = 30.13"

| | | | | | | | | |
|------------------------|----|-----|----|----------------------------|--------|--------|--------|--------|
| RIGHT HAND DESK | 41 | 103 | 41 | GS6GDFA42102R-A [] | 11,228 | 14,960 | 16,503 | 18,043 |
|------------------------|----|-----|----|----------------------------|--------|--------|--------|--------|



A = 69.84"
B = 28"
C = 11.24"
D = 12.32"
E = 30.13"



PRODUCT INFO

Separate countertop must be specified.

29.5" to 42.5" height adjustment range.

 All units shipped as separate packages and require field assembly.

Grommet Location

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

No upcharge for "Empty Cutout" option.

(Add +\$254 per additional grommet)

Fixed Top always has Left & Right grommets.

| | |
|--------------|-----------|
| Left | GL |
| Right | GR |
| Left & Right | GB |

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- GALLERY PANEL WOOD FINISH**
- TOP FINISH**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

UDP71
MEMP71
PDLP71

NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

ADVANCED FIXED HEIGHT WELCOME DESK

Silea

02/26


Extension

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 2 |
|-----------------------|----|----|----|--------------------------|----------|----------|----------|----------|
| LEFT HAND DESK | 42 | 85 | 41 | GS6GDXF4284L- [] | 5,355 | 7,225 | 7,970 | 8,714 |




A = 84"
B = 42"
C = 11.25"
D = 12.32"

| | | | | | | | | |
|------------------------|----|----|----|--------------------------|-------|-------|-------|-------|
| RIGHT HAND DESK | 42 | 85 | 41 | GS6GDXF4284R- [] | 5,355 | 7,225 | 7,970 | 8,714 |
|------------------------|----|----|----|--------------------------|-------|-------|-------|-------|



A = 84"
B = 42"
C = 11.25"
D = 12.32"



PRODUCT INFO

Separate countertop must be specified.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- GALLERY PANEL WOOD FINISH**
- TOP FINISH**
- GROMMET**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- GROMMET**

NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

ADVANCED FIXED HEIGHT WELCOME DESK


Extension with Pedestal

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 2 |
|-----------------------|----|-----|----|----------------------------|----------|----------|----------|----------|
| LEFT HAND DESK | 42 | 103 | 41 | GS6GDXF42102L-A [] | 7,942 | 11,011 | 12,146 | 13,280 |




A = 102"
B = 42"
C = 11.25"
D = 12.32"

| | | | | | | | | |
|------------------------|----|-----|----|----------------------------|-------|--------|--------|--------|
| RIGHT HAND DESK | 42 | 103 | 41 | GS6GDXF42102R-A [] | 7,942 | 11,011 | 12,146 | 13,280 |
|------------------------|----|-----|----|----------------------------|-------|--------|--------|--------|



A = 102"
B = 42"
C = 11.25"
D = 12.32"



PRODUCT INFO

Separate countertop must be specified.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. MODEL NUMBER + WW
2. FSC
3. TOP WOOD FINISH + EDGE
4. CHASSIS WOOD FINISH
5. GALLERY PANEL WOOD FINISH
6. TOP FINISH
7. PULL
8. DRAWERS
9. GROMMET
10. KEYING

LAM TOP, LAM CHASSIS

1. MODEL NUMBER + LL
2. FSC
3. TOP LAM
4. CHASSIS LAM
5. EDGE DETAIL
6. PULL
7. DRAWERS
8. GROMMET
9. KEYING

NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

FIXED HEIGHT WELCOME DESK

Freestanding

Silea


02/26

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|-----------------------|----|----|----|--------------------------|----------|----------|----------|----------|
| LEFT HAND DESK | 42 | 85 | 41 | GS6GDFF4284L- [] | 5,355 | 7,225 | 7,970 | 8,714 |




A = 84"
B = 42"
C = 11.25"
D = 12.32"

| | | | | | | | | |
|------------------------|----|----|----|--------------------------|-------|-------|-------|-------|
| RIGHT HAND DESK | 42 | 85 | 41 | GS6GDFF4284R- [] | 5,355 | 7,225 | 7,970 | 8,714 |
|------------------------|----|----|----|--------------------------|-------|-------|-------|-------|



A = 84"
B = 42"
C = 11.25"
D = 12.32"



PRODUCT INFO

Separate countertop must be specified.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. MODEL NUMBER + WW
2. FSC
3. TOP WOOD FINISH + EDGE
4. CHASSIS WOOD FINISH
5. GALLERY PANEL WOOD FINISH
6. TOP FINISH
7. GROMMET

LAM TOP, LAM CHASSIS

1. MODEL NUMBER + LL
2. FSC
3. TOP LAM
4. CHASSIS LAM
5. EDGE DETAIL
6. GROMMET


NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

| | D | W | H | model number + type | laminates | veneer 1 | veneer 2 | veneer 3 |
|-----------------------|----|-----|----|------------------------------|-----------|----------|----------|----------|
| LEFT HAND DESK | 42 | 103 | 41 | GS6GDFF42102L-A []] | 7,942 | 11,011 | 12,146 | 13,280 |




A = 102"
B = 42"
C = 11.25"
D = 12.32"

| | | | | | | | | |
|------------------------|----|-----|----|------------------------------|-------|--------|--------|--------|
| RIGHT HAND DESK | 42 | 103 | 41 | GS6GDFF42102R-A []] | 7,942 | 11,011 | 12,146 | 13,280 |
|------------------------|----|-----|----|------------------------------|-------|--------|--------|--------|



A = 102"
B = 42"
C = 11.25"
D = 12.32"



PRODUCT INFO

Separate countertop must be specified.

Grommet Location
(Add \$87 per grommet)

- No Grommet **GN**
- Left **GL**
- Right **GR**
- Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **GALLERY PANEL WOOD FINISH**
6. **TOP FINISH**
7. **PULL**
8. **GROMMET**
9. **KEYING**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **PULL**
7. **GROMMET**
8. **KEYING**


NOTE: Wood Tops only available with Square SQ Edge Detail option. Edge Details SQM, DFM, and TOM with 1/2" band are NOT available.

WELCOME DESK SHELL

Freestanding

Silea

02/26

| | D | W | H | model number + type | laminate | vener 1 | vener 2 | vener 3 |
|--|--------|---------|--------|-------------------------|----------|---------|---------|---------|
|  GS6GDR3072 | 31 1/4 | 74 1/2 | 41 1/4 | GS6GDR3072- [] | 4,435 | 5,912 | 6,523 | 7,131 |
| | 37 1/4 | 74 1/2 | 41 1/4 | GS6GDR3672- [] | 4,695 | 6,244 | 6,889 | 7,532 |
| | 37 1/4 | 86 1/2 | 41 1/4 | GS6GDR3684- [] | 5,325 | 7,038 | 7,764 | 8,489 |
|  GS6GDR36168 | 31 1/4 | 146 1/2 | 41 1/4 | GS6GDR30144- [] | 7,446 | 10,371 | 11,441 | 12,509 |
| | 37 1/4 | 146 1/2 | 41 1/4 | GS6GDR36144- [] | 7,772 | 10,800 | 11,914 | 13,026 |
| | 37 1/4 | 170 1/2 | 41 1/4 | GS6GDR36168- [] | 8,992 | 12,336 | 13,607 | 14,878 |

• For use with standard transaction tops or with no transaction top. NOT for use with waterfall transaction tops.

PRODUCT INFO

Wood tops long grain.
Laminate tops long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet for widths 72"-84", \$170 per grommet for widths 144"-168")

No Grommet **GN**
Center **GC**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.




TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- GALLERY PANEL WOOD FINISH**
- TOP FINISH**
- GROMMET**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- GROMMET**

| | D | W | H | model number + type | laminata | vener 1 | vener 2 | vener 2 |
|---|---|---------|--------|---------------------------|----------|---------|---------|---------|
| LEFT HAND  | 31 1/4 | 74 1/2 | 41 1/4 | GS6GDR3072L- [] | 4,435 | 5,912 | 6,523 | 7,131 |
| | 37 1/4 | 74 1/2 | 41 1/4 | GS6GDR3672L- [] | 4,695 | 6,244 | 6,889 | 7,532 |
| | 37 1/4 | 86 1/2 | 41 1/4 | GS6GDR3684L- [] | 5,325 | 7,038 | 7,764 | 8,489 |
| | <ul style="list-style-type: none"> • For use with standard transaction tops or with no transaction top. NOT for use with waterfall transaction tops. | | | | | | | |
| RIGHT HAND  | 31 1/4 | 74 1/2 | 41 1/4 | GS6GDR3072R- [] | 4,435 | 5,912 | 6,523 | 7,131 |
| | 37 1/4 | 74 1/2 | 41 1/4 | GS6GDR3672R- [] | 4,695 | 6,244 | 6,889 | 7,532 |
| | 37 1/4 | 86 1/2 | 41 1/4 | GS6GDR3684R- [] | 5,325 | 7,038 | 7,764 | 8,489 |
| | <ul style="list-style-type: none"> • For use with standard transaction tops or with no transaction top. NOT for use with waterfall transaction tops. | | | | | | | |
| LEFT AND RIGHT HAND  | 31 1/4 | 146 1/2 | 41 1/4 | GS6GDR30144LR- [] | 7,446 | 10,371 | 11,441 | 12,509 |
| | 37 1/4 | 146 1/2 | 41 1/4 | GS6GDR36144LR- [] | 7,772 | 10,800 | 11,914 | 13,026 |
| | 37 1/4 | 170 1/2 | 41 1/4 | GS6GDR36168LR- [] | 8,992 | 12,336 | 13,607 | 14,878 |
| | <ul style="list-style-type: none"> • For use with standard transaction tops or with no transaction top. NOT for use with waterfall transaction tops. | | | | | | | |

PRODUCT INFO

Wood tops long grain.
Laminate tops long grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet for widths 72"-84", \$170 per grommet for widths 144"-168")

No Grommet **GN**
Center **GC**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- GALLERY PANEL WOOD FINISH**
- TOP FINISH**
- GROMMET**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- GROMMET**



| D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|----|----|--------|------------------------|----------|----------|----------|----------|
| 25 | 48 | 41 1/4 | GS6GBG2448- [] | 2,010 | 2,413 | 2,662 | 2,911 |
| 25 | 54 | 41 1/4 | GS6GBG2454- [] | 2,289 | 2,596 | 2,865 | 3,131 |
| 25 | 60 | 41 1/4 | GS6GBG2460- [] | 2,445 | 2,786 | 3,075 | 3,362 |

PRODUCT INFO

Wood tops short grain standard. Lam tops short grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **GALLERY PANEL WOOD FINISH**
5. **TOP FINISH**
6. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **GROMMET**

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|--|--------|--------|--------|-------------------------|----------|----------|----------|----------|
| LEFT HAND  | 25 1/4 | 49 1/4 | 41 1/4 | GS6GRT2448L- [] | 2,903 | 3,740 | 4,126 | 4,511 |
| | 25 1/4 | 55 1/4 | 41 1/4 | GS6GRT2454L- [] | 3,046 | 3,924 | 4,330 | 4,734 |
| | 25 1/4 | 61 1/4 | 41 1/4 | GS6GRT2460L- [] | 3,196 | 4,118 | 4,543 | 4,967 |
| RIGHT HAND  | 25 1/4 | 49 1/4 | 41 1/4 | GS6GRT2448R- [] | 2,903 | 3,740 | 4,126 | 4,511 |
| | 25 1/4 | 55 1/4 | 41 1/4 | GS6GRT2454R- [] | 3,046 | 3,924 | 4,330 | 4,734 |
| | 25 1/4 | 61 1/4 | 41 1/4 | GS6GRT2460R- [] | 3,196 | 4,118 | 4,543 | 4,967 |

PRODUCT INFO

Wood tops short grain standard. Lam tops short grain standard.

 Units shipped as separate packages and require field assembly.

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS



1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **GALLERY PANEL WOOD FINISH**
5. **TOP FINISH**
6. **GROMMET**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **EDGE DETAIL**
6. **GROMMET**

WELCOME DESK CREDENZAS

Silea
02/26

| | H | W | D | model number + type | laminata | vener 1 | vener 2 | vener 3 |
|--|--------|--------|--------|-------------------------|----------|---------|---------|---------|
| LEFT HAND  | 25 1/4 | 74 1/2 | 41 1/4 | GS6GCR2472L- [] | 4,388 | 5,643 | 6,226 | 6,806 |
| | 25 1/4 | 80 1/2 | 41 1/4 | GS6GCR2478L- [] | 4,575 | 5,879 | 6,486 | 7,091 |
| | 25 1/4 | 86 1/2 | 41 1/4 | GS6GCR2484L- [] | 4,757 | 6,113 | 6,744 | 7,374 |
| RIGHT HAND  | 25 1/4 | 74 1/2 | 41 1/4 | GS6GCR2472R- [] | 4,388 | 5,643 | 6,226 | 6,806 |
| | 25 1/4 | 80 1/2 | 41 1/4 | GS6GCR2478R- [] | 4,575 | 5,879 | 6,486 | 7,091 |
| | 25 1/4 | 86 1/2 | 41 1/4 | GS6GCR2484R- [] | 4,757 | 6,113 | 6,744 | 7,374 |

• Flat brackets ordered separately (model #MDWBRK)

PRODUCT INFO

All tops long grain.

 Units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**
 Left & Right **GB**
 Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- TOP FINISH**
- GROMMET**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- GROMMET**

| D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 2 | solid surface |
|--------|----|--------|------------------------|----------|----------|----------|----------|---------------|
| 12 1/2 | 74 | 41 1/2 | GS6GDXMT72- [] | 1,401 | 1,747 | 1,928 | 2,108 | 12,049 |



- For use with:
Advanced HAT Welcome Desk
Advanced Fixed Welcome Desk

PRODUCT INFO

Top thickness:
Wood 1 3/16"
Laminate 1 3/16"
Solid Surface 1 1/4"
Top includes inserts for connection to base.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **FINISH**
4. **TOP FINISH**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **FINISH**

SOLID SURFACE TOP

1. **MODEL NUMBER + S**
2. **FINISH**

Example

GS6GDXMT72-W.X.NC260.OP
 GS6GDXMT72-W X NC260 OP
 MODEL NUMBER + TYPE FSC FINISH TOP FINISH

TRANSACTION TOPS

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 | solid surface |
|---|----|---------------------------------|---|------------------------|----------|----------|----------|----------|---------------|
|  GS6GDTT72 | 15 | 74 ³ / ₄ | 1 | GS6GDTT72- [] | 726 | 1,364 | 1,506 | 1,646 | 4,533 |
| | 15 | 86 ³ / ₄ | 1 | GS6GDTT84- [] | 745 | 1,217 | 1,343 | 1,469 | 5,005 |
|  GS6GDTT144 | 15 | 146 ³ / ₄ | 1 | GS6GDTT144- [] | 935 | 1,573 | 1,737 | 1,899 | 7,875 |
|  GS6GDTT168 | 15 | 170 ³ / ₄ | 1 | GS6GDTT168- [] | 984 | 1,776 | 1,961 | 2,144 | 9,024 |

PRODUCT INFO

Top thickness:
Wood 1 ³/₁₆"
Laminate 1 ³/₁₆"
Solid Surface 1 ¹/₄"
Top includes inserts for
connection to base.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

- MODEL NUMBER + W**
- FSC**
- FINISH**
- TOP FINISH**

LAM TOP

- MODEL NUMBER + L**
- FSC**
- FINISH**

SOLID SURFACE TOP


- MODEL NUMBER + S**
- FINISH**

Example

GS6GDTT72-W.X.NC260.OP

| | | | |
|---------------------|-----|--------|------------|
| GS6GDTT72-W | X | NC260 | OP |
| MODEL NUMBER + TYPE | FSC | FINISH | TOP FINISH |

fabric grades

| | D | W | H | yards | model number | 1 | 2 | 3 | COM/4 |
|--|---|-----|--------|-------|-------------------|-------|-------|-------|-------|
| ADVANCED DESK APPLICATION  | 1 | 70 | 11 3/8 | | GS6GXTK72 | 1,005 | 1,057 | 1,107 | 1,160 |
| DESK OR CREDENZA APPLICATION  | 1 | 72 | 12 | | GS6GTK72 | 1,005 | 1,057 | 1,107 | 1,160 |
| | 1 | 78 | 12 | | GS6GTK78 | 1,035 | 1,094 | 1,151 | 1,206 |
| | 1 | 84 | 12 | | GS6GTK84 | 1,065 | 1,129 | 1,191 | 1,254 |
| | 1 | 144 | 12 | | GS6GTK144 | 1,897 | 1,999 | 2,102 | 2,203 |
| | 1 | 168 | 12 | | GS6GTK168 | 2,019 | 2,145 | 2,268 | 2,393 |
| RETURN APPLICATION  | 1 | 71 | 12 | | GS6GTK71R | 1,005 | 1,057 | 1,107 | 1,160 |
| | 1 | 77 | 12 | | GS6GTK77R | 1,035 | 1,094 | 1,151 | 1,206 |
| | 1 | 83 | 12 | | GS6GTK83R | 1,065 | 1,129 | 1,191 | 1,254 |
| | 1 | 89 | 12 | | GS6GTK89R | 1,096 | 1,160 | 1,222 | 1,285 |
| | 1 | 94 | 12 | | GS6GTK94R | 1,123 | 1,192 | 1,261 | 1,328 |
| | 1 | 95 | 12 | | GS6GTK95R | 1,123 | 1,192 | 1,261 | 1,328 |
| | 1 | 100 | 12 | | GS6GTK100R | 1,573 | 1,649 | 1,721 | 1,795 |
| | 1 | 106 | 12 | | GS6GTK106R | 1,635 | 1,717 | 1,795 | 1,874 |
| | 1 | 112 | 12 | | GS6GTK112R | 1,696 | 1,781 | 1,861 | 1,942 |
| | 1 | 118 | 12 | | GS6GTK118R | 1,757 | 1,849 | 1,939 | 2,030 |
| | 1 | 124 | 12 | | GS6GTK124R | 1,817 | 1,915 | 2,011 | 2,107 |
| | 1 | 130 | 12 | | GS6GTK130R | 1,879 | 1,981 | 2,084 | 2,185 |

PRODUCT INFO

100"-130" wide tackboards are 2 piece.
For use with Silea Welcome Desks.
70" wide tackboard for use within Advanced Desk cubby space.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **FABRIC**
3. **FSC TACKBOARDS**


FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)

NR = FSC Not Required

IN/OUT STORAGE

Silea
02/26



| D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 | solid surface/ veneer 1 | solid surface/ veneer 2 | solid surface/ veneer 3 |
|----|--------|---------|---------------------|----------|----------|----------|----------|----------------------------|----------------------------|----------------------------|
| 15 | 23 3/4 | 12 5/16 | GS6MB24SS-LL | 1,148 | 1,402 | 1,543 | 1,683 | 2,242 | 2,468 | 2,692 |

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + WW**
2. **FSC**
3. **FINISH**
4. **TOP FINISH**

LAM TOP

1. **MODEL NUMBER + LL**
2. **FSC**
3. **FINISH**

SOLID SURFACE TOP

1. **MODEL NUMBER + WS**
2. **FSC**
3. **WOOD FINISH**
4. **SOLID SURFACE FINISH**

Example

GS6MBS24SS-W.X.NC260.OP

| | | | |
|---------------------|-----|--------|------------|
| GS6MBS24SS-W | X | NC260 | OP |
| MODEL NUMBER + TYPE | FSC | FINISH | TOP FINISH |

| | |
|--------------------------------------|---------|
| Modular Casegoods | 147-201 |
| Desk Worksurface | 148-151 |
| Desk Pedestals | 152-153 |
| Desk Legs | 154-158 |
| Desk Runoff Modesty Panel. | 159-164 |
| 24 & 30 Depth Worksurfaces. | 165-166 |
| 24 & 30 Depth Pedestals | 167-181 |
| Modular End Panel | 182 |
| Modular L Supports | 183 |
| Support & Ped Backs | 184-194 |
| Layers W/ Laptop Drawer | 195 |
| Round Tops | 196 |
| Guitar Pick Top | 197 |
| Layers Box & Brackets. | 198-200 |
| Modular Pedestal Cushion. | 201 |

MODULAR DESK WORKSURFACE

Rectangular

Silea

02/26



| D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|----|----|--------|--|----------|----------|----------|----------|
| 30 | 42 | 1 3/16 | GS2DWRR3042- <input type="checkbox"/> | 983 | 1,341 | 1,480 | 1,618 |
| 30 | 48 | 1 3/16 | GS2DWRR3048- <input type="checkbox"/> | 1,035 | 1,411 | 1,558 | 1,704 |
| 30 | 54 | 1 3/16 | GS2DWRR3054- <input type="checkbox"/> | 1,048 | 1,429 | 1,578 | 1,725 |
| 30 | 60 | 1 3/16 | GS2DWRR3060- <input type="checkbox"/> | 1,061 | 1,445 | 1,595 | 1,744 |
| 30 | 66 | 1 3/16 | GS2DWRR3066- <input type="checkbox"/> | 1,111 | 1,513 | 1,671 | 1,825 |
| 30 | 72 | 1 3/16 | GS2DWRR3072- <input type="checkbox"/> | 1,169 | 1,592 | 1,757 | 1,921 |
| 30 | 78 | 1 3/16 | GS2DWRR3078- <input type="checkbox"/> | 1,250 | 1,704 | 1,880 | 2,056 |
| 30 | 84 | 1 3/16 | GS2DWRR3084- <input type="checkbox"/> | 1,338 | 1,825 | 2,015 | 2,202 |
| 30 | 90 | 1 3/16 | GS2DWRR3090- <input type="checkbox"/> | 1,425 | 1,916 | 2,115 | 2,313 |
| 30 | 96 | 1 3/16 | GS2DWRR3096- <input type="checkbox"/> | 1,496 | 2,012 | 2,220 | 2,427 |

• Flat brackets ordered separately (model #MDWBRK)



| | | | | | | | |
|----|----|--------|--|-------|-------|-------|-------|
| 36 | 42 | 1 3/16 | GS2DWRR3642- <input type="checkbox"/> | 1,031 | 1,408 | 1,555 | 1,700 |
| 36 | 48 | 1 3/16 | GS2DWRR3648- <input type="checkbox"/> | 1,087 | 1,482 | 1,636 | 1,788 |
| 36 | 54 | 1 3/16 | GS2DWRR3654- <input type="checkbox"/> | 1,111 | 1,513 | 1,671 | 1,825 |
| 36 | 60 | 1 3/16 | GS2DWRR3660- <input type="checkbox"/> | 1,133 | 1,543 | 1,704 | 1,862 |
| 36 | 66 | 1 3/16 | GS2DWRR3666- <input type="checkbox"/> | 1,189 | 1,621 | 1,789 | 1,956 |
| 36 | 72 | 1 3/16 | GS2DWRR3672- <input type="checkbox"/> | 1,253 | 1,707 | 1,884 | 2,060 |
| 36 | 78 | 1 3/16 | GS2DWRR3678- <input type="checkbox"/> | 1,341 | 1,827 | 2,017 | 2,205 |
| 36 | 84 | 1 3/16 | GS2DWRR3684- <input type="checkbox"/> | 1,435 | 1,957 | 2,160 | 2,362 |
| 36 | 90 | 1 3/16 | GS2DWRR3690- <input type="checkbox"/> | 1,527 | 2,053 | 2,266 | 2,477 |
| 36 | 96 | 1 3/16 | GS2DWRR3696- <input type="checkbox"/> | 1,604 | 2,156 | 2,380 | 2,602 |

• Flat brackets ordered separately (model #MDWBRK)

NOTE: Desks and Extensions without a full modesty panel and an unsupported area of 48" and greater require a steel worksurface support.

PRODUCT INFO

Wood tops optional grain direction.

Lam tops optional grain up to 60", above 60" long grain standard.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**
 Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

- MODEL NUMBER + W**
- FSC**
- TOP WOOD FINISH + EDGE**
- TOP FINISH**
- GRAIN DIRECTION**
- GROMMET**

LAM TOP

- MODEL NUMBER + L**
- FSC**
- TOP LAM**
- GRAIN DIRECTION (up to 60")**
- EDGE DETAIL**
- GROMMET**



| D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|----|----|--------|------------------------|----------|----------|----------|----------|
| 36 | 72 | 1 3/16 | GS2DWA3672- [] | 1,566 | 2,137 | 2,359 | 2,578 |
| 36 | 84 | 1 3/16 | GS2DWA3684- [] | 1,793 | 2,446 | 2,700 | 2,952 |

• Flat brackets ordered separately (model #MDWBRK)

| | | | | | | | |
|----|----|--------|------------------------|-------|-------|-------|-------|
| 42 | 72 | 1 3/16 | GS2DWA4272- [] | 1,754 | 2,392 | 2,639 | 2,885 |
| 42 | 84 | 1 3/16 | GS2DWA4284- [] | 2,008 | 2,739 | 3,022 | 3,304 |

• Flat brackets ordered separately (model #MDWBRK)

NOTE: Desks and Extensions without a full modesty panel and an unsupported area of 48" and greater require a steel worksurface support.

PRODUCT INFO

Wood tops optional grain direction.

Lam tops long grain standard.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**
 Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **GRAIN DIRECTION**
6. **GROMMET**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **GROMMET**

MODULAR DESK WORKSURFACE

Racetrack

Silea

02/26



| D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|----|----|--------|--------------------------|----------|----------|----------|----------|
| 30 | 66 | 1 3/16 | GS2DWRT3066L- [] | 1,388 | 1,891 | 2,087 | 2,281 |
| 30 | 72 | 1 3/16 | GS2DWRT3072L- [] | 1,460 | 1,991 | 2,197 | 2,402 |

• Flat brackets ordered separately (model #MDWBRK)

| | | | | | | | |
|----|----|--------|--------------------------|-------|-------|-------|-------|
| 30 | 66 | 1 3/16 | GS2DWRT3066R- [] | 1,388 | 1,891 | 2,087 | 2,281 |
| 30 | 72 | 1 3/16 | GS2DWRT3072R- [] | 1,460 | 1,991 | 2,197 | 2,402 |

• Flat brackets ordered separately (model #MDWBRK)

NOTE: Desks and Extensions without a full modesty panel and an unsupported area of 48" and greater require a steel worksurface support.

PRODUCT INFO

Wood tops optional grain direction.

Lam tops optional grain up to 60", above 60" long grain standard.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**
 Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**
5. **GRAIN DIRECTION**
6. **GROMMET**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**
4. **GRAIN DIRECTION (up to 60")**
5. **GROMMET**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|----------------|----|----|--------|------------------------|----------|----------|----------|----------|
| b SHAPE | 42 | 72 | 1 3/16 | GS2DWB4272- [] | 2,392 | 3,267 | 3,605 | 3,941 |



- Flat brackets ordered separately (model #MDWBRK)

| | | | | | | | | |
|----------------|----|----|--------|------------------------|-------|-------|-------|-------|
| d SHAPE | 42 | 72 | 1 3/16 | GS2DWD4272- [] | 2,392 | 3,267 | 3,605 | 3,941 |
|----------------|----|----|--------|------------------------|-------|-------|-------|-------|



- Flat brackets ordered separately (model #MDWBRK)

NOTE: Desks and Extensions without a full modesty panel and an unsupported area of 48" and greater require a steel worksurface support.

PRODUCT INFO

Wood tops optional grain direction.

Lam tops long grain standard.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**
Left & Right **GB**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

- MODEL NUMBER + W**
- FSC**
- TOP WOOD FINISH + EDGE**
- TOP FINISH**
- GRAIN DIRECTION**
- GROMMET**

LAM TOP

- MODEL NUMBER + L**
- FSC**
- TOP LAM**
- GROMMET**

MODULAR DESK PEDESTALS

30" & 36"D | Left and Right Hand | w/o Back Panel

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|--------|--------|--------|--|----------|----------|----------|----------|
| 30" DEPTH 9" WIDTH | | | | | | | | |
|  Box/Box/File | 29 7/8 | 9 7/16 | 27 7/8 | GS2DPD309-3S <input type="checkbox"/> | 1,794 | 2,269 | 2,505 | 2,739 |
|  File/File | 29 7/8 | 9 7/16 | 27 7/8 | GS2DPD309-2S <input type="checkbox"/> | 1,794 | 2,269 | 2,505 | 2,739 |
| 30" DEPTH 15" WIDTH | | | | | | | | |
|  | 29 7/8 | 15 | 27 7/8 | GS2DPD3015-3 <input type="checkbox"/> | 1,794 | 2,270 | 2,506 | 2,740 |
|  | 29 7/8 | 15 | 27 7/8 | GS2DPD3015-2 <input type="checkbox"/> | 1,794 | 2,270 | 2,506 | 2,740 |
| 36" DEPTH 9" WIDTH | | | | | | | | |
|  Box/Box/File | 35 7/8 | 9 7/16 | 27 7/8 | GS2DPD369-3S <input type="checkbox"/> | 1,916 | 2,426 | 2,678 | 2,928 |
|  File/File | 35 7/8 | 9 7/16 | 27 7/8 | GS2DPD369-2S <input type="checkbox"/> | 1,916 | 2,426 | 2,678 | 2,928 |
| 36" DEPTH 15" WIDTH | | | | | | | | |
|  | 35 7/8 | 15 | 27 7/8 | GS2DPD3615-3 <input type="checkbox"/> | 2,120 | 2,684 | 2,961 | 3,238 |
|  | 35 7/8 | 15 | 27 7/8 | GS2DPD3615-2 <input type="checkbox"/> | 2,120 | 2,684 | 2,961 | 3,238 |

PRODUCT INFO

No kneewell cutout.
No pedestal back included.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|--------|--------|--------|---------------------------|----------|----------|----------|----------|
| 30" DEPTH  Left hand | 29 7/8 | 9 7/16 | 27 7/8 | GS2DPD309L-XN [] | 986 | 1,250 | 1,380 | 1,509 |
| | 29 7/8 | 9 7/16 | 27 7/8 | GS2DPD309R-XN [] | 986 | 1,250 | 1,380 | 1,509 |
| | 29 7/8 | 15 | 27 7/8 | GS2DPD3015L-XN [] | 1,038 | 1,863 | 2,057 | 2,248 |
| | 29 7/8 | 15 | 27 7/8 | GS2DPD3015R-XN [] | 1,038 | 1,863 | 2,057 | 2,248 |
| 36" DEPTH  Right hand | 35 7/8 | 9 7/16 | 27 7/8 | GS2DPD369L-XN [] | 1,029 | 1,302 | 1,438 | 1,572 |
| | 35 7/8 | 9 7/16 | 27 7/8 | GS2DPD369R-XN [] | 1,029 | 1,302 | 1,438 | 1,572 |
| | 35 7/8 | 15 | 27 7/8 | GS2DPD3615L-XN [] | 1,115 | 1,409 | 1,556 | 1,701 |
| | 35 7/8 | 15 | 27 7/8 | GS2DPD3615R-XN [] | 1,115 | 1,409 | 1,556 | 1,701 |

PRODUCT INFO

Removable back panel included.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

MODULAR DESK PANEL LEGS

Post | Post w/ Casters | Hoop

Silea

02/26

| | D | W | H | model number | price |
|--|--------|---|--------|---------------------|-------|
|  Post | 23 7/8 | 3 | 27 7/8 | GS2DSL24-N | 1,232 |
| | 29 7/8 | 3 | 27 7/8 | GS2DSL30-N | 1,271 |
| | 35 7/8 | 3 | 27 7/8 | GS2DSL36-N | 1,310 |
|  Post w/casters | 23 7/8 | 3 | 27 7/8 | GS2DSL24-NST | 1,504 |
| | 29 7/8 | 3 | 27 7/8 | GS2DSL30-NST | 1,546 |
| | 35 7/8 | 3 | 27 7/8 | GS2DSL36-NST | 1,583 |
|  Hoop | 23 7/8 | 3 | 27 7/8 | GS2DSL24-H | 1,371 |
| | 29 7/8 | 3 | 27 7/8 | GS2DSL30-H | 1,412 |
| | 35 7/8 | 3 | 27 7/8 | GS2DSL36-H | 1,453 |

PRODUCT INFO

24" depth panel legs to be used with 24" depth worksurfaces only.

30" depth panel legs to be used with 30" depth worksurfaces only.

36" depth panel legs to be used with 36" depth worksurfaces only.

Legs made out of aluminum.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **HARDWARE COLOR**

| | D | W | H | model number | list |
|--|--------|---|--------|-------------------|-------|
|  <p>Hoop w/glass insert</p> | 23 7/8 | 3 | 27 7/8 | GS2DSL24-G | 2,398 |
| | 29 7/8 | 3 | 27 7/8 | GS2DSL30-G | 2,781 |
| | 35 7/8 | 3 | 27 7/8 | GS2DSL36-G | 3,076 |



Back painted glass

PRODUCT INFO

24" depth panel legs to be used with 24" depth worksurfaces only.

30" depth panel legs to be used with 30" depth worksurfaces only.

36" depth panel legs to be used with 36" depth worksurfaces only.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

GLASS INSERT

1. **MODEL NUMBER**
2. **HARDWARE COLOR**
3. **GLASS COLOR**

MODULAR DESK PANEL LEGS

Steel Hoop | Open

Silea

02/26

| | D | W | H | model number | part |
|--|--------|---|--------|-------------------|------|
|  Steel hoop | 23 7/8 | 3 | 27 7/8 | GS2DHL24-H | 737 |
| | 29 7/8 | 3 | 27 7/8 | GS2DHL30-H | 797 |
| | 35 7/8 | 3 | 27 7/8 | GS2DHL36-H | 857 |



PRODUCT INFO

24" depth panel legs to be used with 24" depth worksurfaces only.

30" depth panel legs to be used with 30" depth worksurfaces only.



36" depth panel legs to be used with 36" depth worksurfaces only.

Leg made out of steel.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **HARDWARE COLOR**

| | D | W | H | model number | Qty |
|--|---|---|--------|---------------------|-------|
|  Angled | 3 | 3 | 27 7/8 | GS2ALEG-A | 451 |
|  Vertical | 3 | 3 | 27 7/8 | GS2VLEG-A | 451 |
|  Trapezoid Column | 5 | 3 | 27 7/8 | GS2COLUMN | 1,199 |
|  Round Column | 3 | 3 | 27 7/8 | GS2RNDCOLUMN | 526 |



PRODUCT INFO

Each model is qty 1.
Column leg cannot be used in freestanding applications. It must be used in adjoining units.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **HARDWARE COLOR**



| D | W | H | model number | ISU |
|---|---|--------|---------------------|-----|
| 3 | 3 | 27 7/8 | GS2SRNCLEG-W | 922 |



PRODUCT INFO

Only for use on 30" and 36" deep tops.
 Not for use on 24" deep tops.
 Not for use with grommet specified over leg.
 Model is qty 1.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- LIST
- 1. MODEL NUMBER**
 - 2. FSC**
 - 3. WOOD FINISH**

MODULAR DESK | RUNOFF MODESTY PANEL

10" high for 9" Pedestals and Panel Legs

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|-----|----|----|--|----------|----------|----------|----------|
|  | 3/4 | 38 | 10 | GS2DMPH39- <input type="checkbox"/> | 440 | 554 | 613 | 670 |
| | 3/4 | 41 | 10 | GS2DMPH42- <input type="checkbox"/> | 455 | 576 | 637 | 696 |
| | 3/4 | 44 | 10 | GS2DMPH45- <input type="checkbox"/> | 474 | 597 | 660 | 721 |
| | 3/4 | 47 | 10 | GS2DMPH48- <input type="checkbox"/> | 524 | 661 | 730 | 798 |
| | 3/4 | 50 | 10 | GS2DMPH51- <input type="checkbox"/> | 543 | 684 | 755 | 826 |
| | 3/4 | 53 | 10 | GS2DMPH54- <input type="checkbox"/> | 556 | 704 | 778 | 851 |
| | 3/4 | 56 | 10 | GS2DMPH57- <input type="checkbox"/> | 577 | 725 | 801 | 876 |
| | 3/4 | 59 | 10 | GS2DMPH60- <input type="checkbox"/> | 616 | 779 | 861 | 941 |
| | 3/4 | 62 | 10 | GS2DMPH63- <input type="checkbox"/> | 634 | 802 | 887 | 969 |
| | 3/4 | 65 | 10 | GS2DMPH66- <input type="checkbox"/> | 650 | 824 | 911 | 995 |
| | 3/4 | 68 | 10 | GS2DMPH69- <input type="checkbox"/> | 684 | 866 | 957 | 1,046 |
| | 3/4 | 71 | 10 | GS2DMPH72- <input type="checkbox"/> | 711 | 899 | 993 | 1,086 |

NOTE: For modesty width calculation, subtract pedestal width or 3" for panel legs from the width of the worksurface.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

MODULAR DESK | RUNOFF MODESTY PANEL

10" high for 15" Pedestals

Silea

02/26

| | D | W | H | model number + type | laminat | veneer 1 | veneer 2 | veneer 3 |
|---|-----|----|----|-----------------------|---------|----------|----------|----------|
|  | 3/4 | 24 | 10 | GS2DMPA24- [] | 397 | 500 | 552 | 603 |
| | 3/4 | 27 | 10 | GS2DMPA27- [] | 404 | 511 | 566 | 618 |
| | 3/4 | 30 | 10 | GS2DMPA30- [] | 411 | 523 | 579 | 633 |
| | 3/4 | 33 | 10 | GS2DMPA33- [] | 420 | 725 | 801 | 876 |
| | 3/4 | 36 | 10 | GS2DMPA36- [] | 427 | 771 | 853 | 932 |
| | 3/4 | 39 | 10 | GS2DMPA39- [] | 438 | 732 | 809 | 884 |
| | 3/4 | 42 | 10 | GS2DMPA42- [] | 455 | 576 | 637 | 696 |
| | 3/4 | 45 | 10 | GS2DMPA45- [] | 472 | 597 | 660 | 721 |
| | 3/4 | 48 | 10 | GS2DMPA48- [] | 524 | 661 | 730 | 798 |
| | 3/4 | 51 | 10 | GS2DMPA51- [] | 540 | 684 | 755 | 826 |
| | 3/4 | 54 | 10 | GS2DMPA54- [] | 559 | 704 | 778 | 851 |
| | 3/4 | 57 | 10 | GS2DMPA57- [] | 575 | 725 | 801 | 876 |
| | 3/4 | 60 | 10 | GS2DMPA60- [] | 616 | 779 | 861 | 941 |
| | 3/4 | 63 | 10 | GS2DMPA63- [] | 634 | 802 | 887 | 969 |
| | 3/4 | 66 | 10 | GS2DMPA66- [] | 652 | 824 | 911 | 995 |
| | 3/4 | 69 | 10 | GS2DMPA69- [] | 684 | 866 | 957 | 1,046 |
| | 3/4 | 72 | 10 | GS2DMPA72- [] | 710 | 899 | 993 | 1,086 |

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS


1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

DOUBLE PED BREAKFRONT MODESTY

For 9" and 15" Pedestals



| D | W | H | model number + type | laminated | veneer 1 | veneer 2 | veneer 3 |
|-----|----|--------|-------------------------|-----------|----------|----------|----------|
| 3/4 | 60 | 27 7/8 | GS2DDMF1560- [] | 1,118 | 1,414 | 1,561 | 1,707 |
| 3/4 | 66 | 27 7/8 | GS2DDMF1566- [] | 1,202 | 1,521 | 1,680 | 1,836 |
| 3/4 | 72 | 27 7/8 | GS2DDMF1572- [] | 1,285 | 1,626 | 1,795 | 1,962 |
| 3/4 | 78 | 27 7/8 | GS2DDMF1578- [] | 1,370 | 1,734 | 1,914 | 2,093 |
| 3/4 | 84 | 27 7/8 | GS2DDMF1584- [] | 1,450 | 1,838 | 2,029 | 2,218 |
| 3/4 | 90 | 27 7/8 | GS2DDMF1590- [] | 1,546 | 1,929 | 2,129 | 2,328 |
| 3/4 | 96 | 27 7/8 | GS2DDMF1596- [] | 1,625 | 2,025 | 2,235 | 2,444 |



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**



LAM CHASSIS


1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

SINGLE PED BREAKFRONT MODESTY

For 9" and 15" Pedestals

Silea
02/26

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|--|--------|----|--------|---|----------|----------|----------|----------|
| FOR 30D X 15" PED  Left hand | 29 7/8 | 60 | 27 7/8 | GS2SDMF1560L- <input type="checkbox"/> | 1,505 | 1,906 | 2,104 | 2,301 |
| | 29 7/8 | 66 | 27 7/8 | GS2SDMF1566L- <input type="checkbox"/> | 1,586 | 2,010 | 2,218 | 2,425 |
| | 29 7/8 | 72 | 27 7/8 | GS2SDMF1572L- <input type="checkbox"/> | 1,666 | 2,111 | 2,330 | 2,547 |
| | 29 7/8 | 78 | 27 7/8 | GS2SDMF1578L- <input type="checkbox"/> | 1,748 | 2,214 | 2,443 | 2,671 |
| | 29 7/8 | 84 | 27 7/8 | GS2SDMF1584L- <input type="checkbox"/> | 1,831 | 2,317 | 2,557 | 2,796 |
| | 29 7/8 | 90 | 27 7/8 | GS2SDMF1590L- <input type="checkbox"/> | 1,949 | 2,433 | 2,685 | 2,936 |
| | 29 7/8 | 96 | 27 7/8 | GS2SDMF1596L- <input type="checkbox"/> | 2,048 | 2,554 | 2,819 | 3,081 |
|  Right hand | 29 7/8 | 60 | 27 7/8 | GS2SDMF1560R- <input type="checkbox"/> | 1,505 | 1,906 | 2,104 | 2,301 |
| | 29 7/8 | 66 | 27 7/8 | GS2SDMF1566R- <input type="checkbox"/> | 1,586 | 2,010 | 2,218 | 2,425 |
| | 29 7/8 | 72 | 27 7/8 | GS2SDMF1572R- <input type="checkbox"/> | 1,666 | 2,111 | 2,330 | 2,547 |
| | 29 7/8 | 78 | 27 7/8 | GS2SDMF1578R- <input type="checkbox"/> | 1,748 | 2,214 | 2,443 | 2,671 |
| | 29 7/8 | 84 | 27 7/8 | GS2SDMF1584R- <input type="checkbox"/> | 1,831 | 2,317 | 2,557 | 2,796 |
| | 29 7/8 | 90 | 27 7/8 | GS2SDMF1590R- <input type="checkbox"/> | 1,949 | 2,433 | 2,685 | 2,936 |
| | 29 7/8 | 96 | 27 7/8 | GS2SDMF1596R- <input type="checkbox"/> | 2,048 | 2,554 | 2,819 | 3,081 |



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD CHASSIS


1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|--|-----|----|--------|------------------------|----------|----------|----------|----------|
|  Left hand | 3/4 | 42 | 27 7/8 | GS2RRMF42L- [] | 743 | 943 | 1,041 | 1,139 |
| | 3/4 | 48 | 27 7/8 | GS2RRMF48L- [] | 765 | 968 | 1,068 | 1,168 |
| | 3/4 | 54 | 27 7/8 | GS2RRMF54L- [] | 789 | 1,001 | 1,105 | 1,208 |
| | 3/4 | 60 | 27 7/8 | GS2RRMF60L- [] | 815 | 1,030 | 1,137 | 1,243 |
| | 3/4 | 66 | 27 7/8 | GS2RRMF66L- [] | 893 | 1,134 | 1,252 | 1,368 |
| | 3/4 | 72 | 27 7/8 | GS2RRMF72L- [] | 1,181 | 1,494 | 1,649 | 1,803 |

| | | | | | | | | |
|---|-----|----|--------|------------------------|-------|-------|-------|-------|
|  Right hand | 3/4 | 42 | 27 7/8 | GS2RRMF42R- [] | 743 | 943 | 1,041 | 1,139 |
| | 3/4 | 48 | 27 7/8 | GS2RRMF48R- [] | 765 | 968 | 1,068 | 1,168 |
| | 3/4 | 54 | 27 7/8 | GS2RRMF54R- [] | 789 | 1,001 | 1,105 | 1,208 |
| | 3/4 | 60 | 27 7/8 | GS2RRMF60R- [] | 815 | 1,030 | 1,137 | 1,243 |
| | 3/4 | 66 | 27 7/8 | GS2RRMF66R- [] | 893 | 1,134 | 1,252 | 1,368 |
| | 3/4 | 72 | 27 7/8 | GS2RRMF72R- [] | 1,181 | 1,494 | 1,649 | 1,803 |



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS


1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

EXTENSION FULL MODESTY

For use with Racetrack Tops with Column Base

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|---------------|----|------------------|-----------------------|----------|----------|----------|----------|
|  Left hand | $\frac{3}{4}$ | 36 | $27 \frac{7}{8}$ | GS2XMF36L- [] | 716 | 905 | 999 | 1,093 |
| | $\frac{3}{4}$ | 42 | $27 \frac{7}{8}$ | GS2XMF42L- [] | 743 | 943 | 1,041 | 1,139 |
|  Right hand | $\frac{3}{4}$ | 36 | $27 \frac{7}{8}$ | GS2XMF36R- [] | 716 | 905 | 999 | 1,093 |
| | $\frac{3}{4}$ | 42 | $27 \frac{7}{8}$ | GS2XMF42R- [] | 743 | 943 | 1,041 | 1,139 |

PRODUCT INFO

Not for use with b and d shape tops

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM CHASSIS

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|---|----|-----|--------|---------------------|----------|----------|----------|----------|
|  | 24 | 15 | 1 3/16 | GS2CWR2415- [] | 567 | 763 | 844 | 922 |
| | 24 | 18 | 1 3/16 | GS2CWR2418- [] | 583 | 782 | 865 | 945 |
| | 24 | 24 | 1 3/16 | GS2CWR2424- [] | 597 | 802 | 887 | 969 |
| | 24 | 30 | 1 3/16 | GS2CWR2430- [] | 604 | 822 | 908 | 992 |
| | 24 | 36 | 1 3/16 | GS2CWR2436- [] | 675 | 921 | 1,017 | 1,112 |
| | 24 | 42 | 1 3/16 | GS2CWR2442- [] | 771 | 1,049 | 1,159 | 1,267 |
| | 24 | 48 | 1 3/16 | GS2CWR2448- [] | 842 | 1,148 | 1,268 | 1,386 |
| | 24 | 54 | 1 3/16 | GS2CWR2454- [] | 888 | 1,208 | 1,334 | 1,458 |
| | 24 | 60 | 1 3/16 | GS2CWR2460- [] | 964 | 1,313 | 1,450 | 1,585 |
| | 24 | 66 | 1 3/16 | GS2CWR2466- [] | 1,025 | 1,394 | 1,539 | 1,683 |
| | 24 | 72 | 1 3/16 | GS2CWR2472- [] | 1,142 | 1,559 | 1,721 | 1,881 |
| | 24 | 78 | 1 3/16 | GS2CWR2478- [] | 1,190 | 1,621 | 1,789 | 1,956 |
| | 24 | 84 | 1 3/16 | GS2CWR2484- [] | 1,237 | 1,685 | 1,859 | 2,033 |
| | 24 | 90 | 1 3/16 | GS2CWR2490- [] | 1,412 | 1,922 | 2,121 | 2,320 |
| | 24 | 96 | 1 3/16 | GS2CWR2496- [] | 1,546 | 2,108 | 2,327 | 2,544 |
| | 24 | 102 | 1 3/16 | GS2CWR24102- [] | 1,684 | 2,295 | 2,533 | 2,770 |
| | 24 | 108 | 1 3/16 | GS2CWR24108- [] | 1,780 | 2,425 | 2,677 | 2,927 |
| | 24 | 114 | 1 3/16 | GS2CWR24114- [] | 1,848 | 2,518 | 2,780 | 3,038 |
| | 24 | 120 | 1 3/16 | GS2CWR24120- [] | 1,973 | 2,690 | 2,968 | 3,246 |

• Flat brackets ordered separately (model #MDWBRK)

NOTE: Credenzas, returns, and bridges with no back panel and an unsupported area of 48" and greater require an intermediate T support.

PRODUCT INFO

Wood tops optional grain direction.
Lam tops optional grain up to 60", over 60" long grain standard.
30" and 36" wide worksurface only has GN or GC for grommet option choice.

Grommet Location
(Add \$87 per grommet)

- No Grommet **GN**
- Left **GL**
- Center **GC**
- Right **GR**
- Left & Right **GB**
- All **GA**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. MODEL NUMBER + W
2. FSC
3. TOP WOOD FINISH + EDGE
4. TOP FINISH
5. GRAIN DIRECTION
6. GROMMET

LAM TOP

1. MODEL NUMBER + L
2. FSC
3. TOP LAM
4. GRAIN DIRECTION (up to 60")
5. EDGE DETAIL
6. GROMMET

MODULAR 30D TOPS

For Credenzas, Returns, and Bridges

Silea
02/26

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|---|----|-----|--------|--|----------|----------|----------|----------|
|  | 30 | 15 | 1 3/16 | GS2CWR3015- <input type="checkbox"/> | 623 | 839 | 927 | 1,013 |
| | 30 | 18 | 1 3/16 | GS2CWR3018- <input type="checkbox"/> | 639 | 861 | 951 | 1,039 |
| | 30 | 24 | 1 3/16 | GS2CWR3024- <input type="checkbox"/> | 657 | 881 | 973 | 1,065 |
| | 30 | 30 | 1 3/16 | GS2CWR3030- <input type="checkbox"/> | 673 | 905 | 999 | 1,093 |
| | 30 | 36 | 1 3/16 | GS2CWR3036- <input type="checkbox"/> | 753 | 1,011 | 1,117 | 1,221 |
| | 30 | 42 | 1 3/16 | GS2CWR3042- <input type="checkbox"/> | 983 | 1,341 | 1,480 | 1,618 |
| | 30 | 48 | 1 3/16 | GS2CWR3048- <input type="checkbox"/> | 1,035 | 1,411 | 1,558 | 1,704 |
| | 30 | 54 | 1 3/16 | GS2CWR3054- <input type="checkbox"/> | 1,048 | 1,429 | 1,578 | 1,725 |
| | 30 | 60 | 1 3/16 | GS2CWR3060- <input type="checkbox"/> | 1,061 | 1,445 | 1,595 | 1,744 |
| | 30 | 66 | 1 3/16 | GS2CWR3066- <input type="checkbox"/> | 1,111 | 1,513 | 1,671 | 1,825 |
| | 30 | 72 | 1 3/16 | GS2CWR3072- <input type="checkbox"/> | 1,169 | 1,592 | 1,757 | 1,921 |
| | 30 | 78 | 1 3/16 | GS2CWR3078- <input type="checkbox"/> | 1,250 | 1,704 | 1,880 | 2,056 |
| | 30 | 84 | 1 3/16 | GS2CWR3084- <input type="checkbox"/> | 1,338 | 1,825 | 2,015 | 2,202 |
| | 30 | 90 | 1 3/16 | GS2CWR3090- <input type="checkbox"/> | 1,425 | 1,916 | 2,115 | 2,313 |
| | 30 | 96 | 1 3/16 | GS2CWR3096- <input type="checkbox"/> | 1,496 | 2,012 | 2,220 | 2,427 |
| | 30 | 102 | 1 3/16 | GS2CWR30102- <input type="checkbox"/> | 1,768 | 2,408 | 2,657 | 2,905 |
| | 30 | 108 | 1 3/16 | GS2CWR30108- <input type="checkbox"/> | 1,868 | 2,545 | 2,809 | 3,071 |
| | 30 | 114 | 1 3/16 | GS2CWR30114- <input type="checkbox"/> | 1,941 | 2,644 | 2,918 | 3,190 |
| | 30 | 120 | 1 3/16 | GS2CWR30120- <input type="checkbox"/> | 2,074 | 2,826 | 3,119 | 3,410 |

• Flat brackets ordered separately (model #MDWBRK)

NOTE: Credenzas, returns, and bridges with no back panel and an unsupported area of 48" and greater require an intermediate T support.

PRODUCT INFO

Wood tops optional grain standard.
Lam tops optional grain up to 60", over 60" long grain standard.
15" - 36" wide worksurfaces only have GN or GC for grommet option choice.

Grommet Location (Add \$87 per grommet)

| | |
|--------------|-----------|
| No Grommet | GN |
| Left | GL |
| Center | GC |
| Right | GR |
| Left & Right | GB |
| All | GA |

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

- MODEL NUMBER + W**
- FSC**
- TOP WOOD FINISH + EDGE**
- TOP FINISH**
- GRAIN DIRECTION**
- GROMMET**

LAM TOP

- MODEL NUMBER + L**
- FSC**
- TOP LAM**
- GRAIN DIRECTION (up to 60")**
- EDGE DETAIL**
- GROMMET**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|--------|---|--------|--|----------|----------|----------|----------|
| 9" WIDTH | 23 1/8 | 9 | 27 7/8 | GS2CPD249L-X <input type="checkbox"/> | 892 | 1,217 | 1,343 | 1,469 |
|  False Pedestal | | | | | | | | |
|  Left | 23 1/8 | 9 | 27 7/8 | GS2CPD249R-X <input type="checkbox"/> | 892 | 1,217 | 1,343 | 1,469 |
|  Right | | | | | | | | |

PRODUCT INFO

All units have an unfinished back.

Units with an exposed end require a filler strip.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

MODULAR PEDS 24D

Standard Height | 15" and 18"W

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|--------|----|--------|--------------------------|----------|----------|----------|----------|
| 15" WIDTH | | | | | | | | |
|  Box Box File | 23 1/8 | 15 | 27 7/8 | GS2CPD2415-3 [] | 1,792 | 2,440 | 2,693 | 2,945 |
|  Hidden Accessory Hidden Accessory Box File | 23 1/8 | 15 | 27 7/8 | GS2CPD2415-3A [] | 1,792 | 2,440 | 2,693 | 2,945 |
|  File File | 23 1/8 | 15 | 27 7/8 | GS2CPD2415-2 [] | 1,792 | 2,440 | 2,693 | 2,945 |
| 18" WIDTH | | | | | | | | |
|  Box Box File | 23 1/8 | 18 | 27 7/8 | GS2CPD2418-3 [] | 1,916 | 2,613 | 2,884 | 3,153 |
|  Hidden Accessory Hidden Accessory Box File | 23 1/8 | 18 | 27 7/8 | GS2CPD2418-3A [] | 1,916 | 2,613 | 2,884 | 3,153 |
|  File File | 23 1/8 | 18 | 27 7/8 | GS2CPD2418-2 [] | 1,916 | 2,613 | 2,884 | 3,153 |

PRODUCT INFO

All units have an unfinished back.

All pedestals with an exposed side require a filler strip or pedestal back.

Note: Counterweights are required when modular pedestals with drawers are used as a freestanding unit or to create a freestanding full bank credenza with a common top. See page 310 for counterweights.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 | |
|---|--------|----|--------|--|----------|----------|----------|----------|--|
| 30" WIDTH | | | | | | | | | |
|  File File | 23 1/8 | 30 | 27 7/8 | GS2CPD2430-4 <input type="checkbox"/> | 2,247 | 3,062 | 3,379 | 3,694 | |
|  Box Box File | 23 1/8 | 30 | 27 7/8 | GS2CPD2430-7 <input type="checkbox"/> | 2,292 | 3,124 | 3,448 | 3,769 | |
|  Multi-File Left | 23 1/8 | 30 | 27 7/8 | GS2CPD2430L-MF <input type="checkbox"/> | 2,391 | 3,215 | 3,548 | 3,879 | |
|  Multi-File Right | 23 1/8 | 30 | 27 7/8 | GS2CPD2430R-MF <input type="checkbox"/> | 2,391 | 3,215 | 3,548 | 3,879 | |
| 36" WIDTH | | | | | | | | | |
|  File File | 23 1/8 | 36 | 27 7/8 | GS2CPD2436-4 <input type="checkbox"/> | 2,473 | 3,369 | 3,717 | 4,064 | |
|  Box Box File | 23 1/8 | 36 | 27 7/8 | GS2CPD2436-7 <input type="checkbox"/> | 2,520 | 3,436 | 3,791 | 4,145 | |
|  Multi-File Left | 23 1/8 | 36 | 27 7/8 | GS2CPD2436L-MF <input type="checkbox"/> | 2,631 | 3,536 | 3,902 | 4,266 | |
|  Multi-File Right | 23 1/8 | 36 | 27 7/8 | GS2CPD2436R-MF <input type="checkbox"/> | 2,631 | 3,536 | 3,902 | 4,266 | |

PRODUCT INFO

All units have an unfinished back.
 All pedestals with an exposed side require a filler strip or pedestal back.
 Note: Counterweights are required when modular pedestals with drawers are used as a freestanding unit or to create a freestanding full bank credenza with a common top. See page 310 for counterweights.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|-------------------------------|----------------------------|
| WOOD | LAM |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L |
| 2. FSC | 2. FSC |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |
| 4. PULL | 4. FRONT LAM |
| 5. DRAWERS | 5. PULL |
| 6. KEYING | 6. DRAWERS |
| | 7. KEYING |

MODULAR PEDS 24D

Standard Height | Hinged Door Cabinets

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|--------|----|--------|---|----------|----------|----------|----------|
| 15" WIDTH | | | | | | | | |
|  Left Hand | 23 1/8 | 15 | 27 7/8 | GS2CPD2415L-5 <input type="checkbox"/> | 1,542 | 2,072 | 2,287 | 2,500 |
| Right Hand | 23 1/8 | 15 | 27 7/8 | GS2CPD2415R-5 <input type="checkbox"/> | 1,542 | 2,072 | 2,287 | 2,500 |
| 18" WIDTH | | | | | | | | |
|  Left Hand | 23 1/8 | 18 | 27 7/8 | GS2CPD2418L-5 <input type="checkbox"/> | 1,618 | 2,174 | 2,399 | 2,623 |
| Right Hand | 23 1/8 | 18 | 27 7/8 | GS2CPD2418R-5 <input type="checkbox"/> | 1,618 | 2,174 | 2,399 | 2,623 |
| 24" WIDTH | | | | | | | | |
|  Double Door | 23 1/8 | 24 | 27 7/8 | GS2CPD2424-5 <input type="checkbox"/> | 1,845 | 2,481 | 2,738 | 2,993 |
| 30" WIDTH | | | | | | | | |
|  Double Door | 23 1/8 | 30 | 27 7/8 | GS2CPD2430-5 <input type="checkbox"/> | 2,022 | 2,758 | 3,043 | 3,327 |
|  With Printer Drawer | 23 1/8 | 30 | 27 7/8 | GS2CPD2430-P <input type="checkbox"/> | 2,155 | 2,896 | 3,196 | 3,493 |
| 36" WIDTH | | | | | | | | |
|  Double Door | 23 1/8 | 36 | 27 7/8 | GS2CPD2436-5 <input type="checkbox"/> | 2,223 | 3,033 | 3,347 | 3,660 |
|  With Printer Drawer | 23 1/8 | 36 | 27 7/8 | GS2CPD2436-P <input type="checkbox"/> | 2,369 | 3,183 | 3,512 | 3,840 |

PRODUCT INFO

All units have an unfinished back.

If integral pull is chosen, doors will be touch latch.

All pedestals with an exposed side require a filler strip or pedestal back.

Includes one adjustable shelf.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **KEYING**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **KEYING**

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|--|--------|----|--------|--------------------------|----------|----------|----------|----------|
| 15" WIDTH  | 23 1/8 | 15 | 27 7/8 | GS2CPD2415-SH [] | 1,387 | 1,863 | 2,057 | 2,248 |
| 18" WIDTH  | 23 1/8 | 18 | 27 7/8 | GS2CPD2418-SH [] | 1,455 | 1,957 | 2,160 | 2,362 |
| 24" WIDTH  | 23 1/8 | 24 | 27 7/8 | GS2CPD2424-SH [] | 1,669 | 2,244 | 2,476 | 2,707 |
| 30" WIDTH  | 23 1/8 | 30 | 27 7/8 | GS2CPD2430-SH [] | 1,829 | 2,491 | 2,749 | 3,005 |
| 36" WIDTH  | 23 1/8 | 36 | 27 7/8 | GS2CPD2436-SH [] | 2,015 | 2,743 | 3,026 | 3,309 |

PRODUCT INFO

All units have an unfinished back.
 All pedestals with an exposed side require a filler strip or pedestal back.
 Adjustable shelf.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

MODULAR PEDS 24D

Layers Height | 9"W

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|--------|---|--------|--------------------------|----------|----------|----------|----------|
| 9" WIDTH | 23 1/8 | 9 | 20 3/4 | GS2CLPD249L-X [] | 851 | 1,156 | 1,277 | 1,396 |
|  False Pedestal | | | | | | | | |
|  Left | 23 1/8 | 9 | 20 3/4 | GS2CLPD249R-X [] | 851 | 1,156 | 1,277 | 1,396 |
|  Right | | | | | | | | |

PRODUCT INFO

All units have an unfinished back.

Units with an exposed end require a filler strip.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|--|--------|----|--------|--------------------------|----------|----------|----------|----------|
| 15" WIDTH | 23 1/8 | 15 | 20 3/4 | GS2CLPD2415-A [] | 1,702 | 2,318 | 2,558 | 2,797 |
|  Box/File | | | | | | | | |
| 18" WIDTH | 23 1/8 | 18 | 20 3/4 | GS2CLPD2418-A [] | 1,819 | 2,485 | 2,742 | 2,998 |
|  Box/File | | | | | | | | |

PRODUCT INFO

All units have an unfinished back.
 All pedestals with an exposed side require a filler strip or pedestal back.
 Layers pedestals may be used with feet or on glides to the floor.
 Glides must be removed at install for feet applications.
 Note: Counterweights are required when modular pedestals with drawers are used as a freestanding unit or to create a freestanding full bank credenza with a common top. See page 310 for counterweights.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|-------------------------------|----------------------------|
| WOOD | LAM |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L |
| 2. FSC | 2. FSC |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |
| 4. PULL | 4. FRONT LAM |
| 5. DRAWERS | 5. PULL |
| 6. KEYING | 6. DRAWERS |
| | 7. KEYING |

MODULAR PEDS 24D

Layers Height | 30" and 36"W

Silea
02/26

| | D | W | H | model number + type | laminate | vener 1 | vener 2 | vener 3 |
|--|--------|----|--------|--------------------------|----------|---------|---------|---------|
| 30" WIDTH  Box/File | 23 1/8 | 30 | 20 3/4 | GS2CLPD2430-B [] | 2,135 | 2,909 | 3,210 | 3,510 |
| 36" WIDTH  Box/File | 23 1/8 | 36 | 20 3/4 | GS2CLPD2436-B [] | 2,349 | 3,201 | 3,532 | 3,862 |

PRODUCT INFO

All units have an unfinished back.

All pedestals with an exposed side require a filler strip or pedestal back.

Layers pedestals may be used with feet or on glides to the floor.

Glides must be removed at install for feet applications.

Note: Counterweights are required when modular pedestals with drawers are used as a freestanding unit or to create a freestanding full bank credenza with a common top. See page 310 for counterweights.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**
- PULL**
- DRAWERS**
- KEYING**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**
- FRONT LAM**
- PULL**
- DRAWERS**
- KEYING**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|--------|----|--------|--|----------|----------|----------|----------|
| 30" WIDTH | 23 1/8 | 30 | 20 3/4 | GS2CLPD2430-5  | 1,920 | 2,619 | 2,890 | 3,160 |
|  Hinged door | | | | | | | | |
| 36" WIDTH | 23 1/8 | 36 | 20 3/4 | GS2CLPD2436-5  | 2,114 | 2,880 | 3,178 | 3,474 |
|  Hinged door | | | | | | | | |

PRODUCT INFO

All units have an unfinished back.
 If integral pull is chosen, doors will be touch latch.
 All pedestals with an exposed side require a filler strip or pedestal back.
 Includes one adjustable shelf.
 Layers pedestals may be used with feet or on glides to the floor.
 Glides must be removed at install for feet applications.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **KEYING**



LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **KEYING**

MODULAR PEDS 24D

Layers Height | 30" and 36"W

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|--------|----|--------|---------------------------|----------|----------|----------|----------|
| 30" WIDTH  Bookcase | 23 1/8 | 30 | 20 3/4 | GS2CLPD2430-SH [] | 1,739 | 2,369 | 2,614 | 2,858 |
| 36" WIDTH  Bookcase | 23 1/8 | 36 | 20 3/4 | GS2CLPD2436-SH [] | 1,912 | 2,605 | 2,875 | 3,143 |

PRODUCT INFO

All units have an unfinished back.
 All pedestals with an exposed side require a filler strip or pedestal back.
 Adjustable shelf.
 Layers pedestals may be used with feet or on glides to the floor.
 Glides must be removed at install for feet applications.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|--------|---|--------|--|----------|----------|----------|----------|
| 9" WIDTH | 29 1/8 | 9 | 27 7/8 | GS2CPD309L-X <input type="checkbox"/> | 982 | 1,340 | 1,479 | 1,617 |
|  False Pedestal | | | | | | | | |
|  Left | 29 1/8 | 9 | 27 7/8 | GS2CPD309R-X <input type="checkbox"/> | 982 | 1,340 | 1,479 | 1,617 |
|  Right | | | | | | | | |

PRODUCT INFO

All units have an unfinished back.

Units with an exposed end require a filler strip.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

MODULAR PEDS 30D

Standard Height | 15" and 18"W

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|--------|----|--------|--------------------------|----------|----------|----------|----------|
| 15" WIDTH | | | | | | | | |
|  Box Box File | 29 1/8 | 15 | 27 7/8 | GS2CPD3015-3 [] | 1,970 | 2,684 | 2,961 | 3,238 |
|  Hidden Accessory Hidden Accessory Box File | 29 1/8 | 15 | 27 7/8 | GS2CPD3015-3A [] | 1,970 | 2,684 | 2,961 | 3,238 |
|  File File | 29 1/8 | 15 | 27 7/8 | GS2CPD3015-2 [] | 1,970 | 2,684 | 2,961 | 3,238 |
| 18" WIDTH | | | | | | | | |
|  Box Box File | 29 1/8 | 18 | 27 7/8 | GS2CPD3018-3 [] | 2,109 | 2,875 | 3,173 | 3,468 |
|  Hidden Accessory Hidden Accessory Box File | 29 1/8 | 18 | 27 7/8 | GS2CPD3018-3A [] | 2,109 | 2,875 | 3,173 | 3,468 |
|  File File | 29 1/8 | 18 | 27 7/8 | GS2CPD3018-2 [] | 2,109 | 2,875 | 3,173 | 3,468 |

PRODUCT INFO

All units have an unfinished back.

Units with an exposed end require a filler strip.

Note: Counterweights are required when modular pedestals with drawers are used as a freestanding unit or to create a freestanding full bank credenza with a common top. See page 310 for counterweights.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|--------|----|--------|--|----------|----------|----------|----------|
| 30" WIDTH | | | | | | | | |
|  File File | 29 1/8 | 30 | 27 7/8 | GS2CPD3030-4 <input type="checkbox"/> | 2,474 | 3,369 | 3,717 | 4,064 |
|  Box Box File | 29 1/8 | 30 | 27 7/8 | GS2CPD3030-7 <input type="checkbox"/> | 2,520 | 3,437 | 3,792 | 4,146 |
|  Multi-File Left | 29 1/8 | 30 | 27 7/8 | GS2CPD3030L-MF <input type="checkbox"/> | 2,631 | 3,536 | 3,902 | 4,266 |
|  Multi-File Right | 29 1/8 | 30 | 27 7/8 | GS2CPD3030R-MF <input type="checkbox"/> | 2,631 | 3,536 | 3,902 | 4,266 |
| 36" WIDTH | | | | | | | | |
|  File File | 29 1/8 | 36 | 27 7/8 | GS2CPD3036-4 <input type="checkbox"/> | 2,719 | 3,705 | 4,088 | 4,470 |
|  Box Box File | 29 1/8 | 36 | 27 7/8 | GS2CPD3036-7 <input type="checkbox"/> | 2,774 | 3,779 | 4,169 | 4,558 |
|  Multi-File Left | 29 1/8 | 36 | 27 7/8 | GS2CPD3036L-MF <input type="checkbox"/> | 2,895 | 3,891 | 4,294 | 4,694 |
|  Multi-File Right | 29 1/8 | 36 | 27 7/8 | GS2CPD3036R-MF <input type="checkbox"/> | 2,895 | 3,891 | 4,294 | 4,694 |

PRODUCT INFO

All units have an unfinished back.
Units with an exposed end require a filler strip.
Note: Counterweights are required when modular pedestals with drawers are used as a freestanding unit or to create a freestanding full bank credenza with a common top. See page 310 for counterweights.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

MODULAR PEDS 30D

Standard Height | Hinged Door Cabinets

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 | |
|---|--------|----|--------|---|----------|----------|----------|----------|--|
| 15" WIDTH | | | | | | | | | |
|  Left Hand | 29 1/8 | 15 | 27 7/8 | GS2CPD3015L-5 <input type="checkbox"/> | 1,696 | 2,278 | 2,514 | 2,749 | |
| Right Hand | 29 1/8 | 15 | 27 7/8 | GS2CPD3015R-5 <input type="checkbox"/> | 1,696 | 2,278 | 2,514 | 2,749 | |
| 18" WIDTH | | | | | | | | | |
|  Left Hand | 29 1/8 | 18 | 27 7/8 | GS2CPD3018L-5 <input type="checkbox"/> | 1,781 | 2,392 | 2,639 | 2,885 | |
| Right Hand | 29 1/8 | 18 | 27 7/8 | GS2CPD3018R-5 <input type="checkbox"/> | 1,781 | 2,392 | 2,639 | 2,885 | |
| 24" WIDTH | | | | | | | | | |
|  Double Door | 29 1/8 | 24 | 27 7/8 | GS2CPD3024-5 <input type="checkbox"/> | 2,032 | 2,730 | 3,012 | 3,293 | |
| 30" WIDTH | | | | | | | | | |
|  Double Door | 29 1/8 | 30 | 27 7/8 | GS2CPD3030-5 <input type="checkbox"/> | 2,224 | 3,034 | 3,348 | 3,661 | |
|  With Printer Drawer | 29 1/8 | 30 | 27 7/8 | GS2CPD3030-P <input type="checkbox"/> | 2,372 | 3,185 | 3,515 | 3,843 | |
| 36" WIDTH | | | | | | | | | |
|  Double Door | 29 1/8 | 36 | 27 7/8 | GS2CPD3036-5 <input type="checkbox"/> | 2,447 | 3,336 | 3,681 | 4,025 | |
|  With Printer Drawer | 29 1/8 | 36 | 27 7/8 | GS2CPD3036-P <input type="checkbox"/> | 2,606 | 3,502 | 3,864 | 4,225 | |

PRODUCT INFO

All units have an unfinished back.

Units with an exposed end require a filler strip.

If integral pull is chosen, doors will be touch latch.

-5 pedestal includes one adjustable shelf.

Printer pedestal includes printer drawer.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**
- PULL**
- KEYING**

LAM CHASSIS

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**
- FRONT LAM**
- PULL**
- KEYING**

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|--|--------|----|--------|--------------------------|----------|----------|----------|----------|
| 15" WIDTH  | 29 1/8 | 15 | 27 7/8 | GS2CPD3015-SH [] | 1,525 | 2,051 | 2,264 | 2,475 |
| 18" WIDTH  | 29 1/8 | 18 | 27 7/8 | GS2CPD3018-SH [] | 1,602 | 2,153 | 2,376 | 2,598 |
| 24" WIDTH  | 29 1/8 | 24 | 27 7/8 | GS2CPD3024-SH [] | 1,836 | 2,468 | 2,724 | 2,978 |
| 30" WIDTH  | 29 1/8 | 30 | 27 7/8 | GS2CPD3030-SH [] | 2,010 | 2,743 | 3,026 | 3,309 |
| 36" WIDTH  | 29 1/8 | 36 | 27 7/8 | GS2CPD3036-SH [] | 2,217 | 3,018 | 3,330 | 3,641 |

PRODUCT INFO

All units have an unfinished back.
 Units with an exposed end require a filler strip.
 Includes one adjustable shelf.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

MODULAR END PANEL

Standard and Layers | Full Back

Silea
02/26



| D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--------|-----|--------|-----------------------|----------|----------|----------|----------|
| 23 1/8 | 3/4 | 27 7/8 | GS2MEP24L- [] | 463 | 634 | 700 | 766 |
| 23 1/8 | 3/4 | 27 7/8 | GS2MEP24R- [] | 463 | 634 | 700 | 766 |
| 29 1/8 | 3/4 | 27 7/8 | GS2MEP30L- [] | 561 | 766 | 847 | 926 |
| 29 1/8 | 3/4 | 27 7/8 | GS2MEP30R- [] | 561 | 766 | 847 | 926 |
| 35 1/8 | 3/4 | 27 7/8 | GS2MEP36L- [] | 601 | 817 | 903 | 986 |
| 35 1/8 | 3/4 | 27 7/8 | GS2MEP36R- [] | 601 | 817 | 903 | 986 |

• Layers version

PRODUCT INFO

End panels require the use of a modular full back modesty panel to complete application.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|--------|---|--------|-----------------------|----------|----------|----------|----------|
|  Right hand | 23 1/8 | 9 | 27 7/8 | GS2MLS24L- [] | 792 | 1,077 | 1,190 | 1,300 |
| | 23 1/8 | 9 | 27 7/8 | GS2MLS24R- [] | 792 | 1,077 | 1,190 | 1,300 |
|  Left hand | 29 7/8 | 9 | 27 7/8 | GS2MLS30L- [] | 842 | 1,150 | 1,270 | 1,388 |
| | 29 7/8 | 9 | 27 7/8 | GS2MLS30R- [] | 842 | 1,150 | 1,270 | 1,388 |

• Layers version

PRODUCT INFO

Do not use 2 L supports to create a desk.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

MODULAR SUPPORT PANELS & PED BACKS

Standard Height

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|--------|-----|--------|----------------------|----------|----------|----------|----------|
| INTERMEDIATE SUPPORT  | 14 | 3/4 | 27 7/8 | GS2MSP- [] | 348 | 751 | 831 | 907 |
| T SUPPORT  | 14 3/4 | 12 | 27 7/8 | GS2MSPT- [] | 419 | 1,002 | 1,106 | 1,209 |
| WORKSURFACE JUNCTION SUPPORT  | 14 3/4 | 24 | 27 7/8 | GS2MSJ24- [] | 796 | 1,082 | 1,195 | 1,306 |
| FILLER STRIP  | 3/4 | 9 | 27 7/8 | GS2MPF- [] | 406 | 715 | 790 | 864 |
| PEDESTAL BACKS  | 3/4 | 9 | 27 7/8 | GS2MPB9- [] | 406 | 688 | 761 | 831 |
| | 3/4 | 15 | 27 7/8 | GS2MPB15- [] | 419 | 811 | 896 | 979 |
| | 3/4 | 18 | 27 7/8 | GS2MPB18- [] | 478 | 597 | 660 | 721 |
| | 3/4 | 30 | 27 7/8 | GS2MPB30- [] | 538 | 672 | 742 | 812 |
| | 3/4 | 36 | 27 7/8 | GS2MPB36- [] | 562 | 702 | 776 | 848 |

NOTE: Credenzas, returns, and bridges with no back panel and an unsupported area of 48" and greater require an intermediate T support.

PRODUCT INFO

All pedestals with an exposed side require a filler strip or pedestal back.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|--------|-----|--------|-----------------------|----------|----------|----------|----------|
| INTERMEDIATE SUPPORT  | 14 | 3/4 | 20 3/4 | GS2MLSP- [] | 348 | 468 | 517 | 565 |
| T SUPPORT  | 14 3/4 | 12 | 20 3/4 | GS2MLSPT- [] | 419 | 562 | 621 | 679 |
| WORKSURFACE JUNCTION SUPPORT  | 14 3/4 | 24 | 20 3/4 | GS2MLSJ24- [] | 796 | 1,082 | 1,195 | 1,306 |
| FILLER STRIP  | 3/4 | 9 | 20 3/4 | GS2MLPF- [] | 406 | 715 | 790 | 864 |
| PEDESTAL BACKS  | 3/4 | 15 | 20 3/4 | GS2MLPB15- [] | 419 | 524 | 580 | 634 |
| | 3/4 | 18 | 20 3/4 | GS2MLPB18- [] | 478 | 597 | 660 | 721 |
| | 3/4 | 30 | 20 3/4 | GS2MLPB30- [] | 538 | 672 | 742 | 812 |
| | 3/4 | 36 | 20 3/4 | GS2MLPB36- [] | 562 | 702 | 776 | 848 |

NOTE: Credenzas, returns, and bridges with no back panel and an unsupported area of 48" and greater require an intermediate T support.

| PRODUCT INFO | TO ORDER PLEASE SPECIFY THE FOLLOWING: | | | | | | | | |
|---|--|------|-----|---------------------|---------------------|--------|--------|------------------------|----------------|
| <p>All pedestals with exposed side require a filler strip or pedestal back.</p> | <table border="0"> <tr> <td>WOOD</td> <td>LAM</td> </tr> <tr> <td>1. MODEL NUMBER + W</td> <td>1. MODEL NUMBER + L</td> </tr> <tr> <td>2. FSC</td> <td>2. FSC</td> </tr> <tr> <td>3. CHASSIS WOOD FINISH</td> <td>3. CHASSIS LAM</td> </tr> </table> | WOOD | LAM | 1. MODEL NUMBER + W | 1. MODEL NUMBER + L | 2. FSC | 2. FSC | 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |
| WOOD | LAM | | | | | | | | |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L | | | | | | | | |
| 2. FSC | 2. FSC | | | | | | | | |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM | | | | | | | | |

MODULAR DESK / CREDENZA FULL MODESTY PANELS

Standard Height

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|-----|-----|--------|-----------------------|----------|----------|----------|----------|
|  | 3/4 | 60 | 27 7/8 | GS2CMF60- [] | 815 | 1,030 | 1,137 | 1,243 |
| | 3/4 | 66 | 27 7/8 | GS2CMF66- [] | 889 | 1,125 | 1,243 | 1,358 |
| | 3/4 | 72 | 27 7/8 | GS2CMF72- [] | 958 | 1,214 | 1,340 | 1,466 |
| | 3/4 | 78 | 27 7/8 | GS2CMF78- [] | 1,027 | 1,302 | 1,438 | 1,572 |
| | 3/4 | 84 | 27 7/8 | GS2CMF84- [] | 1,098 | 1,391 | 1,536 | 1,680 |
| | 3/4 | 90 | 27 7/8 | GS2CMF90- [] | 1,169 | 1,480 | 1,634 | 1,786 |
| | 3/4 | 96 | 27 7/8 | GS2CMF96- [] | 1,241 | 1,570 | 1,733 | 1,895 |
| | 3/4 | 102 | 27 7/8 | GS2CMF102- [] | N/A | 1,657 | 1,829 | 2,000 |
| | 3/4 | 108 | 27 7/8 | GS2CMF108- [] | N/A | 1,747 | 1,928 | 2,108 |
| | 3/4 | 114 | 27 7/8 | GS2CMF114- [] | N/A | 1,835 | 2,026 | 2,214 |
| | 3/4 | 120 | 27 7/8 | GS2CMF120- [] | N/A | 1,924 | 2,123 | 2,322 |

PRODUCT INFO

Grain Direction

- Natural Veneer: Vertical
- Stratawood Veneer: Optional
- Laminate : Horizontal

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- 1. MODEL NUMBER + W**
- 2. FSC**
- 3. CHASSIS WOOD FINISH**

LAM

- 1. MODEL NUMBER + L**
- 2. FSC**
- 3. CHASSIS LAM**

| | D | W | H | model number + type | laminata | vener 1 | vener 2 | vener 3 |
|---|-----|--------|-----------------|---------------------|----------|---------|---------|---------|
|  | 3/4 | 45 | 20 3/4 | GS2CLMF45- [] | 752 | 949 | 1,048 | 1,146 |
| | 3/4 | 48 | 20 3/4 | GS2CLMF48- [] | 765 | 967 | 1,067 | 1,167 |
| | 3/4 | 51 | 20 3/4 | GS2CLMF51- [] | 778 | 985 | 1,087 | 1,189 |
| | 3/4 | 54 | 20 3/4 | GS2CLMF54- [] | 789 | 1,001 | 1,105 | 1,208 |
| | 3/4 | 60 | 20 3/4 | GS2CLMF60- [] | 815 | 1,030 | 1,137 | 1,243 |
| | 3/4 | 66 | 20 3/4 | GS2CLMF66- [] | 889 | 1,125 | 1,243 | 1,358 |
| | 3/4 | 72 | 20 3/4 | GS2CLMF72- [] | 958 | 1,214 | 1,340 | 1,466 |
| | 3/4 | 78 | 20 3/4 | GS2CLMF78- [] | 1,027 | 1,302 | 1,438 | 1,572 |
| | 3/4 | 84 | 20 3/4 | GS2CLMF84- [] | 1,098 | 1,391 | 1,536 | 1,680 |
| | 3/4 | 90 | 20 3/4 | GS2CLMF90- [] | 1,169 | 1,480 | 1,634 | 1,786 |
| | 3/4 | 96 | 20 3/4 | GS2CLMF96- [] | 1,241 | 1,570 | 1,733 | 1,895 |
| | 3/4 | 102 | 20 3/4 | GS2CLMF102- [] | N/A | 1,657 | 1,829 | 2,000 |
| | 3/4 | 108 | 20 3/4 | GS2CLMF108- [] | N/A | 1,747 | 1,928 | 2,108 |
| | 3/4 | 114 | 20 3/4 | GS2CLMF114- [] | N/A | 1,835 | 2,026 | 2,214 |
| 3/4 | 120 | 20 3/4 | GS2CLMF120- [] | N/A | 1,924 | 2,123 | 2,322 | |

PRODUCT INFO

Grain Direction

- Natural Vener: Vertical
- Stratawood Vener: Optional
- Laminate : Horizontal

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD


1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

MODULAR CREDENZA WALL ACCESS PANEL

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|-------|--------|----------------------|----------------------|----------|----------|----------|----------|
|  | 7 1/4 | 21 | 27 7/8 | GS2CMA21- [] | 957 | 1,302 | 1,438 | 1,572 |
| | 7 1/4 | 24 | 27 7/8 | GS2CMA24- [] | 978 | 1,336 | 1,475 | 1,612 |
| | 7 1/4 | 27 | 27 7/8 | GS2CMA27- [] | 1,002 | 1,365 | 1,507 | 1,647 |
| | 7 1/4 | 30 | 27 7/8 | GS2CMA30- [] | 1,025 | 1,398 | 1,544 | 1,688 |
| | 7 1/4 | 33 | 27 7/8 | GS2CMA33- [] | 1,049 | 1,430 | 1,579 | 1,726 |
| | 7 1/4 | 36 | 27 7/8 | GS2CMA36- [] | 1,074 | 1,461 | 1,613 | 1,763 |
| | 7 1/4 | 39 | 27 7/8 | GS2CMA39- [] | 1,095 | 1,492 | 1,647 | 1,800 |
| | 7 1/4 | 42 | 27 7/8 | GS2CMA42- [] | 1,121 | 1,526 | 1,685 | 1,842 |
| | 7 1/4 | 45 | 27 7/8 | GS2CMA45- [] | 1,141 | 1,555 | 1,717 | 1,876 |
| | 7 1/4 | 48 | 27 7/8 | GS2CMA48- [] | 1,168 | 1,590 | 1,755 | 1,919 |
| | 7 1/4 | 51 | 27 7/8 | GS2CMA51- [] | 1,274 | 1,622 | 1,790 | 1,957 |
| | 7 1/4 | 54 | 27 7/8 | GS2CMA54- [] | 1,297 | 1,652 | 1,823 | 1,994 |
| | 7 1/4 | 57 | 27 7/8 | GS2CMA57- [] | 1,323 | 1,684 | 1,858 | 2,032 |
| | 7 1/4 | 60 | 27 7/8 | GS2CMA60- [] | 1,342 | 1,713 | 1,890 | 2,067 |
| | 7 1/4 | 63 | 27 7/8 | GS2CMA63- [] | 1,373 | 1,747 | 1,928 | 2,108 |
| | 7 1/4 | 66 | 27 7/8 | GS2CMA66- [] | 1,396 | 1,780 | 1,966 | 2,149 |
| | 7 1/4 | 69 | 27 7/8 | GS2CMA69- [] | 1,423 | 1,809 | 1,997 | 2,183 |
| 7 1/4 | 72 | 27 7/8 | GS2CMA72- [] | 1,446 | 1,842 | 2,034 | 2,223 | |

PRODUCT INFO

Grain Direction

- Natural Veneer: Vertical
- Stratawood Veneer: Optional
- Laminate: Vertical up to and including 60"W. Horizontal greater than 60"W.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|-------|--------|----------------|---------------------|----------|----------|----------|----------|
|  | 7 1/4 | 21 | 20 3/4 | GS2CLMA21- [] | 957 | 1,302 | 1,438 | 1,572 |
| | 7 1/4 | 24 | 20 3/4 | GS2CLMA24- [] | 978 | 1,336 | 1,475 | 1,612 |
| | 7 1/4 | 27 | 20 3/4 | GS2CLMA27- [] | 1,002 | 1,365 | 1,507 | 1,647 |
| | 7 1/4 | 30 | 20 3/4 | GS2CLMA30- [] | 1,025 | 1,398 | 1,544 | 1,688 |
| | 7 1/4 | 33 | 20 3/4 | GS2CLMA33- [] | 1,049 | 1,430 | 1,579 | 1,726 |
| | 7 1/4 | 36 | 20 3/4 | GS2CLMA36- [] | 1,074 | 1,461 | 1,613 | 1,763 |
| | 7 1/4 | 39 | 20 3/4 | GS2CLMA39- [] | 1,095 | 1,492 | 1,647 | 1,800 |
| | 7 1/4 | 42 | 20 3/4 | GS2CLMA42- [] | 1,121 | 1,526 | 1,685 | 1,842 |
| | 7 1/4 | 45 | 20 3/4 | GS2CLMA45- [] | 1,141 | 1,555 | 1,717 | 1,876 |
| | 7 1/4 | 48 | 20 3/4 | GS2CLMA48- [] | 1,168 | 1,590 | 1,755 | 1,919 |
| | 7 1/4 | 51 | 20 3/4 | GS2CLMA51- [] | 1,274 | 1,622 | 1,790 | 1,957 |
| | 7 1/4 | 54 | 20 3/4 | GS2CLMA54- [] | 1,297 | 1,652 | 1,823 | 1,994 |
| | 7 1/4 | 57 | 20 3/4 | GS2CLMA57- [] | 1,323 | 1,684 | 1,858 | 2,032 |
| | 7 1/4 | 60 | 20 3/4 | GS2CLMA60- [] | 1,342 | 1,713 | 1,890 | 2,067 |
| | 7 1/4 | 63 | 20 3/4 | GS2CLMA63- [] | 1,373 | 1,747 | 1,928 | 2,108 |
| | 7 1/4 | 66 | 20 3/4 | GS2CLMA66- [] | 1,396 | 1,780 | 1,966 | 2,149 |
| | 7 1/4 | 69 | 20 3/4 | GS2CLMA69- [] | 1,423 | 1,809 | 1,997 | 2,183 |
| 7 1/4 | 72 | 20 3/4 | GS2CLMA72- [] | 1,446 | 1,842 | 2,034 | 2,223 | |

PRODUCT INFO

Grain Direction

- Natural Veneer: Vertical
- Stratawood Veneer: Optional
- Laminate: Vertical up to and including 60"W. Horizontal greater than 60"W.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. MODEL NUMBER + W
2. FSC
3. CHASSIS WOOD FINISH

LAM

1. MODEL NUMBER + L
2. FSC
3. CHASSIS LAM

MODULAR RETURN FULL MODESTY PANEL

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|-----|--------|--|--|----------|----------|----------|----------|
| LEFT HAND  | 3/4 | 39 | 27 7/8 | GS2RMF39L- <input type="checkbox"/> | 732 | 925 | 1,021 | 1,117 |
| | 3/4 | 42 | 27 7/8 | GS2RMF42L- <input type="checkbox"/> | 743 | 940 | 1,038 | 1,135 |
| | 3/4 | 45 | 27 7/8 | GS2RMF45L- <input type="checkbox"/> | 752 | 949 | 1,048 | 1,146 |
| | 3/4 | 48 | 27 7/8 | GS2RMF48L- <input type="checkbox"/> | 765 | 967 | 1,067 | 1,167 |
| | 3/4 | 51 | 27 7/8 | GS2RMF51L- <input type="checkbox"/> | 778 | 985 | 1,087 | 1,189 |
| | 3/4 | 54 | 27 7/8 | GS2RMF54L- <input type="checkbox"/> | 789 | 1,001 | 1,105 | 1,208 |
| | 3/4 | 57 | 27 7/8 | GS2RMF57L- <input type="checkbox"/> | 803 | 1,012 | 1,118 | 1,222 |
| | 3/4 | 60 | 27 7/8 | GS2RMF60L- <input type="checkbox"/> | 815 | 1,030 | 1,137 | 1,243 |
| | 3/4 | 63 | 27 7/8 | GS2RMF63L- <input type="checkbox"/> | 851 | 1,077 | 1,190 | 1,300 |
| | 3/4 | 66 | 27 7/8 | GS2RMF66L- <input type="checkbox"/> | 889 | 1,125 | 1,243 | 1,358 |
| | 3/4 | 69 | 27 7/8 | GS2RMF69L- <input type="checkbox"/> | 925 | 1,170 | 1,292 | 1,412 |
| | 3/4 | 72 | 27 7/8 | GS2RMF72L- <input type="checkbox"/> | 958 | 1,214 | 1,340 | 1,466 |
| | 3/4 | 75 | 27 7/8 | GS2RMF75L- <input type="checkbox"/> | 994 | 1,259 | 1,389 | 1,519 |
| | 3/4 | 78 | 27 7/8 | GS2RMF78L- <input type="checkbox"/> | 1,027 | 1,302 | 1,438 | 1,572 |
| | 3/4 | 81 | 27 7/8 | GS2RMF81L- <input type="checkbox"/> | 1,063 | 1,347 | 1,487 | 1,625 |
| | 3/4 | 84 | 27 7/8 | GS2RMF84L- <input type="checkbox"/> | 1,098 | 1,391 | 1,536 | 1,680 |
| | 3/4 | 87 | 27 7/8 | GS2RMF87L- <input type="checkbox"/> | 1,134 | 1,436 | 1,585 | 1,733 |
| 3/4 | 90 | 27 7/8 | GS2RMF90L- <input type="checkbox"/> | 1,169 | 1,480 | 1,634 | 1,786 | |

NOTE: If attaching to a height adjustable extension desk, a 3" shorter modesty panel must be used

PRODUCT INFO

Handed units due to hole pattern.

For use to build full modesty returns and to attach to end panels.

Grain Direction

- Natural Veneer: Vertical
- Stratawood Veneer: Optional
- Laminate: Vertical up to and including 60"W. Horizontal greater than 60"W.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|-----|--------|-----------------------|-----------------------|----------|----------|----------|----------|
| RIGHT HAND  | 3/4 | 39 | 27 7/8 | GS2RMF39R- [] | 732 | 925 | 1,021 | 1,117 |
| | 3/4 | 42 | 27 7/8 | GS2RMF42R- [] | 743 | 940 | 1,038 | 1,135 |
| | 3/4 | 45 | 27 7/8 | GS2RMF45R- [] | 752 | 949 | 1,048 | 1,146 |
| | 3/4 | 48 | 27 7/8 | GS2RMF48R- [] | 765 | 967 | 1,067 | 1,167 |
| | 3/4 | 51 | 27 7/8 | GS2RMF51R- [] | 778 | 985 | 1,087 | 1,189 |
| | 3/4 | 54 | 27 7/8 | GS2RMF54R- [] | 789 | 1,001 | 1,105 | 1,208 |
| | 3/4 | 57 | 27 7/8 | GS2RMF57R- [] | 803 | 1,012 | 1,118 | 1,222 |
| | 3/4 | 60 | 27 7/8 | GS2RMF60R- [] | 815 | 1,030 | 1,137 | 1,243 |
| | 3/4 | 63 | 27 7/8 | GS2RMF63R- [] | 851 | 1,077 | 1,190 | 1,300 |
| | 3/4 | 66 | 27 7/8 | GS2RMF66R- [] | 889 | 1,125 | 1,243 | 1,358 |
| | 3/4 | 69 | 27 7/8 | GS2RMF69R- [] | 925 | 1,170 | 1,292 | 1,412 |
| | 3/4 | 72 | 27 7/8 | GS2RMF72R- [] | 958 | 1,214 | 1,340 | 1,466 |
| | 3/4 | 75 | 27 7/8 | GS2RMF75R- [] | 994 | 1,259 | 1,389 | 1,519 |
| | 3/4 | 78 | 27 7/8 | GS2RMF78R- [] | 1,027 | 1,302 | 1,438 | 1,572 |
| | 3/4 | 81 | 27 7/8 | GS2RMF81R- [] | 1,063 | 1,347 | 1,487 | 1,625 |
| | 3/4 | 84 | 27 7/8 | GS2RMF84R- [] | 1,098 | 1,391 | 1,536 | 1,680 |
| 3/4 | 87 | 27 7/8 | GS2RMF87R- [] | 1,134 | 1,436 | 1,585 | 1,733 | |
| 3/4 | 90 | 27 7/8 | GS2RMF90R- [] | 1,169 | 1,480 | 1,634 | 1,786 | |

NOTE: If attaching to a height adjustable extension desk, a 3" shorter modesty panel must be used

PRODUCT INFO

Handed units due to hole pattern.

For use to build full modesty returns and to attach to end panels.

Grain Direction

- Natural Veneer: Vertical
- Stratawood Veneer: Optional
- Laminate: Vertical up to and including 60"W. Horizontal greater than 60"W.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

MODULAR RETURN WALL ACCESS PANEL

Silea
02/26



| D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|-------|----|--------|----------------------|----------|----------|----------|----------|
| 7 1/4 | 21 | 27 7/8 | GS2RMA21- [] | 957 | 1,302 | 1,438 | 1,572 |
| 7 1/4 | 24 | 27 7/8 | GS2RMA24- [] | 978 | 1,336 | 1,475 | 1,612 |
| 7 1/4 | 27 | 27 7/8 | GS2RMA27- [] | 1,002 | 1,365 | 1,507 | 1,647 |
| 7 1/4 | 30 | 27 7/8 | GS2RMA30- [] | 1,025 | 1,398 | 1,544 | 1,688 |
| 7 1/4 | 33 | 27 7/8 | GS2RMA33- [] | 1,049 | 1,430 | 1,579 | 1,726 |
| 7 1/4 | 36 | 27 7/8 | GS2RMA36- [] | 1,074 | 1,461 | 1,613 | 1,763 |
| 7 1/4 | 39 | 27 7/8 | GS2RMA39- [] | 1,095 | 1,492 | 1,647 | 1,800 |
| 7 1/4 | 42 | 27 7/8 | GS2RMA42- [] | 1,121 | 1,526 | 1,685 | 1,842 |
| 7 1/4 | 45 | 27 7/8 | GS2RMA45- [] | 1,141 | 1,555 | 1,717 | 1,876 |
| 7 1/4 | 48 | 27 7/8 | GS2RMA48- [] | 1,168 | 1,590 | 1,755 | 1,919 |
| 7 1/4 | 51 | 27 7/8 | GS2RMA51- [] | 1,274 | 1,622 | 1,790 | 1,957 |
| 7 1/4 | 54 | 27 7/8 | GS2RMA54- [] | 1,297 | 1,652 | 1,823 | 1,994 |
| 7 1/4 | 57 | 27 7/8 | GS2RMA57- [] | 1,323 | 1,684 | 1,858 | 2,032 |
| 7 1/4 | 60 | 27 7/8 | GS2RMA60- [] | 1,342 | 1,713 | 1,890 | 2,067 |
| 7 1/4 | 63 | 27 7/8 | GS2RMA63- [] | 1,373 | 1,747 | 1,928 | 2,108 |
| 7 1/4 | 66 | 27 7/8 | GS2RMA66- [] | 1,396 | 1,780 | 1,966 | 2,149 |
| 7 1/4 | 69 | 27 7/8 | GS2RMA69- [] | 1,423 | 1,809 | 1,997 | 2,183 |
| 7 1/4 | 72 | 27 7/8 | GS2RMA72- [] | 1,446 | 1,842 | 2,034 | 2,223 |

NOTE: If attaching to a height adjustable extension desk, a 3" shorter wall access panel must be used

PRODUCT INFO

Grain Direction

- Natural Veneer: Vertical
- Stratawood Veneer: Optional
- Laminate: Vertical up to and including 60"W. Horizontal greater than 60"W.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|-----|----|--------|----------------------|----------|----------|----------|----------|
| | 3/4 | 39 | 27 7/8 | GS2BMF39- [] | 732 | 925 | 1,021 | 1,117 |
| | 3/4 | 42 | 27 7/8 | GS2BMF42- [] | 743 | 940 | 1,038 | 1,135 |
| | 3/4 | 45 | 27 7/8 | GS2BMF45- [] | 757 | 949 | 1,048 | 1,146 |
| | 3/4 | 48 | 27 7/8 | GS2BMF48- [] | 764 | 967 | 1,067 | 1,167 |
| | 3/4 | 51 | 27 7/8 | GS2BMF51- [] | 779 | 985 | 1,087 | 1,189 |
| | 3/4 | 54 | 27 7/8 | GS2BMF54- [] | 792 | 1,001 | 1,105 | 1,208 |
| | 3/4 | 57 | 27 7/8 | GS2BMF57- [] | 804 | 1,012 | 1,118 | 1,222 |
| | 3/4 | 60 | 27 7/8 | GS2BMF60- [] | 815 | 1,030 | 1,137 | 1,243 |

NOTE: If attaching to a height adjustable extension desk, a 3" shorter modesty panel must be used

| PRODUCT INFO | TO ORDER PLEASE SPECIFY THE FOLLOWING: | | | | | | | | |
|---|--|------|-----|---------------------|---------------------|--------|--------|------------------------|----------------|
| <p>Grain Direction</p> <ul style="list-style-type: none"> • Natural Veneer: Vertical • Stratawood Veneer: Optional • Laminate: Vertical up to and including 60"W. Horizontal greater than 60"W. | <table border="0"> <tr> <td>WOOD</td> <td>LAM</td> </tr> <tr> <td>1. MODEL NUMBER + W</td> <td>1. MODEL NUMBER + L</td> </tr> <tr> <td>2. FSC</td> <td>2. FSC</td> </tr> <tr> <td>3. CHASSIS WOOD FINISH</td> <td>3. CHASSIS LAM</td> </tr> </table> | WOOD | LAM | 1. MODEL NUMBER + W | 1. MODEL NUMBER + L | 2. FSC | 2. FSC | 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |
| WOOD | LAM | | | | | | | | |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L | | | | | | | | |
| 2. FSC | 2. FSC | | | | | | | | |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM | | | | | | | | |

BRIDGE WALL ACCESS PANEL

Silea
02/26




| D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|-------|----|--------|----------------------|----------|----------|----------|----------|
| 7 1/4 | 39 | 27 7/8 | GS2BMA39- [] | 1,095 | 1,492 | 1,647 | 1,800 |
| 7 1/4 | 42 | 27 7/8 | GS2BMA42- [] | 1,121 | 1,526 | 1,685 | 1,842 |
| 7 1/4 | 45 | 27 7/8 | GS2BMA45- [] | 1,141 | 1,555 | 1,717 | 1,876 |
| 7 1/4 | 48 | 27 7/8 | GS2BMA48- [] | 1,168 | 1,590 | 1,755 | 1,919 |
| 7 1/4 | 51 | 27 7/8 | GS2BMA51- [] | 1,274 | 1,622 | 1,790 | 1,957 |
| 7 1/4 | 54 | 27 7/8 | GS2BMA54- [] | 1,297 | 1,652 | 1,823 | 1,994 |
| 7 1/4 | 57 | 27 7/8 | GS2BMA57- [] | 1,323 | 1,684 | 1,858 | 2,032 |
| 7 1/4 | 60 | 27 7/8 | GS2BMA60- [] | 1,342 | 1,713 | 1,890 | 2,067 |

NOTE: If attaching to a height adjustable extension desk, a 3" shorter wall access panel must be used


| PRODUCT INFO | TO ORDER PLEASE SPECIFY THE FOLLOWING: | | | | | | | | |
|---|--|------|-----|---------------------|---------------------|--------|--------|------------------------|----------------|
| <p>Grain Direction</p> <ul style="list-style-type: none"> • Natural Veneer: Vertical • Stratawood Veneer: Optional • Laminate: Vertical up to and including 60"W. Horizontal greater than 60"W. | <table border="0"> <tr> <td>WOOD</td> <td>LAM</td> </tr> <tr> <td>1. MODEL NUMBER + W</td> <td>1. MODEL NUMBER + L</td> </tr> <tr> <td>2. FSC</td> <td>2. FSC</td> </tr> <tr> <td>3. CHASSIS WOOD FINISH</td> <td>3. CHASSIS LAM</td> </tr> </table> | WOOD | LAM | 1. MODEL NUMBER + W | 1. MODEL NUMBER + L | 2. FSC | 2. FSC | 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |
| WOOD | LAM | | | | | | | | |
| 1. MODEL NUMBER + W | 1. MODEL NUMBER + L | | | | | | | | |
| 2. FSC | 2. FSC | | | | | | | | |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM | | | | | | | | |

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|--------|--------|---------|------------------------|----------|----------|----------|----------|
|  | 16 3/4 | 26 1/2 | 5 15/16 | GS2MLB30SL- [] | 1,013 | 1,352 | 1,491 | 1,628 |
| | 16 3/4 | 26 1/2 | 5 15/16 | GS2MLB30SR- [] | 1,013 | 1,352 | 1,491 | 1,628 |

• For use with a 30" deep runoff.

| | | | | | | | | |
|---|--------|--------|---------|------------------------|-------|-------|-------|-------|
|  | 16 3/4 | 32 1/2 | 5 15/16 | GS2MLB36SL- [] | 1,078 | 1,375 | 1,516 | 1,656 |
| | 16 3/4 | 32 1/2 | 5 15/16 | GS2MLB36SR- [] | 1,078 | 1,375 | 1,516 | 1,656 |

• For use with a 36" deep runoff.



PRODUCT INFO

Unit comes with 2 power units. Color specified in option pick.

 Units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **POWER UNIT**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **PULL**
5. **POWER UNIT**

| | Dia | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 | solid surface |
|---|-----|--------|----------------------|----------|----------|----------|----------|---------------|
|  | 36 | 1 3/16 | GS2TRD36- [] | 1,435 | 2,446 | 2,700 | 2,952 | 7,707 |
| | 42 | 1 3/16 | GS2TRD42- [] | 1,557 | 2,657 | 2,932 | 3,206 | 8,378 |
| | 48 | 1 3/16 | GS2TRD48- [] | 2,040 | 3,473 | 3,832 | 4,190 | 10,957 |
| | 54 | 1 3/16 | GS2TRD54- [] | 2,490 | 4,246 | 4,685 | 5,122 | 13,390 |
| | 60 | 1 3/16 | GS2TRD60- [] | 3,030 | 5,167 | 5,700 | 6,232 | 16,270 |

PRODUCT INFO

Solid surface tops have a softened edge.

54" and 60" wood tops are 2-piece. If top ordered with 4 legs, metal stiffeners must be ordered separately (ACMWS30, qty. 2).

Grommet Location
(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

- MODEL NUMBER + W**
- FSC**
- TOP WOOD FINISH + EDGE**
- TOP FINISH**
- GROMMET**


LAM TOP

- MODEL NUMBER + L**
- FSC**
- TOP LAM**
- EDGE DETAIL**
- GROMMET**

SOLID SURFACE TOP

- MODEL NUMBER + S**
- SOLID SURFACE FINISH**
- EDGE DETAIL**
- GROMMET**

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 | solid surface |
|---|----|----|--------|-----------------------|----------|----------|----------|----------|---------------|
|  | 36 | 36 | 1 3/16 | GS2TSTG36- [] | 1,435 | 2,446 | 2,700 | 2,952 | 7,707 |
| | 42 | 42 | 1 3/16 | GS2TSTG42- [] | 1,557 | 2,657 | 2,932 | 3,206 | 8,378 |
| | 48 | 48 | 1 3/16 | GS2TSTG48- [] | 2,040 | 3,473 | 3,832 | 4,190 | 10,957 |



PRODUCT INFO

Solid surface tops have a softened edge.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Center **GC**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP


- 1. MODEL NUMBER + W**
- 2. FSC**
- 3. TOP WOOD FINISH + EDGE**
- 4. TOP FINISH**
- 5. GROMMET**

LAM TOP

- 1. MODEL NUMBER + L**
- 2. FSC**
- 3. TOP LAM**
- 4. EDGE DETAIL**
- 5. GROMMET**

SOLID SURFACE TOP

- 1. MODEL NUMBER + S**
- 2. SOLID SURFACE FINISH**
- 3. EDGE DETAIL**
- 4. GROMMET**



| for use with top sizes | D | W | H | model number | list |
|---------------------------------|-------|----|---------|-----------------|------|
| 24D/30D | 1 1/2 | 18 | 5 15/16 | GS2MLB18 | 484 |
| 36D | 1 1/2 | 24 | 5 15/16 | GS2MLB24 | 525 |
| 42D | 1 1/2 | 30 | 5 15/16 | GS2MLB30 | 566 |
| 48D | 1 1/2 | 36 | 5 15/16 | GS2MLB36 | 609 |

PRODUCT INFO

To be used to support
worksurface in layers
applications.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **HARDWARE COLOR**

| | D | W | H | model number | in |
|---|-------|-------|----|----------------|-----|
|  | 1 1/2 | 1 1/2 | 30 | ACMWS30 | 73 |
| | 1 1/2 | 1 1/2 | 36 | ACMWS36 | 78 |
| | 1 1/2 | 1 1/2 | 41 | ACMWS41 | 80 |
| | 1 1/2 | 1 1/2 | 47 | ACMWS47 | 81 |
| | 1 1/2 | 1 1/2 | 53 | ACMWS53 | 82 |
| | 1 1/2 | 1 1/2 | 59 | ACMWS59 | 83 |
| | 1 1/2 | 1 1/2 | 65 | ACMWS65 | 84 |
| | 1 1/2 | 1 1/2 | 71 | ACMWS71 | 85 |
| | 1 1/2 | 1 1/2 | 83 | ACMWS83 | 126 |


PRODUCT INFO


Use supports on worksurfaces that span 48" unsupported without a full modesty panel. Calculate total distance between kneewell panels or bases and subtract 6". Use closest available model size.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

- 1. MODEL NUMBER**

| | D | W | H | model number | list |
|--|-------|---------|-------|-----------------|------|
| FLAT BRACKET  | 3 | 6 1/2 | 1/8 | MDWBRK | 141 |
| <ul style="list-style-type: none"> • For worksurface connections | | | | | |
| WALL MOUNT BRACKETS  | 2 1/2 | 19 | 1 1/4 | MDWLBK24 | 145 |
| <ul style="list-style-type: none"> • For use with 24"D worksurface. | | | | | |
|  | 2 1/2 | 25 | 1 1/4 | MDWLBK30 | 156 |
| <ul style="list-style-type: none"> • For use with 30" and 36"D worksurface. | | | | | |
| WALL MOUNT CANTILEVER BRACKETS  | 3 1/8 | 15 3/16 | 7 1/8 | ACWCB15 | 253 |
| <ul style="list-style-type: none"> • For use with 24" tops to provide support on center as an alternative to a T-bracket. | | | | | |
| | 3 1/8 | 20 3/16 | 7 1/8 | ACWCB20 | 271 |
| <ul style="list-style-type: none"> • For use with 24" tops to provide support on an end condition. | | | | | |



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. MODEL NUMBER

MODULAR PEDESTAL CUSHION

Standard Tops

| | D | W | H | model number + type | fabric grades | | | COM/4 |
|---|----------|--------|---|--------------------------|---------------|-----|-----|-------|
| | | | | | 1 | 2 | 3 | |
|  | 20 11/16 | 29 3/4 | 1 | GS2CLPD-CUSH2130T | 619 | 645 | 673 | 701 |
| | 20 11/16 | 35 3/4 | 1 | GS2CLPD-CUSH2136T | 668 | 701 | 735 | 770 |

PRODUCT INFO

To be used with standard tops.

**COM fabric 1.25 yds
for both models.**

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **FABRIC**
3. **FLAMMABILITY**

Flammability Option Codes:
U = CTB 117

For standard flammability rating, please specify CTB 117.

CANTILEVER HEIGHT ADJUSTABLE DESKS AND SMART STORAGE

| | |
|--|---------|
| Cantilever Height Adjustable Desks and Smart Storage | 203-217 |
| Cantilever Height Adjustable Desks | 204-207 |
| Smart Pedestals. | 208-209 |
| Accessory Trays and Bins For Smart Pedestals | 210 |
| False Pedestals | 211 |
| Smart Closets | 212-213 |
| Smart Lockers | 214-215 |
| Smart Pedestal Power Units For Grommet Cutout. | 216 |
| Solidwood Desktop Accessories. | 217 |

CANTILEVER HEIGHT ADJUSTABLE DESKS - RECTANGULAR

Silea

02/26

Left Hand Desk

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 | |
|---|---|----|--------|---------------------------|----------|----------|----------|----------|--|
| 36" DEPTH  | 36 | 66 | 29 1/2 | GS5CVATR3666L- [] | 8,924 | 12,543 | 13,836 | 15,128 | |
| | • 22 1/2" end overhang, 6" guest overhang | | | | | | | | |
| | 36 | 72 | 29 1/2 | GS5CVATR3672L- [] | 8,988 | 12,629 | 13,932 | 15,232 | |
| | • 28 1/2" end overhang, 6" guest overhang | | | | | | | | |
| | 36 | 78 | 29 1/2 | GS5CVATR3678L- [] | 9,415 | 13,088 | 14,437 | 15,785 | |
| • 34 1/2" end overhang, 6" guest overhang | | | | | | | | | |
| • 40 1/2" end overhang, 6" guest overhang | | | | | | | | | |
| 42" DEPTH  | 42 | 66 | 29 1/2 | GS5CVATR4266L- [] | 9,503 | 13,439 | 14,824 | 16,208 | |
| | • 22 1/2" end overhang, 9" guest overhang | | | | | | | | |
| | 42 | 72 | 29 1/2 | GS5CVATR4272L- [] | 9,584 | 13,550 | 14,947 | 16,343 | |
| | • 28 1/2" end overhang, 9" guest overhang | | | | | | | | |
| | 42 | 78 | 29 1/2 | GS5CVATR4278L- [] | 10,034 | 14,038 | 15,485 | 16,931 | |
| • 34 1/2" end overhang, 9" guest overhang | | | | | | | | | |
| • 40 1/2" end overhang, 9" guest overhang | | | | | | | | | |

PRODUCT INFO

Unit must be wall mounted.

Top depth 1" shallower than chassis on user and guest sides to accommodate pinch points of adjoining units

29.5" to 42.5" height adjustment range

 All units shipped as separate packages and require field assembly.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Right **GR**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

CANTILEVER HEIGHT ADJUSTABLE DESKS - RECTANGULAR

Right Hand Desk

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 | |
|---|---|----|--------|---------------------------|----------|----------|----------|----------|--|
| 36" DEPTH  | 36 | 66 | 29 1/2 | GS5CVATR3666R- [] | 8,924 | 12,543 | 13,836 | 15,128 | |
| | • 22 1/2" end overhang, 6" guest overhang | | | | | | | | |
| | 36 | 72 | 29 1/2 | GS5CVATR3672R- [] | 8,988 | 12,629 | 13,932 | 15,232 | |
| | • 28 1/2" end overhang, 6" guest overhang | | | | | | | | |
| | 36 | 78 | 29 1/2 | GS5CVATR3678R- [] | 9,415 | 13,088 | 14,437 | 15,785 | |
| | • 34 1/2" end overhang, 6" guest overhang | | | | | | | | |
| 42" DEPTH  | 42 | 66 | 29 1/2 | GS5CVATR4266R- [] | 9,503 | 13,439 | 14,824 | 16,208 | |
| | • 22 1/2" end overhang, 9" guest overhang | | | | | | | | |
| | 42 | 72 | 29 1/2 | GS5CVATR4272R- [] | 9,584 | 13,550 | 14,947 | 16,343 | |
| | • 28 1/2" end overhang, 9" guest overhang | | | | | | | | |
| | 42 | 78 | 29 1/2 | GS5CVATR4278R- [] | 10,034 | 14,038 | 15,485 | 16,931 | |
| | • 34 1/2" end overhang, 9" guest overhang | | | | | | | | |
| | 42 | 84 | 29 1/2 | GS5CVATR4284R- [] | 10,150 | 14,197 | 15,660 | 17,122 | |
| • 40 1/2" end overhang, 9" guest overhang | | | | | | | | | |

PRODUCT INFO

Unit must be wall mounted.

Top depth 1" shallower than chassis on user and guest sides to accommodate pinch points of adjoining units

29.5" to 42.5" height adjustment range

 All units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Left **GL**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR


Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

CANTILEVER HEIGHT ADJUSTABLE DESKS - SIGHTLINE

Silea
02/26

Left Hand Desk

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 2 | |
|---|---|----|--------|-----------------------------|----------|----------|----------|----------|--|
|  <p>42" DEPTH</p> | 30-42 | 66 | 29 1/2 | GS5CVATS304266L- [] | 9,681 | 13,683 | 15,094 | 16,502 | |
| | • 22 1/2" end overhang, 9" tapered guest overhang | | | | | | | | |
| | 30-42 | 72 | 29 1/2 | GS5CVATS304272L- [] | 9,772 | 13,806 | 15,229 | 16,651 | |
| | • 28 1/2" end overhang, 9" tapered guest overhang | | | | | | | | |
| | 30-42 | 78 | 29 1/2 | GS5CVATS304278L- [] | 10,235 | 14,314 | 15,790 | 17,264 | |
| • 34 1/2" end overhang, 9" tapered guest overhang | | | | | | | | | |
| | 30-42 | 84 | 29 1/2 | GS5CVATS304284L- [] | 10,365 | 14,492 | 15,986 | 17,478 | |
| • 40 1/2" end overhang, 9" tapered guest overhang | | | | | | | | | |

PRODUCT INFO

Unit must be wall mounted.

Top depth 1" shallower than chassis on user and guest sides to accommodate pinch points of adjoining units

29.5" to 42.5" height adjustment range

 All units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Right **GR**
Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

LAM TOP, LAM CHASSIS


- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR

Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 | |
|---|---|----|--------|--|----------|----------|----------|----------|--|
| 42" DEPTH  | 30-42 | 66 | 29 1/2 | GS5CVATS304266R- <input type="checkbox"/> | 9,681 | 13,683 | 15,094 | 16,502 | |
| | • 22 1/2" end overhang, 9" tapered guest overhang | | | | | | | | |
| | 30-42 | 72 | 29 1/2 | GS5CVATS304272R- <input type="checkbox"/> | 9,772 | 13,806 | 15,229 | 16,651 | |
| | • 28 1/2" end overhang, 9" tapered guest overhang | | | | | | | | |
| | 30-42 | 78 | 29 1/2 | GS5CVATS304278R- <input type="checkbox"/> | 10,235 | 14,314 | 15,790 | 17,264 | |
| • 34 1/2" end overhang, 9" tapered guest overhang | | | | | | | | | |
| | 30-42 | 84 | 29 1/2 | GS5CVATS304284R- <input type="checkbox"/> | 10,365 | 14,492 | 15,986 | 17,478 | |
| • 40 1/2" end overhang, 9" tapered guest overhang | | | | | | | | | |

PRODUCT INFO

Unit must be wall mounted.

Top depth 1" shallower than chassis on user and guest sides to accommodate pinch points of adjoining units

29.5" to 42.5" height adjustment range

 All units shipped as separate packages and require field assembly.

Grommet Location (Add \$87 per grommet)

No Grommet **GN**
Left **GL**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

NOTE: Monitor arms should **ALWAYS** be installed in grommets on Silea height adjustable units. Please ensure a grommet location is specified on the top. This allows for bolt mount or clamp mount install of monitor arm. See page 33 for details.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- TOP WOOD FINISH + EDGE**
- CHASSIS WOOD FINISH**
- TOP FINISH**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

LAM TOP, LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- TOP LAM**
- CHASSIS LAM**
- EDGE DETAIL**
- HAT KEYPAD & BASE COLOR**
- GROMMET**

Optional height adjustable keypads available

HAT KEYPAD & BASE COLOR


Basic Up/Down Keypad, Black P71 Column
Memory Preset Keypad, Black P71 Column
Paddle Keypad, Black P71 Column

UDP71
MEMP71
PDLP71

SMART PEDESTALS

7 1/4 Depth

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 | |
|--|---|--------|------------------------|------------------------|----------|----------|----------|----------|--|
| SINGLE UNIT   | 7 1/4 | 30 | 29 1/2 | GS5CPD730-S [] | 2,120 | 2,684 | 2,961 | 3,238 | |
| | <ul style="list-style-type: none"> • Bottom Door: 30" Slim File Drawer included. • Top Door: Includes z-bracket for clip-in accessory Bins and Trays. <u>Bins and trays must be ordered separately.</u> | | | | | | | | |
| | 7 1/4 | 36 | 29 1/2 | GS5CPD736-S [] | 2,330 | 2,953 | 3,258 | 3,563 | |
| | <ul style="list-style-type: none"> • Bottom Door: 36" Slim File Drawer included. • Top Door: Includes z-bracket for clip-in accessory Bins and Trays. <u>Bins and trays must be ordered separately.</u> | | | | | | | | |
| | 7 1/4 | 42 | 29 1/2 | GS5CPD742-S [] | 2,562 | 3,247 | 3,583 | 3,917 | |
| <ul style="list-style-type: none"> • Bottom Door: 36" Slim File Drawer included. • Top Door: Includes z-bracket for clip-in accessory Bins and Trays. <u>Bins and trays must be ordered separately.</u> | | | | | | | | | |
| 7 1/4 | 48 | 29 1/2 | GS5CPD748-S [] | 2,942 | 3,726 | 4,111 | 4,495 | | |
| <ul style="list-style-type: none"> • Bottom Door: 30" Slim File Drawer + 15" Slim File Drawer included. • Top Door: Includes z-bracket for clip-in accessory Bins and Trays. <u>Bins and trays must be ordered separately.</u> | | | | | | | | | |
| 7 1/4 | 54 | 29 1/2 | GS5CPD754-S [] | 3,089 | 3,911 | 4,315 | 4,717 | | |
| <ul style="list-style-type: none"> • Bottom Door: 36" Slim File Drawer + 15" Slim File Drawer included. • Top Door: Includes z-bracket for clip-in accessory Bins and Trays. <u>Bins and trays must be ordered separately.</u> | | | | | | | | | |

PRODUCT INFO

Unit must be wall mounted.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
 Left **GL**
 Right **GR**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

"E" grommet cutout option for rect. grommet or bezel mount power unit model # ACUNOBZL-EU

"3E" grommet cutout option is 3" dia and to be used with HQ power w/ wireless charging model # ACPHQ3QI

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**
- PULL FOR BOTTOM DOOR**
- GROMMET**
- SIDE WIRE MGT GROMMET**
- LOCKS**

LAM


- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**
- FRONT LAM**
- PULL FOR BOTTOM DOOR**
- GROMMET**
- SIDE WIRE MGT GROMMET**
- LOCKS**

Pull Option: Bottom door available with standard metal pulls or leather pull. (note: top door is taller than chassis to provide a finger pull to open door)

Leather pull available in 3 colors: Black Bridle **LP12**
 Medium Brown Bridle **LP13**
 Grey Bridle **LP14**

Side Wire Management Grommet Option: A rectangular cutout may be added to end panels to provide horizontal wire management within a station.

No Side Wire Management Grommets **WN**
 Side Wire Management Grommet Left **WL**
 Side Wire Management Grommet Right **WR**
 Side Wire Management Grommet Left & Right **WB**

| | D | W | H | model number + type | laminata | vener 1 | vener 2 | vener 3 |
|--|--|--------|------------------------|------------------------|----------|---------|---------|---------|
|  <p>DOUBLE UNIT</p> <p>Z-Bracket Slim file drawer</p> | 7 1/4 | 60 | 29 1/2 | GS5CPD760-S [] | 3,415 | 4,324 | 4,771 | 5,216 |
| | <ul style="list-style-type: none"> Bottom Door: 30" Slim File Drawer + 30" Slim File Drawer included. Top Door: Includes z-bracket for clip-in accessory Bins and Trays. <u>Bins and trays must be ordered separately.</u> | | | | | | | |
| | 7 1/4 | 66 | 29 1/2 | GS5CPD766-S [] | 3,585 | 4,539 | 5,009 | 5,475 |
| <ul style="list-style-type: none"> Bottom Door: 30" Slim File Drawer + 36" Slim File Drawer included. Top Door: Includes z-bracket for clip-in accessory Bins and Trays. <u>Bins and trays must be ordered separately.</u> | | | | | | | | |
| 7 1/4 | 72 | 29 1/2 | GS5CPD772-S [] | 3,764 | 4,765 | 5,257 | 5,748 | |
| <ul style="list-style-type: none"> Bottom Door: 36" Slim File Drawer + 36" Slim File Drawer included. Top Door: Includes z-bracket for clip-in accessory Bins and Trays. <u>Bins and trays must be ordered separately.</u> | | | | | | | | |

PRODUCT INFO

Unit must be wall mounted.

Grommet Location

(Add \$87 per grommet)

No Grommet **GN**
Left **GL**
Right **GR**

Specify location first, then select grommet color or "Empty Cutout" option. When "Empty Cutout" option is selected, a grommet or power unit must be ordered separately for each cutout.

"E" grommet cutout option for rect. grommet or bezel mount power unit model # ACUNOBZL-EU

"3E" grommet cutout option is 3" dia and to be used with HQ power w/ wireless charging model # ACPHQ3QI

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**
- PULL FOR BOTTOM DOOR**
- GROMMET**
- SIDE WIRE MGT GROMMET**
- LOCKS**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**
- FRONT LAM**
- PULL FOR BOTTOM DOOR**
- GROMMET**
- SIDE WIRE MGT GROMMET**
- LOCKS**

Pull Option: Bottom door available with standard metal pulls or leather pull. (note: top door is taller than chassis to provide a finger pull to open door)




Leather pull available in 3 colors: Black Bridle **LP12**
Medium Brown Bridle **LP13**
Grey Bridle **LP14**

Side Wire Management Grommet Option: A rectangular cutout may be added to end panels to provide horizontal wire management within a station.

No Side Wire Management Grommets **WN**
Side Wire Management Grommet Left **WL**
Side Wire Management Grommet Right **WR**
Side Wire Management Grommet Left & Right **WB**


SMART PEDESTAL ACCESSORY TRAYS AND BINS

Silea
02/26

| | D | W | H | model number | list |
|--|---|--------|-------|-------------------|------|
| LARGE TRAY  | 3 | 11 1/4 | 1 1/2 | GS5TRAY-LG | 96 |
| LARGE BIN  | 3 | 11 1/4 | 6 1/4 | GS5BIN-LG | 102 |
| SMALL TRAY  | 3 | 4 1/4 | 1 1/2 | GS5TRAY-SM | 88 |
| SMALL BIN  | 3 | 4 1/4 | 6 1/4 | GS5BIN-SM | 96 |

The below matrix recommendation provides a quick reference for ordering Trays and Bins to clip-in upper door of smart pedestals.

| Smart Pedestal Model | Usable Inside Width | Recommended Accessories |
|----------------------|--|---------------------------------|
| | For Accessories | Large Tray/Bin + Small Tray/Bin |
| GS5CPD730-S | 20.25 | qty 1 + qty 2 |
| GS5CPD736-S | 26.25 | qty 2 + - |
| GS5CPD742-S | 32.25 | qty 2 + qty 2 |
| GS5CPD748-S | 38.25 | qty 3 + qty 1 |
| GS5CPD754-S | 44.25 | qty 3 + qty 2 |
| GS5CPD760-S | equivalent to qty (2) 30" smart pedestals | |
| GS5CPD766-S | equivalent to qty (1) 30" + qty (1) 36" smart pedestal | |
| GS5CPD772-S | equivalent to qty (2) 36" smart pedestals | |



PRODUCT INFO

Accessories clip into Z bracket included on top door of smart pedestals.

Inside bottom of unit is lined with felt.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


LIST

- 1. MODEL NUMBER**
- 2. HARDWARE COLOR**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|-------|----|--------|------------------------|----------|----------|----------|----------|
| FALSE PEDESTALS FOR FIXED DESK OR FIXED RETURN  | 7 1/4 | 24 | 27 7/8 | GS5CPD724-X [] | 1,079 | 1,469 | 1,622 | 1,773 |
| | 7 1/4 | 30 | 27 7/8 | GS5CPD730-X [] | 1,128 | 1,537 | 1,697 | 1,855 |
| | 7 1/4 | 36 | 27 7/8 | GS5CPD736-X [] | 1,178 | 1,607 | 1,774 | 1,939 |
| | 7 1/4 | 42 | 27 7/8 | GS5CPD742-X [] | 1,230 | 1,678 | 1,852 | 2,025 |

Notes:

- Top door hinged for wall access.
- Door split height matches smart pedestals.
- Must be wall mounted.



Example: False pedestal shown in application to support a fixed desk or return.

GS5CPD730-XW (false pedestal)
GS2DWRR3072-W (desk worksurface)
GS2ALEG-A (angled legs)

PRODUCT INFO

Unit must be wall mounted.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **SIDE WIRE MGT GROMMET**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **SIDE WIRE MGT GROMMET**

Side Wire Management Grommet Option: A rectangular cutout may be added to end panels to provide horizontal wire management within a station.

| | |
|---|-----------|
| No Side Wire Management Grommets | WN |
| Side Wire Management Grommet Left | WL |
| Side Wire Management Grommet Right | WR |
| Side Wire Management Grommet Left & Right | WB |

SMART CLOSETS

7 1/4 Depth


Silea
02/26

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|---|-------|----|---------|--------------------------|----------|----------|----------|----------|
| 18" WIDE CLOSET  | 7 1/4 | 18 | 68 9/16 | GS5CLS5H718L- [] | 3,055 | 3,868 | 4,268 | 4,666 |
| | 7 1/4 | 18 | 68 9/16 | GS5CLS5H718R- [] | 3,055 | 3,868 | 4,268 | 4,666 |

- Behind Door - Coat hook top, 3 Metal trays bottom

Left hand shown
Inside cabinet views shown
without door

30" WIDE SIDE ACCESS CLOSET (18" WIDE CLOSET + 12" SIDE ACCESS)



Left hand shown
Inside cabinet views shown
without door

| | | | | | | | |
|-------|----|---------|--------------------------|-------|-------|-------|-------|
| 7 1/4 | 30 | 68 9/16 | GS5CLS5H730L- [] | 3,960 | 5,017 | 5,535 | 6,051 |
| 7 1/4 | 30 | 68 9/16 | GS5CLS5H730R- [] | 3,960 | 5,017 | 5,535 | 6,051 |

- Behind Door - Coat hook top, 3 Metal trays bottom
- Side Access - Fixed front does not open. 12.5" inside width x 5.75" inside depth. Includes 2 adjustable shelves on 5 hole pattern.

PRODUCT INFO

Unit must be wall mounted.

Coat hook and metal trays are black.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **LOCKS**

LAM


1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **LOCKS**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|-------|----|---------|--------------------------|----------|----------|----------|----------|
|  | 7 1/4 | 18 | 68 9/16 | GS5CLS5H718L- [] | N/A | 4,643 | 5,123 | 5,600 |
| | 7 1/4 | 18 | 68 9/16 | GS5CLS5H718R- [] | N/A | 4,643 | 5,123 | 5,600 |

- Behind Door - Coat hook top, 3 Metal trays bottom

Left hand shown
Inside cabinet views shown
without door

**30" WIDE SIDE ACCESS
CLOSET (18" WIDE CLOSET
+ 12" SIDE ACCESS)**



Left hand shown
Inside cabinet views shown
without door

| | | | | | | | | |
|--|-------|----|---------|--------------------------|-----|-------|-------|-------|
| | 7 1/4 | 30 | 68 9/16 | GS5CLS5H730L- [] | N/A | 6,019 | 6,640 | 7,260 |
| | 7 1/4 | 30 | 68 9/16 | GS5CLS5H730R- [] | N/A | 6,019 | 6,640 | 7,260 |

- Behind Door - Coat hook top, 3 Metal trays bottom
- Side Access - Fixed front does not open. 12.5" inside width x 5.75" inside depth. Includes 2 adjustable shelves on 5 hole pattern.
- Glass door over closet portion only. Side access fixed front matches chassis finish.

PRODUCT INFO

Unit must be wall mounted.

Glass doors do NOT lock.

Coat hook and metal trays are black.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

- 1. MODEL NUMBER + WG**
- 2. FSC**
- 3. CHASSIS WOOD FINISH**
- 4. GLASS**

SMART LOCKERS

7 1/4 Depth


Silea
02/26

| | D | W | H | model number + type | laminare | veneer 1 | veneer 2 | veneer 3 |
|---|-------|----|---------|--------------------------|----------|----------|----------|----------|
| 24" WIDE LOCKER  | 7 1/4 | 24 | 68 9/16 | GS5LKR5H724L- [] | 3,362 | 4,255 | 4,695 | 5,133 |
| | 7 1/4 | 24 | 68 9/16 | GS5LKR5H724R- [] | 3,362 | 4,255 | 4,695 | 5,133 |

Left hand shown
Inside cabinet views shown without door

- Behind Door - Coat hook top, 3 Metal trays bottom
- Door overhangs chassis by 6". Additional coat hook on end panel.

36" WIDE SIDE ACCESS LOCKER (24" WIDE LOCKER + 12" SIDE ACCESS)



Left hand shown
Inside cabinet views shown without door

| | | | | | | | |
|-------|----|---------|--------------------------|-------|-------|-------|-------|
| 7 1/4 | 36 | 68 9/16 | GS5LKR5H736L- [] | 4,359 | 5,518 | 6,087 | 6,655 |
| 7 1/4 | 36 | 68 9/16 | GS5LKR5H736R- [] | 4,359 | 5,518 | 6,087 | 6,655 |

- Behind Door - Coat hook top, 3 Metal trays bottom
- Door overhangs chassis by 6". Additional coat hook on end panel.
- Side Access - Fixed front does not open. 12.5" inside width x 5.75" inside depth. Includes 2 adjustable shelves on 5 hole pattern.

PRODUCT INFO

Unit must be wall mounted.

Doors do NOT lock.

Coat hook and metal trays are black.

 Laminate units shipped as separate packages and require field assembly.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM

1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**


| | D | W | H | model number + type | laminat | veneer 1 | veneer 2 | veneer 3 |
|------------------------|-------|----|---------|--------------------------|---------|----------|----------|----------|
| 24" WIDE LOCKER | 7 1/4 | 24 | 68 9/16 | GS5LKR5H724L- [] | 4,402 | 5,105 | 5,632 | 6,158 |
| | 7 1/4 | 24 | 68 9/16 | GS5LKR5H724R- [] | 4,402 | 5,105 | 5,632 | 6,158 |



Left hand shown
Inside cabinet views shown
without door

- Behind Door - Coat hook top, 3 Metal trays bottom
- Door overhangs chassis by 6". Additional coat hook on end panel.

**36" WIDE SIDE ACCESS
LOCKER (24" WIDE LOCKER
+ 12" SIDE ACCESS)**



Left hand shown
Inside cabinet views shown
without door

| | | | | | | | | |
|--|-------|----|---------|--------------------------|-------|-------|-------|-------|
| | 7 1/4 | 36 | 68 9/16 | GS5LKR5H736L- [] | 5,399 | 6,621 | 7,305 | 7,987 |
| | 7 1/4 | 36 | 68 9/16 | GS5LKR5H736R- [] | 5,399 | 6,621 | 7,305 | 7,987 |

- Behind Door - Coat hook top, 3 Metal trays bottom
- Door overhangs chassis by 6". Additional coat hook on end panel.
- Side Access - Fixed front does not open. 12.5" inside width x 5.75" inside depth. Includes 2 adjustable shelves on 5 hole pattern.

PRODUCT INFO

Unit must be wall mounted.

Doors do NOT lock.

Coat hook and metal trays are black.

 Laminat units shipped as separate packages and require field assembly.


TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**

LAM CHASSIS, GLASS DOOR

1. **MODEL NUMBER + LG**
2. **FSC**
3. **CHASSIS LAM**
4. **GLASS**

| | D | W | H | model number | list |
|---|--|--------|-------|-------------------|------|
| HQ POWER W/ WIRELESS CHARGING TO BE USED IN 3" DIA GROMMET CUTOUT  | 3 | 11 1/4 | 1 1/2 | ACPHQ3QI-B | 507 |
| | <ul style="list-style-type: none"> • Black • Fits 3" Dia Cutout option in smart pedestals • 1 Power / 1 USB Charger / 1 Charging Pad • 10ft standard plug cord | | | | |
| | 3 | 11 1/4 | 6 1/4 | ACPHQ3QI-S | 507 |
| <ul style="list-style-type: none"> • Silver • Fits 3" Dia Cutout option in smart pedestals • 1 Power / 1 USB Charger / 1 Charging Pad • 10ft standard plug cord | | | | | |

| | | | | | |
|--|--|---|-------|-----------------------|-----|
| BEZEL MOUNT POWER TO BE USED IN RECTANGULAR GROMMET CUTOUT  <p>Can be used in grommet cutout</p> | 2 7/8 | 4 | 1 3/4 | ACUNOBZL-EU | 477 |
| | <ul style="list-style-type: none"> • Optional color • Fits Rectangular Grommet Cutout option in smart pedestals • 1 Power / dual USB A+C Charger • 10ft standard plug cord | | | | |
| | 2 7/8 | 4 | 1 3/4 | ACUNOBZL-EU-HW | 477 |
| <ul style="list-style-type: none"> • Optional color • Fits Rectangular Grommet Cutout option in smart pedestals • 1 Power / dual USB A+C Charger • 6ft hardwire cord | | | | | |

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **BEZEL MOUNT POWER COLOR**

| | D | W | H | model number | list |
|---|--|---------|-------|-------------------------|------|
| PENCIL TRAY  | 3 15/16 | 11 5/16 | 1 1/4 | GS5PNCLTRAY-WLNT | 233 |
| | <ul style="list-style-type: none"> • Walnut, clear finish • Fits in 15" box drawer | | | | |
| | 3 15/16 | 11 5/16 | 1 1/4 | GS5PNCLTRAY-MPLE | 233 |
| | <ul style="list-style-type: none"> • Maple, clear finish • Fits in 15" box drawer | | | | |
| PENCIL CUP  | 3 15/16 | 3 15/16 | 3 3/4 | GS5PNCLCUP-WLNT | 233 |
| | <ul style="list-style-type: none"> • Walnut, clear finish | | | | |
| | 3 15/16 | 3 15/16 | 3 3/4 | GS5PNCLCUP-MPLE | 233 |
| | <ul style="list-style-type: none"> • Maple, clear finish | | | | |

PRODUCT INFO

Solidwood accessories include rubber bumpers on bottom to protect worksurfaces

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

- 1. MODEL NUMBER**

| | |
|---|---------|
| Storage | 219-249 |
| Bookcases | 220 |
| Bookcase / Closet | 221 |
| Lateral Files | 222-223 |
| Closets | 224-228 |
| Storage Box / Utility Cabinet | 229-241 |
| Side Access Storage Locker | 242-245 |
| Mobile Pedestal | 246-247 |
| Storage External Tops | 248-249 |

BOOKCASES

2 high – 6 high | 30" & 36"W

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|--------|----|---------|-------------------------|----------|----------|----------|----------|
| 30" & 36 WIDTH | | | | | | | | |
|  28 High | 14 7/8 | 30 | 27 7/8 | GS2BKN2H30N- [] | 1,569 | 1,986 | 2,191 | 2,396 |
| | 14 7/8 | 36 | 27 7/8 | GS2BKN2H36N- [] | 1,673 | 2,116 | 2,336 | 2,553 |
|  42 High | 14 7/8 | 30 | 42 3/16 | GS2BKN3H30- [] | 2,054 | 2,602 | 2,872 | 3,140 |
| | 14 7/8 | 36 | 42 3/16 | GS2BKN3H36- [] | 2,363 | 2,994 | 3,303 | 3,612 |
|  55 High | 14 7/8 | 30 | 54 7/16 | GS2BKN4H30- [] | 2,317 | 2,931 | 3,234 | 3,536 |
| | 14 7/8 | 36 | 54 7/16 | GS2BKN4H36- [] | 3,130 | 3,964 | 4,374 | 4,782 |
|  68 High | 14 7/8 | 30 | 68 9/16 | GS2BKN5H30- [] | 3,071 | 3,884 | 4,286 | 4,685 |
| | 14 7/8 | 36 | 68 9/16 | GS2BKN5H36- [] | 3,674 | 4,651 | 5,132 | 5,610 |
|  82 High | 14 7/8 | 30 | 81 5/16 | GS2BKN6H30- [] | 3,603 | 4,557 | 5,029 | 5,498 |
| | 14 7/8 | 36 | 81 5/16 | GS2BKN6H36- [] | 3,760 | 4,762 | 5,253 | 5,744 |

PRODUCT INFO

Units have a finished back.
 Each unit has one fixed shelf, shaded above.
 Top not included.
 To add storage tops, specify external tops.
 6H bookcase to be attached to the wall.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + WN**
- FSC**
- CHASSIS WOOD FINISH**

LAM

- MODEL NUMBER + LN**
- FSC**
- CHASSIS LAM**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|----------------------------------|-------------------------|----------|----------|----------|----------|
|  <p>LEFT HAND 68 High</p> | 24 | 18 | 68 ⁹ / ₁₆ | GS2BCL5H18L- [] | 4,737 | 6,456 | 7,122 | 7,788 |
|  <p>RIGHT HAND 68 High</p> | 24 | 18 | 68 ⁹ / ₁₆ | GS2BCL5H18R- [] | 4,737 | 6,456 | 7,122 | 7,788 |
|  <p>LEFT HAND 82 High</p> | 24 | 18 | 81 ¹⁵ / ₁₆ | GS2BCL6H18L- [] | 5,411 | 7,369 | 8,130 | 8,888 |
|  <p>RIGHT HAND 82 High</p> | 24 | 18 | 81 ¹⁵ / ₁₆ | GS2BCL6H18R- [] | 5,411 | 7,369 | 8,130 | 8,888 |

PRODUCT INFO

All units have a finished back.
5H units include (1) closet rod behind door.
6H units include (1) closet rod and (1) adjustable shelf.
Each unit has (1) fixed shelf, highlighted above.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **LOCKS**
6. **KEYING**

LAM

1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **LOCKS**
7. **KEYING**

LATERAL FILES 24D

2 high w/top

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|------------------|----|----|--------|------------------------|----------|----------|----------|----------|
| 30" WIDTH | 24 | 30 | 29 1/2 | GS2LFS2H30- [] | 3,012 | 4,104 | 4,528 | 4,951 |



| | | | | | | | | |
|------------------|----|----|--------|------------------------|-------|-------|-------|-------|
| 36" WIDTH | 24 | 36 | 29 1/2 | GS2LFS2H36- [] | 3,184 | 4,336 | 4,784 | 5,231 |
|------------------|----|----|--------|------------------------|-------|-------|-------|-------|



PRODUCT INFO

2H lateral file comes with a top.
All units have a finished back.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **CHASSIS WOOD FINISH**
5. **TOP FINISH**
6. **PULL**
7. **DRAWERS**
8. **KEYING**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **EDGE DETAIL**
7. **PULL**
8. **DRAWERS**
9. **KEYING**

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|---------------------|------------------------|----------|----------|----------|----------|
| 30" WIDTH  | 24 | 30 | 42 ^{3/16} | GS2LFS3H30- [] | 4,008 | 5,456 | 6,019 | 6,582 |
| | 24 | 30 | 54 ^{7/16} | GS2LFS4H30- [] | 4,995 | 6,808 | 7,510 | 8,212 |
| | 24 | 30 | 68 ^{9/16} | GS2LFS5H30- [] | 6,439 | 8,771 | 9,676 | 10,579 |
| | 24 | 30 | 81 ^{15/16} | GS2LFS6H30- [] | 7,450 | 10,148 | 11,195 | 12,240 |
| 36" WIDTH  | 24 | 36 | 42 ^{3/16} | GS2LFS3H36- [] | 4,142 | 5,645 | 6,228 | 6,809 |
| | 24 | 36 | 54 ^{7/16} | GS2LFS4H36- [] | 5,139 | 6,998 | 7,720 | 8,441 |
| | 24 | 36 | 68 ^{9/16} | GS2LFS5H36- [] | 6,777 | 9,230 | 10,182 | 11,133 |
| | 24 | 36 | 81 ^{15/16} | GS2LFS6H36- [] | 7,603 | 10,360 | 11,429 | 12,496 |

PRODUCT INFO

All units have a finished back.
 If integral pull is chosen for wood, doors will be touch latch.
 6 high units include (1) adjustable shelf behind doors.
 5 and 6 high doors do not lock.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

CLOSETS 24D

5 high – 6 high

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|----------------------------------|-------------------------|----------|----------|----------|----------|
| 15" WIDTH  Door hinged left 68 High | 24 | 15 | 68 ⁹ / ₁₆ | GS2CLS5H15L- [] | 2,988 | 4,072 | 4,493 | 4,912 |
| | 24 | 15 | 68 ⁹ / ₁₆ | GS2CLS5H15R- [] | 2,988 | 4,072 | 4,493 | 4,912 |
|  Door hinged left 82 High | 24 | 15 | 81 ¹⁵ / ₁₆ | GS2CLS6H15L- [] | 3,279 | 4,467 | 4,928 | 5,388 |
| | 24 | 15 | 81 ¹⁵ / ₁₆ | GS2CLS6H15R- [] | 3,279 | 4,467 | 4,928 | 5,388 |

• 6H x 15W units must be attached to wall for stability. Wall attach hardware not provided.

| | | | | | | | | |
|--|----|----|----------------------------------|-------------------------|-------|-------|-------|-------|
| 18" WIDTH  Door hinged left 68 High | 24 | 18 | 68 ⁹ / ₁₆ | GS2CLS5H18L- [] | 3,138 | 4,275 | 4,716 | 5,156 |
| | 24 | 18 | 68 ⁹ / ₁₆ | GS2CLS5H18R- [] | 3,138 | 4,275 | 4,716 | 5,156 |
|  Door hinged left 82 High | 24 | 18 | 81 ¹⁵ / ₁₆ | GS2CLS6H18L- [] | 3,452 | 4,702 | 5,188 | 5,673 |
| | 24 | 18 | 81 ¹⁵ / ₁₆ | GS2CLS6H18R- [] | 3,452 | 4,702 | 5,188 | 5,673 |

PRODUCT INFO

All units have a finished back.

If integral pull is chosen for wood, doors will be touch latch.

Units include (1) closet rod and (1) fixed shelf at bottom.




TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **LOCKS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **LOCKS**
7. **KEYING**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|----------------------------------|-------------------------|----------|----------|----------|----------|
| 30" WIDTH  68 High | 24 | 30 | 68 ⁹ / ₁₆ | GS2CLD5H30-D [] | 5,662 | 7,164 | 7,903 | 8,641 |
| | 24 | 30 | 68 ⁹ / ₁₆ | GS2CLD5H30-S [] | 5,282 | 6,679 | 7,369 | 8,056 |
|  82 High | 24 | 30 | 81 ¹⁵ / ₁₆ | GS2CLD6H30-D [] | 6,611 | 8,363 | 9,227 | 10,088 |
| | 24 | 30 | 81 ¹⁵ / ₁₆ | GS2CLD6H30-S [] | 6,217 | 7,863 | 8,674 | 9,484 |
| 36" WIDTH  68 High | 24 | 36 | 68 ⁹ / ₁₆ | GS2CLD5H36-D [] | 6,227 | 7,882 | 8,695 | 9,507 |
| | 24 | 36 | 68 ⁹ / ₁₆ | GS2CLD5H36-S [] | 5,811 | 7,348 | 8,107 | 8,863 |
|  82 High | 24 | 36 | 81 ¹⁵ / ₁₆ | GS2CLD6H36-D [] | 7,272 | 9,198 | 10,147 | 11,094 |
| | 24 | 36 | 81 ¹⁵ / ₁₆ | GS2CLD6H36-S [] | 6,835 | 8,648 | 9,540 | 10,430 |

PRODUCT INFO

All units have a finished back.

Closet codes for 68 high units:

D = (4) 1/2 shelves/
1/2 coat rod

S = (4) full width shelves

Closet codes for 82 high units:

D = (5) 1/2 shelves/
1/2 coat rod

S = (5) full width shelves

If integral pull is chosen for wood, doors will be touch latch.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **LOCKS**
6. **KEYING**

LAM CHASSIS


1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **LOCKS**
7. **KEYING**

CLOSETS WITH GLASS DOORS 24D

5 high – 6 high | 15" & 18"W

Silea

02/26

| | D | W | H | model number + type | veneer 1 chassis glass door | veneer 2 chassis glass door | veneer 3 chassis glass door |
|---|----|----|----------------------------------|--|-----------------------------------|-----------------------------------|-----------------------------------|
| 15" WIDTH  68 High | 24 | 15 | 68 ⁹ / ₁₆ | GS2CLS5H15L- <input type="checkbox"/> | 4,886 | 5,391 | 5,894 |
| | 24 | 15 | 68 ⁹ / ₁₆ | GS2CLS5H15R- <input type="checkbox"/> | 4,886 | 5,391 | 5,894 |
| | 24 | 15 | 81 ¹⁵ / ₁₆ | GS2CLS6H15L- <input type="checkbox"/> | 5,360 | 5,914 | 6,465 |
| | 24 | 15 | 81 ¹⁵ / ₁₆ | GS2CLS6H15R- <input type="checkbox"/> | 5,360 | 5,914 | 6,465 |
| • 6H x 15W units must be attached to wall for stability. Wall attach hardware not provided. | | | | | | | |
| 18" WIDTH  68 High | 24 | 18 | 68 ⁹ / ₁₆ | GS2CLS5H18L- <input type="checkbox"/> | 5,130 | 5,660 | 6,188 |
| | 24 | 18 | 68 ⁹ / ₁₆ | GS2CLS5H18R- <input type="checkbox"/> | 5,130 | 5,660 | 6,188 |
| | 24 | 18 | 81 ¹⁵ / ₁₆ | GS2CLS6H18L- <input type="checkbox"/> | 5,642 | 6,225 | 6,805 |
| | 24 | 18 | 81 ¹⁵ / ₁₆ | GS2CLS6H18R- <input type="checkbox"/> | 5,642 | 6,225 | 6,805 |

PRODUCT INFO

All units have a finished back.
 Glass doors do not lock.
 Units include (1) closet rod and
 (1) fixed shelf at bottom.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|----------------------------------|---|----------|----------|----------|----------|
| 18" WIDTH  Door hinged left 68 High | 30 | 18 | 68 ⁹ / ₁₆ | GS2CLS5H30D18L- <input type="checkbox"/> | 3,453 | 4,702 | 5,188 | 5,673 |
| | 30 | 18 | 68 ⁹ / ₁₆ | GS2CLS5H30D18R- <input type="checkbox"/> | 3,453 | 4,702 | 5,188 | 5,673 |
|  Door hinged left 82 High | 30 | 18 | 81 ¹⁵ / ₁₆ | GS2CLS6H30D18L- <input type="checkbox"/> | 3,795 | 5,173 | 5,707 | 6,239 |
| | 30 | 18 | 81 ¹⁵ / ₁₆ | GS2CLS6H30D18R- <input type="checkbox"/> | 3,795 | 5,173 | 5,707 | 6,239 |

PRODUCT INFO

If integral pull is chosen for wood, doors will be touch latch.
Units include (1) closet rod and (1) fixed shelf at bottom.
All units have a finished back.
30D Laminate units have fasteners on backside with cam covers.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **LOCKS**
6. **KEYING**

LAM CHASSIS


1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **LOCKS**
7. **KEYING**

CLOSETS WITH GLASS DOORS 30D

5 high – 6 high

Silea

02/26

| | D | W | H | model number + type | veneer 1 chassis glass door | veneer 2 chassis glass door | veneer 3 chassis glass door |
|--|----|----|----------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| 18" WIDTH  68 High | 30 | 18 | 68 ⁹ / ₁₆ | GS2CLS5H30D18L- [] | 5,645 | 6,228 | 6,809 |
| | 30 | 18 | 68 ⁹ / ₁₆ | GS2CLS5H30D18R- [] | 5,645 | 6,228 | 6,809 |
| | 30 | 18 | 81 ¹⁵ / ₁₆ | GS2CLS6H30D18L- [] | 6,206 | 6,846 | 7,486 |
| | 30 | 18 | 81 ¹⁵ / ₁₆ | GS2CLS6H30D18R- [] | 6,206 | 6,846 | 7,486 |

PRODUCT INFO

All units have a finished back.
 Glass doors do not lock.
 Units include (1) closet rod and
 (1) fixed shelf at bottom.
 All units have a finished back.
 30D Laminate units have
 fasteners on backside with cam
 covers.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 | |
|---|----|----|----------|-------------------------|----------|----------|----------|----------|--|
| 15" WIDTH | | | | | | | | | |
|  | 24 | 15 | 68 9/16 | GS2SBD5H15L- [] | 3,388 | 4,620 | 5,098 | 5,573 | |
| | 24 | 15 | 68 9/16 | GS2SBD5H15R- [] | 3,388 | 4,620 | 5,098 | 5,573 | |
|  | 24 | 15 | 81 15/16 | GS2SBD6H15L- [] | 3,727 | 5,083 | 5,608 | 6,132 | |
| | 24 | 15 | 81 15/16 | GS2SBD6H15R- [] | 3,727 | 5,083 | 5,608 | 6,132 | |
| • 6H x 15W units must be attached to wall for stability. Wall attach hardware not provided. | | | | | | | | | |
| 18" WIDTH | | | | | | | | | |
|  | 24 | 18 | 68 9/16 | GS2SBD5H18L- [] | 3,566 | 4,865 | 5,368 | 5,869 | |
| | 24 | 18 | 68 9/16 | GS2SBD5H18R- [] | 3,566 | 4,865 | 5,368 | 5,869 | |
|  | 24 | 18 | 81 15/16 | GS2SBD6H18L- [] | 3,922 | 5,351 | 5,904 | 6,454 | |
| | 24 | 18 | 81 15/16 | GS2SBD6H18R- [] | 3,922 | 5,351 | 5,904 | 6,454 | |
| 30" WIDTH | | | | | | | | | |
|  | 24 | 30 | 68 9/16 | GS2SBD5H30- [] | 6,118 | 8,337 | 9,198 | 10,057 | |
| | 24 | 30 | 81 15/16 | GS2SBD6H30- [] | 6,465 | 8,808 | 9,716 | 10,623 | |

PRODUCT INFO

All units have a finished back.
If integral pull is chosen for wood, doors will be touch latch.
5H units include (2) adjustable shelves behind doors.
6H units include (3) adjustable shelves behind doors.

- TO ORDER PLEASE SPECIFY THE FOLLOWING:**
- | | |
|-------------------------------|-----------------------------|
| WOOD CHASSIS | LAM CHASSIS |
| 1. MODEL NUMBER + WW | 1. MODEL NUMBER + LL |
| 2. FSC | 2. FSC |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |
| 4. PULL | 4. FRONT LAM |
| 5. DRAWERS | 5. PULL |
| 6. KEYING | 6. DRAWERS |
| | 7. KEYING |

STORAGE BOX 24D

5 high – 6 high | 15" & 18"W | Box / Box / File

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 | |
|--|----|----|----------------------------------|--------------------------|----------|----------|----------|----------|--|
| 15" WIDTH | | | | | | | | | |
| | 24 | 15 | 68 ⁹ / ₁₆ | GS2SBD5H15L-3 [] | 3,558 | 4,852 | 5,354 | 5,852 | |
|  Box/Box/File Left 68 High | 24 | 15 | 68 ⁹ / ₁₆ | GS2SBD5H15R-3 [] | 3,558 | 4,852 | 5,354 | 5,852 | |
| 15" WIDTH | | | | | | | | | |
| | 24 | 15 | 81 ¹⁵ / ₁₆ | GS2SBD6H15L-3 [] | 3,912 | 5,337 | 5,889 | 6,438 | |
|  Box/Box/File Left 82 High | 24 | 15 | 81 ¹⁵ / ₁₆ | GS2SBD6H15R-3 [] | 3,912 | 5,337 | 5,889 | 6,438 | |
| • 6H x 15W units must be attached to wall for stability. Wall attach hardware not provided. | | | | | | | | | |
| 18" WIDTH | | | | | | | | | |
| | 24 | 18 | 68 ⁹ / ₁₆ | GS2SBD5H18L-3 [] | 3,744 | 5,108 | 5,636 | 6,162 | |
|  Box/Box/File Left 68 High | 24 | 18 | 68 ⁹ / ₁₆ | GS2SBD5H18R-3 [] | 3,744 | 5,108 | 5,636 | 6,162 | |
| 18" WIDTH | | | | | | | | | |
| | 24 | 18 | 81 ¹⁵ / ₁₆ | GS2SBD6H18L-3 [] | 4,120 | 5,616 | 6,196 | 6,774 | |
|  Box/Box/File Left 82 High | 24 | 18 | 81 ¹⁵ / ₁₆ | GS2SBD6H18R-3 [] | 4,120 | 5,616 | 6,196 | 6,774 | |

PRODUCT INFO

If integral pull is chosen for wood, doors will be touch latch.

5H units include (2) adjustable shelves behind doors.

6H units include (3) adjustable shelves behind doors.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|----------------------------------|------------------------|----------|----------|----------|----------|
| 15" WIDTH  68 High  82 High | 24 | 15 | 68 ⁹ / ₁₆ | GS2SBD5H15- [] | 3,133 | 4,274 | 4,715 | 5,155 |
| | 24 | 15 | 81 ¹⁵ / ₁₆ | GS2SBD6H15- [] | 3,449 | 4,700 | 5,185 | 5,670 |
| • 6H x 15W units must be attached to wall for stability. Wall attach hardware not provided. | | | | | | | | |
| 18" WIDTH  68 High  82 High | 24 | 18 | 68 ⁹ / ₁₆ | GS2SBD5H18- [] | 3,297 | 4,497 | 4,961 | 5,424 |
| | 24 | 18 | 81 ¹⁵ / ₁₆ | GS2SBD6H18- [] | 3,629 | 4,949 | 5,460 | 5,970 |
| 30" WIDTH  68 High  82 High | 24 | 30 | 68 ⁹ / ₁₆ | GS2SBD5H30- [] | 5,659 | 7,716 | 8,512 | 9,307 |
| | 24 | 30 | 81 ¹⁵ / ₁₆ | GS2SBD6H30- [] | 5,659 | 7,716 | 8,512 | 9,307 |

PRODUCT INFO

All units have a finished back.
 If integral pull is chosen for wood, doors will be touch latch.
 Adjustable shelves.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

- MODEL NUMBER + WN**
- FSC**
- CHASSIS WOOD FINISH**
- PULL**
- DRAWERS**
- KEYING**

LAM CHASSIS

- MODEL NUMBER + LN**
- FSC**
- CHASSIS LAM**
- FRONT LAM**
- PULL**
- DRAWERS**
- KEYING**

STORAGE BOX 24D

5 high – 6 high | 15" & 18"W | Box / Box / File

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|----------------------------------|---|----------|----------|----------|----------|
| 15" WIDTH | 24 | 15 | 68 ⁹ / ₁₆ | GS2SBD5H15-3 [] | 3,291 | 4,487 | 4,950 | 5,412 |
|  Box/Box/File 68 High | | | | | | | | |
|  Box/Box/File 82 High | 24 | 15 | 81 ¹⁵ / ₁₆ | GS2SBD6H15-3 [] | 3,620 | 4,936 | 5,446 | 5,955 |
| | | | | • 6H x 15W units must be attached to wall for stability. Wall attach hardware not provided. | | | | |
| 18" WIDTH | 24 | 18 | 68 ⁹ / ₁₆ | GS2SBD5H18-3 [] | 3,462 | 4,724 | 5,212 | 5,699 |
|  Box/Box/File 68 High | | | | | | | | |
|  Box/Box/File 82 High | 24 | 18 | 81 ¹⁵ / ₁₆ | GS2SBD6H18-3 [] | 3,810 | 5,195 | 5,731 | 6,266 |

PRODUCT INFO

All units have a finished back.
If integral pull is chosen for wood, doors will be touch latch.
Adjustable shelves.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WN**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + LN**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|----------------------------------|----------------------------|----------|----------|----------|----------|
| 18" WIDTH | 30 | 18 | 68 ⁹ / ₁₆ | GS2SBD5H30D18L- [] | 3,922 | 5,352 | 5,905 | 6,456 |
|  Hinged door left 68 High | 30 | 18 | 68 ⁹ / ₁₆ | GS2SBD5H30D18R- [] | 3,922 | 5,352 | 5,905 | 6,456 |
|  Hinged door left 82 High | 30 | 18 | 81 ¹⁵ / ₁₆ | GS2SBD6H30D18L- [] | 4,313 | 5,886 | 6,493 | 7,099 |
| | 30 | 18 | 81 ¹⁵ / ₁₆ | GS2SBD6H30D18R- [] | 4,313 | 5,886 | 6,493 | 7,099 |

PRODUCT INFO

If integral pull is chosen for wood, doors will be touch latch.
 5H units include (2) adjustable shelves behind doors.
 6H units include (3) adjustable shelves behind doors.
 All units have a finished back.
 30D Laminate units have fasteners on backside with cam covers.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

STORAGE BOX 30D

5 high – 6 high | 18"W | File / File

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|----------------------------------|---------------------------|----------|----------|----------|----------|
| 18" WIDTH  68 High | 30 | 18 | 68 ⁹ / ₁₆ | GS2SBD5H30D18- [] | 3,629 | 4,948 | 5,459 | 5,969 |
|  82 High | 30 | 18 | 81 ¹⁵ / ₁₆ | GS2SBD6H30D18- [] | 3,992 | 5,442 | 6,004 | 6,565 |

PRODUCT INFO

5H units include (2) adjustable shelves behind doors.

6H units include (3) adjustable shelves behind doors.

All units have a finished back.
30D Laminate units have fasteners on backside with cam covers.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WN**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + LN**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|----------------------------------|-----------------------------|----------|----------|----------|----------|
| 18" WIDTH | 30 | 18 | 68 ⁹ / ₁₆ | GS2SBD5H30D18L-3 [] | 4,120 | 5,618 | 6,199 | 6,777 |
|  Box/Box/File Left 68 High | 30 | 18 | 68 ⁹ / ₁₆ | GS2SBD5H30D18R-3 [] | 4,120 | 5,618 | 6,199 | 6,777 |
|  Box/Box/File Left 82 High | 30 | 18 | 81 ¹⁵ / ₁₆ | GS2SBD6H30D18L-3 [] | 4,530 | 6,178 | 6,815 | 7,451 |
| | 30 | 18 | 81 ¹⁵ / ₁₆ | GS2SBD6H30D18R-3 [] | 4,530 | 6,178 | 6,815 | 7,451 |

PRODUCT INFO

If integral pull is chosen for wood, doors will be touch latch.
 5H units include (2) adjustable shelves behind doors.
 6H units include (3) adjustable shelves behind doors.
 All units have a finished back.
 30D Laminate units have fasteners on backside with cam covers.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

STORAGE BOX 30D

5 high – 6 high | 18"W | Box / Box / File

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|----------------------------------|----------------------------|----------|----------|----------|----------|
| 18" WIDTH | 30 | 18 | 68 ⁹ / ₁₆ | GS2SBD5H30D18-3 [] | 3,810 | 5,195 | 5,731 | 6,266 |
|  Box/Box/File 68 High | | | | | | | | |
|  Box/Box/File 82 High | 30 | 18 | 81 ¹⁵ / ₁₆ | GS2SBD6H30D18-3 [] | 4,192 | 5,714 | 6,304 | 6,892 |

PRODUCT INFO

5H units include (2) adjustable shelves behind doors.

6H units include (3) adjustable shelves behind doors.

All units have a finished back.
30D Laminate units have fasteners on backside with cam covers.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WN**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + LN**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|----------------------------------|--|----------|----------|----------|----------|
| 68 HIGH | 24 | 24 | 68 ⁹ / ₁₆ | GS2UTC5H24L- <input type="checkbox"/> | 6,074 | 8,274 | 9,127 | 9,979 |
|  Left hand | | | | | | | | |
| | 24 | 24 | 68 ⁹ / ₁₆ | GS2UTC5H24R- <input type="checkbox"/> | 6,074 | 8,274 | 9,127 | 9,979 |
|  Right hand | | | | | | | | |
| 82 HIGH | 24 | 24 | 81 ¹⁵ / ₁₆ | GS2UTC6H24L- <input type="checkbox"/> | 6,960 | 9,484 | 10,462 | 11,439 |
|  Left hand | | | | | | | | |
| | 24 | 24 | 81 ¹⁵ / ₁₆ | GS2UTC6H24R- <input type="checkbox"/> | 6,960 | 9,484 | 10,462 | 11,439 |
|  Right hand | | | | | | | | |

PRODUCT INFO

All units have a finished back.
 If integral pull is chosen for wood, door will be touch latch.
 Units include (1) closet rod behind full length door.
 5H units include (2) adjustable shelves behind door above file drawers.
 6H units include (4) adjustable shelves behind door above file drawers.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS


1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

UTILITY CABINET 24D

5 high – 6 high | 24"W | Box / Box / File

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|-----------------|----|----|---------------------------------|--------------------------|----------|----------|----------|----------|
| 68" HIGH | 24 | 24 | 68 ⁹ / ₁₆ | GS2UTC5H24L-3 [] | 6,377 | 8,687 | 9,584 | 10,478 |



Left hand




Right hand

| | | | | | | | | |
|--|----|----|---------------------------------|--------------------------|-------|-------|-------|--------|
| | 24 | 24 | 68 ⁹ / ₁₆ | GS2UTC5H24R-3 [] | 6,377 | 8,687 | 9,584 | 10,478 |
|--|----|----|---------------------------------|--------------------------|-------|-------|-------|--------|

82" HIGH

| | | | | | | | | |
|--|----|----|----------------------------------|--------------------------|-------|-------|--------|--------|
| | 24 | 24 | 81 ¹⁵ / ₁₆ | GS2UTC6H24L-3 [] | 7,309 | 9,960 | 10,987 | 12,013 |
|--|----|----|----------------------------------|--------------------------|-------|-------|--------|--------|



Left hand



Right hand

| | | | | | | | | |
|--|----|----|----------------------------------|--------------------------|-------|-------|--------|--------|
| | 24 | 24 | 81 ¹⁵ / ₁₆ | GS2UTC6H24R-3 [] | 7,309 | 9,960 | 10,987 | 12,013 |
|--|----|----|----------------------------------|--------------------------|-------|-------|--------|--------|

PRODUCT INFO

All units have a finished back.
If integral pull is chosen for wood, door will be touch latch.
Units include (1) closet rod behind full length door.
5H units include (2) adjustable shelves behind door above drawers.
6H units include (4) adjustable shelves behind door above drawers.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

- MODEL NUMBER + WW**
- FSC**
- CHASSIS WOOD FINISH**
- PULL**
- DRAWERS**
- KEYING**

LAM CHASSIS

- MODEL NUMBER + LL**
- FSC**
- CHASSIS LAM**
- FRONT LAM**
- PULL**
- DRAWERS**
- KEYING**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|----|----|---------------------|--|----------|----------|----------|----------|
| 68 HIGH | 24 | 30 | 68 ^{9/16} | GS2UTC5H30L- <input type="checkbox"/> | 6,681 | 9,100 | 10,039 | 10,976 |
|  Left hand | | | | | | | | |
| | 24 | 30 | 68 ^{9/16} | GS2UTC5H30R- <input type="checkbox"/> | 6,681 | 9,100 | 10,039 | 10,976 |
|  Right hand | | | | | | | | |
| 82 HIGH | 24 | 30 | 81 ^{15/16} | GS2UTC6H30L- <input type="checkbox"/> | 7,658 | 10,434 | 11,511 | 12,585 |
|  Left hand | | | | | | | | |
| | 24 | 30 | 81 ^{15/16} | GS2UTC6H30R- <input type="checkbox"/> | 7,658 | 10,434 | 11,511 | 12,585 |
|  Right hand | | | | | | | | |

PRODUCT INFO

All units have a finished back.
 If integral pull is chosen for wood, door will be touch latch.
 Units include (1) closet rod behind full length door.
 5H units include (2) adjustable shelves behind door above drawers.
 6H units include (4) adjustable shelves behind door above drawers.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**

UTILITY CABINET 24D

5 high – 6 high | 30"W | Box / Box / File

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|-----------------|----|----|--------------------|--------------------------|----------|----------|----------|----------|
| 68" HIGH | 24 | 30 | 68 ^{9/16} | GS2UTC5H30L-3 [] | 7,014 | 9,557 | 10,542 | 11,527 |



Left hand




Right hand

| | | | | | | | | |
|--|----|----|--------------------|--------------------------|-------|-------|--------|--------|
| | 24 | 30 | 68 ^{9/16} | GS2UTC5H30R-3 [] | 7,014 | 9,557 | 10,542 | 11,527 |
|--|----|----|--------------------|--------------------------|-------|-------|--------|--------|

82" HIGH

| | | | | | | | | |
|--|----|----|---------------------|--------------------------|-------|--------|--------|--------|
| | 24 | 30 | 81 ^{15/16} | GS2UTC6H30L-3 [] | 8,040 | 10,957 | 12,087 | 13,215 |
|--|----|----|---------------------|--------------------------|-------|--------|--------|--------|



Left hand



Right hand

| | | | | | | | | |
|--|----|----|---------------------|--------------------------|-------|--------|--------|--------|
| | 24 | 30 | 81 ^{15/16} | GS2UTC6H30R-3 [] | 8,040 | 10,957 | 12,087 | 13,215 |
|--|----|----|---------------------|--------------------------|-------|--------|--------|--------|

PRODUCT INFO

All units have a finished back.
If integral pull is chosen for wood, door will be touch latch.
Units include (1) closet rod behind full length door.
5H units include (2) adjustable shelves behind door above drawers.
6H units include (4) adjustable shelves behind door above drawers.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULL**
6. **DRAWERS**
7. **KEYING**



| D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|----|----|--------|-------------------------|----------|----------|----------|----------|
| 24 | 30 | 29 1/2 | GS2SCF2H30-5 [] | 2,224 | 3,031 | 3,345 | 3,657 |
| 24 | 36 | 29 1/2 | GS2SCF2H36-5 [] | 2,474 | 3,367 | 3,715 | 4,062 |

PRODUCT INFO

Top included.
All units have a finished back.
If integral pull is chosen for wood, door will be touch latch.
(1) adjustable shelf behind doors.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|---|--|
| <p>WOOD TOP, WOOD CHASSIS</p> <ol style="list-style-type: none"> 1. MODEL NUMBER + WW 2. FSC 3. TOP WOOD FINISH + EDGE 4. CHASSIS WOOD FINISH 5. TOP FINISH 6. PULL 7. KEYING | <p>LAM TOP, LAM CHASSIS</p> <ol style="list-style-type: none"> 1. MODEL NUMBER + LL 2. FSC 3. TOP LAM 4. CHASSIS LAM 5. FRONT LAM 6. TOP FINISH 7. EDGE DETAIL 8. PULL 9. KEYING |
|---|--|


SIDE ACCESS STORAGE LOCKER 24D

5 high – 6 high

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|----------------------------------|-------------------------|----------|----------|----------|----------|
| 24" WIDTH  Left hand unit 68 High | 24 | 24 | 68 ⁹ / ₁₆ | GS2LKR5H24L- [] | 4,172 | 5,280 | 5,825 | 6,369 |
| | 24 | 24 | 68 ⁹ / ₁₆ | GS2LKR5H24R- [] | 4,172 | 5,280 | 5,825 | 6,369 |
|  Right hand unit 82 High | 24 | 24 | 81 ¹⁵ / ₁₆ | GS2LKR6H24L- [] | 5,146 | 6,510 | 7,181 | 7,852 |
| | 24 | 24 | 81 ¹⁵ / ₁₆ | GS2LKR6H24R- [] | 5,146 | 6,510 | 7,181 | 7,852 |

• Note: door overhangs chassis by 6"



PRODUCT INFO

All units have a finished back.
Unit does not lock.

 Laminate units shipped as separate packages and require field assembly.

Coat hook and metal personal storage shelves are black.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS


1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**

SIDE ACCESS STORAGE LOCKER 24D

Glass Door | 5 high – 6 high

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|----------------------------------|-------------------------|----------|----------|----------|----------|
| 24" WIDTH  Left hand unit 68 High | 24 | 24 | 68 ⁹ / ₁₆ | GS2LKR5H24L- [] | 5,212 | 6,599 | 7,281 | 7,960 |
| | 24 | 24 | 68 ⁹ / ₁₆ | GS2LKR5H24R- [] | 5,212 | 6,599 | 7,281 | 7,960 |
|  Right hand unit 82 High | 24 | 24 | 81 ¹⁵ / ₁₆ | GS2LKR6H24L- [] | 6,427 | 8,137 | 8,977 | 9,814 |
| | 24 | 24 | 81 ¹⁵ / ₁₆ | GS2LKR6H24R- [] | 6,427 | 8,137 | 8,977 | 9,814 |

• Note: door overhangs chassis by 6"



PRODUCT INFO

All units have a finished back.
 Door does not lock.
 Laminate units shipped as separate packages and require field assembly.
 Coat hook and metal personal storage shelves are black.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**

LAM CHASSIS, GLASS DOOR

1. **MODEL NUMBER + LG**
2. **FSC**
3. **CHASSIS LAM**
4. **GLASS**


SIDE ACCESS STORAGE LOCKER LAYERS HEIGHT 24D

5 high – 6 high

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|----------------------------------|--------------------------|----------|----------|----------|----------|
| 24" WIDTH  Left hand unit 68 High | 24 | 24 | 68 ⁹ / ₁₆ | GS2LLKR5H24L- [] | 4,172 | 5,280 | 5,825 | 6,369 |
| | 24 | 24 | 68 ⁹ / ₁₆ | GS2LLKR5H24R- [] | 4,172 | 5,280 | 5,825 | 6,369 |
|  Right hand unit 82 High | 24 | 24 | 81 ¹⁵ / ₁₆ | GS2LLKR6H24L- [] | 5,146 | 6,510 | 7,181 | 7,852 |
| | 24 | 24 | 81 ¹⁵ / ₁₆ | GS2LLKR6H24R- [] | 5,146 | 6,510 | 7,181 | 7,852 |

• Note: door overhangs chassis by 6"



PRODUCT INFO

All units have a finished back.
Doors do not lock.

 Laminate units shipped as separate packages and require field assembly.

Coat hook and metal personal storage shelves are black.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS


1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS


1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**

SIDE ACCESS STORAGE LOCKER LAYERS HEIGHT 24D

Glass Door | 5 high – 6 high

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|----------------------------------|---|----------|----------|----------|----------|
| 24" WIDTH  | 24 | 24 | 68 ⁹ / ₁₆ | GS2LLKR5H24L- <input type="checkbox"/> | 5,212 | 6,599 | 7,281 | 7,960 |
| | 24 | 24 | 68 ⁹ / ₁₆ | GS2LLKR5H24R- <input type="checkbox"/> | 5,212 | 6,599 | 7,281 | 7,960 |
|  | 24 | 24 | 81 ¹⁵ / ₁₆ | GS2LLKR6H24L- <input type="checkbox"/> | 6,427 | 8,137 | 8,977 | 9,814 |
| | 24 | 24 | 81 ¹⁵ / ₁₆ | GS2LLKR6H24R- <input type="checkbox"/> | 6,427 | 8,137 | 8,977 | 9,814 |

• Note: door overhangs chassis by 6"



PRODUCT INFO

All units have a finished back. Doors do not lock.
 Laminate units shipped as separate packages and require field assembly.
 Coat hook and metal personal storage shelves are black.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|-------------------------------|-----------------------------|
| WOOD CHASSIS, GLASS DOOR | LAM CHASSIS, GLASS DOOR |
| 1. MODEL NUMBER + WG | 1. MODEL NUMBER + LG |
| 2. FSC | 2. FSC |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |
| 4. GLASS | 4. GLASS |

MOBILE PEDESTAL

Silea
02/26

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|--|----------------------------------|---------------------------------|--------------------------------|--|----------|----------|----------|----------|
|  Box/File | 21 ¹⁵ / ₁₆ | 15 ³ / ₁₆ | 21 ¹ / ₂ | GS2MPD-6 <input type="checkbox"/> | 1,981 | 2,701 | 2,980 | 3,259 |
|  Box/Box/File | 23 ¹⁵ / ₁₆ | 15 ³ / ₁₆ | 27 ⁵ / ₈ | GS2MPD-3 <input type="checkbox"/> | 2,180 | 2,972 | 3,279 | 3,586 |
|  File/File | 23 ¹⁵ / ₁₆ | 15 ³ / ₁₆ | 27 ⁵ / ₈ | GS2MPD-2 <input type="checkbox"/> | 2,180 | 2,972 | 3,279 | 3,586 |

• Taller Box/Box/File and File/File mobile pedestals with a cushion will NOT fit under a standard height desk. These taller mobile pedestals are not recommended for use with a cushion due to height.

PRODUCT INFO

Top included.
Pedestal on casters.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP, WOOD CHASSIS

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULL**
5. **DRAWERS**
6. **KEYING**

LAM TOP, LAM CHASSIS

1. **MODEL NUMBER + LL**
2. **FSC**
3. **TOP LAM**
4. **CHASSIS LAM**
5. **FRONT LAM**
6. **PULL**
7. **DRAWERS**
8. **KEYING**

| | D | W | H | model number | fabric grades | | | COM/4 |
|---|----------|--------|---|------------------------|---------------|-----|-----|-------|
| | | | | | 1 | 2 | 3 | |
|  | 21 11/16 | 14 7/8 | 1 | GS2MPD-CUSH2215 | 550 | 570 | 592 | 611 |

PRODUCT INFO

For use with mobile pedestals.

COM Fabric 1.25 yds

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **FABRIC**
3. **FLAMMABILITY**

Flammability Option Codes:
U = CTB117
 For standard flammability rating, please specify CTB 117.

STORAGE EXTERNAL TOPS

For Units with Doors

Silea
02/26

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|---|----|----|--------|--|----------|----------|----------|----------|
|  | 30 | 18 | 1 3/16 | GS2SGTOPD3018- <input type="checkbox"/> | 595 | 811 | 896 | 979 |



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**

Top Finish Option:

Non-UV Open Pore Finish **NR**

LAM TOP


1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**

STORAGE EXTERNAL TOPS

For units without doors

| D | W | H | model number + type | laminata | vener 1 | vener 2 | vener 2 |
|----------------------------------|-----|--------|---------------------------|----------|---------|---------|---------|
| 29 1/8 | 18 | 1 3/16 | GS2SGTOPN3018- [] | 595 | 811 | 896 | 979 |
| • For use w/ 24D and 30D storage | | | | | | | |
| 14 7/8 | 30 | 1 3/16 | GS2SMTOPN30- [] | 431 | 993 | 1,096 | 1,198 |
| 14 7/8 | 36 | 1 3/16 | GS2SMTOPN36- [] | 488 | 665 | 734 | 803 |
| 14 7/8 | 60 | 1 3/16 | GS2SMTOPN60- [] | 734 | 1,002 | 1,106 | 1,209 |
| 14 7/8 | 72 | 1 3/16 | GS2SMTOPN72- [] | 843 | 1,151 | 1,271 | 1,390 |
| 14 7/8 | 90 | 1 3/16 | GS2SMTOPN90- [] | 1,011 | 1,378 | 1,521 | 1,662 |
| 14 7/8 | 114 | 1 3/16 | GS2SMTOPN108- [] | 1,177 | 1,605 | 1,772 | 1,937 |

• For use w/ bookcases



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**

Top Finish Option:

Non-UV Open Pore Finish **NR**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**



| | |
|--|---------|
| Wall Mount | 251-286 |
| Cabinets | 252-261 |
| Wall Mount Wall Overhead | 262-263 |
| Tackboard in Tackzone | 264-267 |
| Tackboard to Top of Overhead | 268-273 |
| Glass Whiteboard from Floor | 274 |
| Wall Mount Wall in Tackzone | 275-278 |
| Magnetic Wood to Top of Overhead | 279-283 |
| Shelving for Wall Mount Wall | 284-285 |
| Floating Shelves | 286 |

WALL MOUNT CABINETS

w/ Hinged Doors | 1H

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|--------|-----|--------|-------------------------|----------|----------|----------|----------|
|  | 16 1/4 | 30 | 14 1/8 | GS2WMC1H30- [] | 2,131 | 2,907 | 3,208 | 3,507 |
| | 16 1/4 | 36 | 14 1/8 | GS2WMC1H36- [] | 2,312 | 3,144 | 3,470 | 3,793 |
| | 16 1/4 | 42 | 14 1/8 | GS2WMC1H42- [] | 2,900 | 3,957 | 4,366 | 4,773 |
|  | 16 1/4 | 48 | 14 1/8 | GS2WMC1H48- [] | 3,057 | 4,171 | 4,602 | 5,032 |
| | 16 1/4 | 54 | 14 1/8 | GS2WMC1H54- [] | 3,218 | 4,388 | 4,841 | 5,293 |
| | 16 1/4 | 60 | 14 1/8 | GS2WMC1H60- [] | 3,344 | 4,555 | 5,026 | 5,495 |
| | 16 1/4 | 66 | 14 1/8 | GS2WMC1H66- [] | 3,571 | 4,865 | 5,368 | 5,869 |
| | 16 1/4 | 72 | 14 1/8 | GS2WMC1H72- [] | 3,777 | 5,147 | 5,678 | 6,208 |
|  | 16 1/4 | 78 | 14 1/8 | GS2WMC1H78- [] | 4,011 | 5,465 | 6,029 | 6,592 |
| | 16 1/4 | 84 | 14 1/8 | GS2WMC1H84- [] | 4,294 | 5,854 | 6,458 | 7,061 |
| | 16 1/4 | 90 | 14 1/8 | GS2WMC1H90- [] | 4,549 | 6,198 | 6,837 | 7,476 |
| | 16 1/4 | 96 | 14 1/8 | GS2WMC1H96- [] | 4,709 | 6,417 | 7,079 | 7,740 |
| | 16 1/4 | 102 | 14 1/8 | GS2WMC1H102- [] | N/A | 6,637 | 7,323 | 8,006 |
| | 16 1/4 | 108 | 14 1/8 | GS2WMC1H108- [] | N/A | 6,863 | 7,571 | 8,278 |

PRODUCT INFO

of doors:
 30" and 36" = 2 doors
 42" through 78" = 4 doors
 84" through 108" = 6 doors



TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, WOOD DOOR

- MODEL NUMBER + WW**
- FSC**
- CHASSIS WOOD FINISH**
- LOCKS**
- KEYING**

LAM CHASSIS, LAM DOOR

- MODEL NUMBER + LL**
- FSC**
- CHASSIS LAM**
- FRONT LAM**
- LOCKS**
- KEYING**

| | D | W | H | model number + type | veneer 1 | veneer 2 | veneer 3 |
|---|--------|-----|--------|-------------------------|----------|----------|----------|
|  | 16 1/4 | 30 | 14 1/8 | GS2WMC1H30- [] | 3,425 | 3,779 | 4,132 |
| | 16 1/4 | 36 | 14 1/8 | GS2WMC1H36- [] | 3,705 | 4,088 | 4,470 |
| | 16 1/4 | 60 | 14 1/8 | GS2WMC1H60- [] | 5,465 | 6,029 | 6,592 |
| | 16 1/4 | 72 | 14 1/8 | GS2WMC1H72- [] | 6,175 | 6,812 | 7,448 |
|  | 16 1/4 | 90 | 14 1/8 | GS2WMC1H90- [] | 7,652 | 8,442 | 9,230 |
| | 16 1/4 | 108 | 14 1/8 | GS2WMC1H108- [] | 8,472 | 9,346 | 10,219 |

PRODUCT INFO

Type must be specified as part # of doors:
 30" and 36" = 2 doors
 60" through 72" = 4 doors
 90" through 108" = 6 doors
 Glass doors do not lock.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR


1. **MODEL NUMBER + WG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**

WALL MOUNT CABINETS

No Doors | 1H

Silea

02/26



| D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--------|-----|--------|-------------------------|----------|----------|----------|----------|
| 15 3/8 | 30 | 14 1/8 | GS2WMC1H30- [] | 1,815 | 2,474 | 2,730 | 2,985 |
| 15 3/8 | 36 | 14 1/8 | GS2WMC1H36- [] | 1,964 | 2,677 | 2,954 | 3,230 |
| 15 3/8 | 42 | 14 1/8 | GS2WMC1H42- [] | 2,464 | 3,362 | 3,710 | 4,056 |
| 15 3/8 | 48 | 14 1/8 | GS2WMC1H48- [] | 2,597 | 3,547 | 3,914 | 4,279 |
| 15 3/8 | 54 | 14 1/8 | GS2WMC1H54- [] | 2,735 | 3,729 | 4,114 | 4,498 |
| 15 3/8 | 60 | 14 1/8 | GS2WMC1H60- [] | 2,844 | 3,876 | 4,277 | 4,676 |
| 15 3/8 | 66 | 14 1/8 | GS2WMC1H66- [] | 3,037 | 4,139 | 4,566 | 4,992 |
| 15 3/8 | 72 | 14 1/8 | GS2WMC1H72- [] | 3,211 | 4,380 | 4,833 | 5,284 |
| 15 3/8 | 78 | 14 1/8 | GS2WMC1H78- [] | 3,408 | 4,646 | 5,126 | 5,604 |
| 15 3/8 | 84 | 14 1/8 | GS2WMC1H84- [] | 3,650 | 4,979 | 5,493 | 6,006 |
| 15 3/8 | 90 | 14 1/8 | GS2WMC1H90- [] | 3,865 | 5,271 | 5,815 | 6,358 |
| 15 3/8 | 96 | 14 1/8 | GS2WMC1H96- [] | 4,002 | 5,456 | 6,019 | 6,582 |
| 15 3/8 | 102 | 14 1/8 | GS2WMC1H102- [] | N/A | 5,645 | 6,228 | 6,809 |
| 15 3/8 | 108 | 14 1/8 | GS2WMC1H108- [] | N/A | 5,837 | 6,440 | 7,041 |

PRODUCT INFO



TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + WN**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM

1. **MODEL NUMBER + LN**
2. **FSC**
3. **CHASSIS LAM**

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|---|--------|-----|--------|-------------------------|----------|----------|----------|----------|
|  | 16 1/4 | 60 | 14 1/8 | GS2WMC1H60- [] | 3,345 | 4,559 | 5,031 | 5,500 |
| | 16 1/4 | 66 | 14 1/8 | GS2WMC1H66- [] | 3,562 | 4,856 | 5,358 | 5,858 |
|  | 16 1/4 | 72 | 14 1/8 | GS2WMC1H72- [] | 3,777 | 5,153 | 5,685 | 6,215 |
| | 16 1/4 | 78 | 14 1/8 | GS2WMC1H78- [] | 4,080 | 5,562 | 6,137 | 6,710 |
| | 16 1/4 | 84 | 14 1/8 | GS2WMC1H84- [] | 4,381 | 5,973 | 6,590 | 7,205 |
| | 16 1/4 | 90 | 14 1/8 | GS2WMC1H90- [] | 4,683 | 6,385 | 7,044 | 7,701 |
| | 16 1/4 | 96 | 14 1/8 | GS2WMC1H96- [] | 4,969 | 6,637 | 7,323 | 8,006 |
| | 16 1/4 | 102 | 14 1/8 | GS2WMC1H102- [] | N/A | 6,887 | 7,598 | 8,307 |
| | 16 1/4 | 108 | 14 1/8 | GS2WMC1H108- [] | N/A | 7,068 | 7,798 | 8,526 |

PRODUCT INFO

of doors:
60" - 78" = 1 door
84" - 108" = 2 doors
Doors do not lock.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


- | | |
|-------------------------------|------------------------------|
| WOOD CHASSIS, WOOD DOOR | LAM CHASSIS, LAM DOOR |
| 1. MODEL NUMBER + WSW | 1. MODEL NUMBER + LSL |
| 2. FSC | 2. FSC |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |
| | 4. FRONT LAM |

WALL MOUNT CABINETS

w/ Sliding Glass Doors | 1H

Silea

02/26

| | D | W | H | model number + type | veneer 1 | veneer 2 | veneer 3 |
|---|--------|-----|--------|-------------------------|----------|----------|----------|
|  | 16 1/4 | 60 | 14 1/8 | GS2WMC1H60- [] | 5,738 | 6,330 | 6,922 |
| | 16 1/4 | 72 | 14 1/8 | GS2WMC1H72- [] | 6,483 | 7,152 | 7,820 |
| | 16 1/4 | 90 | 14 1/8 | GS2WMC1H90- [] | 8,032 | 8,861 | 9,688 |
|  | 16 1/4 | 108 | 14 1/8 | GS2WMC1H108- [] | 8,896 | 9,814 | 10,730 |

PRODUCT INFO

of doors:

60" and 72" = 1 door



90" and 108" = 2 doors

Glass doors do not lock.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WSG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|---|--------|----|--------|------------------------|----------|----------|----------|----------|
|  | 16 1/4 | 30 | 27 1/2 | GS2WMC2H30- [] | 3,018 | 4,102 | 4,526 | 4,948 |
| | 16 1/4 | 36 | 27 1/2 | GS2WMC2H36- [] | 3,292 | 4,479 | 4,941 | 5,403 |
| | 16 1/4 | 42 | 27 1/2 | GS2WMC2H42- [] | 3,391 | 4,626 | 5,104 | 5,580 |
|  | 16 1/4 | 48 | 27 1/2 | GS2WMC2H48- [] | 3,650 | 4,977 | 5,491 | 6,003 |
| | 16 1/4 | 54 | 27 1/2 | GS2WMC2H54- [] | 3,907 | 5,326 | 5,877 | 6,425 |
| | 16 1/4 | 60 | 27 1/2 | GS2WMC2H60- [] | 4,347 | 5,917 | 6,528 | 7,137 |
|  | 16 1/4 | 66 | 27 1/2 | GS2WMC2H66- [] | 4,652 | 6,335 | 6,990 | 7,642 |
| | 16 1/4 | 72 | 27 1/2 | GS2WMC2H72- [] | 5,290 | 6,689 | 7,380 | 8,069 |
| | 16 1/4 | 78 | 27 1/2 | GS2WMC2H78- [] | 5,395 | 6,826 | 7,531 | 8,234 |
| | 16 1/4 | 84 | 27 1/2 | GS2WMC2H84- [] | 5,645 | 7,143 | 7,880 | 8,616 |
| | 16 1/4 | 90 | 27 1/2 | GS2WMC2H90- [] | 5,939 | 7,517 | 8,292 | 9,067 |

PRODUCT INFO

of doors:
30" and 36" = 2 doors
60" through 78" = 4 doors
84" and 90" = 6 doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, WOOD DOOR

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **LOCKS**
5. **KEYING**

LAM CHASSIS, LAM DOOR



1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **LOCKS**
6. **KEYING**

WALL MOUNT CABINETS

w/ Hinged Glass Doors | 2H

Silea

02/26

| | D | W | H | model number + type | veneer 1 | veneer 2 | veneer 3 |
|---|--------|----|--------|------------------------|----------|----------|----------|
|  | 16 1/4 | 30 | 27 1/2 | GS2WMC2H30- [] | 4,831 | 5,330 | 5,827 |
| | 16 1/4 | 36 | 27 1/2 | GS2WMC2H36- [] | 5,277 | 5,822 | 6,365 |
|  | 16 1/4 | 60 | 27 1/2 | GS2WMC2H60- [] | 7,101 | 7,834 | 8,565 |
| | 16 1/4 | 72 | 27 1/2 | GS2WMC2H72- [] | 8,026 | 8,854 | 9,681 |
|  | 16 1/4 | 90 | 27 1/2 | GS2WMC2H90- [] | 9,277 | 10,233 | 11,189 |

PRODUCT INFO

of doors:

30" and 36" = 2 doors

60" and 72" = 4 doors


90" = 6 doors

Glass doors do not lock.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|--------|----|--------|------------------------|----------|----------|----------|----------|
|  | 16 1/4 | 30 | 27 1/2 | GS2WMC2H30- [] | 2,561 | 3,493 | 3,854 | 4,214 |
| | 16 1/4 | 36 | 27 1/2 | GS2WMC2H36- [] | 2,797 | 3,814 | 4,209 | 4,602 |
| | 16 1/4 | 42 | 27 1/2 | GS2WMC2H42- [] | 2,884 | 3,934 | 4,341 | 4,746 |
| | 16 1/4 | 48 | 27 1/2 | GS2WMC2H48- [] | 3,102 | 4,230 | 4,667 | 5,103 |
| | 16 1/4 | 54 | 27 1/2 | GS2WMC2H54- [] | 3,318 | 4,527 | 4,995 | 5,461 |
| | 16 1/4 | 60 | 27 1/2 | GS2WMC2H60- [] | 3,694 | 5,036 | 5,556 | 6,075 |
| | 16 1/4 | 66 | 27 1/2 | GS2WMC2H66- [] | 3,955 | 5,392 | 5,949 | 6,504 |
| | 16 1/4 | 72 | 27 1/2 | GS2WMC2H72- [] | 4,494 | 5,691 | 6,279 | 6,865 |
| | 16 1/4 | 78 | 27 1/2 | GS2WMC2H78- [] | 4,586 | 5,806 | 6,406 | 7,004 |
| | 16 1/4 | 84 | 27 1/2 | GS2WMC2H84- [] | 4,798 | 6,076 | 6,704 | 7,330 |
| | 16 1/4 | 90 | 27 1/2 | GS2WMC2H90- [] | 5,049 | 6,392 | 7,052 | 7,710 |

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WN**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS



1. **MODEL NUMBER + LN**
2. **FSC**
3. **CHASSIS LAM**

WALL MOUNT CABINETS

w/ Sliding Doors | 2H

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|--|--------|----|--------|------------------------|----------|----------|----------|----------|
|  <p>60" width</p> | 16 1/4 | 60 | 27 1/2 | GS2WMC2H60- [] | 4,346 | 5,925 | 6,537 | 7,147 |
| | 16 1/4 | 66 | 27 1/2 | GS2WMC2H66- [] | 4,818 | 6,312 | 6,964 | 7,614 |
| | 16 1/4 | 72 | 27 1/2 | GS2WMC2H72- [] | 5,290 | 6,696 | 7,387 | 8,077 |
| | 16 1/4 | 78 | 27 1/2 | GS2WMC2H78- [] | 5,677 | 7,036 | 7,762 | 8,486 |
| | 16 1/4 | 84 | 27 1/2 | GS2WMC2H84- [] | 5,966 | 7,376 | 8,138 | 8,897 |
|  <p>90" width</p> | 16 1/4 | 90 | 27 1/2 | GS2WMC2H90- [] | 6,114 | 7,741 | 8,540 | 9,337 |

PRODUCT INFO

of doors:
 60" - 78" = 1 door
 84" - 90" = 2 doors
 Doors do not lock.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, WOOD DOOR

1. **MODEL NUMBER + WSW**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS, LAM DOOR

1. **MODEL NUMBER + LSL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**

| | D | W | H | model number + type | veneer 1 | veneer 2 | veneer 3 |
|--|--------|----|--------|------------------------|----------|----------|----------|
|  60" width | 16 1/4 | 60 | 27 1/2 | GS2WMC2H60- [] | 7,455 | 8,224 | 8,993 |
| | 16 1/4 | 72 | 27 1/2 | GS2WMC2H72- [] | 7,724 | 8,521 | 9,317 |
|  90" width | 16 1/4 | 90 | 27 1/2 | GS2WMC2H90- [] | 9,568 | 10,554 | 11,540 |

PRODUCT INFO

of doors:
60" and 72" = 1 door
90" = 2 doors
Glass doors do not lock.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WSG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**

WALL MOUNT WALL OVERHEAD

Shelf Track Bottom | 1H

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|-----|-----|--------|--|----------|----------|----------|----------|
|  | 3/4 | 30 | 14 1/8 | GS2WMW1H30- <input type="checkbox"/> | 843 | 1,070 | 1,182 | 1,292 |
| | 3/4 | 36 | 14 1/8 | GS2WMW1H36- <input type="checkbox"/> | 914 | 1,156 | 1,277 | 1,396 |
| | 3/4 | 42 | 14 1/8 | GS2WMW1H42- <input type="checkbox"/> | 985 | 1,250 | 1,380 | 1,509 |
| | 3/4 | 48 | 14 1/8 | GS2WMW1H48- <input type="checkbox"/> | 1,086 | 1,376 | 1,519 | 1,660 |
| | 3/4 | 54 | 14 1/8 | GS2WMW1H54- <input type="checkbox"/> | 1,187 | 1,502 | 1,658 | 1,812 |
| | 3/4 | 60 | 14 1/8 | GS2WMW1H60- <input type="checkbox"/> | 1,324 | 1,675 | 1,848 | 2,021 |
| | 3/4 | 66 | 14 1/8 | GS2WMW1H66- <input type="checkbox"/> | 1,413 | 1,789 | 1,975 | 2,159 |
| | 3/4 | 72 | 14 1/8 | GS2WMW1H72- <input type="checkbox"/> | 1,493 | 1,890 | 2,086 | 2,280 |
| | 3/4 | 78 | 14 1/8 | GS2WMW1H78- <input type="checkbox"/> | 1,576 | 1,991 | 2,197 | 2,402 |
| | 3/4 | 84 | 14 1/8 | GS2WMW1H84- <input type="checkbox"/> | 1,653 | 2,093 | 2,311 | 2,526 |
| | 3/4 | 90 | 14 1/8 | GS2WMW1H90- <input type="checkbox"/> | 1,852 | 2,342 | 2,585 | 2,826 |
| | 3/4 | 96 | 14 1/8 | GS2WMW1H96- <input type="checkbox"/> | 1,916 | 2,425 | 2,677 | 2,927 |
| | 3/4 | 102 | 14 1/8 | GS2WMW1H102- <input type="checkbox"/> | 1,983 | 2,510 | 2,770 | 3,028 |
| | 3/4 | 108 | 14 1/8 | GS2WMW1H108- <input type="checkbox"/> | 2,053 | 2,598 | 2,867 | 3,134 |

PRODUCT INFO

Shelving can be mounted to bottom aluminum track.

Shelving ordered separately.

Veneer panels are vertical grain unless specified with horizontal stratawood grain option.

Laminate panels are always horizontal grain.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**
- EXTRUSION COLOR**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**
- EXTRUSION COLOR**

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|-----|--------|-----------------|---------------------|----------|----------|----------|----------|
|  | 3/4 | 30 | 27 1/2 | GS2WMW2H30- [] | 1,003 | 1,269 | 1,401 | 1,532 |
| | 3/4 | 36 | 27 1/2 | GS2WMW2H36- [] | 1,083 | 1,369 | 1,511 | 1,652 |
| | 3/4 | 42 | 27 1/2 | GS2WMW2H42- [] | 1,159 | 1,469 | 1,622 | 1,773 |
| | 3/4 | 48 | 27 1/2 | GS2WMW2H48- [] | 1,296 | 1,640 | 1,810 | 1,980 |
| | 3/4 | 54 | 27 1/2 | GS2WMW2H54- [] | 1,430 | 1,812 | 2,001 | 2,187 |
| | 3/4 | 60 | 27 1/2 | GS2WMW2H60- [] | 1,566 | 1,982 | 2,187 | 2,391 |
| | 3/4 | 66 | 27 1/2 | GS2WMW2H66- [] | 1,677 | 2,121 | 2,341 | 2,559 |
| | 3/4 | 72 | 27 1/2 | GS2WMW2H72- [] | 1,768 | 2,238 | 2,470 | 2,700 |
| | 3/4 | 78 | 27 1/2 | GS2WMW2H78- [] | 1,861 | 2,358 | 2,602 | 2,845 |
| | 3/4 | 84 | 27 1/2 | GS2WMW2H84- [] | 1,956 | 2,475 | 2,731 | 2,986 |
| 3/4 | 90 | 27 1/2 | GS2WMW2H90- [] | 2,193 | 2,774 | 3,062 | 3,348 | |

PRODUCT INFO

Shelving can be mounted to bottom and center aluminum track.

Shelving ordered separately.

Veneer panels are vertical grain unless specified with horizontal stratawood grain option.

Laminate panels are always horizontal grain.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **EXTRUSION COLOR**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **EXTRUSION COLOR**

WALL MOUNT TACKBOARD IN TACKZONE

For Standard Height Credenzas

Silea
02/26

fabric grades

| | D | W | H | yards | model number | 1 | 2 | 3 | COM/4 |
|---|-----|-----|----------|-------|------------------|-------|-------|-------|-------|
|  | 7/8 | 24 | 24 13/16 | 1.00 | GS2TKW24 | 809 | 832 | 858 | 885 |
| | 7/8 | 30 | 24 13/16 | 1.00 | GS2TKW30 | 850 | 874 | 902 | 930 |
| | 7/8 | 36 | 24 13/16 | 1.25 | GS2TKW36 | 891 | 923 | 956 | 991 |
| | 7/8 | 42 | 24 13/16 | 1.25 | GS2TKW42 | 923 | 956 | 989 | 1,025 |
| | 7/8 | 48 | 24 13/16 | 1.25 | GS2TKW48 | 955 | 989 | 1,024 | 1,059 |
| | 7/8 | 54 | 24 13/16 | 1.25 | GS2TKW54 | 991 | 1,027 | 1,061 | 1,101 |
| | 7/8 | 60 | 24 13/16 | 2.00 | GS2TKW60 | 1,037 | 1,088 | 1,140 | 1,195 |
| | 7/8 | 66 | 24 13/16 | 2.25 | GS2TKW66 | 1,054 | 1,105 | 1,157 | 1,212 |
| | 7/8 | 72 | 24 13/16 | 2.25 | GS2TKW72 | 1,097 | 1,155 | 1,215 | 1,274 |
| | 7/8 | 78 | 24 13/16 | 2.50 | GS2TKW78 | 1,126 | 1,189 | 1,256 | 1,324 |
| | 7/8 | 84 | 24 13/16 | 2.75 | GS2TKW84 | 1,158 | 1,221 | 1,288 | 1,356 |
| | 7/8 | 90 | 24 13/16 | 2.75 | GS2TKW90 | 1,211 | 1,280 | 1,353 | 1,425 |
| | 7/8 | 96 | 24 13/16 | 3.00 | GS2TKW96 | 1,261 | 1,338 | 1,417 | 1,498 |
| | 7/8 | 102 | 24 13/16 | 3.25 | GS2TKW102 | 1,739 | 1,821 | 1,908 | 1,996 |
| | 7/8 | 108 | 24 13/16 | 3.50 | GS2TKW108 | 1,803 | 1,892 | 1,985 | 2,079 |

Product Specifications:

STANDARD


The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations



PRODUCT INFO

102" and 108" wide tackboards are 2 piece.

See yards listed above for COM fabric requirements.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **FABRIC**
3. **FSC TACKBOARDS**


FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)

NR = FSC Not Required

WALL MOUNT GLASS WHITEBOARD IN TACKZONE

For Standard Height Credenzas

| | D | W | H | model number | glass |
|---|-----|----------|----------------------|----------------------|-------|
|  | 7/8 | 24 | 24 13/16 | GS2TGW24-GSA | 1,615 |
| | 7/8 | 30 | 24 13/16 | GS2TGW30-GSA | 1,699 |
| | 7/8 | 36 | 24 13/16 | GS2TGW36-GSA | 1,932 |
| | 7/8 | 42 | 24 13/16 | GS2TGW42-GSA | 2,233 |
| | 7/8 | 48 | 24 13/16 | GS2TGW48-GSA | 2,532 |
| | 7/8 | 54 | 24 13/16 | GS2TGW54-GSA | 2,833 |
| | 7/8 | 60 | 24 13/16 | GS2TGW60-GSA | 3,166 |
| | 7/8 | 66 | 24 13/16 | GS2TGW66-GSA | 3,625 |
| | 7/8 | 72 | 24 13/16 | GS2TGW72-GSA | 3,862 |
| | 7/8 | 78 | 24 13/16 | GS2TGW78-GSA | 4,281 |
| | 7/8 | 84 | 24 13/16 | GS2TGW84-GSA | 4,864 |
| | 7/8 | 90 | 24 13/16 | GS2TGW90-GSA | 5,087 |
| | 7/8 | 96 | 24 13/16 | GS2TGW96-GSA | 5,332 |
| | 7/8 | 102 | 24 13/16 | GS2TGW102-GSA | 5,558 |
| 7/8 | 108 | 24 13/16 | GS2TGW108-GSA | 5,794 | |

PRODUCT INFO

96", 102" and 108" wide whiteboards are 2 piece.
Whiteboard frames match glass color.
Whiteboard is magnetic.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

GLASS

1. **MODEL NUMBER**
2. **GLASS**

LAYERS WALL MOUNT TACKBOARD IN TACKZONE

For Layers Height Credenzas

Silea
02/26

fabric grades

| | D | W | H | yards | model number | 1 | 2 | 3 | COM/4 |
|---|-----|-----|----------|-------|-------------------|-------|-------|-------|-------|
|  | 7/8 | 24 | 31 15/16 | 1.00 | GS2TLKW24 | 848 | 872 | 900 | 928 |
| | 7/8 | 30 | 31 15/16 | 1.00 | GS2TLKW30 | 893 | 919 | 950 | 977 |
| | 7/8 | 36 | 31 15/16 | 1.25 | GS2TLKW36 | 934 | 967 | 1,003 | 1,038 |
| | 7/8 | 42 | 31 15/16 | 1.25 | GS2TLKW42 | 969 | 1,005 | 1,039 | 1,081 |
| | 7/8 | 48 | 31 15/16 | 1.25 | GS2TLKW48 | 1,002 | 1,038 | 1,075 | 1,116 |
| | 7/8 | 54 | 31 15/16 | 1.25 | GS2TLKW54 | 1,037 | 1,078 | 1,114 | 1,155 |
| | 7/8 | 60 | 31 15/16 | 2.00 | GS2TLKW60 | 1,088 | 1,142 | 1,198 | 1,254 |
| | 7/8 | 66 | 31 15/16 | 2.25 | GS2TLKW66 | 1,108 | 1,160 | 1,218 | 1,274 |
| | 7/8 | 72 | 31 15/16 | 2.25 | GS2TLKW72 | 1,152 | 1,212 | 1,277 | 1,339 |
| | 7/8 | 78 | 31 15/16 | 2.50 | GS2TLKW78 | 1,184 | 1,250 | 1,321 | 1,392 |
| | 7/8 | 84 | 31 15/16 | 2.75 | GS2TLKW84 | 1,216 | 1,282 | 1,353 | 1,424 |
| | 7/8 | 90 | 31 15/16 | 2.75 | GS2TLKW90 | 1,271 | 1,344 | 1,423 | 1,497 |
| | 7/8 | 96 | 31 15/16 | 3.00 | GS2TLKW96 | 1,322 | 1,403 | 1,487 | 1,570 |
| | 7/8 | 102 | 31 15/16 | 3.25 | GS2TLKW102 | 1,826 | 1,911 | 2,003 | 2,095 |
| | 7/8 | 108 | 31 15/16 | 3.50 | GS2TLKW108 | 1,893 | 1,986 | 2,084 | 2,183 |

Product Specifications:

STANDARD


The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations



PRODUCT INFO

102" and 108" wide tackboards are 2 piece.

See yards listed above for COM fabric requirements.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **FABRIC**
3. **FSC TACKBOARDS**

FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)

NR = FSC Not Required

LAYERS WALL MOUNT GLASS WHITEBOARD IN TACKZONE

For Layers Height Credenzas

| | D | W | H | model number | glass |
|-----|-----|----------|-----------------------|-----------------------|-------|
| | 7/8 | 24 | 31 15/16 | GS2TLGW24-GSA | 1,695 |
| | 7/8 | 30 | 31 15/16 | GS2TLGW30-GSA | 1,783 |
| | 7/8 | 36 | 31 15/16 | GS2TLGW36-GSA | 2,030 |
| | 7/8 | 42 | 31 15/16 | GS2TLGW42-GSA | 2,355 |
| | 7/8 | 48 | 31 15/16 | GS2TLGW48-GSA | 2,680 |
| | 7/8 | 54 | 31 15/16 | GS2TLGW54-GSA | 3,006 |
| | 7/8 | 60 | 31 15/16 | GS2TLGW60-GSA | 3,326 |
| | 7/8 | 66 | 31 15/16 | GS2TLGW66-GSA | 3,807 |
| | 7/8 | 72 | 31 15/16 | GS2TLGW72-GSA | 4,054 |
| | 7/8 | 78 | 31 15/16 | GS2TLGW78-GSA | 4,494 |
| | 7/8 | 84 | 31 15/16 | GS2TLGW84-GSA | 5,105 |
| | 7/8 | 90 | 31 15/16 | GS2TLGW90-GSA | 5,342 |
| | 7/8 | 96 | 31 15/16 | GS2TLGW96-GSA | 5,600 |
| | 7/8 | 102 | 31 15/16 | GS2TLGW102-GSA | 5,838 |
| 7/8 | 108 | 31 15/16 | GS2TLGW108-GSA | 6,087 | |

PRODUCT INFO

96", 102" and 108" wide whiteboards are 2 piece.
Whiteboard frames match glass color.
Whiteboard is magnetic.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

GLASS

1. **MODEL NUMBER**
2. **GLASS**



TACKBOARD TO TOP OF OVERHEAD

1H and 2H | for Standard Height Credenzas

Silea

02/26

fabric grades

| | D | W | H | yards | model number | 1 | 2 | 3 | COM/4 |
|---|-----|----|---------|-------|-------------------|-------|-------|-------|-------|
|  | 7/8 | 24 | 39 1/16 | 1.25 | GS2TKW1H24 | 1,014 | 1,037 | 1,063 | 1,090 |
| | 7/8 | 30 | 39 1/16 | 1.25 | GS2TKW1H30 | 1,066 | 1,090 | 1,118 | 1,146 |
| | 7/8 | 36 | 39 1/16 | 1.25 | GS2TKW1H36 | 1,086 | 1,118 | 1,151 | 1,186 |
| | 7/8 | 42 | 39 1/16 | 1.50 | GS2TKW1H42 | 1,128 | 1,169 | 1,208 | 1,247 |
| | 7/8 | 48 | 39 1/16 | 1.50 | GS2TKW1H48 | 1,163 | 1,204 | 1,243 | 1,282 |
|  | 7/8 | 24 | 52 7/16 | 1.75 | GS2TKW2H24 | 1,032 | 1,055 | 1,081 | 1,108 |
| | 7/8 | 30 | 52 7/16 | 1.75 | GS2TKW2H30 | 1,086 | 1,110 | 1,138 | 1,166 |
| | 7/8 | 36 | 52 7/16 | 1.75 | GS2TKW2H36 | 1,128 | 1,160 | 1,193 | 1,228 |
| | 7/8 | 42 | 52 7/16 | 1.75 | GS2TKW2H42 | 1,163 | 1,204 | 1,243 | 1,282 |
| | 7/8 | 48 | 52 7/16 | 1.75 | GS2TKW2H48 | 1,192 | 1,233 | 1,272 | 1,311 |

Product Specifications:

STANDARD


The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations



PRODUCT INFO

See yards listed above for COM fabric requirements.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **FABRIC**
3. **FSC TACKBOARDS**



FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)

NR = FSC Not Required

GLASS WHITEBOARD TO TOP OF OVERHEAD

1H and 2H | for Standard Height Credenzas

| | D | W | H | model number | glass |
|---|-----|----|---------|-----------------------|-------|
|  | 7/8 | 24 | 39 1/16 | GS2TGW1H24-GSA | 3,009 |
| | 7/8 | 30 | 39 1/16 | GS2TGW1H30-GSA | 3,166 |
| | 7/8 | 36 | 39 1/16 | GS2TGW1H36-GSA | 3,625 |
| | 7/8 | 42 | 39 1/16 | GS2TGW1H42-GSA | 3,862 |
| | 7/8 | 48 | 39 1/16 | GS2TGW1H48-GSA | 4,281 |
|  | 7/8 | 24 | 52 7/16 | GS2TGW2H24-GSA | 3,444 |
| | 7/8 | 30 | 52 7/16 | GS2TGW2H30-GSA | 3,625 |
| | 7/8 | 36 | 52 7/16 | GS2TGW2H36-GSA | 3,862 |
| | 7/8 | 42 | 52 7/16 | GS2TGW2H42-GSA | 4,281 |
| | 7/8 | 48 | 52 7/16 | GS2TGW2H48-GSA | 4,864 |

PRODUCT INFO

Whiteboard frames match glass color.
Whiteboard is magnetic.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

GLASS

1. **MODEL NUMBER**
2. **GLASS**

LAYERS TACKBOARD TO TOP OF OVERHEAD

1H and 2H | for Layers Height Credenzas

Silea
02/26

| | | fabric grades | | | | | | | |
|--|-----|---------------|---------|-------|--------------------|-------|-------|-------|-------|
| | D | W | H | yards | model number | 1 | 2 | 3 | COM/4 |
| | 7/8 | 24 | 46 3/16 | 1.50 | GS2TLKW1H24 | 1,032 | 1,055 | 1,081 | 1,108 |
| | 7/8 | 30 | 46 3/16 | 1.50 | GS2TLKW1H30 | 1,086 | 1,110 | 1,138 | 1,166 |
| | 7/8 | 36 | 46 3/16 | 1.50 | GS2TLKW1H36 | 1,128 | 1,160 | 1,193 | 1,228 |
| | 7/8 | 42 | 46 3/16 | 1.50 | GS2TLKW1H42 | 1,163 | 1,204 | 1,243 | 1,282 |
| | 7/8 | 48 | 46 3/16 | 1.50 | GS2TLKW1H48 | 1,192 | 1,233 | 1,272 | 1,311 |
| | 7/8 | 24 | 59 9/16 | 2.00 | GS2TLKW2H24 | 1,073 | 1,096 | 1,122 | 1,149 |
| | 7/8 | 30 | 59 9/16 | 2.00 | GS2TLKW2H30 | 1,128 | 1,152 | 1,180 | 1,208 |
| | 7/8 | 36 | 59 9/16 | 2.00 | GS2TLKW2H36 | 1,163 | 1,195 | 1,228 | 1,263 |
| | 7/8 | 42 | 59 9/16 | 2.00 | GS2TLKW2H42 | 1,192 | 1,233 | 1,272 | 1,311 |
| | 7/8 | 48 | 59 9/16 | 2.00 | GS2TLKW2H48 | 1,245 | 1,286 | 1,325 | 1,364 |

Product Specifications:

STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

See yards listed above for COM fabric requirements.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **FABRIC**
3. **FSC TACKBOARDS**



FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)

NR = FSC Not Required

LAYERS GLASS WHITEBOARD TO TOP OF OVERHEAD

1H and 2H | for Layers Height Credenzas

| | D | W | H | model number | glass |
|---|-----|----|---------|------------------------|-------|
|  | 7/8 | 24 | 46 3/16 | GS2TLGW1H24-GSA | 3,161 |
| | 7/8 | 30 | 46 3/16 | GS2TLGW1H30-GSA | 3,326 |
| | 7/8 | 36 | 46 3/16 | GS2TLGW1H36-GSA | 3,807 |
| | 7/8 | 42 | 46 3/16 | GS2TLGW1H42-GSA | 4,054 |
| | 7/8 | 48 | 46 3/16 | GS2TLGW1H48-GSA | 4,494 |
|  | 7/8 | 24 | 59 9/16 | GS2TLGW2H24-GSA | 3,618 |
| | 7/8 | 30 | 59 9/16 | GS2TLGW2H30-GSA | 3,807 |
| | 7/8 | 36 | 59 9/16 | GS2TLGW2H36-GSA | 4,054 |
| | 7/8 | 42 | 59 9/16 | GS2TLGW2H42-GSA | 4,494 |
| | 7/8 | 48 | 59 9/16 | GS2TLGW2H48-GSA | 5,105 |

PRODUCT INFO

Whiteboard frames match glass color.
Whiteboard is magnetic.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

GLASS


1. **MODEL NUMBER**
2. **GLASS**

TACKBOARDS FOR MOUNTING 1H OVERHEADS AT 6H HEIGHT

For Standard Height Credenzas

Silea
02/26

fabric grades

| | D | W | H | yards | model number | 1 | 2 | 3 | COM/4 |
|---|-----|--------|--------|-------------------|-------------------|-------|-------|-------|-------|
|  | 7/8 | 24 | 38 1/4 | 1.00 | GS2TTKW24 | 1,012 | 1,042 | 1,075 | 1,105 |
| | 7/8 | 30 | 38 1/4 | 1.00 | GS2TTKW30 | 1,064 | 1,095 | 1,129 | 1,161 |
| | 7/8 | 36 | 38 1/4 | 1.25 | GS2TTKW36 | 1,113 | 1,154 | 1,195 | 1,238 |
| | 7/8 | 42 | 38 1/4 | 1.50 | GS2TTKW42 | 1,155 | 1,197 | 1,239 | 1,283 |
| | 7/8 | 48 | 38 1/4 | 1.50 | GS2TTKW48 | 1,193 | 1,238 | 1,281 | 1,326 |
| | 7/8 | 54 | 38 1/4 | 2.00 | GS2TTKW54 | 1,485 | 1,542 | 1,591 | 1,650 |
| | 7/8 | 60 | 38 1/4 | 2.00 | GS2TTKW60 | 1,556 | 1,634 | 1,712 | 1,794 |
| | 7/8 | 66 | 38 1/4 | 2.25 | GS2TTKW66 | 1,581 | 1,659 | 1,737 | 1,819 |
| | 7/8 | 72 | 38 1/4 | 2.50 | GS2TTKW72 | 1,645 | 1,731 | 1,821 | 1,912 |
| | 7/8 | 78 | 38 1/4 | 2.50 | GS2TTKW78 | 1,689 | 1,783 | 1,884 | 1,988 |
| | 7/8 | 84 | 38 1/4 | 2.75 | GS2TTKW84 | 1,739 | 1,832 | 1,934 | 2,037 |
| | 7/8 | 90 | 38 1/4 | 3.00 | GS2TTKW90 | 1,816 | 1,919 | 2,030 | 2,140 |
| | 7/8 | 96 | 38 1/4 | 3.00 | GS2TTKW96 | 1,891 | 2,006 | 2,125 | 2,245 |
| | 7/8 | 102 | 38 1/4 | 3.50 | GS2TTKW102 | 2,609 | 2,730 | 2,862 | 2,992 |
| 7/8 | 108 | 38 1/4 | 3.50 | GS2TTKW108 | 2,706 | 2,838 | 2,980 | 3,118 | |

- Can be used in height adjustable applications with overheads to create clearance for desk and monitors. Monitor height should be verified.

Product Specifications:

STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

54"-96" wide tackboards are 2 piece.

102"-108" wide tackboards are 3 piece.

See yards listed above for COM fabric requirements.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **FABRIC**
3. **FSC TACKBOARDS**


FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)

NR = FSC Not Required

GLASS WHITEBOARDS FOR MOUNTING 1H OVERHEADS AT 6H HEIGHT

For Standard Height Credenzas



| D | W | H | model number | glass |
|-----|-----|--------|-----------------------|-------|
| 7/8 | 24 | 38 1/4 | GS2TTGW24-GSA | 2,851 |
| 7/8 | 30 | 38 1/4 | GS2TTGW30-GSA | 3,166 |
| 7/8 | 36 | 38 1/4 | GS2TTGW36-GSA | 3,625 |
| 7/8 | 42 | 38 1/4 | GS2TTGW42-GSA | 3,862 |
| 7/8 | 48 | 38 1/4 | GS2TTGW48-GSA | 4,281 |
| 7/8 | 54 | 38 1/4 | GS2TTGW54-GSA | 4,925 |
| 7/8 | 60 | 38 1/4 | GS2TTGW60-GSA | 5,703 |
| 7/8 | 66 | 38 1/4 | GS2TTGW66-GSA | 6,113 |
| 7/8 | 72 | 38 1/4 | GS2TTGW72-GSA | 6,524 |
| 7/8 | 78 | 38 1/4 | GS2TTGW78-GSA | 6,739 |
| 7/8 | 84 | 38 1/4 | GS2TTGW84-GSA | 6,952 |
| 7/8 | 90 | 38 1/4 | GS2TTGW90-GSA | 7,329 |
| 7/8 | 96 | 38 1/4 | GS2TTGW96-GSA | 7,707 |
| 7/8 | 102 | 38 1/4 | GS2TTGW102-GSA | 9,376 |
| 7/8 | 108 | 38 1/4 | GS2TTGW108-GSA | 9,787 |

- Can be used in height adjustable applications with overheads to create clearance for desk and monitors. Monitor height should be verified.

PRODUCT INFO

54"-96" wide whiteboards are 2 piece.
102"-108" wide whiteboards are 3 piece.
Whiteboard frames match glass color.
Whiteboard is magnetic.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


LIST

- 1. MODEL NUMBER**
- 2. GLASS**

GLASS WHITEBOARD FROM FLOOR

To Top of 4H, 5H and 6H

Silea
02/26



| D | W | H | model number | glass |
|-----|----|--------|-------------------|-------|
| 7/8 | 36 | 68 1/8 | GS2WGW5H36 | 4,054 |
| 7/8 | 36 | 81 1/2 | GS2WGW6H36 | 5,105 |

PRODUCT INFO

Whiteboard frames match glass color.

Whiteboard is magnetic.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

GLASS

1. **MODEL NUMBER**
2. **GLASS**

WALL MOUNT WALL IN TACKZONE

w/ Center Track | 1H | for Standard Height Credenzas

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|-----|-----|----------|------------------------|----------|----------|----------|----------|
|  | 3/4 | 30 | 24 13/16 | GS2TWD30-X [] | 899 | 1,136 | 1,255 | 1,372 |
| | 3/4 | 36 | 24 13/16 | GS2TWD36-X [] | 965 | 1,222 | 1,349 | 1,475 |
| | 3/4 | 42 | 24 13/16 | GS2TWD42-X [] | 1,076 | 1,358 | 1,499 | 1,638 |
| | 3/4 | 48 | 24 13/16 | GS2TWD48-X [] | 1,187 | 1,492 | 1,647 | 1,800 |
| | 3/4 | 54 | 24 13/16 | GS2TWD54-X [] | 1,294 | 1,625 | 1,794 | 1,961 |
| | 3/4 | 60 | 24 13/16 | GS2TWD60-X [] | 1,402 | 1,772 | 1,957 | 2,139 |
| | 3/4 | 66 | 24 13/16 | GS2TWD66-X [] | 1,498 | 1,896 | 2,093 | 2,288 |
| | 3/4 | 72 | 24 13/16 | GS2TWD72-X [] | 1,585 | 2,004 | 2,211 | 2,418 |
| | 3/4 | 78 | 24 13/16 | GS2TWD78-X [] | 1,669 | 2,113 | 2,333 | 2,550 |
| | 3/4 | 84 | 24 13/16 | GS2TWD84-X [] | 1,752 | 2,218 | 2,448 | 2,676 |
| | 3/4 | 90 | 24 13/16 | GS2TWD90-X [] | 1,962 | 2,481 | 2,738 | 2,993 |
| | 3/4 | 96 | 24 13/16 | GS2TWD96-X [] | 2,031 | 2,569 | 2,835 | 3,099 |
| | 3/4 | 102 | 24 13/16 | GS2TWD102-X [] | 2,105 | 2,661 | 2,936 | 3,211 |
| | 3/4 | 108 | 24 13/16 | GS2TWD108-X [] | 2,173 | 2,750 | 3,034 | 3,317 |

PRODUCT INFO

Shelving can be mounted to center aluminum track.
Shelving ordered separately.
Veneer panels are vertical grain unless specified with horizontal stratawood grain option.
Laminate panels are always horizontal grain.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **EXTRUSION COLOR**

LAM

1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**
4. **EXTRUSION COLOR**

MAGNETIC WALL MOUNT WALL IN TACKZONE

w/ Steel Backer | 1H | for Standard Height Credenzas

Silea
02/26

| | D | W | H | model number + type | veneer 1 | veneer 2 | veneer 3 |
|-----|-----|----------|--|--|----------|----------|----------|
| | 3/4 | 24 | 24 13/16 | GS2TWD24- <input type="checkbox"/> | 1,526 | 1,685 | 1,842 |
| | 3/4 | 30 | 24 13/16 | GS2TWD30- <input type="checkbox"/> | 1,564 | 1,727 | 1,888 |
| | 3/4 | 36 | 24 13/16 | GS2TWD36- <input type="checkbox"/> | 1,657 | 1,829 | 2,000 |
| | 3/4 | 42 | 24 13/16 | GS2TWD42- <input type="checkbox"/> | 1,805 | 1,993 | 2,178 |
| | 3/4 | 48 | 24 13/16 | GS2TWD48- <input type="checkbox"/> | 1,953 | 2,155 | 2,357 |
| | 3/4 | 54 | 24 13/16 | GS2TWD54- <input type="checkbox"/> | 2,097 | 2,315 | 2,531 |
| | 3/4 | 60 | 24 13/16 | GS2TWD60- <input type="checkbox"/> | 2,244 | 2,476 | 2,707 |
| | 3/4 | 66 | 24 13/16 | GS2TWD66- <input type="checkbox"/> | 2,375 | 2,621 | 2,865 |
| | 3/4 | 72 | 24 13/16 | GS2TWD72- <input type="checkbox"/> | 2,578 | 2,845 | 3,110 |
| | 3/4 | 78 | 24 13/16 | GS2TWD78- <input type="checkbox"/> | 2,661 | 2,936 | 3,211 |
| | 3/4 | 84 | 24 13/16 | GS2TWD84- <input type="checkbox"/> | 2,804 | 3,095 | 3,384 |
| | 3/4 | 90 | 24 13/16 | GS2TWD90- <input type="checkbox"/> | 3,175 | 3,504 | 3,831 |
| | 3/4 | 96 | 24 13/16 | GS2TWD96- <input type="checkbox"/> | 3,267 | 3,605 | 3,941 |
| | 3/4 | 102 | 24 13/16 | GS2TWD102- <input type="checkbox"/> | 3,365 | 3,713 | 4,059 |
| 3/4 | 108 | 24 13/16 | GS2TWD108- <input type="checkbox"/> | 3,544 | 3,911 | 4,276 | |

PRODUCT INFO

Tackzone is magnetic.
It is not recommended to stack wood units side by side due to grain variation. Contact Tailored Solutions for a matched set.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- 1. MODEL NUMBER + W**
- 2. FSC**
- 3. CHASSIS WOOD FINISH**

LAYERS WALL MOUNT WALL IN TACKZONE

w/ Center Track | for Layers Height Credenzas

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|-----|----------|-------------------------|-------------------------|----------|----------|----------|----------|
|  | 3/4 | 30 | 31 15/16 | GS2TLWD30-X [] | 944 | 1,194 | 1,318 | 1,441 |
| | 3/4 | 36 | 31 15/16 | GS2TLWD36-X [] | 1,013 | 1,284 | 1,418 | 1,550 |
| | 3/4 | 42 | 31 15/16 | GS2TLWD42-X [] | 1,159 | 1,467 | 1,619 | 1,770 |
| | 3/4 | 48 | 31 15/16 | GS2TLWD48-X [] | 1,274 | 1,610 | 1,777 | 1,943 |
| | 3/4 | 54 | 31 15/16 | GS2TLWD54-X [] | 1,388 | 1,759 | 1,943 | 2,123 |
| | 3/4 | 60 | 31 15/16 | GS2TLWD60-X [] | 1,473 | 1,864 | 2,058 | 2,249 |
| | 3/4 | 66 | 31 15/16 | GS2TLWD66-X [] | 1,576 | 1,992 | 2,198 | 2,403 |
| | 3/4 | 72 | 31 15/16 | GS2TLWD72-X [] | 1,662 | 2,108 | 2,327 | 2,544 |
| | 3/4 | 78 | 31 15/16 | GS2TLWD78-X [] | 1,752 | 2,220 | 2,450 | 2,678 |
| | 3/4 | 84 | 31 15/16 | GS2TLWD84-X [] | 1,841 | 2,331 | 2,573 | 2,813 |
| | 3/4 | 90 | 31 15/16 | GS2TLWD90-X [] | 2,059 | 2,608 | 2,878 | 3,147 |
| | 3/4 | 96 | 31 15/16 | GS2TLWD96-X [] | 2,131 | 2,701 | 2,980 | 3,259 |
| | 3/4 | 102 | 31 15/16 | GS2TLWD102-X [] | 2,209 | 2,797 | 3,087 | 3,375 |
| 3/4 | 108 | 31 15/16 | GS2TLWD108-X [] | 2,281 | 2,890 | 3,189 | 3,486 | |

PRODUCT INFO

Shelving can be mounted to center aluminum track.

Shelving ordered separately.

Veneer panels are vertical grain unless specified with horizontal stratawood grain option.

Laminate panels are always horizontal grain.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**
- EXTRUSION COLOR**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**
- EXTRUSION COLOR**

MAGNETIC WALL MOUNT WALL IN TACKZONE

w/ Steel Backer | for Layers Height Credenzas

Silea

02/26

| | D | W | H | model number + type | veneer 1 | veneer 2 | veneer 3 |
|-----|-----|----------|---|---|----------|----------|----------|
| | 3/4 | 24 | 31 15/16 | GS2TLWD24- <input type="checkbox"/> | 1,602 | 1,768 | 1,933 |
| | 3/4 | 30 | 31 15/16 | GS2TLWD30- <input type="checkbox"/> | 1,643 | 1,813 | 1,983 |
| | 3/4 | 36 | 31 15/16 | GS2TLWD36- <input type="checkbox"/> | 1,740 | 1,921 | 2,100 |
| | 3/4 | 42 | 31 15/16 | GS2TLWD42- <input type="checkbox"/> | 1,895 | 2,092 | 2,287 |
| | 3/4 | 48 | 31 15/16 | GS2TLWD48- <input type="checkbox"/> | 2,049 | 2,261 | 2,472 |
| | 3/4 | 54 | 31 15/16 | GS2TLWD54- <input type="checkbox"/> | 2,202 | 2,430 | 2,657 |
| | 3/4 | 60 | 31 15/16 | GS2TLWD60- <input type="checkbox"/> | 2,355 | 2,599 | 2,841 |
| | 3/4 | 66 | 31 15/16 | GS2TLWD66- <input type="checkbox"/> | 2,491 | 2,749 | 3,005 |
| | 3/4 | 72 | 31 15/16 | GS2TLWD72- <input type="checkbox"/> | 2,708 | 2,988 | 3,267 |
| | 3/4 | 78 | 31 15/16 | GS2TLWD78- <input type="checkbox"/> | 2,795 | 3,085 | 3,373 |
| | 3/4 | 84 | 31 15/16 | GS2TLWD84- <input type="checkbox"/> | 2,943 | 3,247 | 3,550 |
| | 3/4 | 90 | 31 15/16 | GS2TLWD90- <input type="checkbox"/> | 3,333 | 3,678 | 4,021 |
| | 3/4 | 96 | 31 15/16 | GS2TLWD96- <input type="checkbox"/> | 3,429 | 3,783 | 4,137 |
| | 3/4 | 102 | 31 15/16 | GS2TLWD102- <input type="checkbox"/> | 3,534 | 3,900 | 4,264 |
| 3/4 | 108 | 31 15/16 | GS2TLWD108- <input type="checkbox"/> | 3,723 | 4,107 | 4,491 | |

PRODUCT INFO

Tackzone is magnetic.
It is not recommended to stack wood units side by side due to grain variation. Contact Tailored Solutions for a matched set.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

MAGNETIC WOOD TO TOP OF OVERHEAD

1H | for Standard Height Credenzas

| | D | W | H | model number + type | veneer 1 | veneer 2 | veneer 3 |
|-----|-----|---------|-------------------------|-------------------------|----------|----------|----------|
| | 3/4 | 24 | 39 1/16 | GS2TWD1H24- [] | 2,187 | 2,414 | 2,639 |
| | 3/4 | 30 | 39 1/16 | GS2TWD1H30- [] | 2,244 | 2,476 | 2,707 |
| | 3/4 | 36 | 39 1/16 | GS2TWD1H36- [] | 2,375 | 2,621 | 2,865 |
| | 3/4 | 42 | 39 1/16 | GS2TWD1H42- [] | 2,578 | 2,845 | 3,110 |
| | 3/4 | 48 | 39 1/16 | GS2TWD1H48- [] | 2,661 | 2,936 | 3,211 |
| | 3/4 | 54 | 39 1/16 | GS2TWD1H54- [] | 2,795 | 3,085 | 3,373 |
| | 3/4 | 60 | 39 1/16 | GS2TWD1H60- [] | 2,932 | 3,235 | 3,537 |
| | 3/4 | 66 | 39 1/16 | GS2TWD1H66- [] | 3,080 | 3,399 | 3,716 |
| | 3/4 | 72 | 39 1/16 | GS2TWD1H72- [] | 3,235 | 3,569 | 3,902 |
| | 3/4 | 78 | 39 1/16 | GS2TWD1H78- [] | 3,396 | 3,747 | 4,096 |
| | 3/4 | 84 | 39 1/16 | GS2TWD1H84- [] | 3,567 | 3,936 | 4,303 |
| | 3/4 | 90 | 39 1/16 | GS2TWD1H90- [] | 3,744 | 4,130 | 4,516 |
| | 3/4 | 96 | 39 1/16 | GS2TWD1H96- [] | 3,932 | 4,338 | 4,743 |
| | 3/4 | 102 | 39 1/16 | GS2TWD1H102- [] | 4,128 | 4,554 | 4,979 |
| 3/4 | 108 | 39 1/16 | GS2TWD1H108- [] | 4,334 | 4,782 | 5,229 | |

PRODUCT INFO

Tackzone is magnetic.
It is not recommended to stack wood units side by side due to grain variation. Contact Tailored Solutions for a matched set.

24" - 48" = 1 piece
54" - 102" = 2 piece
108" = 3 piece

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD


1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

MAGNETIC WOOD TO TOP OF OVERHEAD

2H | for Standard Height Credenzas

Silea

02/26



| D | W | H | model number + type | veneer 1 | veneer 2 | veneer 3 |
|-----|-----|---------|-------------------------|----------|----------|----------|
| 3/4 | 24 | 52 7/16 | GS2TWD2H24- [] | 2,316 | 2,556 | 2,795 |
| 3/4 | 30 | 52 7/16 | GS2TWD2H30- [] | 2,375 | 2,621 | 2,865 |
| 3/4 | 36 | 52 7/16 | GS2TWD2H36- [] | 2,578 | 2,845 | 3,110 |
| 3/4 | 42 | 52 7/16 | GS2TWD2H42- [] | 2,661 | 2,936 | 3,211 |
| 3/4 | 48 | 52 7/16 | GS2TWD2H48- [] | 2,804 | 3,095 | 3,384 |
| 3/4 | 54 | 52 7/16 | GS2TWD2H54- [] | 2,944 | 3,248 | 3,551 |
| 3/4 | 60 | 52 7/16 | GS2TWD2H60- [] | 3,091 | 3,411 | 3,729 |
| 3/4 | 66 | 52 7/16 | GS2TWD2H66- [] | 3,246 | 3,582 | 3,916 |
| 3/4 | 72 | 52 7/16 | GS2TWD2H72- [] | 3,408 | 3,760 | 4,112 |
| 3/4 | 78 | 52 7/16 | GS2TWD2H78- [] | 3,578 | 3,948 | 4,316 |
| 3/4 | 84 | 52 7/16 | GS2TWD2H84- [] | 3,758 | 4,146 | 4,533 |
| 3/4 | 90 | 52 7/16 | GS2TWD2H90- [] | 3,944 | 4,352 | 4,758 |
| 3/4 | 96 | 52 7/16 | GS2TWD2H96- [] | 4,144 | 4,572 | 4,998 |
| 3/4 | 102 | 52 7/16 | GS2TWD2H102- [] | 4,351 | 4,801 | 5,249 |
| 3/4 | 108 | 52 7/16 | GS2TWD2H108- [] | 4,568 | 5,041 | 5,511 |

PRODUCT INFO

Tackzone is magnetic.
It is not recommended to stack wood units side by side due to grain variation. Contact Tailored Solutions for a matched set.

24" - 48" = 1 piece
54" - 102" = 2 piece
108" = 3 piece


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAYERS MAGNETIC WOOD TO TOP OF OVERHEAD

1H | for Layers Height Credenzas



| D | W | H | model number | veneer 1 | veneer 2 | veneer 3 |
|-----|-----|---------|-------------------|----------|----------|----------|
| 3/4 | 24 | 46 3/16 | GS2TLWD1H24- [] | 2,296 | 2,534 | 2,771 |
| 3/4 | 30 | 46 3/16 | GS2TLWD1H30- [] | 2,355 | 2,599 | 2,841 |
| 3/4 | 36 | 46 3/16 | GS2TLWD1H36- [] | 2,491 | 2,749 | 3,005 |
| 3/4 | 42 | 46 3/16 | GS2TLWD1H42- [] | 2,708 | 2,988 | 3,267 |
| 3/4 | 48 | 46 3/16 | GS2TLWD1H48- [] | 2,795 | 3,085 | 3,373 |
| 3/4 | 54 | 46 3/16 | GS2TLWD1H54- [] | 2,932 | 3,235 | 3,537 |
| 3/4 | 60 | 46 3/16 | GS2TLWD1H60- [] | 3,080 | 3,399 | 3,716 |
| 3/4 | 66 | 46 3/16 | GS2TLWD1H66- [] | 3,235 | 3,569 | 3,902 |
| 3/4 | 72 | 46 3/16 | GS2TLWD1H72- [] | 3,396 | 3,747 | 4,096 |
| 3/4 | 78 | 46 3/16 | GS2TLWD1H78- [] | 3,567 | 3,936 | 4,303 |
| 3/4 | 84 | 46 3/16 | GS2TLWD1H84- [] | 3,744 | 4,130 | 4,516 |
| 3/4 | 90 | 46 3/16 | GS2TLWD1H90- [] | 3,932 | 4,338 | 4,743 |
| 3/4 | 96 | 46 3/16 | GS2TLWD1H96- [] | 4,128 | 4,554 | 4,979 |
| 3/4 | 102 | 46 3/16 | GS2TLWD1H102- [] | 4,334 | 4,782 | 5,229 |
| 3/4 | 108 | 46 3/16 | GS2TLWD1H108- [] | 4,550 | 5,021 | 5,489 |

PRODUCT INFO

Tackzone is magnetic.
It is not recommended to stack wood units side by side due to grain variation. Contact Tailored Solutions for a matched set.

24" - 48" = 1 piece
54" - 102" = 2 piece
108" = 3 piece

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD


- 1. MODEL NUMBER + W**
- 2. FSC**
- 3. CHASSIS WOOD FINISH**

LAYERS MAGNETIC WOOD TO TOP OF OVERHEAD

2H | for Layers Height Credenzas

Silea

02/26



| D | W | H | model number | veneer 1 | veneer 2 | veneer 3 |
|-----|-----|---------|--------------------------|----------|----------|----------|
| 3/4 | 24 | 59 9/16 | GS2TLWD2H24- [] | 2,431 | 2,683 | 2,934 |
| 3/4 | 30 | 59 9/16 | GS2TLWD2H30- [] | 2,491 | 2,749 | 3,005 |
| 3/4 | 36 | 59 9/16 | GS2TLWD2H36- [] | 2,708 | 2,988 | 3,267 |
| 3/4 | 42 | 59 9/16 | GS2TLWD2H42- [] | 2,795 | 3,085 | 3,373 |
| 3/4 | 48 | 59 9/16 | GS2TLWD2H48- [] | 2,943 | 3,247 | 3,550 |
| 3/4 | 54 | 59 9/16 | GS2TLWD2H54- [] | 3,091 | 3,411 | 3,729 |
| 3/4 | 60 | 59 9/16 | GS2TLWD2H60- [] | 3,246 | 3,582 | 3,916 |
| 3/4 | 66 | 59 9/16 | GS2TLWD2H66- [] | 3,408 | 3,760 | 4,112 |
| 3/4 | 72 | 59 9/16 | GS2TLWD2H72- [] | 3,578 | 3,948 | 4,316 |
| 3/4 | 78 | 59 9/16 | GS2TLWD2H78- [] | 3,758 | 4,146 | 4,533 |
| 3/4 | 84 | 59 9/16 | GS2TLWD2H84- [] | 3,944 | 4,352 | 4,758 |
| 3/4 | 90 | 59 9/16 | GS2TLWD2H90- [] | 4,144 | 4,572 | 4,998 |
| 3/4 | 96 | 59 9/16 | GS2TLWD2H96- [] | 4,351 | 4,801 | 5,249 |
| 3/4 | 102 | 59 9/16 | GS2TLWD2H102- [] | 4,568 | 5,041 | 5,511 |
| 3/4 | 108 | 59 9/16 | GS2TLWD2H108- [] | 4,794 | 5,288 | 5,782 |

PRODUCT INFO

Tackzone is magnetic.
It is not recommended to stack wood units side by side due to grain variation. Contact Tailored Solutions for a matched set.

24" - 48" = 1 piece
54" - 102" = 2 piece
108" = 3 piece


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- 1. MODEL NUMBER + W**
- 2. FSC**
- 3. CHASSIS WOOD FINISH**

MAGNETIC WOOD TACKZONE FOR MOUNTING 1H OVERHEADS AT 6H HEIGHT

for Standard Height Credenzas

| | D | W | H | model number + type | veneer 1 | veneer 2 | veneer 3 |
|---|-----|--------|----------------------------|----------------------------|----------|----------|----------|
|  | 7/8 | 24 | 38 1/4 | GS2TTWD24- [] [] | 2,187 | 2,414 | 2,639 |
| | 7/8 | 30 | 38 1/4 | GS2TTWD30- [] [] | 2,244 | 2,476 | 2,707 |
| | 7/8 | 36 | 38 1/4 | GS2TTWD36- [] [] | 2,375 | 2,621 | 2,865 |
| | 7/8 | 42 | 38 1/4 | GS2TTWD42- [] [] | 2,578 | 2,845 | 3,110 |
| | 7/8 | 48 | 38 1/4 | GS2TTWD48- [] [] | 2,661 | 2,936 | 3,211 |
| | 7/8 | 54 | 38 1/4 | GS2TTWD54- [] [] | 2,795 | 3,085 | 3,373 |
| | 7/8 | 60 | 38 1/4 | GS2TTWD60- [] [] | 2,932 | 3,235 | 3,537 |
| | 7/8 | 66 | 38 1/4 | GS2TTWD66- [] [] | 3,080 | 3,399 | 3,716 |
| | 7/8 | 72 | 38 1/4 | GS2TTWD72- [] [] | 3,235 | 3,569 | 3,902 |
| | 7/8 | 78 | 38 1/4 | GS2TTWD78- [] [] | 3,396 | 3,747 | 4,096 |
| | 7/8 | 84 | 38 1/4 | GS2TTWD84- [] [] | 3,567 | 3,936 | 4,303 |
| | 7/8 | 90 | 38 1/4 | GS2TTWD90- [] [] | 3,744 | 4,130 | 4,516 |
| | 7/8 | 96 | 38 1/4 | GS2TTWD96- [] [] | 3,932 | 4,338 | 4,743 |
| | 7/8 | 102 | 38 1/4 | GS2TTWD102- [] [] | 4,128 | 4,554 | 4,979 |
| 7/8 | 108 | 38 1/4 | GS2TTWD108- [] [] | 4,334 | 4,782 | 5,229 | |

• Can be used in height adjustable applications with overheads to create clearance for desk and monitors. Monitor height should be verified.

PRODUCT INFO

Tackzone is magnetic.
It is not recommended to stack wood units side by side due to grain variation. Contact Tailored Solutions for a matched set.
54"-96" models are 2-piece.
102"-108" models are 3-piece.

TO ORDER PLEASE SPECIFY THE FOLLOWING:



WOOD

- 1. MODEL NUMBER + W**
- 2. FSC**
- 3. CHASSIS WOOD FINISH**

SHELVING FOR WALL MOUNT WALL

8 1/2" depth

Silea
02/26

| | D | W | H | model number + type | laminate | aluminum | veneer 1 | veneer 2 | veneer 3 | |
|---|---|-------|-----|---|--|----------|----------|----------|----------|-------|
| ALUMINUM  Side view | 8 1/2 | 30 | 3/4 | GS2ASF830- <input type="checkbox"/> | 661 | 865 | 837 | 925 | 1,010 | |
| | 8 1/2 | 36 | 3/4 | GS2ASF836- <input type="checkbox"/> | 716 | 933 | 904 | 998 | 1,092 | |
| | 8 1/2 | 42 | 3/4 | GS2ASF842- <input type="checkbox"/> | 796 | 1,021 | 1,009 | 1,113 | 1,217 | |
| | 8 1/2 | 48 | 3/4 | GS2ASF848- <input type="checkbox"/> | 876 | 1,121 | 1,109 | 1,225 | 1,339 | |
| | 8 1/2 | 54 | 3/4 | GS2ASF854- <input type="checkbox"/> | 957 | 1,222 | 1,212 | 1,338 | 1,462 | |
| | 8 1/2 | 60 | 3/4 | GS2ASF860- <input type="checkbox"/> | 1,035 | 1,349 | 1,308 | 1,444 | 1,579 | |
| | 8 1/2 | 66 | 3/4 | GS2ASF866- <input type="checkbox"/> | 1,106 | 1,441 | 1,400 | 1,546 | 1,691 | |
| | 8 1/2 | 72 | 3/4 | GS2ASF872- <input type="checkbox"/> | 1,168 | 1,519 | 1,477 | 1,630 | 1,782 | |
| | LAM / WOOD  Side view | 8 1/2 | 78 | 3/4 | GS2ASF878- <input type="checkbox"/> | 1,230 | 1,603 | 1,558 | 1,720 | 1,880 |
| | | 8 1/2 | 84 | 3/4 | GS2ASF884- <input type="checkbox"/> | 1,296 | 1,684 | 1,636 | 1,806 | 1,974 |
| 8 1/2 | | 90 | 3/4 | GS2ASF890- <input type="checkbox"/> | 1,447 | 1,884 | 1,832 | 2,023 | 2,211 | |
| 8 1/2 | | 96 | 3/4 | GS2ASF896- <input type="checkbox"/> | 1,502 | 1,950 | 1,895 | 2,092 | 2,287 | |
| 8 1/2 | | 102 | 3/4 | GS2ASF8102- <input type="checkbox"/> | 1,552 | 2,019 | 1,960 | 2,163 | 2,365 | |
| 8 1/2 | | 108 | 3/4 | GS2ASF8108- <input type="checkbox"/> | 1,604 | 2,088 | 2,027 | 2,237 | 2,446 | |
| 8 1/2 | | 114 | 3/4 | GS2ASF8114- <input type="checkbox"/> | 1,915 | 2,327 | 2,425 | 2,677 | 2,927 | |
| 8 1/2 | | 120 | 3/4 | GS2ASF8120- <input type="checkbox"/> | 2,070 | 2,695 | 2,617 | 2,888 | 3,158 | |
| 8 1/2 | | 132 | 3/4 | GS2ASF8132- <input type="checkbox"/> | 2,218 | N/A | 2,805 | 3,096 | 3,385 | |
| 8 1/2 | | 144 | 3/4 | GS2ASF8144- <input type="checkbox"/> | 2,337 | N/A | 2,959 | 3,265 | 3,570 | |

• Note: Weight capacity for 8 1/2" depth shelves is 1.75 lbs per linear inch of shelf width. Load should be evenly distributed.

PRODUCT INFO

Aluminum shelf is powder coated.

An aluminum rail is mounted to back of shelf.

Laminate shelves (2) piece above 96".

All aluminum shelves are (1) piece.

Wood shelves (2) piece above 120".

Light ordered separately:
 30" and 36" = (1) 24" light
 60" = (1) 48" light
 66" through 108" = (1) 60" light
 120" = (2) 48" lights

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**
- EXTRUSION COLOR**

ALUMINUM

- MODEL NUMBER + A**
- EXTRUSION COLOR**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**
- EXTRUSION COLOR**

| | D | W | H | model number + type | laminate | aluminum | veneer 1 | veneer 2 | veneer 3 | |
|---|---|--------|-----|--|---|----------|----------|----------|----------|-------|
| ALUMINUM  Side view | 12 1/2 | 30 | 3/4 | GS2ASF1230- <input type="checkbox"/> | 735 | 959 | 932 | 1,029 | 1,126 | |
| | 12 1/2 | 36 | 3/4 | GS2ASF1236- <input type="checkbox"/> | 794 | 1,035 | 1,006 | 1,110 | 1,214 | |
| | 12 1/2 | 42 | 3/4 | GS2ASF1242- <input type="checkbox"/> | 884 | 1,133 | 1,120 | 1,237 | 1,352 | |
| | 12 1/2 | 48 | 3/4 | GS2ASF1248- <input type="checkbox"/> | 975 | 1,244 | 1,233 | 1,361 | 1,488 | |
| | 12 1/2 | 54 | 3/4 | GS2ASF1254- <input type="checkbox"/> | 1,063 | 1,355 | 1,346 | 1,486 | 1,624 | |
| | 12 1/2 | 60 | 3/4 | GS2ASF1260- <input type="checkbox"/> | 1,152 | 1,496 | 1,453 | 1,604 | 1,754 | |
| | 12 1/2 | 66 | 3/4 | GS2ASF1266- <input type="checkbox"/> | 1,230 | 1,602 | 1,555 | 1,717 | 1,876 | |
| | 12 1/2 | 72 | 3/4 | GS2ASF1272- <input type="checkbox"/> | 1,298 | 1,728 | 1,640 | 1,810 | 1,980 | |
| | LAM / WOOD  Side view | 12 1/2 | 78 | 3/4 | GS2ASF1278- <input type="checkbox"/> | 1,370 | 1,818 | 1,730 | 1,910 | 2,087 |
| | | 12 1/2 | 84 | 3/4 | GS2ASF1284- <input type="checkbox"/> | 1,441 | 1,913 | 1,818 | 2,007 | 2,194 |
| 12 1/2 | | 90 | 3/4 | GS2ASF1290- <input type="checkbox"/> | 1,609 | 2,095 | 2,034 | 2,245 | 2,454 | |
| 12 1/2 | | 96 | 3/4 | GS2ASF1296- <input type="checkbox"/> | 1,663 | 2,168 | 2,106 | 2,325 | 2,541 | |
| 12 1/2 | | 102 | 3/4 | GS2ASF12102- <input type="checkbox"/> | 1,723 | 2,243 | 2,179 | 2,405 | 2,629 | |
| 12 1/2 | | 108 | 3/4 | GS2ASF12108- <input type="checkbox"/> | 1,782 | 2,372 | 2,252 | 2,485 | 2,716 | |
| 12 1/2 | | 114 | 3/4 | GS2ASF12114- <input type="checkbox"/> | 2,063 | 2,590 | 2,613 | 2,884 | 3,153 | |
| 12 1/2 | | 120 | 3/4 | GS2ASF12120- <input type="checkbox"/> | 2,301 | 2,997 | 2,909 | 3,210 | 3,510 | |
| 12 1/2 | | 132 | 3/4 | GS2ASF12132- <input type="checkbox"/> | 2,462 | N/A | 3,116 | 3,438 | 3,759 | |
| 12 1/2 | | 144 | 3/4 | GS2ASF12144- <input type="checkbox"/> | 2,596 | N/A | 3,290 | 3,631 | 3,969 | |

• Note: Weight capacity for 12 1/2" depth shelves is 2.50 lbs per linear inch of shelf width. Load should be evenly distributed.

PRODUCT INFO

Aluminum shelf is powder coated.

An aluminum rail is mounted to back of shelf.

Laminate shelves (2) piece above 96".

All aluminum shelves are (1) piece.

Wood shelves (2) piece above 120".

Light ordered separately:
 30" and 36" = (1) 24" light
 60" = (1) 48" light
 66" through 108" = (1) 60" light
 120" = (2) 48" lights

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- MODEL NUMBER + W**
- FSC**
- CHASSIS WOOD FINISH**
- EXTRUSION COLOR**

ALUMINUM

- MODEL NUMBER + A**
- EXTRUSION COLOR**

LAM

- MODEL NUMBER + L**
- FSC**
- CHASSIS LAM**
- EXTRUSION COLOR**

FLOATING SHELVES

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|---|----|--------|--|----------|----------|----------|----------|
|  | 8 | 30 | 1 3/16 | GS2FSF830- <input type="checkbox"/> | 674 | 853 | 942 | 1,029 |
| | 8 | 36 | 1 3/16 | GS2FSF836- <input type="checkbox"/> | 731 | 923 | 1,019 | 1,115 |
| | 8 | 42 | 1 3/16 | GS2FSF842- <input type="checkbox"/> | 860 | 1,087 | 1,201 | 1,312 |
| | 8 | 48 | 1 3/16 | GS2FSF848- <input type="checkbox"/> | 965 | 1,222 | 1,349 | 1,475 |
| | 8 | 54 | 1 3/16 | GS2FSF854- <input type="checkbox"/> | 1,012 | 1,282 | 1,416 | 1,548 |
| | 8 | 60 | 1 3/16 | GS2FSF860- <input type="checkbox"/> | 1,055 | 1,337 | 1,476 | 1,613 |
| | 8 | 66 | 1 3/16 | GS2FSF866- <input type="checkbox"/> | 1,111 | 1,406 | 1,553 | 1,698 |
| | 8 | 72 | 1 3/16 | GS2FSF872- <input type="checkbox"/> | 1,191 | 1,508 | 1,664 | 1,819 |

- Note: When 2 floating shelves are placed end-to-end, it is recommended to request a Special with an alignment dowell.

NOTE: For display purposes only.
5 lb. weight restriction per linear foot.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

1. **MODEL NUMBER + W**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM



1. **MODEL NUMBER + L**
2. **FSC**
3. **CHASSIS LAM**

| | |
|-------------------------|---------|
| Surface Mount | 287-300 |
| Cabinets | 288-292 |
| Towers | 293-298 |
| Tackboard | 299 |
| External Tops | 300 |

SURFACE MOUNT CABINETS

w/ Hinged Doors | 1H

Silea
02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|--------|---------|---------|-------------------------|----------|----------|----------|----------|
|  | 15 3/4 | 59 7/8 | 39 1/16 | GS2SMC1H60- [] | 4,355 | 5,507 | 6,075 | 6,642 |
| | 15 3/4 | 65 7/8 | 39 1/16 | GS2SMC1H66- [] | 4,516 | 5,710 | 6,299 | 6,887 |
|  | 15 3/4 | 71 7/8 | 39 1/16 | GS2SMC1H72- [] | 4,892 | 6,183 | 6,821 | 7,457 |
| | 15 3/4 | 77 7/8 | 39 1/16 | GS2SMC1H78- [] | 4,986 | 6,304 | 6,956 | 7,604 |
| | 15 3/4 | 83 7/8 | 39 1/16 | GS2SMC1H84- [] | 5,238 | 6,622 | 7,306 | 7,988 |
| | 15 3/4 | 89 7/8 | 39 1/16 | GS2SMC1H90- [] | 5,519 | 6,975 | 7,695 | 8,414 |
| | 15 3/4 | 95 7/8 | 39 1/16 | GS2SMC1H96- [] | 5,801 | 7,335 | 8,093 | 8,848 |
| | 15 3/4 | 101 7/8 | 39 1/16 | GS2SMC1H102- [] | N/A | 8,003 | 8,829 | 9,653 |
| | 15 3/4 | 107 7/8 | 39 1/16 | GS2SMC1H108- [] | N/A | 8,523 | 9,402 | 10,280 |

PRODUCT INFO

of doors:

60" through 78" = 4 doors

84" through 108" = 6 doors

All units have a finished back.

If tasklight cord grommet is chosen (WY), a 1 1/4" hole is included in back panel.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, WOOD DOOR

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **TASKLIGHT CORD GROMMET**
5. **LOCKS**
6. **KEYING**

LAM CHASSIS, LAM DOOR

1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **TASKLIGHT CORD GROMMET**
6. **LOCKS**
7. **KEYING**

| | D | W | H | model number + type | veneer 1 | veneer 2 | veneer 3 |
|--|--------|---------|---------|-------------------------|----------|----------|----------|
|   | 15 3/4 | 59 7/8 | 39 1/16 | GS2SMC1H60- [] | 6,728 | 7,422 | 8,115 |
| | 15 3/4 | 71 7/8 | 39 1/16 | GS2SMC1H72- [] | 7,558 | 8,337 | 9,116 |
| | 15 3/4 | 89 7/8 | 39 1/16 | GS2SMC1H90- [] | 8,527 | 9,406 | 10,285 |
| | 15 3/4 | 107 7/8 | 39 1/16 | GS2SMC1H108- [] | 10,416 | 11,491 | 12,563 |

PRODUCT INFO

of doors:
60" and 72" = 4 doors
90" and 108" = 6 doors
All units have a finished back.
Glass doors do not lock.
Door frames match glass color.
If tasklight cord grommet is chosen (WY), a 1 1/4" hole is included in back panel.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


- WOOD CHASSIS, GLASS DOOR
- MODEL NUMBER + WG**
 - FSC**
 - CHASSIS WOOD FINISH**
 - GLASS**
 - TASKLIGHT CORD GROMMET**

SURFACE MOUNT CABINETS

No Doors | 1H

Silea

02/26

| | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|--------|---------|---------|-------------------------|----------|----------|----------|----------|
|  | 14 7/8 | 59 7/8 | 39 1/16 | GS2SMC1H60- [] | 3,703 | 4,687 | 5,171 | 5,655 |
| | 14 7/8 | 65 7/8 | 39 1/16 | GS2SMC1H66- [] | 3,840 | 4,860 | 5,363 | 5,863 |
| | 14 7/8 | 71 7/8 | 39 1/16 | GS2SMC1H72- [] | 4,156 | 5,263 | 5,806 | 6,348 |
| | 14 7/8 | 77 7/8 | 39 1/16 | GS2SMC1H78- [] | 4,238 | 5,369 | 5,924 | 6,476 |
| | 14 7/8 | 83 7/8 | 39 1/16 | GS2SMC1H84- [] | 4,451 | 5,636 | 6,218 | 6,798 |
| | 14 7/8 | 89 7/8 | 39 1/16 | GS2SMC1H90- [] | 4,690 | 5,936 | 6,549 | 7,161 |
| | 14 7/8 | 95 7/8 | 39 1/16 | GS2SMC1H96- [] | 4,931 | 6,244 | 6,889 | 7,532 |
| | 14 7/8 | 101 7/8 | 39 1/16 | GS2SMC1H102- [] | N/A | 6,811 | 7,513 | 8,215 |
| | 14 7/8 | 107 7/8 | 39 1/16 | GS2SMC1H108- [] | N/A | 7,254 | 8,002 | 8,749 |

PRODUCT INFO

of doors:

60" through 78" = 4 doors

84" and 90" = 6 doors

All units have a finished back.

If tasklight cord grommet is chosen (WY), a 1 1/4" hole is included in back panel.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WN**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **TASKLIGHT CORD GROMMET**

LAM CHASSIS

1. **MODEL NUMBER + LN**
2. **FSC**
3. **CHASSIS LAM**
4. **TASKLIGHT CORD GROMMET**

| | D | W | H | model number + type | veneer 1 | veneer 2 | veneer 3 |
|---|--------|--------|---------|------------------------|----------|----------|----------|
|  | 15 3/4 | 59 7/8 | 52 7/16 | GS2SMC2H60- [] | 6,675 | 7,364 | 8,051 |
| | 15 3/4 | 65 7/8 | 52 7/16 | GS2SMC2H66- [] | 6,848 | 7,555 | 8,260 |
| | 15 3/4 | 71 7/8 | 52 7/16 | GS2SMC2H72- [] | 7,127 | 7,863 | 8,597 |
| | 15 3/4 | 77 7/8 | 52 7/16 | GS2SMC2H78- [] | 7,537 | 8,314 | 9,091 |
| | 15 3/4 | 83 7/8 | 52 7/16 | GS2SMC2H84- [] | 7,916 | 8,733 | 9,548 |
| | 15 3/4 | 89 7/8 | 52 7/16 | GS2SMC2H90- [] | 8,293 | 9,148 | 10,002 |

PRODUCT INFO

of doors:
60" through 78" = 4 doors
84" and 90" = 6 doors
All units have a finished back.
If tasklight cord grommet is chosen (WY), a 1 1/4" hole is included in back panel.


TO ORDER PLEASE SPECIFY THE FOLLOWING:


- WOOD CHASSIS, WOOD DOOR
1. **MODEL NUMBER + WW**
 2. **FSC**
 3. **CHASSIS WOOD FINISH**
 4. **TASKLIGHT CORD GROMMET**
 5. **LOCKS**
 6. **KEYING**

SURFACE MOUNT CABINETS

w/ Hinged Glass Doors | 2H

Silea
02/26

| | D | W | H | model number + type | veneer 1 | veneer 2 | veneer 3 |
|---|--------|--------|---------|------------------------|----------|----------|----------|
|  | 15 3/4 | 59 7/8 | 52 7/16 | GS2SMC2H60- [] | 8,161 | 9,003 | 9,844 |
| | 15 3/4 | 71 7/8 | 52 7/16 | GS2SMC2H72- [] | 8,710 | 9,609 | 10,506 |
| | 15 3/4 | 89 7/8 | 52 7/16 | GS2SMC2H90- [] | 10,137 | 11,183 | 12,227 |



PRODUCT INFO

of doors:

60" and 72" = 4 doors

90" = 6 doors

Glass doors do not lock.

All units have a finished back.

Door frames match glass color.

If tasklight cord grommet is chosen (WY), a 1 1/4" hole is included in back panel.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**
5. **TASKLIGHT CORD GROMMET**

| | | D | W | H | model number + type | laminate | veneer 1 | veneer 2 | veneer 3 | |
|--|----------------------------|-------|--------|----|---------------------|--|----------|----------|----------|-------|
| 15" WIDTH | | | | | | | | | | |
|  | 1 door Door hinged left | LEFT | 15 3/4 | 15 | 39 1/16 | GS2STF1H15L- <input type="checkbox"/> | 1,288 | 1,425 | 1,573 | 1,720 |
| | | RIGHT | 15 3/4 | 15 | 39 1/16 | GS2STF1H15R- <input type="checkbox"/> | 1,288 | 1,425 | 1,573 | 1,720 |
| 18" WIDTH | | | | | | | | | | |
|  | 1 door Door hinged left | LEFT | 15 3/4 | 18 | 39 1/16 | GS2STF1H18L- <input type="checkbox"/> | 1,609 | 1,780 | 1,966 | 2,149 |
| | | RIGHT | 15 3/4 | 18 | 39 1/16 | GS2STF1H18R- <input type="checkbox"/> | 1,609 | 1,780 | 1,966 | 2,149 |
| 30" WIDTH | | | | | | | | | | |
|  | 2 doors | | 15 3/4 | 30 | 39 1/16 | GS2STF1H30- <input type="checkbox"/> | 2,605 | 2,880 | 3,178 | 3,474 |
| 36" WIDTH | | | | | | | | | | |
|  | 2 doors | | 15 3/4 | 36 | 39 1/16 | GS2STF1H36- <input type="checkbox"/> | 2,931 | 3,244 | 3,579 | 3,913 |

PRODUCT INFO

All units have a finished back.
If integral pull is chosen for wood, doors will be touch latch.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- | | |
|-------------------------------|-----------------------------|
| WOOD CHASSIS, WOOD DOOR | LAM CHASSIS, LAM DOOR |
| 1. MODEL NUMBER + WW | 1. MODEL NUMBER + LL |
| 2. FSC | 2. FSC |
| 3. CHASSIS WOOD FINISH | 3. CHASSIS LAM |
| 4. PULLS | 4. FRONT LAM |
| 5. LOCKS | 5. PULLS |
| 6. KEYING | 6. LOCKS |
| | 7. KEYING |

SURFACE MOUNT TOWERS

w/ Hinged Glass Doors | 1H

Silea

02/26

| | D | W | H | model number + type | veneer 1 | veneer 2 | veneer 3 | |
|--|-------|--------|----|---------------------|-------------------------|----------|----------|-------|
| 15" WIDTH | | | | | | | | |
|  1 door | LEFT | 15 3/4 | 15 | 39 1/16 | GS2STF1H15L- [] | 1,740 | 1,921 | 2,100 |
| | RIGHT | 15 3/4 | 15 | 39 1/16 | GS2STF1H15R- [] | 1,740 | 1,921 | 2,100 |
| 18" WIDTH | | | | | | | | |
|  1 door | LEFT | 15 3/4 | 18 | 39 1/16 | GS2STF1H18L- [] | 2,176 | 2,402 | 2,626 |
| | RIGHT | 15 3/4 | 18 | 39 1/16 | GS2STF1H18R- [] | 2,176 | 2,402 | 2,626 |
| 30" WIDTH | | | | | | | | |
|  2 doors | | 15 3/4 | 30 | 39 1/16 | GS2STF1H30- [] | 3,522 | 3,886 | 4,249 |
| 36" WIDTH | | | | | | | | |
|  2 doors | | 15 3/4 | 36 | 39 1/16 | GS2STF1H36- [] | 3,964 | 4,374 | 4,782 |

PRODUCT INFO

All units have a finished back.
 Door frames match glass color.
 Glass doors do not lock and are touch latch.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|---|--------|----|---------|------------------------|----------|----------|----------|----------|
| 15" WIDTH  | 14 7/8 | 15 | 39 1/16 | GS2STN1H15- [] | 1,147 | 1,269 | 1,401 | 1,532 |
| 18" WIDTH  | 14 7/8 | 18 | 39 1/16 | GS2STN1H18- [] | 1,432 | 1,583 | 1,748 | 1,911 |
| 30" WIDTH  | 14 7/8 | 30 | 39 1/16 | GS2STN1H30- [] | 2,338 | 2,586 | 2,854 | 3,120 |
| 36" WIDTH  | 14 7/8 | 36 | 39 1/16 | GS2STN1H36- [] | 2,630 | 2,911 | 3,212 | 3,512 |

PRODUCT INFO

All units have a finished back.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

1. **MODEL NUMBER + WN**
2. **FSC**
3. **CHASSIS WOOD FINISH**

LAM CHASSIS


1. **MODEL NUMBER + LN**
2. **FSC**
3. **CHASSIS LAM**

SURFACE MOUNT TOWERS

w/ Hinged Doors | 2H

Silea

02/26

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 | |
|--|-------|--------|----|---------------------|-------------------------|----------|----------|----------|-------|
| 15" WIDTH | | | | | | | | | |
|  1 door | LEFT | 15 3/4 | 15 | 52 7/16 | GS2STF2H15L- [] | 2,178 | 2,412 | 2,661 | 2,910 |
| | RIGHT | 15 3/4 | 15 | 52 7/16 | GS2STF2H15R- [] | 2,178 | 2,412 | 2,661 | 2,910 |
| 18" WIDTH | | | | | | | | | |
|  1 door | LEFT | 15 3/4 | 18 | 52 7/16 | GS2STF2H18L- [] | 2,723 | 3,014 | 3,325 | 3,636 |
| | RIGHT | 15 3/4 | 18 | 52 7/16 | GS2STF2H18R- [] | 2,723 | 3,014 | 3,325 | 3,636 |
| 30" WIDTH | | | | | | | | | |
|  2 doors | | 15 3/4 | 30 | 52 7/16 | GS2STF2H30- [] | 2,997 | 3,318 | 3,661 | 4,003 |
| 36" WIDTH | | | | | | | | | |
|  2 doors | | 15 3/4 | 36 | 52 7/16 | GS2STF2H36- [] | 3,351 | 3,711 | 4,094 | 4,477 |

PRODUCT INFO

Type must be specified as part
All units have a finished back.
If integral pull is chosen for
wood, doors will be touch
latch.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, WOOD DOOR

1. **MODEL NUMBER + WW**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **PULLS**
5. **LOCKS**
6. **KEYING**

LAM CHASSIS, LAM DOOR

1. **MODEL NUMBER + LL**
2. **FSC**
3. **CHASSIS LAM**
4. **FRONT LAM**
5. **PULLS**
6. **LOCKS**
7. **KEYING**

| | D | W | H | model number + type | veneer 1 | veneer 2 | veneer 3 | | | |
|--|---|---|---|---------------------|----------|----------|-------------------------|-------|-------|-------|
| 15" WIDTH | | | | | | | | | | |
|  1 door | | | | LEFT 15 3/4 | 15 | 52 7/16 | GS2STF2H15L- [] | 2,944 | 3,248 | 3,551 |
| | | | | RIGHT 15 3/4 | 15 | 52 7/16 | GS2STF2H15R- [] | 2,944 | 3,248 | 3,551 |
| 18" WIDTH | | | | | | | | | | |
|  1 door | | | | LEFT 15 3/4 | 18 | 52 7/16 | GS2STF2H18L- [] | 3,682 | 4,062 | 4,442 |
| | | | | RIGHT 15 3/4 | 18 | 52 7/16 | GS2STF2H18R- [] | 3,682 | 4,062 | 4,442 |
| 30" WIDTH | | | | | | | | | | |
|  2 doors | | | | 15 3/4 | 30 | 52 7/16 | GS2STF2H30- [] | 4,054 | 4,473 | 4,891 |
| 36" WIDTH | | | | | | | | | | |
|  2 doors | | | | 15 3/4 | 36 | 52 7/16 | GS2STF2H36- [] | 4,536 | 5,006 | 5,472 |

PRODUCT INFO

All units have a finished back.
Door frames match glass color.
Glass doors do not lock and are touch latch.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD CHASSIS, GLASS DOOR

- MODEL NUMBER + WG**
- FSC**
- CHASSIS WOOD FINISH**
- GLASS**

SURFACE MOUNT TOWERS

w/ No Doors, 2H

Silea
02/26

| | D | W | H | model number + type | laminata | veneer 1 | veneer 2 | veneer 3 |
|---|--------|----|---------|------------------------|----------|----------|----------|----------|
| 15" WIDTH  | 14 7/8 | 15 | 52 7/16 | GS2STN2H15- [] | 1,184 | 1,313 | 1,450 | 1,585 |
| 18" WIDTH  | 14 7/8 | 18 | 52 7/16 | GS2STN2H18- [] | 1,484 | 1,638 | 1,808 | 1,976 |
| 30" WIDTH  | 14 7/8 | 30 | 52 7/16 | GS2STN2H30- [] | 2,597 | 2,876 | 3,174 | 3,469 |
| 36" WIDTH  | 14 7/8 | 36 | 52 7/16 | GS2STN2H36- [] | 2,899 | 3,209 | 3,541 | 3,871 |

PRODUCT INFO

All units have a finished back.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS

- MODEL NUMBER + WN**
- FSC**
- CHASSIS WOOD FINISH**

LAM CHASSIS

- MODEL NUMBER + LN**
- FSC**
- CHASSIS LAM**

fabric grades

| | D | W | H | yards | model number | 1 | 2 | 3 | COM/4 |
|---|-----|-----|--------|-------|------------------|-------|-------|-------|-------|
|  | 7/8 | 58 | 23 7/8 | 1.00 | GS2TKS60 | 1,037 | 1,088 | 1,140 | 1,195 |
| | 7/8 | 64 | 23 7/8 | 1.00 | GS2TKS66 | 1,054 | 1,105 | 1,157 | 1,212 |
| | 7/8 | 70 | 23 7/8 | 1.25 | GS2TKS72 | 1,097 | 1,155 | 1,215 | 1,274 |
| | 7/8 | 76 | 23 7/8 | 1.25 | GS2TKS78 | 1,126 | 1,189 | 1,256 | 1,324 |
| | 7/8 | 82 | 23 7/8 | 1.25 | GS2TKS84 | 1,158 | 1,221 | 1,288 | 1,356 |
| | 7/8 | 88 | 23 7/8 | 1.50 | GS2TKS90 | 1,211 | 1,280 | 1,353 | 1,425 |
| | 7/8 | 94 | 23 7/8 | 1.50 | GS2TKS96 | 1,261 | 1,338 | 1,417 | 1,498 |
| | 7/8 | 100 | 23 7/8 | 1.75 | GS2TKS102 | 1,739 | 1,821 | 1,908 | 1,996 |
| | 7/8 | 106 | 23 7/8 | 1.75 | GS2TKS108 | 1,803 | 1,892 | 1,985 | 2,079 |

PRODUCT INFO

102" and 108" wide tackboards are 2 piece.

For use with 1H and 2H surface mount cabinets.

See yards listed above for COM fabric requirements.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **FABRIC**
3. **FSC TACKBOARDS**

FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)


NR = FSC Not Required

SURFACE MOUNT EXTERNAL TOPS

For Units Without Doors

Silea
02/26

| | D | W | H | model number | laminate | veneer 1 | veneer 2 | veneer 3 |
|---|--------|-----|--------|---|----------|----------|----------|----------|
|  | 14 7/8 | 30 | 1 3/16 | GS2SMTOPN30- <input type="checkbox"/> | 431 | 993 | 1,096 | 1,198 |
| | 14 7/8 | 36 | 1 3/16 | GS2SMTOPN36- <input type="checkbox"/> | 488 | 665 | 734 | 803 |
| | 14 7/8 | 60 | 1 3/16 | GS2SMTOPN60- <input type="checkbox"/> | 734 | 1,002 | 1,106 | 1,209 |
| | 14 7/8 | 72 | 1 3/16 | GS2SMTOPN72- <input type="checkbox"/> | 843 | 1,151 | 1,271 | 1,390 |
| | 14 7/8 | 90 | 1 3/16 | GS2SMTOPN90- <input type="checkbox"/> | 1,011 | 1,378 | 1,521 | 1,662 |
| | 14 7/8 | 108 | 1 3/16 | GS2SMTOPN108- <input type="checkbox"/> | 1,177 | 1,605 | 1,772 | 1,937 |



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD TOP

1. **MODEL NUMBER + W**
2. **FSC**
3. **TOP WOOD FINISH + EDGE**
4. **TOP FINISH**

Top Finish Option:
Non-UV Open Pore Finish **NR**

LAM TOP

1. **MODEL NUMBER + L**
2. **FSC**
3. **TOP LAM**


Workwall301-304
Workwalls. 302-303
Workwall Tackboard304
Workwall Seismic Attachment 304.1


WORKWALL

Wall Mount

Silea

02/26

| | D | W | H | model number + type | veneer 1 | veneer 2 | veneer 3 |
|---|--------|----|---------|-------------------------|----------|----------|----------|
| 72" WIDTH  Left hand shown | 19 1/2 | 72 | 39 1/16 | GS2WSB3H72L- [] | 11,248 | 12,408 | 13,566 |
| | 19 1/2 | 72 | 39 1/16 | GS2WSB3H72R- [] | 11,248 | 12,408 | 13,566 |
| 90" WIDTH  Right hand shown | 19 1/2 | 90 | 39 1/16 | GS2WSB3H90L- [] | 12,991 | 14,331 | 15,668 |
| | 19 1/2 | 90 | 39 1/16 | GS2WSB3H90R- [] | 12,991 | 14,331 | 15,668 |



• Shown above with door removed.

PRODUCT INFO


Must order tackboard separately.
 2 power units included.
 Sliding glass door frame matches glass color.
 Whiteboard sliding door is non-magnetic.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WSG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**
5. **DRAWERS**
6. **POWER UNIT COLOR**

| | D | W | H | model number + type | veneer 1 | veneer 2 | veneer 3 |
|------------------|--------|----|----|--------------------------|----------|----------|----------|
| 90" WIDTH | 23 3/4 | 90 | 76 | GS2FBX75H90L- [] | 22,150 | 24,432 | 26,714 |
| | 23 3/4 | 90 | 76 | GS2FBX75H90R- [] | 22,150 | 24,432 | 26,714 |



Right hand shown



• 90" wide, shown above with door removed. 72" W does not have a closet.

PRODUCT INFO

Must order tackboard separately.
2 power units included.
Sliding glass door frame matches glass color.
Back panel optional.
Whiteboard sliding door is non-magnetic.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD CHASSIS, GLASS DOOR

1. **MODEL NUMBER + WSG**
2. **FSC**
3. **CHASSIS WOOD FINISH**
4. **GLASS**
5. **BACK PANEL**
6. **DRAWERS**
7. **POWER UNIT COLOR**

| | | | | | | fabric grades | | | |
|---|-----|--------|--------|--------------|-------------------|---------------|-------|-------|-------|
| D | W | H | yds | model number | 1 | 2 | 3 | COM/4 | |
|  | 7/8 | 33 1/2 | 36 1/2 | 2.25 | GS2TKWSB72 | 1,152 | 1,212 | 1,277 | 1,339 |
| | 7/8 | 42 1/2 | 36 1/2 | 2.75 | GS2TKWSB90 | 1,271 | 1,344 | 1,423 | 1,497 |
| • For use with Wall Mounted Workwalls, 2 pc | | | | | | | | | |
| | 7/8 | 33 1/2 | 36 1/2 | 1.25 | GS2TKWSB36 | 934 | 967 | 1,003 | 1,038 |
| | 7/8 | 42 1/2 | 36 1/2 | 1.50 | GS2TKWSB45 | 980 | 1,028 | 1,079 | 1,128 |
| • For use with Stack On Workwalls, 1 pc (Personal Side only) | | | | | | | | | |
| | 7/8 | 33 1/2 | 36 1/2 | 2.25 | GS2TKFBX72 | 1,152 | 1,212 | 1,277 | 1,339 |
| | 7/8 | 42 1/2 | 36 1/2 | 2.50 | GS2TKFBX90 | 1,271 | 1,344 | 1,423 | 1,497 |
| • For use with Freestanding Workwalls, 2 pc | | | | | | | | | |

PRODUCT INFO

102" and 108" wide tackboards are 2 piece.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **FABRIC**
3. **FSC TACKBOARDS**

FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)

NR = FSC Not Required

| | D | W | H | model number | list |
|-----------------------------------|---|---|---|------------------|------|
| WALL MOUNT BRACKET KIT | 3 | 4 | 1 | ASBCSGDW4 | 380 |



**FLOOR MOUNT
BRACKET KIT**

| | | | | | |
|--|---|---|---|------------------|-----|
| | 3 | 4 | 3 | ASBCSGDF4 | 380 |
|--|---|---|---|------------------|-----|



- One bracket kit is required per GS2FBX75H90L-WCG and GS2FBX75H90R-WCG model to be HCAI Certified
- All other Silea models do not need kit above to be considered HCAI certified
- Bracket kits come in packs of 4 brackets
- Additional information regarding HCAI certification available via *HCAI Certification FAQ* available through Brand site.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

- 1. MODEL NUMBER**
- 2. HARDWARE COLOR**
 - P71** Black
 - PR6** Silver
 - P8G** Matte Gold
 - PJE** Pyrite
 - PJW** Designer White

| | |
|--|---------|
| Accessories | 305-318 |
| LED Tasklighting | 306 |
| Drawer Filing Rails & Reinforcement Bars | 308 |
| Magnets | 309 |
| Counterweights | 310 |
| Wire Manager | 311 |
| Center Drawer | 312 |
| Pencil Tray | 313 |
| Grommet | 314 |
| Power Unit | 315-317 |
| 3" Dia Field Installed Grommet | 318 |
| Grade Fabric Pricing | 320-323 |
| Weights + Cubes | 324-360 |

| | D | W | H | model number | lum |
|---|-----|----|-----|-----------------|-----|
|  | 3/4 | 23 | 5/8 | ACTLED24 | 546 |
| | 3/4 | 35 | 5/8 | ACTLED36 | 592 |
| | 3/4 | 47 | 5/8 | ACTLED48 | 638 |
| | 3/4 | 59 | 5/8 | ACTLED60 | 683 |

Product Specifications:

LED lighting provides high efficiency, low energy lighting with a long life. All LED lights are encased in a silver aluminum extrusion and include a built-in switch to turn the light on/off with a dimming feature. Lights are field installed. All units include a standard plug.

- Low profile strip light 5/8" H x 3/4" D
- Power: 2.92W / Foot
- LED's per meter: 120
- Color Temp: 3000K
- Certification: UL Listed
- GSA and TAA compliant

| Size | Voltage | Wattage (W) | Luminous Flux (Lm) |
|------|------------|-------------|--------------------|
| 24" | 12 Volt DC | 5.9 | 497 |
| 36" | 12 Volt DC | 8.8 | 746 |
| 48" | 12 Volt DC | 11.8 | 994 |
| 60" | 12 Volt DC | 14.6 | 1242 |

PRODUCT INFO

See product specs above.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

- 1. MODEL NUMBER**

DRAWER FILING RAILS & REINFORCEMENT BARS

Silea
02/26

| | D | W | H | model number | $\frac{1}{8}$ |
|---|-----------------|------------------|----|------------------|---------------|
| For use with smart pedestals  | $\frac{1}{8}$ | 5 | 1 | ACFLR5-P | 35 |
| For use with 9" ped  | $\frac{1}{8}$ | 9 | 1 | ACFLR9-P | 40 |
| For use with 15" ped  | $\frac{1}{8}$ | 15 | 1 | ACFLR15-P | 45 |
| For use with 18" ped  | $\frac{1}{8}$ | 18 | 1 | ACFLR18-P | 47 |
| For use with 30" ped  | $\frac{1}{8}$ | 18 | 1 | ACFLR30-P | 51 |
| For use with 36" ped  | $\frac{1}{8}$ | 18 | 1 | ACFLR36-P | 57 |
| Optional Lateral File Drawer Reinforcement Bar  | $1 \frac{1}{2}$ | $1 \frac{9}{16}$ | 15 | ACDRB-LAT | 74 |

• **Note:** Lateral file drawer reinforcement bars are OPTIONAL, and are only required when excessive stacking of paper occurs in bottom of drawers. Reinforcement bars are oriented front-to-back on file drawers and front-to-back on lateral file drawers.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

- MODEL NUMBER**

| | Dia | H | model number | list |
|---|---------------|---------------|-----------------|------|
|  | $\frac{3}{8}$ | $\frac{1}{2}$ | SAMAGNET | 111 |

QUANTITY 6

Note: Quantity 6 magnets included with each whiteboard 72" W and less.
Quantity 12 magnets included with each whiteboard 84"W and greater.

PRODUCT INFO

Magnets are silver.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST


- 1. MODEL NUMBER**

| D | W | H | model number | lbs |
|----------------|-----------------|----|--------------------|-----|
| $\frac{3}{16}$ | 12 | 15 | ACCNTRWGT15 | 321 |
| $\frac{1}{2}$ | $8 \frac{5}{8}$ | 25 | ACCNTRWGT30 | 361 |
| $\frac{1}{2}$ | $8 \frac{5}{8}$ | 28 | ACCNTRWGT36 | 401 |

- For use when a 15" or 18" modular standard height or layers height pedestal with drawers is used as a freestanding unit. Also required in each pedestal when multiple drawer pedestals are ganged creating a freestanding full bank credenza with a common top.

- For use when a 30" or 36" modular standard height or layers height pedestal with drawers is used as a freestanding unit. Also required in each pedestal when multiple drawer pedestals are ganged creating a freestanding full bank credenza with a common top.

Examples:



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**

| | Dia | H | model number | 124 |
|---------------------|-------|----|---------------|-----|
| WIRE MANAGER | 3 1/2 | 30 | 1 ACWM | 124 |



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**

CENTER DRAWER

Silea
02/26

| | D | W | H | model number + type | veneer 1 | veneer 2 | veneer 3 |
|----------------------|--------------------------------|--------------------------------|---------------------------------|---|----------|----------|----------|
| CENTER DRAWER | 17 ⁵ / ₈ | 21 ³ / ₄ | 2 ¹⁵ / ₁₆ | GS2CDWSD- <input type="checkbox"/> | 745 | 823 | 900 |



INTERIOR DIMENSIONS

D = 15 ¹/₂
 W = 18 ¹/₄
 H = 1 ³/₈

- Note: Not available with a laminate drawer front.

PRODUCT INFO

Includes pencil tray.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

WOOD

- 1. MODEL NUMBER + W**
- 2. CHASSIS WOOD FINISH**


| | Dia | W | H | model number | Qty |
|--|-----|---------|-------|-------------------|-----|
| PENCIL TRAYS  | 3 | 11 5/16 | 1 1/4 | ACPT15-GAA | 126 |
| | 3 | 14 5/16 | 1 1/4 | ACPT18-GAA | 134 |


PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:


LIST

- 1. MODEL NUMBER**


| | D | W | H | model number | list |
|---|-------|---|---|---------------|------|
|  | 2 1/2 | 5 | 1 | GS2GMT | 186 |




Closed



Small opening for cords



Large opening for monitor arms



Grommet can be switched for ACUNOBZL-EU and ACUNOBZL-EU-HW power units




PRODUCT INFO

Available in 5 metal finish colors.
Do not place grommets over laptop drawer.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **HARDWARE COLOR**

| | D | W | H | model number | list |
|--|---|--------|-------|---------------------------|------|
|  <p>Can be used in grommet cutout</p> | 2 7/8 | 4 | 1 3/4 | ACUNOBZL-EU | 477 |
| | <ul style="list-style-type: none"> Includes 1 power, dual USB A+C - standard plug | | | | |
| | 2 7/8 | 4 | 1 3/4 | ACUNOBZL-EU-HW | 477 |
| <ul style="list-style-type: none"> Includes 1 power, dual USB A+C - hardwired | | | | | |
|  | 2 7/8 | 5 1/2 | 1 3/4 | ACDUOBZL-EEU | 565 |
| | <ul style="list-style-type: none"> Includes dual USB A+C, 2 power - standard plug | | | | |
| | 2 7/8 | 5 1/2 | 1 3/4 | ACDUOBZL-EEU-HW | 565 |
| <ul style="list-style-type: none"> Includes dual USB A+C, 2 power - hardwired | | | | | |
|  | 2 7/8 | 8 1/16 | 1 3/4 | ACTRIOBZL-EEEUD | 650 |
| | <ul style="list-style-type: none"> Includes dual USB A+CB, 3 power, 1 data - standard plug | | | | |
| | 2 7/8 | 8 1/16 | 1 3/4 | ACTRIOBZL-EEEUD-HW | 650 |
| <ul style="list-style-type: none"> Includes dual USB A+C, 3 power, 1 data - hardwired | | | | | |

Data Port Kit included where applicable.

Insert options include:

- VGA
- Sieman
- Mini-com
- Commscope
- Ortronios
- Blank
- Cable retainer
- Belden EZ MDVO
- Keystone

PRODUCT INFO

ACUNOBZL-EU and ACUNOBZL-EU-HW models can be used in grommet cutout location.

10' standard plug or 6' hardwire power source.

TO ORDER PLEASE SPECIFY THE FOLLOWING:




LIST

1. **MODEL NUMBER**
2. **POWER UNIT COLOR**

POWER UNIT

Clamp mount

Silea
02/26

| | D | W | H | model number | list |
|---|--|--------|-------|----------------------------|------|
|  | 2 7/8 | 4 | 1 3/4 | ACUNOCLMP-EU | 477 |
| | <ul style="list-style-type: none"> Includes 1 power, dual USB A+C - standard plug | | | | |
|  | 2 7/8 | 4 | 1 3/4 | ACUNOCLMP-EU-HW | 477 |
| | <ul style="list-style-type: none"> Includes 1 power, dual USB A+C - hardwired | | | | |
|  | 2 7/8 | 5 1/2 | 1 3/4 | ACDUOCLMP-EEU | 565 |
| | <ul style="list-style-type: none"> Includes dual USB A+C, 2 power - standard plug | | | | |
|  | 2 7/8 | 5 1/2 | 1 3/4 | ACDUOCLMP-EEU-HW | 565 |
| | <ul style="list-style-type: none"> Includes dual USB A+C, 2 power - hardwired | | | | |
|  | 2 7/8 | 8 1/16 | 1 3/4 | ACTRIOCLMP-EEEUD | 650 |
| | <ul style="list-style-type: none"> Includes dual USB A+C, 3 power, 1 data - standard plug | | | | |
|  | 2 7/8 | 8 1/16 | 1 3/4 | ACTRIOCLMP-EEEUD-HW | 650 |
| | <ul style="list-style-type: none"> Includes dual USB A+C, 3 power, 1 data - hardwired | | | | |

Data Port Kit included where applicable.

Insert options include:

- VGA
- Sieman
- Mini-com
- Commscope
- Ortronics
- Blank
- Cable retainer
- Belden EZ MDVO
- Keystone





PRODUCT INFO

To be mounted on edge of worksurfaces.
Utilizes a short height clamp so it can be used with HAT units.
10' standard plug or 6' hardwire power source.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **POWER UNIT COLOR**

| | D | W | H | model number | list |
|---|--|--------|-------|-----------------------------|------|
|  | 2 7/8 | 4 | 1 3/4 | ACPUNDER-EU | 457 |
| | <ul style="list-style-type: none"> Includes 1 power, dual USB A+C - standard plug | | | | |
|  | 2 7/8 | 4 | 1 3/4 | ACPUNDER-EU-HW | 457 |
| | <ul style="list-style-type: none"> Includes 1 power, dual USB A+C - hardwired | | | | |
|  | 2 7/8 | 5 1/2 | 1 3/4 | GDAPPM-EEU | 552 |
| | <ul style="list-style-type: none"> Includes dual USB A+C, 2 power - standard plug | | | | |
|  | 2 7/8 | 5 1/2 | 1 3/4 | GDAPPM-EEU-HW | 552 |
| | <ul style="list-style-type: none"> Includes dual USB A+C, 2 power - hardwired | | | | |
|  | 2 7/8 | 8 1/16 | 1 3/4 | ACTRIOUNDER-EEEUD | 614 |
| | <ul style="list-style-type: none"> Includes dual USB A+C, 3 power, 1 data - standard plug | | | | |
|  | 2 7/8 | 8 1/16 | 1 3/4 | ACTRIOUNDER-EEEUD-HW | 614 |
| | <ul style="list-style-type: none"> Includes dual USB A+C, 3 power, 1 data - hardwired | | | | |

Data Port Kit included where applicable.

Insert options include:

- VGA
- Sieman
- Mini-com
- Commscope
- Ortronics
- Blank
- Cable retainer
- Belden EZ MDVO
- Keystone

PRODUCT INFO

10' Standard plug or 6' hardwire power source.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **POWER UNIT COLOR**

3" DIA FIELD INSTALLED GROMMET

Silea
02/26

| | Dia | H | model number | list |
|------------------------------|-----|---|------------------|------|
| FIELD INSTALL GROMMET | 3 | 1 | ACGRMTFLD | 84 |



- 2 piece design - sleeve plus cover
- Fits standard 3" diameter cutout
- Plastic

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

LIST

1. **MODEL NUMBER**
2. **FIELD INSTALL GROMMET COLOR**
 - Black **BK**
 - Silver **SV**
 - White **WH**

GRADE FABRIC PRICING

Silea
02/26

| model number | 1 | 2 | 3 | COM/4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
|--------------|---|---|---|-------|---|---|---|---|---|----|----|----|----|----|----|----|
|--------------|---|---|---|-------|---|---|---|---|---|----|----|----|----|----|----|----|

Cushions

| | | | | | | | | | | | | | | | | |
|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|
| GS2MPD-CUSH2215 | 550 | 570 | 592 | 611 | 639 | 668 | 689 | 719 | 745 | 774 | 799 | 826 | 860 | 887 | 919 | 955 |
| GS2CLPD-CUSH2130T | 619 | 645 | 673 | 701 | 738 | 774 | 806 | 843 | 876 | 911 | 950 | 983 | 1,028 | 1,064 | 1,105 | 1,151 |
| GS2CLPD-CUSH2136T | 668 | 701 | 735 | 770 | 819 | 861 | 901 | 946 | 989 | 1,035 | 1,078 | 1,123 | 1,180 | 1,224 | 1,278 | 1,334 |

Tackboards

| | | | | | | | | | | | | | | | | |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| GS2TKW30 | 850 | 874 | 902 | 930 | 965 | 1,002 | 1,028 | 1,063 | 1,097 | 1,131 | 1,168 | 1,201 | 1,245 | 1,278 | 1,317 | 1,363 |
| GS2TKW36 | 891 | 923 | 956 | 991 | 1,033 | 1,078 | 1,116 | 1,160 | 1,201 | 1,243 | 1,289 | 1,328 | 1,383 | 1,426 | 1,478 | 1,532 |
| GS2TKW42 | 923 | 956 | 989 | 1,025 | 1,071 | 1,116 | 1,154 | 1,199 | 1,243 | 1,287 | 1,333 | 1,377 | 1,435 | 1,478 | 1,530 | 1,588 |
| GS2TKW48 | 955 | 989 | 1,024 | 1,059 | 1,109 | 1,155 | 1,195 | 1,240 | 1,287 | 1,331 | 1,379 | 1,426 | 1,484 | 1,530 | 1,584 | 1,644 |
| GS2TKW54 | 991 | 1,027 | 1,061 | 1,101 | 1,149 | 1,196 | 1,239 | 1,290 | 1,337 | 1,381 | 1,428 | 1,476 | 1,536 | 1,584 | 1,643 | 1,704 |
| GS2TKW60 | 1,037 | 1,088 | 1,140 | 1,195 | 1,264 | 1,336 | 1,393 | 1,465 | 1,530 | 1,602 | 1,672 | 1,739 | 1,825 | 1,892 | 1,978 | 2,061 |
| GS2TKW66 | 1,054 | 1,105 | 1,157 | 1,212 | 1,281 | 1,353 | 1,410 | 1,482 | 1,547 | 1,619 | 1,689 | 1,756 | 1,842 | 1,909 | 1,995 | 2,078 |
| GS2TKW72 | 1,097 | 1,155 | 1,215 | 1,274 | 1,354 | 1,431 | 1,501 | 1,579 | 1,654 | 1,732 | 1,810 | 1,885 | 1,986 | 2,059 | 2,151 | 2,253 |
| GS2TKW78 | 1,126 | 1,189 | 1,256 | 1,324 | 1,411 | 1,501 | 1,576 | 1,665 | 1,747 | 1,837 | 1,924 | 2,007 | 2,116 | 2,201 | 2,307 | 2,416 |
| GS2TKW84 | 1,158 | 1,221 | 1,288 | 1,356 | 1,443 | 1,533 | 1,608 | 1,697 | 1,779 | 1,869 | 1,956 | 2,039 | 2,148 | 2,233 | 2,339 | 2,448 |
| GS2TKW90 | 1,211 | 1,280 | 1,353 | 1,425 | 1,525 | 1,620 | 1,703 | 1,802 | 1,892 | 1,991 | 2,085 | 2,179 | 2,299 | 2,392 | 2,505 | 2,624 |
| GS2TKW96 | 1,261 | 1,338 | 1,417 | 1,498 | 1,602 | 1,709 | 1,799 | 1,902 | 2,002 | 2,106 | 2,212 | 2,313 | 2,444 | 2,542 | 2,669 | 2,799 |
| GS2TKW102 | 1,739 | 1,821 | 1,908 | 1,996 | 2,111 | 2,222 | 2,320 | 2,433 | 2,543 | 2,655 | 2,768 | 2,877 | 3,018 | 3,126 | 3,262 | 3,406 |
| GS2TKW108 | 1,803 | 1,892 | 1,985 | 2,079 | 2,203 | 2,323 | 2,431 | 2,556 | 2,672 | 2,796 | 2,918 | 3,036 | 3,186 | 3,305 | 3,452 | 3,603 |

Layers Tackboards

| | | | | | | | | | | | | | | | | |
|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| GS2TLKW30 | 893 | 919 | 950 | 977 | 1,013 | 1,051 | 1,082 | 1,119 | 1,155 | 1,192 | 1,227 | 1,262 | 1,305 | 1,343 | 1,385 | 1,432 |
| GS2TLKW36 | 934 | 967 | 1,003 | 1,038 | 1,087 | 1,129 | 1,171 | 1,215 | 1,261 | 1,306 | 1,352 | 1,394 | 1,452 | 1,498 | 1,552 | 1,608 |
| GS2TLKW42 | 969 | 1,005 | 1,039 | 1,081 | 1,127 | 1,172 | 1,215 | 1,264 | 1,307 | 1,352 | 1,401 | 1,447 | 1,508 | 1,552 | 1,609 | 1,667 |
| GS2TLKW48 | 1,002 | 1,038 | 1,075 | 1,116 | 1,163 | 1,210 | 1,255 | 1,305 | 1,352 | 1,400 | 1,448 | 1,494 | 1,559 | 1,605 | 1,664 | 1,725 |
| GS2TLKW54 | 1,037 | 1,078 | 1,114 | 1,155 | 1,205 | 1,251 | 1,299 | 1,349 | 1,398 | 1,447 | 1,498 | 1,549 | 1,613 | 1,660 | 1,724 | 1,784 |
| GS2TLKW60 | 1,088 | 1,142 | 1,198 | 1,254 | 1,327 | 1,400 | 1,463 | 1,538 | 1,606 | 1,681 | 1,754 | 1,824 | 1,914 | 1,984 | 2,073 | 2,165 |
| GS2TLKW66 | 1,108 | 1,160 | 1,218 | 1,274 | 1,347 | 1,420 | 1,483 | 1,558 | 1,626 | 1,700 | 1,773 | 1,843 | 1,934 | 2,004 | 2,093 | 2,184 |
| GS2TLKW72 | 1,152 | 1,212 | 1,277 | 1,339 | 1,423 | 1,503 | 1,575 | 1,659 | 1,737 | 1,818 | 1,900 | 1,978 | 2,082 | 2,163 | 2,262 | 2,364 |
| GS2TLKW78 | 1,184 | 1,250 | 1,321 | 1,392 | 1,485 | 1,579 | 1,656 | 1,750 | 1,837 | 1,930 | 2,022 | 2,110 | 2,226 | 2,311 | 2,421 | 2,698 |
| GS2TLKW84 | 1,216 | 1,282 | 1,353 | 1,424 | 1,517 | 1,611 | 1,688 | 1,782 | 1,869 | 1,962 | 2,054 | 2,142 | 2,258 | 2,343 | 2,453 | 2,730 |
| GS2TLKW90 | 1,271 | 1,344 | 1,423 | 1,497 | 1,599 | 1,699 | 1,788 | 1,890 | 1,985 | 2,089 | 2,189 | 2,285 | 2,411 | 2,508 | 2,628 | 2,755 |
| GS2TLKW96 | 1,322 | 1,403 | 1,487 | 1,570 | 1,679 | 1,789 | 1,887 | 1,996 | 2,102 | 2,212 | 2,322 | 2,426 | 2,563 | 2,668 | 2,801 | 2,937 |
| GS2TLKW102 | 1,826 | 1,911 | 2,003 | 2,095 | 2,212 | 2,333 | 2,436 | 2,554 | 2,667 | 2,788 | 2,906 | 3,021 | 3,170 | 3,281 | 3,425 | 3,576 |
| GS2TLKW108 | 1,893 | 1,986 | 2,084 | 2,183 | 2,312 | 2,439 | 2,552 | 2,682 | 2,806 | 2,935 | 3,062 | 3,187 | 3,345 | 3,468 | 3,622 | 3,781 |

Tack to Top Overhead 1 H

| | | | | | | | | | | | | | | | | |
|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| GS2TKW1H30 | 1,066 | 1,090 | 1,118 | 1,146 | 1,181 | 1,218 | 1,244 | 1,279 | 1,313 | 1,347 | 1,384 | 1,417 | 1,461 | 1,494 | 1,533 | 1,579 |
| GS2TKW1H36 | 1,086 | 1,118 | 1,151 | 1,186 | 1,228 | 1,273 | 1,311 | 1,355 | 1,396 | 1,438 | 1,484 | 1,523 | 1,578 | 1,621 | 1,673 | 1,727 |
| GS2TKW1H42 | 1,128 | 1,169 | 1,208 | 1,247 | 1,300 | 1,354 | 1,401 | 1,454 | 1,503 | 1,556 | 1,610 | 1,660 | 1,725 | 1,775 | 1,839 | 1,901 |
| GS2TKW1H48 | 1,163 | 1,204 | 1,243 | 1,282 | 1,335 | 1,389 | 1,436 | 1,489 | 1,538 | 1,591 | 1,645 | 1,695 | 1,760 | 1,810 | 1,874 | 1,936 |

model number 17 18 19 20 21 22 23 24 25 26 27 COL L1 L2 L3 L4 L5

Cushions

| | | | | | | | | | | | | | | | | | |
|-------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-------|-------|-------|-------|-------|
| GS2MPD-CUSH2215 | 987 | 1,010 | 1,043 | 1,077 | 1,108 | 1,141 | 1,208 | 1,270 | 1,338 | 1,403 | 1,467 | 611 | 816 | 1,036 | 1,258 | 1,478 | 1,677 |
| GS2CLPD-CUSH2130T | 1,195 | 1,226 | 1,271 | 1,310 | 1,354 | 1,395 | 1,484 | 1,566 | 1,657 | 1,742 | 1,826 | 701 | 973 | 1,267 | 1,562 | 1,856 | 2,121 |
| GS2CLPD-CUSH2136T | 1,387 | 1,428 | 1,481 | 1,533 | 1,586 | 1,640 | 1,748 | 1,856 | 1,963 | 2,072 | 2,179 | 770 | 1,109 | 1,478 | 1,844 | 2,216 | 2,548 |

Tackboards

| | | | | | | | | | | | | | | | | | |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|--|--|--|
| GS2TKW30 | 1,406 | 1,436 | 1,476 | 1,516 | 1,559 | 1,598 | 1,685 | 1,765 | 1,849 | 1,930 | 2,013 | | | | | | |
| GS2TKW36 | 1,583 | 1,623 | 1,675 | 1,726 | 1,778 | 1,831 | 1,934 | 2,037 | 2,138 | 2,245 | 2,345 | | | | | | |
| GS2TKW42 | 1,640 | 1,680 | 1,732 | 1,786 | 1,839 | 1,893 | 2,002 | 2,109 | 2,216 | 2,325 | 2,430 | | | | | | |
| GS2TKW48 | 1,698 | 1,739 | 1,795 | 1,848 | 1,902 | 1,959 | 2,071 | 2,182 | 2,292 | 2,406 | 2,515 | | | | | | |
| GS2TKW54 | 1,759 | 1,801 | 1,860 | 1,917 | 1,973 | 2,031 | 2,148 | 2,260 | 2,374 | 2,493 | 2,605 | | | | | | |
| GS2TKW60 | 2,147 | 2,205 | 2,291 | 2,369 | 2,452 | 2,537 | 2,704 | 2,867 | 3,033 | 3,201 | 3,364 | | | | | | |
| GS2TKW66 | 2,164 | 2,222 | 2,308 | 2,386 | 2,469 | 2,554 | 2,721 | 2,884 | 3,050 | 3,218 | 3,381 | | | | | | |
| GS2TKW72 | 2,343 | 2,414 | 2,506 | 2,597 | 2,692 | 2,781 | 2,973 | 3,155 | 3,341 | 3,534 | 3,716 | | | | | | |
| GS2TKW78 | 2,519 | 2,593 | 2,699 | 2,799 | 2,904 | 3,010 | 3,218 | 3,423 | 3,632 | 3,842 | 4,045 | | | | | | |
| GS2TKW84 | 2,551 | 2,625 | 2,731 | 2,831 | 2,936 | 3,042 | 3,250 | 3,455 | 3,664 | 3,874 | 4,077 | | | | | | |
| GS2TKW90 | 2,739 | 2,823 | 2,939 | 3,048 | 3,164 | 3,279 | 3,509 | 3,732 | 3,964 | 4,196 | 4,422 | | | | | | |
| GS2TKW96 | 2,924 | 3,016 | 3,141 | 3,258 | 3,383 | 3,509 | 3,759 | 4,006 | 4,257 | 4,504 | 4,750 | | | | | | |
| GS2TKW102 | 3,540 | 3,640 | 3,774 | 3,904 | 4,038 | 4,176 | 4,446 | 4,711 | 4,982 | 5,255 | 5,519 | | | | | | |
| GS2TKW108 | 3,748 | 3,854 | 4,000 | 4,141 | 4,288 | 4,433 | 4,727 | 5,015 | 5,308 | 5,598 | 5,884 | | | | | | |

Layers Tackboards

| | | | | | | | | | | | | | | | | | |
|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|--|--|--|
| GS2TLKW30 | 1,476 | 1,508 | 1,551 | 1,592 | 1,638 | 1,679 | 1,767 | 1,854 | 1,943 | 2,029 | 2,115 | | | | | | |
| GS2TLKW36 | 1,662 | 1,702 | 1,757 | 1,808 | 1,864 | 1,917 | 2,030 | 2,137 | 2,244 | 2,356 | 2,462 | | | | | | |
| GS2TLKW42 | 1,725 | 1,766 | 1,822 | 1,876 | 1,933 | 1,989 | 2,105 | 2,215 | 2,328 | 2,443 | 2,553 | | | | | | |
| GS2TLKW48 | 1,784 | 1,826 | 1,883 | 1,943 | 2,000 | 2,055 | 2,176 | 2,293 | 2,406 | 2,525 | 2,638 | | | | | | |
| GS2TLKW54 | 1,845 | 1,889 | 1,951 | 2,007 | 2,071 | 2,128 | 2,254 | 2,370 | 2,495 | 2,613 | 2,734 | | | | | | |
| GS2TLKW60 | 2,251 | 2,315 | 2,405 | 2,488 | 2,575 | 2,662 | 2,840 | 3,009 | 3,184 | 3,360 | 3,531 | | | | | | |
| GS2TLKW66 | 2,271 | 2,335 | 2,423 | 2,508 | 2,593 | 2,682 | 2,858 | 3,028 | 3,203 | 3,377 | 3,551 | | | | | | |
| GS2TLKW72 | 2,459 | 2,534 | 2,631 | 2,726 | 2,825 | 2,923 | 3,122 | 3,313 | 3,511 | 3,709 | 3,901 | | | | | | |
| GS2TLKW78 | 2,646 | 2,724 | 2,835 | 2,941 | 3,050 | 3,160 | 3,380 | 3,595 | 3,813 | 4,035 | 4,247 | | | | | | |
| GS2TLKW84 | 2,678 | 2,756 | 2,867 | 2,973 | 3,082 | 3,192 | 3,412 | 3,627 | 3,845 | 4,067 | 4,279 | | | | | | |
| GS2TLKW90 | 2,874 | 2,963 | 3,084 | 3,199 | 3,320 | 3,440 | 3,683 | 3,920 | 4,164 | 4,405 | 4,640 | | | | | | |
| GS2TLKW96 | 3,069 | 3,163 | 3,294 | 3,419 | 3,552 | 3,683 | 3,946 | 4,203 | 4,466 | 4,727 | 4,987 | | | | | | |
| GS2TLKW102 | 3,715 | 3,820 | 3,962 | 4,098 | 4,238 | 4,383 | 4,669 | 4,945 | 5,231 | 5,518 | 5,796 | | | | | | |
| GS2TLKW108 | 3,937 | 4,048 | 4,201 | 4,348 | 4,502 | 4,656 | 4,966 | 5,265 | 5,570 | 5,879 | 6,177 | | | | | | |

Tack to Top Overhead I 1H

| | | | | | | | | | | | | | | | | | |
|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|--|--|--|
| GS2TKW1H30 | 1,622 | 1,652 | 1,692 | 1,732 | 1,775 | 1,814 | 1,901 | 1,981 | 2,065 | 2,146 | 2,229 | | | | | | |
| GS2TKW1H36 | 1,778 | 1,818 | 1,870 | 1,921 | 1,973 | 2,026 | 2,129 | 2,232 | 2,333 | 2,440 | 2,540 | | | | | | |
| GS2TKW1H42 | 1,966 | 2,014 | 2,074 | 2,134 | 2,200 | 2,260 | 2,388 | 2,510 | 2,635 | 2,759 | 2,885 | | | | | | |
| GS2TKW1H48 | 2,001 | 2,049 | 2,109 | 2,169 | 2,235 | 2,295 | 2,423 | 2,545 | 2,670 | 2,794 | 2,920 | | | | | | |

GRADE FABRIC PRICING

Silea
02/26

| model number | 1 | 2 | 3 | COM/4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Tack to Top Overhead I 2H | | | | | | | | | | | | | | | | |
| GS2TKW2H30 | 1,086 | 1,110 | 1,138 | 1,166 | 1,201 | 1,238 | 1,264 | 1,299 | 1,333 | 1,367 | 1,404 | 1,437 | 1,481 | 1,514 | 1,553 | 1,599 |
| GS2TKW2H36 | 1,128 | 1,160 | 1,193 | 1,228 | 1,270 | 1,315 | 1,353 | 1,397 | 1,438 | 1,480 | 1,526 | 1,565 | 1,620 | 1,663 | 1,715 | 1,769 |
| GS2TKW2H42 | 1,163 | 1,204 | 1,243 | 1,282 | 1,335 | 1,389 | 1,436 | 1,489 | 1,538 | 1,591 | 1,645 | 1,695 | 1,760 | 1,810 | 1,874 | 1,936 |
| GS2TKW2H48 | 1,192 | 1,233 | 1,272 | 1,311 | 1,364 | 1,418 | 1,465 | 1,518 | 1,567 | 1,620 | 1,674 | 1,724 | 1,789 | 1,839 | 1,903 | 1,965 |
| Layers Tack to Top Overhead I 1H | | | | | | | | | | | | | | | | |
| GS2TLKW1H30 | 1,086 | 1,110 | 1,138 | 1,166 | 1,201 | 1,238 | 1,264 | 1,299 | 1,333 | 1,367 | 1,404 | 1,437 | 1,481 | 1,514 | 1,553 | 1,599 |
| GS2TLKW1H36 | 1,128 | 1,160 | 1,193 | 1,228 | 1,270 | 1,315 | 1,353 | 1,397 | 1,438 | 1,480 | 1,526 | 1,565 | 1,620 | 1,663 | 1,715 | 1,769 |
| GS2TLKW1H42 | 1,163 | 1,204 | 1,243 | 1,282 | 1,335 | 1,389 | 1,436 | 1,489 | 1,538 | 1,591 | 1,645 | 1,695 | 1,760 | 1,810 | 1,874 | 1,936 |
| GS2TLKW1H48 | 1,192 | 1,233 | 1,272 | 1,311 | 1,364 | 1,418 | 1,465 | 1,518 | 1,567 | 1,620 | 1,674 | 1,724 | 1,789 | 1,839 | 1,903 | 1,965 |
| Layers Tack to Top Overhead I 2H | | | | | | | | | | | | | | | | |
| GS2TLKW2H30 | 1,128 | 1,152 | 1,180 | 1,208 | 1,243 | 1,280 | 1,306 | 1,341 | 1,375 | 1,409 | 1,446 | 1,479 | 1,523 | 1,556 | 1,595 | 1,641 |
| GS2TLKW2H36 | 1,163 | 1,195 | 1,228 | 1,263 | 1,305 | 1,350 | 1,388 | 1,432 | 1,473 | 1,515 | 1,561 | 1,600 | 1,655 | 1,698 | 1,750 | 1,804 |
| GS2TLKW2H42 | 1,192 | 1,233 | 1,272 | 1,311 | 1,364 | 1,418 | 1,465 | 1,518 | 1,567 | 1,620 | 1,674 | 1,724 | 1,789 | 1,839 | 1,903 | 1,965 |
| GS2TLKW2H48 | 1,245 | 1,286 | 1,325 | 1,364 | 1,417 | 1,471 | 1,518 | 1,571 | 1,620 | 1,673 | 1,727 | 1,777 | 1,842 | 1,892 | 1,956 | 2,018 |
| Surface Mount Tackboards | | | | | | | | | | | | | | | | |
| GS2TKS60 | 1,037 | 1,088 | 1,140 | 1,195 | 1,264 | 1,336 | 1,393 | 1,465 | 1,530 | 1,602 | 1,672 | 1,739 | 1,825 | 1,892 | 1,978 | 2,061 |
| GS2TKS66 | 1,054 | 1,105 | 1,157 | 1,212 | 1,281 | 1,353 | 1,410 | 1,482 | 1,547 | 1,619 | 1,689 | 1,756 | 1,842 | 1,909 | 1,995 | 2,078 |
| GS2TKS72 | 1,097 | 1,155 | 1,215 | 1,274 | 1,354 | 1,431 | 1,501 | 1,579 | 1,654 | 1,732 | 1,810 | 1,885 | 1,986 | 2,059 | 2,151 | 2,253 |
| GS2TKS78 | 1,126 | 1,189 | 1,256 | 1,324 | 1,411 | 1,501 | 1,576 | 1,665 | 1,747 | 1,837 | 1,924 | 2,007 | 2,116 | 2,201 | 2,307 | 2,416 |
| GS2TKS84 | 1,158 | 1,221 | 1,288 | 1,356 | 1,443 | 1,533 | 1,608 | 1,697 | 1,779 | 1,869 | 1,956 | 2,039 | 2,148 | 2,233 | 2,339 | 2,448 |
| GS2TKS90 | 1,211 | 1,280 | 1,353 | 1,425 | 1,525 | 1,620 | 1,703 | 1,802 | 1,892 | 1,991 | 2,085 | 2,179 | 2,299 | 2,392 | 2,505 | 2,624 |
| GS2TKS96 | 1,261 | 1,338 | 1,417 | 1,498 | 1,602 | 1,709 | 1,799 | 1,902 | 2,002 | 2,106 | 2,212 | 2,313 | 2,444 | 2,542 | 2,669 | 2,799 |
| GS2TKS102 | 1,739 | 1,821 | 1,908 | 1,996 | 2,111 | 2,222 | 2,320 | 2,433 | 2,543 | 2,655 | 2,768 | 2,877 | 3,018 | 3,126 | 3,262 | 3,406 |
| GS2TKS108 | 1,803 | 1,892 | 1,985 | 2,079 | 2,203 | 2,323 | 2,431 | 2,556 | 2,672 | 2,796 | 2,918 | 3,036 | 3,186 | 3,305 | 3,452 | 3,603 |
| WorkWall Tackboards | | | | | | | | | | | | | | | | |
| GS2TKWSB72 | 1,152 | 1,212 | 1,277 | 1,339 | 1,423 | 1,503 | 1,575 | 1,659 | 1,737 | 1,818 | 1,900 | 1,978 | 2,082 | 2,163 | 2,262 | 2,364 |
| GS2TKWSB90 | 1,271 | 1,344 | 1,423 | 1,497 | 1,599 | 1,699 | 1,788 | 1,890 | 1,985 | 2,089 | 2,189 | 2,285 | 2,411 | 2,508 | 2,628 | 2,755 |
| GS2TKWSB36 | 934 | 967 | 1,003 | 1,038 | 1,087 | 1,129 | 1,171 | 1,215 | 1,261 | 1,306 | 1,352 | 1,394 | 1,452 | 1,498 | 1,552 | 1,608 |
| GS2TKWSB45 | 980 | 1,028 | 1,079 | 1,128 | 1,193 | 1,258 | 1,315 | 1,385 | 1,446 | 1,513 | 1,578 | 1,643 | 1,725 | 1,786 | 1,869 | 1,949 |
| GS2TKFBX72 | 1,152 | 1,212 | 1,277 | 1,339 | 1,423 | 1,503 | 1,575 | 1,659 | 1,737 | 1,818 | 1,900 | 1,978 | 2,082 | 2,163 | 2,262 | 2,364 |
| GS2TKFBX90 | 1,271 | 1,344 | 1,423 | 1,497 | 1,599 | 1,699 | 1,788 | 1,890 | 1,985 | 2,089 | 2,189 | 2,285 | 2,411 | 2,508 | 2,628 | 2,755 |

| model number | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | COL | L1 | L2 | L3 | L4 | L5 |
|--------------|----|----|----|----|----|----|----|----|----|----|----|-----|----|----|----|----|----|
|--------------|----|----|----|----|----|----|----|----|----|----|----|-----|----|----|----|----|----|

Tack to Top Overhead I 2H

| | | | | | | | | | | | | | | | | | |
|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|--|--|--|
| GS2TKW2H30 | 1,642 | 1,672 | 1,712 | 1,752 | 1,795 | 1,834 | 1,921 | 2,001 | 2,085 | 2,166 | 2,249 | | | | | | |
| GS2TKW2H36 | 1,820 | 1,860 | 1,912 | 1,963 | 2,015 | 2,068 | 2,171 | 2,274 | 2,375 | 2,482 | 2,582 | | | | | | |
| GS2TKW2H42 | 2,001 | 2,049 | 2,109 | 2,169 | 2,235 | 2,295 | 2,423 | 2,545 | 2,670 | 2,794 | 2,920 | | | | | | |
| GS2TKW2H48 | 2,030 | 2,078 | 2,138 | 2,198 | 2,264 | 2,324 | 2,452 | 2,574 | 2,699 | 2,823 | 2,949 | | | | | | |

Layers Tack to Top Overhead I 1H

| | | | | | | | | | | | | | | | | | |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|--|--|--|
| GS2TLKW1H30 | 1,642 | 1,672 | 1,712 | 1,752 | 1,795 | 1,834 | 1,921 | 2,001 | 2,085 | 2,166 | 2,249 | | | | | | |
| GS2TLKW1H36 | 1,820 | 1,860 | 1,912 | 1,963 | 2,015 | 2,068 | 2,171 | 2,274 | 2,375 | 2,482 | 2,582 | | | | | | |
| GS2TLKW1H42 | 2,001 | 2,049 | 2,109 | 2,169 | 2,235 | 2,295 | 2,423 | 2,545 | 2,670 | 2,794 | 2,920 | | | | | | |
| GS2TLKW1H48 | 2,030 | 2,078 | 2,138 | 2,198 | 2,264 | 2,324 | 2,452 | 2,574 | 2,699 | 2,823 | 2,949 | | | | | | |

Layers Tack to Top Overhead I 2H

| | | | | | | | | | | | | | | | | | |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|--|--|--|
| GS2TLKW2H30 | 1,684 | 1,714 | 1,754 | 1,794 | 1,837 | 1,876 | 1,963 | 2,043 | 2,127 | 2,208 | 2,291 | | | | | | |
| GS2TLKW2H36 | 1,855 | 1,895 | 1,947 | 1,998 | 2,050 | 2,103 | 2,206 | 2,309 | 2,410 | 2,517 | 2,617 | | | | | | |
| GS2TLKW2H42 | 2,030 | 2,078 | 2,138 | 2,198 | 2,264 | 2,324 | 2,452 | 2,574 | 2,699 | 2,823 | 2,949 | | | | | | |
| GS2TLKW2H48 | 2,083 | 2,131 | 2,191 | 2,251 | 2,317 | 2,377 | 2,505 | 2,627 | 2,752 | 2,876 | 3,002 | | | | | | |

Surface Mount Tackboards

| | | | | | | | | | | | | | | | | | |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|--|--|--|
| GS2TKS60 | 2,147 | 2,205 | 2,291 | 2,369 | 2,452 | 2,537 | 2,704 | 2,867 | 3,033 | 3,201 | 3,364 | | | | | | |
| GS2TKS66 | 2,164 | 2,222 | 2,308 | 2,386 | 2,469 | 2,554 | 2,721 | 2,884 | 3,050 | 3,218 | 3,381 | | | | | | |
| GS2TKS72 | 2,343 | 2,414 | 2,506 | 2,597 | 2,692 | 2,781 | 2,973 | 3,155 | 3,341 | 3,534 | 3,716 | | | | | | |
| GS2TKS78 | 2,519 | 2,593 | 2,699 | 2,799 | 2,904 | 3,010 | 3,218 | 3,423 | 3,632 | 3,842 | 4,045 | | | | | | |
| GS2TKS84 | 2,551 | 2,625 | 2,731 | 2,831 | 2,936 | 3,042 | 3,250 | 3,455 | 3,664 | 3,874 | 4,077 | | | | | | |
| GS2TKS90 | 2,739 | 2,823 | 2,939 | 3,048 | 3,164 | 3,279 | 3,509 | 3,732 | 3,964 | 4,196 | 4,422 | | | | | | |
| GS2TKS96 | 2,924 | 3,016 | 3,141 | 3,258 | 3,383 | 3,509 | 3,759 | 4,006 | 4,257 | 4,504 | 4,750 | | | | | | |
| GS2TKS102 | 3,540 | 3,640 | 3,774 | 3,904 | 4,038 | 4,176 | 4,446 | 4,711 | 4,982 | 5,255 | 5,519 | | | | | | |
| GS2TKS108 | 3,748 | 3,854 | 4,000 | 4,141 | 4,288 | 4,433 | 4,727 | 5,015 | 5,308 | 5,598 | 5,884 | | | | | | |

WorkWall Tackboards

| | | | | | | | | | | | | | | | | | |
|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|--|--|--|
| GS2TKWSB72 | 2,459 | 2,534 | 2,631 | 2,726 | 2,825 | 2,923 | 3,122 | 3,313 | 3,511 | 3,709 | 3,901 | | | | | | |
| GS2TKWSB90 | 2,874 | 2,963 | 3,084 | 3,199 | 3,320 | 3,440 | 3,683 | 3,920 | 4,164 | 4,405 | 4,640 | | | | | | |
| GS2TKWSB36 | 1,662 | 1,702 | 1,757 | 1,808 | 1,864 | 1,917 | 2,030 | 2,137 | 2,244 | 2,356 | 2,462 | | | | | | |
| GS2TKWSB45 | 2,029 | 2,083 | 2,164 | 2,238 | 2,320 | 2,395 | 2,555 | 2,709 | 2,867 | 3,024 | 3,177 | | | | | | |
| GS2TKFBX72 | 2,459 | 2,534 | 2,631 | 2,726 | 2,825 | 2,923 | 3,122 | 3,313 | 3,511 | 3,709 | 3,901 | | | | | | |
| GS2TKFBX90 | 2,874 | 2,963 | 3,084 | 3,199 | 3,320 | 3,440 | 3,683 | 3,920 | 4,164 | 4,405 | 4,640 | | | | | | |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|----------------------|---------|-------|--------|------|
| ACCNTRWGT15 | 20 lbs. | 0.5 | — | 310 |
| ACCNTRWGT30 | 30 lbs. | 1.0 | — | 310 |
| ACCNTRWGT36 | 35 lbs. | 1.0 | — | 310 |
| ACDRB-LAT | 2 lbs. | 0.5 | — | 308 |
| ACDUOBZL-EEU | 3 lbs. | 0.2 | — | 315 |
| ACDUOBZL-EEU-HW | 3 lbs. | 0.2 | — | 315 |
| ACDUOCLMP-EEU | 3 lbs. | 0.2 | — | 316 |
| ACDUOCLMP-EEU-HW | 3 lbs. | 0.2 | — | 316 |
| ACFLR5-P | 1 lb. | 0.1 | — | 308 |
| ACFLR9-P | 1 lb. | 0.1 | — | 308 |
| ACFLR15-P | 1 lb. | 0.1 | — | 308 |
| ACFLR18-P | 1 lb. | 0.2 | — | 308 |
| ACFLR30-P | 1 lb. | 0.3 | — | 308 |
| ACFLR36-P | 1 lb. | 0.3 | — | 308 |
| ACGRMTFLD | 1 lb. | 0.1 | — | 318 |
| ACHAT-BLUETOOTH | 1 lb. | 0.1 | — | 122 |
| ACHAT-MEM | 1 lb. | 0.1 | — | 122 |
| ACHAT-PDL | 1 lb. | 0.1 | — | 122 |
| ACHAT-UD | 1 lb. | 0.1 | — | 122 |
| ACMWS30 | 3 lbs. | 0.4 | — | 199 |
| ACMWS36 | 4 lbs. | 0.5 | — | 199 |
| ACMWS41 | 4 lbs. | 0.5 | — | 199 |
| ACMWS47 | 5 lbs. | 0.6 | — | 199 |
| ACMWS53 | 5 lbs. | 0.7 | — | 199 |
| ACMWS59 | 6 lbs. | 0.7 | — | 199 |
| ACMWS65 | 7 lbs. | 0.8 | — | 199 |
| ACMWS71 | 7 lbs. | 0.9 | — | 199 |
| ACMWS83 | 8 lbs. | 1.0 | — | 199 |
| ACPHQ3QI-B | 3 lbs. | 0.3 | — | 216 |
| ACPHQ3QI-S | 3 lbs. | 0.3 | — | 216 |
| ACPT15-GAA | 2 lbs. | 0.5 | — | 313 |
| ACPT18-GAA | 2 lbs. | 0.5 | — | 313 |
| ACPUNDER-EU | 2 lbs. | 0.2 | — | 317 |
| ACPUNDER-EU-HW | 2 lbs. | 0.2 | — | 317 |
| ACTLED24 | 2 lbs. | 0.1 | — | 306 |
| ACTLED36 | 3 lbs. | 0.2 | — | 306 |
| ACTLED48 | 4 lbs. | 0.3 | — | 306 |
| ACTLED60 | 5 lbs. | 0.3 | — | 306 |
| ACTRIOBZL-EEEUD | 4 lbs. | 0.3 | — | 315 |
| ACTRIOBZL-EEEUD-HW | 4 lbs. | 0.3 | — | 315 |
| ACTRIOCLMP-EEEUD | 4 lbs. | 0.3 | — | 316 |
| ACTRIOCLMP-EEEUD-HW | 4 lbs. | 0.3 | — | 316 |
| ACTRIOUNDER-EEEUD | 4 lbs. | 0.3 | — | 317 |
| ACTRIOUNDER-EEEUD-HW | 4 lbs. | 0.3 | — | 317 |

| model number | weight | cubes | #locks | page |
|-----------------|---------|-------|--------|----------|
| ACUNOBZL-EU | 2 lbs. | 0.2 | — | 216, 315 |
| ACUNOBZL-EU-HW | 2 lbs. | 0.2 | — | 216, 315 |
| ACUNOCLMP-EU | 2 lbs. | 0.2 | — | 316 |
| ACUNOCLMP-EU-HW | 2 lbs. | 0.2 | — | 316 |
| ACWCB15 | 6 lbs. | 0.7 | — | 120, 200 |
| ACWCB20 | 8 lbs. | 0.8 | — | 120, 200 |
| ACWM | 2 lbs. | 0.1 | — | 311 |
| ASBCSGDF4 | | | — | 304.1 |
| ASBCSGDW4 | | | — | 304.1 |
| ACWM | 2 lbs. | 0.1 | — | 311 |
| BSHAT2142 | 53 lbs. | 5.4 | — | 118 |
| BSHAT2148 | 55 lbs. | 6.3 | — | 118 |
| BSHAT2154 | 57 lbs. | 7.1 | — | 118 |
| BSHAT2160 | 59 lbs. | 7.9 | — | 118 |
| BSHAT2166 | 61 lbs. | 8.8 | — | 118 |
| BSHAT2172 | 63 lbs. | 9.6 | — | 118 |
| BSHAT2748 | 59 lbs. | 7.8 | — | 118 |
| BSHAT2754 | 61 lbs. | 8.9 | — | 118 |
| BSHAT2760 | 63 lbs. | 9.9 | — | 118 |
| BSHAT2766 | 65 lbs. | 10.9 | — | 118 |
| BSHAT2772 | 67 lbs. | 12.0 | — | 118 |
| GDAPPM-EEU | 3 lbs. | 0.1 | — | 317 |
| GDAPPM-EEU-HW | 3 lbs. | 0.1 | — | 317 |
| GS2ALEG-A | 8 lbs. | 0.6 | — | 157 |
| GS2ASF830-A | 10 lbs. | 0.8 | — | 284 |
| GS2ASF830-L | 7 lbs. | 0.3 | — | 284 |
| GS2ASF830-W | 8 lbs. | 0.8 | — | 284 |
| GS2ASF836-A | 12 lbs. | 1.0 | — | 284 |
| GS2ASF836-L | 9 lbs. | 0.3 | — | 284 |
| GS2ASF836-W | 10 lbs. | 1.0 | — | 284 |
| GS2ASF842-A | 14 lbs. | 1.1 | — | 284 |
| GS2ASF842-L | 11 lbs. | 1.1 | — | 284 |
| GS2ASF842-W | 11 lbs. | 1.1 | — | 284 |
| GS2ASF848-A | 15 lbs. | 1.3 | — | 284 |
| GS2ASF848-L | 12 lbs. | 1.3 | — | 284 |
| GS2ASF848-W | 12 lbs. | 1.3 | — | 284 |
| GS2ASF854-A | 17 lbs. | 1.4 | — | 284 |
| GS2ASF854-L | 14 lbs. | 1.4 | — | 284 |
| GS2ASF854-W | 14 lbs. | 1.4 | — | 284 |
| GS2ASF860-A | 19 lbs. | 1.6 | — | 284 |
| GS2ASF860-L | 15 lbs. | 0.5 | — | 284 |
| GS2ASF860-W | 16 lbs. | 1.6 | — | 284 |
| GS2ASF866-A | 21 lbs. | 1.7 | — | 284 |
| GS2ASF866-L | 16 lbs. | 0.6 | — | 284 |

| model number | weight | cubes | #locks | page |
|--------------|---------|-------|--------|------|
| GS2ASF866-W | 17 lbs. | 1.7 | — | 284 |
| GS2ASF872-A | 23 lbs. | 1.9 | — | 284 |
| GS2ASF872-L | 18 lbs. | 0.7 | — | 284 |
| GS2ASF872-W | 19 lbs. | 1.9 | — | 284 |
| GS2ASF878-A | 25 lbs. | 2.0 | — | 284 |
| GS2ASF878-L | 19 lbs. | 0.7 | — | 284 |
| GS2ASF878-W | 20 lbs. | 2.0 | — | 284 |
| GS2ASF884-A | 27 lbs. | 1.1 | — | 284 |
| GS2ASF884-L | 21 lbs. | 0.8 | — | 284 |
| GS2ASF884-W | 22 lbs. | 1.1 | — | 284 |
| GS2ASF890-A | 29 lbs. | 1.2 | — | 284 |
| GS2ASF890-L | 22 lbs. | 0.8 | — | 284 |
| GS2ASF890-W | 24 lbs. | 1.2 | — | 284 |
| GS2ASF896-A | 31 lbs. | 1.3 | — | 284 |
| GS2ASF896-L | 24 lbs. | 0.9 | — | 284 |
| GS2ASF896-W | 26 lbs. | 1.3 | — | 284 |
| GS2ASF1230-A | 14 lbs. | 1.1 | — | 285 |
| GS2ASF1230-L | 10 lbs. | 0.3 | — | 285 |
| GS2ASF1230-W | 11 lbs. | 1.1 | — | 285 |
| GS2ASF1236-A | 16 lbs. | 1.3 | — | 285 |
| GS2ASF1236-L | 12 lbs. | 0.3 | — | 285 |
| GS2ASF1236-W | 13 lbs. | 1.3 | — | 285 |
| GS2ASF1242-A | 18 lbs. | 1.5 | — | 285 |
| GS2ASF1242-L | 15 lbs. | 1.5 | — | 285 |
| GS2ASF1242-W | 15 lbs. | 1.5 | — | 285 |
| GS2ASF1248-A | 21 lbs. | 1.7 | — | 285 |
| GS2ASF1248-L | 18 lbs. | 1.7 | — | 285 |
| GS2ASF1248-W | 18 lbs. | 1.7 | — | 285 |
| GS2ASF1254-A | 24 lbs. | 1.9 | — | 285 |
| GS2ASF1254-L | 20 lbs. | 1.9 | — | 285 |
| GS2ASF1254-W | 20 lbs. | 1.9 | — | 285 |
| GS2ASF1260-A | 27 lbs. | 2.1 | — | 285 |
| GS2ASF1260-L | 20 lbs. | 0.5 | — | 285 |
| GS2ASF1260-W | 22 lbs. | 2.1 | — | 285 |
| GS2ASF1266-A | 30 lbs. | 2.3 | — | 285 |
| GS2ASF1266-L | 22 lbs. | 0.6 | — | 285 |
| GS2ASF1266-W | 24 lbs. | 2.3 | — | 285 |
| GS2ASF1272-A | 33 lbs. | 2.5 | — | 285 |
| GS2ASF1272-L | 24 lbs. | 0.7 | — | 285 |
| GS2ASF1272-W | 26 lbs. | 2.5 | — | 285 |
| GS2ASF1278-A | 35 lbs. | 2.7 | — | 285 |
| GS2ASF1278-L | 26 lbs. | 0.7 | — | 285 |
| GS2ASF1278-W | 28 lbs. | 2.7 | — | 285 |
| GS2ASF1284-A | 38 lbs. | 1.5 | — | 285 |

| model number | weight | cubes | #locks | page |
|---------------|---------|-------|--------|------|
| GS2ASF1284-L | 27 lbs. | 0.8 | — | 285 |
| GS2ASF1284-W | 31 lbs. | 1.5 | — | 285 |
| GS2ASF1290-A | 41 lbs. | 1.6 | — | 285 |
| GS2ASF1290-L | 29 lbs. | 0.8 | — | 285 |
| GS2ASF1290-W | 33 lbs. | 1.6 | — | 285 |
| GS2ASF1296-A | 44 lbs. | 1.7 | — | 285 |
| GS2ASF1296-L | 31 lbs. | 0.9 | — | 285 |
| GS2ASF1296-W | 35 lbs. | 1.7 | — | 285 |
| GS2ASF8102-A | 33 lbs. | 1.3 | — | 284 |
| GS2ASF8102-L | 25 lbs. | 0.5 | — | 284 |
| GS2ASF8102-W | 27 lbs. | 1.3 | — | 284 |
| GS2ASF8108-A | 35 lbs. | 1.4 | — | 284 |
| GS2ASF8108-L | 27 lbs. | 0.5 | — | 284 |
| GS2ASF8108-W | 28 lbs. | 1.4 | — | 284 |
| GS2ASF8114-A | 37 lbs. | 1.4 | — | 284 |
| GS2ASF8114-L | 30 lbs. | 2.9 | — | 284 |
| GS2ASF8114-W | 30 lbs. | 2.9 | — | 284 |
| GS2ASF8120-A | 39 lbs. | 1.6 | — | 284 |
| GS2ASF8120-L | 30 lbs. | 0.5 | — | 284 |
| GS2ASF8120-W | 32 lbs. | 1.6 | — | 284 |
| GS2ASF8132-A | 34 lbs. | 2.8 | — | 284 |
| GS2ASF8132-L | 34 lbs. | 2.8 | — | 284 |
| GS2ASF8132-W | 34 lbs. | 2.8 | — | 284 |
| GS2ASF8144-A | 38 lbs. | 3.0 | — | 284 |
| GS2ASF8144-L | 38 lbs. | 3.0 | — | 284 |
| GS2ASF8144-W | 38 lbs. | 3.0 | — | 284 |
| GS2ASF12102-A | 46 lbs. | 1.8 | — | 285 |
| GS2ASF12102-L | 33 lbs. | 0.5 | — | 285 |
| GS2ASF12102-W | 37 lbs. | 1.8 | — | 285 |
| GS2ASF12108-A | 49 lbs. | 1.9 | — | 285 |
| GS2ASF12108-L | 35 lbs. | 0.5 | — | 285 |
| GS2ASF12108-W | 39 lbs. | 1.9 | — | 285 |
| GS2ASF12114-A | 51 lbs. | 2.0 | — | 285 |
| GS2ASF12114-L | 41 lbs. | 3.9 | — | 285 |
| GS2ASF12114-W | 41 lbs. | 3.9 | — | 285 |
| GS2ASF12120-A | 54 lbs. | 2.1 | — | 285 |
| GS2ASF12120-L | 39 lbs. | 0.5 | — | 285 |
| GS2ASF12120-W | 44 lbs. | 2.1 | — | 285 |
| GS2ASF12132-A | 48 lbs. | 2.3 | — | 285 |
| GS2ASF12132-L | 48 lbs. | 2.3 | — | 285 |
| GS2ASF12132-W | 48 lbs. | 2.3 | — | 285 |
| GS2ASF12144-A | 52 lbs. | 2.5 | — | 285 |
| GS2ASF12144-L | 52 lbs. | 2.5 | — | 285 |
| GS2ASF12144-W | 52 lbs. | 2.5 | — | 285 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|----------------|----------|-------|--------|------|
| GS2BCL5H18L-LL | 210 lbs. | 23.5 | 1 | 221 |
| GS2BCL5H18L-WW | 210 lbs. | 23.5 | 1 | 221 |
| GS2BCL5H18R-LL | 210 lbs. | 23.5 | 1 | 221 |
| GS2BCL5H18R-WW | 210 lbs. | 23.5 | 1 | 221 |
| GS2BCL6H18L-LL | 250 lbs. | 27.9 | 1 | 221 |
| GS2BCL6H18L-WW | 250 lbs. | 27.9 | 1 | 221 |
| GS2BCL6H18R-LL | 250 lbs. | 27.9 | 1 | 221 |
| GS2BCL6H18R-WW | 250 lbs. | 27.9 | 1 | 221 |
| GS2BKN2H30N-LN | 65 lbs. | 10.5 | — | 220 |
| GS2BKN2H30N-WN | 65 lbs. | 10.5 | — | 220 |
| GS2BKN2H36N-LN | 80 lbs. | 12.5 | — | 220 |
| GS2BKN2H36N-WN | 80 lbs. | 12.5 | — | 220 |
| GS2BKN3H30-LN | 100 lbs. | 14.7 | — | 220 |
| GS2BKN3H30-WN | 100 lbs. | 14.7 | — | 220 |
| GS2BKN3H36-LN | 115 lbs. | 18.2 | — | 220 |
| GS2BKN3H36-WN | 115 lbs. | 18.2 | — | 220 |
| GS2BKN4H30-LN | 127 lbs. | 18.6 | — | 220 |
| GS2BKN4H30-WN | 127 lbs. | 18.6 | — | 220 |
| GS2BKN4H36-LN | 142 lbs. | 23.2 | — | 220 |
| GS2BKN4H36-WN | 142 lbs. | 23.2 | — | 220 |
| GS2BKN5H30-LN | 152 lbs. | 23.2 | — | 220 |
| GS2BKN5H30-WN | 152 lbs. | 23.2 | — | 220 |
| GS2BKN5H36-LN | 167 lbs. | 28.9 | — | 220 |
| GS2BKN5H36-WN | 167 lbs. | 28.9 | — | 220 |
| GS2BKN6H30-LN | 213 lbs. | 27.6 | — | 220 |
| GS2BKN6H30-WN | 213 lbs. | 27.6 | — | 220 |
| GS2BKN6H36-LN | 228 lbs. | 34.3 | — | 220 |
| GS2BKN6H36-WN | 228 lbs. | 34.3 | — | 220 |
| GS2BMA39-L | 35 lbs. | 6.8 | — | 194 |
| GS2BMA39-W | 35 lbs. | 6.8 | — | 194 |
| GS2BMA42-L | 37 lbs. | 7.2 | — | 194 |
| GS2BMA42-W | 37 lbs. | 7.2 | — | 194 |
| GS2BMA45-L | 39 lbs. | 7.7 | — | 194 |
| GS2BMA45-W | 39 lbs. | 7.7 | — | 194 |
| GS2BMA48-L | 41 lbs. | 8.2 | — | 194 |
| GS2BMA48-W | 41 lbs. | 8.2 | — | 194 |
| GS2BMA51-L | 43 lbs. | 8.7 | — | 194 |
| GS2BMA51-W | 43 lbs. | 8.7 | — | 194 |
| GS2BMA54-L | 45 lbs. | 9.2 | — | 194 |
| GS2BMA54-W | 45 lbs. | 9.2 | — | 194 |
| GS2BMA57-L | 47 lbs. | 9.6 | — | 194 |
| GS2BMA57-W | 47 lbs. | 9.6 | — | 194 |
| GS2BMA60-L | 49 lbs. | 10.1 | — | 194 |
| GS2BMA60-W | 49 lbs. | 10.1 | — | 194 |

| model number | weight | cubes | #locks | page |
|----------------|----------|-------|--------|------|
| GS2BMF39-L | 19 lbs. | 2.9 | — | 193 |
| GS2BMF39-W | 19 lbs. | 2.9 | — | 193 |
| GS2BMF42-L | 20 lbs. | 3.1 | — | 193 |
| GS2BMF42-W | 20 lbs. | 3.1 | — | 193 |
| GS2BMF45-L | 21 lbs. | 3.3 | — | 193 |
| GS2BMF45-W | 21 lbs. | 3.3 | — | 193 |
| GS2BMF48-L | 23 lbs. | 3.5 | — | 193 |
| GS2BMF48-W | 23 lbs. | 3.5 | — | 193 |
| GS2BMF51-L | 24 lbs. | 3.7 | — | 193 |
| GS2BMF51-W | 24 lbs. | 3.7 | — | 193 |
| GS2BMF54-L | 26 lbs. | 3.9 | — | 193 |
| GS2BMF54-W | 26 lbs. | 3.9 | — | 193 |
| GS2BMF57-L | 27 lbs. | 4.1 | — | 193 |
| GS2BMF57-W | 27 lbs. | 4.1 | — | 193 |
| GS2BMF60-L | 29 lbs. | 4.3 | — | 193 |
| GS2BMF60-W | 29 lbs. | 4.3 | — | 193 |
| GS2CDWSD-W | 2 lbs. | 13.0 | — | 312 |
| GS2CLD5H30-DLL | 286 lbs. | 36.9 | 1 | 225 |
| GS2CLD5H30-DWW | 286 lbs. | 36.9 | 1 | 225 |
| GS2CLD5H30-SLL | 265 lbs. | 36.9 | 1 | 225 |
| GS2CLD5H30-SWW | 265 lbs. | 36.9 | 1 | 225 |
| GS2CLD5H36-DLL | 306 lbs. | 55.7 | — | 225 |
| GS2CLD5H36-DWW | 306 lbs. | 55.7 | — | 225 |
| GS2CLD5H36-SLL | 285 lbs. | 55.7 | — | 225 |
| GS2CLD5H36-SWW | 285 lbs. | 55.7 | — | 225 |
| GS2CLD6H30-DLL | 342 lbs. | 43.8 | 1 | 225 |
| GS2CLD6H30-DWW | 342 lbs. | 43.8 | 1 | 225 |
| GS2CLD6H30-SLL | 311 lbs. | 43.8 | 1 | 225 |
| GS2CLD6H30-SWW | 311 lbs. | 43.8 | 1 | 225 |
| GS2CLD6H36-DLL | 362 lbs. | 55.7 | — | 225 |
| GS2CLD6H36-DWW | 362 lbs. | 55.7 | — | 225 |
| GS2CLD6H36-SLL | 331 lbs. | 55.7 | — | 225 |
| GS2CLD6H36-SWW | 331 lbs. | 55.7 | — | 225 |
| GS2CLMA21-L | 20 lbs. | 3.8 | — | 189 |
| GS2CLMA21-W | 20 lbs. | 3.8 | — | 189 |
| GS2CLMA24-L | 22 lbs. | 4.3 | — | 189 |
| GS2CLMA24-W | 22 lbs. | 4.3 | — | 189 |
| GS2CLMA27-L | 24 lbs. | 4.7 | — | 189 |
| GS2CLMA27-W | 24 lbs. | 4.7 | — | 189 |
| GS2CLMA30-L | 26 lbs. | 5.2 | — | 189 |
| GS2CLMA30-W | 26 lbs. | 5.2 | — | 189 |
| GS2CLMA33-L | 28 lbs. | 5.6 | — | 189 |
| GS2CLMA33-W | 28 lbs. | 5.6 | — | 189 |
| GS2CLMA36-L | 30 lbs. | 6.1 | — | 189 |

| model number | weight | cubes | #locks | page |
|--------------|---------|-------|--------|------|
| GS2CLMA36-W | 30 lbs. | 6.1 | — | 189 |
| GS2CLMA39-L | 32 lbs. | 6.5 | — | 189 |
| GS2CLMA39-W | 32 lbs. | 6.5 | — | 189 |
| GS2CLMA42-L | 34 lbs. | 7.0 | — | 189 |
| GS2CLMA42-W | 34 lbs. | 7.0 | — | 189 |
| GS2CLMA45-L | 36 lbs. | 7.4 | — | 189 |
| GS2CLMA45-W | 36 lbs. | 7.4 | — | 189 |
| GS2CLMA48-L | 38 lbs. | 7.9 | — | 189 |
| GS2CLMA48-W | 38 lbs. | 7.9 | — | 189 |
| GS2CLMA51-L | 40 lbs. | 8.4 | — | 189 |
| GS2CLMA51-W | 40 lbs. | 8.4 | — | 189 |
| GS2CLMA54-L | 42 lbs. | 8.8 | — | 189 |
| GS2CLMA54-W | 42 lbs. | 8.8 | — | 189 |
| GS2CLMA57-L | 44 lbs. | 9.3 | — | 189 |
| GS2CLMA57-W | 44 lbs. | 9.3 | — | 189 |
| GS2CLMA60-L | 46 lbs. | 9.7 | — | 189 |
| GS2CLMA60-W | 46 lbs. | 9.7 | — | 189 |
| GS2CLMA63-L | 48 lbs. | 10.2 | — | 189 |
| GS2CLMA63-W | 48 lbs. | 10.2 | — | 189 |
| GS2CLMA66-L | 50 lbs. | 10.6 | — | 189 |
| GS2CLMA66-W | 50 lbs. | 10.6 | — | 189 |
| GS2CLMA69-L | 52 lbs. | 11.1 | — | 189 |
| GS2CLMA69-W | 52 lbs. | 11.1 | — | 189 |
| GS2CLMA72-L | 54 lbs. | 11.5 | — | 189 |
| GS2CLMA72-W | 54 lbs. | 11.5 | — | 189 |
| GS2CLMF45-L | 18 lbs. | 2.5 | — | 187 |
| GS2CLMF45-W | 18 lbs. | 2.5 | — | 187 |
| GS2CLMF48-L | 19 lbs. | 2.6 | — | 187 |
| GS2CLMF48-W | 19 lbs. | 2.6 | — | 187 |
| GS2CLMF51-L | 21 lbs. | 2.8 | — | 187 |
| GS2CLMF51-W | 21 lbs. | 2.8 | — | 187 |
| GS2CLMF54-L | 22 lbs. | 2.9 | — | 187 |
| GS2CLMF54-W | 22 lbs. | 2.9 | — | 187 |
| GS2CLMF60-L | 27 lbs. | 3.3 | — | 187 |
| GS2CLMF60-W | 27 lbs. | 3.3 | — | 187 |
| GS2CLMF66-L | 30 lbs. | 3.6 | — | 187 |
| GS2CLMF66-W | 30 lbs. | 3.6 | — | 187 |
| GS2CLMF72-L | 33 lbs. | 3.9 | — | 187 |
| GS2CLMF72-W | 33 lbs. | 3.9 | — | 187 |
| GS2CLMF78-L | 36 lbs. | 4.2 | — | 187 |
| GS2CLMF78-W | 36 lbs. | 4.2 | — | 187 |
| GS2CLMF84-L | 39 lbs. | 4.5 | — | 187 |
| GS2CLMF84-W | 39 lbs. | 4.5 | — | 187 |
| GS2CLMF90-L | 42 lbs. | 4.9 | — | 187 |

| model number | weight | cubes | #locks | page |
|-------------------|----------|-------|--------|------|
| GS2CLMF90-W | 42 lbs. | 4.9 | — | 187 |
| GS2CLMF96-L | 45 lbs. | 5.2 | — | 187 |
| GS2CLMF96-W | 45 lbs. | 5.2 | — | 187 |
| GS2CLMF102-L | 48 lbs. | 5.5 | — | 187 |
| GS2CLMF102-W | 48 lbs. | 5.5 | — | 187 |
| GS2CLMF108-L | 51 lbs. | 5.8 | — | 187 |
| GS2CLMF108-W | 51 lbs. | 5.8 | — | 187 |
| GS2CLMF114-L | 54 lbs. | 6.1 | — | 187 |
| GS2CLMF114-W | 54 lbs. | 6.1 | — | 187 |
| GS2CLMF120-L | 57 lbs. | 6.4 | — | 187 |
| GS2CLMF120-W | 57 lbs. | 6.4 | — | 187 |
| GS2CLPD249L-XL | 32 lbs. | 4.3 | — | 172 |
| GS2CLPD249L-XW | 32 lbs. | 4.3 | — | 172 |
| GS2CLPD249R-XL | 32 lbs. | 4.3 | — | 172 |
| GS2CLPD249R-XW | 32 lbs. | 4.3 | — | 172 |
| GS2CLPD2415-AL | 79 lbs. | 6.5 | 1 | 173 |
| GS2CLPD2415-AW | 79 lbs. | 6.5 | 1 | 173 |
| GS2CLPD2418-AL | 86 lbs. | 7.5 | 1 | 173 |
| GS2CLPD2418-AW | 86 lbs. | 7.5 | 1 | 173 |
| GS2CLPD2430-5L | 106 lbs. | 11.8 | 1 | 175 |
| GS2CLPD2430-5W | 106 lbs. | 11.8 | 1 | 175 |
| GS2CLPD2430-BL | 111 lbs. | 11.8 | 1 | 174 |
| GS2CLPD2430-BW | 111 lbs. | 11.8 | 1 | 174 |
| GS2CLPD2430-SHL | 96 lbs. | 11.8 | — | 176 |
| GS2CLPD2430-SHW | 96 lbs. | 11.8 | — | 176 |
| GS2CLPD2436-5L | 124 lbs. | 14.0 | 1 | 175 |
| GS2CLPD2436-5W | 124 lbs. | 14.0 | 1 | 175 |
| GS2CLPD2436-BL | 125 lbs. | 14.0 | 1 | 174 |
| GS2CLPD2436-BW | 125 lbs. | 14.0 | 1 | 174 |
| GS2CLPD2436-SHL | 114 lbs. | 14.0 | — | 176 |
| GS2CLPD2436-SHW | 114 lbs. | 14.0 | — | 176 |
| GS2CLPD-CUSH2130T | 10 lbs. | 1.8 | — | 201 |
| GS2CLPD-CUSH2136T | 11 lbs. | 2.1 | — | 201 |
| GS2CLS5H15L-LL | 146 lbs. | 20.1 | 1 | 224 |
| GS2CLS5H15L-WG | 146 lbs. | 20.1 | — | 226 |
| GS2CLS5H15L-WW | 146 lbs. | 20.1 | 1 | 224 |
| GS2CLS5H15R-LL | 146 lbs. | 20.1 | 1 | 224 |
| GS2CLS5H15R-WG | 146 lbs. | 20.1 | — | 226 |
| GS2CLS5H15R-WW | 146 lbs. | 20.1 | 1 | 224 |
| GS2CLS5H18L-LL | 166 lbs. | 23.5 | 1 | 224 |
| GS2CLS5H18L-WG | 166 lbs. | 23.5 | — | 226 |
| GS2CLS5H18L-WW | 166 lbs. | 23.5 | 1 | 224 |
| GS2CLS5H18R-LL | 166 lbs. | 23.5 | 1 | 224 |
| GS2CLS5H18R-WG | 166 lbs. | 23.5 | — | 226 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|-------------------|----------|-------|--------|------|
| GS2CLS5H18R-WW | 166 lbs. | 23.5 | 1 | 224 |
| GS2CLS5H30D18L-LL | 181 lbs. | 31.6 | — | 227 |
| GS2CLS5H30D18L-WG | 181 lbs. | 31.6 | — | 228 |
| GS2CLS5H30D18L-WW | 181 lbs. | 31.6 | — | 227 |
| GS2CLS5H30D18R-LL | 181 lbs. | 31.6 | — | 227 |
| GS2CLS5H30D18R-WG | 181 lbs. | 31.6 | — | 228 |
| GS2CLS5H30D18R-WW | 181 lbs. | 31.6 | — | 227 |
| GS2CLS6H15L-LL | 181 lbs. | 26.5 | — | 224 |
| GS2CLS6H15L-WG | 181 lbs. | 26.5 | — | 226 |
| GS2CLS6H15L-WW | 181 lbs. | 26.5 | — | 224 |
| GS2CLS6H15R-LL | 181 lbs. | 26.5 | — | 224 |
| GS2CLS6H15R-WG | 181 lbs. | 26.5 | — | 226 |
| GS2CLS6H15R-WW | 181 lbs. | 26.5 | — | 224 |
| GS2CLS6H18L-LL | 191 lbs. | 27.9 | 1 | 224 |
| GS2CLS6H18L-WG | 191 lbs. | 27.9 | — | 226 |
| GS2CLS6H18L-WW | 191 lbs. | 27.9 | 1 | 224 |
| GS2CLS6H18R-LL | 191 lbs. | 27.9 | 1 | 224 |
| GS2CLS6H18R-WG | 191 lbs. | 27.9 | — | 226 |
| GS2CLS6H18R-WW | 191 lbs. | 27.9 | 1 | 224 |
| GS2CLS6H30D18L-LL | 205 lbs. | 31.6 | — | 227 |
| GS2CLS6H30D18L-WG | 205 lbs. | 31.6 | — | 228 |
| GS2CLS6H30D18L-WW | 205 lbs. | 31.6 | — | 227 |
| GS2CLS6H30D18R-LL | 205 lbs. | 31.6 | — | 227 |
| GS2CLS6H30D18R-WG | 205 lbs. | 31.6 | — | 228 |
| GS2CLS6H30D18R-WW | 205 lbs. | 31.6 | — | 227 |
| GS2CMA21-L | 23 lbs. | 3.9 | — | 188 |
| GS2CMA21-W | 23 lbs. | 3.9 | — | 188 |
| GS2CMA24-L | 25 lbs. | 4.3 | — | 188 |
| GS2CMA24-W | 25 lbs. | 4.3 | — | 188 |
| GS2CMA27-L | 27 lbs. | 4.8 | — | 188 |
| GS2CMA27-W | 27 lbs. | 4.8 | — | 188 |
| GS2CMA30-L | 29 lbs. | 5.3 | — | 188 |
| GS2CMA30-W | 29 lbs. | 5.3 | — | 188 |
| GS2CMA33-L | 31 lbs. | 5.8 | — | 188 |
| GS2CMA33-W | 31 lbs. | 5.8 | — | 188 |
| GS2CMA36-L | 33 lbs. | 6.3 | — | 188 |
| GS2CMA36-W | 33 lbs. | 6.3 | — | 188 |
| GS2CMA39-L | 35 lbs. | 6.8 | — | 188 |
| GS2CMA39-W | 35 lbs. | 6.8 | — | 188 |
| GS2CMA42-L | 37 lbs. | 7.2 | — | 188 |
| GS2CMA42-W | 37 lbs. | 7.2 | — | 188 |
| GS2CMA45-L | 39 lbs. | 7.7 | — | 188 |
| GS2CMA45-W | 39 lbs. | 7.7 | — | 188 |
| GS2CMA48-L | 41 lbs. | 8.2 | — | 188 |

| model number | weight | cubes | #locks | page |
|---------------|---------|-------|--------|------|
| GS2CMA48-W | 41 lbs. | 8.2 | — | 188 |
| GS2CMA51-L | 43 lbs. | 8.7 | — | 188 |
| GS2CMA51-W | 43 lbs. | 8.7 | — | 188 |
| GS2CMA54-L | 45 lbs. | 9.2 | — | 188 |
| GS2CMA54-W | 45 lbs. | 9.2 | — | 188 |
| GS2CMA57-L | 47 lbs. | 9.6 | — | 188 |
| GS2CMA57-W | 47 lbs. | 9.6 | — | 188 |
| GS2CMA60-L | 49 lbs. | 10.1 | — | 188 |
| GS2CMA60-W | 49 lbs. | 10.1 | — | 188 |
| GS2CMA63-L | 51 lbs. | 10.6 | — | 188 |
| GS2CMA63-W | 51 lbs. | 10.6 | — | 188 |
| GS2CMA66-L | 53 lbs. | 11.1 | — | 188 |
| GS2CMA66-W | 53 lbs. | 11.1 | — | 188 |
| GS2CMA69-L | 55 lbs. | 11.6 | — | 188 |
| GS2CMA69-W | 55 lbs. | 11.6 | — | 188 |
| GS2CMA72-L | 57 lbs. | 12.1 | — | 188 |
| GS2CMA72-W | 57 lbs. | 12.1 | — | 188 |
| GS2CMF60-L | 29 lbs. | 4.3 | — | 186 |
| GS2CMF60-W | 29 lbs. | 4.3 | — | 186 |
| GS2CMF66-L | 32 lbs. | 4.7 | — | 186 |
| GS2CMF66-W | 32 lbs. | 4.7 | — | 186 |
| GS2CMF72-L | 35 lbs. | 5.1 | — | 186 |
| GS2CMF72-W | 35 lbs. | 5.1 | — | 186 |
| GS2CMF78-L | 38 lbs. | 5.5 | — | 186 |
| GS2CMF78-W | 38 lbs. | 5.5 | — | 186 |
| GS2CMF84-L | 41 lbs. | 5.9 | — | 186 |
| GS2CMF84-W | 41 lbs. | 5.9 | — | 186 |
| GS2CMF90-L | 44 lbs. | 6.3 | — | 186 |
| GS2CMF90-W | 44 lbs. | 6.3 | — | 186 |
| GS2CMF96-L | 47 lbs. | 6.7 | — | 186 |
| GS2CMF96-W | 47 lbs. | 6.7 | — | 186 |
| GS2CMF102-L | 50 lbs. | 7.1 | — | 186 |
| GS2CMF102-W | 50 lbs. | 7.1 | — | 186 |
| GS2CMF108-L | 53 lbs. | 7.5 | — | 186 |
| GS2CMF108-W | 53 lbs. | 7.5 | — | 186 |
| GS2CMF114-L | 56 lbs. | 7.9 | — | 186 |
| GS2CMF114-W | 56 lbs. | 7.9 | — | 186 |
| GS2CMF120-L | 59 lbs. | 8.4 | — | 186 |
| GS2CMF120-W | 59 lbs. | 8.4 | — | 186 |
| GS2COLUMN | 10 lbs. | 0.9 | — | 157 |
| GS2CPD249L-XL | 37 lbs. | 5.6 | — | 167 |
| GS2CPD249L-XW | 37 lbs. | 5.6 | — | 167 |
| GS2CPD249R-XL | 37 lbs. | 5.6 | — | 167 |
| GS2CPD249R-XW | 37 lbs. | 5.6 | — | 167 |

| model number | weight | cubes | #locks | page |
|-----------------|----------|-------|--------|------|
| GS2CPD309L-XL | 40 lbs. | 8.7 | — | 177 |
| GS2CPD309L-XW | 40 lbs. | 8.7 | — | 177 |
| GS2CPD309R-XL | 40 lbs. | 8.7 | — | 177 |
| GS2CPD309R-XW | 40 lbs. | 8.7 | — | 177 |
| GS2CPD2415-2L | 84 lbs. | 8.4 | 1 | 168 |
| GS2CPD2415-2W | 84 lbs. | 8.4 | 1 | 168 |
| GS2CPD2415-3AL | 84 lbs. | 8.4 | 1 | 168 |
| GS2CPD2415-3AW | 84 lbs. | 8.4 | 1 | 168 |
| GS2CPD2415-3L | 84 lbs. | 8.4 | 1 | 168 |
| GS2CPD2415-3W | 84 lbs. | 8.4 | 1 | 168 |
| GS2CPD2415L-5L | 70 lbs. | 10.5 | 1 | 170 |
| GS2CPD2415L-5W | 70 lbs. | 10.5 | 1 | 170 |
| GS2CPD2415R-5L | 70 lbs. | 10.5 | 1 | 170 |
| GS2CPD2415R-5W | 70 lbs. | 10.5 | 1 | 170 |
| GS2CPD2415-SHL | 65 lbs. | 10.5 | — | 171 |
| GS2CPD2415-SHW | 65 lbs. | 10.5 | — | 171 |
| GS2CPD2418-2L | 91 lbs. | 9.8 | 1 | 168 |
| GS2CPD2418-2W | 91 lbs. | 9.8 | 1 | 168 |
| GS2CPD2418-3AL | 91 lbs. | 9.8 | 1 | 168 |
| GS2CPD2418-3AW | 91 lbs. | 9.8 | 1 | 168 |
| GS2CPD2418-3L | 91 lbs. | 9.8 | 1 | 168 |
| GS2CPD2418-3W | 91 lbs. | 9.8 | 1 | 168 |
| GS2CPD2418L-5L | 75 lbs. | 12.1 | 1 | 170 |
| GS2CPD2418L-5W | 75 lbs. | 12.1 | 1 | 170 |
| GS2CPD2418R-5L | 75 lbs. | 12.1 | 1 | 170 |
| GS2CPD2418R-5W | 75 lbs. | 12.1 | 1 | 170 |
| GS2CPD2418-SHL | 75 lbs. | 12.1 | — | 171 |
| GS2CPD2418-SHW | 75 lbs. | 12.1 | — | 171 |
| GS2CPD2424-5L | 85 lbs. | 15.4 | 1 | 170 |
| GS2CPD2424-5W | 85 lbs. | 15.4 | 1 | 170 |
| GS2CPD2424-SHL | 80 lbs. | 15.4 | — | 171 |
| GS2CPD2424-SHW | 80 lbs. | 15.4 | — | 171 |
| GS2CPD2430-4L | 116 lbs. | 15.4 | 1 | 169 |
| GS2CPD2430-4W | 116 lbs. | 15.4 | 1 | 169 |
| GS2CPD2430-5L | 111 lbs. | 15.4 | 1 | 170 |
| GS2CPD2430-5W | 111 lbs. | 15.4 | 1 | 170 |
| GS2CPD2430-7L | 118 lbs. | 15.4 | 1 | 169 |
| GS2CPD2430-7W | 118 lbs. | 15.4 | 1 | 169 |
| GS2CPD2430L-MFL | 136 lbs. | 18.7 | 1 | 169 |
| GS2CPD2430L-MFW | 136 lbs. | 18.7 | 1 | 169 |
| GS2CPD2430-PL | 135 lbs. | 18.7 | 1 | 170 |
| GS2CPD2430-PW | 135 lbs. | 18.7 | 1 | 170 |
| GS2CPD2430R-MFL | 136 lbs. | 18.7 | 1 | 169 |
| GS2CPD2430R-MFW | 136 lbs. | 18.7 | 1 | 169 |

| model number | weight | cubes | #locks | page |
|-----------------|----------|-------|--------|------|
| GS2CPD2430-SHL | 101 lbs. | 15.4 | — | 171 |
| GS2CPD2430-SHW | 101 lbs. | 15.4 | — | 171 |
| GS2CPD2436-4L | 130 lbs. | 18.2 | 1 | 169 |
| GS2CPD2436-4W | 130 lbs. | 18.2 | 1 | 169 |
| GS2CPD2436-5L | 129 lbs. | 18.2 | 1 | 170 |
| GS2CPD2436-5W | 129 lbs. | 18.2 | 1 | 170 |
| GS2CPD2436-7L | 133 lbs. | 18.2 | 1 | 169 |
| GS2CPD2436-7W | 133 lbs. | 18.2 | 1 | 169 |
| GS2CPD2436L-MFL | 150 lbs. | 22.0 | 1 | 169 |
| GS2CPD2436L-MFW | 150 lbs. | 22.0 | 1 | 169 |
| GS2CPD2436-PL | 140 lbs. | 22.0 | 1 | 170 |
| GS2CPD2436-PW | 140 lbs. | 22.0 | 1 | 170 |
| GS2CPD2436R-MFL | 150 lbs. | 22.0 | 1 | 169 |
| GS2CPD2436R-MFW | 150 lbs. | 22.0 | 1 | 169 |
| GS2CPD2436-SHL | 119 lbs. | 18.2 | — | 171 |
| GS2CPD2436-SHW | 119 lbs. | 18.2 | — | 171 |
| GS2CPD3015-2L | 89 lbs. | 12.7 | 1 | 178 |
| GS2CPD3015-2W | 89 lbs. | 12.7 | 1 | 178 |
| GS2CPD3015-3AL | 89 lbs. | 12.7 | 1 | 178 |
| GS2CPD3015-3AW | 89 lbs. | 12.7 | 1 | 178 |
| GS2CPD3015-3L | 89 lbs. | 12.7 | 1 | 178 |
| GS2CPD3015-3W | 89 lbs. | 12.7 | 1 | 178 |
| GS2CPD3015L-5L | 75 lbs. | 12.7 | 1 | 180 |
| GS2CPD3015L-5W | 75 lbs. | 12.7 | 1 | 180 |
| GS2CPD3015R-5L | 75 lbs. | 12.7 | 1 | 180 |
| GS2CPD3015R-5W | 75 lbs. | 12.7 | 1 | 180 |
| GS2CPD3015-SHL | 70 lbs. | 12.7 | — | 181 |
| GS2CPD3015-SHW | 70 lbs. | 12.7 | — | 181 |
| GS2CPD3018-2L | 96 lbs. | 14.7 | 1 | 178 |
| GS2CPD3018-2W | 96 lbs. | 14.7 | 1 | 178 |
| GS2CPD3018-3AL | 96 lbs. | 14.7 | 1 | 178 |
| GS2CPD3018-3AW | 96 lbs. | 14.7 | 1 | 178 |
| GS2CPD3018-3L | 96 lbs. | 14.7 | 1 | 178 |
| GS2CPD3018-3W | 96 lbs. | 14.7 | 1 | 178 |
| GS2CPD3018L-5L | 80 lbs. | 14.7 | 1 | 180 |
| GS2CPD3018L-5W | 80 lbs. | 14.7 | 1 | 180 |
| GS2CPD3018R-5L | 80 lbs. | 14.7 | 1 | 180 |
| GS2CPD3018R-5W | 80 lbs. | 14.7 | 1 | 180 |
| GS2CPD3018-SHL | 80 lbs. | 14.7 | — | 181 |
| GS2CPD3018-SHW | 80 lbs. | 14.7 | — | 181 |
| GS2CPD3024-5L | 90 lbs. | 18.7 | 1 | 180 |
| GS2CPD3024-5W | 90 lbs. | 18.7 | 1 | 180 |
| GS2CPD3024-SHL | 85 lbs. | 18.7 | — | 181 |
| GS2CPD3024-SHW | 85 lbs. | 18.7 | — | 181 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|-----------------|----------|-------|--------|------|
| GS2CPD3030-4L | 120 lbs. | 22.7 | 1 | 179 |
| GS2CPD3030-4W | 120 lbs. | 22.7 | 1 | 179 |
| GS2CPD3030-5L | 114 lbs. | 22.7 | 1 | 180 |
| GS2CPD3030-5W | 114 lbs. | 22.7 | 1 | 180 |
| GS2CPD3030-7L | 125 lbs. | 22.7 | 1 | 179 |
| GS2CPD3030-7W | 125 lbs. | 22.7 | 1 | 179 |
| GS2CPD3030L-MFL | 148 lbs. | 22.7 | 1 | 179 |
| GS2CPD3030L-MFW | 148 lbs. | 22.7 | 1 | 179 |
| GS2CPD3030-PL | 140 lbs. | 22.7 | 1 | 180 |
| GS2CPD3030-PW | 140 lbs. | 22.7 | 1 | 180 |
| GS2CPD3030R-MFL | 148 lbs. | 22.7 | 1 | 179 |
| GS2CPD3030R-MFW | 148 lbs. | 22.7 | 1 | 179 |
| GS2CPD3030-SHL | 105 lbs. | 22.7 | — | 181 |
| GS2CPD3030-SHW | 105 lbs. | 22.7 | — | 181 |
| GS2CPD3036-4L | 128 lbs. | 26.8 | 1 | 179 |
| GS2CPD3036-4W | 128 lbs. | 26.8 | 1 | 179 |
| GS2CPD3036-5L | 122 lbs. | 26.8 | 1 | 180 |
| GS2CPD3036-5W | 122 lbs. | 26.8 | 1 | 180 |
| GS2CPD3036-7L | 132 lbs. | 26.8 | 1 | 179 |
| GS2CPD3036-7W | 132 lbs. | 26.8 | 1 | 179 |
| GS2CPD3036L-MFL | 162 lbs. | 26.8 | 1 | 179 |
| GS2CPD3036L-MFW | 162 lbs. | 26.8 | 1 | 179 |
| GS2CPD3036-PL | 145 lbs. | 26.8 | 1 | 180 |
| GS2CPD3036-PW | 145 lbs. | 26.8 | 1 | 180 |
| GS2CPD3036R-MFL | 162 lbs. | 26.8 | 1 | 179 |
| GS2CPD3036R-MFW | 162 lbs. | 26.8 | 1 | 179 |
| GS2CPD3036-SHL | 113 lbs. | 26.8 | — | 181 |
| GS2CPD3036-SHW | 113 lbs. | 26.8 | — | 181 |
| GS2CWA2240-L | 27 lbs. | 2.6 | — | 119 |
| GS2CWA2240-W | 27 lbs. | 2.6 | — | 119 |
| GS2CWA2246-L | 31 lbs. | 3.0 | — | 119 |
| GS2CWA2246-W | 31 lbs. | 3.0 | — | 119 |
| GS2CWA2252-L | 35 lbs. | 3.3 | — | 119 |
| GS2CWA2252-W | 35 lbs. | 3.3 | — | 119 |
| GS2CWA2258-L | 39 lbs. | 3.7 | — | 119 |
| GS2CWA2258-W | 39 lbs. | 3.7 | — | 119 |
| GS2CWA2264-L | 43 lbs. | 4.1 | — | 119 |
| GS2CWA2264-W | 43 lbs. | 4.1 | — | 119 |
| GS2CWA2270-L | 48 lbs. | 4.4 | — | 119 |
| GS2CWA2270-W | 48 lbs. | 4.4 | — | 119 |
| GS2CWA2840-L | 35 lbs. | 3.2 | — | 119 |
| GS2CWA2840-W | 35 lbs. | 3.2 | — | 119 |
| GS2CWA2846-L | 40 lbs. | 3.7 | — | 119 |
| GS2CWA2846-W | 40 lbs. | 3.7 | — | 119 |

| model number | weight | cubes | #locks | page |
|--------------|---------|-------|--------|------|
| GS2CWA2852-L | 45 lbs. | 4.1 | — | 119 |
| GS2CWA2852-W | 45 lbs. | 4.1 | — | 119 |
| GS2CWA2858-L | 50 lbs. | 4.6 | — | 119 |
| GS2CWA2858-W | 50 lbs. | 4.6 | — | 119 |
| GS2CWA2864-L | 55 lbs. | 5.0 | — | 119 |
| GS2CWA2864-W | 55 lbs. | 5.0 | — | 119 |
| GS2CWA2870-L | 61 lbs. | 5.5 | — | 119 |
| GS2CWA2870-W | 61 lbs. | 5.5 | — | 119 |
| GS2CWA3440-L | 42 lbs. | 3.9 | — | 119 |
| GS2CWA3440-W | 42 lbs. | 3.9 | — | 119 |
| GS2CWA3446-L | 48 lbs. | 4.4 | — | 119 |
| GS2CWA3446-W | 48 lbs. | 4.4 | — | 119 |
| GS2CWA3452-L | 55 lbs. | 4.9 | — | 119 |
| GS2CWA3452-W | 55 lbs. | 4.9 | — | 119 |
| GS2CWA3458-L | 61 lbs. | 5.5 | — | 119 |
| GS2CWA3458-W | 61 lbs. | 5.5 | — | 119 |
| GS2CWA3464-L | 67 lbs. | 6.0 | — | 119 |
| GS2CWA3464-W | 67 lbs. | 6.0 | — | 119 |
| GS2CWA3470-L | 73 lbs. | 6.5 | — | 119 |
| GS2CWA3470-W | 73 lbs. | 6.5 | — | 119 |
| GS2CWR2415-L | 11 lbs. | 1.3 | — | 165 |
| GS2CWR2415-W | 11 lbs. | 1.3 | — | 165 |
| GS2CWR2418-L | 13 lbs. | 1.5 | — | 165 |
| GS2CWR2418-W | 13 lbs. | 1.5 | — | 165 |
| GS2CWR2424-L | 18 lbs. | 1.9 | — | 165 |
| GS2CWR2424-W | 18 lbs. | 1.9 | — | 165 |
| GS2CWR2430-L | 27 lbs. | 2.2 | — | 165 |
| GS2CWR2430-W | 27 lbs. | 2.2 | — | 165 |
| GS2CWR2436-L | 32 lbs. | 2.6 | — | 165 |
| GS2CWR2436-W | 32 lbs. | 2.6 | — | 165 |
| GS2CWR2442-L | 36 lbs. | 2.9 | — | 165 |
| GS2CWR2442-W | 36 lbs. | 2.9 | — | 165 |
| GS2CWR2448-L | 41 lbs. | 3.3 | — | 165 |
| GS2CWR2448-W | 41 lbs. | 3.3 | — | 165 |
| GS2CWR2454-L | 45 lbs. | 3.7 | — | 165 |
| GS2CWR2454-W | 45 lbs. | 3.7 | — | 165 |
| GS2CWR2460-L | 49 lbs. | 4.1 | — | 165 |
| GS2CWR2460-W | 49 lbs. | 4.1 | — | 165 |
| GS2CWR2466-L | 54 lbs. | 4.5 | — | 165 |
| GS2CWR2466-W | 54 lbs. | 4.5 | — | 165 |
| GS2CWR2472-L | 58 lbs. | 4.9 | — | 165 |
| GS2CWR2472-W | 58 lbs. | 4.9 | — | 165 |
| GS2CWR2478-L | 63 lbs. | 5.3 | — | 165 |
| GS2CWR2478-W | 63 lbs. | 5.3 | — | 165 |

| model number | weight | cubes | #locks | page |
|---------------|---------|-------|--------|------|
| GS2CWR2484-L | 67 lbs. | 5.7 | — | 165 |
| GS2CWR2484-W | 67 lbs. | 5.7 | — | 165 |
| GS2CWR2490-L | 72 lbs. | 6.1 | — | 165 |
| GS2CWR2490-W | 72 lbs. | 6.1 | — | 165 |
| GS2CWR2496-L | 76 lbs. | 6.5 | — | 165 |
| GS2CWR2496-W | 76 lbs. | 6.5 | — | 165 |
| GS2CWR3015-L | 14 lbs. | 1.6 | — | 166 |
| GS2CWR3015-W | 14 lbs. | 1.6 | — | 166 |
| GS2CWR3018-L | 16 lbs. | 1.8 | — | 166 |
| GS2CWR3018-W | 16 lbs. | 1.8 | — | 166 |
| GS2CWR3024-L | 22 lbs. | 2.3 | — | 166 |
| GS2CWR3024-W | 22 lbs. | 2.3 | — | 166 |
| GS2CWR3030-L | 28 lbs. | 2.8 | — | 166 |
| GS2CWR3030-W | 28 lbs. | 2.8 | — | 166 |
| GS2CWR3036-L | 32 lbs. | 3.3 | — | 166 |
| GS2CWR3036-W | 32 lbs. | 3.3 | — | 166 |
| GS2CWR3042-L | 38 lbs. | 3.8 | — | 166 |
| GS2CWR3042-W | 38 lbs. | 3.8 | — | 166 |
| GS2CWR3048-L | 45 lbs. | 4.3 | — | 166 |
| GS2CWR3048-W | 45 lbs. | 4.3 | — | 166 |
| GS2CWR3054-L | 50 lbs. | 4.8 | — | 166 |
| GS2CWR3054-W | 50 lbs. | 4.8 | — | 166 |
| GS2CWR3060-L | 55 lbs. | 5.3 | — | 166 |
| GS2CWR3060-W | 55 lbs. | 5.3 | — | 166 |
| GS2CWR3066-L | 60 lbs. | 5.8 | — | 166 |
| GS2CWR3066-W | 60 lbs. | 5.8 | — | 166 |
| GS2CWR3072-L | 65 lbs. | 6.3 | — | 166 |
| GS2CWR3072-W | 65 lbs. | 6.3 | — | 166 |
| GS2CWR3078-L | 70 lbs. | 6.8 | — | 166 |
| GS2CWR3078-W | 70 lbs. | 6.8 | — | 166 |
| GS2CWR3084-L | 75 lbs. | 7.3 | — | 166 |
| GS2CWR3084-W | 75 lbs. | 7.3 | — | 166 |
| GS2CWR3090-L | 80 lbs. | 7.8 | — | 166 |
| GS2CWR3090-W | 80 lbs. | 7.8 | — | 166 |
| GS2CWR3096-L | 85 lbs. | 8.3 | — | 166 |
| GS2CWR3096-W | 85 lbs. | 8.3 | — | 166 |
| GS2CWR24102-L | 81 lbs. | 6.9 | — | 165 |
| GS2CWR24102-W | 81 lbs. | 6.9 | — | 165 |
| GS2CWR24108-L | 85 lbs. | 7.3 | — | 165 |
| GS2CWR24108-W | 85 lbs. | 7.3 | — | 165 |
| GS2CWR24114-L | 89 lbs. | 7.7 | — | 165 |
| GS2CWR24114-W | 89 lbs. | 7.7 | — | 165 |
| GS2CWR24120-L | 94 lbs. | 8.0 | — | 165 |
| GS2CWR24120-W | 94 lbs. | 8.0 | — | 165 |

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS2CWR30102-L | 90 lbs. | 8.8 | — | 166 |
| GS2CWR30102-W | 90 lbs. | 8.8 | — | 166 |
| GS2CWR30108-L | 95 lbs. | 9.3 | — | 166 |
| GS2CWR30108-W | 95 lbs. | 9.3 | — | 166 |
| GS2CWR30114-L | 100 lbs. | 9.8 | — | 166 |
| GS2CWR30114-W | 100 lbs. | 9.8 | — | 166 |
| GS2CWR30120-L | 105 lbs. | 10.2 | — | 166 |
| GS2CWR30120-W | 105 lbs. | 10.2 | — | 166 |
| GS2DBOB4272-32LL | 342 lbs. | 33.8 | 2 | 48 |
| GS2DBOB4272-32WW | 342 lbs. | 33.8 | 2 | 48 |
| GS2DBOB4272L-3LL | 266 lbs. | 23.3 | 1 | 49 |
| GS2DBOB4272L-3WW | 266 lbs. | 23.3 | 1 | 49 |
| GS2DBOB4272R-3LL | 266 lbs. | 23.3 | 1 | 49 |
| GS2DBOB4272R-3WW | 266 lbs. | 23.3 | 1 | 49 |
| GS2DBOF4272L-3LL | 247 lbs. | 26.0 | 1 | 50 |
| GS2DBOF4272L-3WW | 247 lbs. | 26.0 | 1 | 50 |
| GS2DBOF4272R-3LL | 247 lbs. | 26.0 | 1 | 50 |
| GS2DBOF4272R-3WW | 247 lbs. | 26.0 | 1 | 50 |
| GS2DDMF1560-L | 33 lbs. | 3.2 | — | 161 |
| GS2DDMF1560-W | 33 lbs. | 3.2 | — | 161 |
| GS2DDMF1566-L | 36 lbs. | 3.9 | — | 161 |
| GS2DDMF1566-W | 36 lbs. | 3.9 | — | 161 |
| GS2DDMF1572-L | 39 lbs. | 4.5 | — | 161 |
| GS2DDMF1572-W | 39 lbs. | 4.5 | — | 161 |
| GS2DDMF1578-L | 42 lbs. | 5.1 | — | 161 |
| GS2DDMF1578-W | 42 lbs. | 5.1 | — | 161 |
| GS2DDMF1584-L | 46 lbs. | 5.8 | — | 161 |
| GS2DDMF1584-W | 46 lbs. | 5.8 | — | 161 |
| GS2DDMF1590-L | 49 lbs. | 5.0 | — | 161 |
| GS2DDMF1590-W | 49 lbs. | 5.0 | — | 161 |
| GS2DDMF1596-L | 52 lbs. | 5.4 | — | 161 |
| GS2DDMF1596-W | 52 lbs. | 5.4 | — | 161 |
| GS2DHL24-H | 18 lbs. | 2.9 | — | 156 |
| GS2DHL30-H | 21 lbs. | 3.5 | — | 156 |
| GS2DHL36-H | 23 lbs. | 4.2 | — | 156 |
| GS2DMPA24-L | 7 lbs. | 0.8 | — | 160 |
| GS2DMPA24-W | 7 lbs. | 0.8 | — | 160 |
| GS2DMPA27-L | 7 lbs. | 0.9 | — | 160 |
| GS2DMPA27-W | 7 lbs. | 0.9 | — | 160 |
| GS2DMPA30-L | 7 lbs. | 0.9 | — | 160 |
| GS2DMPA30-W | 7 lbs. | 0.9 | — | 160 |
| GS2DMPA33-L | 7 lbs. | 1.0 | — | 160 |
| GS2DMPA33-W | 7 lbs. | 1.0 | — | 160 |
| GS2DMPA36-L | 7 lbs. | 1.1 | — | 160 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|--------------|---------|-------|--------|------|
| GS2DMPA36-W | 7 lbs. | 1.1 | — | 160 |
| GS2DMPA39-L | 7 lbs. | 1.2 | — | 160 |
| GS2DMPA39-W | 7 lbs. | 1.2 | — | 160 |
| GS2DMPA42-L | 8 lbs. | 1.3 | — | 160 |
| GS2DMPA42-W | 8 lbs. | 1.3 | — | 160 |
| GS2DMPA45-L | 8 lbs. | 1.4 | — | 160 |
| GS2DMPA45-W | 8 lbs. | 1.4 | — | 160 |
| GS2DMPA48-L | 9 lbs. | 1.5 | — | 160 |
| GS2DMPA48-W | 9 lbs. | 1.5 | — | 160 |
| GS2DMPA51-L | 9 lbs. | 1.5 | — | 160 |
| GS2DMPA51-W | 9 lbs. | 1.5 | — | 160 |
| GS2DMPA54-L | 10 lbs. | 1.6 | — | 160 |
| GS2DMPA54-W | 10 lbs. | 1.6 | — | 160 |
| GS2DMPA57-L | 10 lbs. | 1.7 | — | 160 |
| GS2DMPA57-W | 10 lbs. | 1.7 | — | 160 |
| GS2DMPA60-L | 11 lbs. | 1.8 | — | 160 |
| GS2DMPA60-W | 11 lbs. | 1.8 | — | 160 |
| GS2DMPA63-L | 11 lbs. | 1.9 | — | 160 |
| GS2DMPA63-W | 11 lbs. | 1.9 | — | 160 |
| GS2DMPA66-L | 12 lbs. | 2.0 | — | 160 |
| GS2DMPA66-W | 12 lbs. | 2.0 | — | 160 |
| GS2DMPA69-L | 12 lbs. | 2.1 | — | 160 |
| GS2DMPA69-W | 12 lbs. | 2.1 | — | 160 |
| GS2DMPA72-L | 13 lbs. | 2.1 | — | 160 |
| GS2DMPA72-W | 13 lbs. | 2.1 | — | 160 |
| GS2DMPH39-G | 7 lbs. | 1.2 | — | 159 |
| GS2DMPH39-L | 7 lbs. | 1.2 | — | 159 |
| GS2DMPH39-W | 7 lbs. | 1.2 | — | 159 |
| GS2DMPH42-G | 8 lbs. | 1.3 | — | 159 |
| GS2DMPH42-L | 8 lbs. | 1.3 | — | 159 |
| GS2DMPH42-W | 8 lbs. | 1.3 | — | 159 |
| GS2DMPH45-G | 8 lbs. | 1.3 | — | 159 |
| GS2DMPH45-L | 8 lbs. | 1.3 | — | 159 |
| GS2DMPH45-W | 8 lbs. | 1.3 | — | 159 |
| GS2DMPH48-G | 9 lbs. | 1.4 | — | 159 |
| GS2DMPH48-L | 9 lbs. | 1.4 | — | 159 |
| GS2DMPH48-W | 9 lbs. | 1.4 | — | 159 |
| GS2DMPH51-G | 9 lbs. | 1.5 | — | 159 |
| GS2DMPH51-L | 9 lbs. | 1.5 | — | 159 |
| GS2DMPH51-W | 9 lbs. | 1.5 | — | 159 |
| GS2DMPH54-G | 10 lbs. | 1.6 | — | 159 |
| GS2DMPH54-L | 10 lbs. | 1.6 | — | 159 |
| GS2DMPH54-W | 10 lbs. | 1.6 | — | 159 |
| GS2DMPH57-G | 10 lbs. | 1.7 | — | 159 |

| model number | weight | cubes | #locks | page |
|-----------------|----------|-------|--------|------|
| GS2DMPH57-L | 10 lbs. | 1.7 | — | 159 |
| GS2DMPH57-W | 10 lbs. | 1.7 | — | 159 |
| GS2DMPH60-G | 11 lbs. | 1.8 | — | 159 |
| GS2DMPH60-L | 11 lbs. | 1.8 | — | 159 |
| GS2DMPH60-W | 11 lbs. | 1.8 | — | 159 |
| GS2DMPH63-G | 11 lbs. | 1.9 | — | 159 |
| GS2DMPH63-L | 11 lbs. | 1.9 | — | 159 |
| GS2DMPH63-W | 11 lbs. | 1.9 | — | 159 |
| GS2DMPH66-G | 12 lbs. | 1.9 | — | 159 |
| GS2DMPH66-L | 12 lbs. | 1.9 | — | 159 |
| GS2DMPH66-W | 12 lbs. | 1.9 | — | 159 |
| GS2DMPH69-G | 12 lbs. | 2.0 | — | 159 |
| GS2DMPH69-L | 12 lbs. | 2.0 | — | 159 |
| GS2DMPH69-W | 12 lbs. | 2.0 | — | 159 |
| GS2DMPH72-G | 13 lbs. | 2.1 | — | 159 |
| GS2DMPH72-L | 13 lbs. | 2.1 | — | 159 |
| GS2DMPH72-W | 13 lbs. | 2.1 | — | 159 |
| GS2DPC2472-22LL | 265 lbs. | 26.8 | 1 | 54 |
| GS2DPC2472-22WW | 265 lbs. | 26.8 | 1 | 54 |
| GS2DPD309-2SL | 85 lbs. | 7.3 | 1 | 152 |
| GS2DPD309-2SW | 85 lbs. | 7.3 | 1 | 152 |
| GS2DPD309-3SL | 85 lbs. | 7.3 | 1 | 152 |
| GS2DPD309-3SW | 85 lbs. | 7.3 | 1 | 152 |
| GS2DPD309L-XNL | 45 lbs. | 7.3 | — | 153 |
| GS2DPD309L-XNW | 45 lbs. | 7.3 | — | 153 |
| GS2DPD309R-XNL | 45 lbs. | 7.3 | — | 153 |
| GS2DPD309R-XNW | 45 lbs. | 7.3 | — | 153 |
| GS2DPD369-2SL | 92 lbs. | 8.6 | 1 | 152 |
| GS2DPD369-2SW | 92 lbs. | 8.6 | 1 | 152 |
| GS2DPD369-3SL | 92 lbs. | 8.6 | 1 | 152 |
| GS2DPD369-3SW | 92 lbs. | 8.6 | 1 | 152 |
| GS2DPD369L-XNL | 52 lbs. | 8.6 | — | 153 |
| GS2DPD369L-XNW | 52 lbs. | 8.6 | — | 153 |
| GS2DPD369R-XNL | 52 lbs. | 8.6 | — | 153 |
| GS2DPD369R-XNW | 52 lbs. | 8.6 | — | 153 |
| GS2DPD3015-2L | 105 lbs. | 10.6 | 1 | 152 |
| GS2DPD3015-2W | 105 lbs. | 10.6 | 1 | 152 |
| GS2DPD3015-3L | 105 lbs. | 10.6 | 1 | 152 |
| GS2DPD3015-3W | 105 lbs. | 10.6 | 1 | 152 |
| GS2DPD3015L-XNL | 51 lbs. | 10.6 | — | 153 |
| GS2DPD3015L-XNW | 51 lbs. | 10.6 | — | 153 |
| GS2DPD3015R-XNL | 51 lbs. | 10.6 | — | 153 |
| GS2DPD3015R-XNW | 51 lbs. | 10.6 | — | 153 |
| GS2DPD3615-2L | 112 lbs. | 12.5 | 1 | 152 |

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS2DPD3615-2W | 112 lbs. | 12.5 | 1 | 152 |
| GS2DPD3615-3L | 112 lbs. | 12.5 | 1 | 152 |
| GS2DPD3615-3W | 112 lbs. | 12.5 | 1 | 152 |
| GS2DPD3615L-XNL | 58 lbs. | 12.5 | — | 153 |
| GS2DPD3615L-XNW | 58 lbs. | 12.5 | — | 153 |
| GS2DPD3615R-XNL | 58 lbs. | 12.5 | — | 153 |
| GS2DPD3615R-XNW | 58 lbs. | 12.5 | — | 153 |
| GS2DRFB3060L-3LL | 218 lbs. | 18.8 | 1 | 49 |
| GS2DRFB3060L-3WW | 218 lbs. | 18.8 | 1 | 49 |
| GS2DRFB3060R-3LL | 218 lbs. | 18.8 | 1 | 49 |
| GS2DRFB3060R-3WW | 218 lbs. | 18.8 | 1 | 49 |
| GS2DRFB3066L-3LL | 229 lbs. | 20.0 | 1 | 49 |
| GS2DRFB3066L-3WW | 229 lbs. | 20.0 | 1 | 49 |
| GS2DRFB3066R-3LL | 229 lbs. | 20.0 | 1 | 49 |
| GS2DRFB3066R-3WW | 229 lbs. | 20.0 | 1 | 49 |
| GS2DRFB3072L-3LL | 240 lbs. | 21.1 | 1 | 49 |
| GS2DRFB3072L-3WW | 240 lbs. | 21.1 | 1 | 49 |
| GS2DRFB3072R-3LL | 240 lbs. | 21.1 | 1 | 49 |
| GS2DRFB3072R-3WW | 240 lbs. | 21.1 | 1 | 49 |
| GS2DROB3672-32LL | 329 lbs. | 32.7 | 2 | 48 |
| GS2DROB3672-32WW | 329 lbs. | 32.7 | 2 | 48 |
| GS2DROB3672L-3LL | 253 lbs. | 22.2 | 1 | 49 |
| GS2DROB3672L-3WW | 253 lbs. | 22.2 | 1 | 49 |
| GS2DROB3672R-3LL | 253 lbs. | 22.2 | 1 | 49 |
| GS2DROB3672R-3WW | 253 lbs. | 22.2 | 1 | 49 |
| GS2DROB3678L-3LL | 266 lbs. | 23.4 | 1 | 49 |
| GS2DROB3678L-3WW | 266 lbs. | 23.4 | 1 | 49 |
| GS2DROB3678R-3LL | 266 lbs. | 23.4 | 1 | 49 |
| GS2DROB3678R-3WW | 266 lbs. | 23.4 | 1 | 49 |
| GS2DROF3060L-3LL | 180 lbs. | 19.5 | 1 | 50 |
| GS2DROF3060L-3WW | 180 lbs. | 19.5 | 1 | 50 |
| GS2DROF3060R-3LL | 180 lbs. | 19.5 | 1 | 50 |
| GS2DROF3060R-3WW | 180 lbs. | 19.5 | 1 | 50 |
| GS2DROF3066L-3LL | 188 lbs. | 20.4 | 1 | 50 |
| GS2DROF3066L-3WW | 188 lbs. | 20.4 | 1 | 50 |
| GS2DROF3066R-3LL | 188 lbs. | 20.4 | 1 | 50 |
| GS2DROF3066R-3WW | 188 lbs. | 20.4 | 1 | 50 |
| GS2DROF3072L-3LL | 197 lbs. | 21.2 | 1 | 50 |
| GS2DROF3072L-3WW | 197 lbs. | 21.2 | 1 | 50 |
| GS2DROF3072R-3LL | 197 lbs. | 21.2 | 1 | 50 |
| GS2DROF3072R-3WW | 197 lbs. | 21.2 | 1 | 50 |
| GS2DROF3672-32LL | 325 lbs. | 33.3 | 2 | 48 |
| GS2DROF3672-32WW | 325 lbs. | 33.3 | 2 | 48 |
| GS2DROF3672L-3LL | 234 lbs. | 24.9 | 1 | 50 |

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS2DROF3672L-3WW | 234 lbs. | 24.9 | 1 | 50 |
| GS2DROF3672R-3LL | 234 lbs. | 24.9 | 1 | 50 |
| GS2DROF3672R-3WW | 234 lbs. | 24.9 | 1 | 50 |
| GS2DROF3678L-3LL | 244 lbs. | 25.9 | 1 | 50 |
| GS2DROF3678L-3WW | 244 lbs. | 25.9 | 1 | 50 |
| GS2DROF3678R-3LL | 244 lbs. | 25.9 | 1 | 50 |
| GS2DROF3678R-3WW | 244 lbs. | 25.9 | 1 | 50 |
| GS2DSL24-G | 26 lbs. | 2.9 | — | 155 |
| GS2DSL24-H | 20 lbs. | 2.9 | — | 154 |
| GS2DSL24-N | 17 lbs. | 2.9 | — | 154 |
| GS2DSL24-NST | 18 lbs. | 2.9 | — | 154 |
| GS2DSL30-G | 29 lbs. | 3.5 | — | 155 |
| GS2DSL30-H | 23 lbs. | 3.5 | — | 154 |
| GS2DSL30-N | 20 lbs. | 3.5 | — | 154 |
| GS2DSL30-NST | 21 lbs. | 3.5 | — | 154 |
| GS2DSL36-G | 31 lbs. | 4.2 | — | 155 |
| GS2DSL36-H | 25 lbs. | 4.2 | — | 154 |
| GS2DSL36-N | 22 lbs. | 4.2 | — | 154 |
| GS2DSL36-NST | 23 lbs. | 4.2 | — | 154 |
| GS2DWA3672-L | 80 lbs. | 7.1 | — | 149 |
| GS2DWA3672-W | 80 lbs. | 7.1 | — | 149 |
| GS2DWA3684-L | 93 lbs. | 8.2 | — | 149 |
| GS2DWA3684-W | 93 lbs. | 8.2 | — | 149 |
| GS2DWA4272-L | 93 lbs. | 8.2 | — | 149 |
| GS2DWA4272-W | 93 lbs. | 8.2 | — | 149 |
| GS2DWA4284-L | 109 lbs. | 9.5 | — | 149 |
| GS2DWA4284-W | 109 lbs. | 9.5 | — | 149 |
| GS2DWB4272-L | 93 lbs. | 8.2 | — | 151 |
| GS2DWB4272-W | 93 lbs. | 8.2 | — | 151 |
| GS2DWD4272-L | 93 lbs. | 8.2 | — | 151 |
| GS2DWD4272-W | 93 lbs. | 8.2 | — | 151 |
| GS2DWRR3042-L | 39 lbs. | 3.6 | — | 148 |
| GS2DWRR3042-W | 39 lbs. | 3.6 | — | 148 |
| GS2DWRR3048-L | 44 lbs. | 4.1 | — | 148 |
| GS2DWRR3048-W | 44 lbs. | 4.1 | — | 148 |
| GS2DWRR3054-L | 50 lbs. | 4.6 | — | 148 |
| GS2DWRR3054-W | 50 lbs. | 4.6 | — | 148 |
| GS2DWRR3060-L | 56 lbs. | 5.0 | — | 148 |
| GS2DWRR3060-W | 56 lbs. | 5.0 | — | 148 |
| GS2DWRR3066-L | 61 lbs. | 5.5 | — | 148 |
| GS2DWRR3066-W | 61 lbs. | 5.5 | — | 148 |
| GS2DWRR3072-L | 67 lbs. | 6.0 | — | 148 |
| GS2DWRR3072-W | 67 lbs. | 6.0 | — | 148 |
| GS2DWRR3078-L | 72 lbs. | 6.5 | — | 148 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS2DWRR3078-W | 72 lbs. | 6.5 | — | 148 |
| GS2DWRR3084-L | 78 lbs. | 7.0 | — | 148 |
| GS2DWRR3084-W | 78 lbs. | 7.0 | — | 148 |
| GS2DWRR3090-L | 84 lbs. | 7.4 | — | 148 |
| GS2DWRR3090-W | 80 lbs. | 7.8 | — | 148 |
| GS2DWRR3096-L | 90 lbs. | 7.9 | — | 148 |
| GS2DWRR3096-W | 85 lbs. | 8.3 | — | 148 |
| GS2DWRR3642-L | 47 lbs. | 4.3 | — | 148 |
| GS2DWRR3642-W | 47 lbs. | 4.3 | — | 148 |
| GS2DWRR3648-L | 53 lbs. | 4.8 | — | 148 |
| GS2DWRR3648-W | 53 lbs. | 4.8 | — | 148 |
| GS2DWRR3654-L | 60 lbs. | 5.4 | — | 148 |
| GS2DWRR3654-W | 60 lbs. | 5.4 | — | 148 |
| GS2DWRR3660-L | 67 lbs. | 6.0 | — | 148 |
| GS2DWRR3660-W | 67 lbs. | 6.0 | — | 148 |
| GS2DWRR3666-L | 73 lbs. | 6.5 | — | 148 |
| GS2DWRR3666-W | 73 lbs. | 6.5 | — | 148 |
| GS2DWRR3672-L | 80 lbs. | 7.1 | — | 148 |
| GS2DWRR3672-W | 80 lbs. | 7.1 | — | 148 |
| GS2DWRR3678-L | 87 lbs. | 7.7 | — | 148 |
| GS2DWRR3678-W | 87 lbs. | 7.7 | — | 148 |
| GS2DWRR3684-L | 93 lbs. | 8.2 | — | 148 |
| GS2DWRR3684-W | 93 lbs. | 8.2 | — | 148 |
| GS2DWRR3690-L | 100 lbs. | 8.7 | — | 148 |
| GS2DWRR3690-W | 96 lbs. | 9.1 | — | 148 |
| GS2DWRR3696-L | 106 lbs. | 9.3 | — | 148 |
| GS2DWRR3696-W | 102 lbs. | 9.7 | — | 148 |
| GS2DWRT3066L-L | 61 lbs. | 5.5 | — | 150 |
| GS2DWRT3066L-W | 61 lbs. | 5.5 | — | 150 |
| GS2DWRT3066R-L | 61 lbs. | 5.5 | — | 150 |
| GS2DWRT3066R-W | 61 lbs. | 5.5 | — | 150 |
| GS2DWRT3072L-L | 67 lbs. | 6.0 | — | 150 |
| GS2DWRT3072L-W | 67 lbs. | 6.0 | — | 150 |
| GS2DWRT3072R-L | 67 lbs. | 6.0 | — | 150 |
| GS2DWRT3072R-W | 67 lbs. | 6.0 | — | 150 |
| GS2FBX75H90L-WSG | 775 lbs. | 103.0 | — | 303 |
| GS2FBX75H90R-WSG | 775 lbs. | 103.0 | — | 303 |
| GS2FSC2460-44LL | 240 lbs. | 32.0 | 2 | 56 |
| GS2FSC2460-55LL | 210 lbs. | 32.0 | 2 | 57 |
| GS2FSC2460-55WW | 210 lbs. | 32.0 | 2 | 57 |
| GS2FSC2472-44LL | 310 lbs. | 38.1 | 2 | 56 |
| GS2FSC2472-44WW | 310 lbs. | 38.1 | 2 | 56 |
| GS2FSC2472-55LL | 280 lbs. | 38.1 | 2 | 57 |
| GS2FSC2472-55WW | 280 lbs. | 38.1 | 2 | 57 |

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS2FSF830-L | 10 lbs. | 0.9 | — | 286 |
| GS2FSF830-W | 10 lbs. | 0.9 | — | 286 |
| GS2FSF836-L | 12 lbs. | 1.0 | — | 286 |
| GS2FSF836-W | 12 lbs. | 1.0 | — | 286 |
| GS2FSF842-L | 14 lbs. | 1.2 | — | 286 |
| GS2FSF842-W | 14 lbs. | 1.2 | — | 286 |
| GS2FSF848-L | 16 lbs. | 1.4 | — | 286 |
| GS2FSF848-W | 16 lbs. | 1.4 | — | 286 |
| GS2FSF854-L | 18 lbs. | 1.5 | — | 286 |
| GS2FSF854-W | 18 lbs. | 1.5 | — | 286 |
| GS2FSF860-L | 20 lbs. | 1.7 | — | 286 |
| GS2FSF860-W | 20 lbs. | 1.7 | — | 286 |
| GS2FSF866-L | 22 lbs. | 1.8 | — | 286 |
| GS2FSF866-W | 22 lbs. | 1.8 | — | 286 |
| GS2FSF872-L | 24 lbs. | 2.0 | — | 286 |
| GS2FSF872-W | 24 lbs. | 2.0 | — | 286 |
| GS2GMT | 1 lb. | 0.1 | — | 314 |
| GS2LFS2H30-LL | 156 lbs. | 16.8 | 1 | 222 |
| GS2LFS2H30-WW | 156 lbs. | 16.8 | 1 | 222 |
| GS2LFS2H36-LL | 179 lbs. | 19.8 | 1 | 222 |
| GS2LFS2H36-WW | 179 lbs. | 19.8 | 1 | 222 |
| GS2LFS3H30-LL | 201 lbs. | 23.3 | 1 | 223 |
| GS2LFS3H30-WW | 201 lbs. | 23.3 | 1 | 223 |
| GS2LFS3H36-LL | 230 lbs. | 27.5 | 1 | 223 |
| GS2LFS3H36-WW | 230 lbs. | 27.5 | 1 | 223 |
| GS2LFS4H30-LL | 246 lbs. | 29.6 | 1 | 223 |
| GS2LFS4H30-WW | 246 lbs. | 29.6 | 1 | 223 |
| GS2LFS4H36-LL | 281 lbs. | 35.0 | 1 | 223 |
| GS2LFS4H36-WW | 281 lbs. | 35.0 | 1 | 223 |
| GS2LFS5H30-LL | 291 lbs. | 36.9 | 1 | 223 |
| GS2LFS5H30-WW | 291 lbs. | 36.9 | 1 | 223 |
| GS2LFS5H36-LL | 332 lbs. | 43.6 | 1 | 223 |
| GS2LFS5H36-WW | 332 lbs. | 43.6 | 1 | 223 |
| GS2LFS6H30-LL | 337 lbs. | 43.8 | 1 | 223 |
| GS2LFS6H30-WW | 337 lbs. | 43.8 | 1 | 223 |
| GS2LFS6H36-LL | 386 lbs. | 51.8 | 1 | 223 |
| GS2LFS6H36-WW | 386 lbs. | 51.8 | 1 | 223 |
| GS2LHAPD2424L-LL | 88 lbs. | 10.4 | — | 117 |
| GS2LHAPD2424L-WW | 88 lbs. | 10.4 | — | 117 |
| GS2LHAPD2424R-LL | 88 lbs. | 10.4 | — | 117 |
| GS2LHAPD2424R-WW | 88 lbs. | 10.4 | — | 117 |
| GS2LHAPD2430L-LL | 96 lbs. | 12.7 | — | 117 |
| GS2LHAPD2430L-WW | 96 lbs. | 12.7 | — | 117 |
| GS2LHAPD2430R-LL | 96 lbs. | 12.7 | — | 117 |

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS2LHAPD2430R-WW | 96 lbs. | 12.7 | — | 117 |
| GS2LHAPD2436L-LL | 114 lbs. | 15.0 | — | 117 |
| GS2LHAPD2436L-WW | 114 lbs. | 15.0 | — | 117 |
| GS2LHAPD2436R-LL | 114 lbs. | 15.0 | — | 117 |
| GS2LHAPD2436R-WW | 114 lbs. | 15.0 | — | 117 |
| GS2LKR5H24L-LG | 175 lbs. | 28.8 | — | 243 |
| GS2LKR5H24L-LL | 175 lbs. | 28.8 | — | 242 |
| GS2LKR5H24L-WG | 175 lbs. | 30.2 | — | 243 |
| GS2LKR5H24L-WW | 175 lbs. | 30.2 | — | 242 |
| GS2LKR5H24R-LG | 175 lbs. | 28.8 | — | 243 |
| GS2LKR5H24R-LL | 175 lbs. | 28.8 | — | 242 |
| GS2LKR5H24R-WG | 175 lbs. | 30.2 | — | 243 |
| GS2LKR5H24R-WW | 175 lbs. | 30.2 | — | 242 |
| GS2LKR6H24L-LG | 230 lbs. | 34.0 | — | 243 |
| GS2LKR6H24L-LL | 230 lbs. | 33.9 | — | 242 |
| GS2LKR6H24L-WG | 230 lbs. | 35.8 | — | 243 |
| GS2LKR6H24L-WW | 230 lbs. | 35.8 | — | 242 |
| GS2LKR6H24R-LG | 230 lbs. | 34.0 | — | 243 |
| GS2LKR6H24R-LL | 230 lbs. | 33.9 | — | 242 |
| GS2LKR6H24R-WG | 230 lbs. | 35.8 | — | 243 |
| GS2LKR6H24R-WW | 230 lbs. | 35.8 | — | 242 |
| GS2LLKR5H24L-LG | 175 lbs. | 28.8 | — | 245 |
| GS2LLKR5H24L-LL | 175 lbs. | 28.8 | — | 244 |
| GS2LLKR5H24L-WG | 175 lbs. | 30.2 | — | 245 |
| GS2LLKR5H24L-WW | 175 lbs. | 30.2 | — | 244 |
| GS2LLKR5H24R-LG | 175 lbs. | 28.8 | — | 245 |
| GS2LLKR5H24R-LL | 175 lbs. | 28.8 | — | 244 |
| GS2LLKR5H24R-WG | 175 lbs. | 30.2 | — | 245 |
| GS2LLKR5H24R-WW | 175 lbs. | 30.2 | — | 244 |
| GS2LLKR6H24L-LG | 230 lbs. | 34.0 | — | 245 |
| GS2LLKR6H24L-LL | 230 lbs. | 33.9 | — | 244 |
| GS2LLKR6H24L-WG | 230 lbs. | 35.8 | — | 245 |
| GS2LLKR6H24L-WW | 230 lbs. | 35.8 | — | 244 |
| GS2LLKR6H24R-LG | 230 lbs. | 34.0 | — | 245 |
| GS2LLKR6H24R-LL | 230 lbs. | 33.9 | — | 244 |
| GS2LLKR6H24R-WG | 230 lbs. | 35.8 | — | 245 |
| GS2LLKR6H24R-WW | 230 lbs. | 35.8 | — | 244 |
| GS2MEP24L-L | 11 lbs. | 1.8 | — | 182 |
| GS2MEP24L-W | 11 lbs. | 1.8 | — | 182 |
| GS2MEP24R-L | 11 lbs. | 1.8 | — | 182 |
| GS2MEP24R-W | 11 lbs. | 1.8 | — | 182 |
| GS2MEP30L-L | 14 lbs. | 2.2 | — | 182 |
| GS2MEP30L-W | 14 lbs. | 2.2 | — | 182 |
| GS2MEP30R-L | 14 lbs. | 2.2 | — | 182 |

| model number | weight | cubes | #locks | page |
|--------------|---------|-------|--------|------|
| GS2MEP30R-W | 14 lbs. | 2.2 | — | 182 |
| GS2MEP36L-L | 17 lbs. | 2.6 | — | 182 |
| GS2MEP36L-W | 17 lbs. | 2.6 | — | 182 |
| GS2MEP36R-L | 17 lbs. | 2.6 | — | 182 |
| GS2MEP36R-W | 17 lbs. | 2.6 | — | 182 |
| GS2MLB18 | 5 lbs. | 0.4 | — | 198 |
| GS2MLB24 | 7 lbs. | 0.5 | — | 198 |
| GS2MLB30 | 9 lbs. | 0.6 | — | 198 |
| GS2MLB30SL-L | 45 lbs. | 3.0 | — | 195 |
| GS2MLB30SL-W | 45 lbs. | 3.2 | — | 195 |
| GS2MLB30SR-L | 45 lbs. | 3.0 | — | 195 |
| GS2MLB30SR-W | 45 lbs. | 3.2 | — | 195 |
| GS2MLB36 | 11 lbs. | 0.8 | — | 198 |
| GS2MLB36SL-L | 51 lbs. | 3.6 | — | 195 |
| GS2MLB36SL-W | 51 lbs. | 3.8 | — | 195 |
| GS2MLB36SR-L | 51 lbs. | 3.6 | — | 195 |
| GS2MLB36SR-W | 51 lbs. | 3.8 | — | 195 |
| GS2MLPB15-L | 7 lbs. | 0.9 | — | 185 |
| GS2MLPB15-W | 7 lbs. | 0.9 | — | 185 |
| GS2MLPB18-L | 11 lbs. | 1.1 | — | 185 |
| GS2MLPB18-W | 11 lbs. | 1.1 | — | 185 |
| GS2MLPB30-L | 14 lbs. | 1.7 | — | 185 |
| GS2MLPB30-W | 14 lbs. | 1.7 | — | 185 |
| GS2MLPB36-L | 17 lbs. | 2.0 | — | 185 |
| GS2MLPB36-W | 17 lbs. | 2.0 | — | 185 |
| GS2MLPF-L | 2 lbs. | 0.5 | — | 185 |
| GS2MLPF-W | 2 lbs. | 0.5 | — | 185 |
| GS2MLS24L-L | 25 lbs. | 2.9 | — | 183 |
| GS2MLS24L-W | 25 lbs. | 2.9 | — | 183 |
| GS2MLS24R-L | 25 lbs. | 2.9 | — | 183 |
| GS2MLS24R-W | 25 lbs. | 2.9 | — | 183 |
| GS2MLS30L-L | 28 lbs. | 3.5 | — | 183 |
| GS2MLS30L-W | 28 lbs. | 3.5 | — | 183 |
| GS2MLS30R-L | 28 lbs. | 3.5 | — | 183 |
| GS2MLS30R-W | 28 lbs. | 3.5 | — | 183 |
| GS2MLSJ24-L | 20 lbs. | 1.5 | — | 185 |
| GS2MLSJ24-W | 20 lbs. | 1.5 | — | 185 |
| GS2MLSP-L | 9 lbs. | 0.9 | — | 185 |
| GS2MLSP-L | 13 lbs. | 1.5 | — | 185 |
| GS2MLSP-W | 9 lbs. | 0.9 | — | 185 |
| GS2MLSP-W | 13 lbs. | 1.5 | — | 185 |
| GS2MLSP-W | 9 lbs. | 0.9 | — | 185 |
| GS2MPB9-L | 5 lbs. | 0.8 | — | 184 |
| GS2MPB9-W | 5 lbs. | 0.8 | — | 184 |
| GS2MPB15-L | 7 lbs. | 1.2 | — | 184 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|-----------------|----------|-------|--------|------|
| GS2MPB15-W | 7 lbs. | 1.2 | — | 184 |
| GS2MPB18-L | 11 lbs. | 1.4 | — | 184 |
| GS2MPB18-W | 11 lbs. | 1.4 | — | 184 |
| GS2MPB30-L | 14 lbs. | 2.2 | — | 184 |
| GS2MPB30-W | 14 lbs. | 2.2 | — | 184 |
| GS2MPB36-L | 17 lbs. | 2.6 | — | 184 |
| GS2MPB36-W | 17 lbs. | 2.6 | — | 184 |
| GS2MPD-2LL | 84 lbs. | 9.1 | 1 | 246 |
| GS2MPD-2WW | 84 lbs. | 9.1 | 1 | 246 |
| GS2MPD-3LL | 84 lbs. | 9.1 | 1 | 246 |
| GS2MPD-3WW | 84 lbs. | 9.1 | 1 | 246 |
| GS2MPD-6LL | 91 lbs. | 6.4 | 1 | 246 |
| GS2MPD-6WW | 91 lbs. | 6.4 | 1 | 246 |
| GS2MPD-CUSH2215 | 7 lbs. | 1.0 | — | 247 |
| GS2MPF-L | 2 lbs. | 0.6 | — | 184 |
| GS2MPF-W | 2 lbs. | 0.6 | — | 184 |
| GS2MSJ24-L | 20 lbs. | 1.9 | — | 184 |
| GS2MSJ24-W | 20 lbs. | 1.9 | — | 184 |
| GS2MSP-L | 9 lbs. | 1.2 | — | 184 |
| GS2MSPT-L | 13 lbs. | 1.9 | — | 184 |
| GS2MSPT-W | 13 lbs. | 1.9 | — | 184 |
| GS2MSP-W | 9 lbs. | 1.2 | — | 184 |
| GS2MWRT3672-L | 80 lbs. | 6.8 | — | 115 |
| GS2MWRT3672-W | 80 lbs. | 6.8 | — | 115 |
| GS2MWRT4272-L | 93 lbs. | 7.8 | — | 115 |
| GS2MWRT4272-W | 93 lbs. | 7.8 | — | 115 |
| GS2MWRT4872-L | 107 lbs. | 8.9 | — | 115 |
| GS2MWRT4872-W | 107 lbs. | 8.9 | — | 115 |
| GS2RLC6072L-L | 149 lbs. | 18.4 | — | 73 |
| GS2RLC6072L-S | 163 lbs. | 18.4 | — | 73 |
| GS2RLC6072L-W | 156 lbs. | 13.5 | — | 73 |
| GS2RLC6072R-L | 149 lbs. | 18.4 | — | 73 |
| GS2RLC6072R-S | 163 lbs. | 18.4 | — | 73 |
| GS2RLC6072R-W | 156 lbs. | 13.5 | — | 73 |
| GS2RLC6084L-L | 171 lbs. | 21.1 | — | 73 |
| GS2RLC6084L-S | 183 lbs. | 21.1 | — | 73 |
| GS2RLC6084L-W | 180 lbs. | 15.4 | — | 73 |
| GS2RLC6084R-L | 171 lbs. | 21.1 | — | 73 |
| GS2RLC6084R-S | 183 lbs. | 21.1 | — | 73 |
| GS2RLC6084R-W | 180 lbs. | 15.4 | — | 73 |
| GS2RLEL3672-L | 104 lbs. | 13.3 | — | 67 |
| GS2RLEL3672-S | 175 lbs. | 13.3 | — | 67 |
| GS2RLEL3672-W | 108 lbs. | 10.2 | — | 67 |
| GS2RLEL4284-L | 133 lbs. | 16.9 | — | 67 |

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS2RLEL4284-S | 190 lbs. | 16.9 | — | 67 |
| GS2RLEL4284-W | 139 lbs. | 12.8 | — | 67 |
| GS2RLFL3672-L | 104 lbs. | 13.3 | — | 69 |
| GS2RLFL3672-S | 175 lbs. | 13.3 | — | 69 |
| GS2RLFL3672-W | 108 lbs. | 10.2 | — | 69 |
| GS2RLFL4284-L | 133 lbs. | 16.9 | — | 69 |
| GS2RLFL4284-S | 190 lbs. | 16.9 | — | 69 |
| GS2RLFL4284-W | 139 lbs. | 12.8 | — | 69 |
| GS2RLO3066L-3LL | 160 lbs. | 13.7 | 1 | 52 |
| GS2RLO3066L-3WW | 160 lbs. | 13.7 | 1 | 52 |
| GS2RLO3066R-3LL | 160 lbs. | 13.7 | 1 | 52 |
| GS2RLO3066R-3WW | 160 lbs. | 13.7 | 1 | 52 |
| GS2RLO3072L-3LL | 167 lbs. | 14.3 | 1 | 52 |
| GS2RLO3072L-3WW | 167 lbs. | 14.3 | 1 | 52 |
| GS2RLO3072R-3LL | 167 lbs. | 14.3 | 1 | 52 |
| GS2RLO3072R-3WW | 167 lbs. | 14.3 | 1 | 52 |
| GS2RLO3672L-3LL | 189 lbs. | 16.8 | 1 | 52 |
| GS2RLO3672L-3WW | 189 lbs. | 16.8 | 1 | 52 |
| GS2RLO3672R-3LL | 189 lbs. | 16.8 | 1 | 52 |
| GS2RLO3672R-3WW | 189 lbs. | 16.8 | 1 | 52 |
| GS2RLO3678L-3LL | 196 lbs. | 17.5 | 1 | 52 |
| GS2RLO3678L-3WW | 196 lbs. | 17.5 | 1 | 52 |
| GS2RLO3678R-3LL | 196 lbs. | 17.5 | 1 | 52 |
| GS2RLO3678R-3WW | 196 lbs. | 17.5 | 1 | 52 |
| GS2RLOS3066L-3LL | 270 lbs. | 42.8 | 1 | 53 |
| GS2RLOS3066L-3WW | 196 lbs. | 16.0 | 1 | 53 |
| GS2RLOS3066R-3LL | 270 lbs. | 42.8 | 1 | 53 |
| GS2RLOS3066R-3WW | 196 lbs. | 16.0 | 1 | 53 |
| GS2RLOS3072L-3LL | 280 lbs. | 46.5 | 1 | 53 |
| GS2RLOS3072L-3WW | 202 lbs. | 16.5 | 1 | 53 |
| GS2RLOS3072R-3LL | 280 lbs. | 46.5 | 1 | 53 |
| GS2RLOS3072R-3WW | 202 lbs. | 16.5 | 1 | 53 |
| GS2RLOS3672L-3LL | 290 lbs. | 55.0 | 1 | 53 |
| GS2RLOS3672L-3WW | 228 lbs. | 19.5 | 1 | 53 |
| GS2RLOS3672R-3LL | 290 lbs. | 55.0 | 1 | 53 |
| GS2RLOS3672R-3WW | 228 lbs. | 19.5 | 1 | 53 |
| GS2RLOS3678L-3LL | 300 lbs. | 59.4 | 1 | 53 |
| GS2RLOS3678L-3WW | 235 lbs. | 20.1 | 1 | 53 |
| GS2RLOS3678R-3LL | 300 lbs. | 59.4 | 1 | 53 |
| GS2RLOS3678R-3WW | 235 lbs. | 20.1 | 1 | 53 |
| GS2RLRL3066L-L | 91 lbs. | 8.4 | — | 64 |
| GS2RLRL3066L-W | 91 lbs. | 8.4 | — | 64 |
| GS2RLRL3066R-L | 91 lbs. | 8.4 | — | 64 |
| GS2RLRL3066R-W | 91 lbs. | 8.4 | — | 64 |

| model number | weight | cubes | #locks | page |
|-------------------|----------|-------|--------|------|
| GS2RLRL3072L-L | 98 lbs. | 9.0 | — | 64 |
| GS2RLRL3072L-W | 98 lbs. | 9.0 | — | 64 |
| GS2RLRL3072R-L | 98 lbs. | 9.0 | — | 64 |
| GS2RLRL3072R-W | 98 lbs. | 9.0 | — | 64 |
| GS2RLRL3672L-L | 113 lbs. | 10.2 | — | 64 |
| GS2RLRL3672L-W | 113 lbs. | 10.2 | — | 64 |
| GS2RLRL3672R-L | 113 lbs. | 10.2 | — | 64 |
| GS2RLRL3672R-W | 113 lbs. | 10.2 | — | 64 |
| GS2RLRL3678L-L | 120 lbs. | 10.9 | — | 64 |
| GS2RLRL3678L-W | 120 lbs. | 10.9 | — | 64 |
| GS2RLRL3678R-L | 120 lbs. | 10.9 | — | 64 |
| GS2RLRL3678R-W | 120 lbs. | 10.9 | — | 64 |
| GS2RLRLS3066L-L | 127 lbs. | 10.5 | — | 65 |
| GS2RLRLS3066L-W | 127 lbs. | 10.7 | — | 65 |
| GS2RLRLS3066R-L | 127 lbs. | 10.5 | — | 65 |
| GS2RLRLS3066R-W | 127 lbs. | 10.7 | — | 65 |
| GS2RLRLS3072L-L | 133 lbs. | 11.0 | — | 65 |
| GS2RLRLS3072L-W | 133 lbs. | 11.2 | — | 65 |
| GS2RLRLS3072R-L | 133 lbs. | 11.0 | — | 65 |
| GS2RLRLS3072R-W | 133 lbs. | 11.2 | — | 65 |
| GS2RLRLS3672L-L | 152 lbs. | 12.7 | — | 65 |
| GS2RLRLS3672L-W | 152 lbs. | 12.9 | — | 65 |
| GS2RLRLS3672R-L | 152 lbs. | 12.7 | — | 65 |
| GS2RLRLS3672R-W | 152 lbs. | 12.9 | — | 65 |
| GS2RLRLS3678L-L | 159 lbs. | 13.3 | — | 65 |
| GS2RLRLS3678L-W | 159 lbs. | 13.5 | — | 65 |
| GS2RLRLS3678R-L | 159 lbs. | 13.3 | — | 65 |
| GS2RLRLS3678R-W | 159 lbs. | 13.5 | — | 65 |
| GS2RLSL304272-L | 118 lbs. | 14.9 | — | 71 |
| GS2RLSL304272-S | 189 lbs. | 14.9 | — | 71 |
| GS2RLSL304272-W | 123 lbs. | 11.4 | — | 71 |
| GS2RLSL364884-L | 148 lbs. | 18.7 | — | 71 |
| GS2RLSL364884-S | 235 lbs. | 18.7 | — | 71 |
| GS2RLSL364884-W | 154 lbs. | 14.1 | — | 71 |
| GS2RLSLS304272L-L | 149 lbs. | 16.7 | — | 72 |
| GS2RLSLS304272L-W | 154 lbs. | 13.4 | — | 72 |
| GS2RLSLS304272R-L | 149 lbs. | 16.7 | — | 72 |
| GS2RLSLS304272R-W | 154 lbs. | 13.4 | — | 72 |
| GS2RLSLS364884L-L | 190 lbs. | 21.6 | — | 72 |
| GS2RLSLS364884L-W | 196 lbs. | 17.2 | — | 72 |
| GS2RLSLS364884R-L | 190 lbs. | 21.6 | — | 72 |
| GS2RLSLS364884R-W | 196 lbs. | 17.2 | — | 72 |
| GS2RMA21-L | 23 lbs. | 3.9 | — | 192 |
| GS2RMA21-W | 23 lbs. | 3.9 | — | 192 |

| model number | weight | cubes | #locks | page |
|--------------|---------|-------|--------|------|
| GS2RMA24-L | 25 lbs. | 4.3 | — | 192 |
| GS2RMA24-W | 25 lbs. | 4.3 | — | 192 |
| GS2RMA27-L | 27 lbs. | 4.8 | — | 192 |
| GS2RMA27-W | 27 lbs. | 4.8 | — | 192 |
| GS2RMA30-L | 29 lbs. | 5.3 | — | 192 |
| GS2RMA30-W | 29 lbs. | 5.3 | — | 192 |
| GS2RMA33-L | 31 lbs. | 5.8 | — | 192 |
| GS2RMA33-W | 31 lbs. | 5.8 | — | 192 |
| GS2RMA36-L | 33 lbs. | 6.3 | — | 192 |
| GS2RMA36-W | 33 lbs. | 6.3 | — | 192 |
| GS2RMA39-L | 35 lbs. | 6.8 | — | 192 |
| GS2RMA39-W | 35 lbs. | 6.8 | — | 192 |
| GS2RMA42-L | 37 lbs. | 7.2 | — | 192 |
| GS2RMA42-W | 37 lbs. | 7.2 | — | 192 |
| GS2RMA45-L | 39 lbs. | 7.7 | — | 192 |
| GS2RMA45-W | 39 lbs. | 7.7 | — | 192 |
| GS2RMA48-L | 41 lbs. | 8.2 | — | 192 |
| GS2RMA48-W | 41 lbs. | 8.2 | — | 192 |
| GS2RMA51-L | 43 lbs. | 8.7 | — | 192 |
| GS2RMA51-W | 43 lbs. | 8.7 | — | 192 |
| GS2RMA54-L | 45 lbs. | 11.3 | — | 192 |
| GS2RMA54-W | 45 lbs. | 11.3 | — | 192 |
| GS2RMA57-L | 47 lbs. | 11.9 | — | 192 |
| GS2RMA57-W | 47 lbs. | 11.9 | — | 192 |
| GS2RMA60-L | 49 lbs. | 12.4 | — | 192 |
| GS2RMA60-W | 49 lbs. | 12.4 | — | 192 |
| GS2RMA63-L | 51 lbs. | 13.0 | — | 192 |
| GS2RMA63-W | 51 lbs. | 13.0 | — | 192 |
| GS2RMA66-L | 53 lbs. | 13.6 | — | 192 |
| GS2RMA66-W | 53 lbs. | 13.6 | — | 192 |
| GS2RMA69-L | 55 lbs. | 14.2 | — | 192 |
| GS2RMA69-W | 55 lbs. | 14.2 | — | 192 |
| GS2RMA72-L | 57 lbs. | 14.8 | — | 192 |
| GS2RMA72-W | 57 lbs. | 14.8 | — | 192 |
| GS2RMF39L-L | 19 lbs. | 2.9 | — | 190 |
| GS2RMF39L-W | 19 lbs. | 2.9 | — | 190 |
| GS2RMF39R-L | 19 lbs. | 2.9 | — | 191 |
| GS2RMF39R-W | 19 lbs. | 2.9 | — | 191 |
| GS2RMF42L-L | 20 lbs. | 3.1 | — | 190 |
| GS2RMF42L-W | 20 lbs. | 3.1 | — | 190 |
| GS2RMF42R-L | 20 lbs. | 3.1 | — | 191 |
| GS2RMF42R-W | 20 lbs. | 3.1 | — | 191 |
| GS2RMF45L-L | 21 lbs. | 3.3 | — | 190 |
| GS2RMF45L-W | 21 lbs. | 3.3 | — | 190 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|--------------|---------|-------|--------|------|
| GS2RMF45R-L | 21 lbs. | 3.3 | — | 191 |
| GS2RMF45R-W | 21 lbs. | 3.3 | — | 191 |
| GS2RMF48L-L | 23 lbs. | 3.5 | — | 190 |
| GS2RMF48L-W | 23 lbs. | 3.5 | — | 190 |
| GS2RMF48R-L | 23 lbs. | 3.5 | — | 191 |
| GS2RMF48R-W | 23 lbs. | 3.5 | — | 191 |
| GS2RMF51L-L | 24 lbs. | 3.7 | — | 190 |
| GS2RMF51L-W | 24 lbs. | 3.7 | — | 190 |
| GS2RMF51R-L | 24 lbs. | 3.7 | — | 191 |
| GS2RMF51R-W | 24 lbs. | 3.7 | — | 191 |
| GS2RMF54L-L | 26 lbs. | 3.9 | — | 190 |
| GS2RMF54L-W | 26 lbs. | 3.9 | — | 190 |
| GS2RMF54R-L | 26 lbs. | 3.9 | — | 191 |
| GS2RMF54R-W | 26 lbs. | 3.9 | — | 191 |
| GS2RMF57L-L | 27 lbs. | 4.1 | — | 190 |
| GS2RMF57L-W | 27 lbs. | 4.1 | — | 190 |
| GS2RMF57R-L | 27 lbs. | 4.1 | — | 191 |
| GS2RMF57R-W | 27 lbs. | 4.1 | — | 191 |
| GS2RMF60L-L | 29 lbs. | 4.3 | — | 190 |
| GS2RMF60L-W | 29 lbs. | 4.3 | — | 190 |
| GS2RMF60R-L | 29 lbs. | 4.3 | — | 191 |
| GS2RMF60R-W | 29 lbs. | 4.3 | — | 191 |
| GS2RMF63L-L | 31 lbs. | 3.7 | — | 190 |
| GS2RMF63L-W | 31 lbs. | 3.7 | — | 190 |
| GS2RMF63R-L | 31 lbs. | 3.7 | — | 191 |
| GS2RMF63R-W | 31 lbs. | 3.7 | — | 191 |
| GS2RMF66L-L | 33 lbs. | 3.9 | — | 190 |
| GS2RMF66L-W | 33 lbs. | 3.9 | — | 190 |
| GS2RMF66R-L | 33 lbs. | 3.9 | — | 191 |
| GS2RMF66R-W | 33 lbs. | 3.9 | — | 191 |
| GS2RMF69L-L | 35 lbs. | 4.1 | — | 190 |
| GS2RMF69L-W | 35 lbs. | 4.1 | — | 190 |
| GS2RMF69R-L | 35 lbs. | 4.1 | — | 191 |
| GS2RMF69R-W | 35 lbs. | 4.1 | — | 191 |
| GS2RMF72L-L | 37 lbs. | 4.2 | — | 190 |
| GS2RMF72L-W | 37 lbs. | 4.2 | — | 190 |
| GS2RMF72R-L | 37 lbs. | 4.2 | — | 191 |
| GS2RMF72R-W | 37 lbs. | 4.2 | — | 191 |
| GS2RMF75L-L | 39 lbs. | 4.4 | — | 190 |
| GS2RMF75L-W | 39 lbs. | 4.4 | — | 190 |
| GS2RMF75R-L | 39 lbs. | 4.4 | — | 191 |
| GS2RMF75R-W | 39 lbs. | 4.4 | — | 191 |
| GS2RMF78L-L | 41 lbs. | 4.6 | — | 190 |
| GS2RMF78L-W | 41 lbs. | 4.6 | — | 190 |

| model number | weight | cubes | #locks | page |
|--------------|---------|-------|--------|------|
| GS2RMF78R-L | 41 lbs. | 4.6 | — | 191 |
| GS2RMF78R-W | 41 lbs. | 4.6 | — | 191 |
| GS2RMF81L-L | 43 lbs. | 4.7 | — | 190 |
| GS2RMF81L-W | 43 lbs. | 4.7 | — | 190 |
| GS2RMF81R-L | 43 lbs. | 4.7 | — | 191 |
| GS2RMF81R-W | 43 lbs. | 4.7 | — | 191 |
| GS2RMF84L-L | 45 lbs. | 4.9 | — | 190 |
| GS2RMF84L-W | 45 lbs. | 4.9 | — | 190 |
| GS2RMF84R-L | 45 lbs. | 4.9 | — | 191 |
| GS2RMF84R-W | 45 lbs. | 4.9 | — | 191 |
| GS2RMF87L-L | 47 lbs. | 5.1 | — | 190 |
| GS2RMF87L-W | 47 lbs. | 5.1 | — | 190 |
| GS2RMF87R-L | 47 lbs. | 5.1 | — | 191 |
| GS2RMF87R-W | 47 lbs. | 5.1 | — | 191 |
| GS2RMF90L-L | 49 lbs. | 5.2 | — | 190 |
| GS2RMF90L-W | 49 lbs. | 5.2 | — | 190 |
| GS2RMF90R-L | 49 lbs. | 5.2 | — | 191 |
| GS2RMF90R-W | 49 lbs. | 5.2 | — | 191 |
| GS2RNDCOLUMN | 10 lbs. | 0.6 | — | 157 |
| GS2RRL3048-L | 65 lbs. | 6.1 | — | 63 |
| GS2RRL3048-W | 65 lbs. | 6.1 | — | 63 |
| GS2RRL3054-L | 71 lbs. | 6.6 | — | 63 |
| GS2RRL3054-W | 75 lbs. | 7.1 | — | 63 |
| GS2RRL3654-L | 81 lbs. | 7.4 | — | 63 |
| GS2RRL3654-W | 85 lbs. | 7.9 | — | 63 |
| GS2RRL3660-L | 88 lbs. | 8.0 | — | 63 |
| GS2RRL3660-W | 92 lbs. | 8.5 | — | 63 |
| GS2RRMF42L-L | 23 lbs. | 4.5 | — | 163 |
| GS2RRMF42L-W | 23 lbs. | 4.5 | — | 163 |
| GS2RRMF42R-L | 23 lbs. | 4.5 | — | 163 |
| GS2RRMF42R-W | 23 lbs. | 4.5 | — | 163 |
| GS2RRMF48L-L | 26 lbs. | 5.1 | — | 163 |
| GS2RRMF48L-W | 26 lbs. | 5.1 | — | 163 |
| GS2RRMF48R-L | 26 lbs. | 5.1 | — | 163 |
| GS2RRMF48R-W | 26 lbs. | 5.1 | — | 163 |
| GS2RRMF54L-L | 29 lbs. | 5.8 | — | 163 |
| GS2RRMF54L-W | 29 lbs. | 5.8 | — | 163 |
| GS2RRMF54R-L | 29 lbs. | 5.8 | — | 163 |
| GS2RRMF54R-W | 29 lbs. | 5.8 | — | 163 |
| GS2RRMF60L-L | 33 lbs. | 6.4 | — | 163 |
| GS2RRMF60L-W | 33 lbs. | 6.4 | — | 163 |
| GS2RRMF60R-L | 33 lbs. | 6.4 | — | 163 |
| GS2RRMF60R-W | 33 lbs. | 6.4 | — | 163 |
| GS2RRMF66L-L | 36 lbs. | 7.1 | — | 163 |

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS2RRMF66L-W | 36 lbs. | 7.1 | — | 163 |
| GS2RRMF66R-L | 36 lbs. | 7.1 | — | 163 |
| GS2RRMF66R-W | 36 lbs. | 7.1 | — | 163 |
| GS2RRMF72L-L | 39 lbs. | 7.7 | — | 163 |
| GS2RRMF72L-W | 39 lbs. | 7.7 | — | 163 |
| GS2RRMF72R-L | 39 lbs. | 7.7 | — | 163 |
| GS2RRMF72R-W | 39 lbs. | 7.7 | — | 163 |
| GS2RRO3048L-3LL | 136 lbs. | 12.6 | 1 | 51 |
| GS2RRO3048L-3WW | 141 lbs. | 12.6 | 1 | 51 |
| GS2RRO3048R-3LL | 136 lbs. | 12.6 | 1 | 51 |
| GS2RRO3048R-3WW | 141 lbs. | 12.6 | 1 | 51 |
| GS2RRO3054L-3LL | 143 lbs. | 13.2 | 1 | 51 |
| GS2RRO3054L-3WW | 148 lbs. | 13.2 | 1 | 51 |
| GS2RRO3054R-3LL | 143 lbs. | 13.2 | 1 | 51 |
| GS2RRO3054R-3WW | 148 lbs. | 13.2 | 1 | 51 |
| GS2RRO3654L-3LL | 160 lbs. | 15.3 | 1 | 51 |
| GS2RRO3654L-3WW | 165 lbs. | 15.4 | 1 | 51 |
| GS2RRO3654R-3LL | 160 lbs. | 15.3 | 1 | 51 |
| GS2RRO3654R-3WW | 165 lbs. | 15.4 | 1 | 51 |
| GS2RRO3660L-3LL | 168 lbs. | 16.1 | 1 | 51 |
| GS2RRO3660L-3WW | 173 lbs. | 16.1 | 1 | 51 |
| GS2RRO3660R-3LL | 168 lbs. | 16.1 | 1 | 51 |
| GS2RRO3660R-3WW | 173 lbs. | 16.1 | 1 | 51 |
| GS2RROF3048L-3LL | 154 lbs. | 17.6 | — | 62 |
| GS2RROF3048L-3WW | 154 lbs. | 17.6 | — | 62 |
| GS2RROF3048R-3LL | 154 lbs. | 17.6 | — | 62 |
| GS2RROF3048R-3WW | 154 lbs. | 17.6 | — | 62 |
| GS2RROF3054L-3LL | 163 lbs. | 18.7 | — | 62 |
| GS2RROF3054L-3WW | 163 lbs. | 18.7 | — | 62 |
| GS2RROF3054R-3LL | 163 lbs. | 18.7 | — | 62 |
| GS2RROF3054R-3WW | 163 lbs. | 18.7 | — | 62 |
| GS2RROF3654L-3LL | 194 lbs. | 21.7 | — | 62 |
| GS2RROF3654L-3WW | 194 lbs. | 21.7 | — | 62 |
| GS2RROF3654R-3LL | 194 lbs. | 21.7 | — | 62 |
| GS2RROF3654R-3WW | 194 lbs. | 21.7 | — | 62 |
| GS2RROF3660L-3LL | 205 lbs. | 23.0 | — | 62 |
| GS2RROF3660L-3WW | 205 lbs. | 23.0 | — | 62 |
| GS2RROF3660R-3LL | 205 lbs. | 23.0 | — | 62 |
| GS2RROF3660R-3WW | 205 lbs. | 23.0 | — | 62 |
| GS2RSL304254-L | 82 lbs. | 10.9 | — | 70 |
| GS2RSL304254-W | 86 lbs. | 8.2 | — | 70 |
| GS2RSL364866-L | 113 lbs. | 14.7 | — | 70 |
| GS2RSL364866-W | 118 lbs. | 11.0 | — | 70 |
| GS2RTN2442L-2LL | 140 lbs. | 14.4 | 2 | 58 |

| model number | weight | cubes | #locks | page |
|--------------------|----------|-------|--------|------|
| GS2RTN2442L-2WW | 140 lbs. | 14.4 | 2 | 58 |
| GS2RTN2442R-2LL | 140 lbs. | 14.4 | 2 | 58 |
| GS2RTN2442R-2WW | 140 lbs. | 14.4 | 2 | 58 |
| GS2RTN2448L-2LL | 148 lbs. | 15.2 | 2 | 58 |
| GS2RTN2448L-2WW | 148 lbs. | 15.2 | 2 | 58 |
| GS2RTN2448R-2LL | 148 lbs. | 15.2 | 2 | 58 |
| GS2RTN2448R-2WW | 148 lbs. | 15.2 | 2 | 58 |
| GS2RTN2454L-2LL | 155 lbs. | 16.0 | 2 | 58 |
| GS2RTN2454L-2WW | 155 lbs. | 16.0 | 2 | 58 |
| GS2RTN2454R-2LL | 155 lbs. | 16.0 | 2 | 58 |
| GS2RTN2454R-2WW | 155 lbs. | 16.0 | 2 | 58 |
| GS2RTN2460L-2LL | 162 lbs. | 16.8 | 2 | 58 |
| GS2RTN2460L-2WW | 162 lbs. | 16.8 | 2 | 58 |
| GS2RTN2460R-2LL | 162 lbs. | 16.8 | 2 | 58 |
| GS2RTN2460R-2WW | 162 lbs. | 16.8 | 2 | 58 |
| GS2SBD5H15-3LN | 160 lbs. | 22.5 | 1 | 232 |
| GS2SBD5H15-3WN | 160 lbs. | 22.5 | 1 | 232 |
| GS2SBD5H15L-3LL | 167 lbs. | 22.5 | 2 | 230 |
| GS2SBD5H15L-3WW | 167 lbs. | 22.5 | 2 | 230 |
| GS2SBD5H15L-LL | 167 lbs. | 22.5 | 2 | 229 |
| GS2SBD5H15-LN | 160 lbs. | 22.5 | 1 | 231 |
| GS2SBD5H15L-WW | 167 lbs. | 22.5 | 2 | 229 |
| GS2SBD5H15R-3LL | 167 lbs. | 22.5 | 2 | 230 |
| GS2SBD5H15R-3WW | 167 lbs. | 22.5 | 2 | 230 |
| GS2SBD5H15R-LL | 167 lbs. | 22.5 | 2 | 229 |
| GS2SBD5H15R-WW | 167 lbs. | 22.5 | 2 | 229 |
| GS2SBD5H15-WN | 160 lbs. | 22.5 | 1 | 231 |
| GS2SBD5H18-3LN | 170 lbs. | 26.0 | 1 | 232 |
| GS2SBD5H18-3WN | 170 lbs. | 26.0 | 1 | 232 |
| GS2SBD5H18L-3LL | 175 lbs. | 26.0 | 2 | 230 |
| GS2SBD5H18L-3WW | 175 lbs. | 26.0 | 2 | 230 |
| GS2SBD5H18L-LL | 175 lbs. | 23.5 | 1 | 229 |
| GS2SBD5H18-LN | 165 lbs. | 23.5 | — | 231 |
| GS2SBD5H18L-WW | 175 lbs. | 23.5 | 1 | 229 |
| GS2SBD5H18R-3LL | 175 lbs. | 26.0 | 2 | 230 |
| GS2SBD5H18R-3WW | 175 lbs. | 26.0 | 2 | 230 |
| GS2SBD5H18R-LL | 175 lbs. | 23.5 | 1 | 229 |
| GS2SBD5H18R-WW | 175 lbs. | 23.5 | 1 | 229 |
| GS2SBD5H18-WN | 165 lbs. | 23.5 | — | 231 |
| GS2SBD5H30D18-3LN | 180 lbs. | 31.6 | 1 | 236 |
| GS2SBD5H30D18-3WN | 180 lbs. | 31.6 | 1 | 236 |
| GS2SBD5H30D18L-3LL | 185 lbs. | 31.6 | 2 | 235 |
| GS2SBD5H30D18L-3WW | 185 lbs. | 31.6 | 2 | 235 |
| GS2SBD5H30D18L-LL | 185 lbs. | 31.6 | 2 | 233 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|--------------------|----------|-------|--------|------|
| GS2SBD5H30D18-LN | 180 lbs. | 31.6 | 1 | 234 |
| GS2SBD5H30D18L-WW | 185 lbs. | 31.6 | 2 | 233 |
| GS2SBD5H30D18R-3LL | 185 lbs. | 31.6 | 2 | 235 |
| GS2SBD5H30D18R-3WW | 185 lbs. | 31.6 | 2 | 235 |
| GS2SBD5H30D18R-LL | 185 lbs. | 31.6 | 2 | 233 |
| GS2SBD5H30D18R-WW | 185 lbs. | 31.6 | 2 | 233 |
| GS2SBD5H30D18-WN | 180 lbs. | 31.6 | 1 | 234 |
| GS2SBD5H30-LL | 297 lbs. | 36.9 | 2 | 229 |
| GS2SBD5H30-LN | 282 lbs. | 36.9 | — | 231 |
| GS2SBD5H30-WN | 282 lbs. | 36.9 | — | 231 |
| GS2SBD5H30-WW | 297 lbs. | 36.9 | 2 | 229 |
| GS2SBD6H15-3LN | 190 lbs. | 26.5 | 1 | 232 |
| GS2SBD6H15-3WN | 190 lbs. | 26.5 | 1 | 232 |
| GS2SBD6H15L-3LL | 197 lbs. | 26.5 | 2 | 230 |
| GS2SBD6H15L-3WW | 197 lbs. | 26.5 | 2 | 230 |
| GS2SBD6H15L-LL | 197 lbs. | 26.5 | 2 | 229 |
| GS2SBD6H15-LN | 190 lbs. | 26.5 | 1 | 231 |
| GS2SBD6H15L-WW | 197 lbs. | 26.5 | 2 | 229 |
| GS2SBD6H15R-3WW | 197 lbs. | 26.5 | 2 | 230 |
| GS2SBD6H15R-LL | 197 lbs. | 26.5 | 2 | 229 |
| GS2SBD6H15R-WW | 197 lbs. | 26.5 | 2 | 229 |
| GS2SBD6H15-WN | 190 lbs. | 26.5 | 1 | 231 |
| GS2SBD6H18-3LN | 200 lbs. | 30.7 | 1 | 232 |
| GS2SBD6H18-3WN | 200 lbs. | 30.7 | 1 | 232 |
| GS2SBD6H18L-3LL | 205 lbs. | 30.7 | 2 | 230 |
| GS2SBD6H18L-3WW | 205 lbs. | 30.7 | 2 | 230 |
| GS2SBD6H18L-LL | 205 lbs. | 27.9 | 1 | 229 |
| GS2SBD6H18-LN | 195 lbs. | 27.9 | — | 231 |
| GS2SBD6H18L-WW | 205 lbs. | 27.9 | 1 | 229 |
| GS2SBD6H18R-3LL | 205 lbs. | 30.7 | 2 | 230 |
| GS2SBD6H18R-3WW | 205 lbs. | 30.7 | 2 | 230 |
| GS2SBD6H18R-LL | 205 lbs. | 27.9 | 1 | 229 |
| GS2SBD6H18R-WW | 205 lbs. | 27.9 | 1 | 229 |
| GS2SBD6H18-WN | 195 lbs. | 27.9 | — | 231 |
| GS2SBD6H30D18-3LN | 210 lbs. | 37.2 | 1 | 236 |
| GS2SBD6H30D18-3WN | 210 lbs. | 37.2 | 1 | 236 |
| GS2SBD6H30D18L-3LL | 215 lbs. | 37.2 | 2 | 235 |
| GS2SBD6H30D18L-3WW | 215 lbs. | 37.2 | 2 | 235 |
| GS2SBD6H30D18L-LL | 215 lbs. | 37.2 | 2 | 233 |
| GS2SBD6H30D18-LN | 210 lbs. | 37.2 | 1 | 234 |
| GS2SBD6H30D18L-WW | 215 lbs. | 37.2 | 2 | 233 |
| GS2SBD6H30D18R-3LL | 215 lbs. | 37.2 | 2 | 235 |
| GS2SBD6H30D18R-3WW | 215 lbs. | 37.2 | 2 | 235 |
| GS2SBD6H30D18R-LL | 215 lbs. | 37.2 | 2 | 233 |

| model number | weight | cubes | #locks | page |
|-------------------|----------|-------|--------|------|
| GS2SBD6H30D18R-WW | 215 lbs. | 37.2 | 2 | 233 |
| GS2SBD6H30D18-WN | 210 lbs. | 37.2 | 1 | 234 |
| GS2SBD6H30-LL | 343 lbs. | 43.8 | 2 | 229 |
| GS2SBD6H30-LN | 328 lbs. | 43.8 | — | 231 |
| GS2SBD6H30-WN | 328 lbs. | 43.8 | — | 231 |
| GS2SBD6H30-WW | 343 lbs. | 43.8 | 2 | 229 |
| GS2SCF2H30-5LL | 123 lbs. | 16.8 | 1 | 241 |
| GS2SCF2H30-5WW | 123 lbs. | 16.8 | 1 | 241 |
| GS2SCF2H36-5LL | 143 lbs. | 19.8 | 1 | 241 |
| GS2SCF2H36-5WW | 143 lbs. | 19.8 | 1 | 241 |
| GS2SDMF1560L-L | 57 lbs. | 3.2 | — | 162 |
| GS2SDMF1560L-W | 57 lbs. | 3.2 | — | 162 |
| GS2SDMF1560R-L | 57 lbs. | 3.2 | — | 162 |
| GS2SDMF1560R-W | 57 lbs. | 3.2 | — | 162 |
| GS2SDMF1566L-L | 63 lbs. | 3.9 | — | 162 |
| GS2SDMF1566L-W | 63 lbs. | 3.9 | — | 162 |
| GS2SDMF1566R-L | 63 lbs. | 3.9 | — | 162 |
| GS2SDMF1566R-W | 63 lbs. | 3.9 | — | 162 |
| GS2SDMF1572L-L | 68 lbs. | 4.5 | — | 162 |
| GS2SDMF1572L-W | 68 lbs. | 4.5 | — | 162 |
| GS2SDMF1572R-L | 68 lbs. | 4.5 | — | 162 |
| GS2SDMF1572R-W | 68 lbs. | 4.5 | — | 162 |
| GS2SDMF1578L-L | 74 lbs. | 5.1 | — | 162 |
| GS2SDMF1578L-W | 74 lbs. | 5.1 | — | 162 |
| GS2SDMF1578R-L | 74 lbs. | 5.1 | — | 162 |
| GS2SDMF1578R-W | 74 lbs. | 5.1 | — | 162 |
| GS2SDMF1584L-L | 80 lbs. | 5.8 | — | 162 |
| GS2SDMF1584L-W | 80 lbs. | 5.8 | — | 162 |
| GS2SDMF1584R-L | 80 lbs. | 5.8 | — | 162 |
| GS2SDMF1584R-W | 80 lbs. | 5.8 | — | 162 |
| GS2SDMF1590L-L | 74 lbs. | 4.7 | — | 162 |
| GS2SDMF1590L-W | 74 lbs. | 5.0 | — | 162 |
| GS2SDMF1590R-L | 74 lbs. | 4.7 | — | 162 |
| GS2SDMF1590R-W | 74 lbs. | 5.0 | — | 162 |
| GS2SDMF1596L-L | 77 lbs. | 5.2 | — | 162 |
| GS2SDMF1596L-W | 77 lbs. | 5.4 | — | 162 |
| GS2SDMF1596R-L | 77 lbs. | 5.2 | — | 162 |
| GS2SDMF1596R-W | 77 lbs. | 5.4 | — | 162 |
| GS2SGTOPD3018-L | 16 lbs. | 1.8 | — | 248 |
| GS2SGTOPD3018-W | 16 lbs. | 1.8 | — | 248 |
| GS2SGTOPN3018-L | 16 lbs. | 1.8 | — | 249 |
| GS2SGTOPN3018-W | 16 lbs. | 1.8 | — | 249 |
| GS2SMC1H60-LL | 120 lbs. | 27.3 | 2 | 288 |
| GS2SMC1H60-LN | 110 lbs. | 27.4 | — | 290 |

| model number | weight | cubes | #locks | page |
|----------------|----------|-------|--------|------|
| GS2SMC1H60-WG | 120 lbs. | 27.3 | — | 289 |
| GS2SMC1H60-WN | 110 lbs. | 27.4 | — | 290 |
| GS2SMC1H60-WW | 120 lbs. | 27.3 | 2 | 288 |
| GS2SMC1H66-LL | 130 lbs. | 29.9 | 2 | 288 |
| GS2SMC1H66-LN | 120 lbs. | 30.0 | — | 290 |
| GS2SMC1H66-WN | 120 lbs. | 30.0 | — | 290 |
| GS2SMC1H66-WW | 130 lbs. | 29.9 | 2 | 288 |
| GS2SMC1H72-LL | 140 lbs. | 32.5 | 2 | 288 |
| GS2SMC1H72-LN | 130 lbs. | 32.6 | — | 290 |
| GS2SMC1H72-WG | 140 lbs. | 32.5 | — | 289 |
| GS2SMC1H72-WN | 130 lbs. | 32.6 | — | 290 |
| GS2SMC1H72-WW | 140 lbs. | 32.5 | 2 | 288 |
| GS2SMC1H78-LL | 148 lbs. | 35.1 | 2 | 288 |
| GS2SMC1H78-LN | 138 lbs. | 35.2 | — | 290 |
| GS2SMC1H78-WN | 138 lbs. | 35.2 | — | 290 |
| GS2SMC1H78-WW | 148 lbs. | 35.1 | 2 | 288 |
| GS2SMC1H84-LL | 167 lbs. | 37.7 | 3 | 288 |
| GS2SMC1H84-LN | 157 lbs. | 37.8 | — | 290 |
| GS2SMC1H84-WN | 157 lbs. | 37.8 | — | 290 |
| GS2SMC1H84-WW | 167 lbs. | 37.7 | 3 | 288 |
| GS2SMC1H90-LL | 175 lbs. | 40.3 | 3 | 288 |
| GS2SMC1H90-LN | 165 lbs. | 40.4 | — | 290 |
| GS2SMC1H90-WG | 175 lbs. | 40.3 | — | 289 |
| GS2SMC1H90-WN | 165 lbs. | 40.4 | — | 290 |
| GS2SMC1H90-WW | 175 lbs. | 40.3 | 3 | 288 |
| GS2SMC1H96-LL | 183 lbs. | 42.9 | 3 | 288 |
| GS2SMC1H96-LN | 173 lbs. | 43.0 | — | 290 |
| GS2SMC1H96-WN | 173 lbs. | 43.0 | — | 290 |
| GS2SMC1H96-WW | 183 lbs. | 42.9 | 3 | 288 |
| GS2SMC1H102-LL | 191 lbs. | 47.9 | 3 | 288 |
| GS2SMC1H102-LN | 181 lbs. | 45.6 | — | 290 |
| GS2SMC1H102-WN | 181 lbs. | 45.6 | — | 290 |
| GS2SMC1H102-WW | 191 lbs. | 45.5 | 3 | 288 |
| GS2SMC1H108-LL | 200 lbs. | 50.6 | 3 | 288 |
| GS2SMC1H108-LN | 190 lbs. | 48.2 | — | 290 |
| GS2SMC1H108-WG | 200 lbs. | 48.1 | — | 289 |
| GS2SMC1H108-WN | 190 lbs. | 48.2 | — | 290 |
| GS2SMC1H108-WW | 200 lbs. | 48.1 | 3 | 288 |
| GS2SMC2H60-WG | 180 lbs. | 35.9 | — | 292 |
| GS2SMC2H60-WW | 180 lbs. | 35.9 | 2 | 291 |
| GS2SMC2H66-WW | 195 lbs. | 39.4 | 2 | 291 |
| GS2SMC2H72-WG | 210 lbs. | 42.8 | 2 | 292 |
| GS2SMC2H72-WW | 210 lbs. | 42.8 | — | 291 |
| GS2SMC2H78-WW | 225 lbs. | 46.2 | 2 | 291 |

| model number | weight | cubes | #locks | page |
|-----------------|----------|-------|--------|----------|
| GS2SMC2H84-WW | 245 lbs. | 49.6 | 3 | 291 |
| GS2SMC2H90-WG | 265 lbs. | 53.1 | — | 292 |
| GS2SMC2H90-WW | 265 lbs. | 53.1 | 3 | 291 |
| GS2SMTOPN30-L | 14 lbs. | 1.4 | — | 249, 300 |
| GS2SMTOPN30-W | 14 lbs. | 1.4 | — | 249, 300 |
| GS2SMTOPN36-L | 17 lbs. | 1.7 | — | 249, 300 |
| GS2SMTOPN36-W | 17 lbs. | 1.7 | — | 249, 300 |
| GS2SMTOPN60-L | 28 lbs. | 2.7 | — | 249, 300 |
| GS2SMTOPN60-W | 28 lbs. | 2.7 | — | 249, 300 |
| GS2SMTOPN72-L | 33 lbs. | 3.2 | — | 249, 300 |
| GS2SMTOPN72-W | 33 lbs. | 3.2 | — | 249, 300 |
| GS2SMTOPN90-L | 41 lbs. | 4.0 | — | 249, 300 |
| GS2SMTOPN90-W | 41 lbs. | 4.0 | — | 249, 300 |
| GS2SMTOPN108-L | 50 lbs. | 4.8 | — | 249, 300 |
| GS2SMTOPN108-W | 50 lbs. | 4.8 | — | 249, 300 |
| GS2SPC2466L-2LL | 174 lbs. | 17.6 | 1 | 55 |
| GS2SPC2466L-2WW | 174 lbs. | 17.6 | 1 | 55 |
| GS2SPC2466R-2LL | 174 lbs. | 17.6 | 1 | 55 |
| GS2SPC2466R-2WW | 174 lbs. | 17.6 | 1 | 55 |
| GS2SPC2472L-2LL | 181 lbs. | 18.4 | 1 | 55 |
| GS2SPC2472L-2WW | 181 lbs. | 18.4 | 1 | 55 |
| GS2SPC2472L-4LL | 213 lbs. | 25.4 | 1 | 55 |
| GS2SPC2472L-4WW | 213 lbs. | 25.4 | 1 | 55 |
| GS2SPC2472R-2LL | 181 lbs. | 18.4 | 1 | 55 |
| GS2SPC2472R-2WW | 181 lbs. | 18.4 | 1 | 55 |
| GS2SPC2472R-4LL | 213 lbs. | 25.4 | 1 | 55 |
| GS2SPC2472R-4WW | 213 lbs. | 25.4 | 1 | 55 |
| GS2SPC2478L-4LL | 221 lbs. | 26.2 | 1 | 55 |
| GS2SPC2478L-4WW | 221 lbs. | 26.2 | 1 | 55 |
| GS2SPC2478R-4LL | 221 lbs. | 26.2 | 1 | 55 |
| GS2SPC2478R-4WW | 221 lbs. | 26.2 | 1 | 55 |
| GS2SPC2484L-4LL | 229 lbs. | 27.0 | 1 | 55 |
| GS2SPC2484L-4WW | 229 lbs. | 27.0 | 1 | 55 |
| GS2SPC2484R-4LL | 229 lbs. | 27.0 | 1 | 55 |
| GS2SPC2484R-4WW | 229 lbs. | 27.0 | 1 | 55 |
| GS2SPC2490L-4LL | 237 lbs. | 27.8 | 1 | 55 |
| GS2SPC2490L-4WW | 237 lbs. | 27.8 | 1 | 55 |
| GS2SPC2490R-4LL | 237 lbs. | 27.8 | 1 | 55 |
| GS2SPC2490R-4WW | 237 lbs. | 27.8 | 1 | 55 |
| GS2SPC2496L-4LL | 244 lbs. | 28.6 | 1 | 55 |
| GS2SPC2496L-4WW | 244 lbs. | 28.6 | 1 | 55 |
| GS2SPC2496R-4LL | 244 lbs. | 28.6 | 1 | 55 |
| GS2SPC2496R-4WW | 244 lbs. | 28.6 | 1 | 55 |
| GS2SRNCLEG-W | 20 lbs. | 0.6 | — | 158 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|----------------|----------|-------|--------|------|
| GS2STF1H15L-LL | 58 lbs. | 8.2 | 1 | 293 |
| GS2STF1H15L-WG | 58 lbs. | 8.2 | — | 294 |
| GS2STF1H15L-WW | 58 lbs. | 8.2 | 1 | 293 |
| GS2STF1H15R-LL | 58 lbs. | 8.2 | 1 | 293 |
| GS2STF1H15R-WG | 58 lbs. | 8.2 | — | 294 |
| GS2STF1H15R-WW | 58 lbs. | 8.2 | 1 | 293 |
| GS2STF1H18L-LL | 65 lbs. | 9.1 | 1 | 293 |
| GS2STF1H18L-WG | 65 lbs. | 9.1 | — | 294 |
| GS2STF1H18L-WW | 65 lbs. | 9.1 | 1 | 293 |
| GS2STF1H18R-LL | 65 lbs. | 9.1 | 1 | 293 |
| GS2STF1H18R-WG | 65 lbs. | 9.1 | — | 294 |
| GS2STF1H18R-WW | 65 lbs. | 9.1 | 1 | 293 |
| GS2STF1H30-LL | 100 lbs. | 14.3 | 1 | 293 |
| GS2STF1H30-WG | 100 lbs. | 14.3 | — | 294 |
| GS2STF1H30-WW | 100 lbs. | 14.3 | 1 | 293 |
| GS2STF1H36-LL | 115 lbs. | 16.9 | 1 | 293 |
| GS2STF1H36-WG | 115 lbs. | 16.9 | — | 294 |
| GS2STF1H36-WW | 115 lbs. | 16.9 | 1 | 293 |
| GS2STF2H15L-LL | 83 lbs. | 10.8 | 1 | 296 |
| GS2STF2H15L-WG | 83 lbs. | 10.8 | — | 297 |
| GS2STF2H15L-WW | 83 lbs. | 10.8 | 1 | 296 |
| GS2STF2H15R-LL | 83 lbs. | 10.8 | 1 | 296 |
| GS2STF2H15R-WG | 83 lbs. | 10.8 | — | 297 |
| GS2STF2H15R-WW | 83 lbs. | 10.8 | 1 | 296 |
| GS2STF2H18L-LL | 90 lbs. | 12.0 | 1 | 296 |
| GS2STF2H18L-WG | 90 lbs. | 12.0 | — | 297 |
| GS2STF2H18L-WW | 90 lbs. | 12.0 | 1 | 296 |
| GS2STF2H18R-LL | 90 lbs. | 12.0 | 1 | 296 |
| GS2STF2H18R-WG | 90 lbs. | 12.0 | — | 297 |
| GS2STF2H18R-WW | 90 lbs. | 12.0 | 1 | 296 |
| GS2STF2H30-LL | 125 lbs. | 18.9 | 1 | 296 |
| GS2STF2H30-WG | 125 lbs. | 18.9 | — | 297 |
| GS2STF2H30-WW | 125 lbs. | 18.9 | 1 | 296 |
| GS2STF2H36-LL | 150 lbs. | 22.3 | 1 | 296 |
| GS2STF2H36-WG | 150 lbs. | 22.3 | — | 297 |
| GS2STF2H36-WW | 150 lbs. | 22.3 | 1 | 296 |
| GS2STN1H15-LN | 50 lbs. | 7.8 | — | 295 |
| GS2STN1H15-WN | 50 lbs. | 7.8 | — | 295 |
| GS2STN1H18-LN | 55 lbs. | 9.1 | — | 295 |
| GS2STN1H18-WN | 55 lbs. | 9.1 | — | 295 |
| GS2STN1H30-LN | 90 lbs. | 9.1 | — | 295 |
| GS2STN1H30-WN | 90 lbs. | 14.3 | — | 295 |
| GS2STN1H36-LN | 100 lbs. | 14.3 | — | 295 |

| model number | weight | cubes | #locks | page |
|----------------|----------|-------|--------|------|
| GS2STN1H36-WN | 100 lbs. | 16.9 | — | 295 |
| GS2STN2H15-LN | 60 lbs. | 10.3 | — | 298 |
| GS2STN2H15-WN | 60 lbs. | 10.3 | — | 298 |
| GS2STN2H18-LN | 65 lbs. | 12.0 | — | 298 |
| GS2STN2H18-WN | 65 lbs. | 12.0 | — | 298 |
| GS2STN2H30-LN | 100 lbs. | 12.0 | — | 298 |
| GS2STN2H30-WN | 100 lbs. | 12.0 | — | 298 |
| GS2STN2H36-LN | 110 lbs. | 18.9 | — | 298 |
| GS2STN2H36-WN | 110 lbs. | 18.9 | — | 298 |
| GS2TEL3672-L | 108 lbs. | 14.2 | — | 66 |
| GS2TEL3672-S | 179 lbs. | 14.2 | — | 66 |
| GS2TEL3672-W | 112 lbs. | 11.1 | — | 66 |
| GS2TEL4284-L | 135 lbs. | 17.6 | — | 66 |
| GS2TEL4284-S | 197 lbs. | 18.3 | — | 66 |
| GS2TEL4284-W | 146 lbs. | 14.2 | — | 66 |
| GS2TFL3672-L | 113 lbs. | 14.8 | — | 68 |
| GS2TFL3672-S | 184 lbs. | 14.8 | — | 68 |
| GS2TFL3672-W | 117 lbs. | 11.7 | — | 68 |
| GS2TFL4284-L | 140 lbs. | 18.3 | — | 68 |
| GS2TFL4284-S | 197 lbs. | 18.3 | — | 68 |
| GS2TFL4284-W | 146 lbs. | 14.2 | — | 68 |
| GS2TGW1H24-GSA | 35 lbs. | 2.1 | — | 269 |
| GS2TGW1H30-GSA | 43 lbs. | 3.2 | — | 269 |
| GS2TGW1H36-GSA | 50 lbs. | 3.8 | — | 269 |
| GS2TGW1H42-GSA | 58 lbs. | 4.3 | — | 269 |
| GS2TGW1H48-GSA | 66 lbs. | 4.9 | — | 269 |
| GS2TGW2H24-GSA | 41 lbs. | 2.8 | — | 269 |
| GS2TGW2H30-GSA | 50 lbs. | 4.1 | — | 269 |
| GS2TGW2H36-GSA | 59 lbs. | 4.8 | — | 269 |
| GS2TGW2H42-GSA | 67 lbs. | 5.6 | — | 269 |
| GS2TGW2H48-GSA | 76 lbs. | 6.3 | — | 269 |
| GS2TGW24-GSA | 24 lbs. | 1.4 | — | 265 |
| GS2TGW30-GSA | 28 lbs. | 2.1 | — | 265 |
| GS2TGW36-GSA | 32 lbs. | 2.4 | — | 265 |
| GS2TGW42-GSA | 36 lbs. | 2.8 | — | 265 |
| GS2TGW48-GSA | 40 lbs. | 3.2 | — | 265 |
| GS2TGW54-GSA | 45 lbs. | 3.6 | — | 265 |
| GS2TGW60-GSA | 50 lbs. | 3.9 | — | 265 |
| GS2TGW66-GSA | 55 lbs. | 4.3 | — | 265 |
| GS2TGW72-GSA | 59 lbs. | 4.7 | — | 265 |
| GS2TGW78-GSA | 64 lbs. | 5.1 | — | 265 |
| GS2TGW84-GSA | 68 lbs. | 5.4 | — | 265 |
| GS2TGW90-GSA | 73 lbs. | 5.8 | — | 265 |

| model number | weight | cubes | #locks | page |
|-----------------|---------|-------|--------|------|
| GS2TGW96-GSA | 77 lbs. | 3.2 | — | 265 |
| GS2TGW102-GSA | 82 lbs. | 3.4 | — | 265 |
| GS2TGW108-GSA | 86 lbs. | 3.6 | — | 265 |
| GS2TKFBX72 | 28 lbs. | 5.0 | — | 304 |
| GS2TKFBX90 | 35 lbs. | 6.2 | — | 304 |
| GS2TKS60 | 26 lbs. | 3.7 | — | 299 |
| GS2TKS66 | 28 lbs. | 4.0 | — | 299 |
| GS2TKS72 | 29 lbs. | 4.4 | — | 299 |
| GS2TKS78 | 31 lbs. | 4.8 | — | 299 |
| GS2TKS84 | 33 lbs. | 5.1 | — | 299 |
| GS2TKS90 | 34 lbs. | 5.5 | — | 299 |
| GS2TKS96 | 36 lbs. | 5.8 | — | 299 |
| GS2TKS102 | 37 lbs. | 3.3 | — | 299 |
| GS2TKS108 | 39 lbs. | 3.4 | — | 299 |
| GS2TKW1H24 | 20 lbs. | 2.1 | — | 268 |
| GS2TKW1H30 | 24 lbs. | 3.2 | — | 268 |
| GS2TKW1H36 | 27 lbs. | 3.8 | — | 268 |
| GS2TKW1H42 | 29 lbs. | 4.3 | — | 268 |
| GS2TKW1H48 | 32 lbs. | 4.9 | — | 268 |
| GS2TKW2H24 | 23 lbs. | 2.8 | — | 268 |
| GS2TKW2H30 | 26 lbs. | 4.1 | — | 268 |
| GS2TKW2H36 | 29 lbs. | 4.8 | — | 268 |
| GS2TKW2H42 | 33 lbs. | 5.6 | — | 268 |
| GS2TKW2H48 | 36 lbs. | 6.3 | — | 268 |
| GS2TKW24 | 16 lbs. | 1.4 | — | 264 |
| GS2TKW30 | 18 lbs. | 2.1 | — | 264 |
| GS2TKW36 | 20 lbs. | 2.4 | — | 264 |
| GS2TKW42 | 21 lbs. | 2.8 | — | 264 |
| GS2TKW48 | 22 lbs. | 3.2 | — | 264 |
| GS2TKW54 | 24 lbs. | 3.6 | — | 264 |
| GS2TKW60 | 26 lbs. | 3.9 | — | 264 |
| GS2TKW66 | 28 lbs. | 4.3 | — | 264 |
| GS2TKW72 | 29 lbs. | 4.7 | — | 264 |
| GS2TKW78 | 31 lbs. | 5.1 | — | 264 |
| GS2TKW84 | 33 lbs. | 5.4 | — | 264 |
| GS2TKW90 | 34 lbs. | 5.8 | — | 264 |
| GS2TKW96 | 36 lbs. | 6.2 | — | 264 |
| GS2TKW102 | 37 lbs. | 3.4 | — | 264 |
| GS2TKW108 | 39 lbs. | 3.6 | — | 264 |
| GS2TKWSB36 | 14 lbs. | 3.2 | — | 304 |
| GS2TKWSB45 | 17 lbs. | 4.0 | — | 304 |
| GS2TKWSB72 | 28 lbs. | 5.0 | — | 304 |
| GS2TKWSB90 | 35 lbs. | 6.2 | — | 304 |
| GS2TLGW1H24-GSA | 40 lbs. | 2.5 | — | 271 |

| model number | weight | cubes | #locks | page |
|-----------------|----------|-------|--------|------|
| GS2TLGW1H30-GSA | 49 lbs. | 3.6 | — | 271 |
| GS2TLGW1H36-GSA | 58 lbs. | 4.3 | — | 271 |
| GS2TLGW1H42-GSA | 67 lbs. | 5.0 | — | 271 |
| GS2TLGW1H48-GSA | 75 lbs. | 5.6 | — | 271 |
| GS2TLGW2H24-GSA | 46 lbs. | 3.1 | — | 271 |
| GS2TLGW2H30-GSA | 56 lbs. | 4.6 | — | 271 |
| GS2TLGW2H36-GSA | 66 lbs. | 5.5 | — | 271 |
| GS2TLGW2H42-GSA | 76 lbs. | 6.3 | — | 271 |
| GS2TLGW2H48-GSA | 86 lbs. | 7.2 | — | 271 |
| GS2TLGW24-GSA | 29 lbs. | 1.8 | — | 267 |
| GS2TLGW30-GSA | 34 lbs. | 2.6 | — | 267 |
| GS2TLGW36-GSA | 39 lbs. | 3.1 | — | 267 |
| GS2TLGW42-GSA | 45 lbs. | 3.5 | — | 267 |
| GS2TLGW48-GSA | 50 lbs. | 4.0 | — | 267 |
| GS2TLGW54-GSA | 56 lbs. | 4.5 | — | 267 |
| GS2TLGW60-GSA | 62 lbs. | 4.9 | — | 267 |
| GS2TLGW66-GSA | 68 lbs. | 5.4 | — | 267 |
| GS2TLGW72-GSA | 74 lbs. | 5.9 | — | 267 |
| GS2TLGW78-GSA | 79 lbs. | 6.3 | — | 267 |
| GS2TLGW84-GSA | 85 lbs. | 6.8 | — | 267 |
| GS2TLGW90-GSA | 91 lbs. | 7.3 | — | 267 |
| GS2TLGW96-GSA | 97 lbs. | 4.0 | — | 267 |
| GS2TLGW102-GSA | 102 lbs. | 4.2 | — | 267 |
| GS2TLGW108-GSA | 108 lbs. | 4.5 | — | 267 |
| GS2TLKW1H24 | 23 lbs. | 2.5 | — | 270 |
| GS2TLKW1H30 | 26 lbs. | 3.6 | — | 270 |
| GS2TLKW1H36 | 29 lbs. | 4.3 | — | 270 |
| GS2TLKW1H42 | 33 lbs. | 5.0 | — | 270 |
| GS2TLKW1H48 | 36 lbs. | 5.6 | — | 270 |
| GS2TLKW2H24 | 24 lbs. | 3.1 | — | 270 |
| GS2TLKW2H30 | 28 lbs. | 4.6 | — | 270 |
| GS2TLKW2H36 | 32 lbs. | 5.5 | — | 270 |
| GS2TLKW2H42 | 36 lbs. | 6.3 | — | 270 |
| GS2TLKW2H48 | 40 lbs. | 7.2 | — | 270 |
| GS2TLKW24 | 18 lbs. | 1.8 | — | 266 |
| GS2TLKW30 | 20 lbs. | 2.6 | — | 266 |
| GS2TLKW36 | 22 lbs. | 3.1 | — | 266 |
| GS2TLKW42 | 24 lbs. | 3.5 | — | 266 |
| GS2TLKW48 | 26 lbs. | 4.0 | — | 266 |
| GS2TLKW54 | 28 lbs. | 4.5 | — | 266 |
| GS2TLKW60 | 31 lbs. | 4.9 | — | 266 |
| GS2TLKW66 | 33 lbs. | 5.4 | — | 266 |
| GS2TLKW72 | 35 lbs. | 5.9 | — | 266 |
| GS2TLKW78 | 37 lbs. | 6.3 | — | 266 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|----------------|----------|-------|--------|------|
| GS2TLKW84 | 39 lbs. | 6.8 | — | 266 |
| GS2TLKW90 | 41 lbs. | 7.3 | — | 266 |
| GS2TLKW96 | 43 lbs. | 7.8 | — | 266 |
| GS2TLKW102 | 45 lbs. | 4.2 | — | 266 |
| GS2TLKW108 | 47 lbs. | 4.5 | — | 266 |
| GS2TLWD1H24-W | 60 lbs. | 3.4 | — | 281 |
| GS2TLWD1H30-W | 73 lbs. | 3.5 | — | 281 |
| GS2TLWD1H36-W | 85 lbs. | 4.2 | — | 281 |
| GS2TLWD1H42-W | 96 lbs. | 4.8 | — | 281 |
| GS2TLWD1H48-W | 108 lbs. | 5.4 | — | 281 |
| GS2TLWD1H54-W | 130 lbs. | 5.4 | — | 281 |
| GS2TLWD1H60-W | 140 lbs. | 6.0 | — | 281 |
| GS2TLWD1H66-W | 150 lbs. | 6.5 | — | 281 |
| GS2TLWD1H72-W | 175 lbs. | 7.0 | — | 281 |
| GS2TLWD1H78-W | 190 lbs. | 7.5 | — | 281 |
| GS2TLWD1H84-W | 205 lbs. | 8.1 | — | 281 |
| GS2TLWD1H90-W | 215 lbs. | 8.6 | — | 281 |
| GS2TLWD1H96-W | 225 lbs. | 9.1 | — | 281 |
| GS2TLWD1H102-W | 240 lbs. | 9.6 | — | 281 |
| GS2TLWD1H108-W | 270 lbs. | 9.4 | — | 281 |
| GS2TLWD2H24-W | 70 lbs. | 4.4 | — | 282 |
| GS2TLWD2H30-W | 73 lbs. | 4.5 | — | 282 |
| GS2TLWD2H36-W | 85 lbs. | 5.3 | — | 282 |
| GS2TLWD2H42-W | 96 lbs. | 6.1 | — | 282 |
| GS2TLWD2H48-W | 108 lbs. | 6.9 | — | 282 |
| GS2TLWD2H54-W | 150 lbs. | 6.9 | — | 282 |
| GS2TLWD2H60-W | 160 lbs. | 7.6 | — | 282 |
| GS2TLWD2H66-W | 170 lbs. | 8.2 | — | 282 |
| GS2TLWD2H72-W | 195 lbs. | 8.9 | — | 282 |
| GS2TLWD2H78-W | 210 lbs. | 9.6 | — | 282 |
| GS2TLWD2H84-W | 225 lbs. | 10.2 | — | 282 |
| GS2TLWD2H90-W | 240 lbs. | 10.9 | — | 282 |
| GS2TLWD2H96-W | 255 lbs. | 11.6 | — | 282 |
| GS2TLWD2H102-W | 270 lbs. | 12.2 | — | 282 |
| GS2TLWD2H108-W | 295 lbs. | 11.9 | — | 282 |
| GS2TLWD24-W | 23 lbs. | 2.5 | — | 278 |
| GS2TLWD30-W | 26 lbs. | 2.5 | — | 278 |
| GS2TLWD30-XL | 21 lbs. | 2.7 | — | 277 |
| GS2TLWD30-XW | 26 lbs. | 2.5 | — | 277 |
| GS2TLWD36-W | 29 lbs. | 3.0 | — | 278 |
| GS2TLWD36-XL | 25 lbs. | 3.2 | — | 277 |
| GS2TLWD36-XW | 29 lbs. | 3.0 | — | 277 |
| GS2TLWD42-W | 33 lbs. | 3.4 | — | 278 |
| GS2TLWD42-XL | 33 lbs. | 3.4 | — | 277 |

| model number | weight | cubes | #locks | page |
|---------------|----------|-------|--------|------|
| GS2TLWD42-XW | 33 lbs. | 3.4 | — | 277 |
| GS2TLWD48-W | 36 lbs. | 3.9 | — | 278 |
| GS2TLWD48-XL | 36 lbs. | 3.9 | — | 277 |
| GS2TLWD48-XW | 36 lbs. | 3.9 | — | 277 |
| GS2TLWD54-W | 39 lbs. | 4.3 | — | 278 |
| GS2TLWD54-XL | 39 lbs. | 4.3 | — | 277 |
| GS2TLWD54-XW | 39 lbs. | 4.3 | — | 277 |
| GS2TLWD60-W | 42 lbs. | 4.8 | — | 278 |
| GS2TLWD60-XL | 41 lbs. | 5.1 | — | 277 |
| GS2TLWD60-XW | 42 lbs. | 4.8 | — | 277 |
| GS2TLWD66-W | 45 lbs. | 5.2 | — | 278 |
| GS2TLWD66-XL | 45 lbs. | 5.6 | — | 277 |
| GS2TLWD66-XW | 45 lbs. | 5.2 | — | 277 |
| GS2TLWD72-W | 48 lbs. | 5.7 | — | 278 |
| GS2TLWD72-XL | 49 lbs. | 6.1 | — | 277 |
| GS2TLWD72-XW | 48 lbs. | 5.7 | — | 277 |
| GS2TLWD78-W | 51 lbs. | 6.1 | — | 278 |
| GS2TLWD78-XL | 54 lbs. | 6.6 | — | 277 |
| GS2TLWD78-XW | 51 lbs. | 6.1 | — | 277 |
| GS2TLWD84-W | 54 lbs. | 6.6 | — | 278 |
| GS2TLWD84-XL | 58 lbs. | 7.0 | — | 277 |
| GS2TLWD84-XW | 54 lbs. | 6.6 | — | 277 |
| GS2TLWD90-W | 57 lbs. | 7.1 | — | 278 |
| GS2TLWD90-XL | 62 lbs. | 7.5 | — | 277 |
| GS2TLWD90-XW | 57 lbs. | 7.1 | — | 277 |
| GS2TLWD96-W | 60 lbs. | 7.5 | — | 278 |
| GS2TLWD96-XL | 66 lbs. | 8.0 | — | 277 |
| GS2TLWD96-XW | 60 lbs. | 7.5 | — | 277 |
| GS2TLWD102-W | 63 lbs. | 8.0 | — | 278 |
| GS2TLWD102-XL | 70 lbs. | 4.2 | — | 277 |
| GS2TLWD102-XW | 63 lbs. | 8.0 | — | 277 |
| GS2TLWD108-W | 67 lbs. | 8.4 | — | 278 |
| GS2TLWD108-XL | 74 lbs. | 4.5 | — | 277 |
| GS2TLWD108-XW | 67 lbs. | 8.4 | — | 277 |
| GS2TRD36-L | 45 lbs. | 3.7 | — | 196 |
| GS2TRD36-S | 68 lbs. | 3.7 | — | 196 |
| GS2TRD36-W | 45 lbs. | 3.7 | — | 196 |
| GS2TRD42-L | 59 lbs. | 4.9 | — | 196 |
| GS2TRD42-S | 89 lbs. | 4.9 | — | 196 |
| GS2TRD42-W | 59 lbs. | 4.9 | — | 196 |
| GS2TRD48-L | 76 lbs. | 6.3 | — | 196 |
| GS2TRD48-S | 114 lbs. | 6.3 | — | 196 |
| GS2TRD48-W | 76 lbs. | 6.3 | — | 196 |
| GS2TRD54-L | 95 lbs. | 7.9 | — | 196 |

| model number | weight | cubes | #locks | page |
|----------------|----------|-------|--------|------|
| GS2TRD54-S | 143 lbs. | 7.9 | — | 196 |
| GS2TRD54-W | 95 lbs. | 7.9 | — | 196 |
| GS2TRD60-L | 116 lbs. | 9.6 | — | 196 |
| GS2TRD60-S | 174 lbs. | 9.6 | — | 196 |
| GS2TRD60-W | 116 lbs. | 9.6 | — | 196 |
| GS2TRL3066-L | 102 lbs. | 10.0 | — | 59 |
| GS2TRL3066-W | 102 lbs. | 10.0 | — | 59 |
| GS2TRL3072-L | 109 lbs. | 10.6 | — | 59 |
| GS2TRL3072-W | 109 lbs. | 10.6 | — | 59 |
| GS2TRL3672-L | 122 lbs. | 11.7 | — | 59 |
| GS2TRL3672-W | 122 lbs. | 11.7 | — | 59 |
| GS2TRL3678-L | 129 lbs. | 12.4 | — | 59 |
| GS2TRL3678-W | 129 lbs. | 12.4 | — | 59 |
| GS2TSTG36-L | 45 lbs. | 3.7 | — | 197 |
| GS2TSTG36-S | 68 lbs. | 3.7 | — | 197 |
| GS2TSTG36-W | 45 lbs. | 3.7 | — | 197 |
| GS2TSTG42-L | 59 lbs. | 4.9 | — | 197 |
| GS2TSTG42-S | 89 lbs. | 4.9 | — | 197 |
| GS2TSTG42-W | 59 lbs. | 4.9 | — | 197 |
| GS2TSTG48-L | 76 lbs. | 6.3 | — | 197 |
| GS2TSTG48-S | 114 lbs. | 6.3 | — | 197 |
| GS2TSTG48-W | 76 lbs. | 6.3 | — | 197 |
| GS2TTGW24-GSA | 35 lbs. | 2.1 | — | 273 |
| GS2TTGW30-GSA | 43 lbs. | 2.5 | — | 273 |
| GS2TTGW36-GSA | 50 lbs. | 3.0 | — | 273 |
| GS2TTGW42-GSA | 58 lbs. | 3.4 | — | 273 |
| GS2TTGW48-GSA | 66 lbs. | 3.9 | — | 273 |
| GS2TTGW54-GSA | 82 lbs. | 3.9 | — | 273 |
| GS2TTGW60-GSA | 90 lbs. | 4.2 | — | 273 |
| GS2TTGW66-GSA | 98 lbs. | 4.6 | — | 273 |
| GS2TTGW72-GSA | 106 lbs. | 5.0 | — | 273 |
| GS2TTGW78-GSA | 114 lbs. | 5.4 | — | 273 |
| GS2TTGW84-GSA | 122 lbs. | 5.7 | — | 273 |
| GS2TTGW90-GSA | 130 lbs. | 6.1 | — | 273 |
| GS2TTGW96-GSA | 138 lbs. | 6.5 | — | 273 |
| GS2TTGW102-GSA | 150 lbs. | 7.6 | — | 273 |
| GS2TTGW108-GSA | 158 lbs. | 8.0 | — | 273 |
| GS2TTKW24 | 19 lbs. | 2.1 | — | 272 |
| GS2TTKW30 | 21 lbs. | 2.5 | — | 272 |
| GS2TTKW36 | 23 lbs. | 3.0 | — | 272 |
| GS2TTKW42 | 25 lbs. | 3.4 | — | 272 |
| GS2TTKW48 | 27 lbs. | 3.9 | — | 272 |
| GS2TTKW54 | 30 lbs. | 3.9 | — | 272 |
| GS2TTKW60 | 32 lbs. | 4.2 | — | 272 |

| model number | weight | cubes | #locks | page |
|---------------|----------|-------|--------|------|
| GS2TTKW66 | 34 lbs. | 4.6 | — | 272 |
| GS2TTKW72 | 36 lbs. | 5.0 | — | 272 |
| GS2TTKW78 | 38 lbs. | 5.4 | — | 272 |
| GS2TTKW84 | 40 lbs. | 5.7 | — | 272 |
| GS2TTKW90 | 42 lbs. | 6.1 | — | 272 |
| GS2TTKW96 | 44 lbs. | 6.5 | — | 272 |
| GS2TTKW102 | 47 lbs. | 7.6 | — | 272 |
| GS2TTKW108 | 50 lbs. | 8.0 | — | 272 |
| GS2TTWD24-W | 52 lbs. | 2.9 | — | 283 |
| GS2TTWD30-W | 60 lbs. | 3.6 | — | 283 |
| GS2TTWD36-W | 70 lbs. | 4.2 | — | 283 |
| GS2TTWD42-W | 80 lbs. | 4.8 | — | 283 |
| GS2TTWD48-W | 100 lbs. | 5.4 | — | 283 |
| GS2TTWD54-W | 120 lbs. | 4.6 | — | 283 |
| GS2TTWD60-W | 140 lbs. | 5.1 | — | 283 |
| GS2TTWD66-W | 150 lbs. | 5.5 | — | 283 |
| GS2TTWD72-W | 160 lbs. | 6.0 | — | 283 |
| GS2TTWD78-W | 170 lbs. | 6.4 | — | 283 |
| GS2TTWD84-W | 180 lbs. | 6.9 | — | 283 |
| GS2TTWD90-W | 190 lbs. | 7.3 | — | 283 |
| GS2TTWD96-W | 200 lbs. | 7.8 | — | 283 |
| GS2TTWD102-W | 210 lbs. | 8.2 | — | 283 |
| GS2TTWD108-W | 240 lbs. | 8.0 | — | 283 |
| GS2TWD1H24-W | 52 lbs. | 2.9 | — | 279 |
| GS2TWD1H30-W | 68 lbs. | 3.0 | — | 279 |
| GS2TWD1H36-W | 80 lbs. | 3.6 | — | 279 |
| GS2TWD1H42-W | 91 lbs. | 4.1 | — | 279 |
| GS2TWD1H48-W | 103 lbs. | 4.7 | — | 279 |
| GS2TWD1H54-W | 120 lbs. | 4.6 | — | 279 |
| GS2TWD1H60-W | 140 lbs. | 5.1 | — | 279 |
| GS2TWD1H66-W | 150 lbs. | 5.5 | — | 279 |
| GS2TWD1H72-W | 160 lbs. | 6.0 | — | 279 |
| GS2TWD1H78-W | 170 lbs. | 6.4 | — | 279 |
| GS2TWD1H84-W | 180 lbs. | 6.9 | — | 279 |
| GS2TWD1H90-W | 190 lbs. | 7.3 | — | 279 |
| GS2TWD1H96-W | 200 lbs. | 7.8 | — | 279 |
| GS2TWD1H102-W | 210 lbs. | 8.2 | — | 279 |
| GS2TWD1H108-W | 240 lbs. | 8.0 | — | 279 |
| GS2TWD2H24-W | 64 lbs. | 3.8 | — | 280 |
| GS2TWD2H30-W | 78 lbs. | 4.0 | — | 280 |
| GS2TWD2H36-W | 92 lbs. | 4.7 | — | 280 |
| GS2TWD2H42-W | 106 lbs. | 5.4 | — | 280 |
| GS2TWD2H48-W | 120 lbs. | 6.1 | — | 280 |
| GS2TWD2H54-W | 140 lbs. | 6.1 | — | 280 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|---------------|----------|-------|--------|------|
| GS2TWD2H60-W | 150 lbs. | 6.7 | — | 280 |
| GS2TWD2H66-W | 160 lbs. | 7.3 | — | 280 |
| GS2TWD2H72-W | 185 lbs. | 7.8 | — | 280 |
| GS2TWD2H78-W | 200 lbs. | 8.4 | — | 280 |
| GS2TWD2H84-W | 215 lbs. | 9.0 | — | 280 |
| GS2TWD2H90-W | 230 lbs. | 9.6 | — | 280 |
| GS2TWD2H96-W | 245 lbs. | 10.2 | — | 280 |
| GS2TWD2H102-W | 260 lbs. | 10.8 | — | 280 |
| GS2TWD2H108-W | 280 lbs. | 10.5 | — | 280 |
| GS2TWD24-W | 18 lbs. | 2.0 | — | 276 |
| GS2TWD30-W | 21 lbs. | 2.0 | — | 276 |
| GS2TWD30-XL | 16 lbs. | 2.1 | — | 275 |
| GS2TWD30-XW | 21 lbs. | 2.0 | — | 275 |
| GS2TWD36-W | 24 lbs. | 2.4 | — | 276 |
| GS2TWD36-XL | 20 lbs. | 2.5 | — | 275 |
| GS2TWD36-XW | 24 lbs. | 2.4 | — | 275 |
| GS2TWD42-W | 27 lbs. | 2.7 | — | 276 |
| GS2TWD42-XL | 27 lbs. | 2.7 | — | 275 |
| GS2TWD42-XW | 27 lbs. | 2.7 | — | 275 |
| GS2TWD48-W | 30 lbs. | 3.1 | — | 276 |
| GS2TWD48-XL | 30 lbs. | 3.1 | — | 275 |
| GS2TWD48-XW | 30 lbs. | 3.1 | — | 275 |
| GS2TWD54-W | 33 lbs. | 3.4 | — | 276 |
| GS2TWD54-XL | 33 lbs. | 3.4 | — | 275 |
| GS2TWD54-XW | 33 lbs. | 3.4 | — | 275 |
| GS2TWD60-W | 37 lbs. | 3.8 | — | 276 |
| GS2TWD60-XL | 33 lbs. | 4.1 | — | 275 |
| GS2TWD60-XW | 37 lbs. | 3.8 | — | 275 |
| GS2TWD66-W | 40 lbs. | 4.2 | — | 276 |
| GS2TWD66-XL | 36 lbs. | 4.4 | — | 275 |
| GS2TWD66-XW | 40 lbs. | 4.2 | — | 275 |
| GS2TWD72-W | 43 lbs. | 4.5 | — | 276 |
| GS2TWD72-XL | 39 lbs. | 4.8 | — | 275 |
| GS2TWD72-XW | 43 lbs. | 4.5 | — | 275 |
| GS2TWD78-W | 46 lbs. | 4.9 | — | 276 |
| GS2TWD78-XL | 43 lbs. | 5.2 | — | 275 |
| GS2TWD78-XW | 46 lbs. | 4.9 | — | 275 |
| GS2TWD84-W | 49 lbs. | 5.3 | — | 276 |
| GS2TWD84-XL | 46 lbs. | 5.6 | — | 275 |
| GS2TWD84-XW | 49 lbs. | 5.3 | — | 275 |
| GS2TWD90-W | 52 lbs. | 5.6 | — | 276 |
| GS2TWD90-XL | 49 lbs. | 6.0 | — | 275 |
| GS2TWD90-XW | 52 lbs. | 5.6 | — | 275 |
| GS2TWD96-W | 55 lbs. | 6.0 | — | 276 |

| model number | weight | cubes | #locks | page |
|-----------------|----------|-------|--------|------|
| GS2TWD96-XL | 53 lbs. | 6.4 | — | 275 |
| GS2TWD96-XW | 55 lbs. | 6.0 | — | 275 |
| GS2TWD102-W | 58 lbs. | 6.3 | — | 276 |
| GS2TWD102-XL | 56 lbs. | 3.4 | — | 275 |
| GS2TWD102-XW | 58 lbs. | 6.3 | — | 275 |
| GS2TWD108-W | 62 lbs. | 6.7 | — | 276 |
| GS2TWD108-XL | 59 lbs. | 3.6 | — | 275 |
| GS2TWD108-XW | 62 lbs. | 6.7 | — | 275 |
| GS2UTC5H24L-3LL | 269 lbs. | 33.1 | 3 | 238 |
| GS2UTC5H24L-3WW | 269 lbs. | 33.1 | 3 | 238 |
| GS2UTC5H24L-LL | 269 lbs. | 30.2 | 3 | 237 |
| GS2UTC5H24L-WW | 269 lbs. | 30.2 | 3 | 237 |
| GS2UTC5H24R-3LL | 269 lbs. | 33.1 | 3 | 238 |
| GS2UTC5H24R-3WW | 269 lbs. | 33.1 | 3 | 238 |
| GS2UTC5H24R-LL | 269 lbs. | 30.2 | 3 | 237 |
| GS2UTC5H24R-WW | 269 lbs. | 30.2 | 3 | 237 |
| GS2UTC5H30L-3LL | 285 lbs. | 40.2 | 3 | 240 |
| GS2UTC5H30L-3WW | 285 lbs. | 40.2 | 3 | 240 |
| GS2UTC5H30L-LL | 285 lbs. | 40.2 | 3 | 239 |
| GS2UTC5H30L-WW | 285 lbs. | 40.2 | 3 | 239 |
| GS2UTC5H30R-3LL | 285 lbs. | 40.2 | 3 | 240 |
| GS2UTC5H30R-3WW | 285 lbs. | 40.2 | 3 | 240 |
| GS2UTC5H30R-LL | 285 lbs. | 40.2 | 3 | 239 |
| GS2UTC5H30R-WW | 285 lbs. | 40.2 | 3 | 239 |
| GS2UTC6H24L-3LL | 317 lbs. | 39.0 | 3 | 238 |
| GS2UTC6H24L-3WW | 317 lbs. | 39.0 | 3 | 238 |
| GS2UTC6H24L-LL | 317 lbs. | 35.8 | 3 | 237 |
| GS2UTC6H24L-WW | 317 lbs. | 35.8 | 3 | 237 |
| GS2UTC6H24R-3LL | 317 lbs. | 39.0 | 3 | 238 |
| GS2UTC6H24R-3WW | 317 lbs. | 39.0 | 3 | 238 |
| GS2UTC6H24R-LL | 317 lbs. | 35.8 | 3 | 237 |
| GS2UTC6H24R-WW | 317 lbs. | 35.8 | 3 | 237 |
| GS2UTC6H30L-3LL | 330 lbs. | 47.4 | 3 | 240 |
| GS2UTC6H30L-3WW | 330 lbs. | 47.4 | 3 | 240 |
| GS2UTC6H30L-LL | 330 lbs. | 47.4 | 3 | 239 |
| GS2UTC6H30L-WW | 330 lbs. | 47.4 | 3 | 239 |
| GS2UTC6H30R-3LL | 330 lbs. | 47.4 | 3 | 240 |
| GS2UTC6H30R-3WW | 330 lbs. | 47.4 | 3 | 240 |
| GS2UTC6H30R-LL | 330 lbs. | 47.4 | 3 | 239 |
| GS2UTC6H30R-WW | 330 lbs. | 47.4 | 3 | 239 |
| GS2VLEG-A | 8 lbs. | 0.6 | — | 157 |
| GS2WGW5H36 | 74 lbs. | 6.2 | — | 274 |
| GS2WGW6H36 | 85 lbs. | 7.4 | — | 274 |
| GS2WMC1H30-LL | 45 lbs. | 5.8 | 1 | 252 |

| model number | weight | cubes | #locks | page |
|----------------|----------|-------|--------|------|
| GS2WMC1H30-LN | 40 lbs. | 6.0 | — | 254 |
| GS2WMC1H30-WG | 45 lbs. | 5.8 | — | 253 |
| GS2WMC1H30-WN | 40 lbs. | 6.0 | — | 254 |
| GS2WMC1H30-WW | 45 lbs. | 5.8 | 1 | 252 |
| GS2WMC1H36-LL | 52 lbs. | 6.9 | 1 | 252 |
| GS2WMC1H36-LN | 47 lbs. | 7.1 | — | 254 |
| GS2WMC1H36-WG | 52 lbs. | 6.9 | — | 253 |
| GS2WMC1H36-WN | 47 lbs. | 7.1 | — | 254 |
| GS2WMC1H36-WW | 52 lbs. | 6.9 | 1 | 252 |
| GS2WMC1H42-LL | 60 lbs. | 8.6 | 2 | 252 |
| GS2WMC1H42-LN | 50 lbs. | 8.2 | — | 254 |
| GS2WMC1H42-WN | 50 lbs. | 8.2 | — | 254 |
| GS2WMC1H42-WW | 60 lbs. | 8.6 | 2 | 252 |
| GS2WMC1H48-LL | 69 lbs. | 9.7 | 2 | 252 |
| GS2WMC1H48-LN | 59 lbs. | 9.3 | — | 254 |
| GS2WMC1H48-WN | 59 lbs. | 9.3 | — | 254 |
| GS2WMC1H48-WW | 69 lbs. | 9.7 | 2 | 252 |
| GS2WMC1H54-LL | 78 lbs. | 10.9 | 2 | 252 |
| GS2WMC1H54-LN | 68 lbs. | 10.4 | — | 254 |
| GS2WMC1H54-WN | 68 lbs. | 10.4 | — | 254 |
| GS2WMC1H54-WW | 78 lbs. | 10.9 | 2 | 252 |
| GS2WMC1H60-LL | 85 lbs. | 11.1 | 2 | 252 |
| GS2WMC1H60-LN | 75 lbs. | 11.5 | — | 254 |
| GS2WMC1H60-LSL | 85 lbs. | 11.1 | — | 255 |
| GS2WMC1H60-WG | 85 lbs. | 11.1 | — | 253 |
| GS2WMC1H60-WN | 75 lbs. | 11.5 | — | 254 |
| GS2WMC1H60-WSG | 85 lbs. | 11.1 | — | 256 |
| GS2WMC1H60-WSW | 85 lbs. | 11.1 | — | 255 |
| GS2WMC1H60-WW | 85 lbs. | 11.1 | 2 | 252 |
| GS2WMC1H66-LL | 94 lbs. | 12.2 | 2 | 252 |
| GS2WMC1H66-LN | 84 lbs. | 12.6 | — | 254 |
| GS2WMC1H66-LSL | 95 lbs. | 15.0 | — | 255 |
| GS2WMC1H66-WN | 84 lbs. | 12.6 | — | 254 |
| GS2WMC1H66-WSW | 95 lbs. | 15.0 | — | 255 |
| GS2WMC1H66-WW | 94 lbs. | 12.2 | 2 | 252 |
| GS2WMC1H72-LL | 105 lbs. | 13.2 | 2 | 252 |
| GS2WMC1H72-LN | 95 lbs. | 13.7 | — | 254 |
| GS2WMC1H72-LSL | 105 lbs. | 13.2 | — | 255 |
| GS2WMC1H72-WG | 105 lbs. | 13.2 | — | 253 |
| GS2WMC1H72-WN | 95 lbs. | 13.7 | — | 254 |
| GS2WMC1H72-WSG | 105 lbs. | 13.2 | — | 256 |
| GS2WMC1H72-WSW | 105 lbs. | 13.2 | — | 255 |
| GS2WMC1H72-WW | 105 lbs. | 13.2 | 2 | 252 |
| GS2WMC1H78-LL | 115 lbs. | 14.3 | 2 | 252 |

| model number | weight | cubes | #locks | page |
|-----------------|----------|-------|--------|------|
| GS2WMC1H78-LN | 105 lbs. | 14.8 | — | 254 |
| GS2WMC1H78-LSL | 115 lbs. | 17.6 | — | 255 |
| GS2WMC1H78-WN | 105 lbs. | 14.8 | — | 254 |
| GS2WMC1H78-WSW | 115 lbs. | 17.6 | — | 255 |
| GS2WMC1H78-WW | 115 lbs. | 14.3 | 2 | 252 |
| GS2WMC1H84-LL | 125 lbs. | 15.4 | 3 | 252 |
| GS2WMC1H84-LN | 115 lbs. | 15.8 | — | 254 |
| GS2WMC1H84-LSL | 125 lbs. | 18.8 | — | 255 |
| GS2WMC1H84-WN | 115 lbs. | 15.8 | — | 254 |
| GS2WMC1H84-WSW | 125 lbs. | 18.8 | — | 255 |
| GS2WMC1H84-WW | 125 lbs. | 15.4 | 3 | 252 |
| GS2WMC1H90-LL | 135 lbs. | 16.4 | 3 | 252 |
| GS2WMC1H90-LN | 125 lbs. | 16.9 | — | 254 |
| GS2WMC1H90-LSL | 135 lbs. | 16.4 | — | 255 |
| GS2WMC1H90-WG | 135 lbs. | 16.4 | — | 253 |
| GS2WMC1H90-WN | 125 lbs. | 16.9 | — | 254 |
| GS2WMC1H90-WSG | 135 lbs. | 16.4 | — | 256 |
| GS2WMC1H90-WSW | 135 lbs. | 16.4 | — | 255 |
| GS2WMC1H90-WW | 135 lbs. | 16.4 | 3 | 252 |
| GS2WMC1H96-LL | 142 lbs. | 17.5 | 3 | 252 |
| GS2WMC1H96-LN | 132 lbs. | 18.0 | — | 254 |
| GS2WMC1H96-LSL | 145 lbs. | 21.4 | — | 255 |
| GS2WMC1H96-WN | 132 lbs. | 18.0 | — | 254 |
| GS2WMC1H96-WSW | 145 lbs. | 21.4 | — | 255 |
| GS2WMC1H96-WW | 142 lbs. | 17.5 | 3 | 252 |
| GS2WMC1H102-LL | 149 lbs. | 20.0 | 3 | 252 |
| GS2WMC1H102-LN | 139 lbs. | 19.1 | — | 254 |
| GS2WMC1H102-WN | 139 lbs. | 19.1 | — | 254 |
| GS2WMC1H102-WSW | 155 lbs. | 22.7 | — | 255 |
| GS2WMC1H102-WW | 149 lbs. | 18.5 | 3 | 252 |
| GS2WMC1H108-LL | 158 lbs. | 21.2 | 3 | 252 |
| GS2WMC1H108-LN | 148 lbs. | 20.2 | — | 254 |
| GS2WMC1H108-WG | 158 lbs. | 19.6 | — | 253 |
| GS2WMC1H108-WN | 148 lbs. | 20.2 | — | 254 |
| GS2WMC1H108-WSG | 158 lbs. | 19.6 | — | 256 |
| GS2WMC1H108-WSW | 158 lbs. | 19.6 | — | 255 |
| GS2WMC1H108-WW | 158 lbs. | 19.6 | 3 | 252 |
| GS2WMC2H30-LL | 85 lbs. | 10.4 | 1 | 257 |
| GS2WMC2H30-LN | 80 lbs. | 10.7 | — | 259 |
| GS2WMC2H30-WG | 85 lbs. | 10.4 | — | 258 |
| GS2WMC2H30-WN | 80 lbs. | 10.7 | — | 259 |
| GS2WMC2H30-WW | 85 lbs. | 10.4 | 1 | 257 |
| GS2WMC2H36-LL | 93 lbs. | 12.3 | 1 | 257 |
| GS2WMC2H36-LN | 88 lbs. | 12.6 | — | 259 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|----------------|----------|-------|--------|------|
| GS2WMC2H36-WG | 93 lbs. | 12.3 | — | 258 |
| GS2WMC2H36-WN | 88 lbs. | 12.6 | — | 259 |
| GS2WMC2H36-WW | 93 lbs. | 12.3 | 1 | 257 |
| GS2WMC2H42-LL | 108 lbs. | 15.3 | 2 | 257 |
| GS2WMC2H42-LN | 98 lbs. | 14.6 | — | 259 |
| GS2WMC2H42-WN | 98 lbs. | 14.6 | — | 259 |
| GS2WMC2H42-WW | 108 lbs. | 15.3 | 2 | 257 |
| GS2WMC2H48-LL | 122 lbs. | 17.3 | 2 | 257 |
| GS2WMC2H48-LN | 112 lbs. | 16.5 | — | 259 |
| GS2WMC2H48-WN | 112 lbs. | 16.5 | — | 259 |
| GS2WMC2H48-WW | 122 lbs. | 17.3 | 2 | 257 |
| GS2WMC2H54-LL | 136 lbs. | 19.4 | 2 | 257 |
| GS2WMC2H54-LN | 126 lbs. | 18.5 | — | 259 |
| GS2WMC2H54-WN | 126 lbs. | 18.5 | — | 259 |
| GS2WMC2H54-WW | 136 lbs. | 19.4 | 2 | 257 |
| GS2WMC2H60-LL | 150 lbs. | 19.8 | 2 | 257 |
| GS2WMC2H60-LN | 140 lbs. | 20.4 | — | 259 |
| GS2WMC2H60-LSL | 150 lbs. | 19.8 | — | 260 |
| GS2WMC2H60-WG | 150 lbs. | 19.8 | — | 258 |
| GS2WMC2H60-WN | 140 lbs. | 20.4 | — | 259 |
| GS2WMC2H60-WSG | 150 lbs. | 19.8 | — | 261 |
| GS2WMC2H60-WSW | 150 lbs. | 19.8 | — | 260 |
| GS2WMC2H60-WW | 150 lbs. | 19.8 | 2 | 257 |
| GS2WMC2H66-LL | 167 lbs. | 21.7 | 2 | 257 |
| GS2WMC2H66-LN | 157 lbs. | 22.4 | — | 259 |
| GS2WMC2H66-LSL | 168 lbs. | 25.9 | — | 260 |
| GS2WMC2H66-WN | 157 lbs. | 22.4 | — | 259 |
| GS2WMC2H66-WSW | 168 lbs. | 25.9 | — | 260 |
| GS2WMC2H66-WW | 167 lbs. | 21.7 | 2 | 257 |
| GS2WMC2H72-LL | 186 lbs. | 23.6 | 2 | 257 |
| GS2WMC2H72-LN | 176 lbs. | 24.3 | — | 259 |
| GS2WMC2H72-LSL | 186 lbs. | 23.6 | — | 260 |
| GS2WMC2H72-WG | 186 lbs. | 23.6 | — | 258 |
| GS2WMC2H72-WN | 176 lbs. | 24.3 | — | 259 |
| GS2WMC2H72-WSG | 186 lbs. | 23.6 | — | 261 |
| GS2WMC2H72-WSW | 186 lbs. | 23.6 | — | 260 |
| GS2WMC2H72-WW | 186 lbs. | 23.6 | 2 | 257 |
| GS2WMC2H78-LL | 201 lbs. | 25.5 | 2 | 257 |
| GS2WMC2H78-LN | 191 lbs. | 26.3 | — | 259 |
| GS2WMC2H78-LSL | 204 lbs. | 30.4 | — | 260 |
| GS2WMC2H78-WN | 191 lbs. | 26.3 | — | 259 |
| GS2WMC2H78-WSW | 204 lbs. | 30.4 | — | 260 |
| GS2WMC2H78-WW | 201 lbs. | 25.5 | 2 | 257 |
| GS2WMC2H84-LL | 218 lbs. | 27.4 | 3 | 257 |

| model number | weight | cubes | #locks | page |
|----------------|----------|-------|--------|------|
| GS2WMC2H84-LN | 208 lbs. | 28.2 | — | 259 |
| GS2WMC2H84-LSL | 220 lbs. | 32.6 | — | 260 |
| GS2WMC2H84-WN | 208 lbs. | 28.2 | — | 259 |
| GS2WMC2H84-WSW | 220 lbs. | 32.6 | — | 260 |
| GS2WMC2H84-WW | 218 lbs. | 27.4 | 3 | 257 |
| GS2WMC2H90-LL | 237 lbs. | 29.2 | 3 | 257 |
| GS2WMC2H90-LN | 227 lbs. | 30.2 | — | 259 |
| GS2WMC2H90-LSL | 237 lbs. | 29.2 | — | 260 |
| GS2WMC2H90-WG | 237 lbs. | 29.2 | — | 258 |
| GS2WMC2H90-WN | 227 lbs. | 30.2 | — | 259 |
| GS2WMC2H90-WSG | 237 lbs. | 29.2 | — | 261 |
| GS2WMC2H90-WSW | 237 lbs. | 29.2 | — | 260 |
| GS2WMC2H90-WW | 237 lbs. | 29.2 | 3 | 257 |
| GS2WMW1H30-L | 10 lbs. | 1.3 | — | 262 |
| GS2WMW1H30-W | 10 lbs. | 1.3 | — | 262 |
| GS2WMW1H36-L | 12 lbs. | 1.5 | — | 262 |
| GS2WMW1H36-W | 12 lbs. | 1.5 | — | 262 |
| GS2WMW1H42-L | 14 lbs. | 1.8 | — | 262 |
| GS2WMW1H42-W | 14 lbs. | 1.8 | — | 262 |
| GS2WMW1H48-L | 16 lbs. | 2.0 | — | 262 |
| GS2WMW1H48-W | 16 lbs. | 2.0 | — | 262 |
| GS2WMW1H54-L | 18 lbs. | 2.3 | — | 262 |
| GS2WMW1H54-W | 18 lbs. | 2.3 | — | 262 |
| GS2WMW1H60-L | 20 lbs. | 2.5 | — | 262 |
| GS2WMW1H60-W | 20 lbs. | 2.5 | — | 262 |
| GS2WMW1H66-L | 22 lbs. | 2.7 | — | 262 |
| GS2WMW1H66-W | 22 lbs. | 2.7 | — | 262 |
| GS2WMW1H72-L | 24 lbs. | 3.0 | — | 262 |
| GS2WMW1H72-W | 25 lbs. | 3.0 | — | 262 |
| GS2WMW1H78-L | 26 lbs. | 3.2 | — | 262 |
| GS2WMW1H78-W | 27 lbs. | 3.2 | — | 262 |
| GS2WMW1H84-L | 28 lbs. | 3.4 | — | 262 |
| GS2WMW1H84-W | 29 lbs. | 3.4 | — | 262 |
| GS2WMW1H90-L | 31 lbs. | 3.7 | — | 262 |
| GS2WMW1H90-W | 32 lbs. | 3.7 | — | 262 |
| GS2WMW1H96-L | 33 lbs. | 3.9 | — | 262 |
| GS2WMW1H96-W | 4 lbs. | 3.9 | — | 262 |
| GS2WMW1H102-L | 35 lbs. | 2.1 | — | 262 |
| GS2WMW1H102-W | 35 lbs. | 4.2 | — | 262 |
| GS2WMW1H108-L | 37 lbs. | 2.2 | — | 262 |
| GS2WMW1H108-W | 39 lbs. | 4.4 | — | 262 |
| GS2WMW2H30-L | 19 lbs. | 2.3 | — | 263 |
| GS2WMW2H30-W | 21 lbs. | 2.3 | — | 263 |
| GS2WMW2H36-L | 22 lbs. | 2.8 | — | 263 |

| model number | weight | cubes | #locks | page |
|-----------------|----------|-------|--------|------|
| GS2WMW2H36-W | 25 lbs. | 2.8 | — | 263 |
| GS2WMW2H42-L | 29 lbs. | 3.2 | — | 263 |
| GS2WMW2H42-W | 29 lbs. | 3.2 | — | 263 |
| GS2WMW2H48-L | 34 lbs. | 3.6 | — | 263 |
| GS2WMW2H48-W | 34 lbs. | 3.6 | — | 263 |
| GS2WMW2H54-L | 38 lbs. | 4.0 | — | 263 |
| GS2WMW2H54-W | 38 lbs. | 4.0 | — | 263 |
| GS2WMW2H60-L | 37 lbs. | 4.4 | — | 263 |
| GS2WMW2H60-W | 42 lbs. | 4.4 | — | 263 |
| GS2WMW2H66-L | 41 lbs. | 4.9 | — | 263 |
| GS2WMW2H66-W | 46 lbs. | 4.9 | — | 263 |
| GS2WMW2H72-L | 45 lbs. | 5.3 | — | 263 |
| GS2WMW2H72-W | 51 lbs. | 5.3 | — | 263 |
| GS2WMW2H78-L | 49 lbs. | 5.7 | — | 263 |
| GS2WMW2H78-W | 56 lbs. | 5.7 | — | 263 |
| GS2WMW2H84-L | 52 lbs. | 6.1 | — | 263 |
| GS2WMW2H84-W | 60 lbs. | 6.1 | — | 263 |
| GS2WMW2H90-L | 56 lbs. | 6.6 | — | 263 |
| GS2WMW2H90-W | 67 lbs. | 6.6 | — | 263 |
| GS2WSB3H72L-WSG | 300 lbs. | 41.1 | — | 302 |
| GS2WSB3H72R-WSG | 300 lbs. | 41.1 | — | 302 |
| GS2WSB3H90L-WSG | 375 lbs. | 50.9 | — | 302 |
| GS2WSB3H90R-WSG | 375 lbs. | 50.9 | — | 302 |
| GS2XBT4272-LL | 154 lbs. | 19.6 | — | 61 |
| GS2XBT4272-WW | 154 lbs. | 19.6 | — | 61 |
| GS2XDT4272-LL | 154 lbs. | 19.6 | — | 61 |
| GS2XDT4272-WW | 154 lbs. | 19.6 | — | 61 |
| GS2XMAMOD66-L | 12 lbs. | 1.7 | — | 121 |
| GS2XMAMOD66-M | 12 lbs. | 1.7 | — | 121 |
| GS2XMAMOD66-W | 12 lbs. | 1.9 | — | 121 |
| GS2XMAMOD72-L | 12 lbs. | 1.9 | — | 121 |
| GS2XMAMOD72-M | 12 lbs. | 1.9 | — | 121 |
| GS2XMAMOD72-W | 13 lbs. | 1.9 | — | 121 |
| GS2XMAMOD78-L | 12 lbs. | 2.1 | — | 121 |
| GS2XMAMOD78-M | 12 lbs. | 2.1 | — | 121 |
| GS2XMAMOD78-W | 12 lbs. | 2.1 | — | 121 |
| GS2XMF36L-L | 20 lbs. | 3.9 | — | 164 |
| GS2XMF36L-W | 20 lbs. | 3.9 | — | 164 |
| GS2XMF36R-L | 20 lbs. | 3.9 | — | 164 |
| GS2XMF36R-W | 20 lbs. | 3.9 | — | 164 |
| GS2XMF42L-L | 23 lbs. | 4.5 | — | 164 |
| GS2XMF42L-W | 23 lbs. | 4.5 | — | 164 |
| GS2XMF42R-L | 23 lbs. | 4.5 | — | 164 |
| GS2XMF42R-W | 23 lbs. | 4.5 | — | 164 |

| model number | weight | cubes | #locks | page |
|-----------------|----------|-------|--------|------|
| GS2XML366060-LL | 173 lbs. | 26.3 | — | 74 |
| GS2XML366060-WW | 179 lbs. | 22.1 | — | 74 |
| GS2XML487260-LL | 202 lbs. | 30.9 | — | 74 |
| GS2XML487260-WW | 209 lbs. | 25.9 | — | 74 |
| GS2XRL3066L-LL | 143 lbs. | 17.3 | — | 60 |
| GS2XRL3066L-WW | 143 lbs. | 17.3 | — | 60 |
| GS2XRL3066R-LL | 143 lbs. | 17.3 | — | 60 |
| GS2XRL3066R-WW | 143 lbs. | 17.3 | — | 60 |
| GS2XRL3072L-LL | 151 lbs. | 18.0 | — | 60 |
| GS2XRL3072L-WW | 151 lbs. | 18.0 | — | 60 |
| GS2XRL3072R-LL | 151 lbs. | 18.0 | — | 60 |
| GS2XRL3072R-WW | 151 lbs. | 18.0 | — | 60 |
| GS2XRL3672L-LL | 171 lbs. | 20.4 | — | 60 |
| GS2XRL3672L-WW | 171 lbs. | 20.4 | — | 60 |
| GS2XRL3672R-LL | 171 lbs. | 20.4 | — | 60 |
| GS2XRL3672R-WW | 171 lbs. | 20.4 | — | 60 |
| GS2XRL3678L-LL | 180 lbs. | 21.3 | — | 60 |
| GS2XRL3678L-WW | 178 lbs. | 21.3 | — | 60 |
| GS2XRL3678R-LL | 180 lbs. | 21.3 | — | 60 |
| GS2XRL3678R-WW | 178 lbs. | 21.3 | — | 60 |
| GS2XRT3066L-LL | 122 lbs. | 16.9 | — | 61 |
| GS2XRT3066L-WW | 122 lbs. | 16.9 | — | 61 |
| GS2XRT3066R-LL | 122 lbs. | 16.9 | — | 61 |
| GS2XRT3066R-WW | 122 lbs. | 16.9 | — | 61 |
| GS2XRT3072L-LL | 128 lbs. | 17.4 | — | 61 |
| GS2XRT3072L-WW | 128 lbs. | 17.4 | — | 61 |
| GS2XRT3072R-LL | 128 lbs. | 17.4 | — | 61 |
| GS2XRT3072R-WW | 128 lbs. | 17.4 | — | 61 |
| GS3BAK2442-LL | 80 lbs. | 11.7 | — | 90 |
| GS3BAK2442-WW | 80 lbs. | 10.2 | — | 90 |
| GS3BAK2448-LL | 90 lbs. | 13.4 | — | 90 |
| GS3BAK2448-WW | 90 lbs. | 11.5 | — | 90 |
| GS3BAK2454-LL | 100 lbs. | 15.0 | — | 90 |
| GS3BAK2454-WW | 100 lbs. | 12.9 | — | 90 |
| GS3BAK2460-LL | 110 lbs. | 16.6 | — | 90 |
| GS3BAK2460-WW | 110 lbs. | 14.2 | — | 90 |
| GS3BAK2466-LL | 120 lbs. | 18.3 | — | 90 |
| GS3BAK2466-WW | 120 lbs. | 15.6 | — | 90 |
| GS3BAK2472-LL | 130 lbs. | 19.9 | — | 90 |
| GS3BAK2472-WW | 130 lbs. | 16.9 | — | 90 |
| GS3BAK3042-LL | 216 lbs. | 19.2 | — | 91 |
| GS3BAK3042-WW | 130 lbs. | 30.5 | — | 91 |
| GS3BAK3048-LL | 227 lbs. | 20.8 | — | 91 |
| GS3BAK3048-WW | 140 lbs. | 34.5 | — | 91 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|-----------------|----------|-------|--------|------|
| GS3BAK3054-LL | 239 lbs. | 22.4 | — | 91 |
| GS3BAK3054-WW | 149 lbs. | 38.5 | — | 91 |
| GS3BAK3060-LL | 256 lbs. | 24.0 | — | 91 |
| GS3BAK3060-WW | 157 lbs. | 42.5 | — | 91 |
| GS3BAK3066-LL | 274 lbs. | 25.6 | — | 91 |
| GS3BAK3066-WW | 165 lbs. | 46.5 | — | 91 |
| GS3BAK3072-LL | 286 lbs. | 51.4 | — | 91 |
| GS3BAK3072-WW | 176 lbs. | 50.4 | — | 91 |
| GS3CAK2442-LL | 229 lbs. | 63.0 | — | 86 |
| GS3CAK2442-WW | 167 lbs. | 30.5 | — | 86 |
| GS3CAK2448-LL | 240 lbs. | 35.9 | — | 86 |
| GS3CAK2448-WW | 175 lbs. | 34.5 | — | 86 |
| GS3CAK2454-LL | 250 lbs. | 39.2 | — | 86 |
| GS3CAK2454-WW | 183 lbs. | 38.5 | — | 86 |
| GS3CAK2460-LL | 265 lbs. | 42.5 | — | 86 |
| GS3CAK2460-WW | 190 lbs. | 42.5 | — | 86 |
| GS3CAK2466-AALL | 349 lbs. | 37.5 | 2 | 88 |
| GS3CAK2466-AAWW | 295 lbs. | 46.5 | 2 | 88 |
| GS3CAK2466L-ALL | 328 lbs. | 47.7 | 1 | 88 |
| GS3CAK2466L-AWW | 260 lbs. | 46.5 | 1 | 88 |
| GS3CAK2466-LL | 283 lbs. | 45.8 | — | 86 |
| GS3CAK2466R-ALL | 328 lbs. | 47.7 | 1 | 88 |
| GS3CAK2466R-AWW | 255 lbs. | 46.5 | 1 | 88 |
| GS3CAK2466-WW | 197 lbs. | 46.5 | — | 86 |
| GS3CAK2472-AALL | 358 lbs. | 39.0 | 2 | 88 |
| GS3CAK2472-AAWW | 305 lbs. | 50.4 | 2 | 88 |
| GS3CAK2472L-ALL | 338 lbs. | 51.0 | 1 | 88 |
| GS3CAK2472L-AWW | 275 lbs. | 50.4 | 1 | 88 |
| GS3CAK2472-LL | 293 lbs. | 49.1 | — | 86 |
| GS3CAK2472R-ALL | 338 lbs. | 51.0 | 1 | 88 |
| GS3CAK2472R-AWW | 265 lbs. | 50.4 | 1 | 88 |
| GS3CAK2472-WW | 207 lbs. | 50.4 | — | 86 |
| GS3CAK3042-LL | 238 lbs. | 37.8 | — | 87 |
| GS3CAK3042-WW | 151 lbs. | 30.5 | — | 87 |
| GS3CAK3048-LL | 249 lbs. | 41.8 | — | 87 |
| GS3CAK3048-WW | 160 lbs. | 34.5 | — | 87 |
| GS3CAK3054-LL | 261 lbs. | 45.8 | — | 87 |
| GS3CAK3054-WW | 169 lbs. | 38.5 | — | 87 |
| GS3CAK3060-LL | 278 lbs. | 49.8 | — | 87 |
| GS3CAK3060-WW | 177 lbs. | 42.5 | — | 87 |
| GS3CAK3066-AALL | 386 lbs. | 42.2 | 1 | 89 |
| GS3CAK3066-AAWW | 304 lbs. | 46.5 | 1 | 89 |
| GS3CAK3066L-ALL | 356 lbs. | 56.1 | 1 | 89 |
| GS3CAK3066L-AWW | 251 lbs. | 46.5 | 1 | 89 |

| model number | weight | cubes | #locks | page |
|-----------------|----------|-------|--------|------|
| GS3CAK3066-LL | 296 lbs. | 53.8 | — | 87 |
| GS3CAK3066R-ALL | 356 lbs. | 56.1 | 1 | 89 |
| GS3CAK3066R-AWW | 251 lbs. | 46.5 | 1 | 89 |
| GS3CAK3066-WW | 185 lbs. | 46.5 | — | 87 |
| GS3CAK3072-AALL | 397 lbs. | 43.8 | 1 | 89 |
| GS3CAK3072-AAWW | 315 lbs. | 50.4 | 1 | 89 |
| GS3CAK3072L-ALL | 368 lbs. | 60.1 | 1 | 89 |
| GS3CAK3072L-AWW | 261 lbs. | 50.4 | 1 | 89 |
| GS3CAK3072-LL | 308 lbs. | 57.8 | — | 87 |
| GS3CAK3072R-ALL | 368 lbs. | 60.1 | 1 | 89 |
| GS3CAK3072R-AWW | 261 lbs. | 50.4 | 1 | 89 |
| GS3CAK3072-WW | 196 lbs. | 50.4 | — | 87 |
| GS3DFAK3066-LL | 339 lbs. | 30.9 | — | 80 |
| GS3DFAK3066-WW | 308 lbs. | 46.5 | — | 80 |
| GS3DFAK3072-LL | 354 lbs. | 32.7 | — | 80 |
| GS3DFAK3072-WW | 318 lbs. | 50.4 | — | 80 |
| GS3DFAK3672-WW | 328 lbs. | 60.2 | — | 80 |
| GS3DFAK3678-LL | 385 lbs. | 35.7 | — | 80 |
| GS3DFAK3678-WW | 338 lbs. | 65.0 | — | 80 |
| GS3DHAK3066-LL | 296 lbs. | 25.4 | — | 84 |
| GS3DHAK3066-WW | 266 lbs. | 46.5 | — | 84 |
| GS3DHAK3072-LL | 307 lbs. | 26.7 | — | 84 |
| GS3DHAK3072-WW | 276 lbs. | 50.4 | — | 84 |
| GS3DHAK3672-LL | 325 lbs. | 28.3 | — | 84 |
| GS3DHAK3672-WW | 286 lbs. | 60.2 | — | 84 |
| GS3DHAK3678-LL | 334 lbs. | 29.5 | — | 84 |
| GS3DHAK3678-WW | 296 lbs. | 65.0 | — | 84 |
| GS3HASHRD2442-L | 124 lbs. | 13.3 | — | 116 |
| GS3HASHRD2442-W | 76 lbs. | 9.4 | — | 116 |
| GS3HASHRD2448-L | 128 lbs. | 14.4 | — | 116 |
| GS3HASHRD2448-W | 80 lbs. | 9.4 | — | 116 |
| GS3HASHRD2454-L | 132 lbs. | 14.9 | — | 116 |
| GS3HASHRD2454-W | 84 lbs. | 9.4 | — | 116 |
| GS3HASHRD2460-L | 136 lbs. | 15.6 | — | 116 |
| GS3HASHRD2460-W | 86 lbs. | 9.4 | — | 116 |
| GS3HASHRD2466-L | 140 lbs. | 16.4 | — | 116 |
| GS3HASHRD2466-W | 90 lbs. | 9.4 | — | 116 |
| GS3HASHRD2472-L | 144 lbs. | 17.2 | — | 116 |
| GS3HASHRD2472-W | 94 lbs. | 10.8 | — | 116 |
| GS3HASHRD3042-L | 138 lbs. | 15.3 | — | 116 |
| GS3HASHRD3042-W | 84 lbs. | 11.6 | — | 116 |
| GS3HASHRD3048-L | 142 lbs. | 16.3 | — | 116 |
| GS3HASHRD3048-W | 88 lbs. | 11.6 | — | 116 |
| GS3HASHRD3054-L | 146 lbs. | 16.9 | — | 116 |

| model number | weight | cubes | #locks | page |
|-----------------|----------|-------|--------|------|
| GS3HASHRD3054-W | 92 lbs. | 11.6 | — | 116 |
| GS3HASHRD3060-L | 150 lbs. | 17.6 | — | 116 |
| GS3HASHRD3060-W | 96 lbs. | 11.6 | — | 116 |
| GS3HASHRD3066-L | 154 lbs. | 18.4 | — | 116 |
| GS3HASHRD3066-W | 100 lbs. | 11.6 | — | 116 |
| GS3HASHRD3072-L | 158 lbs. | 19.1 | — | 116 |
| GS3HASHRD3072-W | 104 lbs. | 11.6 | — | 116 |
| GS3HASHRD3642-L | 150 lbs. | 17.3 | — | 116 |
| GS3HASHRD3642-W | 98 lbs. | 14.1 | — | 116 |
| GS3HASHRD3648-L | 154 lbs. | 18.3 | — | 116 |
| GS3HASHRD3648-W | 102 lbs. | 14.1 | — | 116 |
| GS3HASHRD3654-L | 158 lbs. | 18.8 | — | 116 |
| GS3HASHRD3654-W | 106 lbs. | 14.1 | — | 116 |
| GS3HASHRD3660-L | 162 lbs. | 19.6 | — | 116 |
| GS3HASHRD3660-W | 110 lbs. | 14.1 | — | 116 |
| GS3HASHRD3666-L | 166 lbs. | 20.4 | — | 116 |
| GS3HASHRD3666-W | 114 lbs. | 14.1 | — | 116 |
| GS3HASHRD3672-L | 170 lbs. | 21.1 | — | 116 |
| GS3HASHRD3672-W | 118 lbs. | 14.1 | — | 116 |
| GS3RAK2442L-ALL | 283 lbs. | 25.5 | 1 | 94 |
| GS3RAK2442L-AWW | 228 lbs. | 30.5 | 1 | 94 |
| GS3RAK2442L-LL | 221 lbs. | 33.3 | — | 92 |
| GS3RAK2442L-WW | 160 lbs. | 30.5 | — | 92 |
| GS3RAK2442R-ALL | 153 lbs. | 18.0 | 1 | 94 |
| GS3RAK2442R-AWW | 228 lbs. | 30.5 | 1 | 94 |
| GS3RAK2442R-LL | 221 lbs. | 33.3 | — | 92 |
| GS3RAK2442R-WW | 160 lbs. | 30.5 | — | 92 |
| GS3RAK2448L-ALL | 294 lbs. | 27.2 | 1 | 94 |
| GS3RAK2448L-AWW | 233 lbs. | 34.5 | 1 | 94 |
| GS3RAK2448L-LL | 232 lbs. | 36.8 | — | 92 |
| GS3RAK2448L-WW | 168 lbs. | 34.5 | — | 92 |
| GS3RAK2448R-ALL | 162 lbs. | 19.6 | 1 | 94 |
| GS3RAK2448R-AWW | 170 lbs. | 25.9 | 1 | 94 |
| GS3RAK2448R-LL | 232 lbs. | 36.8 | — | 92 |
| GS3RAK2448R-WW | 168 lbs. | 34.5 | — | 92 |
| GS3RAK2454L-ALL | 304 lbs. | 28.8 | 1 | 94 |
| GS3RAK2454L-AWW | 237 lbs. | 38.5 | 1 | 94 |
| GS3RAK2454L-LL | 242 lbs. | 40.2 | — | 92 |
| GS3RAK2454L-WW | 176 lbs. | 38.5 | — | 92 |
| GS3RAK2454R-ALL | 170 lbs. | 21.2 | 1 | 94 |
| GS3RAK2454R-AWW | 180 lbs. | 28.9 | 1 | 94 |
| GS3RAK2454R-LL | 242 lbs. | 40.2 | — | 92 |
| GS3RAK2454R-WW | 176 lbs. | 38.5 | — | 92 |
| GS3RAK2460L-ALL | 319 lbs. | 30.4 | 1 | 94 |

| model number | weight | cubes | #locks | page |
|-----------------|----------|-------|--------|------|
| GS3RAK2460L-AWW | 242 lbs. | 42.5 | 1 | 94 |
| GS3RAK2460L-LL | 257 lbs. | 43.6 | — | 92 |
| GS3RAK2460L-WW | 183 lbs. | 42.5 | — | 92 |
| GS3RAK2460R-ALL | 178 lbs. | 22.9 | 1 | 94 |
| GS3RAK2460R-AWW | 190 lbs. | 32.0 | 1 | 94 |
| GS3RAK2460R-LL | 257 lbs. | 43.6 | — | 92 |
| GS3RAK2460R-WW | 183 lbs. | 42.5 | — | 92 |
| GS3RAK2466L-ALL | 337 lbs. | 32.0 | 1 | 94 |
| GS3RAK2466L-AWW | 248 lbs. | 46.5 | 1 | 94 |
| GS3RAK2466L-LL | 275 lbs. | 47.0 | — | 92 |
| GS3RAK2466L-WW | 190 lbs. | 46.5 | — | 92 |
| GS3RAK2466R-ALL | 187 lbs. | 24.5 | 1 | 94 |
| GS3RAK2466R-AWW | 200 lbs. | 35.0 | 1 | 94 |
| GS3RAK2466R-LL | 275 lbs. | 47.0 | — | 92 |
| GS3RAK2466R-WW | 190 lbs. | 46.5 | — | 92 |
| GS3RAK2472L-ALL | 347 lbs. | 33.6 | 1 | 94 |
| GS3RAK2472L-AWW | 258 lbs. | 50.4 | — | 94 |
| GS3RAK2472L-LL | 285 lbs. | 50.4 | — | 92 |
| GS3RAK2472L-WW | 200 lbs. | 50.4 | — | 92 |
| GS3RAK2472R-ALL | 195 lbs. | 26.2 | 1 | 94 |
| GS3RAK2472R-AWW | 210 lbs. | 38.1 | 1 | 94 |
| GS3RAK2472R-LL | 285 lbs. | 50.4 | — | 92 |
| GS3RAK2472R-WW | 200 lbs. | 50.4 | — | 92 |
| GS3RAK3042L-ALL | 301 lbs. | 28.1 | 1 | 95 |
| GS3RAK3042L-AWW | 215 lbs. | 30.5 | 1 | 95 |
| GS3RAK3042L-LL | 227 lbs. | 37.8 | — | 93 |
| GS3RAK3042L-WW | 141 lbs. | 30.5 | — | 93 |
| GS3RAK3042R-ALL | 301 lbs. | 28.1 | 1 | 95 |
| GS3RAK3042R-AWW | 215 lbs. | 30.5 | 1 | 95 |
| GS3RAK3042R-LL | 227 lbs. | 37.8 | — | 93 |
| GS3RAK3042R-WW | 141 lbs. | 30.5 | — | 93 |
| GS3RAK3048L-ALL | 312 lbs. | 29.8 | 1 | 95 |
| GS3RAK3048L-AWW | 221 lbs. | 34.5 | 1 | 95 |
| GS3RAK3048L-LL | 238 lbs. | 41.8 | — | 93 |
| GS3RAK3048L-WW | 150 lbs. | 34.5 | — | 93 |
| GS3RAK3048R-ALL | 312 lbs. | 29.8 | 1 | 95 |
| GS3RAK3048R-AWW | 221 lbs. | 34.5 | 1 | 95 |
| GS3RAK3048R-LL | 238 lbs. | 41.8 | — | 93 |
| GS3RAK3048R-WW | 150 lbs. | 34.5 | — | 93 |
| GS3RAK3054L-ALL | 324 lbs. | 31.5 | 1 | 95 |
| GS3RAK3054L-AWW | 226 lbs. | 38.5 | 1 | 95 |
| GS3RAK3054L-LL | 250 lbs. | 45.8 | — | 93 |
| GS3RAK3054L-WW | 159 lbs. | 38.5 | — | 93 |
| GS3RAK3054R-ALL | 324 lbs. | 31.5 | 1 | 95 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS3RAK3054R-AWW | 226 lbs. | 38.5 | 1 | 95 |
| GS3RAK3054R-LL | 250 lbs. | 45.8 | — | 93 |
| GS3RAK3054R-WW | 159 lbs. | 38.5 | — | 93 |
| GS3RAK3060L-ALL | 341 lbs. | 33.1 | 1 | 95 |
| GS3RAK3060L-AWW | 232 lbs. | 42.5 | 1 | 95 |
| GS3RAK3060L-LL | 267 lbs. | 49.8 | — | 93 |
| GS3RAK3060L-WW | 167 lbs. | 42.5 | — | 93 |
| GS3RAK3060R-ALL | 341 lbs. | 33.1 | 1 | 95 |
| GS3RAK3060R-AWW | 232 lbs. | 42.5 | 1 | 95 |
| GS3RAK3060R-LL | 267 lbs. | 49.8 | — | 93 |
| GS3RAK3060R-WW | 167 lbs. | 42.5 | — | 93 |
| GS3RAK3066L-ALL | 359 lbs. | 34.8 | 1 | 95 |
| GS3RAK3066L-AWW | 239 lbs. | 46.5 | 1 | 95 |
| GS3RAK3066L-LL | 285 lbs. | 53.8 | — | 93 |
| GS3RAK3066L-WW | 175 lbs. | 46.5 | — | 93 |
| GS3RAK3066R-ALL | 359 lbs. | 34.8 | 1 | 95 |
| GS3RAK3066R-AWW | 239 lbs. | 46.5 | 1 | 95 |
| GS3RAK3066R-LL | 285 lbs. | 53.8 | — | 93 |
| GS3RAK3066R-WW | 175 lbs. | 46.5 | — | 93 |
| GS3RAK3072L-ALL | 371 lbs. | 36.5 | 1 | 95 |
| GS3RAK3072L-AWW | 250 lbs. | 50.4 | 1 | 95 |
| GS3RAK3072L-LL | 297 lbs. | 57.8 | — | 93 |
| GS3RAK3072L-WW | 186 lbs. | 50.4 | — | 93 |
| GS3RAK3072R-ALL | 371 lbs. | 36.5 | 1 | 95 |
| GS3RAK3072R-AWW | 250 lbs. | 50.4 | 1 | 95 |
| GS3RAK3072R-LL | 297 lbs. | 57.8 | — | 93 |
| GS3RAK3072R-WW | 186 lbs. | 50.4 | — | 93 |
| GS3STAT7278L-ALL | 505 lbs. | 68.1 | 1 | 78 |
| GS3STAT7278L-AWW | 505 lbs. | 68.1 | 1 | 78 |
| GS3STAT7278L-LL | 450 lbs. | 62.0 | — | 76 |
| GS3STAT7278L-WW | 450 lbs. | 62.0 | — | 76 |
| GS3STAT7278R-ALL | 505 lbs. | 68.1 | 1 | 79 |
| GS3STAT7278R-AWW | 505 lbs. | 68.1 | 1 | 79 |
| GS3STAT7278R-LL | 450 lbs. | 62.0 | — | 77 |
| GS3STAT7278R-WW | 450 lbs. | 62.0 | — | 77 |
| GS3STAT7284L-ALL | 519 lbs. | 69.3 | 1 | 78 |
| GS3STAT7284L-AWW | 519 lbs. | 69.3 | 1 | 78 |
| GS3STAT7284L-LL | 464 lbs. | 63.2 | — | 76 |
| GS3STAT7284L-WW | 464 lbs. | 63.2 | — | 76 |
| GS3STAT7284R-ALL | 519 lbs. | 69.3 | 1 | 79 |
| GS3STAT7284R-AWW | 519 lbs. | 69.3 | 1 | 79 |
| GS3STAT7284R-LL | 464 lbs. | 63.2 | — | 77 |
| GS3STAT7284R-WW | 464 lbs. | 63.2 | — | 77 |
| GS3STAT7890L-ALL | 547 lbs. | 71.9 | 1 | 78 |

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS3STAT7890L-AWW | 547 lbs. | 71.9 | 1 | 78 |
| GS3STAT7890L-LL | 492 lbs. | 65.7 | — | 76 |
| GS3STAT7890L-WW | 492 lbs. | 65.7 | — | 76 |
| GS3STAT7890R-ALL | 547 lbs. | 71.9 | 1 | 79 |
| GS3STAT7890R-AWW | 547 lbs. | 71.9 | 1 | 79 |
| GS3STAT7890R-LL | 492 lbs. | 65.7 | — | 77 |
| GS3STAT7890R-WW | 492 lbs. | 65.7 | — | 77 |
| GS3STAT7896L-ALL | 560 lbs. | 73.1 | 1 | 78 |
| GS3STAT7896L-AWW | 560 lbs. | 73.1 | 1 | 78 |
| GS3STAT7896L-LL | 451 lbs. | 60.6 | — | 76 |
| GS3STAT7896L-WW | 451 lbs. | 60.6 | — | 76 |
| GS3STAT7896R-ALL | 560 lbs. | 73.1 | 1 | 79 |
| GS3STAT7896R-AWW | 560 lbs. | 73.1 | 1 | 79 |
| GS3STAT7896R-LL | 505 lbs. | 66.9 | — | 77 |
| GS3STAT7896R-WW | 505 lbs. | 66.9 | — | 77 |
| GS3XFAK3066L-ALL | 370 lbs. | 34.4 | 1 | 82 |
| GS3XFAK3066L-AWW | 340 lbs. | 56.2 | 1 | 82 |
| GS3XFAK3066L-LL | 322 lbs. | 31.7 | — | 81 |
| GS3XFAK3066L-WW | 323 lbs. | 56.2 | — | 81 |
| GS3XFAK3066R-ALL | 370 lbs. | 36.3 | 1 | 82 |
| GS3XFAK3066R-AWW | 340 lbs. | 56.2 | 1 | 82 |
| GS3XFAK3066R-LL | 322 lbs. | 31.7 | — | 81 |
| GS3XFAK3066R-WW | 323 lbs. | 56.2 | — | 81 |
| GS3XFAK3072L-ALL | 384 lbs. | 35.9 | 1 | 82 |
| GS3XFAK3072L-AWW | 360 lbs. | 61.0 | 1 | 82 |
| GS3XFAK3072L-LL | 336 lbs. | 33.3 | — | 81 |
| GS3XFAK3072L-WW | 333 lbs. | 61.0 | — | 81 |
| GS3XFAK3072R-ALL | 384 lbs. | 37.8 | 1 | 82 |
| GS3XFAK3072R-AWW | 360 lbs. | 61.0 | 1 | 82 |
| GS3XFAK3072R-LL | 336 lbs. | 33.3 | — | 81 |
| GS3XFAK3072R-WW | 333 lbs. | 61.0 | — | 81 |
| GS3XFAK3672L-ALL | 412 lbs. | 38.2 | 1 | 82 |
| GS3XFAK3672L-AWW | 380 lbs. | 80.8 | 1 | 82 |
| GS3XFAK3672L-LL | 359 lbs. | 36.4 | — | 81 |
| GS3XFAK3672L-WW | 343 lbs. | 80.8 | — | 81 |
| GS3XFAK3672R-ALL | 412 lbs. | 40.1 | 1 | 82 |
| GS3XFAK3672R-AWW | 380 lbs. | 80.8 | 1 | 82 |
| GS3XFAK3672R-LL | 359 lbs. | 36.4 | — | 81 |
| GS3XFAK3672R-WW | 343 lbs. | 80.8 | — | 81 |
| GS3XFAK3678L-ALL | 427 lbs. | 38.5 | 1 | 82 |
| GS3XFAK3678L-AWW | 400 lbs. | 87.1 | 1 | 82 |
| GS3XFAK3678L-LL | 374 lbs. | 37.0 | — | 81 |
| GS3XFAK3678L-WW | 353 lbs. | 87.1 | — | 81 |
| GS3XFAK3678R-ALL | 427 lbs. | 40.4 | 1 | 82 |

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS3XFAK3678R-AWW | 400 lbs. | 87.1 | 1 | 82 |
| GS3XFAK3678R-LL | 374 lbs. | 37.0 | — | 81 |
| GS3XFAK3678R-WW | 353 lbs. | 87.1 | — | 81 |
| GS3XHAK3066L-LL | 279 lbs. | 29.4 | — | 85 |
| GS3XHAK3066L-WW | 281 lbs. | 56.2 | — | 85 |
| GS3XHAK3066R-LL | 279 lbs. | 29.4 | — | 85 |
| GS3XHAK3066R-WW | 281 lbs. | 56.2 | — | 85 |
| GS3XHAK3072L-LL | 289 lbs. | 30.6 | — | 85 |
| GS3XHAK3072L-WW | 291 lbs. | 61.0 | — | 85 |
| GS3XHAK3072R-LL | 289 lbs. | 30.6 | — | 85 |
| GS3XHAK3072R-WW | 291 lbs. | 61.0 | — | 85 |
| GS3XHAK3672L-LL | 312 lbs. | 33.7 | — | 85 |
| GS3XHAK3672L-WW | 301 lbs. | 61.0 | — | 85 |
| GS3XHAK3672R-LL | 312 lbs. | 33.7 | — | 85 |
| GS3XHAK3672R-WW | 301 lbs. | 61.0 | — | 85 |
| GS3XHAK3678L-LL | 323 lbs. | 33.9 | — | 85 |
| GS3XHAK3678L-WW | 311 lbs. | 65.8 | — | 85 |
| GS3XHAK3678R-LL | 323 lbs. | 33.9 | — | 85 |
| GS3XHAK3678R-WW | 311 lbs. | 65.8 | — | 85 |
| GS3XMAK3066L-LL | 288 lbs. | 35.1 | — | 83 |
| GS3XMAK3066L-WW | 301 lbs. | 55.5 | — | 83 |
| GS3XMAK3066R-LL | 288 lbs. | 35.1 | — | 83 |
| GS3XMAK3066R-WW | 301 lbs. | 55.5 | — | 83 |
| GS3XMAK3072L-LL | 297 lbs. | 36.4 | — | 83 |
| GS3XMAK3072L-WW | 310 lbs. | 60.2 | — | 83 |
| GS3XMAK3072R-LL | 297 lbs. | 36.4 | — | 83 |
| GS3XMAK3072R-WW | 310 lbs. | 60.2 | — | 83 |
| GS3XMAK3672L-LL | 325 lbs. | 40.5 | — | 83 |
| GS3XMAK3672L-WW | 319 lbs. | 60.2 | — | 83 |
| GS3XMAK3672R-LL | 325 lbs. | 40.5 | — | 83 |
| GS3XMAK3672R-WW | 319 lbs. | 79.7 | — | 83 |
| GS3XMAK3678L-LL | 335 lbs. | 41.8 | — | 83 |
| GS3XMAK3678L-WW | 328 lbs. | 65.0 | — | 83 |
| GS3XMAK3678R-LL | 335 lbs. | 41.8 | — | 83 |
| GS3XMAK3678R-WW | 328 lbs. | 86.0 | — | 83 |
| GS4HACS12-M | 5 lbs. | 1.9 | — | 114 |
| GS4HACSLNK-3 | 85 lbs. | 9.5 | — | 114 |
| GS4HACSLNK-4 | 105 lbs. | 9.5 | — | 114 |
| GS4LACWR2442-L | 36 lbs. | 2.8 | — | 110 |
| GS4LACWR2442-W | 36 lbs. | 2.8 | — | 110 |
| GS4LACWR2448-L | 41 lbs. | 3.2 | — | 110 |
| GS4LACWR2448-W | 41 lbs. | 3.2 | — | 110 |
| GS4LACWR2454-L | 45 lbs. | 3.6 | — | 110 |
| GS4LACWR2454-W | 45 lbs. | 3.6 | — | 110 |

| model number | weight | cubes | #locks | page |
|----------------|----------|-------|--------|------|
| GS4LACWR2460-L | 49 lbs. | 4.0 | — | 110 |
| GS4LACWR2460-W | 49 lbs. | 4.0 | — | 110 |
| GS4LACWR2466-L | 54 lbs. | 4.4 | — | 110 |
| GS4LACWR2466-W | 54 lbs. | 4.4 | — | 110 |
| GS4LACWR2472-L | 58 lbs. | 4.7 | — | 110 |
| GS4LACWR2472-W | 58 lbs. | 4.7 | — | 110 |
| GS4LACWR3042-L | 41 lbs. | 3.6 | — | 110 |
| GS4LACWR3042-W | 41 lbs. | 3.6 | — | 110 |
| GS4LACWR3048-L | 47 lbs. | 4.1 | — | 110 |
| GS4LACWR3048-W | 47 lbs. | 4.1 | — | 110 |
| GS4LACWR3054-L | 52 lbs. | 4.6 | — | 110 |
| GS4LACWR3054-W | 52 lbs. | 4.6 | — | 110 |
| GS4LACWR3060-L | 56 lbs. | 7.2 | — | 110 |
| GS4LACWR3060-W | 56 lbs. | 5.1 | — | 110 |
| GS4LACWR3066-L | 62 lbs. | 7.9 | — | 110 |
| GS4LACWR3066-W | 62 lbs. | 5.5 | — | 110 |
| GS4LACWR3072-L | 66 lbs. | 8.6 | — | 110 |
| GS4LACWR3072-W | 66 lbs. | 8.6 | — | 110 |
| GS4LADWR3066-L | 61 lbs. | 5.2 | — | 109 |
| GS4LADWR3066-W | 61 lbs. | 5.5 | — | 109 |
| GS4LADWR3072-L | 67 lbs. | 5.7 | — | 109 |
| GS4LADWR3072-W | 67 lbs. | 6.0 | — | 109 |
| GS4LADWR3078-L | 72 lbs. | 6.1 | — | 109 |
| GS4LADWR3078-W | 72 lbs. | 6.5 | — | 109 |
| GS4LADWR3084-L | 78 lbs. | 6.6 | — | 109 |
| GS4LADWR3084-W | 78 lbs. | 7.0 | — | 109 |
| GS4LADWR3090-L | 84 lbs. | 7.1 | — | 109 |
| GS4LADWR3090-W | 84 lbs. | 7.5 | — | 109 |
| GS4LADWR3096-L | 90 lbs. | 7.5 | — | 109 |
| GS4LADWR3096-W | 90 lbs. | 7.9 | — | 109 |
| GS4LADWR3666-L | 70 lbs. | 6.2 | — | 109 |
| GS4LADWR3666-W | 70 lbs. | 6.5 | — | 109 |
| GS4LADWR3672-L | 75 lbs. | 6.7 | — | 109 |
| GS4LADWR3672-W | 75 lbs. | 7.1 | — | 109 |
| GS4LADWR3678-L | 81 lbs. | 7.3 | — | 109 |
| GS4LADWR3678-W | 81 lbs. | 7.7 | — | 109 |
| GS4LADWR3684-L | 88 lbs. | 7.8 | — | 109 |
| GS4LADWR3684-W | 88 lbs. | 8.2 | — | 109 |
| GS4LADWR3690-L | 94 lbs. | 8.4 | — | 109 |
| GS4LADWR3690-W | 94 lbs. | 8.8 | — | 109 |
| GS4LADWR3696-L | 101 lbs. | 8.9 | — | 109 |
| GS4LADWR3696-W | 101 lbs. | 9.4 | — | 109 |
| GS4LALNKDPD-3 | 85 lbs. | 9.5 | — | 113 |
| GS4LALNKDPD-4 | 105 lbs. | 9.5 | — | 113 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|---------------------|----------|-------|--------|------|
| GS4LATOP30722442L-L | 102 lbs. | 11.7 | — | 111 |
| GS4LATOP30722442L-W | 102 lbs. | 11.7 | — | 111 |
| GS4LATOP30722442R-L | 102 lbs. | 11.7 | — | 112 |
| GS4LATOP30722442R-W | 102 lbs. | 11.7 | — | 112 |
| GS4LATOP30722448L-L | 106 lbs. | 11.7 | — | 111 |
| GS4LATOP30722448L-W | 106 lbs. | 11.7 | — | 111 |
| GS4LATOP30722448R-L | 106 lbs. | 11.7 | — | 112 |
| GS4LATOP30722448R-W | 106 lbs. | 11.7 | — | 112 |
| GS4LATOP30722454L-L | 110 lbs. | 11.7 | — | 111 |
| GS4LATOP30722454L-W | 110 lbs. | 11.7 | — | 111 |
| GS4LATOP30722454R-L | 110 lbs. | 11.7 | — | 112 |
| GS4LATOP30722454R-W | 110 lbs. | 11.7 | — | 112 |
| GS4LATOP30722460L-L | 114 lbs. | 11.7 | — | 111 |
| GS4LATOP30722460L-W | 114 lbs. | 11.7 | — | 111 |
| GS4LATOP30722460R-L | 114 lbs. | 11.7 | — | 112 |
| GS4LATOP30722460R-W | 114 lbs. | 11.7 | — | 112 |
| GS4LATOP30722466L-L | 118 lbs. | 11.7 | — | 111 |
| GS4LATOP30722466L-W | 118 lbs. | 11.7 | — | 111 |
| GS4LATOP30722466R-L | 118 lbs. | 11.7 | — | 112 |
| GS4LATOP30722466R-W | 118 lbs. | 11.7 | — | 112 |
| GS4LATOP30722472L-W | 122 lbs. | 11.7 | — | 111 |
| GS4LATOP30722472R-W | 122 lbs. | 11.7 | — | 112 |
| GS4LATOP30842442L-L | 110 lbs. | 13.6 | — | 111 |
| GS4LATOP30842442L-W | 110 lbs. | 13.6 | — | 111 |
| GS4LATOP30842442R-L | 110 lbs. | 13.6 | — | 112 |
| GS4LATOP30842442R-W | 110 lbs. | 13.6 | — | 112 |
| GS4LATOP30842448L-L | 114 lbs. | 13.6 | — | 111 |
| GS4LATOP30842448L-W | 114 lbs. | 13.6 | — | 111 |
| GS4LATOP30842448R-L | 114 lbs. | 13.6 | — | 112 |
| GS4LATOP30842448R-W | 114 lbs. | 13.6 | — | 112 |
| GS4LATOP30842454L-L | 118 lbs. | 13.6 | — | 111 |
| GS4LATOP30842454L-W | 118 lbs. | 13.6 | — | 111 |
| GS4LATOP30842454R-L | 118 lbs. | 13.6 | — | 112 |
| GS4LATOP30842454R-W | 118 lbs. | 13.6 | — | 112 |
| GS4LATOP30842460L-L | 122 lbs. | 13.6 | — | 111 |
| GS4LATOP30842460L-W | 122 lbs. | 13.6 | — | 111 |
| GS4LATOP30842460R-L | 122 lbs. | 13.6 | — | 112 |
| GS4LATOP30842460R-W | 122 lbs. | 13.6 | — | 112 |
| GS4LATOP30842466L-L | 126 lbs. | 13.6 | — | 111 |
| GS4LATOP30842466L-W | 126 lbs. | 13.6 | — | 111 |
| GS4LATOP30842466R-L | 126 lbs. | 13.6 | — | 112 |
| GS4LATOP30842466R-W | 126 lbs. | 13.6 | — | 112 |
| GS4LATOP30842472L-W | 130 lbs. | 13.6 | — | 111 |
| GS4LATOP30842472R-W | 130 lbs. | 13.6 | — | 112 |

| model number | weight | cubes | #locks | page |
|---------------------|----------|-------|--------|------|
| GS4LATOP36722442L-L | 118 lbs. | 13.3 | — | 111 |
| GS4LATOP36722442L-W | 118 lbs. | 13.3 | — | 111 |
| GS4LATOP36722442R-L | 118 lbs. | 13.3 | — | 112 |
| GS4LATOP36722442R-W | 118 lbs. | 13.3 | — | 112 |
| GS4LATOP36722448L-L | 122 lbs. | 13.3 | — | 111 |
| GS4LATOP36722448L-W | 122 lbs. | 13.3 | — | 111 |
| GS4LATOP36722448R-L | 122 lbs. | 13.3 | — | 112 |
| GS4LATOP36722448R-W | 122 lbs. | 13.3 | — | 112 |
| GS4LATOP36722454L-L | 126 lbs. | 13.3 | — | 111 |
| GS4LATOP36722454L-W | 126 lbs. | 13.3 | — | 111 |
| GS4LATOP36722454R-L | 126 lbs. | 13.3 | — | 112 |
| GS4LATOP36722454R-W | 126 lbs. | 13.3 | — | 112 |
| GS4LATOP36722460L-L | 130 lbs. | 13.3 | — | 111 |
| GS4LATOP36722460L-W | 130 lbs. | 13.3 | — | 111 |
| GS4LATOP36722460R-L | 130 lbs. | 13.3 | — | 112 |
| GS4LATOP36722460R-W | 130 lbs. | 13.3 | — | 112 |
| GS4LATOP36722466L-W | 134 lbs. | 13.3 | — | 111 |
| GS4LATOP36722466R-W | 134 lbs. | 13.3 | — | 112 |
| GS4LATOP36722472L-W | 138 lbs. | 13.3 | — | 111 |
| GS4LATOP36722472R-W | 138 lbs. | 13.3 | — | 112 |
| GS4LATOP36842442L-L | 121 lbs. | 15.4 | — | 111 |
| GS4LATOP36842442L-W | 121 lbs. | 15.4 | — | 111 |
| GS4LATOP36842442R-L | 121 lbs. | 15.4 | — | 112 |
| GS4LATOP36842442R-W | 121 lbs. | 15.4 | — | 112 |
| GS4LATOP36842448L-L | 125 lbs. | 15.4 | — | 111 |
| GS4LATOP36842448L-W | 125 lbs. | 15.4 | — | 111 |
| GS4LATOP36842448R-L | 125 lbs. | 15.4 | — | 112 |
| GS4LATOP36842448R-W | 125 lbs. | 15.4 | — | 112 |
| GS4LATOP36842454L-L | 129 lbs. | 15.4 | — | 111 |
| GS4LATOP36842454L-W | 129 lbs. | 15.4 | — | 111 |
| GS4LATOP36842454R-L | 129 lbs. | 15.4 | — | 112 |
| GS4LATOP36842454R-W | 129 lbs. | 15.4 | — | 112 |
| GS4LATOP36842460L-L | 133 lbs. | 15.4 | — | 111 |
| GS4LATOP36842460L-W | 133 lbs. | 15.4 | — | 111 |
| GS4LATOP36842460R-L | 133 lbs. | 15.4 | — | 112 |
| GS4LATOP36842460R-W | 133 lbs. | 15.4 | — | 112 |
| GS4LATOP36842466L-W | 137 lbs. | 15.4 | — | 111 |
| GS4LATOP36842466R-W | 137 lbs. | 15.4 | — | 112 |
| GS4LATOP36842472L-W | 141 lbs. | 15.4 | — | 111 |
| GS4LATOP36842472R-W | 141 lbs. | 15.4 | — | 112 |
| GS4PLDMF3066L-AL | 161 lbs. | 13.3 | 1 | 103 |
| GS4PLDMF3066L-AW | 161 lbs. | 15.1 | 1 | 103 |
| GS4PLDMF3066L-L | 135 lbs. | 9.5 | — | 101 |
| GS4PLDMF3066L-W | 135 lbs. | 9.7 | — | 101 |

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS4PLDMF3066R-AL | 161 lbs. | 13.5 | 1 | 104 |
| GS4PLDMF3066R-AW | 161 lbs. | 15.1 | 1 | 104 |
| GS4PLDMF3066R-L | 135 lbs. | 9.8 | — | 102 |
| GS4PLDMF3066R-W | 135 lbs. | 9.7 | — | 102 |
| GS4PLDMF3072L-AL | 164 lbs. | 13.9 | 1 | 103 |
| GS4PLDMF3072L-AW | 164 lbs. | 15.5 | 1 | 103 |
| GS4PLDMF3072L-L | 138 lbs. | 10.1 | — | 101 |
| GS4PLDMF3072L-W | 138 lbs. | 10.1 | — | 101 |
| GS4PLDMF3072R-AL | 164 lbs. | 13.9 | 1 | 104 |
| GS4PLDMF3072R-AW | 164 lbs. | 15.5 | 1 | 104 |
| GS4PLDMF3072R-L | 138 lbs. | 10.1 | — | 102 |
| GS4PLDMF3072R-W | 138 lbs. | 10.1 | — | 102 |
| GS4PLDMF3078L-AL | 166 lbs. | 14.3 | 1 | 103 |
| GS4PLDMF3078L-AW | 166 lbs. | 15.9 | 1 | 103 |
| GS4PLDMF3078L-L | 140 lbs. | 10.5 | — | 101 |
| GS4PLDMF3078L-W | 140 lbs. | 10.5 | — | 101 |
| GS4PLDMF3078R-AL | 166 lbs. | 14.3 | 1 | 104 |
| GS4PLDMF3078R-AW | 166 lbs. | 15.9 | 1 | 104 |
| GS4PLDMF3078R-L | 140 lbs. | 10.5 | — | 102 |
| GS4PLDMF3078R-W | 140 lbs. | 10.5 | — | 102 |
| GS4PLDMF3084L-AL | 176 lbs. | 15.3 | 1 | 103 |
| GS4PLDMF3084L-AW | 176 lbs. | 16.9 | 1 | 103 |
| GS4PLDMF3084L-L | 150 lbs. | 11.6 | — | 101 |
| GS4PLDMF3084L-W | 150 lbs. | 11.5 | — | 101 |
| GS4PLDMF3084R-AL | 176 lbs. | 15.3 | 1 | 104 |
| GS4PLDMF3084R-AW | 176 lbs. | 16.9 | 1 | 104 |
| GS4PLDMF3084R-L | 150 lbs. | 11.6 | — | 102 |
| GS4PLDMF3084R-W | 150 lbs. | 11.5 | — | 102 |
| GS4PLDMF3090L-AL | 179 lbs. | 15.8 | 1 | 103 |
| GS4PLDMF3090L-AW | 179 lbs. | 17.4 | 1 | 103 |
| GS4PLDMF3090L-L | 153 lbs. | 12.0 | — | 101 |
| GS4PLDMF3090L-W | 153 lbs. | 12.0 | — | 101 |
| GS4PLDMF3090R-AL | 179 lbs. | 15.8 | 1 | 104 |
| GS4PLDMF3090R-AW | 179 lbs. | 17.4 | 1 | 104 |
| GS4PLDMF3090R-L | 153 lbs. | 12.0 | — | 102 |
| GS4PLDMF3090R-W | 153 lbs. | 12.0 | — | 102 |
| GS4PLDMF3096L-AL | 183 lbs. | 16.3 | 1 | 103 |
| GS4PLDMF3096L-AW | 183 lbs. | 17.9 | 1 | 103 |
| GS4PLDMF3096L-L | 157 lbs. | 12.5 | — | 101 |
| GS4PLDMF3096L-W | 157 lbs. | 12.5 | — | 101 |
| GS4PLDMF3096R-AL | 183 lbs. | 16.3 | 1 | 104 |
| GS4PLDMF3096R-AW | 183 lbs. | 17.9 | 1 | 104 |
| GS4PLDMF3096R-L | 157 lbs. | 12.5 | — | 102 |
| GS4PLDMF3096R-W | 157 lbs. | 12.5 | — | 102 |

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS4PLDMF3666L-AL | 173 lbs. | 14.5 | 1 | 103 |
| GS4PLDMF3666L-AW | 173 lbs. | 15.1 | 1 | 103 |
| GS4PLDMF3666L-L | 140 lbs. | 10.2 | — | 101 |
| GS4PLDMF3666L-W | 140 lbs. | 10.2 | — | 101 |
| GS4PLDMF3666R-AL | 173 lbs. | 14.8 | 1 | 104 |
| GS4PLDMF3666R-AW | 173 lbs. | 15.1 | 1 | 104 |
| GS4PLDMF3666R-L | 140 lbs. | 10.5 | — | 102 |
| GS4PLDMF3666R-W | 140 lbs. | 10.2 | — | 102 |
| GS4PLDMF3672L-AL | 176 lbs. | 15.2 | 1 | 103 |
| GS4PLDMF3672L-AW | 176 lbs. | 15.5 | 1 | 103 |
| GS4PLDMF3672L-L | 143 lbs. | 10.9 | — | 101 |
| GS4PLDMF3672L-W | 143 lbs. | 10.6 | — | 101 |
| GS4PLDMF3672R-AL | 176 lbs. | 15.2 | 1 | 104 |
| GS4PLDMF3672R-AW | 176 lbs. | 15.5 | 1 | 104 |
| GS4PLDMF3672R-L | 143 lbs. | 10.9 | — | 102 |
| GS4PLDMF3672R-W | 143 lbs. | 10.6 | — | 102 |
| GS4PLDMF3678L-AL | 178 lbs. | 15.6 | 1 | 103 |
| GS4PLDMF3678L-AW | 178 lbs. | 15.9 | 1 | 103 |
| GS4PLDMF3678L-L | 145 lbs. | 11.3 | — | 101 |
| GS4PLDMF3678L-W | 145 lbs. | 11.0 | — | 101 |
| GS4PLDMF3678R-AL | 178 lbs. | 15.6 | 1 | 104 |
| GS4PLDMF3678R-AW | 178 lbs. | 15.9 | 1 | 104 |
| GS4PLDMF3678R-L | 145 lbs. | 11.3 | — | 102 |
| GS4PLDMF3678R-W | 145 lbs. | 11.0 | — | 102 |
| GS4PLDMF3684L-AL | 188 lbs. | 16.6 | 1 | 103 |
| GS4PLDMF3684L-AW | 188 lbs. | 16.9 | 1 | 103 |
| GS4PLDMF3684L-L | 155 lbs. | 12.3 | — | 101 |
| GS4PLDMF3684L-W | 155 lbs. | 12.1 | — | 101 |
| GS4PLDMF3684R-AL | 188 lbs. | 16.6 | 1 | 104 |
| GS4PLDMF3684R-AW | 188 lbs. | 16.9 | 1 | 104 |
| GS4PLDMF3684R-L | 155 lbs. | 12.3 | — | 102 |
| GS4PLDMF3684R-W | 155 lbs. | 12.1 | — | 102 |
| GS4PLDMF3690L-AL | 191 lbs. | 17.1 | 1 | 103 |
| GS4PLDMF3690L-AW | 191 lbs. | 17.4 | 1 | 103 |
| GS4PLDMF3690L-L | 158 lbs. | 12.8 | — | 101 |
| GS4PLDMF3690L-W | 158 lbs. | 12.6 | — | 101 |
| GS4PLDMF3690R-AL | 191 lbs. | 17.1 | 1 | 104 |
| GS4PLDMF3690R-AW | 191 lbs. | 17.4 | 1 | 104 |
| GS4PLDMF3690R-L | 158 lbs. | 12.8 | — | 102 |
| GS4PLDMF3690R-W | 158 lbs. | 12.6 | — | 102 |
| GS4PLDMF3696L-AL | 195 lbs. | 17.5 | 1 | 103 |
| GS4PLDMF3696L-AW | 195 lbs. | 17.9 | 1 | 103 |
| GS4PLDMF3696L-L | 162 lbs. | 13.2 | — | 101 |
| GS4PLDMF3696L-W | 162 lbs. | 13.0 | — | 101 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS4PLDMF3696R-AL | 195 lbs. | 17.5 | 1 | 104 |
| GS4PLDMF3696R-AW | 195 lbs. | 17.9 | 1 | 104 |
| GS4PLDMF3696R-L | 162 lbs. | 13.2 | — | 102 |
| GS4PLDMF3696R-W | 162 lbs. | 13.0 | — | 102 |
| GS4PLDMH3066L-AL | 120 lbs. | 12.5 | 1 | 107 |
| GS4PLDMH3066L-AW | 120 lbs. | 14.1 | 1 | 107 |
| GS4PLDMH3066L-L | 90 lbs. | 8.2 | — | 105 |
| GS4PLDMH3066L-W | 90 lbs. | 8.2 | — | 105 |
| GS4PLDMH3066R-AL | 120 lbs. | 12.5 | 1 | 108 |
| GS4PLDMH3066R-AW | 120 lbs. | 14.1 | 1 | 108 |
| GS4PLDMH3066R-L | 90 lbs. | 8.2 | — | 106 |
| GS4PLDMH3066R-W | 90 lbs. | 8.2 | — | 106 |
| GS4PLDMH3072L-AL | 121 lbs. | 13.0 | 1 | 107 |
| GS4PLDMH3072L-AW | 121 lbs. | 14.3 | 1 | 107 |
| GS4PLDMH3072L-L | 91 lbs. | 8.7 | — | 105 |
| GS4PLDMH3072L-W | 91 lbs. | 8.4 | — | 105 |
| GS4PLDMH3072R-AL | 121 lbs. | 13.0 | 1 | 108 |
| GS4PLDMH3072R-AW | 121 lbs. | 14.3 | 1 | 108 |
| GS4PLDMH3072R-L | 91 lbs. | 8.7 | — | 106 |
| GS4PLDMH3072R-W | 91 lbs. | 8.4 | — | 106 |
| GS4PLDMH3078L-AL | 122 lbs. | 12.9 | 1 | 107 |
| GS4PLDMH3078L-AW | 122 lbs. | 14.5 | 1 | 107 |
| GS4PLDMH3078L-L | 92 lbs. | 8.6 | — | 105 |
| GS4PLDMH3078L-W | 92 lbs. | 8.6 | — | 105 |
| GS4PLDMH3078R-AL | 122 lbs. | 12.9 | 1 | 108 |
| GS4PLDMH3078R-AW | 122 lbs. | 14.5 | 1 | 108 |
| GS4PLDMH3078R-L | 92 lbs. | 8.6 | — | 106 |
| GS4PLDMH3078R-W | 92 lbs. | 8.6 | — | 106 |
| GS4PLDMH3084L-AL | 128 lbs. | 13.7 | 1 | 107 |
| GS4PLDMH3084L-AW | 128 lbs. | 15.4 | 1 | 107 |
| GS4PLDMH3084L-L | 98 lbs. | 9.4 | — | 105 |
| GS4PLDMH3084L-W | 98 lbs. | 9.4 | — | 105 |
| GS4PLDMH3084R-AL | 128 lbs. | 13.7 | 1 | 108 |
| GS4PLDMH3084R-AW | 128 lbs. | 15.4 | 1 | 108 |
| GS4PLDMH3084R-L | 98 lbs. | 9.4 | — | 106 |
| GS4PLDMH3084R-W | 98 lbs. | 9.4 | — | 106 |
| GS4PLDMH3090L-AL | 130 lbs. | 14.0 | 1 | 107 |
| GS4PLDMH3090L-AW | 130 lbs. | 15.6 | 1 | 107 |
| GS4PLDMH3090L-L | 100 lbs. | 9.7 | — | 105 |
| GS4PLDMH3090L-W | 100 lbs. | 9.7 | — | 105 |
| GS4PLDMH3090R-AL | 130 lbs. | 14.0 | 1 | 108 |
| GS4PLDMH3090R-AW | 130 lbs. | 15.6 | 1 | 108 |
| GS4PLDMH3090R-L | 100 lbs. | 9.7 | — | 106 |
| GS4PLDMH3090R-W | 100 lbs. | 9.7 | — | 106 |

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS4PLDMH3096L-AL | 132 lbs. | 14.3 | 1 | 107 |
| GS4PLDMH3096L-AW | 132 lbs. | 15.9 | 1 | 107 |
| GS4PLDMH3096L-L | 102 lbs. | 10.0 | — | 105 |
| GS4PLDMH3096L-W | 102 lbs. | 10.0 | — | 105 |
| GS4PLDMH3096R-AL | 132 lbs. | 14.3 | 1 | 108 |
| GS4PLDMH3096R-AW | 132 lbs. | 15.9 | 1 | 108 |
| GS4PLDMH3096R-L | 102 lbs. | 10.0 | — | 106 |
| GS4PLDMH3096R-W | 102 lbs. | 10.0 | — | 106 |
| GS4PLDMH3666L-AL | 132 lbs. | 13.8 | 1 | 107 |
| GS4PLDMH3666L-AW | 132 lbs. | 14.1 | 1 | 107 |
| GS4PLDMH3666L-L | 95 lbs. | 9.0 | — | 105 |
| GS4PLDMH3666L-W | 95 lbs. | 8.8 | — | 105 |
| GS4PLDMH3666R-AL | 132 lbs. | 13.8 | 1 | 108 |
| GS4PLDMH3666R-AW | 132 lbs. | 14.1 | 1 | 108 |
| GS4PLDMH3666R-L | 95 lbs. | 9.0 | — | 106 |
| GS4PLDMH3666R-W | 95 lbs. | 8.8 | — | 106 |
| GS4PLDMH3672L-AL | 133 lbs. | 14.3 | 1 | 107 |
| GS4PLDMH3672L-AW | 133 lbs. | 14.3 | 1 | 107 |
| GS4PLDMH3672L-L | 96 lbs. | 9.5 | — | 105 |
| GS4PLDMH3672L-W | 96 lbs. | 9.0 | — | 105 |
| GS4PLDMH3672R-AL | 133 lbs. | 14.3 | 1 | 108 |
| GS4PLDMH3672R-AW | 133 lbs. | 14.3 | 1 | 108 |
| GS4PLDMH3672R-L | 96 lbs. | 9.5 | — | 106 |
| GS4PLDMH3672R-W | 96 lbs. | 9.0 | — | 106 |
| GS4PLDMH3678L-AL | 134 lbs. | 14.2 | 1 | 107 |
| GS4PLDMH3678L-AW | 134 lbs. | 14.5 | 1 | 107 |
| GS4PLDMH3678L-L | 97 lbs. | 9.3 | — | 105 |
| GS4PLDMH3678L-W | 97 lbs. | 9.2 | — | 105 |
| GS4PLDMH3678R-AL | 134 lbs. | 14.2 | 1 | 108 |
| GS4PLDMH3678R-AW | 134 lbs. | 14.5 | 1 | 108 |
| GS4PLDMH3678R-L | 97 lbs. | 9.3 | — | 106 |
| GS4PLDMH3678R-W | 97 lbs. | 9.2 | — | 106 |
| GS4PLDMH3684L-AL | 140 lbs. | 15.0 | 1 | 107 |
| GS4PLDMH3684L-AW | 140 lbs. | 15.4 | 1 | 107 |
| GS4PLDMH3684L-L | 103 lbs. | 10.2 | — | 105 |
| GS4PLDMH3684L-W | 103 lbs. | 10.0 | — | 105 |
| GS4PLDMH3684R-AL | 140 lbs. | 15.0 | 1 | 108 |
| GS4PLDMH3684R-AW | 140 lbs. | 15.4 | 1 | 108 |
| GS4PLDMH3684R-L | 103 lbs. | 10.2 | — | 106 |
| GS4PLDMH3684R-W | 103 lbs. | 10.0 | — | 106 |
| GS4PLDMH3690L-AL | 142 lbs. | 15.3 | 1 | 107 |
| GS4PLDMH3690L-AW | 142 lbs. | 15.6 | 1 | 107 |
| GS4PLDMH3690L-L | 105 lbs. | 10.5 | — | 105 |
| GS4PLDMH3690L-W | 105 lbs. | 10.3 | — | 105 |

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS4PLDMH3690R-AL | 142 lbs. | 15.3 | 1 | 108 |
| GS4PLDMH3690R-AW | 142 lbs. | 15.6 | 1 | 108 |
| GS4PLDMH3690R-L | 105 lbs. | 10.5 | — | 106 |
| GS4PLDMH3690R-W | 105 lbs. | 10.3 | — | 106 |
| GS4PLDMH3696L-AL | 144 lbs. | 15.5 | 1 | 107 |
| GS4PLDMH3696L-AW | 144 lbs. | 15.9 | 1 | 107 |
| GS4PLDMH3696L-L | 107 lbs. | 10.7 | — | 105 |
| GS4PLDMH3696L-W | 107 lbs. | 10.5 | — | 105 |
| GS4PLDMH3696R-AL | 144 lbs. | 15.5 | 1 | 108 |
| GS4PLDMH3696R-AW | 144 lbs. | 15.9 | 1 | 108 |
| GS4PLDMH3696R-L | 107 lbs. | 10.7 | — | 106 |
| GS4PLDMH3696R-W | 107 lbs. | 10.5 | — | 106 |
| GS4PLWFP30-L | 92 lbs. | 4.9 | — | 97 |
| GS4PLWFP30-W | 92 lbs. | 4.9 | — | 97 |
| GS4PLWFP36-L | 107 lbs. | 5.8 | — | 97 |
| GS4PLWFP36-W | 107 lbs. | 5.8 | — | 97 |
| GS4PLWFP42-L | 122 lbs. | 6.7 | — | 97 |
| GS4PLWFP42-W | 122 lbs. | 6.7 | — | 97 |
| GS4PLWFP48-L | 127 lbs. | 7.6 | — | 97 |
| GS4PLWFP48-W | 127 lbs. | 7.6 | — | 97 |
| GS4PLWFP60-L | 142 lbs. | 9.4 | — | 97 |
| GS4PLWFP60-W | 142 lbs. | 9.4 | — | 97 |
| GS4PLWFP72-L | 127 lbs. | 15.4 | — | 98 |
| GS4PLWFP72-W | 127 lbs. | 15.4 | — | 98 |
| GS4PLWFP78-L | 135 lbs. | 16.7 | — | 98 |
| GS4PLWFP78-W | 135 lbs. | 16.7 | — | 98 |
| GS4PLWFP84-L | 142 lbs. | 17.9 | — | 98 |
| GS4PLWFP84-W | 142 lbs. | 17.9 | — | 98 |
| GS4PLWFP90-L | 149 lbs. | 19.1 | — | 98 |
| GS4PLWFP90-W | 149 lbs. | 19.1 | — | 98 |
| GS4PLWFP96-L | 156 lbs. | 20.3 | — | 98 |
| GS4PLWFP96-W | 156 lbs. | 20.3 | — | 98 |
| GS4PLWFP102-W | 164 lbs. | 21.5 | — | 98 |
| GS4PLWFP108-W | 170 lbs. | 22.8 | — | 98 |
| GS4PLWFP2472L-AL | 166 lbs. | 21.6 | 1 | 99 |
| GS4PLWFP2472L-AW | 166 lbs. | 21.6 | 1 | 99 |
| GS4PLWFP2472R-AL | 166 lbs. | 21.6 | 1 | 100 |
| GS4PLWFP2472R-AW | 166 lbs. | 21.6 | 1 | 100 |
| GS4PLWFP2478L-AL | 174 lbs. | 22.8 | 1 | 99 |
| GS4PLWFP2478L-AW | 174 lbs. | 22.8 | 1 | 99 |
| GS4PLWFP2478R-AL | 174 lbs. | 22.8 | 1 | 100 |
| GS4PLWFP2478R-AW | 174 lbs. | 22.8 | 1 | 100 |
| GS4PLWFP2484L-AL | 181 lbs. | 24.0 | 1 | 99 |
| GS4PLWFP2484L-AW | 181 lbs. | 24.0 | 1 | 99 |

| model number | weight | cubes | #locks | page |
|-------------------|----------|-------|--------|------|
| GS4PLWFP2484R-AL | 181 lbs. | 24.0 | 1 | 100 |
| GS4PLWFP2484R-AW | 181 lbs. | 24.0 | 1 | 100 |
| GS4PLWFP2490L-AL | 189 lbs. | 25.3 | 1 | 99 |
| GS4PLWFP2490L-AW | 189 lbs. | 25.3 | 1 | 99 |
| GS4PLWFP2490R-AL | 189 lbs. | 25.3 | 1 | 100 |
| GS4PLWFP2490R-AW | 189 lbs. | 25.3 | 1 | 100 |
| GS4PLWFP2496L-AL | 196 lbs. | 26.5 | 1 | 99 |
| GS4PLWFP2496L-AW | 196 lbs. | 26.5 | 1 | 99 |
| GS4PLWFP2496R-AL | 196 lbs. | 26.5 | 1 | 100 |
| GS4PLWFP2496R-AW | 196 lbs. | 26.5 | 1 | 100 |
| GS4PLWFP3072L-AL | 174 lbs. | 23.5 | 1 | 99 |
| GS4PLWFP3072L-AW | 174 lbs. | 23.5 | 1 | 99 |
| GS4PLWFP3072R-AL | 174 lbs. | 23.5 | 1 | 100 |
| GS4PLWFP3072R-AW | 174 lbs. | 23.5 | 1 | 100 |
| GS4PLWFP3078L-AL | 182 lbs. | 24.7 | 1 | 99 |
| GS4PLWFP3078L-AW | 182 lbs. | 24.7 | 1 | 99 |
| GS4PLWFP3078R-AL | 182 lbs. | 24.7 | 1 | 100 |
| GS4PLWFP3078R-AW | 182 lbs. | 24.7 | 1 | 100 |
| GS4PLWFP3084L-AL | 189 lbs. | 25.9 | 1 | 99 |
| GS4PLWFP3084L-AW | 189 lbs. | 25.9 | 1 | 99 |
| GS4PLWFP3084R-AL | 189 lbs. | 25.9 | 1 | 100 |
| GS4PLWFP3084R-AW | 189 lbs. | 25.9 | 1 | 100 |
| GS4PLWFP3090L-AL | 197 lbs. | 27.2 | 1 | 99 |
| GS4PLWFP3090L-AW | 197 lbs. | 27.2 | 1 | 99 |
| GS4PLWFP3090R-AL | 197 lbs. | 27.2 | 1 | 100 |
| GS4PLWFP3090R-AW | 197 lbs. | 27.2 | 1 | 100 |
| GS4PLWFP3096L-AL | 204 lbs. | 28.4 | 1 | 99 |
| GS4PLWFP3096L-AW | 204 lbs. | 28.4 | 1 | 99 |
| GS4PLWFP3096R-AL | 204 lbs. | 28.4 | 1 | 100 |
| GS4PLWFP3096R-AW | 204 lbs. | 28.4 | 1 | 100 |
| GS4PLWFP24102L-AW | 204 lbs. | 27.7 | 1 | 99 |
| GS4PLWFP24102R-AW | 204 lbs. | 27.7 | 1 | 100 |
| GS4PLWFP24108L-AW | 210 lbs. | 28.9 | 1 | 99 |
| GS4PLWFP24108R-AW | 210 lbs. | 28.9 | 1 | 100 |
| GS4PLWFP30102L-AW | 212 lbs. | 29.6 | 1 | 99 |
| GS4PLWFP30102R-AW | 212 lbs. | 29.6 | 1 | 100 |
| GS4PLWFP30108L-AW | 218 lbs. | 30.8 | 1 | 99 |
| GS4PLWFP30108R-AW | 218 lbs. | 30.8 | 1 | 100 |
| GS5BIN-LG | 1 lb. | 0.5 | — | 210 |
| GS5BIN-SM | 1 lb. | 0.2 | — | 210 |
| GS5CLS5H718L-LL | 105 lbs. | 9.1 | 1 | 212 |
| GS5CLS5H718L-WG | 105 lbs. | 9.1 | — | 213 |
| GS5CLS5H718L-VWV | 105 lbs. | 9.1 | 1 | 212 |
| GS5CLS5H718R-LL | 105 lbs. | 9.1 | 1 | 212 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS5CLS5H718R-WG | 105 lbs. | 9.1 | — | 213 |
| GS5CLS5H718R-WW | 105 lbs. | 9.1 | 1 | 212 |
| GS5CLS5H730L-LL | 180 lbs. | 9.1 | 1 | 212 |
| GS5CLS5H730L-WG | 180 lbs. | 14.3 | — | 213 |
| GS5CLS5H730L-WW | 180 lbs. | 14.3 | 1 | 212 |
| GS5CLS5H730R-LL | 180 lbs. | 9.1 | 1 | 212 |
| GS5CLS5H730R-WG | 180 lbs. | 14.3 | — | 213 |
| GS5CLS5H730R-WW | 180 lbs. | 14.3 | 1 | 212 |
| GS5CPD724-XL | 48 lbs. | 4.9 | — | 211 |
| GS5CPD724-XW | 48 lbs. | 4.9 | — | 211 |
| GS5CPD730-SL | 60 lbs. | 6.0 | 2 | 208 |
| GS5CPD730-SW | 60 lbs. | 6.0 | 2 | 208 |
| GS5CPD730-XL | 55 lbs. | 6.0 | — | 211 |
| GS5CPD730-XW | 55 lbs. | 6.0 | — | 211 |
| GS5CPD736-SL | 72 lbs. | 7.1 | 2 | 208 |
| GS5CPD736-SW | 72 lbs. | 7.1 | 2 | 208 |
| GS5CPD736-XL | 62 lbs. | 7.1 | — | 211 |
| GS5CPD736-XW | 62 lbs. | 7.1 | — | 211 |
| GS5CPD742-SL | 84 lbs. | 8.2 | 2 | 208 |
| GS5CPD742-SW | 84 lbs. | 8.2 | 2 | 208 |
| GS5CPD742-XL | 69 lbs. | 8.2 | — | 211 |
| GS5CPD742-XW | 69 lbs. | 8.2 | — | 211 |
| GS5CPD748-SL | 96 lbs. | 9.3 | 2 | 208 |
| GS5CPD748-SW | 96 lbs. | 9.3 | 2 | 208 |
| GS5CPD754-SL | 108 lbs. | 10.4 | 2 | 208 |
| GS5CPD754-SW | 108 lbs. | 10.4 | 2 | 208 |
| GS5CPD760-SL | 120 lbs. | 11.5 | 4 | 209 |
| GS5CPD760-SW | 120 lbs. | 11.5 | 4 | 209 |
| GS5CPD766-SL | 132 lbs. | 12.6 | 4 | 209 |
| GS5CPD766-SW | 132 lbs. | 12.6 | 4 | 209 |
| GS5CPD772-SL | 144 lbs. | 13.7 | 4 | 209 |
| GS5CPD772-SW | 144 lbs. | 13.7 | 4 | 209 |
| GS5CVATR3666L-LL | 382 lbs. | 40.6 | — | 204 |
| GS5CVATR3666L-WW | 382 lbs. | 40.6 | — | 204 |
| GS5CVATR3666R-LL | 382 lbs. | 40.6 | — | 205 |
| GS5CVATR3666R-WW | 382 lbs. | 40.6 | — | 205 |
| GS5CVATR3672L-LL | 389 lbs. | 41.1 | — | 204 |
| GS5CVATR3672L-WW | 389 lbs. | 41.1 | — | 204 |
| GS5CVATR3672R-LL | 389 lbs. | 41.1 | — | 205 |
| GS5CVATR3672R-WW | 389 lbs. | 41.1 | — | 205 |
| GS5CVATR3678L-LL | 406 lbs. | 42.2 | — | 204 |
| GS5CVATR3678L-WW | 406 lbs. | 42.2 | — | 204 |
| GS5CVATR3678R-LL | 396 lbs. | 42.2 | — | 205 |
| GS5CVATR3678R-WW | 396 lbs. | 42.2 | — | 205 |

| model number | weight | cubes | #locks | page |
|--------------------|----------|-------|--------|------|
| GS5CVATR3684L-LL | 412 lbs. | 42.8 | — | 204 |
| GS5CVATR3684L-WW | 412 lbs. | 42.8 | — | 204 |
| GS5CVATR3684R-LL | 402 lbs. | 42.8 | — | 205 |
| GS5CVATR3684R-WW | 402 lbs. | 42.8 | — | 205 |
| GS5CVATR4266L-LL | 411 lbs. | 46.0 | — | 204 |
| GS5CVATR4266L-WW | 411 lbs. | 46.0 | — | 204 |
| GS5CVATR4266R-LL | 411 lbs. | 46.0 | — | 205 |
| GS5CVATR4266R-WW | 411 lbs. | 46.0 | — | 205 |
| GS5CVATR4272L-LL | 418 lbs. | 46.7 | — | 204 |
| GS5CVATR4272L-WW | 418 lbs. | 46.7 | — | 204 |
| GS5CVATR4272R-LL | 418 lbs. | 46.7 | — | 205 |
| GS5CVATR4272R-WW | 418 lbs. | 46.7 | — | 205 |
| GS5CVATR4278L-LL | 436 lbs. | 47.8 | — | 204 |
| GS5CVATR4278L-WW | 436 lbs. | 47.8 | — | 204 |
| GS5CVATR4278R-LL | 426 lbs. | 47.8 | — | 205 |
| GS5CVATR4278R-WW | 426 lbs. | 47.8 | — | 205 |
| GS5CVATR4284L-LL | 444 lbs. | 48.5 | — | 204 |
| GS5CVATR4284L-WW | 444 lbs. | 48.5 | — | 204 |
| GS5CVATR4284R-LL | 434 lbs. | 48.5 | — | 205 |
| GS5CVATR4284R-WW | 434 lbs. | 48.5 | — | 205 |
| GS5CVATS304266L-LL | 411 lbs. | 46.0 | — | 206 |
| GS5CVATS304266L-WW | 411 lbs. | 46.0 | — | 206 |
| GS5CVATS304266R-LL | 411 lbs. | 46.0 | — | 207 |
| GS5CVATS304266R-WW | 411 lbs. | 46.0 | — | 207 |
| GS5CVATS304272L-LL | 418 lbs. | 46.7 | — | 206 |
| GS5CVATS304272L-WW | 418 lbs. | 46.7 | — | 206 |
| GS5CVATS304272R-LL | 418 lbs. | 46.7 | — | 207 |
| GS5CVATS304272R-WW | 418 lbs. | 46.7 | — | 207 |
| GS5CVATS304278L-LL | 436 lbs. | 47.8 | — | 206 |
| GS5CVATS304278L-WW | 436 lbs. | 47.8 | — | 206 |
| GS5CVATS304278R-LL | 426 lbs. | 47.8 | — | 207 |
| GS5CVATS304278R-WW | 426 lbs. | 47.8 | — | 207 |
| GS5CVATS304284L-LL | 444 lbs. | 48.5 | — | 206 |
| GS5CVATS304284L-WW | 444 lbs. | 48.5 | — | 206 |
| GS5CVATS304284R-LL | 434 lbs. | 48.5 | — | 207 |
| GS5CVATS304284R-WW | 434 lbs. | 48.5 | — | 207 |
| GS5LKR5H724L-LG | 155 lbs. | 21.2 | — | 215 |
| GS5LKR5H724L-LL | 155 lbs. | 21.2 | — | 214 |
| GS5LKR5H724L-WG | 155 lbs. | 11.7 | — | 215 |
| GS5LKR5H724L-WW | 155 lbs. | 11.7 | — | 214 |
| GS5LKR5H724R-LG | 155 lbs. | 21.2 | — | 215 |
| GS5LKR5H724R-LL | 155 lbs. | 21.2 | — | 214 |
| GS5LKR5H724R-WG | 155 lbs. | 11.7 | — | 215 |
| GS5LKR5H724R-WW | 155 lbs. | 11.7 | — | 214 |

| model number | weight | cubes | #locks | page |
|------------------|-----------|-------|--------|------|
| GS5LKR5H736L-LG | 195 lbs. | 21.2 | — | 215 |
| GS5LKR5H736L-LL | 195 lbs. | 21.2 | — | 214 |
| GS5LKR5H736L-WG | 195 lbs. | 16.9 | — | 215 |
| GS5LKR5H736L-WW | 195 lbs. | 16.9 | — | 214 |
| GS5LKR5H736R-LG | 195 lbs. | 21.2 | — | 215 |
| GS5LKR5H736R-LL | 195 lbs. | 21.2 | — | 214 |
| GS5LKR5H736R-WG | 195 lbs. | 16.9 | — | 215 |
| GS5LKR5H736R-WW | 195 lbs. | 16.9 | — | 214 |
| GS5PNCLCUP-MPLE | 1 lb. | 0.2 | — | 217 |
| GS5PNCLCUP-WLNT | 1 lb. | 0.2 | — | 217 |
| GS5PNCLTRAY-MPLE | 2 lbs. | 0.2 | — | 217 |
| GS5PNCLTRAY-WLNT | 2 lbs. | 0.2 | — | 217 |
| GS5TRAY-LG | 1 lb. | 0.2 | — | 210 |
| GS5TRAY-SM | 1 lb. | 0.1 | — | 210 |
| GS6GBG2448-LL | 111 lbs. | 28.9 | — | 140 |
| GS6GBG2448-WW | 111 lbs. | 28.9 | — | 140 |
| GS6GBG2454-LL | 123 lbs. | 32.5 | — | 140 |
| GS6GBG2454-WW | 123 lbs. | 32.5 | — | 140 |
| GS6GBG2460-LL | 36.1 lbs. | 135.0 | — | 140 |
| GS6GBG2460-WW | 36.1 lbs. | 135.0 | — | 140 |
| GS6GCR2472L-LL | 236 lbs. | 45.0 | — | 142 |
| GS6GCR2472L-WW | 236 lbs. | 45.0 | — | 142 |
| GS6GCR2472R-LL | 236 lbs. | 45.0 | — | 142 |
| GS6GCR2472R-WW | 236 lbs. | 45.0 | — | 142 |
| GS6GCR2478L-LL | 249 lbs. | 48.6 | — | 142 |
| GS6GCR2478L-WW | 249 lbs. | 48.6 | — | 142 |
| GS6GCR2478R-LL | 249 lbs. | 48.6 | — | 142 |
| GS6GCR2478R-WW | 249 lbs. | 48.6 | — | 142 |
| GS6GCR2484L-LL | 261 lbs. | 52.3 | — | 142 |
| GS6GCR2484L-WW | 261 lbs. | 52.3 | — | 142 |
| GS6GCR2484R-LL | 261 lbs. | 52.3 | — | 142 |
| GS6GCR2484R-WW | 261 lbs. | 52.3 | — | 142 |
| GS6GDF4284L-LL | 491 lbs. | 83.7 | — | 132 |
| GS6GDF4284L-WW | 491 lbs. | 83.7 | — | 132 |
| GS6GDF4284R-LL | 491 lbs. | 83.7 | — | 132 |
| GS6GDF4284R-WW | 491 lbs. | 83.7 | — | 132 |
| GS6GDF42102L-ALL | 599 lbs. | 101.4 | 1 | 133 |
| GS6GDF42102L-AWW | 599 lbs. | 101.3 | 1 | 133 |
| GS6GDF42102R-ALL | 599 lbs. | 101.4 | 1 | 133 |
| GS6GDF42102R-AWW | 599 lbs. | 101.3 | 1 | 133 |
| GS6GDF4284L-LL | 316 lbs. | 85.7 | — | 136 |
| GS6GDF4284L-WW | 316 lbs. | 85.7 | — | 136 |
| GS6GDF4284R-LL | 316 lbs. | 85.7 | — | 136 |
| GS6GDF4284R-WW | 316 lbs. | 85.7 | — | 136 |

| model number | weight | cubes | #locks | page |
|------------------|----------|-------|--------|------|
| GS6GDF42102L-ALL | 424 lbs. | 103.8 | 1 | 137 |
| GS6GDF42102L-AWW | 424 lbs. | 103.8 | 1 | 137 |
| GS6GDF42102R-ALL | 424 lbs. | 103.8 | 1 | 137 |
| GS6GDF42102R-AWW | 424 lbs. | 103.8 | 1 | 137 |
| GS6GDR3072-LL | 269 lbs. | 55.7 | — | 138 |
| GS6GDR3072L-LL | 269 lbs. | 55.7 | — | 139 |
| GS6GDR3072L-WW | 269 lbs. | 55.7 | — | 139 |
| GS6GDR3072R-LL | 269 lbs. | 55.7 | — | 139 |
| GS6GDR3072R-WW | 269 lbs. | 55.7 | — | 139 |
| GS6GDR3072-WW | 269 lbs. | 55.7 | — | 138 |
| GS6GDR3672-LL | 299 lbs. | 66.4 | — | 138 |
| GS6GDR3672L-LL | 299 lbs. | 66.4 | — | 139 |
| GS6GDR3672L-WW | 299 lbs. | 66.4 | — | 139 |
| GS6GDR3672R-LL | 299 lbs. | 66.4 | — | 139 |
| GS6GDR3672R-WW | 299 lbs. | 66.4 | — | 139 |
| GS6GDR3672-WW | 299 lbs. | 66.4 | — | 138 |
| GS6GDR3684-LL | 327 lbs. | 77.1 | — | 138 |
| GS6GDR3684L-LL | 327 lbs. | 77.1 | — | 139 |
| GS6GDR3684L-WW | 327 lbs. | 77.1 | — | 139 |
| GS6GDR3684R-LL | 327 lbs. | 77.1 | — | 139 |
| GS6GDR3684R-WW | 327 lbs. | 77.1 | — | 139 |
| GS6GDR3684-WW | 327 lbs. | 77.1 | — | 138 |
| GS6GDR30144-LL | 458 lbs. | 109.5 | — | 138 |
| GS6GDR30144LR-LL | 458 lbs. | 109.5 | — | 139 |
| GS6GDR30144LR-WW | 458 lbs. | 109.5 | — | 139 |
| GS6GDR30144-WW | 458 lbs. | 109.5 | — | 138 |
| GS6GDR36144-LL | 503 lbs. | 130.5 | — | 138 |
| GS6GDR36144LR-LL | 503 lbs. | 130.5 | — | 139 |
| GS6GDR36144LR-WW | 503 lbs. | 130.5 | — | 139 |
| GS6GDR36144-WW | 503 lbs. | 130.5 | — | 138 |
| GS6GDR36168-LL | 559 lbs. | 151.9 | — | 138 |
| GS6GDR36168LR-LL | 559 lbs. | 151.9 | — | 139 |
| GS6GDR36168LR-WW | 559 lbs. | 151.9 | — | 139 |
| GS6GDR36168-WW | 559 lbs. | 151.9 | — | 138 |
| GS6GDTT72-L | 36 lbs. | 4.3 | — | 144 |
| GS6GDTT72-S | 39 lbs. | 5.2 | — | 144 |
| GS6GDTT72-W | 36 lbs. | 4.3 | — | 144 |
| GS6GDTT84-L | 42 lbs. | 5.0 | — | 144 |
| GS6GDTT84-S | 46 lbs. | 6.0 | — | 144 |
| GS6GDTT84-W | 42 lbs. | 5.0 | — | 144 |
| GS6GDTT144-L | 72 lbs. | 6.0 | — | 144 |
| GS6GDTT144-S | 78 lbs. | 6.9 | — | 144 |
| GS6GDTT144-W | 72 lbs. | 6.0 | — | 144 |
| GS6GDTT168-L | 84 lbs. | 6.9 | — | 144 |

WEIGHTS + CUBES

Silea
02/26

| model number | weight | cubes | #locks | page |
|-------------------|----------|-------|--------|------|
| GS6GDTT168-S | 92 lbs. | 7.9 | — | 144 |
| GS6GDTT168-W | 84 lbs. | 6.9 | — | 144 |
| GS6GDXA4284L-LL | 494 lbs. | 91.7 | — | 130 |
| GS6GDXA4284L-WW | 494 lbs. | 91.7 | — | 130 |
| GS6GDXA4284R-LL | 494 lbs. | 91.7 | — | 130 |
| GS6GDXA4284R-WW | 494 lbs. | 91.7 | — | 130 |
| GS6GDXA42102L-ALL | 602 lbs. | 111.0 | 1 | 131 |
| GS6GDXA42102L-AWW | 602 lbs. | 111.0 | 1 | 131 |
| GS6GDXA42102R-ALL | 602 lbs. | 111.0 | 1 | 131 |
| GS6GDXA42102R-AWW | 602 lbs. | 111.0 | 1 | 131 |
| GS6GDXF4284L-LL | 316 lbs. | 85.6 | — | 134 |
| GS6GDXF4284L-WW | 316 lbs. | 85.6 | — | 134 |
| GS6GDXF4284R-LL | 316 lbs. | 85.6 | — | 134 |
| GS6GDXF4284R-WW | 316 lbs. | 85.6 | — | 134 |
| GS6GDXF42102L-ALL | 424 lbs. | 103.6 | 1 | 135 |
| GS6GDXF42102L-AWW | 424 lbs. | 103.6 | 1 | 135 |
| GS6GDXF42102R-ALL | 424 lbs. | 103.6 | 1 | 135 |
| GS6GDXF42102R-AWW | 424 lbs. | 103.6 | 1 | 135 |
| GS6GDXMT72-L | 174 lbs. | 14.5 | — | 143 |
| GS6GDXMT72-S | 240 lbs. | 54.3 | — | 143 |
| GS6GDXMT72-W | 174 lbs. | 14.5 | — | 143 |
| GS6GRT2448L-LL | 151 lbs. | 29.8 | — | 141 |
| GS6GRT2448L-WW | 151 lbs. | 29.8 | — | 141 |
| GS6GRT2448R-LL | 151 lbs. | 29.8 | — | 141 |
| GS6GRT2448R-WW | 151 lbs. | 29.8 | — | 141 |
| GS6GRT2454L-LL | 163 lbs. | 33.4 | — | 141 |
| GS6GRT2454L-WW | 163 lbs. | 33.4 | — | 141 |
| GS6GRT2454R-LL | 163 lbs. | 33.4 | — | 141 |
| GS6GRT2454R-WW | 163 lbs. | 33.4 | — | 141 |
| GS6GRT2460L-LL | 175 lbs. | 37.0 | — | 141 |
| GS6GRT2460L-WW | 175 lbs. | 37.0 | — | 141 |
| GS6GRT2460R-LL | 175 lbs. | 37.0 | — | 141 |
| GS6GRT2460R-WW | 175 lbs. | 37.0 | — | 141 |
| GS6GTK71R | 14 lbs. | 3.6 | — | 145 |
| GS6GTK72 | 14 lbs. | 3.6 | — | 145 |
| GS6GTK77R | 15 lbs. | 3.8 | — | 145 |
| GS6GTK78 | 15 lbs. | 3.8 | — | 145 |
| GS6GTK83R | 16 lbs. | 4.1 | — | 145 |
| GS6GTK84 | 16 lbs. | 4.1 | — | 145 |
| GS6GTK89R | 17 lbs. | 4.4 | — | 145 |
| GS6GTK94R | 19 lbs. | 3.6 | — | 145 |
| GS6GTK95R | 18 lbs. | 4.6 | — | 145 |
| GS6GTK100R | 22 lbs. | 3.1 | — | 145 |
| GS6GTK106R | 24 lbs. | 3.2 | — | 145 |

| model number | weight | cubes | #locks | page |
|--------------|---------|-------|--------|------|
| GS6GTK112R | 26 lbs. | 3.4 | — | 145 |
| GS6GTK118R | 28 lbs. | 3.6 | — | 145 |
| GS6GTK124R | 30 lbs. | 3.4 | — | 145 |
| GS6GTK130R | 32 lbs. | 3.6 | — | 145 |
| GS6GTK144 | 30 lbs. | 4.3 | — | 145 |
| GS6GTK168 | 32 lbs. | 4.9 | — | 145 |
| GS6GXTK72 | 13 lbs. | 3.5 | — | 145 |
| GS6MB24SS-L | 30 lbs. | 5.3 | — | 146 |
| GS6MB24SS-W | 30 lbs. | 5.2 | — | 146 |
| GS6MB24SS-WS | 50 lbs. | 5.2 | — | 146 |
| MDWBRK | 1 lb. | 0.4 | — | 200 |
| MDWLBK24 | 2 lbs. | 0.3 | — | 200 |
| MDWLBK30 | 2 lbs. | 0.4 | — | 200 |
| SAMAGNET | 1 lb. | 0.1 | — | 309 |

Gunlocke®

One Gunlocke Drive
Wayland, NY 14572
800 828 6300

GUNLOCKE.COM

FORM #G1091.A9 (02/26)

***Effective August 23, 2025, Gunlocke will
apply a 3% surcharge to all orders.***