HON | EDUCATION
MAKE YOUR SPACE WORK.

SCRIBBLE™ CHAIR SPECIFICATIONS

Each Scribble chair consists of a shell and frame. Frames are unique to each chair model while shells are shared between all chair types. Scribble utilizes 2 shell sizes signaled in the base model by either “A” small shell, or “B” large shell.

SHELL DETAILS	
One-Piece Shell	Yes
Shell Thickness	0.25"
Material	Glass-filled Polypropylene
Handle Size	3.82"W × 1.02"H on HNSC4L-06A, HNSC4L-12A, HNSC4L-14A, HNSCCL-14A 4.36"W × 1.2"H on all other models

4-leg and cantilever chair frames are welded to two 12-gauge sheet metal brackets. Seat shells are attached with six $^{3}/_{16}$" tamper-resistant screws.

Task chairs and task stools frames use six $^{3}/_{16}$" tamper-resistant screws to secure the heavy-duty steel control to two 12-gauge sheet metal steel L-brackets.

Wire under-seat book boxes are available on 16" & 18" 4-leg chairs and 24" & 30" 4-leg stools. Book boxes are made using 6mm wire frame and are offered with a chrome finish only. They utilize plastic coated tool-less mounting hooks. Under-seat boxes have outside dimensions of 12 ¼"W × 16"L × 9 ¾"H and inside dimensions of 12 ¼"W × 14"L × 6 ½"H.



SCRIBBLE SPECIFICATIONS BY CHAIR TYPE








		4-LEG CHAIR	4-LEG STOOLS	CANTILEVER CHAIR	TASK CHAIR	TASK STOOL
FRAME MATERIAL	1.125" OD 14-Gauge Steel Tube	✓	✓	✓		
	23" Injection Molded Base				✓	
	25.5" Injection Molded Base with Height Adjustable 20" Diameter Foot Ring					✓
FRAME FINISH OPTIONS	Powder Coat Paint	✓	✓	✓		
	Black Only (Plastic)				✓	✓
CASTER/GLIDE OPTIONS	1.25" Diameter Self-Leveling Nickel Glides (.N)	✓	✓			
	40mm Diameter Hard Casters (.C)	✓ Available on 16" or 18" Models				
	All-Purpose Nylon (.E) Glides	✓	✓	✓		
	Felt Glides	✓ HGDK3-F	✓ HGDK3-F	✓ .F		
	Nylon Bell Glides (.G)				✓	✓
	60mm Diameter Hard (.H) Dual-Wheel Casters				✓	✓
	60mm Diameter Soft (.S)				✓	✓
WEIGHT RATING		400	400	300	400	400
STACKING HEIGHT		5-High	5-High	5-High		

SCRIBBLE DIMENSIONS (INCHES)

		(A) SEAT WIDTH	(B) BACK WIDTH	(C) OVERALL HEIGHT	(D) OVERALL WIDTH	(E) OVERALL DEPTH	(F) SEAT HEIGHT	(G) SEAT DEPTH	(H) FOOTREST HEIGHT
4-LEG MODELS	HNSC4L-06A	14 ½	13 9/16	19 9/16	17	16 ¼	6 ½	14	–
	HNSC4L-12A	14 ½	13 9/16	24 3/8	17	17	11 ¾	14	–
	HNSC4L-14A	14 ½	13 9/16	26 3/8	17	17	13 ¾	14	–
	HNSC4L-16B	16 15/16	15 9/16	30	19 5/8	21	15 ¾	16 1/8	–
	HNSC4L-18B	16 15/16	15 9/16	32	19 5/8	21	17 ¾	16 1/8	–
	HNSC4L-16B(C)	16 15/16	15 9/16	31 1/8	19 5/8	21	16 5/8	16 1/8	–
	HNSC4L-18B(C)	16 15/16	15 9/16	33	19 5/8	21	18 5/8	16 1/8	–
	HNSC4L-24B	16 15/16	15 9/16	39	22 1/8	21 7/8	24 ¾	16 1/8	7 ½
	HNSC4L-30B	16 15/16	15 9/16	44 ½	22 7/8	23 1/8	30 ¼	16 1/8	13
CANTILEVER MODELS	HNSCCL-14A	14 ½	13 9/16	27	19 ¼	18 ¼	14 ¼	14	–
	HNSCCL-16B	16 15/16	15 9/16	30	21	20 ¾	16 ¼	16 1/8	–
	HNSCCL-18B	16 15/16	15 9/16	32	21 ½	21 ¾	18 ¼	16 1/8	–
TASK/STOOL MODELS	HNSCTK-18B	16 15/16	15 9/16	31–36	21	24	16–21	16 1/8	–
	HNSCST-18	16 15/16	15 9/16	37–47	26 5/16	26 5/16	22–32	16 1/8	12 ¼–15 ¾



4-LEG



CANTILEVER



TASK & TASK STOOL