


ADANDE REFRIGERATED DRAWERS INFORMATION



WHAT MAKES ADANDE UNIQUE IN A NUTSHELL

Six models available:

+ Optional Accessories

VLS	Slim line drawer height, Side engine unit	2 x 1/1 GN 100mmD, 4 x 1/1 GN 65mmD
VCS	Standard drawer height, Side engine unit	4 x 1/1 GN 100mmD, 6 x 1/1 GN 65mmD
VCR	Standard drawer height, Rear engine unit	4 x 1/1 GN 100mmD, 6 x 1/1 GN 65mmD
VCM	Matchbox unit	4 x 1/1 GN 100mmD, 6 x 1/1 GN 65mmD
VCC	Compact unit	1 x 1/1 GN 200mmD Using GN insert

Six base options


- Plinth Slides
- Rollers
- Small Castors
- Standard Castors
- Large Castors
- Adjustble Legs

Three top options

- Cover Top for Undercounter Use
- Work Top
- Heat Shield Top (rated to 200°C)

Adjustable temperature range:

Product stored at its optimum temperature extends product life, meaning less food waste and savings.



All units operate independently with their own refrigeration systems which gives you the flexibility to run all as freezers, all as chillers or any combination of chiller and freezer at any temperature.

Patented air flow system

Cold air drops from above into the tub, the cold air is trapped in the drawer due to the weight of cold air and won't spill out of the drawer when opened. (The entire cavity in an Adande unit is NOT refrigerated - only the tub).

Maintain stable product temperature	→	Extend product life	→	Less food wastage	→	\$ Savings
No direct fan blowing harsh air across product	→	No drying out of food No freezer burn or crystallisation	→	Less food waste	→	\$ Savings
Minimal temperature loss and recovery time	→	Only requiring two matchbox sized computer fans to circulate air	→	Energy Savings	→	\$ Savings

Adande is 50% - 60% more energy efficient than most undercounter drawer and door units of equal capacity, due to the unique patented refrigeration system which "Holds in the Cold"

WHAT MAKES ADANDE UNIQUE IN A NUTSHELL



Insulated tub

- Insulated with built in Airflow channels for air to pass under your product.
- 40mm thick and extremely robust.
- Magnets molded into tub top to create a seal with the ceiling mounted magnetic drawer seals when the drawer is closed.
- Tub is easily removed for cleaning.

Patented tub seals

- No drawer front seals on Adande units
- Tub slides across the heated magnetic seal fitted in the top of the lid - it doesn't pull on the seal like a traditional door or drawer unit would

Protected condenser

- Located inside the cavity at the rear of the unit. Away from heat/ grease, water and dust that is common in a kitchen environment

Heavy duty drawer runners

- On the outside of the tub away from the cold zone – cannot freeze up.
- Impossible to cross contaminate food as they are outside the insulated tub.
- All drawers have individual cavities so no product can drip from the top drawer to the one under and no grease and grime can fall into the tub below.
- Runners have metal to metal fixing for additional strength.
- Runners are full of ball bearing's V's traditional wheel drawer runners creating strong support if side impacted by kitchen trolleys.
- Per drawer will hold up to 40kg standard drawer/ 30kg slim line drawer.

Energy Efficiency

Rated at 40°C Ambient

Model	Cabinet Type	Cabinet Description	Climate Class	M Pack Temperature	Star Rating	Net Volume	Total Energy Consumption (kWh/24h)
VCC R2	Refrigerated Storage Cabinet (RSC)	Storage Freezer Horizontal	4	L1	6.0	69.6	2.61
VLS R2 V1	Refrigerated Storage Cabinet (RSC)	Storage Freezer Horizontal	4	L1	6.0	64.8	2.14
VCS R2 V1	Refrigerated Storage Cabinet (RSC)	Storage Freezer Horizontal	4	L1	7.0	82.3	2.09
VCS R2	Refrigerated Storage Cabinet (RSC)	Storage Refrigerator Horizontal	4	M1	9.0	82.3	0.84
VCC R2 V1	Refrigerated Storage Cabinet (RSC)	Storage Refrigerator Horizontal	4	M1	7.0	68.8	1.15
VLS R2 V1	Refrigerated Storage Cabinet (RSC)	Storage Refrigerator Horizontal	4	M1	8.0	64.8	0.89

(Information from Minimum Standard Regulator - MEPS/GEMS)

Warranty

- All Adande units come with **2 Year Parts and Labour Warranty (including door seals)**, and an additional **3 Year Optional Parts Only Warranty upon registration through the Stoddart website. T&C's apply.**

Due to continuous product research and development, the information contained herein is subject to change without notice.

Revision: 27/09/2024

www.stoddart.com.au

www.stoddart.co.nz

TWICE THE STORAGE IN HALF THE FOOTPRINT!!

Product at your fingertips

Unlike a traditional door chiller, the product is right there at your fingertips when you open the drawer - no need to get on your hands and knees to reach something that's at the back of a door unit.

ADANDE

vs

Undercounter



- 1 x VCS drawer has the same storage capacity as a 2 door GN undercounter refrigeration unit as shown.
- 1 x VCS2 at 1100mmW has the same storage capacity as 4 Door GN chiller at 2200mmW, you are doubling your capacity in half the footprint.

Australia

Australian Business Number: 16009690251

Service / Spare Parts

<https://customerservice.stoddart.com.au>

Sales

Tel: 1300 79 1954

Email: sales@stoddart.com.au

Web: www.stoddart.com.au



Customer
Service Portal

New Zealand

New Zealand Business Number: 6837694

Service / Spare Parts

<https://customerservice.stoddart.com.au>

Sales

Tel: 0800 79 1954

Email: sales@stoddart.co.nz

Web: www.stoddart.co.nz



Customer
Service Portal