


airexe

MASTERING THE ELEMENTS



**airex**  
MASTERING THE ELEMENTS



# Contents

## Display Series

- 6 Freestanding Refrigerated
- 8 Freestanding Heated
- 10 Countertop Displays
- 12 Ambient Countertop Displays

## Undercounter Series

- 16 1 Door Refrigerators & Freezers
- 18 1/1GN Refrigerator
- 20 1/1GN Freezers

## Chef Base Series

- 24 Refrigerated Chef Base's

## Upright Series

- 28 Upright Refrigerators
- 30 Upright Freezers

## Preparation Series

- 34 Sandwich Prep Benches
- 36 Pizza Prep Benches

## Merchandiser Series

- 40 Upright Merchandisers
- 42 Upright Slimline Merchandisers
- 44 Countertop Merchandisers
- 46 Refrigerated Back Bar Compact
- 48 Refrigerated Back Bar



**airex**  
MASTERING THE ELEMENTS



# Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




## Freestanding Refrigerated

The Airex Freestanding Refrigerated Display Series has been specifically designed to display cakes and pastisseries to the highest food safety standards with its adjustable digital temperature control.

Integrating a winning combination of double-glazed heated glass construction and warm blown air up the front and sides glass, all Airex display cabinets provide exceptional display with minimal condensation. A uniquely designed vertical integrated low volume airflow system delivers cool air to all parts of the unit which reduces drying of products and extends the shelf life of merchandise. The range is equipped with reliable and robust components, including highly efficient compressors using environmentally friendly R290 refrigerant along with a refrigeration coil with protective coating to help prevent corrosion. All of this while having sleek and modern black finish.

Perfectly matching the range of Airex refrigerated display cabinets, these versatile units provide hassle free cleaning with removable shelves and condenser filter and is fitted with heavy duty castors for easy maneuverability along with leveling feet.






**900 Series**

162kg  
3 Tier  
2°C - 5°C  
230VAC / 10A

AXR.FDFSSQ.09

900 x 696 x 1350

---




**1200 Series**

192kg  
3 Tier  
2°C - 5°C  
230VAC / 10A

AXR.FDFSSQ.12

1200 x 696 x 1350

---



**1500 Series**

235kg  
3 Tier  
2°C - 5°C  
230VAC / 10A

AXR.FDFSSQ.15

1500 x 680 x 1350

---


## Freestanding Heated

The Airex Freestanding Heated Display Series is equipped with an energy efficient fan forced heating system specifically designed to provide safe, excellent temperature control and humidity for pies, pasties and pastries with even air distribution throughout the cabinet to maintain product at the highest quality.

Designed with innovation in mind, each unit is supplied with a concealed water well positioned for hot air to be passed over which is filled from the rear of the unit. This introduces humidity into the display, holding products fresher for longer. A double-glazed glass construction provides additional safety while the adjustable digital temperature control gives adjustment to the degree and warm LED lighting to each shelf highlights product visibility and offers outstanding presentation of food. All of this while having a sleek and modern black finish,

Perfectly matching the range of Airex heated display cabinets, these versatile units provide hassle free cleaning with removable shelves and is fitted with heavy duty castors for easy maneuverability.






**900 Series**

146kg  
4 Tier  
60°C - 80°C  
230VAC / 10A

AXH.FDFSSQ.09

**900 x 696 x 1350**




**1200 Series**

174kg  
4 Tier  
60°C - 80°C  
230VAC / 10A

AXH.FDFSSQ.12

**1200 x 696 x 1350**



**1500 Series**

218kg  
4 Tier  
60°C - 80°C  
230VAC / 10A

AXH.FDFSSQ.15

**1500 x 680 x 1350**


## Countertop Displays

The Airex Countertop Display Series encompasses both Heated and Refrigerated Displays, ideal for areas where floor space is at a premium. Both models feature an adjustable digital temperature control, LED lighting to each shelf, sliding doors to rear and frameless glass construction for outstanding display.

Countertop Refrigerated Displays feature double glazed heated glass to minimise condensation whilst simultaneously maintaining consistent temperature and keeping products looking fresher for longer. The display is also equipped with reliable and robust components, including highly efficient compressors using environmentally friendly R290 refrigerant couple with a refrigeration coil with protective coating to help prevent corrosion.


The Heated Display, specifically designed to provide safe, excellent temperature control features a water pan as standard to introduce humidity into the display and a removable crumb tray for ease of cleaning.





**Refrigerated**      AXR.FDCTSQ.09  
84kg                      **885 x 568 x 886**  
3 Tier  
2°C - 5°C  
230VAC / 10A

---




**Refrigerated**      AXR.FDCTSQ.12  
113kg                     **1224 x 568 x 886**  
3 Tier  
2°C - 5°C  
230VAC / 10A

---



**Heated**                      AXH.FDCTSQ.09  
52kg                      **885 x 558 x 676**  
3 Tier  
60°C - 80°C  
230VAC / 10A

---



**Heated**                      AXH.FDCTSQ.12  
69kg                      **1224 x 558 x 676**  
3 Tier  
60°C - 80°C  
230VAC / 10A

---




## Ambient Countertop Displays

The Airex Ambient Countertop Display Case's have been designed to showcase and serve non-perishable food with style and practicality. This unit is made to sit neatly on top of freestanding Airex cold or hot food displays, creating a seamless and professional presentation. Its sleek, range-matching design features tempered glass panels and a modern black frame, providing excellent product visibility while maintaining a sophisticated look.


The unit is supplied fully assembled for immediate use and includes removable rear sliding glass doors with a safety stopper for safe and convenient access. A hygienic stainless steel base ensures easy cleaning and durability, while rubber feet help keep the unit stable and prevent unwanted movement during service.






**Ambient** AXA.FDFSSQ.09.AMBTOP  
12.5kg 900 x 404 x 200  
1 Tier

---



**Ambient** AXA.FDFSSQ.12.AMBTOP  
16kg 1200 x 404 x 200  
1 Tier

---



**Ambient** AXA.FDFSSQ.15.AMBTOP  
19.5kg 1500 x 404 x 200  
1 Tier

---



# Undercounter Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




# 1 Door Refrigerators & Freezers

Airex Undercounter Refrigerators can be supplied with either solid or glass doors while the Undercounter Freezer offers solid doors. The range presents 600mm depth and 840mm height, making it ideal for compact or worktop applications. The range is equipped with an adjustable temperature control, environmentally friendly R600a Hydrocarbon refrigerant, two adjustable shelves and a protective coating on the refrigeration coil to help prevent corrosion. CFC free polyurethane insulation provides both structural support and thermal performance efficiency to reduce energy usage across the entire lineup.

Glass door refrigerators feature a lockable double-glazed heated door to provide exceptional display while minimising condensation.

Solid door refrigerators feature a lockable and reversible door to provide adaptability and ensure each unit will fit perfectly into every location.






**Refrigerator**

AXR.UC.1

44kg  
-2°C - 8°C  
230VAC / 10A

595 x 600 x 840

---




**Refrigerator**

AXR.UC.1G

49kg  
-2°C - 8°C  
230VAC / 10A

595 x 600 x 840

---



**Freezer**

AXF.UC.1

46kg  
-16°C - -18°C  
230VAC / 10A

595 x 600 x 840

---


## 1/1GN Refrigerator

Airex Undercounter 1/1GN Refrigerator Series features 2, 3 and 4 door models, each available with either solid or glass doors. Equipped with a Monoblock refrigeration system, each unit allows for improved performance through fan forced ducted cooling, ease of servicing and reliable performance. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and thermal performance to reduce energy usage.

Each Airex Undercounter unit comes standard with 1/1GN shelf configuration with adjustable runners, highly efficient compressors and EC fans, a protective coating on the refrigeration coil to help prevent corrosion, adjustable digital temperature control and energy efficient LED lighting for increased product visibility. To ensure optimum performance, filters are easily accessible and removable for regular cleaning.


Undercounter refrigerators feature self-closing, lockable doors to provide security and peace of mind. Glass door units are equipped with double glazed heated doors that provides exceptional display while minimising condensation.






**2 x Solid Doors**      AXR.UCGN.2  
102kg                      1360 x 700 x 840  
0°C - 6°C  
230VAC / 10A

---




**2 x Glass Doors**      AXR.UCGN.2G  
107kg                      1360 x 700 x 840  
0°C - 6°C  
230VAC / 10A

---




**3 x Solid Doors**      AXR.UCGN.3  
122kg                      1795 x 700 x 840  
0°C - 6°C  
230VAC / 10A

---




**3 x Glass Doors**      AXR.UCGN.3G  
133kg                      1795 x 700 x 840  
0°C - 6°C  
230VAC / 10A

---



**4 x Solid Doors**      AXR.UCGN.4  
151kg                      2230 x 700 x 840  
0°C - 6°C  
230VAC / 10A

---



**4 x Glass Doors**      AXR.UCGN.4G  
164kg                      2230 x 700 x 840  
0°C - 6°C  
230VAC / 10A

---


## 1/1GN Freezers

The Airex Undercounter 1/1GN Freezer range features 2 or 3 door models with reversible lockable solid doors. Equipped with a Monoblock refrigeration system, each unit allows for improved performance through fan forced ducted cooling, ease of servicing and reliable performance. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage.

Each Airex Undercounter unit comes standard with 1/1GN shelf configuration with adjustable runners, highly efficient compressors and EC fans, a protective coating on the refrigeration coil to help prevent corrosion, adjustable digital temperature control and energy efficient LED lighting for increased product visibility along with conveniently accessible and removable filters for regular cleaning to ensure optimum performance.


Solid door freezers feature self-closing lockable doors to provide security and peace of mind along with conveniently accessible and removable filters for regular cleaning to ensure optimum performance.





**2 x Solid Doors**      AXF.UCGN.2  
107kg                      **1360 x 700 x 840**  
-16°C - -20°C  
230VAC / 10A

---



**3 x Solid Doors**      AXF.UCGN.3  
128kg                      **1795 x 700 x 840**  
-16°C - -20°C  
230VAC / 10A

---



**airex**  
MASTERING THE ELEMENTS



# Chef Base Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




## Refrigerated Chef Base

Airex Chef base units provide practical chilled storage within the preparation area of commercial kitchens. It features two removable refrigerated drawers that support GN pan configurations.

An integrated heatshield and marine edge top helps protect the unit from surrounding heat and contains spills for easier cleaning. The adjustable digital controller maintains consistent temperatures, operating with environmentally friendly R290 refrigerant.

For easy maintenance and durability, the unit includes a removable filter for cleaning and a protective coating on the refrigeration coil to reduce corrosion. Adjustable height lockable castors allow easy positioning, while ergonomic non-catch handles ensure smooth drawer operation. The unit is available in three sizes to suit different kitchen layouts.






**2 x Drawers**

AXR.CB.2

79kg  
1°C - 5°C  
230VAC / 10A

**1008 x 820 x 635**

---




**2 x Wide Drawers**

AXR.CB.2W

121kg  
1°C - 5°C  
230VAC / 10A

**1425 x 820 x 635**

---



**4 x Drawers**

AXR.CB.4

159kg  
1°C - 5°C  
230VAC / 10A

**1920 x 820 x 635**

---

**airex**  
MASTERING THE ELEMENTS



# Upright Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



## Upright Refrigerators

The Airex Upright Refrigerator Series feature 1 or 2 door models with the option of either solid or glass doors. Airex Upright Refrigerators are equipped with a Monoblock refrigeration system and vertically integrated ducted cooling for efficient airflow throughout the entire unit. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage.

Airex units are supplied standard with five adjustable shelves per door to maximise storage, with highly efficient compressors and EC fans as well as a protective coating on the refrigeration coil to help prevent corrosion. Adjustable digital temperature control and energy efficient LED lighting is also provided for increased product visibility. Rear panel fan forced air ducts guarantee uniformed cooling throughout the cabinet, along with conveniently accessible and removable filters for regular cleaning to ensure optimum performance.

Upright refrigerators feature self-closing, lockable doors to provide security and peace of mind. Glass door units are equipped with double glazed heated doors that provides exceptional display while minimising condensation.






**1 x Solid Door**

130kg  
0°C - 6°C  
230VAC / 10A

AXR.URGN.1

700 x 850 x 1990




**1 x Glass Door**

138kg  
0°C - 6°C  
230VAC / 10A

AXR.URGN.1G

700 x 850 x 1990




**2 x Solid Doors**

197kg  
0°C - 6°C  
230VAC / 10A

AXR.URGN.2

1400 x 850 x 1990



**2 x Glass Doors**

205kg  
0°C - 6°C  
230VAC / 10A

AXR.URGN.2G

1400 x 850 x 1990


## Upright Freezers

The Airex Upright Freezer Series by Airex features both 1 or 2 solid door models. All freezers are equipped with a Monoblock refrigeration system and vertically integrated ducted cooling for efficient airflow throughout the entire cabinet. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage. Rear panel fan forced air ducts ensure uniformed cooling throughout the cabinet.

Airex units are supplied standard with five adjustable shelves per door to maximise storage, with highly efficient compressors and rear panel fan forced air ducts ensure uniformed cooling throughout the cabinet as well as a protective coating on the refrigeration coil to help prevent corrosion. An adjustable digital temperature control and energy efficient LED lighting are also fitted for effective performance and increased product visibility.

Solid door freezers feature a self-closing, lockable door to provide security and peace of mind. Designed with conveniently accessible and removable filters for regular cleaning to ensure optimum performance.






**1 x Solid Door**

AXF.URGN.1

132kg  
-16°C - -20°C  
230VAC / 10A

700 x 850 x 1990

---



**2 x Solid Doors**

AXF.URGN.2

223kg  
-16°C - -20°C  
230VAC / 10A

1400 x 850 x 1990

---



# Preparation Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




## Sandwich Prep Benches

Airex Sandwich Preparation benches offer a range of flexible options including 1, 2 and 3 door configurations with the option of a sleek and modern, toughened frameless glass gantry, fixed with mid-shelf. High-end quality and aesthetic with 1/3 GN pan compatibility, the refrigerated service well generates cold air that distributes both above and below ingredient pans. The unique full-length, coated evaporator coil provides uniformed cooling across the entire well while operating as a fully self-contained unit.

Supplied with sliding Perspex lids for the blown well, digital temperature display and control, cutting board, 100mm deep 1/3GN pan and removable filters for easy cleaning.

Fitted castors (3 lockable) provide the perfect solution for ongoing hygiene and flexibility.






**1 x Solid Door**

AXR.SW.1025

112kg  
5 x 1/3GN  
2°C - 5°C  
230VAC / 10A

**1025 x 845 x 915**

---




**2 x Solid Doors**

AXR.SW.1740

179kg  
9 x 1/3GN  
2°C - 5°C  
230VAC / 10A

**1740 x 820 x 916**

---




**3 x Solid Doors**

AXR.SW.2450

233kg  
13 x 1/3GN  
2°C - 5°C  
230VAC / 10A

**2450 x 820 x 916**

---



**Glass Gantry**

AXR.SW.xxxx.GAN

to suit 1025, 1740 &  
2450 wide units

**504d x 454h**

\*AXR.SW.1025.GAN model shown

---


## Pizza Prep Benches

Airex Pizza Preparation benches are available in 1, 2 and 3 door configurations. With 1/3 GN pan compatibility, the angled refrigerated service well generates cold air that distributes both above and below ingredient pans. The unique full-length, coated evaporator coil provides uniformed cooling across the entire well while operating as a fully self-contained unit.

Supplied with removable insulated tilting stainless steel night lids, digital temperature display and control and pizza racks with dropping tray, along with removable filters for easy cleaning.

The exclusive design provides value for money while offering ideal flexibility. Each sized unit is fitted on castors (3 lockable) for ease of cleaning and adaptable to any new or existing location.






**2 x Solid Doors**

AXR.PM.1740

175kg  
9 x 1/3GN  
2°C - 5°C  
230VAC / 10A

---

1740 x 870 x 1070



**3 x Solid Doors**


AXR.PM.2450

226kg  
13 x 1/3GN  
2°C - 5°C  
230VAC / 10A

---

2450 x 870 x 1070

**airex**  
MASTERING THE ELEMENTS



# Merchandiser Series



## Upright Merchandisers

The Airex Upright Merchandiser series has been specifically crafted to provide an attractive ready-to-serve cold drink and food display. Ideal for front-of-house settings, the AXR.MEUR.1D, AXR.MEUR.2D and AXR.MEUR.3D door series excel in showcasing chilled food products. Equipped with adjustable temperature control, the frameless, ultra-clear, Low-E double glazed Argon filled glass doors and energy-efficient LED lighting provide exceptional display with minimising condensation. Featuring environmentally friendly R290 Hydrocarbon refrigerant and cyclopentane polyurethane insulation ensure energy efficiency, making this merchandiser an appealing and eco-conscious solution for your needs.

Airex establishes a new benchmark in versatile refrigerated merchandisers, featuring an electrostatic finish that helps prevent fingerprints marks and smudges. The units come with five shelves, four of which are adjustable, alongside self-closing doors, castor wheels and adjustable leveling feet. Available in 1, 2 and 3 door options, these units are provided with standard product guides and ticket stripping.






## Upright Slimline Merchandisers



The Airex Upright Merchandiser series has been specifically crafted to provide an attractive ready-to-serve cold drink and food display. Ideal for front-of-house settings, the AXR.MEUR.1D, AXR.MEUR.2D and AXR.MEUR.3D door series excel in showcasing chilled food products. Equipped with adjustable temperature control, the frameless, ultra-clear, Low-E double glazed Argon filled glass doors and energy-efficient LED lighting provide exceptional display with minimising condensation. Featuring environmentally friendly R290 Hydrocarbon refrigerant and cyclopentane polyurethane insulation ensure energy efficiency, making this merchandiser an appealing and eco-conscious solution for your needs.

Airex establishes a new benchmark in versatile refrigerated merchandisers, featuring an electrostatic finish that helps prevent fingerprints marks and smudges. The units come with five shelves, four of which are adjustable, alongside self-closing doors, castor wheels and adjustable leveling feet. Available in 1, 2 and 3 door options, these units are provided with standard product guides and ticket stripping



**Slimline**

52kg  
0°C - 10°C  
230VAC / 10A

AXR.MEUR.SL

390 x 520 x 1885


---

# Countertop Merchandisers

The Airex Countertop Merchandiser Series has been specifically designed to provide an attractive ready-to-serve cold counter-top drink display in a compact footprint. Offering double glazed glass with warm air blown up all sides to minimise condensation providing exceptional display. Exceptional energy management, cyclopentane polyurethane insulation paired with an environmentally friendly R600a Hydrocarbon refrigerant to enhance performance and efficiency.

Airex Countertop Merchandiser displays are equipped with digital temperature control and fan forced airflow to deliver cool air throughout the display, energy efficient LED lighting, three adjustable shelves for flexibility and a self-closing door as standard.





**Countertop**

36kg  
2°C - 12°C  
220-240VAC / 10A

AXR.MECT.1.0966

**452 x 406 x 966**


---

## Refrigerated Back Bar Compact

Airex Back Bar Compact units come in 2-door and 3-door configurations, featuring rear-mounted refrigeration ensures a space-saving footprint. Designed with double-glazed heated glass and two energy-efficient vertical LED lights on each door, these units offer outstanding display quality and minimise condensation. The inclusion of the environmentally friendly R290 hydrocarbon refrigerant enhances energy efficiency.

Featuring an adjustable digital temperature controller and fan-forced airflow for uniform cooling, the back bar refrigerator ensures optimal temperature distribution. It's modern and sleek aesthetic is enhanced by the black internal finishing on all surfaces, excluding the base shelf.





**2 x Door Refrigerated Back Bar Compact** AXR.MEBBC.2D


73kg

900 x 596 x 845

1°C - 5°C

230VAC / 50Hz

---



**3 x Door Refrigerated Back Bar Compact** AXR.MEBBC.3D

98kg

1350 x 596 x 845

1°C - 5°C

230VAC / 50Hz


---

## Refrigerated Back Bar

Airex Refrigerated Back Bar units are available in 2, 3 and 4-door configurations, featuring a front-breathing monoblock refrigeration system for powerful performance, easy servicing and flexible installation. Ultra-clear frameless double-glazed Low-E heated glass doors maximise product visibility while reducing condensation, with an energy-efficient hydrocarbon refrigerant supporting lower running costs.

Fan-forced airflow ensures consistent temperatures throughout the cabinet, controlled via a sleek digital controller. A contemporary black finish, dimmable full-height LED lighting and ergonomic non-catch handles complete the modern design. Each door includes two adjustable shelves and an individual lock, while lockable castors (or plinth-mount option), a removable cleaning filter and a protective-coated refrigeration coil support durability and easy maintenance.






**2 x Door Refrigerated Back Bar** AXR.MEBB.2D

150kg  
1°C - 5°C  
230VAC / 50Hz

1415 x 650 x 1036

---




**3 x Door Refrigerated Back Bar** AXR.MEBB.3D

206kg  
1°C - 5°C  
230VAC / 50Hz

1935 x 650 x 1036

---



**4 x Door Refrigerated Back Bar** AXR.MEBB.4D

262kg  
1°C - 5°C  
230VAC / 50Hz

2450 x 650 x 1036

---



**Menu Board**

**Coffee**

- Espresso
- Cappuccino
- Latte
- Macchiato
- Flat White
- Chocolate (hot)

**Salad Bar**

- Caprese
- Caesar
- Roasted Veggie
- Wedge Salad

**Chocolate (hot)**

- Dark Chocolate
- Milk Chocolate
- White Chocolate

airex

airex

airex



*Brisbane*

*Sydney*

*Melbourne*

*Perth*

*Adelaide*

**1300 79 1954**  
[www.stoddart.com.au](http://www.stoddart.com.au)

*Auckland*

**0800 79 1954**  
[www.stoddart.co.nz](http://www.stoddart.co.nz)

Manufactured or Imported  
& distributed exclusively by:



REV: AIR0526