

Privy Peach

10778 S Pine Shadow Road
South Jordan, UT 84095
heather@gcoslc.com
(801) 721-0629

Sample: 2202AIT0034.0075


Strain: N/A

Batch#: ; Batch Size: g

Sample Received: 02/15/2022; Report Created: 02/15/2022

Intimate Oil

Topical, Body Oil



0.020%

Total THC

0.786%

Total CBD

0.869%

Total Cannabinoids

Cannabinoids

Date Tested: 02/15/2022

Analytes	%	mg/g	LOQ
CBC	0.025	0.25	0.001
CBD	0.786	7.86	0.001
CBDa	<LOQ	<LOQ	0.001
CBDV	0.011	0.11	0.001
CBG	0.026	0.26	0.001
CBGa	<LOQ	<LOQ	0.001
CBL	<LOQ	<LOQ	0.001
CBN	<LOQ	<LOQ	0.001
Δ8-THC	<LOQ	<LOQ	0.001
Δ9-THC	0.020	0.20	0.001
THCa	<LOQ	<LOQ	0.001
THCVa	<LOQ	<LOQ	0.001

Method: HPLC

Total THC = THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

Total Cannabinoids represents the sum of all cannabinoids in the table above.

Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %

LOQ = Limit of Quantitation

Summary

Not Tested

Residual Solvents

Not Tested

NT

Terpenes

Not Tested

Pesticides

Not Tested

Mycotoxins

Not Tested

Heavy Metals

Not Tested

Moisture

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com





Ben Gaboury

Senior Analytical Chemist

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866



This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.