

10

مامونی قلت کی دس علامات (بچوں کیلئے)

بچوں اور بڑوں میں بنیادی نظام دفاع کی کمی کے باعث ہونے والے انفیکشن بار بار لوٹ آتے ہیں یا ان کا علاج ہونا غیر معمولی طور پر مشکل ہوتا ہے۔ ہر پانچ سو میں سے ایک انسان اس مامونی قلت سے متاثر ہوتا ہے۔ اگر آپ یا آپ کے کسی جاننے والے میں اس کی دو یا دو سے زیادہ علامات پائی جائیں تو اپنے معالج سے رابطہ کریں۔



ایک سال کے اندر چار یا زائد مرتبہ کان کے انفیکشن کا ہونا



ایک سال میں دو یا زائد مرتبہ سائنس انفیکشنز کا ہونا



دوا کا اثر کم ہونے کے باعث دو یا زائد مہینے تک اینٹی بائیوٹک پہ رہنا



ایک ہی سال کے دوران دو یا دو سے زائد مرتبہ نمونیا کا ہونا



نونہال کے وزن اور نشوونما میں کمی




مسلل منہ اور جلد کے امراض کا رہنا



منہ میں چھالے یا جلد پر فنگل انفیکشن رہنا



انفیکشن کی صورت میں افاقے کی واحد صورت تھکے کے ذریعے علاج ہونا



سپٹیمییا سمیت دو یا اس سے زیادہ دفعہ شدید انفیکشن ہونا



موروثی مامونی قلت کا ہونا

Presented as a public service by:



Curing PI, Worldwide.



Funding was made possible in part by a grant from the U.S. Centers for Disease Control and Prevention (CDC).



These warning signs were developed by the Jeffrey Modell Foundation Medical Advisory Board.

Consultation with Primary Immunodeficiency experts is strongly suggested. © 2013 Jeffrey Modell Foundation

For information or referrals, contact the Jeffrey Modell Foundation: info4pi.org | 866-INFO-4-PI