

integralacuvall Acoustic Panels



ACUWALL

ACOUSTIC PANELS





Introducing Integral's Acuwall Acoustic Panels - where innovation meets aesthetics!

Integral's Acuwall Panels are not just about reducing noise; they're a statement piece for modern spaces.

Whether it's a chic office, a cozy bedroom or living room. Integral's Acuwall Wall panels effortlessly merge functionality with style.


Versatile

Perfect for all aspects of modern living such as Living Rooms, Bedrooms, Kitchens, Receptions, Offices and Communal Areas.



Where innovation meets aesthetics.

- Available in 3 elegant finishes
 - Harbor Oak
 - Tobacco Walnut
 - Black Oak
- Size: (L) 2440 x(W) 600 x 19mm
- Easy installation
- Black foam acoustic backing with foil wrapped lightweight slats
- 15 slats per panel
- Panel coverage: 1.46m2
- Installation instructions downloadable via our website



Panel Finish



Harbor Oak £99 per panel



Tobacco Walnut £99 per panel



Black Oak £99 per panel

Acoustic Panel Prices

Panels

Code	Colour	Product	Size (mm)	Panel Price
INTAW-PHBO	Harbor Oak	Acoustic panel Harbor Oak	2440 (L) x 600 (W) x 19 (T)	£99
INTAW-PTBW	Tobacco Walnut	Acoustic panel Tobacco Walnut	2440 (L) × 600 (W) × 19 (T)	£99
INTAW-PBKO	Black Oak	Acoustic panel Black Oak	2440 (L) x 600 (W) x 19 (T)	£99

End Caps (for use with half height panels)

		•		
Code	Colour	Product	Size (mm)	Price
INTAW-CHBO	Harbor Oak	Acoustic panel End Cap Harbor Oak	2440 (L) × 27 (W) × 10 (T)	£15
INTAW-CTBW	Tobacco Walnut	Acoustic panel End Cap Tobacco Walnut	2440 (L) × 27 (W) × 10 (T)	£15
INTAW-CBKO	Black Oak	Acoustic panel End Cap Black Oak	2440 (L) x 27 (W) x 10 (T)	£15







Panel Info

- Full Panels: (L) 2440 x (W) 600 x 19mm
- Gap: 13mm between slats
- Acoustic PET backing: (L) 2440 x (W) 600 x 9mm
- Slats per panel: 15
- Panel coverage: 1.46m2

Tools Required

- Tape measure
- Pencil
- Spirit level
- Straight edge
- Fine-toothed hand or circular saw
- Sharp utility knife



Full installation instructions downloadable via our website

Installation




Figure 1

Option 1 **Bond directly** to wall

Grab adhesive on the back of your panel. Each panel needs approx 100ml of adhesive.



Figure 2

Option 2

Fix with screws

- Using the screw pack provided, we recommend 15 screws per panel in 5 rows of 3.
- **Ensure appropriate** fixings for the installation surface e.g. concrete/plasterboard plugs



Integral Surface Designs Ltd

Units 7-10, 2 Potter Place, West Pimbo, Skelmersdale WN8 9PW

Tel: 01695 550 882 Fax: 01695 550 472

Email: sales@integralsurfacedesigns.co.uk www.integralsurfacedesigns.co.uk

