

1924-12A-LED-L

HANDLAMP, LOW VOLTAGE - 70N LED 12V W/ 25FT OF 16/3
SOW CABLE W/ INLINE XFMR & NEMA 5-15 WATER TIGHT
PLUG W/ METAL GUARD



Key features



- cETLus listed for U.S. and Canada
- Molded handle impervious to impact and resistant to jobsite chemicals.
- Glass globe is heat and impact resistant and threads into handle sealing bulb and socket
- Guard is constructed out of heavy-gauge steel wire and finished with Zinc-Chromate plating to resist corrosion
- Quick latch wire guard for easy bulb changes
- Nut and grommet system provides both cord strain relief and protection from moisture/dirt.
- Pre-wired models come with 16/3 SOW cord and awatertight molded plug.
- Bulb included with hand lamp.
- Product customizations are available upon request.

Color	Yellow
-------	--------

UPC Code	782862905456
----------	--------------

Country of Origin	USA
-------------------	-----

Specifications

Category	Industrial Grade
----------	------------------

Sub Category	Hand Lamp - Low Voltage
--------------	-------------------------

Brand	Ericson
-------	---------

Sub Brand / Trademark	1924
-----------------------	------

Technical Info

Bulb Type	LED 12V
Lumens	850
Cable Length	25
Cable	16/3
Cable Type	SOW
Max Amps	.60
Max Volts	12
Max Watts	7
Primary Cable End	INLINE XFMR & NEMA 5-15 (1510-PW6P) Water Tight Plug
NEMA Environment	Outdoor Use, Wet Location
Construction	Molded handle, glass globe and Zinc Chromate Plating Guard with an inline transformer

Shipping & Logistics Info

Pack/Unit Qty	1
HTS code	8544429090
ECCN	EAR99
Gross Weight (lbs)	17.00000
Length (in)	18
Warranty	1 Year

Other Options



PART#:
1924-12B-LED-L



Ericson Manufacturing Company
4323 Hamann Parkway
Willoughby, OH 44094, USA



1-800-374-2766
info@ericson.com

ericson.com