


Steel



POC-KIT® 5" STEEL ASSORTMENT

UPC No. 19740/PBP No. 19G20

20 Decimal Thicknesses

.001	.004	.008	.014	.020
.0015	.005	.009	.015	.022
.002	.006	.010	.016	.024
.003	.007	.012	.018	.025



"THE BIG" POC-KIT® 12" STEEL ASSORTMENT

UPC No. 19990/PBP No. 19G40

20 Decimal Thicknesses

.001	.004	.008	.014	.020
.0015	.005	.009	.015	.022
.002	.006	.010	.016	.025
.003	.007	.012	.018	.030

STEEL POC-KITS

Precision Brand tight tolerance steel feeler gage assortments contain twenty thicknesses and are conveniently packaged in sturdy vinyl cases that fit in any toolbox. Accurate on-site measurement has never been this easy! Choose from either the 5" original POC-KIT® or the 12" "THE BIG" POC-KIT® assortments.

- POC-KIT® ASSORTMENT CONTAINS TWENTY 5" LONG X 1/2" WIDE BLADES
- "THE BIG" POC-KIT® ASSORTMENT CONTAINS TWENTY 12" LONG X 1/2" WIDE BLADES
- INDIVIDUAL BLADE POCKETS
- CONVENIENTLY FOLDS FLAT
- EACH BLADE IS CLEARLY ETCHED WITH THICKNESS
- VINYL CASE HELPS PREVENT RUST AND EXTENDS BLADE LIFE
- ENDS ARE ROUNDED AND EDGES ARE SMOOTH FOR SAFETY

Steel

STEEL FEELER GAGE


Precision Brand tight tolerance steel feeler gage is conveniently packaged in coil and flat lengths. Steel feeler gage is used in most general maintenance and tool and die applications.

- MADE OF C1095 CLOSE GRAIN HIGH CARBON SPRING STEEL
- 1/2" WIDE MATERIAL
- HARDENED AND TEMPERED TO RC 48-62
- MATERIAL IS GROUND AND POLISHED TO PRECISION TOLERANCES
- USED IN OPERATIONS WHEREVER SETTING CLOSE SPACING OR CHECKING EXTREMELY TIGHT TOLERANCES IS REQUIRED
- THICKNESSES ARE CLEARLY ETCHED EVERY 6 INCHES
- MEETS FED-GGG-G-17C
- CONTACT FACTORY FOR BULK QUANTITIES

STEEL FEELER GAGE			
Thickness	12" Lengths	5" Lengths	25' Coils
Decimal	UPC /PBP No. / No. (12 pcs. per pkg.)	UPC /PBP No. / No. (10 pcs. per pkg.)	UPC /PBP No. / No.
.001	19120/19K1	19115/19R1	19125/19H1
.0015	19145/19K1X	19140/19R1X	19150/19H1X
.002	19170/19K2	19165/19R2	19175/19H2
.0025	19185/19K2X	—	19190/19H2X
.003	19210/19K3	19205/19R3	19215/19H3
.004	19235/19K4	19230/19R4	19240/19H4
.005	19260/19K5	19255/19R5	19265/19H5
.006	19285/19K6	19280/19R6	19290/19H6
.007	19310/19K7	19305/19R7	19315/19H7
.008	19335/19K8	19330/19R8	19340/19H8
.009	19360/19K9	19355/19R9	19365/19H9
.010	19385/19K10	19380/19R10	19390/19H10
.011	19400/19K11	—	19405/19H11
.012	19425/19K12	19420/19R12	19430/19H12
.013	19440/19K13	—	19445/19H13
.014	19465/19K14	19460/19R14	19470/19H14
.015	19490/19K15	19485/19R15	19495/19H15
.016	19515/19K16	19510/19R16	19520/19H16
.017	19530/19K17	—	19535/19H17
.018	19555/19K18	19550/19R18	19560/19H18
.019	19570/19K19	—	19575/19H19
.020	19595/19K20	19590/19R20	19600/19H20
.021	19610/19K21	—	19615/19H21
.022	19635/19K22	19630/19R22	19640/19H22
.023	19650/19K23	—	19655/19H23
.024	19675/19K24	19670/19R24	19680/19H24
.025	19700/19K25	19695/19R25	19705/19H25
.028	19715/19K28	—	19720/19H28
.030	19730/19K30	—	19735/19H30
.031	19745/19K31	—	19750/19H31
.032	19760/19K32	—	19765/19H32
.034	19775/19K34	—	19780/19H34
.040	19790/19K40	—	—
.050	19805/19K50*	—	—

NEW

* 6 pcs. per pkg.



PRECISION BRAND

FEELER GAGE STOCK

TEMPERED AND POLISHED

CONTENTS: ONE 1/2" x 25' COIL

THICKNESS

.012

(.305mm)

UPC NO

19430

(19H12)



STEEL FEELER GAGE	
Decimal Thickness	Tolerance
.001	±.00012
.0015-.007	±.00020
.008-.009	±.00025
.010-.012	±.00035
.013-.015	±.00043
.016-.019	±.00047
.020-.024	±.00055
.025-.031	±.00067
.032-.034	±.00075
.040	±.00094
.050	±.0005
Width	±.005



THICKNESS .008 (.0025mm)

UPC NO 19335 (19H3)



FEELER GAGE

TEMPERED AND POLISHED

CONTENTS: TWELVE 1/2" x 12" BLADES

Stainless Steel

NEW!

STAINLESS STEEL THICKNESS GAGE

Precision Brand Stainless Steel Thickness Gage is perfect for use in corrosive environments, situations requiring good conductivity and will withstand high temperatures. This 1/2" wide material is conveniently packaged in 5" and 12" lengths, and in a twenty piece 5" Poc-Kit® assortment. Coil stock is available on special order.

- MADE FROM A 300 SERIES STAINLESS STEEL
- ROCKWELL HARDNESS C SCALE 45-55
- .001 TO .031 BLADES HAVE THICKNESS ETCHED ON THE MATERIAL; .0005 BLADES HAVE THICKNESS MARKED ON PACKAGE
- IDEAL FOR USE IN THE AIRCRAFT, POWER/UTILITY, FOOD, AUTOMOTIVE AND MARINE INDUSTRIES

STAINLESS STEEL FEELER GAGE	
Decimal Thickness	Tolerance
.0005 & .001	±.0001
.0015	±.00012
.002	±.00016
.003 & .004	±.0002
.005 & .006	±.00024
.007	±.00028
.008 & .009	±.00031
.010 & .012	±.00035
.015	±.00043
.020	±.00055
.025	±.00067
.031	±.0016
Width	±.005



STAINLESS STEEL THICKNESS GAGE			
Thickness		12" Lengths	5" Lengths
Decimal	Metric /mm	UPC No. (12 pcs. per pkg.)	UPC No. (10 pcs. per pkg.)
.0005	.013	77740	—
.001	.025	77120	77115
.0015	.038	77145	77140
.002	.051	77170	77165
.003	.076	77210	77205
.004	.102	77235	77230
.005	.127	77260	77255
.006	.152	77285	77280
.007	.178	77310	77305
.008	.203	77335	77330
.009	.229	77360	77355
.010	.254	77385	77380
.012	.305	77425	77420
.015	.381	77490	77485
.020	.508	77595	77590
.025	.635	77770	77695
.031	.787	77730	77731

5" STAINLESS STEEL THICKNESS GAGE POC-KIT® ASSORTMENT

UPC No. 77750	16 Thicknesses/20 pieces	Decimal/Metric mm	
.001/.025-2 pcs.	.004/.102	.008/.203	.015/.381
.0015/.038-2 pcs.	.005/.127	.009/.229	.020/.508
.002/.051-2 pcs.	.006/.152	.010/.254	.025/.635
.003/.076-2 pcs.	.007/.178	.012/.305	.031/.787

Plastic

NEW!

PLASTIC THICKNESS GAGE FAN BLADE SETS

Precision Brand Plastic Thickness Gage Assortments contain thirteen thicknesses riveted together for on-site convenience. These 1/2" wide blades are non-conductive, non-sparking, non-marring and free from corrosion. Each blade's color represents a different thickness which makes identification quick and easy. They are available in 5" and 12" length assortments. Individual blades are also available on special order.

- MADE OF THE HIGHEST QUALITY PLASTIC MATERIAL
.001-.005 IS POLYESTER
.0075-.030 IS VINYL
- EACH ASSORTMENT IS PACKAGED IN A STURDY VINYL CASE

PLASTIC THICKNESS GAGE	
UPC No.	Description
78905	5" Fan Blade Set
78900	12" Fan Blade Set

Thirteen Thicknesses		Decimal/Metric/Color
.001/.025/Amber	.005/.127/Blue	.015/.381/Pink
.0015/.038/Purple	.0075/.191/Matte	.020/.508/Yellow
.002/.051/Red	.010/.254/Brown	.025/.635/White
.003/.076/Green	.0125/.305/Black	.030/.762/Coral
.004/.102/Tan		

Brass

NEW!

BRASS THICKNESS GAGE

Need a non-magnetic, corrosion resistant gage that should not spark when inserted? Precision Brand Brass Thickness Gages are the answer. These 1/2" wide thickness gages are conveniently packaged in 5" and 12" lengths, and in a twenty piece 5" Poc-Kit[®] assortment. Coil stock is also available on a special order.

- MADE OF 260 CDA ALLOY
- ROCKWELL HARDNESS:
30T SCALE 56-78
- THICKNESSES ARE CLEARLY ETCHED EVERY 6"
- USED IN MANUFACTURING & MAINTENANCE OF HIGHLY TECHNICAL INDUSTRIES SUCH AS: COMPUTER, MINING AND ELECTRONICS



5" BRASS THICKNESS GAGE POC-KIT[®] ASSORTMENT

UPC No. 76740

20 Thickness – Decimal /Metric mm

.001/.025	.004/.102	.008/.203	.014/.356	.020/.508
.0015/.038	.005/.127	.009/.229	.015/.381	.022/.559
.002/.051	.006/.152	.010/.254	.016/.406	.025/.635
.003/.076	.007/.178	.012/.305	.018/.457	.030/.762

BRASS THICKNESS GAGE

Thickness		12" Lengths UPC No. (12 pcs. per pkg.)	5" Lengths UPC No. (10 pcs. per pkg.)
Decimal	Metric /mm		
.001	.025	76120	76115
.0015	.038	76145	76140
.002	.051	76170	76165
.003	.076	76210	76205
.004	.102	76235	76230
.005	.127	76260	76255
.006	.152	76285	76280
.007	.178	76310	76305
.008	.203	76335	76330
.009	.229	76360	76355
.010	.254	76385	76380
.012	.305	76425	76420
.014	.356	76465	76460
.015	.381	76490	76485
.016	.406	76515	76510
.018	.457	76555	76550
.020	.508	76595	76590
.022	.559	76635	76630
.024	.610	76675	—
.025	.635	76700	76695
.030	.762	76730	76731
.032	.813	76760	—

BRASS THICKNESS GAGE

Decimal Thickness	Tolerance
.001 & .003	±10%
.004 to .006	±.0005
.007 to .009	±.0006
.010 to .014	±.0008
.015 to .024	±.001
.025 to .032	±.002
Width	±.005

Metric (Steel)

**BRAND
NEW!**

FINALLY "TRUE" METRIC STEEL FEELER GAGE

Twenty 12.7mm (1/2") wide steel feeler gages in TRUE METRIC thicknesses are now available. These gages are packaged in a 127mm (5") Poc-Kit® or available on special order in flat or coil lengths. You'll never have to worry about conversion tables again! You asked for it and Precision Brand delivered!

- MADE OF C1095 CLOSE GRAIN HIGH CARBON SPRING STEEL
- ROCKWELL HARDNESS
C SCALE 45-62
- THICKNESSES ARE CLEARLY ETCHED ON EACH BLADE

METRIC FEELER GAGE	
Decimal Thickness	Tolerance
.05	±.003mm
.10	±.004mm
.15	±.005mm
.20	±.006mm
.25-.30	±.007mm
.35	±.008mm
.40-.45	±.009mm
.50-.60	±.010mm
.65-.75	±.012mm
.80-.95	±.013mm
1.00	±.017mm
Width	±.127mm

METRIC STEEL FEELER GAGE POC-KIT®

- CONTAINS TWENTY 127MM LONG X 12.7MM WIDE BLADES
- INDIVIDUAL BLADE POCKETS
- PACKAGED IN A STURDY, VINYL CASE WHICH HELPS PREVENT RUST AND EXTENDS BLADE LIFE

"True
Metric"



127mm METRIC STEEL FEELER GAGE POC-KIT® ASSORTMENT

UPC 09740

.05mm	.30mm	.55mm	.80mm
.10mm	.35mm	.60mm	.85mm
.15mm	.40mm	.65mm	.90mm
.20mm	.45mm	.70mm	.95mm
.25mm	.50mm	.75mm	1.00mm

BULK, OTHER THICKNESSES AND SPECIAL MATERIAL FEELER/THICKNESS GAGE MAY BE AVAILABLE ON SPECIAL ORDER-CONTACT FACTORY WITH YOUR INQUIRY.

Distributed by:



2250 Curtiss Street, Downers Grove IL 60515 USA
 Phone: (630) 969-7200 Fax: (630) 969-0310
 E-mail precision.brand.products@industry.net
 World Wide Web <http://www.industry.net/precision.brand>