


Technical Specifications


37128



60"L x 42"W x 30"H
InVision Element Table
(with T-Legs and one Cove module cutout)



72"L x 42"W x 30"H
InVision Element Table
(with T-Legs and blank worksurface)



96"L x 42"W x 30"H
InVision Element Table
(with Post Legs, 2 Cove modules, and Element Display Stand)

The InVision Element Table is the next generation of affordable, durable active learning collaboration furniture available for educational or corporate settings. Two leg styles, three height options, two wiring channel styles, power options, and worksurface lengths in 60", 72", and 96"L give the user the ability to fully configure each table to their specific needs. The Element Display Stand can also be added for large screen monitor viewing.

Features and Benefits

- The best value in the quickly changing collaboration system environment
- Choice of T-Leg or Post legs
- Choice of wire tray or larger AV equipment channel
- Available in 27"H elementary, 30"H adult, or 42"H standing worksurface heights (*Post legs not available in 42"H*)
- Ships with 1-piece worksurface with matching color edge trim (*some laminate choices use non-matching edge trim*)
- Scratch and impact-resistant high-pressure laminate worksurface
- Durable powder coated steel legs provide a long-lasting finish
- Durable worksurface edge trim
- Worksurface braces provide support to minimize flexing
- ADA-compliant knee clearance under worksurface (42" & 30"H versions)
- Leveling glides keep table level on uneven surfaces
- Cords and wiring can be channeled cleanly using the under-worksurface wiring tray or larger AV equipment channel
- Table ships "knocked-down" for lower shipping costs and can be easily assembled at the final location
- Optional Element Display Stand provides ability to attach most monitors (requires worksurface mounting holes)
- Warranted to be free of all defects in materials and workmanship for 10 years
- Designed and assembled in Chippewa Falls, WI, USA

Color Options

See spectrumfurniture.com for complete color options and combinations.


Construction

- The one-piece worksurface is constructed from 1" thick NAF (no-added formaldehyde) composite board with .030" high-pressure laminate on one face, and a balancing phenolic backer on the opposing face
- Metal components consist of 16-gauge steel
- Worksurface edges are covered with 3mm vinyl (color matching)
- All metal components are finished with a scratch-resistant powder coat epoxy
- Tables are shipped KD (Knocked-Down) and require assembly

Specifications

Worksurface sizes available	<ul style="list-style-type: none"> • 60"L [512.4 cm] x 42"W [106.7 cm] • 72"L [182.9 cm] x 42"W [106.7 cm] • 96"L [243.8 cm] x 42"W [106.7 cm]
Leg styles available	<ul style="list-style-type: none"> • T-Leg (2) • Post (4)
Worksurface heights available	<ul style="list-style-type: none"> • 27"H [68.6 cm] - <i>Elementary</i> • 30"H [76.2 cm] - <i>Adult</i> • 42"H [106.7 cm] - <i>Standing height - (Available in T-Leg only)</i>
Wiring options	<ul style="list-style-type: none"> • Wire Tray • AV Equipment Channel
Seating	See possibilities on p.5
Compatibility	<ul style="list-style-type: none"> • The larger AV Equipment Channel is not compatible with post legs • Spectrum does not recommend keyboard trays be used with the Element Table-especially on 27"H and 30"H models • The Element Display Stand is not compatible with the 95523 InVision Access Display Shroud, 37124 Dual Display Mount, or 37108 Camera Mount
ADA-compliance*	72"L, and 96"L tables support (1) ADA-compliant seating position on the radiused end <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="flex: 1;"> <p><small>*Minimum ADA guidelines for knee clearances are 30"W [76.2 cm] x 19"D [48.3 cm] x 27"H [68.6 cm]</small></p> </div> <div style="flex: 0.5; text-align: center;">  </div> </div>
Certifications / Compliance	<ul style="list-style-type: none"> • SCS Indoor Advantage Certified • TAA compliant • Meets or exceeds applicable ANSI-BIFMA test standards
Shipping weights (nominal)	150 lb [68.1 kg] - 60"L table 160 lb [72.6 kg] - 72"L table 180 lb [81.7 kg] - 96"L table

Specifications subject to change without notice



Configured Options

Product number breakdown

37128 - MZ SN CM T 2 6 1 2 S 0

Parent Number

Custom Worksurface Cutout(s):

0 = None
1 = Yes

Cove™ Power Module Color:

0 = No Cove Power Modules
B = Black
S = Silver

Cove™ Power Module(s):

0 = None
1 = One Cove
2 = Two Covens

Element Display Stand:

0 = None
1 = with Display Stand

Worksurface Size and Wiring Option:

1 = 60"L x 42"W - Wire Tray
2 = 72"L x 42"W - Wire Tray
3 = 96"L x 42"W - Wire Tray
4 = 60"L x 42"W - AV Equipment Channel
5 = 72"L x 42"W - AV Equipment Channel
6 = 96"L x 42"W - AV Equipment Channel

Worksurface Height:

1 = 27"H
2 = 30"H
3 = 42"H (T-Legs only)

Leg Style: (match metal color)

T = T-Legs
P = Post legs

Metal Color:

B = Black
CM = Champagne Metallic
D = Dark Gray
S = Silver Sparkle

Suggested edgeband color combinations for White Chalk Dry Erase laminate:	
Edgeband color:	Default metal color:
Black	Black
North Sea	Silver Sparkle
	Dark Gray
Champagne Metallic	Champagne Metallic
Chalk White (matches White Chalk Dry Erase laminate)	-


	Laminate Color:†	Edgeband Color:
Standard Laminates	FM = Fusion Maple	FM = Fusion Maple
	IO = Indigo Organix	BK = Black (<i>non-matching</i>)
	CH = Wild Cherry	CH = Wild Cherry
Premium Laminates* (28-day lead time)	BK = Black	BK = Black
	BL = Bronze Legacy	BL = Bronze Legacy
	CK = Castle Oak	CK = Castle Oak
	CW = Colombian Walnut	CW = Colombian Walnut
	DZ = Desert Zephyr	DZ = Desert Zephyr
	EM = Empire Mahogany	EM = Empire Mahogany
	MO = Morro Zephyr	MO = Morro Zephyr
	MZ = Misted Zephyr	SN = Silver Northsea (<i>non-matching</i>)
	NP = Nepal Teak	NP = Nepal Teak
	NT = Natural Tigris	NT = Natural Tigris
	PM = Pewter Mesh	PM = Pewter Mesh
	SM = Steel Mesh	SM = Steel Mesh
	TZ = Twilight Zephyr	TZ = Twilight Zephyr
	WF = White Fiesta	BK = Black (<i>non-matching</i>)
	WD = White Chalk Dry Erase	(Matches Metal Color)

* Premium laminate colors require an additional 14 days of lead time.


† Laminate colors come with matching Edgeband color, with these exceptions: Indigo Organix Laminate comes with Black Edgeband, Misted Zephyr Laminate comes with Silver Northsea Edgeband, and White Fiesta Laminate comes with Black Edgeband.

Leg Style Options

ORDER CODE T = T-Legs





ORDER CODE P = Post Legs



Worksurface Height Options



ORDER CODE 1 = 27"H

Elementary height




ORDER CODE 2 = 30"H

Adult height
(used for ADA-compliance)




ORDER CODE 3 = 42"H

Standing height




Note: 42"H not available with post legs.

ORDER CODE 1 = 60"L x 42"W - Wire Tray
ORDER CODE 2 = 72"L x 42"W - Wire Tray
ORDER CODE 3 = 96"L x 42"W - Wire Tray
ORDER CODE 4 = 60"L x 42"W - AV Equipment Channel
ORDER CODE 5 = 72"L x 42"W - AV Equipment Channel
ORDER CODE 6 = 96"L x 42"W - AV Equipment Channel




- Seating for up to 5

Note: 60"L Element tables are not ADA-compliant.



- Seating for up to 5
- Provides 1 ADA-compliant seat at curved end
- For ADA use 30"H worksurface only



- Seating for up to 7
- Provides 1 ADA-compliant seat at curved end
- For ADA use 30"H worksurface only





Note: If the Display Stand is used, distance between the nearest seat and the display should be maintained for viewing.


Wire Tray

- Slim profile for small or minimal components
- Tray extends to end of table for routing cords to monitor
- Opening on bottom of tray for cord access

Internal area:	7"W [17.8 cm] x 7"H [17.8 cm] x A
(nominal)	
	A
60"L Table	41.79 [106.1 cm]
72"L Table	48.92 [124.3 cm]
96"L Table	63.18 [160.5 cm]
Available knee depth	17.4" [44.2 cm]




Section View A1-A1




AV Equipment Channel


- Larger internal area for large or multiple components and equipment
- Removable, vented side panels attached with screws provide ventilation, easy access, and security
- 2" grommets provide cord route to display stand or floor
- Not compatible with post legs



Internal area: (nominal)	11.678"W [29.7 cm] x 16.956"H [43.1 cm] x B	
	B	C
60"L Table	40.67 [103.3 cm]	31.88 [81 cm]
72"L Table	48.8 [124 cm]	38.26 [97.2 cm]
96"L Table	65.07 [165.3 cm]	51.02 [129.6 cm]
Available knee depth	15" [38.1 cm]	



Section View A2-A2




ORDER CODE 0 = None

ORDER CODE 1 = Element Display Stand



- Bolts directly to worksurface
- Integrated cable management routes and hides wires
- Adjustable (VESA-compatible) display mount
- Includes worksurface mounting holes and cutout

Monitor size range:	32"-55" [81.3 cm-139.7 cm] diagonal
Weight capacity:	200 lb [45.4 kg]
Vertical adjustment (worksurface-to-center)	• 23.5"H [59.7 cm]
	• 21.5"H [54.6 cm]
	• 19.5"H [49.5 cm]
	• 17.5"H [44.5 cm]
	• 15.5"H [39.4 cm]
Tilting	15° range
Unit weight:	N/A




Mounting holes and cutouts needed on flat end of worksurface

5-vertical positions available
(dimensions shown to center of mount)



Cove™ Power Module(s)

- Two power receptacles
- Two USB charge ports (not data-compatible)
- Thumbscrew clamps
- Requires worksurface cutout
- ETL listed
- Available in Black or Silver




Requires worksurface cutout-specify when ordering


Cutout required:	5.25"W [13.3 cm] x 2"D [5.1 cm] (mounts to surface thicknesses up to 1.5")
Power cord:	9' [274 cm] with 90° flat plug with 45° rotation
Power receptacles:	12A, 120 VAC spill-resistant
USB charging ports:	2.1A (10.5W)
Dimensions:	6"W [15.2 cm] x 2.5"D [6.35 cm] x 3.18"H [8.1 cm]
Unit weight:	2.29 lb [1 kg]

ORDER CODE 0 = None

ORDER CODE 1 = One Cove Module



ORDER CODE 2 = Two Cove Modules



Cove™ Power Module Colors

ORDER CODE 0 = None

ORDER CODE B = Black



ORDER CODE S = Silver



ORDER CODE 0 = None

ORDER CODE 1 = Yes

Custom worksurface cutout(s) by Spectrum

- Contact Spectrum to specify cutout size(s) and location(s)
- See recommended cutout areas on p.6-7

***When ordering a table with cutouts, specify complete details of the device(s) (brand, model number, cutout size, quantity, etc.) to the Spectrum sales rep when ordering.**

Cutouts in blank worksurfaces can be made by the customer after the table has been assembled, but are only recommended within the cutout areas shown.

Note: Spectrum Industries, Inc, manufactures furniture that supports a wide variety of power and communication devices from a variety of manufacturers. This table is compatible with many Extron, Crestron, Altinex, AMX, and other devices. Spectrum does not resell these products; please consult your electronic supplier for the equipment that best suits your needs. Size specifications from the manufacturer can be used to verify the fit.







Note: Some controllers and devices require additional space around the cutout for clamping under the worksurface. Please double check your device specifications to ensure adequate space around the cutout.

Spectrum can provide cutouts exactly matching any commercially available data and electrical power outlet, but are only recommended within the maximum cutout areas shown. Cutouts made beyond this shaded area could interfere with the legs, wiring channel, or worksurface braces.





This table has been designed for many of the currently available surface-mount devices on the market.

InVision Element 60"L Table
shown with T-legs, and Wire Tray







Note: 60"L table not ADA-compliant

InVision Element 72"L Table
shown with T-legs, and AV Equipment Channel



InVision Element 96"L Table
shown with Post legs, and Wire Tray




Accessories (Available separately after initial configured purchase.)

Element Display Stand - 37130

- Bolts directly to worksurface
- Integrated cable management routes and hides wires
- Adjustable (VESA-compatible) mount
- Requires worksurface mounting holes and cutout

Monitor size range:	32"-55" [81.3 cm-139.7 cm] diagonal
Weight capacity:	200 lb [45.4 kg]
Vertical adjustment (worksurface-to-center)	• 23.5"H [59.7 cm]
	• 21.5"H [54.6 cm]
	• 19.5"H [49.5 cm]
	• 17.5"H [44.5 cm]
	• 15.5"H [39.4 cm]
Tilting	15° range
Shipping weight:	35 lb [15.9 kg]




Mounting holes and cutouts needed on flat end of worksurface

Cove™ Power Module - 99044

- Two power receptacles
- Two USB charge ports (not data-compatible)
- Thumbscrew clamps
- Requires worksurface cutout
- ETL listed
- Available in Black or Silver

Cutout required:	5.25"W [13.3 cm] x 2"D [5.1 cm] (mounts to surface thicknesses up to 1.5")
Power cord:	9' [274 cm] with 90° flat plug with 45° rotation
Power receptacles:	12A, 120 VAC spill-resistant
USB charging ports:	2.1A (10.5W)
Dimensions:	6"W [15.2 cm] x 2.5"D [6.35 cm] x 3.18"H [8.1 cm]
Unit weight:	2.29 lb [1 kg]



See spectrumfurniture.com for the latest accessories and detailed warranty information.

Warranty

WE WILL MAKE IT RIGHT FOR YOU!

Spectrum is committed to provide complete customer satisfaction. Each of our products is manufactured from the best materials available and each product is stringently monitored throughout the production process through our P.A.C.E. program (Product Assurance to meet Customer Expectations).

We expressly warrant that Spectrum products will be of good quality and workmanship and free from defect for the period set out in the warranty table below from the date of delivery. This warranty shall not apply to defects or damage resulting from misuse, abuse, neglect, improper care, modification or repair not authorized by Spectrum, or any other cause outside the control of Spectrum. Spectrum will, at its sole option, either repair or replace the defective product.

This warranty is exclusive; no other warranty, written or oral, is expressed or implied. This warranty is given by Spectrum to Buyer and to no other person or legal entity. No Spectrum dealer, distributor, agent or employee is authorized to make any modification or addition to this warranty.

NOTWITHSTANDING ANYTHING TO THE CONTRARY, SPECTRUM WILL NOT UNDER ANY CIRCUMSTANCES BE LIABLE FOR INDIRECT OR LIQUIDATED DAMAGES, INCLUDING CONSEQUENTIAL, INCIDENTAL AND SPECIAL DAMAGES. IN NO EVENT SHALL SPECTRUM'S LIABILITY, WHETHER UNDER CONTRACT OR WARRANTY, IN TORT OR OTHERWISE, EXCEED THE PURCHASE PRICE RECEIVED BY SPECTRUM FOR THE PRODUCT AT ISSUE AND "RECALL ACTION" EXPENSES. SPECTRUM SHALL NOT BE SUBJECT TO ANY OTHER OBLIGATIONS OR LIABILITIES, WHETHER ARISING OUT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE AND STRICT LIABILITY) OR OTHER THEORIES OF LAW, WITH RESPECT TO PRODUCTS SOLD OR SERVICES RENDERED BY SPECTRUM, OR ANY UNDERTAKINGS, ACTS OR OMISSIONS RELATING THERETO.

Our Customer Service Department is ready to provide immediate attention to any questions, comments or concerns. They are available to answer your calls Monday through Friday from 7 am to 5 pm CST. In addition your product comments or concerns are welcome via e-mail at: spectrum@spectrumfurniture.com.

Warranty Table

Item	Warranty Period effective 1/1/2015
Adjustable Crank / Electric Desk Legs	• 1 Year
Flat Panel Desk Gas Cylinders	
Chairs <ul style="list-style-type: none"> • Adjustable Height Chair Parts – including frames, gas cylinders, wood and plastic parts, control handles, casters • Adjustable Height Chair Upholstery • In-Stock Upholstery • Graded-In Fabrics and Customer Owned Material 	<ul style="list-style-type: none"> • 7 Years • 2 Years • 2 Years • No Warranty
Height Adjustable Columns and Lifts	• 1 Year
General Use Casters	
Electrical (including timers and LINAK actuators)	• 2 Years
Keyboard / Mouse Trays	• 1 Year
Flat Panel Monitor Arms <ul style="list-style-type: none"> • Flat Panel Monitor Arm – General Parts • Flat Panel Monitor Arm – Gas Cylinders 	<ul style="list-style-type: none"> • 5 Years • 2 Years
Desks and Lecterns <ul style="list-style-type: none"> • Computer Desk Chassis • Cart Chassis • Lectern Chassis 	• 10 Years

