

Page 1 of 5 **PBP-006** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.2

SDS Revision Date: 4/7/2015

1.1	Product Name:	METAL POLISH/CLEANSER
1.2	Chemical Name:	Aqueous Solution
1.3	Synonyms:	45118, 45106
1.4	Trade Names:	Metal Polish/Cleanser
1.5	Product Use:	Metal Polish/Cleanser
1.6	Distributor's Name:	Precision Brand Products, Inc.
1.7	Distributor's Address:	2250 Curtiss Street, Downers Grove IL 60515 USA
1.8	Emergency Phone:	ChemTrec +1 (800) 424-9300 / +1 (703) 527-3887 or Poison Control Center +1 (855) 281-1742
1.9	Business Phone / Fax:	+1 (630) 969-7200 / +1 (630) 969-0310

## 2. HAZARDS IDENTIFICATION

2.1 Hazard Identification: This product is classified as a hazardous substance but not as dangerous goods according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia).

WARNING! MAY BE HARMFUL IN CONTACT WITH SKIN. CAUSES SKIN IRRITATION. CAUSES EYE IRRITATION.

Classification: Acute Tox. Dermal 5; Skin Irrit. 2; Eye Irrit

<u>Hazard Statements</u> (H): H313 – May be harmful in contact with skin. H315 – Causes skin irritation. H320 – Causes eye irritation.

<u>Precautionary Statements</u> (P): P261 – Avoid breathing mist/sprays. P272 – Contaminated work clothing should not be allowed out of the workplace. P280 – Wear protective gloves/eye protection. P302+P352 – IF ON SKIN: Wash with plenty of soap and water. P333+P313 – If skin irritation or rash occurs: Get medical advice/attention. P321 – Specific treatment – see section 4 of this Safety Data Sheet. P363 Wash contaminated clothing before reuse. P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 – Dispose of contents/container to licenses treatment, storage and disposal facility (TSDF).



## 3. COMPOSITION & INGREDIENT INFORMATION

								EXPO	SURE LI	MITS IN	AIR (mg	g/m³)	
					AC	GIH		NOHSC			OSHA		
					pp	m		ppm			ppm		
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	TLV	STEL	IDLH	OTHER
WATER	7732-18-5	NA	231-791-2	60-100	NE	NE	NF	NF	NF	NE	NE	NE	
WATER													
MODIFIED ALKANOLAMIDE	8051-30-7	NA	232-483-0	1-5	NA	NA	NF	NF	NF	NA	NA	NA	
MODII IED ALKANOLAMIDE													
SODIUM TETRABORATE	1303-96-4	VZ2275000	NA	1-5	(2)	(6)	NF	NF	NF	(2)	NA	Na	(1) NIOSH
SODIUM TETRABORATE	Skin Irrit. 2; Ey	e Damage 1; H31	I5, H318										
SODIUM PYROPHOSPHATE	7758-16-9	UX6475000	231-835-0	1-5	NA	NA	NF	NF	NF	NA	NA	NA	
DIBASIC	Acute Tox. Ora	l 5; H303											
SODIUM XYLENE SULFONATE	1300-72-7	ZE5100000	215-090-9	1-5	NA	NA	NF	NF	NF	NA	NA	NA	
SODIOW XYLENE SULFONATE	Acute Tox. Der	mal 5; Eye Irrit. 2	A; H313, H319										

## 4. FIRST AID MEASURES

			4. FIRST AID MEASURES
4.1	First Aid:	Ingestion:	DO NOT INDUCE VOMITING. Contact ChemTrec +1 (800) 424-9300 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.
		Eyes:	If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately.
		<u>Skin</u> :	Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists and/or the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been properly cleaned.
		Inhalation:	Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration. Seek immediate medical attention.
4.2	Effects of Exposure:	Eyes:	Irritation upon direct contact.
		Skin:	Mildly irritating. Prolonged or repeated skin contact can result in drying and defatting of the skin, and possible sensitization in some individuals.
		Ingestion:	Irritation to the gastrointestinal tract. This material can enter the lungs during swallowing or vomiting and cause lung damage.
		Inhalation:	Irritation of respiratory tract and mucous membranes.



Page 2 of 5

**PBP-006** SDS Revision: 1.2 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 4/7/2015 4. FIRST AID MEASURES - cont'd 4.3 Symptoms of Overexposure: Redness, burning, irritation, stinging and swelling around eyes. Eyes: Redness, burning, itching, rash, drying and defatting of the skin. Skin: Nausea, vomiting, severe abdominal pain. Ingestion: Inhalation: Coughing, wheezing, swelling of throat, irritation in mucous membranes, difficulty breathing. 4.4 Acute Health Effects: Irritation or possible burns upon direct skin contact. Possible irreversible damage to eyes. Irritation and possible sensitization with certain individuals. 4.5 Chronic Health Effects: Irritation and possible skin sensitization with certain individuals. Prolonged or repeated skin exposure may cause dermatitis. 46 Target Organs: Eyes, Skin, Lungs (severe irritant). 47 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 1 Aggravated by Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 0 **PHYSICAL HAZARDS** 0 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES Fire & Explosion Hazards: Non-flammable. Use media as appropriate for surrounding fire. 5.1 5.2 Extinguishing Methods: Carbon Dioxide, Foam, Water Spray, Halon (if permitted), Dry Chemical Extinguisher. 5.3 Firefighting Procedures: As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g., apron, boots, etc.) to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible, inert material such as vermiculite or sand to soak up the product and place into a container for later disposal. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid-resistant container. Use absorbent to pick up residue. Avoid discharging liquid directly into a sewer or surface waters. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out 7.1 of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling, Immediately clean-up and decontaminate any spills or residues. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Keep away from incompatible substances (see Section 10). Protect containers from physical damage. Special Precautions: Empty containers may retain hazardous product residues. 7.3 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: ACGIH NOHSC OSHA OTHER 8.1 ppm (mg/m<sup>3</sup>) TLV STEL ES-TWA ES-STEL ES-PEAK STEL IDLH SODIUM TETRABORATE (2) (6) NF NF NF (2) NA Na (1) NIOSH 8.2 Ventilation & Engineering Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the Controls: handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash 8.3 Respiratory Protection: In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia (e.g., NIOSH approved respirator with full or half-face N95 cartridge) Eye Protection: 8.4 Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended. Hand Protection: 8.5 Wear protective, chemical-resistant gloves (e.g., butyl rubber, neoprene, nitrile) when using or handling this product. 86 Body Protection: Not required under normal conditions of use are recommended when handling or using large

quantities (e.g., > 5 gallons (18.9 L)) of this product.



13.2

Special Considerations:

# SAFETY DATA SHEET

Page 3 of 5

**PBP-006** Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.2 SDS Revision Date: 4/7/2015 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: Pink liquid. 92 Odor: No odor Odor Threshold: NA 9.3 9.4 1.0 9.5 Melting Point/Freezing Point: NA 9.6 Initial Boiling Point/Boiling > 100 °C (> 212 °F) Range: 9.7 Flashpoint: Upper/Lower Flammability 9.8 LEL: NA; UEL: NA Limits: 9.9 Vapor Pressure: Vapor Density: 9.10 > 1.0 (air = 1.0)Relative Density: 9.11 1.012 Solubility 9 12 Complete (water) Partition Coefficient (log 9.13 NA 9.14 Autoignition Temperature: NA 9 15 Decomposition Temperature: NA 9.16 Viscosity: 9.17 Other Information: Evaporation Rate: < 1.0 (ethyl ether = 1.0) 10. STABILITY & REACTIVITY 10.1 Stability: Stable under normal storage and use conditions. 10.2 Hazardous Decomposition Thermal decomposition may produce carbon, potassium, sulfur and nitrogen oxides. Products: 10.3 Hazardous Polymerization: 10.4 Conditions to Avoid: Avoid high temperatures and incompatible materials. 10.5 Incompatible Substances: Strong acids, water-reactive substances and metals such as aluminum and zinc 11. TOXICOLOGICAL INFORMATION Ingestion: 11.1 Routes of Entry Absorption: YES YES Toxicity Data: Sodium Pyrophosphate, Dibasic: LD<sub>50</sub> (oral, mouse) = 2,650 mg/kg; Sodium Xylene Sulfonate: LD<sub>50</sub> (oral, rat) ≥ 7,200 11.2 11.3 Acute Toxicity: See Section 2.4 11.4 Chronic Toxicity See Section 2.5 Suspected Carcinogen: 11.5 11.6 Reproductive Toxicity This product is not reported to cause reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity This product is not reported to produce embryotoxic effects in humans Teratogenicity This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: See Section 2.3 Biological Exposure Indices: 11.8 NE Physician 11.9 Treat symptomatically. Recommendations 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: Phosphates may persist indefinitely if released into groundwater. Sodium Xylene Sulfonate: OECD Test Guideline 301B: 83-85% Readily biodegradable 12.2 Effects on Plants & Animals: No data available. Effects on Aquatic Life: 12.3 No data available. 13. DISPOSAL CONSIDERATIONS Waste Disposal: 13 1 Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate

> disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and

disposal of hazardous waste must be provided by a licensed facility or waste hauler.



Page 4 of 5 **PBP-006** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.2

SDS Revision Date: 4/7/2015

	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NOTISE, WITHVIIS, 2001/30 & 12/2/2000/LE Standards	SDS Nevision 1.2 SDS Nevision Date: 4/1/2013				
		14. TRANSPORTATION	N INFORMATION				
The I	pasic description (ID Nur		n, packing group) is shown for each mode of transportation. Additional				
14.1							
14.2	IATA (AIR):	NOT REGULATED					
14.3	IMDG (OCN):	NOT REGULATED					
14.4	TDGR (Canadian GND):	NOT REGULATED					
14.5	ADR/RID (EU):	NOT REGULATED					
14.6	SCT (MEXICO):	NOT REGULATED					
14.7	ADGR (AUS):	NOT REGULATED					
		15. REGULATORY I	NFORMATION				
15.1	SARA Reporting Requirements:		ect to SARA Title III, section 313 reporting requirements.				
15.2	SARA Threshold Planning Quantity:	NA					
15.3	TSCA Inventory Status:	The components of this product are listed on the TS	SCA Inventory.				
15.4	CERCLA Reportable	NA	,				
15.5	Quantity (RQ): Other Federal Requirements:	NA					
15.6	Other Canadian Regulations:	This product has been classified according to the h	pazard criteria of the CPR and the MSDS contains				
		all of the information required by the CPR. Th DSL/NDSL. None of the components of this pro Class D2B (Materials Causing Other Toxic Effects)	e components of this product are listed on the duct are listed on the Priorities Substances List.				
15.7	State Regulatory Information:	Sodium Pyrophosphate, Dibasic is found on the following state criteria lists: New Jersey Right-to-Know List (NJ), and Pennsylvania Right-to-Know List (PA).  None of the ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances					
15.8	Other Requirements:	List (WI).  The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC.  Harmful (C, Xn). Risk Phrases (R): R22-36/38 – Harmful is swallowed. Irritating to eyes and skin.  Safety Phrases (S): S(2)-23-24-37/39-62 - Keep out of the reach of children. Do not breathe fumes/mists/vapors/spray. Avoid contact with skin. Wear suitable gloves and eye/face protection. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible.					
		16. OTHER INFO	DRMATION				
16.1	Other Information:	WARNING! MAY BE HARMFUL IN CONTACT W May be harmful in contact with skin. Causes ski	ITH SKIN. CAUSES SKIN IRRITATION. CAUSES EYE IRRITATION. n irritation. Causes serious eye irritation. Wear protective gloves/eye Center or doctor/physician. Avoid breathing mist/sprays. If skin irritation				
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.					
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Precision Brand Products Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.					
16.4	Prepared for:	Precision Brand Products, Inc. 2250 Curtiss Street Downers Grove, IL 60515 USA Tel: +1 (630) 969-7200 Fax: +1 (630) 969-0310 http://www.precisionbrand.com	PRECISION BRAND.				
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate  Dangerous Goods Training & Consulting				



Page 5 of 5 **PBP-006** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 4/7/2015

#### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No. C	nemical Abstract Service Number
CAS NO.   C	iemical Abstract Service Number

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	American Conference on Governmental Industrial Hygienists			
С	Ceiling Limit			
IDLH	Immediately Dangerous to Life and Health			
OSHA	HA U.S. Occupational Safety and Health Administration			
PEL Permissible Exposure Limit				
TLV Threshold Limit Value				

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


### HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard			
1 Slight Hazard				
2	2 Moderate Hazard			
3	3 Severe Hazard			
4	4 Extreme Hazard			



#### PERSONAL PROTECTION RATINGS:

Α			
В			
С		The state of the s	
D		The state of the s	
Е			
F			







Splash Goggles



Face Shield & Protective Evewear



Synthetic Apron



**Dust Respirator** 

**Full Face Respirator** 

**Dust & Vapor Half-**Mask Respirator

Full Face Respirator

ð Airline Hood/Mask or SCBA

#### OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit	
NA	Not Available	
ND	ND Not Determined	
NE	Not Established	
NF	Not Found	
NR	No Results	
SCBA	Self-Contained Breathing Apparatus	

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:						
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					

#### **HAZARD RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
ОХ	Oxidizer
TREFOIL	Radioactive



#### TOXICOLOGICAL INFORMATION:

	<u> </u>					
LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals					
	s					
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal					
ppm	Concentration expressed in parts of material per million parts					
TD <sub>Io</sub>	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TD <sub>io</sub> , LD <sub>io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects					
TC, TCo, LCio, & LCo						
IARC	International Agency for Research on Cancer					
NTP	National Toxicology Program					
RTECS	Registry of Toxic Effects of Chemical Substances					
BCF	Bioconcentration Factor					
TL <sub>m</sub>	Median threshold limit					
log K <sub>ow</sub> or log K <sub>oc</sub>	Coefficient of Oil/Water Distribution					

#### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
TC	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			

#### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>(*)</b>	<b>(A)</b>	<b>②</b>	<b>(T)</b>	<b>®</b>		(R)
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

### EC (67/548/EEC) INFORMATION:

			¥		<b>®</b> X	×	×
С	E	F	Ν	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			<b>\cdots</b>		<b>(1)</b>
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment